





Ergebnis: **373** (391.4)  
 Serien: 97 91 93 92  
 Zähler: 19 16 4 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 804 (12), 698 (32), 522 (26)  
 beste Teiler 47.3 (3.) 74.9 (22.) 88.7 (8.)  
 Trefferlage 0.90 mm links, 0.26 mm tief  
 Streuwert 2.30, horizontal: 2.61, vertikal: 1.94




Serie 1:  
 9.5 ↘ 10.2 \* 10.8 \* 9.7 ↘ 10.6 \*  
 10.2 \* 10.4 \* 10.6 \* 9.4 ↘ 10.2 \*  
 beste Teiler 47.3 (3.) 88.7 (8.) 100.8 (5.)  
 Trefferlage 0.47 mm links, 0.37 mm hoch  
 Streuwert 1.65, horizontal: 1.87, vertikal: 1.41



Serie 2:  
 9.0 → 7.7 ↓ 10.3 \* 9.4 ← 9.1 ←  
 10.2 \* 10.1 ← 10.1 ↓ 8.9 ← 9.7 ↓  
 beste Teiler 151.5 (13.) 189.1 (16.) 203.0 (17.)  
 Trefferlage 0.91 mm links, 1.17 mm tief  
 Streuwert 2.92, horizontal: 3.20, vertikal: 2.61



Serie 3:  
 9.8 ↙ 10.7 \* 10.3 \* 10.1 ↓ 8.9 ←  
 8.9 ↘ 9.8 ← 9.7 ↘ 10.1 ↓ 10.2 \*  
 beste Teiler 74.9 (22.) 151.6 (23.) 200.1 (30.)  
 Trefferlage 0.69 mm links, 1.12 mm tief  
 Streuwert 2.10, horizontal: 2.68, vertikal: 1.30





Serie 4:  
 10.0 ↗ 8.2 ↖ 9.7 ← 9.9 ↓ 9.5 ←  
 9.7 ↗ 10.5 \* 9.4 ↖ 9.9 ← 10.0 ↘  
 beste Teiler 123.0 (37.) 228.0 (40.) 237.5 (31.)  
 Trefferlage 1.52 mm links, 0.87 mm hoch  
 Streuwert 2.25, horizontal: 2.83, vertikal: 1.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (392.7)  
 Serien: 94 93 96 94  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 702 (15), 670 (13), 517 (34)  
 beste Teiler 56.8 (9.) 61.0 (19.) 66.8 (38.)  
 Trefferlage 0.49 mm rechts, 0.11 mm hoch  
 Streuwert 2.25, horizontal: 2.52, vertikal: 1.95




Serie 1:  
 10.3 \*                      9.4 ↖                      10.3 \*                      10.1 ↖                      9.6 →  
    9.9 ↘                      9.9 ↖                      9.5 ↗                      10.7 \*                      9.6 ↓  
 beste Teiler 56.8 (9.) 161.0 (1.) 162.3 (3.)  
 Trefferlage 0.59 mm rechts, 0.33 mm hoch  
 Streuwert 1.97, horizontal: 1.88, vertikal: 2.06



Serie 2:  
 10.0 ↑                      9.4 ↑                      8.3 →                      10.0 ↙                      8.1 ←  
    10.5 \*                      9.5 ←                      10.0 →                      10.7 \*                      9.4 ↘  
 beste Teiler 61.0 (19.) 113.8 (16.) 230.2 (14.)  
 Trefferlage 0.16 mm rechts, 0.19 mm hoch  
 Streuwert 2.94, horizontal: 3.73, vertikal: 1.85



Serie 3:  
 10.1 ↖                      9.6 ↘                      9.2 ↘                      10.2 \*                      9.0 →  
    10.6 \*                      10.0 ↑                      9.7 ↓                      10.2 \*                      10.6 \*  
 beste Teiler 76.2 (30.) 95.8 (26.) 190.0 (29.)  
 Trefferlage 1.08 mm rechts, 0.41 mm hoch  
 Streuwert 1.95, horizontal: 1.96, vertikal: 1.94





Serie 4:  
 9.9 ↖                      10.0 ↖                      9.4 ↓                      8.9 ↙                      10.0 ↓  
    9.3 →                      10.1 ↗                      10.7 \*                      9.9 →                      10.1 ↖  
 beste Teiler 66.8 (38.) 214.4 (37.) 216.4 (40.)  
 Trefferlage 0.14 mm rechts, 0.47 mm tief  
 Streuwert 2.24, horizontal: 2.35, vertikal: 2.12

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **377** (395.7)  
 Serien: 94 92 95 96  
 Zähler: 19 19 2 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 653 (20), 502 (5), 495 (6)  
 beste Teiler 54.1 (36.) 67.1 (29.) 74.6 (8.)  
 Trefferlage 0.08 mm links, 0.77 mm hoch  
 Streuwert 2.06, horizontal: 2.32, vertikal: 1.75




Serie 1:  
 10.1 ↖                      10.0 ↑                      9.7 ↖                      10.4 \*                      8.9 ↗  
 9.0 →                      9.9 ↘                      10.7 \*                      10.1 ↘                      9.2 ↘  
 beste Teiler 74.6 (8.) 147.3 (4.) 209.8 (9.)  
 Trefferlage 0.00 mm , 0.40 mm hoch  
 Streuwert 2.40, horizontal: 2.84, vertikal: 1.86



Serie 2:  
 10.0 ↘                      10.4 \*                      9.8 ↖                      9.9 ↓                      9.4 ↘  
 9.9 ←                      9.5 ↗                      10.2 \*                      9.9 ↑                      8.3 ←  
 beste Teiler 145.1 (12.) 199.1 (18.) 240.5 (11.)  
 Trefferlage 1.33 mm links, 1.19 mm hoch  
 Streuwert 2.07, horizontal: 2.42, vertikal: 1.65



Serie 3:  
 10.4 \*                      9.4 ↖                      9.6 ↓                      9.9 ↗                      10.3 \*  
 10.0 ↗                      9.1 →                      10.4 \*                      10.7 \*                      9.1 ↑  
 beste Teiler 67.1 (29.) 133.8 (21.) 138.0 (28.)  
 Trefferlage 0.17 mm rechts, 0.69 mm hoch  
 Streuwert 2.14, horizontal: 2.16, vertikal: 2.11





Serie 4:  
 10.6 \*                      10.4 \*                      9.6 ↗                      10.3 \*                      10.4 \*  
 10.7 \*                      9.8 ↗                      10.2 \*                      9.7 ↘                      9.8 ↘  
 beste Teiler 54.1 (36.) 94.8 (31.) 132.5 (35.)  
 Trefferlage 0.83 mm rechts, 0.78 mm hoch  
 Streuwert 1.46, horizontal: 1.42, vertikal: 1.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (391.9)  
 Serien: 95 94 93 95  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 702 (13), 595 (24), 515 (21)  
 beste Teiler 79.8 (16.) 108.3 (23.) 113.8 (38.)  
 Trefferlage 0.29 mm links, 0.63 mm hoch  
 Streuwert 2.23, horizontal: 2.35, vertikal: 2.10




Serie 1:  
 10.3 \*                      10.1 ↖                      9.4 ↘                      9.8 ↘                      10.2 \*  
    9.5 ↘                      9.8 ↗                      9.9 ↗                      10.5 \*                      10.1 ↑  
 beste Teiler 114.4 (9.) 155.0 (1.) 184.3 (5.)  
 Trefferlage 0.60 mm links, 1.58 mm hoch  
 Streuwert 1.50, horizontal: 1.94, vertikal: 0.88



Serie 2:  
 10.3 \*                      9.5 ↙                      8.1 ↗                      9.6 ↑                      10.3 \*  
    10.6 \*                      9.6 ←                      10.3 \*                      10.3 \*                      9.1 ↗  
 beste Teiler 79.8 (16.) 155.5 (11.) 161.0 (15.)  
 Trefferlage 0.40 mm rechts, 0.94 mm hoch  
 Streuwert 2.45, horizontal: 2.46, vertikal: 2.43



Serie 3:  
 8.9 ←                      9.5 ↑                      10.5 \*                      8.6 ↘                      10.1 ↓  
    9.1 ↑                      9.6 ←                      10.0 ↓                      10.0 ↗                      10.1 ↘  
 beste Teiler 108.3 (23.) 215.1 (25.) 215.7 (30.)  
 Trefferlage 1.06 mm links, 0.40 mm hoch  
 Streuwert 2.56, horizontal: 2.71, vertikal: 2.39





Serie 4:  
 9.6 ←                      10.3 \*                      9.3 ←                      9.4 ↘                      10.0 ↓  
    9.6 ↓                      9.3 ↗                      10.5 \*                      10.1 ↓                      10.1 ↗  
 beste Teiler 113.8 (38.) 154.8 (32.) 208.9 (40.)  
 Trefferlage 0.07 mm rechts, 0.40 mm tief  
 Streuwert 2.19, horizontal: 2.31, vertikal: 2.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (387.4)  
 Serien: 94 94 91 92  
 Zähler: 16 19 5 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 739 (38), 656 (30), 644 (13)  
 beste Teiler 18.6 (23.) 19.0 (22.) 89.4 (6.)  
 Trefferlage 0.53 mm rechts, 0.67 mm tief  
 Streuwert 2.52, horizontal: 3.07, vertikal: 1.80




Serie 1:  
 9.5 ↘ 9.8 ↖ 10.5 \* 9.6 ↘ 10.3 \*  
 10.6 \* 10.1 ↙ 10.0 ↘ 8.8 ↘ 9.4 ↑  
 beste Teiler 89.4 (6.) 118.5 (3.) 161.1 (5.)  
 Trefferlage 0.06 mm rechts, 0.15 mm tief  
 Streuwert 2.26, horizontal: 2.35, vertikal: 2.17



Serie 2:  
 10.4 \* 9.2 ↘ 8.4 ↖ 10.3 \* 9.4 ↖  
 10.2 \* 9.3 ↘ 10.3 \* 9.2 → 10.1 ↘  
 beste Teiler 133.9 (11.) 168.0 (14.) 168.3 (18.)  
 Trefferlage 0.39 mm rechts, 0.94 mm tief  
 Streuwert 2.56, horizontal: 3.25, vertikal: 1.61





Serie 3:  
 8.8 → 10.9 \* 10.9 \* 9.8 ↗ 9.3 ↖  
 9.2 ↖ 9.4 ↘ 10.2 \* 9.2 ↖ 8.3 ↘  
 beste Teiler 18.6 (23.) 19.0 (22.) 196.2 (28.)  
 Trefferlage 0.56 mm rechts, 0.68 mm tief  
 Streuwert 2.89, horizontal: 3.68, vertikal: 1.77




Serie 4:  
 9.4 ↘ 10.6 \* 9.1 ↖ 10.3 \* 9.0 →  
 9.8 ↗ 9.8 ↖ 8.0 ↘ 10.2 \* 9.8 →  
 beste Teiler 93.4 (32.) 164.6 (34.) 176.4 (39.)  
 Trefferlage 1.11 mm rechts, 0.91 mm tief  
 Streuwert 2.62, horizontal: 3.25, vertikal: 1.79

Unterschrift des Schützen


Ergebnis: **369** (385.0)  
 Serien: 88 98 92 91  
 Zähler: 19 13 6 2 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 837 (6), 805 (7), 726 (25)  
 beste Teiler 14.3 (37.) 38.0 (12.) 64.8 (9.)  
 Trefferlage 1.60 mm links, 0.61 mm hoch  
 Streuwert 2.53, horizontal: 2.85, vertikal: 2.18




Serie 1:  
 10.5 \* 9.7 ↙ 8.5 ↙ 9.0 ↙ 8.5 ↙  
 7.6 ← 7.7 ← 10.5 \* 10.7 \* 10.0 ↙  
 beste Teiler 64.8 (9.) 101.4 (8.) 117.5 (1.)  
 Trefferlage 3.53 mm links, 1.11 mm tief  
 Streuwert 2.54, horizontal: 3.24, vertikal: 1.54



Serie 2:  
 10.0 ← 10.8 \* 10.1 ← 10.0 ↓ 10.0 ↙  
 9.8 ← 10.4 \* 10.0 ← 10.3 \* 9.9 ↑  
 beste Teiler 38.0 (12.) 143.3 (17.) 151.6 (19.)  
 Trefferlage 1.33 mm links, 0.15 mm hoch  
 Streuwert 1.30, horizontal: 1.17, vertikal: 1.41



Serie 3:  
 10.6 \* 9.6 ↑ 10.0 ↙ 9.1 ↖ 8.0 →  
 9.8 ← 10.0 ↑ 8.8 ↑ 9.0 ↗ 10.6 \*  
 beste Teiler 77.6 (21.) 81.3 (30.) 245.2 (27.)  
 Trefferlage 0.00 mm , 1.54 mm hoch  
 Streuwert 2.73, horizontal: 3.29, vertikal: 2.02





Serie 4:  
 9.4 ↑ 8.8 ↘ 10.1 ↑ 8.5 ↘ 9.2 ↖  
 10.7 \* 10.9 \* 9.7 ↘ 9.2 ↙ 9.0 ↑  
 beste Teiler 14.3 (37.) 71.4 (36.) 212.3 (33.)  
 Trefferlage 1.56 mm links, 1.87 mm hoch  
 Streuwert 2.36, horizontal: 2.31, vertikal: 2.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (397.1)  
 Serien: 91 97 95 95  
 Zähler: 22 15 2 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 766 (5), 574 (1), 511 (6)  
 beste Teiler 43.4 (21.) 43.8 (27.) 45.3 (33.)  
 Trefferlage 0.72 mm links, 0.32 mm hoch  
 Streuwert 2.08, horizontal: 2.31, vertikal: 1.82




Serie 1:  
 8.7 ↘ 10.0 ↑ 9.5 ↗ 10.6 \* 7.9 ←  
 8.9 ↑ 10.4 \* 9.4 ← 10.1 ↗ 10.4 \*  
 beste Teiler 96.6 (4.) 140.9 (10.) 149.3 (7.)  
 Trefferlage 1.10 mm links, 1.36 mm hoch  
 Streuwert 2.69, horizontal: 3.21, vertikal: 2.05



Serie 2:  
 10.1 ↓ 9.8 ↖ 10.0 ↓ 10.7 \* 10.4 \*  
 10.4 \* 10.1 ↙ 9.5 ↓ 9.9 ↗ 10.0 ↓  
 beste Teiler 56.3 (14.) 126.0 (16.) 129.2 (15.)  
 Trefferlage 0.27 mm links, 1.07 mm tief  
 Streuwert 1.54, horizontal: 1.41, vertikal: 1.67



Serie 3:  
 10.8 \* 9.6 ↖ 9.6 ↖ 9.5 ↖ 10.1 ←  
 10.3 \* 10.8 \* 9.8 ↖ 10.5 \* 9.2 →  
 beste Teiler 43.4 (21.) 43.8 (27.) 119.7 (29.)  
 Trefferlage 1.02 mm links, 0.92 mm hoch  
 Streuwert 1.70, horizontal: 2.16, vertikal: 1.08





Serie 4:  
 9.6 → 9.1 ↙ 10.8 \* 9.8 ↗ 10.5 \*  
 10.7 \* 10.2 \* 10.2 \* 9.6 ↖ 9.6 ←  
 beste Teiler 45.3 (33.) 56.0 (36.) 110.1 (35.)  
 Trefferlage 0.49 mm links, 0.08 mm hoch  
 Streuwert 2.00, horizontal: 2.39, vertikal: 1.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (393.6)  
 Serien: 93 91 92 96  
 Zähler: 17 19 3 1 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 909 (24), 662 (31), 590 (15)  
 beste Teiler 29.5 (40.) 36.1 (25.) 43.0 (38.)  
 Trefferlage 0.09 mm rechts, 0.50 mm hoch  
 Streuwert 2.38, horizontal: 2.63, vertikal: 2.10




Serie 1:  
 10.4 \* 9.4 → 9.9 ↘ 10.1 ↓ 9.6 ↖  
 9.7 ↓ 9.8 ← 9.3 ↘ 9.3 ↖ 10.2 \*  
 beste Teiler 149.4 (1.) 194.4 (10.) 201.8 (4.)  
 Trefferlage 0.03 mm rechts, 0.40 mm tief  
 Streuwert 2.28, horizontal: 2.41, vertikal: 2.13



Serie 2:  
 9.9 → 10.7 \* 9.6 ↗ 9.1 ↑ 8.6 →  
 9.7 ← 10.5 \* 9.8 → 9.9 ↖ 9.3 ↖  
 beste Teiler 54.0 (12.) 123.4 (17.) 265.4 (19.)  
 Trefferlage 0.66 mm rechts, 1.51 mm hoch  
 Streuwert 2.28, horizontal: 2.85, vertikal: 1.52





Serie 3:  
 9.9 ↖ 10.3 \* 8.8 ↖ 7.3 ↖ 10.8 \*  
 10.7 \* 10.3 \* 9.2 ↑ 9.7 ↑ 10.6 \*  
 beste Teiler 36.1 (25.) 65.2 (26.) 78.0 (30.)  
 Trefferlage 1.29 mm links, 1.67 mm hoch  
 Streuwert 2.47, horizontal: 3.02, vertikal: 1.75




Serie 4:  
 8.3 ↘ 10.7 \* 10.2 \* 9.5 ↓ 10.6 \*  
 10.6 \* 10.4 \* 10.8 \* 9.3 → 10.8 \*  
 beste Teiler 29.5 (40.) 43.0 (38.) 56.9 (32.)  
 Trefferlage 0.97 mm rechts, 0.74 mm tief  
 Streuwert 1.92, horizontal: 1.86, vertikal: 1.98

Unterschrift des Schützen


Ergebnis: **375** (395.2)  
 Serien: 94 93 94 94  
 Zähler: 19 17 4 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 662 (11), 622 (34), 574 (6)  
 beste Teiler 29.1 (37.) 48.4 (21.) 76.6 (33.)  
 Trefferlage 0.28 mm links, 0.08 mm tief  
 Streuwert 2.17, horizontal: 2.62, vertikal: 1.61




Serie 1:  
 9.7 ↖ 10.4 \* 10.3 \* 9.7 ↗ 9.6 ↖  
 8.7 ↖ 10.4 \* 10.5 \* 9.9 ↖ 10.2 \*  
 beste Teiler 118.0 (8.) 126.5 (7.) 140.0 (2.)  
 Trefferlage 1.04 mm links, 0.72 mm hoch  
 Streuwert 1.91, horizontal: 2.46, vertikal: 1.11



Serie 2:  
 8.3 ↖ 10.1 ↗ 9.1 ← 9.7 → 9.8 ↗  
 9.6 → 10.3 \* 10.2 \* 9.7 → 10.4 \*  
 beste Teiler 149.1 (20.) 161.4 (17.) 190.6 (18.)  
 Trefferlage 0.33 mm rechts, 0.07 mm hoch  
 Streuwert 2.55, horizontal: 3.25, vertikal: 1.55



Serie 3:  
 10.8 \* 9.9 ↗ 9.8 ↙ 9.5 → 10.3 \*  
 10.5 \* 10.0 ↘ 9.5 ↙ 8.9 ↙ 10.4 \*  
 beste Teiler 48.4 (21.) 116.3 (26.) 132.0 (30.)  
 Trefferlage 0.09 mm links, 0.98 mm tief  
 Streuwert 1.96, horizontal: 2.07, vertikal: 1.84





Serie 4:  
 10.3 \* 9.2 → 10.6 \* 8.5 ↖ 9.7 ←  
 10.2 \* 10.8 \* 9.6 ↓ 10.2 \* 9.9 →  
 beste Teiler 29.1 (37.) 76.6 (33.) 155.2 (31.)  
 Trefferlage 0.32 mm links, 0.14 mm tief  
 Streuwert 2.27, horizontal: 2.79, vertikal: 1.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>356</b>	(373.9)
Serien:	89 90 90 87	
Zähler:	9 21 7 3 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	960 (16), 852 (22), 772 (37)	
beste Teiler	149.3 (20.) 158.3 (28.) 190.3 (25.)	
Trefferlage	0.04 mm rechts, 0.54 mm hoch	
Streuwert	3.17, horizontal: 3.66, vertikal: 2.59	




Serie 1:	9.5 ↘	9.5 →	10.1 ←	9.4 ↗	9.5 ↑
	9.2 ↘	9.4 ↘	8.3 →	9.5 ←	8.8 ↑
beste Teiler	225.8 (3.)	362.6 (2.)	363.3 (5.)		
Trefferlage	0.73 mm rechts, 0.50 mm hoch				
Streuwert	3.13, horizontal: 3.36, vertikal: 2.88				



Serie 2:	9.6 ↓	9.8 ↘	9.2 ↘	9.9 ↖	8.4 ↘
	7.1 ↖	9.8 ↗	10.0 ↖	10.0 ↑	10.4 *
beste Teiler	149.3 (20.)	231.4 (18.)	247.1 (19.)		
Trefferlage	0.18 mm links, 0.11 mm tief				
Streuwert	3.36, horizontal: 3.94, vertikal: 2.66				





Serie 3:	9.1 ←	7.5 →	9.5 ↑	9.5 ↑	10.2 *
	8.4 ↖	9.6 ↑	10.3 *	9.7 ↗	10.0 ←
beste Teiler	158.3 (28.)	190.3 (25.)	233.0 (30.)		
Trefferlage	0.10 mm rechts, 1.10 mm hoch				
Streuwert	3.17, horizontal: 3.91, vertikal: 2.20				




Serie 4:	8.7 ↘	9.5 →	9.8 ↘	9.6 ↘	10.1 ←
	8.8 ↑	7.9 ←	8.4 →	10.1 ←	9.8 ↗
beste Teiler	212.0 (35.)	219.3 (39.)	288.0 (40.)		
Trefferlage	0.46 mm links, 0.68 mm hoch				
Streuwert	3.40, horizontal: 3.88, vertikal: 2.84				

Unterschrift des Schützen


Ergebnis: **374** (390.8)  
 Serien: 95 92 93 94  
 Zähler: 18 18 4 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 701 (39), 687 (12), 671 (13)  
 beste Teiler 47.5 (30.) 70.7 (29.) 104.0 (9.)  
 Trefferlage 0.45 mm links, 0.20 mm hoch  
 Streuwert 2.37, horizontal: 2.55, vertikal: 2.18




Serie 1:  
 10.2 \*                      9.8 ↖                      10.0 ←                      9.9 →                      9.2 ↘  
 10.4 \*                      10.5 \*                      9.8 ↘                      10.5 \*                      9.2 ↓  
 beste Teiler 104.0 (9.) 117.1 (7.) 141.0 (6.)  
 Trefferlage 0.79 mm rechts, 0.19 mm tief  
 Streuwert 1.97, horizontal: 2.01, vertikal: 1.92



Serie 2:  
 9.8 ↗                      8.2 ↖                      8.3 ←                      10.2 \*                      9.6 →  
 10.1 ←                      10.3 \*                      10.0 ↓                      10.1 ↓                      8.9 ↖  
 beste Teiler 168.6 (17.) 183.4 (14.) 217.6 (16.)  
 Trefferlage 0.95 mm links, 0.67 mm hoch  
 Streuwert 2.84, horizontal: 3.17, vertikal: 2.46



Serie 3:  
 9.5 ↖                      9.9 ↓                      9.4 ↖                      9.1 ↓                      9.7 ←  
 9.0 →                      9.8 ↖                      10.4 \*                      10.7 \*                      10.8 \*  
 beste Teiler 47.5 (30.) 70.7 (29.) 139.4 (28.)  
 Trefferlage 0.57 mm links, 0.20 mm tief  
 Streuwert 2.30, horizontal: 2.48, vertikal: 2.10





Serie 4:  
 9.6 ←                      10.0 ↑                      10.5 \*                      10.2 \*                      9.5 ↖  
 10.2 \*                      9.4 ↗                      9.6 ↖                      8.1 ↙                      10.4 \*  
 beste Teiler 116.1 (33.) 128.9 (40.) 184.6 (36.)  
 Trefferlage 1.07 mm links, 0.54 mm hoch  
 Streuwert 2.36, horizontal: 2.35, vertikal: 2.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (390.7)  
 Serien: 90 95 97 93  
 Zähler: 22 11 7 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 692 (18), 606 (1), 604 (16)  
 beste Teiler 30.6 (22.) 54.0 (15.) 54.0 (36.)  
 Trefferlage 1.32 mm rechts, 0.36 mm hoch  
 Streuwert 2.29, horizontal: 2.61, vertikal: 1.93




Serie 1:  
 8.5 ↘ 8.7 → 9.0 ↑ 8.7 → 10.0 ↑  
 9.3 ↘ 9.8 ← 10.4 \* 9.4 → 10.4 \*  
 beste Teiler 126.6 (8.) 138.0 (10.) 229.8 (5.)  
 Trefferlage 0.52 mm rechts, 1.55 mm hoch  
 Streuwert 2.86, horizontal: 3.67, vertikal: 1.71



Serie 2:  
 10.0 ↑ 9.5 → 10.1 ↘ 10.0 ↗ 10.7 \*  
 8.5 → 10.5 \* 8.2 → 10.2 \* 10.7 \*  
 beste Teiler 54.0 (15.) 69.3 (20.) 106.0 (17.)  
 Trefferlage 1.90 mm rechts, 0.38 mm hoch  
 Streuwert 2.15, horizontal: 2.69, vertikal: 1.41



Serie 3:  
 8.6 ↘ 10.8 \* 10.6 \* 10.7 \* 10.2 \*  
 10.0 → 9.4 ↘ 10.5 \* 10.0 ↑ 10.6 \*  
 beste Teiler 30.6 (22.) 58.3 (24.) 79.4 (30.)  
 Trefferlage 1.04 mm rechts, 0.28 mm tief  
 Streuwert 1.77, horizontal: 1.47, vertikal: 2.02





Serie 4:  
 9.0 → 9.8 ↖ 9.7 → 9.3 → 9.3 ↘  
 10.7 \* 10.1 ↗ 8.7 ↘ 10.0 ← 10.1 ↘  
 beste Teiler 54.0 (36.) 204.9 (37.) 225.2 (40.)  
 Trefferlage 1.82 mm rechts, 0.18 mm tief  
 Streuwert 2.23, horizontal: 2.29, vertikal: 2.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (407.7)  
 Serien: 96 97 96 100  
 Zähler: 30 9 1 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 542 (4), 464 (26), 458 (1)  
 beste Teiler 48.5 (22.) 57.0 (33.) 60.8 (28.)  
 Trefferlage 0.16 mm links, 0.00 mm  
 Streuwert 1.60, horizontal: 1.90, vertikal: 1.22




Serie 1:  
 9.1 ← 10.0 ↑ 10.3 \* 8.8 ↙ 10.5 \*  
 10.4 \* 9.9 ← 10.5 \* 10.4 \* 10.0 →  
 beste Teiler 110.7 (5.) 111.2 (8.) 135.5 (6.)  
 Trefferlage 1.33 mm links, 0.44 mm hoch  
 Streuwert 1.80, horizontal: 2.23, vertikal: 1.21



Serie 2:  
 9.4 ↙ 10.2 \* 10.2 \* 10.7 \* 10.5 \*  
 9.6 → 9.9 → 10.3 \* 10.6 \* 10.4 \*  
 beste Teiler 71.2 (14.) 85.1 (19.) 112.3 (15.)  
 Trefferlage 0.65 mm rechts, 0.53 mm tief  
 Streuwert 1.48, horizontal: 1.68, vertikal: 1.25





Serie 3:  
 9.9 ← 10.8 \* 9.9 ↘ 10.3 \* 10.3 \*  
 9.1 ↙ 9.7 → 10.7 \* 10.2 \* 10.4 \*  
 beste Teiler 48.5 (22.) 60.8 (28.) 150.0 (30.)  
 Trefferlage 0.14 mm rechts, 0.04 mm hoch  
 Streuwert 1.79, horizontal: 2.07, vertikal: 1.45




Serie 4:  
 10.1 ↙ 10.1 → 10.7 \* 10.7 \* 10.7 \*  
 10.5 \* 10.5 \* 10.1 ↘ 10.7 \* 10.6 \*  
 beste Teiler 57.0 (33.) 68.4 (34.) 69.6 (39.)  
 Trefferlage 0.12 mm links, 0.04 mm hoch  
 Streuwert 1.01, horizontal: 1.12, vertikal: 0.89

Unterschrift des Schützen


Ergebnis: **368** (384.4)  
 Serien: 95 89 91 93  
 Zähler: 17 15 7 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 883 (11), 704 (20), 673 (28)  
 beste Teiler 34.6 (35.) 41.3 (8.) 78.3 (24.)  
 Trefferlage 0.78 mm rechts, 0.64 mm hoch  
 Streuwert 2.67, horizontal: 2.99, vertikal: 2.31




Serie 1:  
 8.3 ↘ 10.1 ↖ 9.4 ↑ 9.5 → 10.3 \*  
 10.1 ↓ 9.3 ↗ 10.8 \* 10.1 ← 10.0 ↓  
 beste Teiler 41.3 (8.) 153.0 (5.) 217.9 (9.)  
 Trefferlage 0.49 mm links, 0.81 mm hoch  
 Streuwert 2.40, horizontal: 2.31, vertikal: 2.49



Serie 2:  
 7.4 → 10.1 ↙ 10.2 \* 9.5 → 9.9 →  
 8.4 ↑ 10.1 ↘ 9.3 → 9.5 → 8.1 →  
 beste Teiler 180.8 (13.) 208.8 (17.) 215.6 (12.)  
 Trefferlage 2.57 mm rechts, 0.16 mm hoch  
 Streuwert 3.02, horizontal: 3.46, vertikal: 2.51



Serie 3:  
 9.9 ↗ 9.6 ↗ 9.8 ↓ 10.6 \* 10.0 ↘  
 10.3 \* 9.3 ↗ 8.3 ↘ 9.8 ↓ 8.4 ↖  
 beste Teiler 78.3 (24.) 164.4 (26.) 245.3 (25.)  
 Trefferlage 0.30 mm rechts, 0.80 mm hoch  
 Streuwert 2.79, horizontal: 2.79, vertikal: 2.79





Serie 4:  
 10.6 \* 8.8 → 9.4 ↑ 9.7 → 10.8 \*  
 10.1 ↘ 9.6 → 10.1 ↙ 10.0 → 8.9 ↖  
 beste Teiler 34.6 (35.) 87.6 (31.) 201.4 (38.)  
 Trefferlage 0.75 mm rechts, 0.80 mm hoch  
 Streuwert 2.28, horizontal: 2.83, vertikal: 1.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.4)  
 Serien: 92 97 94 94  
 Zähler: 21 15 4 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 592 (5), 583 (4), 531 (7)  
 beste Teiler 58.1 (18.) 90.4 (6.) 104.0 (32.)  
 Trefferlage 0.56 mm rechts, 0.10 mm tief  
 Streuwert 2.12, horizontal: 2.17, vertikal: 2.07




Serie 1:  
 9.1 → 10.2 \* 10.0 ↑ 8.6 → 8.6 →  
 10.6 \* 8.8 ↘ 9.7 ↘ 10.1 ↓ 10.2 \*  
 beste Teiler 90.4 (6.) 182.3 (10.) 191.0 (2.)  
 Trefferlage 2.29 mm rechts, 0.85 mm tief  
 Streuwert 2.22, horizontal: 2.48, vertikal: 1.92



Serie 2:  
 10.2 \* 10.3 \* 10.0 ← 10.3 \* 9.5 ↘  
 9.9 ↘ 10.0 ↓ 10.7 \* 10.1 ↘ 9.5 ↘  
 beste Teiler 58.1 (18.) 168.0 (14.) 171.1 (12.)  
 Trefferlage 0.61 mm rechts, 0.91 mm tief  
 Streuwert 1.62, horizontal: 1.86, vertikal: 1.33



Serie 3:  
 9.5 ↑ 9.9 ↙ 10.1 ← 9.9 → 9.9 ↑  
 10.1 ↑ 9.6 ↑ 9.9 ↑ 10.2 \* 10.5 \*  
 beste Teiler 112.4 (30.) 179.6 (29.) 207.9 (23.)  
 Trefferlage 0.03 mm links, 1.15 mm hoch  
 Streuwert 1.70, horizontal: 1.58, vertikal: 1.81





Serie 4:  
 9.0 ↘ 10.5 \* 10.4 \* 10.0 ↑ 8.9 ↓  
 10.0 ↘ 9.9 ↘ 9.8 ↓ 9.6 ↘ 10.3 \*  
 beste Teiler 104.0 (32.) 143.5 (33.) 163.6 (40.)  
 Trefferlage 0.62 mm links, 0.21 mm hoch  
 Streuwert 2.20, horizontal: 1.75, vertikal: 2.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (377.5)  
 Serien: 88 91 94 87  
 Zähler: 14 15 8 3 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 860 (33), 859 (6), 802 (13)  
 beste Teiler 29.2 (27.) 54.4 (24.) 54.5 (34.)  
 Trefferlage 1.91 mm links, 0.72 mm hoch  
 Streuwert 2.78, horizontal: 3.25, vertikal: 2.22




Serie 1:  
 9.2 ↘ 8.5 ↓ 10.4 \* 8.6 ↙ 9.7 ↗  
 7.5 ← 8.4 ↖ 10.1 ↑ 9.3 ↙ 10.0 ↑  
 beste Teiler 137.2 (3.) 219.1 (8.) 248.0 (10.)  
 Trefferlage 2.48 mm links, 0.22 mm hoch  
 Streuwert 3.21, horizontal: 3.49, vertikal: 2.91



Serie 2:  
 9.7 ↑ 8.9 ← 7.7 ← 9.9 ← 10.0 ↘  
 10.5 \* 10.2 \* 9.5 ↑ 9.9 ↙ 10.1 ↘  
 beste Teiler 114.6 (16.) 196.7 (17.) 215.2 (20.)  
 Trefferlage 2.04 mm links, 0.87 mm hoch  
 Streuwert 2.27, horizontal: 2.65, vertikal: 1.81





Serie 3:  
 9.1 ↗ 10.0 ↘ 10.3 \* 10.7 \* 9.5 ↖  
 9.0 ← 10.8 \* 8.1 ↖ 10.5 \* 9.7 ↙  
 beste Teiler 29.2 (27.) 54.4 (24.) 104.5 (29.)  
 Trefferlage 1.42 mm links, 0.16 mm hoch  
 Streuwert 2.45, horizontal: 3.01, vertikal: 1.73




Serie 4:  
 8.8 ↘ 10.2 \* 7.5 ↖ 10.7 \* 9.1 ↖  
 8.6 ↑ 9.9 ↖ 9.5 ← 9.1 ↗ 8.3 ←  
 beste Teiler 54.5 (34.) 198.1 (32.) 274.1 (37.)  
 Trefferlage 1.69 mm links, 1.63 mm hoch  
 Streuwert 3.29, horizontal: 4.09, vertikal: 2.22

Unterschrift des Schützen


Ergebnis: **398** (415.2)  
 Serien: 99 100 100 99  
 Zähler: 38 2 0 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 370 (3), 366 (34), 223 (39)  
 beste Teiler 42.9 (35.) 58.6 (16.) 60.3 (22.)  
 Trefferlage 0.04 mm links, 0.11 mm hoch  
 Streuwert 1.17, horizontal: 1.31, vertikal: 1.00




Serie 1:  
 10.6 \* 10.4 \* 9.5 ↘ 10.3 \* 10.7 \*  
 10.5 \* 10.7 \* 10.6 \* 10.7 \* 10.1 ↘  
 beste Teiler 64.9 (7.) 74.3 (9.) 75.8 (5.)  
 Trefferlage 0.63 mm rechts, 0.50 mm tief  
 Streuwert 1.07, horizontal: 1.24, vertikal: 0.88



Serie 2:  
 10.1 ← 10.5 \* 10.1 ↘ 10.1 ← 10.7 \*  
 10.7 \* 10.7 \* 10.6 \* 10.3 \* 10.1 ↘  
 beste Teiler 58.6 (16.) 62.0 (15.) 63.1 (17.)  
 Trefferlage 0.57 mm links, 0.04 mm tief  
 Streuwert 1.08, horizontal: 1.32, vertikal: 0.79





Serie 3:  
 10.4 \* 10.7 \* 10.3 \* 10.6 \* 10.2 \*  
 10.2 \* 10.4 \* 10.3 \* 10.7 \* 10.6 \*  
 beste Teiler 60.3 (22.) 65.2 (29.) 79.6 (30.)  
 Trefferlage 0.00 mm , 0.52 mm hoch  
 Streuwert 0.92, horizontal: 0.71, vertikal: 1.09




Serie 4:  
 10.3 \* 10.4 \* 10.3 \* 9.5 ← 10.8 \*  
 10.4 \* 10.2 \* 10.7 \* 10.1 ↗ 10.1 →  
 beste Teiler 42.9 (35.) 68.3 (38.) 135.6 (32.)  
 Trefferlage 0.25 mm links, 0.47 mm hoch  
 Streuwert 1.37, horizontal: 1.68, vertikal: 0.96

Unterschrift des Schützen


Ergebnis: **391** (407.7)  
 Serien: 97 98 98 98  
 Zähler: 32 7 1 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 586 (6), 377 (40), 370 (23)  
 beste Teiler 39.0 (39.) 39.2 (11.) 48.0 (5.)  
 Trefferlage 0.10 mm links, 0.33 mm hoch  
 Streuwert 1.52, horizontal: 1.64, vertikal: 1.40




Serie 1:  
 10.4 \*                      10.6 \*                      9.7 ←                      10.6 \*                      10.8 \*  
 8.6 ↗                      10.6 \*                      10.3 \*                      10.5 \*                      10.1 ←  
 beste Teiler 48.0 (5.) 85.8 (4.) 87.1 (7.)  
 Trefferlage 0.13 mm rechts, 0.62 mm hoch  
 Streuwert 1.71, horizontal: 2.28, vertikal: 0.82



Serie 2:  
 10.8 \*                      9.9 ↗                      10.3 \*                      9.7 ↙                      10.4 \*  
 10.0 ↑                      10.5 \*                      10.4 \*                      10.3 \*                      10.5 \*  
 beste Teiler 39.2 (11.) 103.8 (20.) 111.6 (17.)  
 Trefferlage 0.08 mm rechts, 0.68 mm hoch  
 Streuwert 1.23, horizontal: 0.95, vertikal: 1.47



Serie 3:  
 9.9 ←                      10.3 \*                      9.5 ↙                      10.2 \*                      10.1 ↘  
 10.1 ↗                      10.2 \*                      10.0 ↑                      10.6 \*                      10.1 ↘  
 beste Teiler 96.5 (29.) 157.8 (22.) 192.3 (24.)  
 Trefferlage 0.74 mm links, 0.45 mm hoch  
 Streuwert 1.57, horizontal: 1.74, vertikal: 1.38





Serie 4:  
 10.1 →                      10.6 \*                      10.5 \*                      9.9 ↖                      10.1 ←  
 10.0 ↙                      10.3 \*                      10.0 ↘                      10.8 \*                      9.4 ↓  
 beste Teiler 39.0 (39.) 85.0 (32.) 103.6 (33.)  
 Trefferlage 0.13 mm rechts, 0.42 mm tief  
 Streuwert 1.55, horizontal: 1.36, vertikal: 1.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (411.5)  
 Serien: 95 100 100 98  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 447 (2), 376 (6), 351 (1)  
 beste Teiler 13.4 (22.) 16.6 (24.) 27.7 (32.)  
 Trefferlage 0.26 mm rechts, 0.10 mm hoch  
 Streuwert 1.36, horizontal: 1.68, vertikal: 0.94




Serie 1:  
 9.5 → 9.2 → 10.2 \* 10.6 \* 10.0 →  
 9.4 → 10.4 \* 9.8 → 10.6 \* 9.9 ↖  
 beste Teiler 83.5 (9.) 94.5 (4.) 145.4 (7.)  
 Trefferlage 1.57 mm rechts, 0.09 mm tief  
 Streuwert 1.65, horizontal: 2.10, vertikal: 1.01



Serie 2:  
 10.7 \* 10.1 ↗ 10.2 \* 10.4 \* 10.6 \*  
 10.3 \* 10.5 \* 10.1 ↓ 10.4 \* 10.2 \*  
 beste Teiler 57.6 (11.) 95.4 (15.) 110.2 (17.)  
 Trefferlage 0.08 mm rechts, 0.27 mm hoch  
 Streuwert 1.12, horizontal: 1.07, vertikal: 1.18





Serie 3:  
 10.6 \* 10.9 \* 10.8 \* 10.9 \* 10.2 \*  
 10.4 \* 10.5 \* 10.3 \* 10.2 \* 10.7 \*  
 beste Teiler 13.4 (22.) 16.6 (24.) 46.6 (23.)  
 Trefferlage 0.12 mm links, 0.35 mm hoch  
 Streuwert 0.82, horizontal: 0.88, vertikal: 0.76




Serie 4:  
 10.4 \* 10.8 \* 10.3 \* 10.5 \* 9.8 ←  
 9.7 ← 10.2 \* 10.8 \* 10.2 \* 10.2 \*  
 beste Teiler 27.7 (32.) 39.6 (38.) 102.3 (34.)  
 Trefferlage 0.46 mm links, 0.10 mm tief  
 Streuwert 1.37, horizontal: 1.77, vertikal: 0.79

Unterschrift des Schützen


Ergebnis: **367** (382.4)  
 Serien: 91 92 93 91  
 Zähler: 18 12 9 1 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 799 (25), 692 (16), 680 (35)  
 beste Teiler 132.0 (32.) 133.5 (29.) 144.8 (22.)  
 Trefferlage 0.76 mm links, 1.02 mm hoch  
 Streuwert 2.67, horizontal: 3.29, vertikal: 1.86




Serie 1:  
 9.9 ↑                      8.6 ↘                      9.7 ↗                      9.7 ↘                      9.2 ←  
 10.2 \*                      9.4 ↑                      10.0 ↗                      9.4 →                      9.0 ↗  
 beste Teiler 188.2 (6.) 247.1 (8.) 275.5 (1.)  
 Trefferlage 0.17 mm links, 2.23 mm hoch  
 Streuwert 2.32, horizontal: 2.88, vertikal: 1.58



Serie 2:  
 10.2 \*                      10.2 \*                      10.2 \*                      10.2 \*                      9.5 ↗  
 8.2 ←                      9.8 ↑                      8.7 ←                      10.1 ←                      8.8 ↘  
 beste Teiler 176.2 (12.) 176.8 (13.) 194.1 (14.)  
 Trefferlage 1.47 mm links, 1.35 mm hoch  
 Streuwert 2.44, horizontal: 3.06, vertikal: 1.59



Serie 3:  
 10.2 \*                      10.4 \*                      9.4 ←                      10.0 ↓                      7.8 ←  
 10.2 \*                      9.6 ↑                      10.3 \*                      10.4 \*                      8.6 →  
 beste Teiler 133.5 (29.) 144.8 (22.) 169.5 (28.)  
 Trefferlage 0.51 mm links, 0.23 mm hoch  
 Streuwert 2.81, horizontal: 3.62, vertikal: 1.65





Serie 4:  
 8.4 ←                      10.4 \*                      10.2 \*                      8.3 ←                      8.2 ←  
 9.7 →                      10.2 \*                      10.1 ↘                      8.8 ↘                      10.2 \*  
 beste Teiler 132.0 (32.) 188.8 (37.) 191.1 (33.)  
 Trefferlage 0.90 mm links, 0.29 mm hoch  
 Streuwert 3.12, horizontal: 3.91, vertikal: 2.04


\_\_\_\_\_  
 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.8)  
 Serien: 92 89 89 89  
 Zähler: 15 12 10 3 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 805 (32), 787 (28), 760 (1)  
 beste Teiler 29.5 (4.) 46.0 (16.) 74.6 (10.)  
 Trefferlage 0.13 mm rechts, 0.12 mm tief  
 Streuwert 3.10, horizontal: 3.68, vertikal: 2.38




Serie 1:  
 7.9 ↗ 10.0 ↗ 8.4 ↘ 10.8 \* 10.1 →  
 9.0 ↘ 9.3 ↘ 9.5 ↗ 10.4 \* 10.7 \*  
 beste Teiler 29.5 (4.) 74.6 (10.) 126.5 (9.)  
 Trefferlage 0.77 mm rechts, 0.58 mm hoch  
 Streuwert 2.94, horizontal: 3.29, vertikal: 2.55



Serie 2:  
 9.0 ← 8.9 → 10.2 \* 9.7 → 8.7 ←  
 10.8 \* 8.6 ← 10.5 \* 9.6 → 8.6 ←  
 beste Teiler 46.0 (16.) 105.0 (18.) 178.2 (13.)  
 Trefferlage 0.75 mm links, 0.39 mm tief  
 Streuwert 3.06, horizontal: 4.15, vertikal: 1.25



Serie 3:  
 10.3 \* 10.0 → 8.5 → 9.2 ← 10.2 \*  
 8.5 ↘ 10.2 \* 7.8 ← 9.9 → 8.9 ↓  
 beste Teiler 169.1 (21.) 182.2 (27.) 196.0 (25.)  
 Trefferlage 0.29 mm links, 0.18 mm tief  
 Streuwert 3.39, horizontal: 3.89, vertikal: 2.80





Serie 4:  
 9.2 ↘ 7.7 → 8.6 ↘ 9.3 ↑ 9.7 ↓  
 10.3 \* 10.6 \* 10.1 ↑ 8.7 ← 9.4 →  
 beste Teiler 82.1 (37.) 153.1 (36.) 215.7 (38.)  
 Trefferlage 0.81 mm rechts, 0.48 mm tief  
 Streuwert 3.27, horizontal: 3.66, vertikal: 2.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (402.4)  
 Serien: 95 97 98 96  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 489 (8), 486 (1), 376 (34)  
 beste Teiler 13.3 (20.) 17.0 (5.) 25.6 (23.)  
 Trefferlage 0.68 mm links, 0.91 mm hoch  
 Streuwert 1.60, horizontal: 1.66, vertikal: 1.53




Serie 1:  
 9.0 ↘                      9.5 ↑                      9.5 ←                      10.2 \*                      10.9 \*  
 10.1 →                      9.7 ←                      9.0 ↑                      10.3 \*                      10.6 \*  
 beste Teiler 17.0 (5.) 98.8 (10.) 170.2 (9.)  
 Trefferlage 0.49 mm links, 1.48 mm hoch  
 Streuwert 1.97, horizontal: 2.15, vertikal: 1.77



Serie 2:  
 10.4 \*                      10.4 \*                      10.1 ↗                      10.1 ↘                      9.7 ←  
 10.0 ↓                      9.9 ↘                      9.9 ↙                      10.5 \*                      10.9 \*  
 beste Teiler 13.3 (20.) 113.1 (19.) 134.0 (12.)  
 Trefferlage 0.43 mm links, 0.35 mm tief  
 Streuwert 1.53, horizontal: 1.70, vertikal: 1.35



Serie 3:  
 10.3 \*                      10.2 \*                      10.9 \*                      10.1 ↘                      10.0 →  
 9.5 ↘                      10.3 \*                      10.1 ↘                      9.6 ↑                      10.0 ←  
 beste Teiler 25.6 (23.) 162.2 (21.) 170.5 (27.)  
 Trefferlage 1.04 mm links, 1.31 mm hoch  
 Streuwert 1.22, horizontal: 1.39, vertikal: 1.03





Serie 4:  
 9.7 ↖                      10.4 \*                      10.5 \*                      9.4 ↑                      10.2 \*  
 9.7 ↘                      10.4 \*                      10.7 \*                      9.7 ←                      10.0 ↑  
 beste Teiler 74.9 (38.) 105.3 (33.) 135.5 (32.)  
 Trefferlage 0.77 mm links, 1.21 mm hoch  
 Streuwert 1.41, horizontal: 1.50, vertikal: 1.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (375.9)  
 Serien: 91 91 88 89  
 Zähler: 10 21 7 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 824 (39), 797 (26), 731 (30)  
 beste Teiler 115.6 (31.) 132.0 (38.) 145.3 (4.)  
 Trefferlage 1.32 mm links, 0.74 mm hoch  
 Streuwert 2.89, horizontal: 3.17, vertikal: 2.58




Serie 1:  
 9.7 ↗ 8.5 ↘ 9.0 ↗ 10.4 \* 9.4 ↘  
 10.1 ↓ 9.1 ↘ 9.8 ↘ 9.0 → 9.4 ←  
 beste Teiler 145.3 (4.) 224.5 (6.) 283.9 (8.)  
 Trefferlage 0.07 mm links, 0.26 mm hoch  
 Streuwert 3.01, horizontal: 3.19, vertikal: 2.82



Serie 2:  
 9.7 → 10.1 ← 9.9 → 9.2 ↖ 8.2 ↖  
 9.9 ← 10.1 ↑ 9.4 ↓ 9.5 ↗ 9.2 →  
 beste Teiler 216.8 (12.) 218.8 (17.) 251.0 (13.)  
 Trefferlage 0.16 mm links, 0.92 mm hoch  
 Streuwert 2.76, horizontal: 3.11, vertikal: 2.36



Serie 3:  
 9.9 ← 10.0 ↓ 9.6 ↘ 9.0 ↓ 10.1 ←  
 7.8 ↘ 9.8 → 8.5 ↘ 9.9 ← 8.0 ↘  
 beste Teiler 223.4 (25.) 244.5 (22.) 253.0 (21.)  
 Trefferlage 2.39 mm links, 0.74 mm hoch  
 Streuwert 2.97, horizontal: 2.70, vertikal: 3.22





Serie 4:  
 10.5 \* 8.4 ← 9.5 ↖ 10.3 \* 10.0 ↗  
 8.5 ↘ 8.8 ↘ 10.4 \* 7.7 ↘ 9.6 ↘  
 beste Teiler 115.6 (31.) 132.0 (38.) 171.0 (34.)  
 Trefferlage 2.65 mm links, 1.05 mm hoch  
 Streuwert 2.70, horizontal: 3.16, vertikal: 2.14

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **379** (395.4)  
 Serien: 93 95 94 97  
 Zähler: 24 12 3 1 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 870 (1), 735 (39), 656 (28)  
 beste Teiler 8.9 (23.) 53.7 (33.) 58.0 (10.)  
 Trefferlage 0.23 mm links, 0.13 mm tief  
 Streuwert 2.31, horizontal: 2.81, vertikal: 1.66




Serie 1:  
 7.5 ↖ 9.4 ↘ 10.0 ↘ 10.2 \* 9.1 ↘  
 10.6 \* 9.2 → 9.5 ↗ 10.2 \* 10.7 \*  
 beste Teiler 58.0 (10.) 89.0 (6.) 199.2 (9.)  
 Trefferlage 0.36 mm rechts, 0.28 mm hoch  
 Streuwert 2.95, horizontal: 3.79, vertikal: 1.75



Serie 2:  
 10.1 ↙ 10.6 \* 10.0 ↗ 10.2 \* 9.5 ↖  
 10.4 \* 9.3 ↖ 9.9 ↗ 10.2 \* 8.8 ↘  
 beste Teiler 95.0 (12.) 135.1 (16.) 177.3 (14.)  
 Trefferlage 0.06 mm links, 0.20 mm tief  
 Streuwert 2.17, horizontal: 2.24, vertikal: 2.08



Serie 3:  
 10.0 ↓ 9.9 ↙ 10.9 \* 10.5 \* 10.0 ↘  
 9.9 ↖ 9.5 ↖ 8.3 → 9.8 → 10.5 \*  
 beste Teiler 8.9 (23.) 104.5 (30.) 110.4 (24.)  
 Trefferlage 0.08 mm rechts, 1.01 mm tief  
 Streuwert 2.14, horizontal: 2.90, vertikal: 0.89





Serie 4:  
 10.6 \* 10.6 \* 10.7 \* 10.0 ↖ 10.0 ↘  
 10.4 \* 10.2 \* 9.8 ↖ 8.0 ↖ 10.4 \*  
 beste Teiler 53.7 (33.) 86.3 (31.) 94.0 (32.)  
 Trefferlage 1.33 mm links, 0.36 mm hoch  
 Streuwert 1.88, horizontal: 2.15, vertikal: 1.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (366.4)  
 Serien: 88 81 87 89  
 Zähler: 9 15 9 6 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1125 (12), 998 (11), 848 (23)  
 beste Teiler 37.1 (8.) 106.0 (21.) 167.3 (9.)  
 Trefferlage 0.09 mm links, 1.77 mm hoch  
 Streuwert 3.46, horizontal: 3.81, vertikal: 3.07




Serie 1:  
 7.8 ↘ 9.6 ↙ 7.9 ↑ 9.3 ↓ 9.7 ↙  
 9.9 ↗ 10.2 \* 10.8 \* 10.3 \* 8.7 ↙  
 beste Teiler 37.1 (8.) 167.3 (9.) 180.9 (7.)  
 Trefferlage 1.72 mm links, 0.24 mm hoch  
 Streuwert 3.10, horizontal: 2.86, vertikal: 3.33



Serie 2:  
 7.0 ↘ 6.5 → 9.1 → 8.7 ↑ 8.4 ↗  
 9.9 ↓ 9.4 ↑ 9.6 ↘ 8.8 → 8.8 →  
 beste Teiler 271.0 (16.) 333.8 (18.) 389.8 (17.)  
 Trefferlage 2.03 mm rechts, 1.41 mm hoch  
 Streuwert 4.41, horizontal: 5.24, vertikal: 3.38





Serie 3:  
 10.5 \* 8.7 ↑ 7.6 ↘ 8.5 → 10.1 ↗  
 7.9 ↘ 9.8 ↘ 9.6 ↑ 9.4 ↑ 10.3 \*  
 beste Teiler 106.0 (21.) 171.7 (30.) 220.8 (25.)  
 Trefferlage 0.05 mm links, 3.04 mm hoch  
 Streuwert 2.88, horizontal: 2.96, vertikal: 2.80




Serie 4:  
 9.7 ↘ 8.1 ↘ 10.3 \* 7.9 ↗ 8.6 ↑  
 9.9 ↑ 10.1 ↗ 9.8 ↘ 10.2 \* 9.0 ↘  
 beste Teiler 170.9 (33.) 193.2 (39.) 218.4 (37.)  
 Trefferlage 0.62 mm links, 2.39 mm hoch  
 Streuwert 2.80, horizontal: 3.19, vertikal: 2.34

Unterschrift des Schützen


Ergebnis: **353** (373.9)  
 Serien: 84 93 89 87  
 Zähler: 12 12 14 1 1 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1030 (32), 965 (10), 738 (31)  
 beste Teiler 43.4 (27.) 67.6 (34.) 87.1 (39.)  
 Trefferlage 0.28 mm rechts, 0.37 mm tief  
 Streuwert 3.30, horizontal: 3.81, vertikal: 2.69




Serie 1:  
 8.4 ↗ 8.9 → 8.8 ↙ 10.4 \* 9.7 →  
 8.6 ↘ 8.8 ↙ 10.2 \* 8.5 ↓ 7.1 ←  
 beste Teiler 138.2 (4.) 187.3 (8.) 305.9 (5.)  
 Trefferlage 0.99 mm links, 1.02 mm tief  
 Streuwert 3.98, horizontal: 4.47, vertikal: 3.41



Serie 2:  
 10.0 → 10.5 \* 9.4 ↓ 8.6 → 9.9 ↘  
 9.3 ↙ 10.2 \* 9.8 ← 10.2 \* 9.5 ↘  
 beste Teiler 101.5 (12.) 188.4 (17.) 195.4 (19.)  
 Trefferlage 0.00 mm, 0.84 mm tief  
 Streuwert 2.35, horizontal: 2.87, vertikal: 1.67



Serie 3:  
 10.1 ↘ 9.9 ↘ 8.9 ↓ 8.4 ↗ 8.9 →  
 8.3 ↙ 10.8 \* 10.3 \* 9.9 ↘ 9.4 ←  
 beste Teiler 43.4 (27.) 174.4 (28.) 220.0 (21.)  
 Trefferlage 0.31 mm links, 0.25 mm tief  
 Streuwert 3.10, horizontal: 3.02, vertikal: 3.17





Serie 4:  
 8.0 ↗ 6.8 → 10.0 ↘ 10.7 \* 9.1 ←  
 9.9 ↗ 8.5 → 8.7 → 10.6 \* 9.9 ↑  
 beste Teiler 67.6 (34.) 87.1 (39.) 240.9 (33.)  
 Trefferlage 2.44 mm rechts, 0.62 mm hoch  
 Streuwert 3.39, horizontal: 4.24, vertikal: 2.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (362.5)  
 Serien: 84 88 86 84  
 Zähler: 7 16 11 5 0 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 1296 (39), 886 (4), 874 (34)  
 beste Teiler 106.0 (13.) 166.9 (20.) 171.9 (33.)  
 Trefferlage 2.12 mm rechts, 0.78 mm hoch  
 Streuwert 3.49, horizontal: 3.22, vertikal: 3.74




Serie 1:  
 9.9 ←                      9.5 ↖                      7.6 ↗                      7.4 →                      9.3 ↗  
 9.9 ↘                      8.7 ↘                      8.5 ↘                      8.7 ↗                      10.0 →  
 beste Teiler 243.4 (10.) 253.1 (6.) 272.5 (1.)  
 Trefferlage 2.28 mm rechts, 0.64 mm hoch  
 Streuwert 3.69, horizontal: 3.39, vertikal: 3.97



Serie 2:  
 8.1 ↘                      10.0 ↖                      10.5 \*                      9.9 ↙                      9.1 ↑  
 9.6 →                      8.7 →                      7.6 ↘                      8.6 →                      10.3 \*  
 beste Teiler 106.0 (13.) 166.9 (20.) 248.2 (12.)  
 Trefferlage 1.77 mm rechts, 0.78 mm tief  
 Streuwert 3.34, horizontal: 2.88, vertikal: 3.75



Serie 3:  
 9.9 ↑                      7.9 →                      9.8 ↖                      8.5 ↗                      9.1 ↗  
 10.1 ↖                      8.3 ↗                      8.6 ↘                      9.9 ↘                      9.6 ↖  
 beste Teiler 208.1 (26.) 267.4 (21.) 270.0 (29.)  
 Trefferlage 1.71 mm rechts, 1.18 mm hoch  
 Streuwert 3.26, horizontal: 2.96, vertikal: 3.54





Serie 4:  
 8.3 →                      9.6 ↘                      10.3 \*                      7.5 ↑                      9.7 ↑  
 10.0 ↑                      9.4 →                      9.8 ↖                      5.8 →                      8.5 ↑  
 beste Teiler 171.9 (33.) 239.8 (36.) 294.2 (38.)  
 Trefferlage 2.74 mm rechts, 2.11 mm hoch  
 Streuwert 3.79, horizontal: 3.94, vertikal: 3.63


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **117** (123.6)  
 Serien: 61 56  
 Zähler: 1 2 2 6 3 1 1 1 0 1  
 Innenzehner: 0  
 weiteste: 2708 (7), 2616 (20), 2468 (5)  
 beste Teiler 237.1 (14.) 289.2 (8.) 452.0 (3.)  
 Trefferlage 5.58 mm rechts, 2.21 mm tief  
 Streuwert 9.04, horizontal: 9.83, vertikal: 8.17





Serie 1:  
 8.1 ↘                      7.1 →                      9.1 ↖                      6.5 ↗                      1.1 →  
 7.2 →                      0.0 →                      9.8 ↑                      7.9 ←                      7.2 ↓  
 beste Teiler 289.2 (8.) 452.0 (3.) 717.7 (1.)  
 Trefferlage 7.34 mm rechts, 0.84 mm tief  
 Streuwert 8.58, horizontal: 11.18, vertikal: 4.73




Serie 2:  
 3.3 ↘                      7.5 ↗                      5.2 ↗                      10.0 →                      7.7 →  
 8.3 ↓                      6.4 ↘                      6.4 ↑                      4.8 ↓                      0.0 ↙  
 beste Teiler 237.1 (14.) 660.6 (16.) 814.7 (15.)  
 Trefferlage 3.81 mm rechts, 3.58 mm tief  
 Streuwert 9.66, horizontal: 8.50, vertikal: 10.70

Unterschrift des Schützen

Ergebnis: **147** (156.3)  
 Serien: 74 73  
 Zähler: 0 5 7 2 4 1 0 1 0 0  
 Innenzehner: 0  
 weiteste: 1767 (19), 1271 (7), 1196 (18)  
 beste Teiler 265.2 (17.) 354.4 (9.) 405.5 (16.)  
 Trefferlage 1.71 mm links, 0.29 mm tief  
 Streuwert 6.15, horizontal: 7.09, vertikal: 5.04





Serie 1:  
 7.5 ↑                      8.6 →                      9.2 ↘                      8.1 ←                      8.1 ↘  
 6.6 ←                      5.9 →                      8.7 ↙                      9.5 ↘                      6.2 ←  
 beste Teiler 354.4 (9.) 426.4 (3.) 557.1 (8.)  
 Trefferlage 0.70 mm links, 0.02 mm hoch  
 Streuwert 6.18, horizontal: 7.74, vertikal: 4.05




Serie 2:  
 6.8 ↘                      7.6 ←                      9.1 →                      8.9 ←                      8.1 ↘  
 9.3 ↓                      9.9 ↗                      6.2 ↘                      3.9 ↘                      8.1 ←  
 beste Teiler 265.2 (17.) 405.5 (16.) 460.1 (13.)  
 Trefferlage 2.72 mm links, 0.60 mm tief  
 Streuwert 6.36, horizontal: 6.62, vertikal: 6.08

Unterschrift des Schützen

Ergebnis: **131** (140.2)  
 Serien: 66 65  
 Zähler: 1 1 3 4 6 4 1 0 0 0  
 Innenzehner: 1  
 weiteste: 1613 (10), 1431 (7), 1429 (15)  
 beste Teiler 107.0 (1.) 307.5 (6.) 611.3 (12.)  
 Trefferlage 0.07 mm links, 2.55 mm hoch  
 Streuwert 7.40, horizontal: 8.35, vertikal: 6.32





Serie 1:  
 10.5 \*                      6.9 ↖                      7.5 ↘                      6.9 ←                      6.8 ↗  
 9.7 ↗                      5.2 →                      6.6 ↓                      7.2 ↑                      4.5 ↖  
 beste Teiler 107.0 (1.) 307.5 (6.) 855.7 (3.)  
 Trefferlage 0.41 mm rechts, 0.66 mm hoch  
 Streuwert 7.68, horizontal: 8.80, vertikal: 6.35




Serie 2:  
 6.5 ↗                      8.5 ↙                      5.5 ↑                      5.4 ↗                      5.2 →  
 7.2 ↖                      8.4 ↖                      6.3 ←                      8.2 ↑                      7.2 ↙  
 beste Teiler 611.3 (12.) 645.1 (17.) 693.8 (19.)  
 Trefferlage 0.56 mm links, 4.45 mm hoch  
 Streuwert 7.25, horizontal: 8.31, vertikal: 6.00

Unterschrift des Schützen


Ergebnis: **278** (297.5)  
 Serien: 74 64 75 65  
 Zähler: 4 6 7 5 9 4 4 1 0 0  
 Innenzehner: 3  
 weiteste: 1910 (13), 1712 (4), 1650 (37)  
 beste Teiler 120.4 (5.) 174.7 (16.) 190.7 (14.)  
 Trefferlage 0.51 mm rechts, 1.86 mm hoch  
 Streuwert 7.00, horizontal: 7.89, vertikal: 5.98




Serie 1:  
 9.0 ↙ 8.5 ↓ 9.5 ↘ 4.1 ↖ 10.5 \*  
 8.3 ↗ 7.9 ↘ 5.9 ← 6.5 ← 8.5 ↗  
 beste Teiler 120.4 (5.) 352.1 (3.) 483.1 (1.)  
 Trefferlage 2.47 mm links, 0.64 mm hoch  
 Streuwert 6.36, horizontal: 8.03, vertikal: 4.06



Serie 2:  
 4.7 → 9.6 ↗ 3.3 → 10.2 \* 6.8 →  
 10.3 \* 4.4 ↗ 5.5 ↑ 7.1 ↗ 6.6 ←  
 beste Teiler 174.7 (16.) 190.7 (14.) 344.8 (12.)  
 Trefferlage 5.56 mm rechts, 3.17 mm hoch  
 Streuwert 7.40, horizontal: 8.35, vertikal: 6.32



Serie 3:  
 8.4 ↘ 9.7 ↘ 8.1 ↑ 6.4 → 8.8 ↗  
 7.2 ↙ 6.1 ↘ 7.5 ↗ 6.7 ↗ 10.1 ←  
 beste Teiler 221.7 (30.) 319.8 (22.) 532.2 (25.)  
 Trefferlage 1.97 mm rechts, 2.22 mm hoch  
 Streuwert 5.74, horizontal: 6.13, vertikal: 5.32





Serie 4:  
 5.4 ↘ 6.4 ← 9.9 ↑ 7.6 ↖ 5.7 ←  
 6.9 ↑ 4.4 ↑ 6.8 ↘ 8.9 ↗ 9.3 ←  
 beste Teiler 262.0 (33.) 408.4 (40.) 506.4 (39.)  
 Trefferlage 2.99 mm links, 1.41 mm hoch  
 Streuwert 7.43, horizontal: 6.61, vertikal: 8.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.9)  
 Serien: 84 90 80 86  
 Zähler: 7 15 11 6 0 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1354 (38), 976 (30), 847 (21)  
 beste Teiler 65.2 (27.) 125.6 (17.) 169.6 (14.)  
 Trefferlage 0.44 mm links, 0.84 mm tief  
 Streuwert 3.96, horizontal: 4.54, vertikal: 3.27




Serie 1:  
 9.5 ↘                      9.3 →                      9.9 ↗                      8.5 ←                      9.0 ↖  
 8.5 →                      8.0 ↓                      8.3 ↓                      8.1 ↘                      8.6 →  
 beste Teiler 255.3 (3.) 366.8 (1.) 419.6 (2.)  
 Trefferlage 1.01 mm rechts, 2.42 mm tief  
 Streuwert 3.74, horizontal: 4.29, vertikal: 3.09



Serie 2:  
 9.1 ↗                      9.8 ↓                      7.7 ↖                      10.3 \*                      9.6 →  
 10.3 \*                      10.5 \*                      9.4 ↘                      8.0 ←                      9.4 →  
 beste Teiler 125.6 (17.) 169.6 (14.) 173.2 (16.)  
 Trefferlage 0.02 mm links, 0.29 mm tief  
 Streuwert 3.30, horizontal: 3.60, vertikal: 2.97



Serie 3:  
 7.6 ↓                      7.7 →                      9.8 ←                      8.9 ←                      8.9 ↓  
 8.6 ↖                      10.7 \*                      7.9 ↓                      9.4 →                      7.0 ↖  
 beste Teiler 65.2 (27.) 299.1 (23.) 387.9 (29.)  
 Trefferlage 0.73 mm links, 1.54 mm tief  
 Streuwert 4.55, horizontal: 5.10, vertikal: 3.94





Serie 4:  
 9.9 →                      9.1 ←                      10.0 ↘                      8.8 ↗                      10.2 \*  
 7.8 ↖                      9.4 ↖                      5.5 ←                      10.2 \*                      9.7 →  
 beste Teiler 192.8 (39.) 194.4 (35.) 232.5 (33.)  
 Trefferlage 2.04 mm links, 0.86 mm hoch  
 Streuwert 4.01, horizontal: 5.16, vertikal: 2.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (359.7)  
 Serien: 82 88 84 88  
 Zähler: 9 18 3 7 2 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1284 (5), 1119 (27), 1069 (25)  
 beste Teiler 50.0 (4.) 73.7 (32.) 80.4 (12.)  
 Trefferlage 1.80 mm rechts, 0.81 mm hoch  
 Streuwert 3.91, horizontal: 4.55, vertikal: 3.13




Serie 1:  
 8.6 → 7.6 ↗ 7.2 → 10.8 \* 5.8 →  
 10.2 \* 9.3 ← 9.2 ↑ 9.7 ↘ 8.4 ←  
 beste Teiler 50.0 (4.) 199.9 (6.) 313.6 (9.)  
 Trefferlage 2.41 mm rechts, 1.44 mm hoch  
 Streuwert 4.53, horizontal: 5.68, vertikal: 2.98



Serie 2:  
 7.9 → 10.6 \* 10.6 \* 7.0 ↘ 9.5 ↑  
 10.0 ↘ 7.3 ↗ 10.1 ← 9.7 ↗ 9.5 ↑  
 beste Teiler 80.4 (12.) 96.2 (13.) 204.8 (18.)  
 Trefferlage 1.93 mm rechts, 0.41 mm hoch  
 Streuwert 3.71, horizontal: 4.08, vertikal: 3.29



Serie 3:  
 10.2 \* 9.6 ← 8.8 ↑ 9.9 ↗ 6.7 →  
 9.5 ← 6.5 ↗ 9.2 → 9.1 ↘ 9.6 ↘  
 beste Teiler 193.2 (21.) 261.4 (24.) 326.4 (30.)  
 Trefferlage 1.50 mm rechts, 1.79 mm hoch  
 Streuwert 4.11, horizontal: 4.58, vertikal: 3.57





Serie 4:  
 9.5 ↘ 10.7 \* 7.7 ← 9.0 ↘ 9.0 →  
 9.5 ↓ 10.0 → 9.4 ↘ 9.3 ↗ 7.5 →  
 beste Teiler 73.7 (32.) 249.8 (37.) 360.7 (31.)  
 Trefferlage 1.34 mm rechts, 0.40 mm tief  
 Streuwert 3.59, horizontal: 4.38, vertikal: 2.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (369.1)  
 Serien: 88 87 87 87  
 Zähler: 10 14 13 1 2 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1052 (1), 1027 (22), 790 (25)  
 beste Teiler 87.8 (29.) 100.3 (9.) 100.8 (26.)  
 Trefferlage 0.26 mm links, 0.76 mm hoch  
 Streuwert 3.46, horizontal: 3.76, vertikal: 3.12




Serie 1:  
 6.7 → 9.4 ↑ 9.8 ↓ 9.1 → 9.2 ↖  
 8.7 ↑ 9.3 → 10.2 \* 10.6 \* 9.2 ↑  
 beste Teiler 100.3 (9.) 184.0 (8.) 277.3 (3.)  
 Trefferlage 1.72 mm rechts, 0.92 mm hoch  
 Streuwert 3.39, horizontal: 3.86, vertikal: 2.85



Serie 2:  
 8.9 ↖ 10.4 \* 8.7 → 9.8 ↓ 8.9 ↗  
 9.1 → 10.4 \* 8.8 ↘ 9.8 ↑ 8.7 ←  
 beste Teiler 128.7 (12.) 132.7 (17.) 290.2 (19.)  
 Trefferlage 0.26 mm rechts, 0.48 mm hoch  
 Streuwert 3.19, horizontal: 3.81, vertikal: 2.41



Serie 3:  
 8.0 ↑ 6.8 ← 9.4 ← 9.8 ↑ 7.8 ↓  
 10.6 \* 9.4 ↗ 10.1 ↓ 10.6 \* 9.8 ↘  
 beste Teiler 87.8 (29.) 100.8 (26.) 217.1 (28.)  
 Trefferlage 1.44 mm links, 0.11 mm hoch  
 Streuwert 3.74, horizontal: 3.62, vertikal: 3.87





Serie 4:  
 8.3 ↙ 9.1 ↖ 10.5 \* 10.1 ← 8.5 ↗  
 8.2 ↘ 8.8 ← 10.2 \* 8.6 ↘ 8.8 →  
 beste Teiler 103.8 (33.) 186.7 (38.) 216.9 (34.)  
 Trefferlage 1.59 mm links, 1.52 mm hoch  
 Streuwert 3.37, horizontal: 3.26, vertikal: 3.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312** (329.9)  
 Serien: 81 77 75 79  
 Zähler: 5 11 8 9 4 0 3 0 0 0  
 Innenzehner: 4  
 weiteste: 1635 (10), 1531 (11), 1520 (27)  
 beste Teiler 64.0 (5.) 83.4 (6.) 153.7 (39.)  
 Trefferlage 2.51 mm links, 2.11 mm hoch  
 Streuwert 5.09, horizontal: 6.49, vertikal: 3.12




Serie 1:  
 9.1 ↘ 8.6 ↘ 10.2 \* 9.7 ↗ 10.7 \*  
 10.6 \* 6.1 ← 8.2 ↘ 7.7 ↗ 4.4 ↗  
 beste Teiler 64.0 (5.) 83.4 (6.) 186.9 (3.)  
 Trefferlage 0.95 mm links, 2.90 mm hoch  
 Streuwert 5.29, horizontal: 6.81, vertikal: 3.11



Serie 2:  
 4.8 ← 7.5 ↘ 9.0 ↘ 7.1 ↘ 9.0 ←  
 7.6 ← 8.6 → 8.8 ↗ 9.4 ↗ 9.1 →  
 beste Teiler 399.8 (19.) 462.1 (20.) 480.7 (15.)  
 Trefferlage 2.43 mm links, 2.81 mm hoch  
 Streuwert 5.19, horizontal: 6.45, vertikal: 3.50



Serie 3:  
 7.5 ↘ 7.3 ↘ 10.0 ↘ 8.4 ↘ 9.7 ↘  
 8.3 ← 4.9 ← 7.9 ← 8.9 → 7.6 ↙  
 beste Teiler 249.2 (23.) 317.8 (25.) 521.4 (29.)  
 Trefferlage 5.11 mm links, 1.74 mm hoch  
 Streuwert 4.43, horizontal: 5.12, vertikal: 3.61





Serie 4:  
 6.3 ← 6.5 ← 7.1 ↘ 9.6 ← 6.0 →  
 9.5 → 9.9 → 9.4 → 10.3 \* 8.6 ↘  
 beste Teiler 153.7 (39.) 261.0 (37.) 329.4 (34.)  
 Trefferlage 1.56 mm links, 1.00 mm hoch  
 Streuwert 5.54, horizontal: 7.54, vertikal: 2.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291** (308.1)  
 Serien: 61 83 78 69  
 Zähler: 7 8 6 6 5 4 1 1 1 0  
 Innenzehner: 4  
 weiteste: 3021 (33), 2159 (5), 1792 (21)  
 beste Teiler 123.9 (24.) 151.5 (37.) 162.0 (13.)  
 Trefferlage 5.65 mm links, 0.80 mm tief  
 Streuwert 6.02, horizontal: 7.14, vertikal: 4.64




Serie 1:  
 7.3 ↘ 8.4 ↗ 5.1 ← 8.8 ↑ 2.3 ←  
 7.3 ↙ 6.4 ↖ 6.8 ↖ 5.7 ← 7.5 ←  
 beste Teiler 547.6 (4.) 639.1 (2.) 856.4 (10.)  
 Trefferlage 8.59 mm links, 2.15 mm tief  
 Streuwert 5.89, horizontal: 7.53, vertikal: 3.58



Serie 2:  
 9.5 ↘ 10.2 \* 10.3 \* 10.1 ↗ 6.7 ↙  
 9.2 ← 9.4 ↖ 7.4 ← 9.6 ↘ 4.8 ←  
 beste Teiler 162.0 (13.) 198.0 (12.) 222.4 (14.)  
 Trefferlage 4.12 mm links, 0.58 mm tief  
 Streuwert 4.26, horizontal: 5.25, vertikal: 2.94



Serie 3:  
 3.8 ↑ 8.1 ↖ 7.0 ↗ 10.5 \* 8.3 ↙  
 8.9 ← 6.9 ↖ 10.0 → 9.5 → 9.9 ↙  
 beste Teiler 123.9 (24.) 236.5 (28.) 269.4 (30.)  
 Trefferlage 2.06 mm links, 1.80 mm hoch  
 Streuwert 5.75, horizontal: 4.96, vertikal: 6.44





Serie 4:  
 9.3 ↓ 8.0 ↖ 0.0 ← 9.3 ↓ 5.7 ↙  
 7.6 ↙ 10.3 \* 6.8 ↖ 5.4 ↖ 10.0 ←  
 beste Teiler 151.5 (37.) 243.9 (40.) 423.4 (31.)  
 Trefferlage 7.83 mm links, 2.28 mm tief  
 Streuwert 7.02, horizontal: 8.96, vertikal: 4.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **295** (309.7)  
 Serien: 74 65 74 82  
 Zähler: 6 7 7 8 5 3 3 1 0 0  
 Innenzehner: 3  
 weiteste: 1781 (28), 1687 (14), 1678 (30)  
 beste Teiler 148.0 (23.) 165.8 (39.) 197.3 (4.)  
 Trefferlage 2.59 mm links, 3.58 mm tief  
 Streuwert 5.79, horizontal: 6.56, vertikal: 4.91




Serie 1:  
 6.6 ↘ 8.3 ← 5.5 ↙ 10.2 \* 10.0 ↑  
 9.3 ↗ 6.7 ↖ 7.2 ← 6.5 ↓ 7.5 ←  
 beste Teiler 197.3 (4.) 250.3 (5.) 425.4 (6.)  
 Trefferlage 4.20 mm links, 2.94 mm tief  
 Streuwert 5.31, horizontal: 5.24, vertikal: 5.39



Serie 2:  
 8.1 → 9.2 ↓ 5.3 ↖ 4.2 → 6.1 ↗  
 7.6 ↗ 8.8 ↓ 5.1 ↓ 9.1 ← 4.7 ↗  
 beste Teiler 436.9 (12.) 468.5 (19.) 529.0 (17.)  
 Trefferlage 2.75 mm links, 4.46 mm tief  
 Streuwert 7.47, horizontal: 8.98, vertikal: 5.58



Serie 3:  
 7.1 ← 10.0 ↖ 10.4 \* 9.6 ↗ 8.1 →  
 7.4 ↘ 8.3 ↘ 3.8 ← 8.5 ↗ 4.2 ↗  
 beste Teiler 148.0 (23.) 240.8 (22.) 338.5 (24.)  
 Trefferlage 2.18 mm links, 3.11 mm tief  
 Streuwert 6.58, horizontal: 7.74, vertikal: 5.16





Serie 4:  
 7.7 ↓ 9.7 ↖ 10.1 ↓ 9.2 ↗ 7.9 ↗  
 9.0 ↗ 6.5 ↗ 7.5 ↓ 10.3 \* 8.4 ↓  
 beste Teiler 165.8 (39.) 211.6 (33.) 311.2 (32.)  
 Trefferlage 1.23 mm links, 3.79 mm tief  
 Streuwert 3.83, horizontal: 3.64, vertikal: 4.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **321** (340.1)  
 Serien: 85 81 77 78  
 Zähler: 3 15 7 11 3 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 1317 (24), 1170 (34), 1056 (18)  
 beste Teiler 97.4 (33.) 138.2 (1.) 203.0 (9.)  
 Trefferlage 0.55 mm rechts, 0.03 mm tief  
 Streuwert 4.82, horizontal: 5.82, vertikal: 3.55




Serie 1:  
 10.4 \*                      9.4 ←                      9.3 ↘                      7.5 →                      9.5 ↘  
 6.9 ↖                      9.3 ↑                      9.9 ↘                      10.1 ↑                      7.7 ↗  
 beste Teiler 138.2 (1.) 203.0 (9.) 274.4 (8.)  
 Trefferlage 1.07 mm rechts, 0.86 mm hoch  
 Streuwert 4.10, horizontal: 5.15, vertikal: 2.66



Serie 2:  
 9.0 ←                      8.0 →                      8.8 ↓                      9.2 ↑                      7.5 →  
 9.0 ←                      9.5 ↖                      6.7 →                      7.7 ↘                      9.1 ←  
 beste Teiler 364.7 (17.) 436.1 (14.) 471.6 (20.)  
 Trefferlage 1.92 mm rechts, 0.31 mm tief  
 Streuwert 4.68, horizontal: 6.00, vertikal: 2.80



Serie 3:  
 7.8 ↖                      9.7 ↘                      7.9 ↘                      5.7 ←                      8.3 ←  
 8.0 ↖                      7.0 ↘                      8.6 ↘                      9.7 ↗                      9.0 ↓  
 beste Teiler 305.3 (29.) 308.1 (22.) 495.8 (30.)  
 Trefferlage 2.23 mm links, 1.88 mm tief  
 Streuwert 5.18, horizontal: 6.15, vertikal: 3.99





Serie 4:  
 9.7 ↘                      8.8 ↖                      10.6 \*                      6.3 ↘                      7.7 ↖  
 7.8 →                      7.4 ↗                      7.9 ↘                      8.2 ↑                      9.5 ←  
 beste Teiler 97.4 (33.) 302.3 (31.) 374.4 (40.)  
 Trefferlage 1.46 mm rechts, 1.19 mm hoch  
 Streuwert 5.10, horizontal: 5.89, vertikal: 4.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (345.3)  
 Serien: 83 80 75 85  
 Zähler: 7 12 9 6 3 2 0 1 0 0  
 Innenzehner: 6  
 weiteste: 1816 (26), 1435 (20), 1316 (39)  
 beste Teiler 48.4 (14.) 51.7 (7.) 111.6 (16.)  
 Trefferlage 2.20 mm rechts, 0.10 mm hoch  
 Streuwert 4.77, horizontal: 6.00, vertikal: 3.07




Serie 1:  
 6.6 → 7.9 ← 10.1 ↘ 9.9 ↓ 9.7 ↗  
 7.4 → 10.7 \* 8.9 ↘ 8.1 → 9.5 ↘  
 beste Teiler 51.7 (7.) 210.2 (3.) 258.1 (4.)  
 Trefferlage 1.10 mm rechts, 0.84 mm hoch  
 Streuwert 4.40, horizontal: 5.78, vertikal: 2.31



Serie 2:  
 6.7 → 7.7 → 8.9 → 10.8 \* 7.3 →  
 10.5 \* 10.3 \* 9.9 ↓ 8.8 ← 5.2 ←  
 beste Teiler 48.4 (14.) 111.6 (16.) 159.5 (17.)  
 Trefferlage 1.37 mm rechts, 0.47 mm hoch  
 Streuwert 5.34, horizontal: 7.28, vertikal: 2.02





Serie 3:  
 8.3 → 7.8 ← 8.3 → 7.7 → 9.1 ↘  
 3.7 ↘ 9.2 ↘ 8.7 → 6.4 ↘ 10.4 \*  
 beste Teiler 138.8 (30.) 438.0 (27.) 472.0 (25.)  
 Trefferlage 4.55 mm rechts, 1.35 mm tief  
 Streuwert 5.41, horizontal: 6.45, vertikal: 4.13




Serie 4:  
 9.6 ↗ 8.8 → 9.5 ↘ 9.1 ↓ 8.9 ↑  
 9.4 ↗ 9.5 ↑ 10.4 \* 5.7 → 9.9 ↘  
 beste Teiler 146.1 (38.) 271.3 (40.) 326.3 (31.)  
 Trefferlage 1.79 mm rechts, 0.46 mm hoch  
 Streuwert 3.94, horizontal: 4.45, vertikal: 3.35

Unterschrift des Schützen


Ergebnis: **359** (375.9)  
 Serien: 87 91 91 90  
 Zähler: 11 19 9 0 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1036 (2), 734 (17), 670 (25)  
 beste Teiler 131.7 (16.) 137.9 (22.) 176.2 (26.)  
 Trefferlage 0.78 mm links, 0.49 mm hoch  
 Streuwert 3.00, horizontal: 3.66, vertikal: 2.15




Serie 1:  
 9.7 ↙ 6.8 ↖ 10.1 ↑ 9.2 ↘ 9.5 ↗  
 9.3 ← 9.9 ↙ 10.0 ← 8.3 ↘ 8.9 ↗  
 beste Teiler 212.0 (3.) 240.2 (8.) 252.6 (7.)  
 Trefferlage 2.70 mm links, 1.08 mm hoch  
 Streuwert 3.07, horizontal: 3.50, vertikal: 2.56



Serie 2:  
 8.6 → 9.9 ↙ 10.1 ↗ 10.0 ↘ 9.3 →  
 10.4 \* 8.0 ← 8.7 ← 9.2 → 10.2 \*  
 beste Teiler 131.7 (16.) 181.5 (20.) 222.7 (13.)  
 Trefferlage 0.16 mm links, 0.18 mm tief  
 Streuwert 3.11, horizontal: 4.15, vertikal: 1.46





Serie 3:  
 9.7 → 10.4 \* 9.6 ↗ 9.0 ↘ 8.3 →  
 10.2 \* 8.9 ↘ 9.5 ↙ 9.9 ↘ 10.2 \*  
 beste Teiler 137.9 (22.) 176.2 (26.) 190.2 (30.)  
 Trefferlage 0.12 mm links, 0.67 mm hoch  
 Streuwert 2.81, horizontal: 3.41, vertikal: 2.06




Serie 4:  
 9.6 ↘ 8.7 ← 9.2 ↗ 10.1 ← 10.1 ↗  
 8.7 ↘ 9.2 ← 9.6 ← 9.8 ↗ 9.1 ↑  
 beste Teiler 211.4 (35.) 223.4 (34.) 288.3 (39.)  
 Trefferlage 0.16 mm links, 0.41 mm hoch  
 Streuwert 2.98, horizontal: 3.42, vertikal: 2.47

Unterschrift des Schützen


Ergebnis: **366** (382.3)  
 Serien: 90 92 89 95  
 Zähler: 11 25 3 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 867 (2), 566 (6), 515 (17)  
 beste Teiler 132.9 (15.) 147.2 (38.) 162.3 (11.)  
 Trefferlage 0.60 mm rechts, 0.34 mm tief  
 Streuwert 2.65, horizontal: 2.66, vertikal: 2.63




Serie 1:  
 9.4 ↗ 7.5 ↑ 9.8 ↑ 9.8 ↓ 10.2 \*  
 8.7 ↘ 9.1 ↓ 9.1 ↘ 10.0 ↗ 10.1 ↓  
 beste Teiler 200.8 (5.) 217.7 (10.) 241.8 (9.)  
 Trefferlage 1.38 mm rechts, 0.03 mm hoch  
 Streuwert 3.12, horizontal: 1.83, vertikal: 4.02



Serie 2:  
 10.3 \* 9.5 ↓ 9.9 ↙ 10.1 ↘ 10.4 \*  
 9.3 ← 8.9 ↗ 9.3 → 9.3 → 9.7 ↑  
 beste Teiler 132.9 (15.) 162.3 (11.) 223.1 (14.)  
 Trefferlage 1.08 mm rechts, 0.24 mm tief  
 Streuwert 2.40, horizontal: 2.78, vertikal: 1.94



Serie 3:  
 9.9 ↑ 8.9 ← 9.2 ↘ 9.8 ↘ 9.3 ↓  
 9.3 ↘ 9.5 ↙ 9.1 → 9.7 ↓ 9.1 ↗  
 beste Teiler 253.2 (21.) 291.0 (24.) 312.0 (29.)  
 Trefferlage 0.51 mm rechts, 0.45 mm tief  
 Streuwert 2.93, horizontal: 3.18, vertikal: 2.65





Serie 4:  
 9.3 ↘ 10.1 ↙ 9.9 ↗ 10.0 ↓ 10.2 \*  
 10.2 \* 9.9 ↘ 10.4 \* 9.1 ↙ 9.0 ←  
 beste Teiler 147.2 (38.) 178.8 (36.) 199.6 (35.)  
 Trefferlage 0.55 mm links, 0.73 mm tief  
 Streuwert 2.20, horizontal: 2.64, vertikal: 1.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (375.0)  
 Serien: 86 88 93 90  
 Zähler: 11 19 6 4 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 960 (20), 811 (15), 800 (4)  
 beste Teiler 68.6 (13.) 76.5 (29.) 92.6 (27.)  
 Trefferlage 0.86 mm links, 1.10 mm hoch  
 Streuwert 3.11, horizontal: 3.58, vertikal: 2.56




Serie 1:  
 9.4 ↘ 9.8 ↑ 9.5 ↘ 7.8 ↘ 10.2 \*  
 9.3 ↘ 9.7 ← 8.2 ↗ 7.9 ← 9.7 ←  
 beste Teiler 187.6 (5.) 292.8 (2.) 312.1 (10.)  
 Trefferlage 2.20 mm links, 2.23 mm hoch  
 Streuwert 2.88, horizontal: 3.63, vertikal: 1.85



Serie 2:  
 10.1 ↖ 10.6 \* 10.7 \* 10.0 ↓ 7.7 ↖  
 9.4 ↘ 8.3 ↘ 9.1 ↗ 8.7 ↘ 7.1 ↑  
 beste Teiler 68.6 (13.) 100.2 (12.) 214.1 (11.)  
 Trefferlage 0.75 mm links, 1.71 mm hoch  
 Streuwert 3.71, horizontal: 3.82, vertikal: 3.59





Serie 3:  
 9.4 ↘ 9.6 ↘ 9.8 ↘ 9.1 ↗ 9.3 ↘  
 10.0 ↘ 10.6 \* 9.7 ↗ 10.6 \* 9.9 ←  
 beste Teiler 76.5 (29.) 92.6 (27.) 231.7 (26.)  
 Trefferlage 0.40 mm rechts, 0.50 mm hoch  
 Streuwert 2.27, horizontal: 2.42, vertikal: 2.11




Serie 4:  
 9.3 ↘ 8.0 ← 10.5 \* 9.1 → 10.4 \*  
 9.8 ↙ 10.0 ↑ 9.8 ↘ 8.0 ← 8.9 ↗  
 beste Teiler 102.2 (33.) 149.0 (35.) 244.4 (37.)  
 Trefferlage 0.88 mm links, 0.03 mm tief  
 Streuwert 3.32, horizontal: 4.25, vertikal: 2.01

Unterschrift des Schützen


Ergebnis: **381** (399.5)  
 Serien: 97 94 97 93  
 Zähler: 24 13 3 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 537 (27), 532 (39), 518 (17)  
 beste Teiler 57.7 (16.) 90.2 (10.) 102.1 (9.)  
 Trefferlage 0.04 mm links, 0.26 mm tief  
 Streuwert 1.91, horizontal: 2.17, vertikal: 1.61




Serie 1:  
 10.0 ↘ 10.5 \* 10.1 ↘ 9.4 ← 9.8 ↓  
 9.7 ↘ 10.1 ↓ 10.3 \* 10.5 \* 10.6 \*  
 beste Teiler 90.2 (10.) 102.1 (9.) 119.3 (2.)  
 Trefferlage 0.18 mm rechts, 1.13 mm tief  
 Streuwert 1.51, horizontal: 1.76, vertikal: 1.21



Serie 2:  
 9.9 ↑ 9.6 ↖ 10.4 \* 10.2 \* 10.4 \*  
 10.7 \* 8.9 ← 9.5 ↗ 9.9 ↘ 10.4 \*  
 beste Teiler 57.7 (16.) 134.6 (15.) 139.5 (13.)  
 Trefferlage 0.15 mm rechts, 0.38 mm hoch  
 Streuwert 2.01, horizontal: 2.38, vertikal: 1.54





Serie 3:  
 10.3 \* 9.3 ← 10.3 \* 10.2 \* 10.3 \*  
 10.4 \* 8.8 ↖ 10.5 \* 10.4 \* 10.1 ↖  
 beste Teiler 113.1 (28.) 126.7 (26.) 136.1 (29.)  
 Trefferlage 0.96 mm links, 0.37 mm hoch  
 Streuwert 1.77, horizontal: 2.07, vertikal: 1.41




Serie 4:  
 10.2 \* 9.5 → 10.0 ↓ 9.8 ↓ 10.0 ↓  
 10.4 \* 9.8 ↘ 9.7 ↖ 8.8 → 9.8 ↘  
 beste Teiler 145.9 (36.) 197.6 (31.) 226.1 (33.)  
 Trefferlage 0.44 mm rechts, 0.67 mm tief  
 Streuwert 2.20, horizontal: 2.48, vertikal: 1.87

Unterschrift des Schützen


Ergebnis: **352** (370.3)  
 Serien: 86 85 90 91  
 Zähler: 12 16 6 4 2 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1092 (16), 1063 (1), 877 (13)  
 beste Teiler 27.0 (12.) 74.2 (25.) 105.1 (28.)  
 Trefferlage 1.59 mm links, 0.00 mm  
 Streuwert 3.42, horizontal: 3.84, vertikal: 2.93




Serie 1:  
 6.7 ← 9.4 → 8.0 ↘ 8.0 ← 10.4 \*  
 8.8 ↘ 9.0 ← 9.8 → 10.5 \* 9.6 ←  
 beste Teiler 122.0 (9.) 134.1 (5.) 300.8 (8.)  
 Trefferlage 2.90 mm links, 0.48 mm hoch  
 Streuwert 3.54, horizontal: 4.56, vertikal: 2.06



Serie 2:  
 9.4 → 10.8 \* 7.4 ↘ 7.9 ↘ 10.4 \*  
 6.6 ← 8.2 ↓ 8.1 ↓ 10.0 ↓ 10.2 \*  
 beste Teiler 27.0 (12.) 142.6 (15.) 194.1 (20.)  
 Trefferlage 0.53 mm links, 1.37 mm tief  
 Streuwert 4.45, horizontal: 5.02, vertikal: 3.79



Serie 3:  
 9.7 ↓ 7.7 ← 10.3 \* 8.2 ← 10.7 \*  
 9.5 ↓ 9.3 ↘ 10.5 \* 9.9 → 9.7 ↘  
 beste Teiler 74.2 (25.) 105.1 (28.) 171.0 (23.)  
 Trefferlage 1.48 mm links, 0.02 mm tief  
 Streuwert 2.91, horizontal: 3.50, vertikal: 2.17





Serie 4:  
 9.8 ↓ 9.7 ↓ 9.6 ← 10.1 ← 10.4 \*  
 10.1 ↑ 9.6 ↓ 9.4 ↘ 7.9 ↘ 9.0 ↘  
 beste Teiler 132.9 (35.) 212.4 (34.) 215.0 (36.)  
 Trefferlage 1.47 mm links, 0.90 mm hoch  
 Streuwert 2.56, horizontal: 1.58, vertikal: 3.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (400.0)  
 Serien: 96 94 94 98  
 Zähler: 22 18 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 482 (19), 480 (17), 428 (11)  
 beste Teiler 5.0 (6.) 88.4 (12.) 103.3 (22.)  
 Trefferlage 0.11 mm links, 0.02 mm hoch  
 Streuwert 1.90, horizontal: 2.10, vertikal: 1.67




Serie 1:  
 10.0 ↘ 9.7 ↙ 10.5 \* 9.4 → 9.3 ↗  
 10.9 \* 10.5 \* 10.4 \* 9.8 → 10.0 ↑  
 beste Teiler 5.0 (6.) 117.3 (7.) 117.4 (3.)  
 Trefferlage 0.45 mm rechts, 0.12 mm hoch  
 Streuwert 1.89, horizontal: 1.92, vertikal: 1.87



Serie 2:  
 9.2 ← 10.6 \* 9.4 ↘ 9.6 ← 9.8 ↖  
 10.2 \* 9.0 ↗ 10.4 \* 9.0 ← 10.1 ↓  
 beste Teiler 88.4 (12.) 134.5 (18.) 200.8 (16.)  
 Trefferlage 0.55 mm links, 0.01 mm hoch  
 Streuwert 2.45, horizontal: 3.00, vertikal: 1.73



Serie 3:  
 9.9 ↙ 10.5 \* 9.5 ↙ 9.8 ↓ 10.5 \*  
 10.4 \* 9.6 ↘ 9.9 ↘ 10.5 \* 9.9 ↓  
 beste Teiler 103.3 (22.) 113.5 (25.) 123.2 (29.)  
 Trefferlage 0.28 mm rechts, 1.13 mm tief  
 Streuwert 1.61, horizontal: 1.94, vertikal: 1.19





Serie 4:  
 10.4 \* 10.4 \* 10.3 \* 9.7 ↗ 10.0 ↙  
 10.4 \* 10.1 ↘ 9.8 ↘ 10.5 \* 10.1 ↖  
 beste Teiler 103.4 (39.) 140.0 (32.) 144.0 (36.)  
 Trefferlage 0.63 mm links, 1.09 mm hoch  
 Streuwert 1.23, horizontal: 1.26, vertikal: 1.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (362.4)  
 Serien: 85 88 87 84  
 Zähler: 9 16 7 6 2 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1229 (22), 1167 (39), 872 (38)  
 beste Teiler 40.3 (7.) 46.1 (35.) 97.3 (18.)  
 Trefferlage 0.57 mm links, 0.66 mm tief  
 Streuwert 3.92, horizontal: 4.63, vertikal: 3.05




Serie 1:  
 8.2 ↗ 9.3 ↙ 9.5 ↗ 9.9 ↙ 9.7 ↘  
 8.1 → 10.8 \* 7.9 ↘ 8.5 ↗ 8.9 ↘  
 beste Teiler 40.3 (7.) 263.3 (4.) 302.2 (5.)  
 Trefferlage 0.93 mm rechts, 1.15 mm hoch  
 Streuwert 3.71, horizontal: 4.23, vertikal: 3.12



Serie 2:  
 9.1 ↘ 7.9 ← 7.6 ↙ 8.0 ↘ 10.1 ↘  
 9.6 → 9.2 ↙ 10.6 \* 9.9 ↗ 10.2 \*  
 beste Teiler 97.3 (18.) 190.8 (20.) 203.5 (15.)  
 Trefferlage 0.85 mm links, 1.68 mm tief  
 Streuwert 3.48, horizontal: 4.21, vertikal: 2.56



Serie 3:  
 10.5 \* 6.0 ↘ 9.4 ↙ 10.2 \* 7.7 ↘  
 8.4 ↘ 9.7 → 9.7 ↘ 10.4 \* 9.2 ←  
 beste Teiler 116.3 (21.) 126.6 (29.) 187.8 (24.)  
 Trefferlage 0.78 mm links, 1.11 mm tief  
 Streuwert 4.11, horizontal: 4.77, vertikal: 3.31





Serie 4:  
 9.4 ↗ 9.0 ← 10.0 → 9.7 ↙ 10.8 \*  
 9.1 ← 7.9 ↘ 7.5 ↘ 6.3 ↙ 8.5 ↘  
 beste Teiler 46.1 (35.) 247.4 (33.) 315.5 (34.)  
 Trefferlage 1.59 mm links, 1.02 mm tief  
 Streuwert 4.40, horizontal: 5.56, vertikal: 2.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.8)  
 Serien: 93 91 95 93  
 Zähler: 17 18 5 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 609 (8), 599 (18), 551 (21)  
 beste Teiler 26.9 (4.) 75.5 (29.) 81.4 (16.)  
 Trefferlage 1.20 mm rechts, 0.05 mm hoch  
 Streuwert 2.19, horizontal: 2.74, vertikal: 1.46




Serie 1:  
 9.9 ←                      9.7 ↗                      10.5 \*                      10.8 \*                      10.4 \*  
 9.6 ↖                      9.0 ↘                      8.5 →                      10.3 \*                      9.4 →  
 beste Teiler 26.9 (4.) 111.5 (3.) 129.0 (5.)  
 Trefferlage 1.31 mm rechts, 0.11 mm hoch  
 Streuwert 2.29, horizontal: 2.94, vertikal: 1.34



Serie 2:  
 9.9 ↖                      9.7 ↗                      8.8 →                      9.4 →                      9.2 ←  
 10.6 \*                      9.9 →                      8.6 ↘                      10.4 \*                      10.5 \*  
 beste Teiler 81.4 (16.) 105.8 (20.) 136.1 (19.)  
 Trefferlage 1.44 mm rechts, 0.07 mm hoch  
 Streuwert 2.44, horizontal: 3.04, vertikal: 1.63



Serie 3:  
 8.7 →                      10.4 \*                      10.2 \*                      9.9 →                      10.3 \*  
 9.8 ↑                      9.8 →                      10.5 \*                      10.7 \*                      10.3 \*  
 beste Teiler 75.5 (29.) 102.3 (28.) 149.5 (22.)  
 Trefferlage 1.58 mm rechts, 0.35 mm hoch  
 Streuwert 1.49, horizontal: 1.65, vertikal: 1.30





Serie 4:  
 10.1 ↓                      8.9 →                      9.0 ↗                      9.5 ←                      9.6 ↓  
 10.0 →                      10.0 ←                      9.3 ↘                      9.3 ↖                      10.4 \*  
 beste Teiler 140.8 (40.) 215.5 (31.) 230.1 (37.)  
 Trefferlage 0.47 mm rechts, 0.32 mm tief  
 Streuwert 2.62, horizontal: 3.32, vertikal: 1.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.4)  
 Serien: 94 92 89 89  
 Zähler: 14 18 6 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 915 (24), 789 (26), 738 (33)  
 beste Teiler 82.5 (4.) 111.8 (30.) 131.5 (5.)  
 Trefferlage 1.87 mm links, 0.09 mm hoch  
 Streuwert 2.52, horizontal: 2.80, vertikal: 2.19




Serie 1:  
 9.6 ↙ 8.9 ↘ 10.1 ↗ 10.6 \* 10.4 \*  
 10.0 ↓ 9.7 ↘ 9.3 ↙ 9.9 ↘ 10.0 ↗  
 beste Teiler 82.5 (4.) 131.5 (5.) 205.5 (3.)  
 Trefferlage 1.10 mm links, 0.47 mm hoch  
 Streuwert 2.02, horizontal: 2.17, vertikal: 1.85



Serie 2:  
 9.3 ↙ 8.3 ← 10.1 ↗ 9.7 ↘ 9.6 ↘  
 9.9 ↗ 10.2 \* 10.1 ↗ 9.2 ↘ 9.8 ↘  
 beste Teiler 196.9 (17.) 203.3 (13.) 220.1 (18.)  
 Trefferlage 1.90 mm links, 0.55 mm hoch  
 Streuwert 2.22, horizontal: 2.36, vertikal: 2.06



Serie 3:  
 9.1 ← 9.8 ↗ 9.3 ↙ 7.3 ↘ 9.6 ↘  
 7.8 ← 9.6 ← 10.1 ↙ 10.1 ↘ 10.5 \*  
 beste Teiler 111.8 (30.) 210.2 (29.) 219.1 (28.)  
 Trefferlage 2.48 mm links, 0.20 mm hoch  
 Streuwert 3.02, horizontal: 3.43, vertikal: 2.55





Serie 4:  
 10.0 ↓ 8.4 ↘ 8.0 ↘ 8.9 ↘ 9.5 ←  
 9.7 ← 10.0 ↙ 8.9 ↘ 9.8 ↘ 10.3 \*  
 beste Teiler 171.0 (40.) 233.5 (31.) 235.2 (37.)  
 Trefferlage 1.99 mm links, 0.86 mm tief  
 Streuwert 2.84, horizontal: 3.31, vertikal: 2.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (398.2)  
 Serien: 96 94 91 97  
 Zähler: 19 20 1 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 526 (29), 437 (24), 429 (28)  
 beste Teiler 58.0 (37.) 62.9 (20.) 71.1 (4.)  
 Trefferlage 0.27 mm links, 0.04 mm hoch  
 Streuwert 1.97, horizontal: 2.13, vertikal: 1.80




Serie 1:  
 9.8 ↘ 10.5 \* 9.4 ↓ 10.7 \* 10.3 \*  
 9.8 ↙ 10.3 \* 10.2 \* 10.1 ↖ 9.6 ←  
 beste Teiler 71.1 (4.) 124.4 (2.) 152.0 (7.)  
 Trefferlage 0.26 mm links, 0.50 mm tief  
 Streuwert 1.75, horizontal: 1.83, vertikal: 1.67



Serie 2:  
 10.4 \* 10.4 \* 9.6 ↗ 9.8 ↖ 9.7 ↑  
 10.3 \* 9.8 ↙ 9.7 ↘ 9.3 ↘ 10.7 \*  
 beste Teiler 62.9 (20.) 130.3 (11.) 136.1 (12.)  
 Trefferlage 0.31 mm links, 0.97 mm hoch  
 Streuwert 1.87, horizontal: 1.97, vertikal: 1.76



Serie 3:  
 9.4 ↗ 10.4 \* 9.9 ↘ 9.2 → 10.5 \*  
 9.7 ↗ 9.4 ↓ 9.2 ↗ 8.8 ↖ 9.9 ↖  
 beste Teiler 120.1 (25.) 127.9 (22.) 255.2 (23.)  
 Trefferlage 0.02 mm rechts, 0.75 mm tief  
 Streuwert 2.56, horizontal: 2.82, vertikal: 2.27





Serie 4:  
 10.2 \* 9.7 ← 10.3 \* 10.5 \* 9.7 ↖  
 10.4 \* 10.7 \* 10.2 \* 10.2 \* 9.5 →  
 beste Teiler 58.0 (37.) 106.1 (34.) 147.6 (36.)  
 Trefferlage 0.55 mm links, 0.46 mm hoch  
 Streuwert 1.59, horizontal: 2.06, vertikal: 0.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.8)  
 Serien: 93 91 92 89  
 Zähler: 15 18 4 3 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 858 (36), 790 (24), 764 (32)  
 beste Teiler 31.7 (25.) 54.4 (2.) 57.2 (39.)  
 Trefferlage 0.19 mm links, 0.20 mm hoch  
 Streuwert 2.86, horizontal: 3.07, vertikal: 2.64




Serie 1:  
 9.7 ↗ 10.7 \* 9.3 ↑ 9.2 ↙ 9.5 →  
 10.2 \* 10.0 ← 9.3 ↘ 9.9 ↘ 9.5 ↙  
 beste Teiler 54.4 (2.) 200.8 (6.) 248.2 (7.)  
 Trefferlage 0.00 mm , 0.71 mm tief  
 Streuwert 2.35, horizontal: 2.13, vertikal: 2.55



Serie 2:  
 8.4 → 9.7 ↘ 10.5 \* 8.4 ↙ 8.4 ↖  
 9.2 ↘ 9.4 ↗ 10.5 \* 10.4 \* 10.0 ↖  
 beste Teiler 109.5 (13.) 125.0 (18.) 143.7 (19.)  
 Trefferlage 0.57 mm links, 0.77 mm hoch  
 Streuwert 3.03, horizontal: 3.49, vertikal: 2.48



Serie 3:  
 10.2 \* 9.7 ↘ 8.0 ↘ 7.8 ← 10.8 \*  
 10.5 \* 9.1 → 9.4 ↘ 10.2 \* 10.6 \*  
 beste Teiler 31.7 (25.) 88.6 (30.) 117.5 (26.)  
 Trefferlage 0.31 mm rechts, 0.60 mm tief  
 Streuwert 3.05, horizontal: 3.77, vertikal: 2.09





Serie 4:  
 9.6 ↗ 7.9 ← 9.4 ↗ 9.5 ↑ 9.8 ↗  
 7.5 ↑ 10.5 \* 10.5 \* 10.7 \* 9.9 ↙  
 beste Teiler 57.2 (39.) 115.4 (37.) 124.1 (38.)  
 Trefferlage 0.52 mm links, 1.35 mm hoch  
 Streuwert 3.07, horizontal: 3.03, vertikal: 3.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.0)  
 Serien: 87 86 89 90  
 Zähler: 10 17 9 3 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 1092 (5), 901 (13), 898 (21)  
 beste Teiler 27.0 (14.) 115.2 (28.) 171.6 (6.)  
 Trefferlage 0.15 mm links, 0.97 mm hoch  
 Streuwert 3.32, horizontal: 3.67, vertikal: 2.93




Serie 1:  
 9.3 ↗ 10.0 ↖ 10.0 ↘ 9.2 ← 6.6 ↘  
 10.3 \* 9.7 ↗ 7.9 ↘ 9.2 ↓ 8.9 ←  
 beste Teiler 171.6 (6.) 237.4 (2.) 241.5 (3.)  
 Trefferlage 1.69 mm links, 1.39 mm hoch  
 Streuwert 3.63, horizontal: 4.03, vertikal: 3.19



Serie 2:  
 8.8 ↗ 8.9 ↘ 7.3 ↘ 10.8 \* 10.0 ←  
 8.6 ↘ 9.4 → 9.5 ↑ 8.4 ↘ 9.3 →  
 beste Teiler 27.0 (14.) 245.6 (15.) 352.9 (18.)  
 Trefferlage 0.52 mm rechts, 1.18 mm hoch  
 Streuwert 3.69, horizontal: 3.83, vertikal: 3.55





Serie 3:  
 7.4 ← 8.8 → 9.7 ↑ 8.9 ↓ 9.7 →  
 10.1 ↘ 9.5 ↘ 10.5 \* 9.8 ↘ 10.1 ↓  
 beste Teiler 115.2 (28.) 209.4 (26.) 225.8 (30.)  
 Trefferlage 0.24 mm rechts, 0.29 mm tief  
 Streuwert 3.20, horizontal: 3.76, vertikal: 2.50




Serie 4:  
 9.7 ↘ 10.1 ↘ 9.1 ↗ 8.7 ↘ 9.4 ↘  
 9.3 ↘ 9.9 ↗ 9.8 ← 10.1 ← 8.3 →  
 beste Teiler 207.0 (39.) 222.8 (32.) 268.2 (37.)  
 Trefferlage 0.30 mm rechts, 1.63 mm hoch  
 Streuwert 2.76, horizontal: 3.09, vertikal: 2.39

Unterschrift des Schützen


Ergebnis: **360** (376.6)  
 Serien: 89 88 90 93  
 Zähler: 11 22 5 1 0 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1453 (5), 853 (39), 676 (11)  
 beste Teiler 32.8 (37.) 113.6 (40.) 184.6 (33.)  
 Trefferlage 0.90 mm links, 0.88 mm tief  
 Streuwert 3.07, horizontal: 3.22, vertikal: 2.92




Serie 1:  
 10.2 \*                      9.3 ↖                      9.6 ↑                      9.4 ↗                      5.1 ←  
 9.4 ↘                      10.2 \*                      9.5 ←                      9.5 ↓                      10.0 ↙  
 beste Teiler 197.2 (1.) 200.3 (7.) 239.3 (10.)  
 Trefferlage 2.27 mm links, 0.46 mm tief  
 Streuwert 3.76, horizontal: 4.84, vertikal: 2.18



Serie 2:  
 8.2 ↓                      9.4 ↖                      9.7 ↘                      9.8 ←                      8.9 ↗  
 9.9 ↖                      9.5 ↗                      8.5 ↘                      9.3 ←                      10.0 ↖  
 beste Teiler 240.6 (20.) 262.8 (16.) 277.9 (14.)  
 Trefferlage 0.82 mm links, 0.64 mm tief  
 Streuwert 3.13, horizontal: 3.01, vertikal: 3.25



Serie 3:  
 10.1 ←                      9.6 ←                      9.7 ↘                      9.8 →                      9.2 ↘  
 9.1 ↙                      9.1 ↘                      8.9 ↖                      10.1 ↘                      8.8 ↑  
 beste Teiler 203.5 (29.) 209.3 (21.) 292.0 (24.)  
 Trefferlage 0.34 mm rechts, 0.49 mm tief  
 Streuwert 2.94, horizontal: 2.51, vertikal: 3.30





Serie 4:  
 10.1 ↓                      9.2 ↗                      10.2 \*                      10.1 ↓                      9.5 ↓  
 9.3 ↖                      10.8 \*                      9.6 ↓                      7.5 ↓                      10.5 \*  
 beste Teiler 32.8 (37.) 113.6 (40.) 184.6 (33.)  
 Trefferlage 0.88 mm links, 1.92 mm tief  
 Streuwert 2.39, horizontal: 1.52, vertikal: 3.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (365.1)  
 Serien: 82 82 90 88  
 Zähler: 5 19 12 3 0 0 1 0 0 0  
 Innenzehner: 2  
 weiteste: 1551 (2), 876 (14), 826 (18)  
 beste Teiler 72.0 (30.) 125.9 (19.) 207.4 (7.)  
 Trefferlage 1.14 mm rechts, 0.48 mm tief  
 Streuwert 3.62, horizontal: 4.26, vertikal: 2.84




Serie 1:  
 7.9 →                      4.7 →                      9.8 ↖                      8.8 ↓                      10.0 →  
 9.8 ↘                      10.1 →                      9.0 ←                      8.7 →                      8.9 →  
 beste Teiler 207.4 (7.) 230.4 (5.) 281.7 (6.)  
 Trefferlage 3.20 mm rechts, 0.64 mm tief  
 Streuwert 4.28, horizontal: 5.53, vertikal: 2.44



Serie 2:  
 8.7 ↓                      9.3 ↓                      8.7 ↗                      7.4 ↘                      9.5 ↑  
 8.9 ↗                      8.1 →                      7.6 ↓                      10.5 \*                      8.8 →  
 beste Teiler 125.9 (19.) 362.0 (15.) 414.0 (12.)  
 Trefferlage 3.28 mm rechts, 1.06 mm tief  
 Streuwert 3.57, horizontal: 2.74, vertikal: 4.23



Serie 3:  
 8.1 ←                      9.7 ↑                      9.8 ↙                      9.5 ↙                      9.9 ↓  
 9.8 ↓                      9.6 ↙                      9.5 ↑                      9.7 ←                      10.7 \*  
 beste Teiler 72.0 (30.) 253.1 (25.) 279.1 (23.)  
 Trefferlage 1.58 mm links, 0.32 mm tief  
 Streuwert 2.41, horizontal: 2.56, vertikal: 2.26





Serie 4:  
 9.4 →                      9.9 ↓                      9.5 →                      9.6 ↖                      8.7 ←  
 9.7 →                      8.8 ↗                      9.1 ↙                      10.0 ↖                      8.9 ←  
 beste Teiler 231.1 (39.) 264.0 (32.) 304.6 (36.)  
 Trefferlage 0.31 mm links, 0.10 mm hoch  
 Streuwert 3.05, horizontal: 3.65, vertikal: 2.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (369.8)  
 Serien: 88 84 93 89  
 Zähler: 14 12 10 3 0 1 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1251 (17), 993 (18), 960 (4)  
 beste Teiler 111.8 (38.) 124.0 (27.) 152.8 (25.)  
 Trefferlage 0.26 mm rechts, 0.10 mm tief  
 Streuwert 3.55, horizontal: 4.55, vertikal: 2.13




Serie 1:  
 10.2 \*                      10.1 ←                      9.1 ↘                      7.1 →                      8.9 ↖  
 10.0 ↘                      9.4 ↖                      9.5 ↘                      8.0 →                      8.8 ↖  
 beste Teiler 178.9 (1.) 222.6 (2.) 236.0 (6.)  
 Trefferlage 1.05 mm rechts, 0.74 mm hoch  
 Streuwert 3.72, horizontal: 4.38, vertikal: 2.93



Serie 2:  
 9.6 ←                      10.0 ↙                      10.2 \*                      9.3 ↘                      8.7 ↖  
 9.3 ←                      5.9 →                      7.0 ←                      9.2 ←                      8.8 →  
 beste Teiler 193.2 (13.) 232.6 (12.) 348.1 (11.)  
 Trefferlage 0.75 mm links, 0.69 mm tief  
 Streuwert 4.59, horizontal: 6.30, vertikal: 1.58



Serie 3:  
 10.0 ↙                      10.1 ↘                      10.1 ↓                      10.2 \*                      10.3 \*  
 8.9 ↘                      10.5 \*                      8.6 ↖                      9.9 →                      8.5 ←  
 beste Teiler 124.0 (27.) 152.8 (25.) 176.0 (24.)  
 Trefferlage 0.24 mm links, 0.81 mm tief  
 Streuwert 2.56, horizontal: 3.21, vertikal: 1.68





Serie 4:  
 9.9 ←                      7.8 →                      8.4 ↗                      9.7 ↓                      8.7 ↖  
 10.3 \*                      10.0 ↗                      10.5 \*                      9.0 →                      9.3 ←  
 beste Teiler 111.8 (38.) 166.0 (36.) 249.9 (37.)  
 Trefferlage 1.00 mm rechts, 0.36 mm hoch  
 Streuwert 3.27, horizontal: 4.21, vertikal: 1.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (340.2)  
 Serien: 82 85 75 78  
 Zähler: 6 8 13 9 3 0 0 1 0 0  
 Innenzehner: 2  
 weiteste: 1769 (21), 1099 (28), 1078 (31)  
 beste Teiler 74.4 (14.) 153.8 (19.) 208.0 (4.)  
 Trefferlage 0.58 mm links, 0.73 mm hoch  
 Streuwert 4.94, horizontal: 5.57, vertikal: 4.22




Serie 1:  
 9.9 ↙ 7.8 ← 8.9 ↘ 10.1 ↖ 7.6 ↗  
 9.6 ↖ 7.6 ↙ 8.3 ↘ 8.6 ↖ 9.8 ↑  
 beste Teiler 208.0 (4.) 258.1 (1.) 291.8 (10.)  
 Trefferlage 4.26 mm links, 0.01 mm hoch  
 Streuwert 2.92, horizontal: 2.63, vertikal: 3.19



Serie 2:  
 7.9 ↗ 8.9 ↘ 6.9 ↗ 10.7 \* 8.3 ←  
 8.3 ↘ 9.4 ↓ 9.9 ← 10.3 \* 10.0 ↗  
 beste Teiler 74.4 (14.) 153.8 (19.) 229.4 (20.)  
 Trefferlage 0.51 mm links, 1.88 mm hoch  
 Streuwert 3.87, horizontal: 3.74, vertikal: 3.99



Serie 3:  
 3.9 → 9.2 ↘ 8.9 → 9.7 ↘ 7.0 ↘  
 7.4 ↗ 10.0 → 6.6 ↗ 8.7 ↑ 8.5 ←  
 beste Teiler 242.3 (27.) 307.5 (24.) 432.0 (22.)  
 Trefferlage 2.88 mm rechts, 2.52 mm hoch  
 Streuwert 5.75, horizontal: 7.24, vertikal: 3.68





Serie 4:  
 6.6 ↘ 7.3 ← 7.0 ↓ 8.5 ↘ 7.6 ↙  
 10.0 ← 9.5 ↘ 8.9 ↘ 8.0 → 8.1 ↗  
 beste Teiler 234.4 (36.) 355.5 (37.) 510.6 (38.)  
 Trefferlage 0.45 mm links, 1.47 mm tief  
 Streuwert 5.44, horizontal: 5.71, vertikal: 5.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (374.7)  
 Serien: 88 93 80 89  
 Zähler: 10 16 10 2 2 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1170 (28), 1009 (22), 815 (31)  
 beste Teiler 48.0 (6.) 55.0 (12.) 89.0 (13.)  
 Trefferlage 0.29 mm rechts, 0.94 mm tief  
 Streuwert 3.26, horizontal: 3.28, vertikal: 3.23




Serie 1:  
 9.4 ↘ 8.9 → 10.3 \* 9.8 ↙ 9.6 ↗  
 10.8 \* 9.6 ↗ 8.4 ↙ 8.9 → 8.4 ↘  
 beste Teiler 48.0 (6.) 163.9 (3.) 294.8 (4.)  
 Trefferlage 0.72 mm rechts, 0.04 mm tief  
 Streuwert 3.15, horizontal: 3.05, vertikal: 3.26



Serie 2:  
 8.9 ↘ 10.7 \* 10.6 \* 10.0 ↑ 9.1 ↘  
 9.2 ↘ 9.3 ↑ 9.7 ↙ 10.4 \* 9.3 →  
 beste Teiler 55.0 (12.) 89.0 (13.) 136.2 (19.)  
 Trefferlage 0.45 mm links, 0.56 mm hoch  
 Streuwert 2.52, horizontal: 2.43, vertikal: 2.61



Serie 3:  
 10.4 \* 6.9 ↘ 9.9 ↑ 8.9 ↙ 7.9 ↘  
 8.9 → 8.9 ↘ 6.3 ↓ 9.6 ↘ 9.8 ↙  
 beste Teiler 148.6 (21.) 273.0 (23.) 296.3 (30.)  
 Trefferlage 1.65 mm rechts, 3.28 mm tief  
 Streuwert 3.87, horizontal: 3.98, vertikal: 3.77





Serie 4:  
 7.7 ← 9.8 ← 9.8 → 9.7 ↙ 10.5 \*  
 9.9 → 8.9 ↘ 10.5 \* 8.9 ↙ 10.2 \*  
 beste Teiler 110.4 (38.) 116.2 (35.) 199.0 (40.)  
 Trefferlage 0.76 mm links, 1.02 mm tief  
 Streuwert 2.80, horizontal: 3.39, vertikal: 2.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (357.0)  
 Serien: 82 85 85 85  
 Zähler: 9 11 10 9 0 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1367 (5), 941 (35), 901 (7)  
 beste Teiler 71.3 (22.) 74.3 (16.) 84.1 (21.)  
 Trefferlage 0.75 mm rechts, 1.41 mm hoch  
 Streuwert 4.02, horizontal: 4.69, vertikal: 3.22




Serie 1:  
 8.9 ↘                      9.9 ↘                      10.5 \*                      7.5 ↘                      5.5 ↘  
 8.1 →                      7.3 →                      9.9 ←                      9.0 →                      10.1 ←  
 beste Teiler 117.3 (3.) 225.0 (10.) 259.0 (8.)  
 Trefferlage 2.73 mm rechts, 1.01 mm hoch  
 Streuwert 4.60, horizontal: 5.54, vertikal: 3.42



Serie 2:  
 8.3 ↗                      8.9 →                      9.2 ↘                      8.6 ↗                      10.2 \*  
 10.7 \*                      9.3 ↘                      9.1 ←                      7.8 ↘                      7.7 ↑  
 beste Teiler 74.3 (16.) 183.7 (15.) 422.4 (17.)  
 Trefferlage 0.04 mm links, 2.39 mm hoch  
 Streuwert 3.65, horizontal: 4.04, vertikal: 3.20



Serie 3:  
 10.6 \*                      10.7 \*                      7.6 ↗                      7.8 ←                      10.3 \*  
 7.9 ↑                      8.3 ←                      9.3 ↗                      9.2 ↗                      8.7 ↘  
 beste Teiler 71.3 (22.) 84.1 (21.) 174.2 (25.)  
 Trefferlage 0.27 mm links, 2.07 mm hoch  
 Streuwert 3.80, horizontal: 4.55, vertikal: 2.87





Serie 4:  
 7.6 →                      9.7 ↘                      8.8 ←                      9.9 ↗                      7.2 ↘  
 10.0 →                      9.9 ↑                      8.6 ↘                      8.4 →                      10.0 ↑  
 beste Teiler 243.7 (36.) 249.0 (40.) 261.6 (34.)  
 Trefferlage 0.60 mm rechts, 0.17 mm hoch  
 Streuwert 4.03, horizontal: 4.63, vertikal: 3.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (369.8)  
 Serien: 90 90 88 83  
 Zähler: 11 15 10 3 0 1 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1339 (36), 928 (31), 842 (29)  
 beste Teiler 61.5 (17.) 89.0 (26.) 123.6 (14.)  
 Trefferlage 0.05 mm rechts, 1.54 mm tief  
 Streuwert 3.37, horizontal: 3.40, vertikal: 3.33




Serie 1:  
 9.9 ↘ 10.0 ↗ 9.1 ↓ 8.4 ↓ 10.2 \*  
 9.1 ↙ 8.6 ↖ 9.0 ↘ 9.7 ↖ 9.5 ↑  
 beste Teiler 186.6 (5.) 231.9 (2.) 259.1 (1.)  
 Trefferlage 0.73 mm links, 1.48 mm tief  
 Streuwert 2.91, horizontal: 2.45, vertikal: 3.31



Serie 2:  
 10.1 ↘ 10.0 ↑ 8.4 ↖ 10.5 \* 9.4 ↖  
 8.7 ↖ 10.7 \* 9.5 → 7.8 ↖ 9.9 ↙  
 beste Teiler 61.5 (17.) 123.6 (14.) 224.1 (11.)  
 Trefferlage 2.07 mm links, 0.39 mm tief  
 Streuwert 2.77, horizontal: 3.51, vertikal: 1.74



Serie 3:  
 8.6 ↘ 9.7 ↓ 8.4 ↘ 9.2 → 9.6 ↓  
 10.6 \* 9.4 ↗ 9.9 ↙ 7.6 ↘ 10.1 ↑  
 beste Teiler 89.0 (26.) 211.1 (30.) 271.8 (28.)  
 Trefferlage 2.06 mm rechts, 1.90 mm tief  
 Streuwert 2.72, horizontal: 2.60, vertikal: 2.85





Serie 4:  
 7.2 ↘ 10.2 \* 8.9 ↓ 8.6 ↘ 10.2 \*  
 5.6 ↓ 9.5 ↙ 8.9 ↘ 8.9 ↖ 10.2 \*  
 beste Teiler 177.0 (35.) 184.3 (32.) 193.5 (40.)  
 Trefferlage 0.95 mm rechts, 2.41 mm tief  
 Streuwert 4.33, horizontal: 3.71, vertikal: 4.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (386.0)  
 Serien: 91 90 91 93  
 Zähler: 14 19 5 2 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 780 (3), 756 (12), 684 (23)  
 beste Teiler 33.5 (40.) 84.8 (27.) 87.2 (18.)  
 Trefferlage 0.29 mm links, 0.27 mm tief  
 Streuwert 2.65, horizontal: 3.26, vertikal: 1.85




Serie 1:  
 10.3 \* 9.9 ↘ 7.8 ← 10.4 \* 8.7 →  
 10.4 \* 9.9 ← 10.5 \* 9.4 → 9.4 ↓  
 beste Teiler 119.5 (8.) 133.2 (6.) 146.5 (4.)  
 Trefferlage 0.11 mm links, 0.33 mm tief  
 Streuwert 2.82, horizontal: 3.63, vertikal: 1.63



Serie 2:  
 9.4 ← 7.9 ← 9.9 ↘ 10.0 → 9.2 →  
 8.7 ← 9.8 ↗ 10.6 \* 9.9 ↘ 10.4 \*  
 beste Teiler 87.2 (18.) 143.3 (20.) 244.4 (14.)  
 Trefferlage 0.54 mm links, 0.33 mm tief  
 Streuwert 2.90, horizontal: 3.79, vertikal: 1.55



Serie 3:  
 9.2 → 8.8 → 8.2 ← 10.5 \* 9.7 ↗  
 9.8 ↑ 10.6 \* 9.7 ↓ 10.3 \* 9.5 ↓  
 beste Teiler 84.8 (27.) 115.9 (24.) 157.0 (29.)  
 Trefferlage 0.09 mm rechts, 0.32 mm tief  
 Streuwert 2.79, horizontal: 3.44, vertikal: 1.93





Serie 4:  
 10.0 ↘ 10.2 \* 10.2 \* 9.5 → 9.2 ↘  
 8.7 ↑ 9.3 ↙ 9.8 ← 9.5 ← 10.8 \*  
 beste Teiler 33.5 (40.) 187.1 (33.) 193.4 (32.)  
 Trefferlage 0.63 mm links, 0.12 mm tief  
 Streuwert 2.47, horizontal: 2.48, vertikal: 2.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (357.2)  
 Serien: 82 87 83 84  
 Zähler: 5 17 10 5 3 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1173 (9), 1101 (15), 1050 (4)  
 beste Teiler 94.0 (13.) 108.0 (1.) 111.7 (36.)  
 Trefferlage 1.93 mm links, 0.58 mm hoch  
 Streuwert 3.84, horizontal: 4.47, vertikal: 3.08




Serie 1:  
 10.5 \* 9.2 ↓ 9.3 → 6.8 ↘ 9.9 ↗  
 8.3 ↓ 7.9 ← 9.9 → 6.3 ← 9.9 ↘  
 beste Teiler 108.0 (1.) 253.0 (8.) 256.2 (5.)  
 Trefferlage 0.17 mm rechts, 1.68 mm tief  
 Streuwert 4.58, horizontal: 5.70, vertikal: 3.07



Serie 2:  
 9.6 ↑ 9.2 ↙ 10.6 \* 8.7 ↘ 6.5 ↖  
 9.0 ↘ 9.8 ↙ 9.5 ← 8.7 ↘ 10.2 \*  
 beste Teiler 94.0 (13.) 180.1 (20.) 285.7 (17.)  
 Trefferlage 3.33 mm links, 1.13 mm hoch  
 Streuwert 2.77, horizontal: 3.00, vertikal: 2.54



Serie 3:  
 8.9 ↘ 8.4 ← 8.1 ← 7.8 ← 9.8 ↗  
 9.6 ↑ 9.6 ↓ 9.8 ↑ 8.7 ← 8.8 ↘  
 beste Teiler 285.9 (25.) 293.6 (28.) 326.4 (26.)  
 Trefferlage 3.25 mm links, 0.61 mm hoch  
 Streuwert 3.08, horizontal: 3.02, vertikal: 3.14





Serie 4:  
 7.6 → 8.8 ↘ 7.4 ↘ 8.4 ← 7.2 ↗  
 10.5 \* 9.4 ↘ 10.0 ↓ 9.3 ↘ 9.3 ↘  
 beste Teiler 111.7 (36.) 231.7 (38.) 378.7 (37.)  
 Trefferlage 1.35 mm links, 2.27 mm hoch  
 Streuwert 4.05, horizontal: 5.15, vertikal: 2.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (352.9)  
 Serien: 82 83 84 85  
 Zähler: 7 13 10 7 3 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1075 (13), 1043 (2), 1002 (12)  
 beste Teiler 68.7 (16.) 76.0 (34.) 124.9 (14.)  
 Trefferlage 1.59 mm links, 0.00 mm  
 Streuwert 4.16, horizontal: 4.51, vertikal: 3.79




Serie 1:  
 7.9 ↗ 6.8 ↘ 8.1 → 9.1 ↖ 9.7 ↙  
 9.8 ↘ 10.1 → 7.7 ↗ 9.5 ↘ 8.9 →  
 beste Teiler 223.1 (7.) 300.1 (6.) 303.2 (5.)  
 Trefferlage 0.21 mm rechts, 1.88 mm hoch  
 Streuwert 4.31, horizontal: 4.84, vertikal: 3.69



Serie 2:  
 7.3 ← 6.9 ↗ 6.7 ← 10.5 \* 8.4 ←  
 10.7 \* 9.9 ↘ 10.3 \* 8.2 ↓ 9.9 ↓  
 beste Teiler 68.7 (16.) 124.9 (14.) 159.5 (18.)  
 Trefferlage 3.25 mm links, 2.43 mm tief  
 Streuwert 3.67, horizontal: 4.59, vertikal: 2.43



Serie 3:  
 8.2 ↑ 9.6 → 9.3 ↓ 9.2 ↓ 8.9 ↗  
 7.3 ↘ 9.2 ↘ 8.7 ↗ 8.1 ↘ 9.1 ←  
 beste Teiler 329.1 (22.) 404.5 (23.) 436.6 (27.)  
 Trefferlage 0.30 mm rechts, 0.92 mm tief  
 Streuwert 4.21, horizontal: 4.10, vertikal: 4.31





Serie 4:  
 10.0 ↘ 8.7 ← 7.1 ↘ 10.6 \* 9.4 ↘  
 7.3 ↘ 8.9 ← 10.1 ← 9.2 ↘ 7.6 ←  
 beste Teiler 76.0 (34.) 204.6 (38.) 228.5 (31.)  
 Trefferlage 3.63 mm links, 1.50 mm hoch  
 Streuwert 3.27, horizontal: 3.37, vertikal: 3.18


Unterschrift des Schützen



Ergebnis: **170** (177.0)  
 Serien: 90 80  
 Zähler: 5 6 7 1 0 0 0 1 0 0  
 Innenzehner: 2  
 weiteste: 1788 (12), 755 (14), 743 (5)  
 beste Teiler 179.7 (2.) 194.8 (20.) 215.3 (13.)  
 Trefferlage 0.98 mm rechts, 0.77 mm tief  
 Streuwert 4.47, horizontal: 5.66, vertikal: 2.81





Serie 1:  
 9.3 →                      10.2 \*                      10.1 ↘                      9.2 ↙                      8.0 ↘  
 10.1 ↑                      8.7 →                      8.8 ↗                      9.5 →                      9.2 ↗  
 beste Teiler 179.7 (2.) 216.2 (6.) 216.9 (3.)  
 Trefferlage 2.10 mm rechts, 0.55 mm hoch  
 Streuwert 2.87, horizontal: 2.98, vertikal: 2.76




Serie 2:  
 9.5 →                      3.8 ←                      10.1 ↙                      7.9 →                      9.1 ↙  
 8.1 ↘                      8.5 ↙                      8.3 →                      8.4 →                      10.2 \*  
 beste Teiler 194.8 (20.) 215.3 (13.) 369.6 (11.)  
 Trefferlage 0.13 mm links, 2.10 mm tief  
 Streuwert 5.52, horizontal: 7.48, vertikal: 2.27

Unterschrift des Schützen


Ergebnis: **375** (390.0)  
 Serien: 94 98 92 91  
 Zähler: 19 17 4 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 706 (7), 617 (32), 612 (22)  
 beste Teiler 26.5 (37.) 67.4 (19.) 85.0 (8.)  
 Trefferlage 0.04 mm links, 0.37 mm hoch  
 Streuwert 2.45, horizontal: 2.65, vertikal: 2.22




Serie 1:  
 10.1 → 9.6 ↑ 10.6 \* 9.6 ↘ 10.0 ←  
 9.1 ↘ 8.1 ← 10.6 \* 9.6 ↓ 10.4 \*  
 beste Teiler 85.0 (8.) 91.0 (3.) 130.4 (10.)  
 Trefferlage 0.02 mm rechts, 0.36 mm tief  
 Streuwert 2.58, horizontal: 2.99, vertikal: 2.09



Serie 2:  
 10.3 \* 10.5 \* 10.0 ↙ 10.1 ↑ 9.9 ↓  
 10.0 ↑ 9.3 ↑ 10.0 ↑ 10.7 \* 10.1 ↓  
 beste Teiler 67.4 (19.) 108.1 (12.) 173.4 (11.)  
 Trefferlage 0.22 mm links, 0.29 mm hoch  
 Streuwert 1.75, horizontal: 0.89, vertikal: 2.30



Serie 3:  
 10.0 ← 8.5 ← 9.3 ↙ 9.4 ↗ 9.2 ↗  
 9.9 → 10.2 \* 9.1 ↘ 10.6 \* 9.1 ↗  
 beste Teiler 89.8 (29.) 199.8 (27.) 233.9 (21.)  
 Trefferlage 0.31 mm links, 1.44 mm hoch  
 Streuwert 2.65, horizontal: 3.22, vertikal: 1.92





Serie 4:  
 9.1 ↗ 8.5 ← 9.3 ↙ 10.5 \* 10.5 \*  
 9.4 ↑ 10.8 \* 9.5 ↓ 9.6 → 8.9 →  
 beste Teiler 26.5 (37.) 113.9 (34.) 115.4 (35.)  
 Trefferlage 0.33 mm rechts, 0.11 mm hoch  
 Streuwert 2.84, horizontal: 3.17, vertikal: 2.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (384.4)  
 Serien: 93 93 95 87  
 Zähler: 16 19 3 1 1 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 1129 (37), 788 (35), 739 (5)  
 beste Teiler 57.0 (18.) 93.2 (11.) 110.3 (17.)  
 Trefferlage 1.14 mm links, 0.56 mm tief  
 Streuwert 2.68, horizontal: 2.97, vertikal: 2.36




Serie 1:  
 10.2 \* 9.6 ↖ 9.5 → 10.1 ↘ 8.0 ↙  
 9.1 ↘ 10.4 \* 10.1 ↓ 9.2 ↖ 9.3 ←  
 beste Teiler 131.1 (7.) 189.7 (1.) 213.8 (4.)  
 Trefferlage 1.19 mm links, 1.20 mm tief  
 Streuwert 2.64, horizontal: 2.56, vertikal: 2.72



Serie 2:  
 10.6 \* 8.9 ↗ 9.8 ↗ 10.2 \* 10.1 ←  
 9.1 ↓ 10.5 \* 10.7 \* 9.3 ← 8.5 ←  
 beste Teiler 57.0 (18.) 93.2 (11.) 110.3 (17.)  
 Trefferlage 0.80 mm links, 0.52 mm tief  
 Streuwert 2.49, horizontal: 2.96, vertikal: 1.90



Serie 3:  
 9.2 ↖ 10.4 \* 9.2 ↘ 10.5 \* 9.8 ↘  
 10.3 \* 10.2 \* 9.9 ↓ 9.8 ↓ 10.3 \*  
 beste Teiler 120.4 (24.) 139.0 (22.) 168.5 (26.)  
 Trefferlage 0.58 mm links, 0.96 mm tief  
 Streuwert 1.88, horizontal: 1.75, vertikal: 2.01





Serie 4:  
 10.0 ↗ 9.9 ↘ 9.4 ↑ 9.3 ↑ 7.8 ←  
 9.5 → 6.4 ↖ 9.3 ↘ 9.7 ↘ 10.3 \*  
 beste Teiler 166.4 (40.) 237.4 (31.) 251.9 (32.)  
 Trefferlage 1.99 mm links, 0.41 mm hoch  
 Streuwert 3.61, horizontal: 4.31, vertikal: 2.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (404.5)  
 Serien: 97 96 95 99  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 403 (27), 393 (13), 378 (23)  
 beste Teiler 42.4 (11.) 55.2 (21.) 59.6 (16.)  
 Trefferlage 0.27 mm links, 0.70 mm hoch  
 Streuwert 1.60, horizontal: 1.88, vertikal: 1.27




Serie 1:  
 10.4 \* 10.4 \* 10.3 \* 9.5 → 9.6 ↘  
 10.5 \* 9.5 → 10.1 → 10.1 ← 10.1 ↗  
 beste Teiler 111.8 (6.) 130.0 (1.) 138.2 (2.)  
 Trefferlage 1.20 mm rechts, 0.61 mm hoch  
 Streuwert 1.46, horizontal: 1.79, vertikal: 1.02



Serie 2:  
 10.8 \* 9.6 ↖ 9.4 → 10.6 \* 9.7 ↗  
 10.7 \* 9.6 ↖ 10.3 \* 10.0 ← 10.0 ↖  
 beste Teiler 42.4 (11.) 59.6 (16.) 95.5 (14.)  
 Trefferlage 0.72 mm links, 0.89 mm hoch  
 Streuwert 1.68, horizontal: 2.15, vertikal: 1.00





Serie 3:  
 10.7 \* 10.3 \* 9.4 ↑ 9.5 ↑ 10.7 \*  
 9.5 ← 9.3 ↘ 9.6 ↘ 10.4 \* 10.7 \*  
 beste Teiler 55.2 (21.) 68.2 (25.) 72.4 (30.)  
 Trefferlage 1.05 mm links, 1.16 mm hoch  
 Streuwert 1.66, horizontal: 1.36, vertikal: 1.91




Serie 4:  
 10.3 \* 10.6 \* 9.9 ↖ 10.2 \* 10.6 \*  
 10.4 \* 10.6 \* 10.1 ← 10.2 \* 10.3 \*  
 beste Teiler 81.0 (37.) 97.0 (35.) 99.0 (32.)  
 Trefferlage 0.51 mm links, 0.13 mm hoch  
 Streuwert 1.19, horizontal: 1.48, vertikal: 0.81

Unterschrift des Schützen


Ergebnis: **377** (396.1)  
 Serien: 94 95 96 92  
 Zähler: 24 10 5 1 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 769 (4), 643 (14), 598 (29)  
 beste Teiler 57.0 (5.) 63.2 (2.) 65.0 (28.)  
 Trefferlage 1.32 mm links, 0.18 mm hoch  
 Streuwert 2.06, horizontal: 2.60, vertikal: 1.30




Serie 1:  
 10.6 \*                      10.7 \*                      9.6 ↖                      7.9 ←                      10.7 \*  
 9.5 ↗                      10.0 ↑                      10.5 \*                      10.5 \*                      9.2 ←  
 beste Teiler 57.0 (5.) 63.2 (2.) 94.8 (1.)  
 Trefferlage 1.34 mm links, 1.03 mm hoch  
 Streuwert 2.14, horizontal: 2.87, vertikal: 0.96



Serie 2:  
 10.6 \*                      10.5 \*                      9.9 ↖                      8.4 ←                      10.5 \*  
 10.2 \*                      10.4 \*                      9.4 ↗                      10.6 \*                      9.6 ←  
 beste Teiler 84.1 (11.) 93.9 (19.) 113.7 (15.)  
 Trefferlage 1.28 mm links, 0.19 mm hoch  
 Streuwert 1.95, horizontal: 2.66, vertikal: 0.72



Serie 3:  
 10.7 \*                      9.2 ↓                      10.1 ↗                      10.0 ↘                      10.0 →  
 10.2 \*                      10.4 \*                      10.7 \*                      8.6 ←                      9.8 ↙  
 beste Teiler 65.0 (28.) 66.4 (21.) 137.0 (27.)  
 Trefferlage 0.37 mm links, 0.53 mm tief  
 Streuwert 2.11, horizontal: 2.43, vertikal: 1.73





Serie 4:  
 8.9 ↖                      10.4 \*                      8.9 ←                      8.6 ←                      9.6 ←  
 10.3 \*                      10.4 \*                      10.0 →                      10.2 \*                      9.8 ↙  
 beste Teiler 139.9 (32.) 145.3 (37.) 171.5 (36.)  
 Trefferlage 2.30 mm links, 0.06 mm hoch  
 Streuwert 1.96, horizontal: 2.47, vertikal: 1.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (404.4)  
 Serien: 96 95 97 98  
 Zähler: 27 12 1 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 508 (17), 496 (19), 435 (7)  
 beste Teiler 23.6 (26.) 39.0 (27.) 49.6 (3.)  
 Trefferlage 0.25 mm rechts, 0.13 mm tief  
 Streuwert 1.75, horizontal: 1.99, vertikal: 1.46




Serie 1:  
 9.7 ↘ 9.8 ↘ 10.8 \* 9.9 → 10.2 \*  
 10.5 \* 9.2 ↘ 10.4 \* 10.1 ↙ 10.6 \*  
 beste Teiler 49.6 (3.) 79.0 (10.) 121.2 (6.)  
 Trefferlage 0.04 mm links, 0.37 mm hoch  
 Streuwert 1.77, horizontal: 1.82, vertikal: 1.71



Serie 2:  
 10.1 ↗ 9.9 ↙ 10.3 \* 10.2 \* 10.2 \*  
 9.3 ↘ 8.9 → 10.2 \* 9.0 → 10.5 \*  
 beste Teiler 102.1 (20.) 153.5 (13.) 177.1 (18.)  
 Trefferlage 1.30 mm rechts, 0.20 mm tief  
 Streuwert 2.07, horizontal: 2.38, vertikal: 1.70



Serie 3:  
 9.9 ↙ 9.4 ← 10.6 \* 9.4 ↘ 10.6 \*  
 10.9 \* 10.8 \* 10.1 ↙ 10.1 ↙ 10.3 \*  
 beste Teiler 23.6 (26.) 39.0 (27.) 82.0 (25.)  
 Trefferlage 0.61 mm links, 0.73 mm tief  
 Streuwert 1.51, horizontal: 1.90, vertikal: 0.99





Serie 4:  
 10.3 \* 10.4 \* 10.7 \* 10.6 \* 9.8 ↑  
 10.5 \* 10.1 ← 10.3 \* 9.4 → 10.4 \*  
 beste Teiler 54.0 (33.) 84.1 (34.) 108.2 (36.)  
 Trefferlage 0.37 mm rechts, 0.04 mm hoch  
 Streuwert 1.45, horizontal: 1.56, vertikal: 1.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (407.2)  
 Serien: 98 97 99 98  
 Zähler: 32 8 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 456 (25), 419 (20), 363 (31)  
 beste Teiler 27.2 (38.) 56.2 (35.) 65.5 (4.)  
 Trefferlage 0.16 mm rechts, 0.04 mm tief  
 Streuwert 1.55, horizontal: 1.89, vertikal: 1.10




Serie 1:  
 10.6 \*                      10.2 \*                      10.1 →                      10.7 \*                      9.6 →  
 10.3 \*                      10.5 \*                      9.9 ↗                      10.0 ↖                      10.4 \*  
 beste Teiler 65.5 (4.) 81.2 (1.) 110.3 (7.)  
 Trefferlage 0.19 mm rechts, 0.13 mm hoch  
 Streuwert 1.45, horizontal: 1.92, vertikal: 0.75



Serie 2:  
 10.6 \*                      10.4 \*                      10.6 \*                      10.4 \*                      10.2 \*  
 10.5 \*                      9.6 ↗                      9.8 ←                      10.1 ↖                      9.3 ↖  
 beste Teiler 82.3 (13.) 99.6 (11.) 115.1 (16.)  
 Trefferlage 0.41 mm links, 0.08 mm tief  
 Streuwert 1.69, horizontal: 1.97, vertikal: 1.36



Serie 3:  
 10.6 \*                      10.3 \*                      10.2 \*                      10.7 \*                      9.1 →  
 10.0 →                      10.0 →                      10.4 \*                      10.0 →                      10.3 \*  
 beste Teiler 67.6 (24.) 78.6 (21.) 134.5 (28.)  
 Trefferlage 1.00 mm rechts, 0.12 mm tief  
 Streuwert 1.48, horizontal: 1.90, vertikal: 0.89





Serie 4:  
 9.5 →                      10.2 \*                      10.4 \*                      10.2 \*                      10.7 \*  
 10.0 ↑                      9.5 ↖                      10.8 \*                      10.5 \*                      10.0 ↖  
 beste Teiler 27.2 (38.) 56.2 (35.) 113.2 (39.)  
 Trefferlage 0.13 mm links, 0.08 mm tief  
 Streuwert 1.60, horizontal: 1.77, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (406.5)  
 Serien: 99 97 94 96  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 442 (11), 418 (19), 363 (22)  
 beste Teiler 33.1 (4.) 40.7 (1.) 57.8 (20.)  
 Trefferlage 0.26 mm rechts, 0.56 mm hoch  
 Streuwert 1.53, horizontal: 1.96, vertikal: 0.90




Serie 1:  
 10.8 \* 10.0 ↘ 10.2 \* 10.8 \* 10.6 \*  
 10.5 \* 9.7 ↙ 10.4 \* 10.6 \* 10.3 \*  
 beste Teiler 33.1 (4.) 40.7 (1.) 96.1 (9.)  
 Trefferlage 0.62 mm links, 0.63 mm hoch  
 Streuwert 1.03, horizontal: 1.21, vertikal: 0.81



Serie 2:  
 9.2 ↙ 10.3 \* 10.1 → 9.9 ↗ 10.2 \*  
 10.4 \* 10.5 \* 10.2 \* 9.3 → 10.7 \*  
 beste Teiler 57.8 (20.) 109.0 (17.) 139.9 (16.)  
 Trefferlage 0.52 mm rechts, 0.60 mm hoch  
 Streuwert 1.77, horizontal: 2.35, vertikal: 0.85



Serie 3:  
 9.9 → 9.5 ↗ 9.8 → 10.4 \* 9.8 →  
 10.4 \* 9.8 ↙ 10.6 \* 10.0 ← 9.8 ↗  
 beste Teiler 82.0 (28.) 130.6 (26.) 137.8 (24.)  
 Trefferlage 0.99 mm rechts, 0.70 mm hoch  
 Streuwert 1.61, horizontal: 2.05, vertikal: 0.98





Serie 4:  
 10.5 \* 10.6 \* 9.9 ↙ 10.2 \* 9.8 ←  
 10.4 \* 10.3 \* 9.8 ↗ 10.7 \* 9.6 ↗  
 beste Teiler 69.0 (39.) 99.2 (32.) 115.1 (31.)  
 Trefferlage 0.18 mm rechts, 0.33 mm hoch  
 Streuwert 1.58, horizontal: 1.97, vertikal: 1.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>392</b>	(410.6)			
Serien:	96	100	100	96	
Zähler:	32	8	0	0	0 0 0 0 0 0
Innenzehner:	28				
weiteste:	469 (2), 421 (10), 349 (35)				
beste Teiler	26.4 (38.) 26.9 (12.) 36.6 (29.)				
Trefferlage	0.29 mm links, 0.27 mm hoch				
Streuwert	1.41, horizontal: 1.64, vertikal: 1.13				




Serie 1:	10.7 *	9.1 ↖	10.7 *	10.8 *	9.8 ↖
	10.4 *	10.5 *	10.1 ←	9.9 ↓	9.3 ←
beste Teiler	44.5 (4.) 58.1 (3.) 65.7 (1.)				
Trefferlage	1.43 mm links, 0.27 mm hoch				
Streuwert	1.56, horizontal: 1.92, vertikal: 1.07				



Serie 2:	10.0 ↖	10.8 *	10.0 ←	10.2 *	10.6 *
	10.4 *	10.3 *	10.3 *	10.6 *	10.2 *
beste Teiler	26.9 (12.) 77.1 (15.) 97.6 (19.)				
Trefferlage	0.62 mm links, 0.23 mm hoch				
Streuwert	1.09, horizontal: 1.19, vertikal: 1.00				





Serie 3:	10.4 *	10.2 *	10.3 *	10.6 *	10.3 *
	10.7 *	10.2 *	10.1 ↗	10.8 *	10.3 *
beste Teiler	36.6 (29.) 51.8 (26.) 78.7 (24.)				
Trefferlage	0.38 mm rechts, 0.32 mm hoch				
Streuwert	1.06, horizontal: 0.95, vertikal: 1.16				




Serie 4:	9.9 ↘	10.2 *	9.9 ↗	9.6 ↘	9.6 ↘
	10.7 *	10.7 *	10.8 *	10.2 *	10.4 *
beste Teiler	26.4 (38.) 52.3 (36.) 55.4 (37.)				
Trefferlage	0.48 mm rechts, 0.29 mm hoch				
Streuwert	1.56, horizontal: 1.69, vertikal: 1.42				

Unterschrift des Schützen


Ergebnis: **377** (394.6)  
 Serien: 98 94 96 89  
 Zähler: 23 12 4 1 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 781 (35), 683 (40), 562 (32)  
 beste Teiler 40.1 (9.) 71.3 (37.) 99.2 (24.)  
 Trefferlage 0.00 mm , 0.56 mm tief  
 Streuwert 2.24, horizontal: 2.40, vertikal: 2.08




Serie 1:  
 10.0 ↓                      10.5 \*                      9.6 ↓                      10.3 \*                      9.1 ↓  
 10.3 \*                      10.1 ↙                      10.1 ↘                      10.8 \*                      10.2 \*  
 beste Teiler 40.1 (9.) 101.1 (2.) 154.8 (6.)  
 Trefferlage 0.05 mm rechts, 1.63 mm tief  
 Streuwert 1.29, horizontal: 1.22, vertikal: 1.36



Serie 2:  
 8.8 ←                      9.4 →                      9.7 →                      10.3 \*                      10.5 \*  
 10.5 \*                      10.0 ↑                      9.8 ↘                      9.2 ↖                      10.4 \*  
 beste Teiler 107.4 (15.) 111.8 (16.) 132.1 (20.)  
 Trefferlage 0.13 mm links, 0.14 mm tief  
 Streuwert 2.27, horizontal: 2.91, vertikal: 1.35



Serie 3:  
 10.3 \*                      10.4 \*                      9.6 ↖                      10.6 \*                      9.8 ↓  
 10.0 →                      9.6 →                      10.1 ↘                      10.5 \*                      9.9 ↙  
 beste Teiler 99.2 (24.) 104.6 (29.) 143.1 (22.)  
 Trefferlage 0.37 mm rechts, 0.65 mm tief  
 Streuwert 1.67, horizontal: 1.93, vertikal: 1.35





Serie 4:  
 10.4 \*                      8.7 ↗                      8.9 ↓                      9.7 ↓                      7.8 ↖  
 10.4 \*                      10.7 \*                      9.4 ←                      10.0 ↓                      8.2 ↗  
 beste Teiler 71.3 (37.) 134.2 (36.) 139.7 (31.)  
 Trefferlage 0.29 mm links, 0.19 mm hoch  
 Streuwert 3.32, horizontal: 3.31, vertikal: 3.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>522</b>	(547.3)				
Serien:	87	85	91	87	86	86
Zähler:	15	21	15	9	0	0
Innenzehner:	7					
weiteste:	922 (11), 894 (50), 890 (41)					
beste Teiler	86.9 (48.) 90.6 (35.) 93.9 (28.)					
Trefferlage	0.44 mm links, 1.04 mm tief					
Streuwert	3.57, horizontal: 3.63, vertikal: 3.50					




Serie 1:	7.8 ↘	10.3 *	8.6 ↘	10.0 ↑	9.2 ↓
	8.6 ↙	10.2 *	7.5 →	9.0 ↑	9.1 ↘
beste Teiler	153.0 (2.) 192.2 (7.) 234.1 (4.)				
Trefferlage	0.02 mm rechts, 0.98 mm hoch				
Streuwert	3.89, horizontal: 4.28, vertikal: 3.45				




Serie 2:	7.3 →	10.2 *	9.9 ↘	8.3 ↙	9.6 →
	9.9 ↘	8.0 ↓	10.1 →	8.4 ↑	7.9 →
beste Teiler	179.9 (12.) 210.6 (18.) 256.4 (13.)				
Trefferlage	1.23 mm rechts, 0.23 mm tief				
Streuwert	4.09, horizontal: 4.63, vertikal: 3.45				




Serie 3:	9.7 ↘	9.7 ↑	9.0 ↙	10.0 ↘	9.3 ↙
	8.5 ↘	9.0 →	10.6 *	10.1 ↙	8.6 ↙
beste Teiler	93.9 (28.) 222.4 (29.) 240.6 (24.)				
Trefferlage	1.39 mm links, 0.29 mm tief				
Streuwert	2.86, horizontal: 2.77, vertikal: 2.96				



Serie 4:	8.3 ↓	8.9 ↑	9.2 ↙	9.8 ↓	10.6 *
	8.8 ↘	9.6 →	10.1 ←	7.9 ↘	9.6 →
beste Teiler	90.6 (35.) 217.1 (38.) 300.6 (34.)				
Trefferlage	1.08 mm rechts, 1.68 mm tief				
Streuwert	3.11, horizontal: 2.76, vertikal: 3.42				



Serie 5:	7.4 ←	8.6 ↙	10.1 ↘	10.0 →	8.6 ↘
	9.3 ↓	10.6 *	10.6 *	7.8 ↙	7.4 ↓
beste Teiler	86.9 (48.) 96.0 (47.) 212.1 (43.)				
Trefferlage	1.11 mm links, 2.42 mm tief				
Streuwert	3.73, horizontal: 3.93, vertikal: 3.52				



Serie 6:	9.5 ↙	9.5 ↘	9.3 ↓	8.2 ↓	8.1 ↙
	9.3 ↑	9.5 ←	10.0 ↙	7.9 ↙	8.4 ↙
beste Teiler	236.6 (58.) 353.0 (52.) 354.3 (57.)				
Trefferlage	2.49 mm links, 2.58 mm tief				
Streuwert	2.86, horizontal: 1.93, vertikal: 3.56				

Meyton Elektronik

**LG 60 – Wertung – SH1/AB1 m**

StandNr: 105

**Pianta, Klaus** #251

**StartNr: 5305**

21. Januar 2018 13:08



5300 SSV Südkirchen

---


\_\_\_\_\_  
Unterschrift des Schützen

*Meyton Elektronik*


Ergebnis: **357** (373.1)  
 Serien: 92 93 81 91  
 Zähler: 19 10 8 1 1 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 1010 (31), 936 (10), 744 (9)  
 beste Teiler 54.7 (35.) 83.6 (18.) 86.3 (23.)  
 Trefferlage 0.73 mm rechts, 0.36 mm tief  
 Streuwert 2.94, horizontal: 2.06, vertikal: 3.62




Serie 1:  
 10.2 \*                      10.6 \*                      10.5 \*                      10.2 \*                      8.6 ↗  
 9.2 ↘                      10.4 \*                      10.3 \*                      8.0 ↗                      7.2 ↓  
 beste Teiler 90.8 (2.) 121.8 (3.) 142.0 (7.)  
 Trefferlage 1.45 mm rechts, 0.21 mm tief  
 Streuwert 3.23, horizontal: 1.54, vertikal: 4.31



Serie 2:  
 9.6 →                      10.1 ↗                      10.2 \*                      10.0 ↘                      9.6 ↘  
 9.9 ↘                      8.8 ↑                      10.6 \*                      10.0 →                      8.2 ↓  
 beste Teiler 83.6 (18.) 178.8 (13.) 216.3 (12.)  
 Trefferlage 1.00 mm rechts, 0.09 mm hoch  
 Streuwert 2.53, horizontal: 1.76, vertikal: 3.11



Serie 3:  
 0.0F<sup>MIS</sup>                      10.3 \*                      10.6 \*                      8.7 ↓                      9.2 ↗  
 9.6 ↓<sup>MIS</sup>                      10.5 \*                      8.7 →                      8.8 ↓                      9.3 ↑  
 beste Teiler 86.3 (23.) 106.5 (27.) 162.4 (22.)  
 Trefferlage 1.33 mm rechts, 0.61 mm tief  
 Streuwert 2.85, horizontal: 1.85, vertikal: 3.58





Serie 4:  
 6.9 ↓                      10.2 \*                      10.3 \*                      9.1 →                      10.7 \*  
 8.5 ↘                      10.2 \*                      9.8 ↘                      9.3 ↙                      10.2 \*  
 beste Teiler 54.7 (35.) 175.9 (33.) 184.4 (40.)  
 Trefferlage 0.78 mm links, 0.77 mm tief  
 Streuwert 3.23, horizontal: 2.40, vertikal: 3.88

MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (346.2)  
 Serien: 84 75 90 79  
 Zähler: 8 10 12 6 1 2 1 0 0 0  
 Innenzehner: 6  
 weiteste: 5395 (15), 4344 (14), 4004 (32)  
 beste Teiler 220.7 (10.) 302.3 (26.) 304.0 (27.)  
 Trefferlage 3.03 mm links, 0.15 mm tief  
 Streuwert 15.48, horizontal: 16.47, vertikal: 14.43




Serie 1:  
 8.7 ↗ 8.5 ← 9.8 ↓ 8.3 ↘ 8.5 ←  
 8.1 ↘ 7.7 ← 9.7 → 9.5 ↖ 10.7 \*  
 beste Teiler 220.7 (10.) 928.2 (3.) 1017.3 (8.)  
 Trefferlage 4.71 mm links, 0.89 mm tief  
 Streuwert 12.55, horizontal: 14.55, vertikal: 10.17



Serie 2:  
 9.9 ← 7.0 → 9.2 ↗ 5.5 ↘ 4.2 ↗  
 9.6 ↘ 8.9 ← 10.2 → 8.4 ↑ 6.2 ↘  
 beste Teiler 637.0 (18.) 870.5 (11.) 1061.6 (16.)  
 Trefferlage 0.65 mm rechts, 0.93 mm tief  
 Streuwert 21.48, horizontal: 21.41, vertikal: 21.55



Serie 3:  
 9.1 ↘ 9.5 ↘ 8.0 ↓ 10.4 \* 9.8 ↘  
 10.6 \* 10.6 \* 10.0 ↑ 7.9 ← 8.1 ←  
 beste Teiler 302.3 (26.) 304.0 (27.) 427.2 (24.)  
 Trefferlage 3.01 mm links, 1.15 mm tief  
 Streuwert 10.79, horizontal: 10.58, vertikal: 11.00





Serie 4:  
 9.0 ↑ 5.9 ← 7.2 ← 10.4 \* 8.9 ↗  
 7.4 ↘ 8.1 ↗ 7.9 ↗ 8.2 ↖ 10.6 \*  
 beste Teiler 318.5 (40.) 472.6 (34.) 1521.4 (31.)  
 Trefferlage 5.07 mm links, 2.37 mm hoch  
 Streuwert 16.95, horizontal: 19.25, vertikal: 14.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (411.0)  
 Serien: 97 98 99 97  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 487 (17), 452 (40), 342 (3)  
 beste Teiler 17.0 (18.) 34.0 (10.) 43.4 (5.)  
 Trefferlage 0.31 mm links, 0.58 mm tief  
 Streuwert 1.36, horizontal: 1.44, vertikal: 1.27




Serie 1:  
 10.4 \*                      10.6 \*                      9.6 ↘                      9.7 ←                      10.8 \*  
 10.5 \*                      9.9 ←                      10.7 \*                      10.5 \*                      10.8 \*  
 beste Teiler 34.0 (10.) 43.4 (5.) 63.2 (8.)  
 Trefferlage 0.73 mm links, 0.26 mm tief  
 Streuwert 1.28, horizontal: 1.54, vertikal: 0.96



Serie 2:  
 10.4 \*                      10.4 \*                      10.3 \*                      10.4 \*                      9.9 ↓  
 10.6 \*                      9.0 ←                      10.9 \*                      10.1 ↗                      10.3 \*  
 beste Teiler 17.0 (18.) 76.4 (16.) 136.3 (12.)  
 Trefferlage 0.25 mm links, 0.85 mm tief  
 Streuwert 1.49, horizontal: 1.93, vertikal: 0.84



Serie 3:  
 10.1 ↗                      10.1 ↘                      10.5 \*                      10.7 \*                      10.5 \*  
 10.5 \*                      10.6 \*                      10.7 \*                      10.3 \*                      9.9 ↓  
 beste Teiler 53.0 (28.) 59.4 (24.) 81.3 (27.)  
 Trefferlage 0.22 mm links, 0.48 mm tief  
 Streuwert 1.12, horizontal: 0.89, vertikal: 1.30





Serie 4:  
 10.8 \*                      10.2 \*                      9.8 ↓                      10.3 \*                      10.1 →  
 10.1 ↘                      9.9 ↘                      10.4 \*                      10.6 \*                      9.1 ↓  
 beste Teiler 49.0 (31.) 94.5 (39.) 137.2 (38.)  
 Trefferlage 0.06 mm links, 0.73 mm tief  
 Streuwert 1.63, horizontal: 1.35, vertikal: 1.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.2)  
 Serien: 91 95 96 89  
 Zähler: 17 17 6 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 701 (39), 631 (10), 600 (31)  
 beste Teiler 62.2 (29.) 97.9 (21.) 107.9 (8.)  
 Trefferlage 0.98 mm rechts, 0.01 mm hoch  
 Streuwert 2.39, horizontal: 2.26, vertikal: 2.51




Serie 1:  
 8.6 → 8.9 ↗ 10.0 ↖ 10.3 \* 9.5 →  
 9.3 ↘ 9.7 ↘ 10.5 \* 10.1 ↑ 8.4 ↓  
 beste Teiler 107.9 (8.) 155.6 (4.) 219.0 (9.)  
 Trefferlage 2.22 mm rechts, 0.64 mm tief  
 Streuwert 2.36, horizontal: 1.97, vertikal: 2.69



Serie 2:  
 9.3 ↘ 9.5 → 9.7 ↘ 10.1 ↑ 10.3 \*  
 10.4 \* 9.5 ↗ 10.3 \* 9.7 ↓ 10.5 \*  
 beste Teiler 115.0 (20.) 137.3 (16.) 172.0 (18.)  
 Trefferlage 1.01 mm rechts, 0.26 mm tief  
 Streuwert 1.88, horizontal: 1.65, vertikal: 2.08



Serie 3:  
 10.6 \* 10.2 \* 10.0 ↖ 10.1 ↖ 9.7 →  
 9.8 ↘ 9.6 ↓ 10.2 \* 10.7 \* 9.6 ↖  
 beste Teiler 62.2 (29.) 97.9 (21.) 187.4 (28.)  
 Trefferlage 0.22 mm rechts, 0.60 mm tief  
 Streuwert 1.78, horizontal: 1.65, vertikal: 1.89





Serie 4:  
 8.6 ↗ 10.2 \* 9.0 ↘ 9.4 ↘ 8.9 ↗  
 9.8 → 9.7 ↑ 10.3 \* 8.1 ↘ 9.1 ↖  
 beste Teiler 166.3 (38.) 178.7 (32.) 286.8 (36.)  
 Trefferlage 0.45 mm rechts, 1.55 mm hoch  
 Streuwert 3.05, horizontal: 3.19, vertikal: 2.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (382.8)  
 Serien: 91 91 93 88  
 Zähler: 13 17 10 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 702 (22), 672 (39), 617 (4)  
 beste Teiler 63.0 (6.) 108.1 (16.) 109.5 (20.)  
 Trefferlage 0.61 mm rechts, 0.56 mm hoch  
 Streuwert 2.70, horizontal: 2.99, vertikal: 2.37




Serie 1:  
 9.1 ↖ 10.0 ← 8.6 → 8.5 → 9.6 ↗  
 10.7 \* 9.9 ← 10.0 ↘ 9.7 ↘ 9.2 ↘  
 beste Teiler 63.0 (6.) 230.4 (8.) 245.2 (2.)  
 Trefferlage 1.04 mm rechts, 0.51 mm tief  
 Streuwert 2.81, horizontal: 3.41, vertikal: 2.03



Serie 2:  
 9.9 ↘ 9.7 → 8.9 ↗ 9.2 ↗ 9.7 ↘  
 10.5 \* 10.2 \* 8.5 → 9.7 ↑ 10.5 \*  
 beste Teiler 108.1 (16.) 109.5 (20.) 200.2 (17.)  
 Trefferlage 1.65 mm rechts, 1.53 mm hoch  
 Streuwert 2.05, horizontal: 2.30, vertikal: 1.76



Serie 3:  
 9.5 ↘ 8.1 ↑ 9.8 ↘ 10.0 → 9.6 ↘  
 9.8 ← 10.3 \* 10.5 \* 10.0 ↘ 9.9 →  
 beste Teiler 121.0 (28.) 158.8 (27.) 231.6 (24.)  
 Trefferlage 0.31 mm rechts, 0.94 mm hoch  
 Streuwert 2.40, horizontal: 2.07, vertikal: 2.70





Serie 4:  
 10.2 \* 8.8 → 8.7 ↗ 10.2 \* 10.0 ↑  
 9.9 ↘ 8.7 ← 8.7 ↖ 8.3 ↖ 9.7 ↘  
 beste Teiler 187.8 (34.) 188.8 (31.) 233.5 (35.)  
 Trefferlage 0.53 mm links, 0.27 mm hoch  
 Streuwert 3.30, horizontal: 3.83, vertikal: 2.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.0)  
 Serien: 92 95 93 93  
 Zähler: 18 17 5 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 645 (22), 591 (38), 566 (6)  
 beste Teiler 10.0 (26.) 55.0 (35.) 70.2 (2.)  
 Trefferlage 0.18 mm rechts, 0.47 mm tief  
 Streuwert 2.36, horizontal: 2.57, vertikal: 2.12




Serie 1:  
 10.2 \*                      10.7 \*                      9.1 ↘                      8.8 ↓                      10.3 \*  
 8.7 ←                      9.5 ↓                      9.9 ↘                      9.9 ↘                      10.2 \*  
 beste Teiler 70.2 (2.) 174.4 (5.) 181.7 (1.)  
 Trefferlage 0.07 mm rechts, 1.46 mm tief  
 Streuwert 2.34, horizontal: 2.70, vertikal: 1.90



Serie 2:  
 10.2 \*                      9.6 ↖                      9.4 ↖                      9.0 ↖                      9.0 ↖  
 9.6 ↖                      10.2 \*                      10.2 \*                      10.0 ↓                      10.0 ↖  
 beste Teiler 179.6 (11.) 193.2 (18.) 193.8 (17.)  
 Trefferlage 1.76 mm links, 0.46 mm tief  
 Streuwert 2.04, horizontal: 1.98, vertikal: 2.10



Serie 3:  
 9.4 ↓                      8.4 →                      10.2 \*                      10.4 \*                      10.5 \*  
 10.9 \*                      10.5 \*                      8.9 ↘                      9.7 ↓                      9.7 ↖  
 beste Teiler 10.0 (26.) 107.7 (25.) 121.3 (27.)  
 Trefferlage 0.46 mm rechts, 0.81 mm tief  
 Streuwert 2.38, horizontal: 2.73, vertikal: 1.97





Serie 4:  
 10.5 \*                      9.8 ↘                      9.2 →                      10.1 ↗                      10.7 \*  
 9.7 →                      9.9 ↘                      8.6 ↗                      9.3 ↗                      10.1 ↗  
 beste Teiler 55.0 (35.) 120.0 (31.) 208.7 (40.)  
 Trefferlage 1.95 mm rechts, 0.83 mm hoch  
 Streuwert 1.83, horizontal: 1.49, vertikal: 2.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (405.5)  
 Serien: 96 98 95 98  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 458 (5), 373 (18), 366 (2)  
 beste Teiler 26.6 (15.) 52.8 (33.) 56.0 (27.)  
 Trefferlage 0.25 mm rechts, 0.03 mm tief  
 Streuwert 1.62, horizontal: 1.74, vertikal: 1.49




Serie 1:  
 10.3 \*                      9.5 ↘                      10.4 \*                      10.1 ✓                      9.1 →  
 9.8 ↑                      10.5 \*                      10.0 ↗                      10.2 \*                      9.7 ↑  
 beste Teiler 114.0 (7.) 130.0 (3.) 169.7 (1.)  
 Trefferlage 1.33 mm rechts, 0.44 mm hoch  
 Streuwert 1.70, horizontal: 1.70, vertikal: 1.70



Serie 2:  
 9.9 ✖                      10.6 \*                      10.4 \*                      10.5 \*                      10.8 \*  
 10.4 \*                      10.0 ✖                      9.5 ✖                      10.3 \*                      10.7 \*  
 beste Teiler 26.6 (15.) 64.7 (20.) 85.6 (12.)  
 Trefferlage 0.19 mm links, 0.23 mm hoch  
 Streuwert 1.40, horizontal: 1.51, vertikal: 1.29



Serie 3:  
 9.9 ✓                      10.1 ←                      10.1 ↗                      9.9 ✖                      9.9 ✖  
 10.7 \*                      10.7 \*                      10.5 \*                      9.6 ↓                      9.7 ←  
 beste Teiler 56.0 (27.) 62.4 (26.) 105.1 (28.)  
 Trefferlage 0.82 mm links, 0.13 mm tief  
 Streuwert 1.61, horizontal: 1.53, vertikal: 1.68





Serie 4:  
 10.5 \*                      10.0 ↓                      10.7 \*                      10.0 ✖                      10.5 \*  
 9.8 ✖                      10.0 ✖                      9.6 →                      10.2 \*                      10.4 \*  
 beste Teiler 52.8 (33.) 114.8 (35.) 117.1 (31.)  
 Trefferlage 0.71 mm rechts, 0.67 mm tief  
 Streuwert 1.43, horizontal: 1.62, vertikal: 1.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.3)  
 Serien: 95 93 95 94  
 Zähler: 22 14 3 1 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 775 (19), 575 (1), 537 (37)  
 beste Teiler 83.2 (23.) 83.8 (33.) 94.5 (16.)  
 Trefferlage 0.54 mm rechts, 0.29 mm tief  
 Streuwert 2.19, horizontal: 2.64, vertikal: 1.62




Serie 1:  
 8.7 →                      9.5 →                      10.2 \*                      9.8 ↓                      9.4 ↖  
 10.0 ↗                      10.3 \*                      10.0 ←                      10.1 ↗                      10.5 \*  
 beste Teiler 107.9 (10.) 151.7 (7.) 180.2 (3.)  
 Trefferlage 0.89 mm rechts, 0.27 mm hoch  
 Streuwert 2.18, horizontal: 2.55, vertikal: 1.74



Serie 2:  
 10.4 \*                      9.5 ↓                      8.8 →                      10.2 \*                      9.6 ↖  
 10.6 \*                      10.2 \*                      10.0 ↗                      7.9 →                      10.5 \*  
 beste Teiler 94.5 (16.) 115.3 (20.) 142.2 (11.)  
 Trefferlage 1.10 mm rechts, 0.23 mm tief  
 Streuwert 2.56, horizontal: 3.13, vertikal: 1.81



Serie 3:  
 9.0 ↘                      10.1 ↓                      10.6 \*                      10.0 ↓                      9.9 →  
 9.4 ↙                      9.9 ↘                      9.7 ←                      10.4 \*                      10.2 \*  
 beste Teiler 83.2 (23.) 143.0 (29.) 187.3 (30.)  
 Trefferlage 0.07 mm rechts, 0.75 mm tief  
 Streuwert 1.99, horizontal: 2.47, vertikal: 1.36





Serie 4:  
 10.3 \*                      9.5 ↙                      10.6 \*                      9.9 ↖                      10.5 \*  
 9.9 →                      8.8 ↘                      10.1 ←                      10.0 ↖                      9.3 ↘  
 beste Teiler 83.8 (33.) 101.7 (35.) 157.0 (31.)  
 Trefferlage 0.12 mm rechts, 0.47 mm tief  
 Streuwert 2.17, horizontal: 2.60, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>382</b>	(399.5)
Serien:	96 93 97 96	
Zähler:	25 12 3 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	712 (6), 565 (14), 517 (32)	
beste Teiler	45.2 (26.) 51.2 (23.) 64.2 (9.)	
Trefferlage	0.23 mm rechts, 0.46 mm tief	
Streuwert	2.00, horizontal: 2.13, vertikal: 1.87	




Serie 1:	9.3 ↖	9.9 ↗	10.4 *	10.6 *	10.1 ↗
	8.1 ↘	10.3 *	10.2 *	10.7 *	10.1 ↓
beste Teiler	64.2 (9.)	97.5 (4.)	143.5 (3.)		
Trefferlage	0.95 mm rechts, 0.04 mm hoch				
Streuwert	2.18, horizontal: 1.83, vertikal: 2.47				



Serie 2:	10.1 ←	10.2 *	9.7 ↖	8.7 →	9.5 ↘
	10.5 *	9.0 →	9.7 ↖	9.9 →	10.6 *
beste Teiler	95.6 (20.)	106.6 (16.)	196.3 (12.)		
Trefferlage	0.85 mm rechts, 0.21 mm tief				
Streuwert	2.32, horizontal: 2.86, vertikal: 1.60				





Serie 3:	9.6 ↘	10.2 *	10.7 *	10.6 *	10.5 *
	10.8 *	10.1 ↙	9.2 ↓	9.6 ↙	10.4 *
beste Teiler	45.2 (26.)	51.2 (23.)	92.1 (24.)		
Trefferlage	0.12 mm rechts, 1.09 mm tief				
Streuwert	1.54, horizontal: 1.45, vertikal: 1.62				




Serie 4:	10.0 ↙	8.9 ↖	10.0 ↘	10.1 ←	9.6 ↙
	9.8 ↓	10.7 *	10.5 *	10.6 *	10.0 ↘
beste Teiler	65.8 (37.)	96.7 (39.)	120.9 (38.)		
Trefferlage	1.01 mm links, 0.59 mm tief				
Streuwert	1.77, horizontal: 1.80, vertikal: 1.73				

Unterschrift des Schützen


Ergebnis: **384** (402.2)  
 Serien: 97 93 96 98  
 Zähler: 25 14 1 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 620 (18), 393 (19), 347 (33)  
 beste Teiler 75.9 (27.) 77.3 (24.) 93.4 (26.)  
 Trefferlage 0.45 mm links, 0.39 mm hoch  
 Streuwert 1.71, horizontal: 1.92, vertikal: 1.47




Serie 1:  
 10.3 \* 9.9 → 10.4 \* 10.0 ↗ 9.8 ↘  
 9.8 ↘ 10.0 ↘ 10.3 \* 10.3 \* 10.1 ↑  
 beste Teiler 138.8 (3.) 154.7 (1.) 162.0 (9.)  
 Trefferlage 0.25 mm rechts, 0.71 mm hoch  
 Streuwert 1.55, horizontal: 1.70, vertikal: 1.38



Serie 2:  
 10.2 \* 9.9 ↗ 9.6 ↘ 10.4 \* 9.8 ↗  
 9.9 ↘ 10.5 \* 8.5 ↘ 9.4 ← 10.1 ↗  
 beste Teiler 110.3 (17.) 127.5 (14.) 176.0 (11.)  
 Trefferlage 0.76 mm links, 1.02 mm hoch  
 Streuwert 2.14, horizontal: 2.64, vertikal: 1.48



Serie 3:  
 10.3 \* 9.9 ← 9.6 ← 10.6 \* 9.8 ↘  
 10.6 \* 10.7 \* 10.6 \* 9.8 ↘ 10.0 ↘  
 beste Teiler 75.9 (27.) 77.3 (24.) 93.4 (26.)  
 Trefferlage 0.80 mm links, 0.05 mm tief  
 Streuwert 1.48, horizontal: 1.81, vertikal: 1.06





Serie 4:  
 9.6 ↓ 10.3 \* 9.6 ↘ 10.4 \* 10.1 ↓  
 10.2 \* 10.2 \* 10.5 \* 10.0 ↘ 10.2 \*  
 beste Teiler 109.5 (38.) 133.0 (34.) 155.9 (32.)  
 Trefferlage 0.52 mm links, 0.08 mm tief  
 Streuwert 1.62, horizontal: 1.44, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>388</b>	(405.2)
Serien:	99	97 95 97
Zähler:	28	12 0 0 0 0 0 0 0 0
Innenzehner:	18	
weiteste:	373	(21), 359 (30), 351 (15)
beste Teiler	40.0	(32.) 43.6 (8.) 43.8 (6.)
Trefferlage	0.12 mm	rechts, 0.53 mm hoch
Streuwert	1.56,	horizontal: 1.52, vertikal: 1.60




Serie 1:	10.3 *	9.8 →	10.2 *	10.7 *	10.1 ↑
	10.8 *	10.2 *	10.8 *	10.6 *	10.1 ↑
beste Teiler	43.6	(8.) 43.8 (6.)	72.0 (4.)		
Trefferlage	0.26 mm	rechts, 0.44 mm	hoch		
Streuwert	1.23,	horizontal: 1.45,	vertikal: 0.94		



Serie 2:	10.2 *	10.5 *	10.0 ↑	10.0 ↘	9.5 ↑
	10.3 *	10.1 ↘	9.9 ↑	10.0 ←	9.6 ↘
beste Teiler	117.0	(12.) 171.3 (16.)	188.2 (11.)		
Trefferlage	0.34 mm	links, 0.70 mm	hoch		
Streuwert	1.71,	horizontal: 1.26,	vertikal: 2.07		



Serie 3:	9.5 ↘	10.3 *	10.2 *	10.6 *	10.2 *
	9.9 ↙	9.9 ↓	9.8 ↖	10.2 *	9.5 ↘
beste Teiler	79.1	(24.) 160.4 (22.)	186.9 (29.)		
Trefferlage	0.08 mm	rechts, 0.27 mm	hoch		
Streuwert	1.84,	horizontal: 1.57,	vertikal: 2.08		





Serie 4:	10.7 *	10.8 *	10.1 ↑	9.6 ↘	10.0 ↗
	10.1 ←	9.7 →	10.6 *	9.7 →	10.1 ↗
beste Teiler	40.0	(32.) 73.7 (31.)	86.3 (38.)		
Trefferlage	0.49 mm	rechts, 0.70 mm	hoch		
Streuwert	1.56,	horizontal: 1.85,	vertikal: 1.22		


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.8)  
 Serien: 95 95 95 96  
 Zähler: 22 17 1 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 561 (19), 459 (23), 451 (1)  
 beste Teiler 39.4 (11.) 43.1 (38.) 53.0 (18.)  
 Trefferlage 0.68 mm links, 0.29 mm tief  
 Streuwert 1.89, horizontal: 2.17, vertikal: 1.56




Serie 1:  
 9.1 ↙ 10.5 \* 9.4 ↙ 10.5 \* 9.6 ↓  
 10.2 \* 10.1 ↘ 9.9 ↓ 10.2 \* 9.7 →  
 beste Teiler 103.8 (2.) 110.4 (4.) 183.5 (9.)  
 Trefferlage 0.24 mm links, 1.07 mm tief  
 Streuwert 1.92, horizontal: 2.34, vertikal: 1.36



Serie 2:  
 10.8 \* 10.4 \* 10.2 \* 9.8 ↙ 10.0 →  
 9.7 ↘ 9.9 ↑ 10.7 \* 8.7 ↙ 10.2 \*  
 beste Teiler 39.4 (11.) 53.0 (18.) 131.5 (12.)  
 Trefferlage 0.53 mm links, 0.40 mm tief  
 Streuwert 1.92, horizontal: 2.25, vertikal: 1.52



Serie 3:  
 10.6 \* 10.5 \* 9.1 ← 10.7 \* 9.5 ↓  
 9.3 ↖ 10.2 \* 9.9 ← 10.5 \* 9.7 ↙  
 beste Teiler 67.3 (24.) 86.9 (21.) 117.4 (29.)  
 Trefferlage 1.27 mm links, 0.16 mm tief  
 Streuwert 1.80, horizontal: 2.02, vertikal: 1.55





Serie 4:  
 10.0 ↘ 10.1 ↖ 9.4 ↙ 10.0 ↗ 10.0 ↘  
 9.6 → 9.8 ↖ 10.8 \* 10.1 → 9.4 ←  
 beste Teiler 43.1 (38.) 202.9 (39.) 220.0 (32.)  
 Trefferlage 0.70 mm links, 0.45 mm hoch  
 Streuwert 1.98, horizontal: 2.29, vertikal: 1.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (411.5)  
 Serien: 98 99 97 99  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 394 (27), 381 (10), 322 (17)  
 beste Teiler 11.6 (22.) 41.6 (7.) 53.2 (19.)  
 Trefferlage 0.24 mm rechts, 0.00 mm  
 Streuwert 1.35, horizontal: 1.39, vertikal: 1.32




Serie 1:  
 10.1 ↘ 9.9 → 10.6 \* 10.3 \* 10.3 \*  
 10.7 \* 10.8 \* 10.3 \* 10.1 ↖ 9.4 ↘  
 beste Teiler 41.6 (7.) 64.0 (6.) 82.2 (3.)  
 Trefferlage 0.62 mm rechts, 0.25 mm tief  
 Streuwert 1.42, horizontal: 1.47, vertikal: 1.36



Serie 2:  
 10.6 \* 10.3 \* 10.4 \* 10.7 \* 10.1 →  
 10.2 \* 9.7 ↗ 10.2 \* 10.7 \* 10.0 →  
 beste Teiler 53.2 (19.) 67.1 (14.) 91.3 (11.)  
 Trefferlage 0.90 mm rechts, 0.35 mm hoch  
 Streuwert 1.17, horizontal: 1.37, vertikal: 0.92





Serie 3:  
 10.5 \* 10.9 \* 10.3 \* 9.9 ↖ 10.0 ↗  
 10.5 \* 9.4 ↓ 10.6 \* 9.7 ↖ 10.2 \*  
 beste Teiler 11.6 (22.) 87.6 (28.) 106.0 (26.)  
 Trefferlage 0.27 mm links, 0.16 mm tief  
 Streuwert 1.62, horizontal: 1.32, vertikal: 1.87




Serie 4:  
 10.3 \* 10.4 \* 10.7 \* 10.5 \* 10.4 \*  
 10.5 \* 9.9 ↖ 10.4 \* 10.3 \* 10.7 \*  
 beste Teiler 58.2 (40.) 64.6 (33.) 112.6 (34.)  
 Trefferlage 0.29 mm links, 0.04 mm hoch  
 Streuwert 1.09, horizontal: 1.14, vertikal: 1.04

Unterschrift des Schützen


Ergebnis: **392** (410.2)  
 Serien: 99 97 98 98  
 Zähler: 32 8 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 374 (25), 346 (20), 336 (4)  
 beste Teiler 31.1 (36.) 47.8 (40.) 49.6 (12.)  
 Trefferlage 0.00 mm , 0.48 mm tief  
 Streuwert 1.37, horizontal: 1.75, vertikal: 0.84




Serie 1:  
 10.0 ←                      10.7 \*                      10.6 \*                      9.6 →                      10.2 \*  
 10.4 \*                      10.4 \*                      10.4 \*                      10.2 \*                      10.0 →  
 beste Teiler 52.8 (2.) 82.6 (3.) 130.9 (8.)  
 Trefferlage 0.51 mm rechts, 0.20 mm tief  
 Streuwert 1.35, horizontal: 1.73, vertikal: 0.82



Serie 2:  
 9.6 →                      10.8 \*                      10.4 \*                      9.9 ←                      10.2 \*  
 10.4 \*                      10.3 \*                      10.3 \*                      10.6 \*                      9.6 ←  
 beste Teiler 49.6 (12.) 97.8 (19.) 133.2 (13.)  
 Trefferlage 0.10 mm rechts, 0.27 mm tief  
 Streuwert 1.57, horizontal: 2.11, vertikal: 0.66



Serie 3:  
 10.7 \*                      10.2 \*                      10.5 \*                      9.7 ←                      9.5 →  
 10.2 \*                      10.3 \*                      10.6 \*                      10.5 \*                      10.6 \*  
 beste Teiler 75.5 (21.) 79.8 (28.) 95.3 (30.)  
 Trefferlage 0.06 mm links, 0.45 mm tief  
 Streuwert 1.43, horizontal: 1.86, vertikal: 0.78





Serie 4:  
 10.3 \*                      9.9 ↘                      10.7 \*                      9.8 ←                      10.4 \*  
 10.8 \*                      10.0 ←                      10.0 ↓                      10.1 ↓                      10.8 \*  
 beste Teiler 31.1 (36.) 47.8 (40.) 70.3 (33.)  
 Trefferlage 0.52 mm links, 0.99 mm tief  
 Streuwert 1.13, horizontal: 1.28, vertikal: 0.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (405.4)  
 Serien: 93 98 99 98  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 599 (1), 397 (34), 395 (31)  
 beste Teiler 47.5 (16.) 48.2 (40.) 52.4 (26.)  
 Trefferlage 0.24 mm links, 0.24 mm hoch  
 Streuwert 1.66, horizontal: 1.66, vertikal: 1.67




Serie 1:  
 8.6 ↙ 9.8 ↖ 10.0 → 9.9 ↘ 9.6 ↙  
 10.3 \* 10.0 → 9.9 ↓ 10.3 \* 9.7 ↘  
 beste Teiler 158.8 (9.) 171.4 (6.) 226.7 (7.)  
 Trefferlage 0.85 mm links, 0.33 mm tief  
 Streuwert 2.20, horizontal: 2.25, vertikal: 2.16



Serie 2:  
 10.7 \* 10.2 \* 10.4 \* 10.5 \* 10.4 \*  
 10.8 \* 9.6 ↖ 9.4 → 10.1 ↘ 10.1 →  
 beste Teiler 47.5 (16.) 72.5 (11.) 115.8 (14.)  
 Trefferlage 0.03 mm links, 0.00 mm  
 Streuwert 1.57, horizontal: 1.85, vertikal: 1.24



Serie 3:  
 10.7 \* 10.1 ↖ 10.3 \* 9.9 ↑ 10.3 \*  
 10.7 \* 10.5 \* 10.2 \* 10.3 \* 10.1 ↘  
 beste Teiler 52.4 (26.) 71.0 (21.) 122.2 (27.)  
 Trefferlage 0.33 mm links, 0.82 mm hoch  
 Streuwert 1.12, horizontal: 1.24, vertikal: 0.97





Serie 4:  
 9.4 ↑ 10.4 \* 10.7 \* 9.4 ↖ 10.2 \*  
 10.2 \* 10.2 \* 10.4 \* 10.3 \* 10.8 \*  
 beste Teiler 48.2 (40.) 68.0 (33.) 135.0 (38.)  
 Trefferlage 0.24 mm rechts, 0.49 mm hoch  
 Streuwert 1.61, horizontal: 1.09, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (408.8)  
 Serien: 98 98 97 99  
 Zähler: 32 8 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 412 (4), 395 (31), 338 (18)  
 beste Teiler 16.4 (29.) 44.6 (8.) 49.6 (12.)  
 Trefferlage 0.01 mm rechts, 0.16 mm hoch  
 Streuwert 1.45, horizontal: 1.66, vertikal: 1.22




Serie 1:  
 10.5 \* 10.4 \* 10.3 \* 9.3 ✓ 10.1 ←  
 10.1 ← 10.7 \* 10.8 \* 10.3 \* 9.9 ←  
 beste Teiler 44.6 (8.) 75.4 (7.) 120.5 (1.)  
 Trefferlage 0.45 mm links, 0.20 mm tief  
 Streuwert 1.49, horizontal: 1.61, vertikal: 1.36



Serie 2:  
 10.3 \* 10.8 \* 10.5 \* 9.9 ↑ 10.3 \*  
 10.1 ↘ 10.0 → 9.6 → 10.0 ↑ 10.4 \*  
 beste Teiler 49.6 (12.) 107.6 (13.) 148.6 (20.)  
 Trefferlage 0.39 mm rechts, 0.56 mm hoch  
 Streuwert 1.48, horizontal: 1.68, vertikal: 1.26



Serie 3:  
 10.5 \* 10.1 ↗ 9.8 ← 9.9 ← 10.4 \*  
 9.9 → 10.3 \* 10.3 \* 10.9 \* 10.3 \*  
 beste Teiler 16.4 (29.) 104.2 (21.) 127.9 (25.)  
 Trefferlage 0.19 mm rechts, 0.26 mm hoch  
 Streuwert 1.44, horizontal: 1.83, vertikal: 0.91





Serie 4:  
 9.4 ← 10.4 \* 10.1 ✓ 10.3 \* 10.5 \*  
 10.5 \* 10.3 \* 10.1 ↗ 10.5 \* 10.0 ↗  
 beste Teiler 101.2 (39.) 102.5 (36.) 103.9 (35.)  
 Trefferlage 0.07 mm links, 0.03 mm hoch  
 Streuwert 1.50, horizontal: 1.64, vertikal: 1.35

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>380</b>	(397.0)
Serien:	91 97 95 97	
Zähler:	21 18 1 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	501 (2), 491 (8), 427 (21)	
beste Teiler	42.7 (6.) 96.8 (39.) 114.5 (25.)	
Trefferlage	0.46 mm links, 0.23 mm hoch	
Streuwert	1.97, horizontal: 2.01, vertikal: 1.93	




Serie 1:

9.6 ↗	8.9 ↘	9.4 ↗	9.7 ↘	10.0 ↗
10.8 *	9.5 ↖	9.0 ↗	9.6 →	9.5 ↘
beste Teiler	42.7 (6.) 226.1 (5.) 320.5 (4.)			
Trefferlage	0.43 mm rechts, 0.36 mm hoch			
Streuwert	2.64, horizontal: 2.82, vertikal: 2.44			




Serie 2:

10.2 *	10.5 *	10.1 ←	9.9 ↗	9.9 ←
10.3 *	10.1 ←	10.0 ↗	10.4 *	9.6 ↘
beste Teiler	117.0 (12.) 149.4 (19.) 163.1 (16.)			
Trefferlage	0.43 mm links, 0.82 mm hoch			
Streuwert	1.53, horizontal: 1.57, vertikal: 1.48			



Serie 3:

9.2 ↖	10.1 ↓	10.5 *	10.3 *	10.5 *
9.7 ↖	9.9 ↑	9.4 ←	9.6 ↗	10.0 ↖
beste Teiler	114.5 (25.) 115.0 (23.) 172.7 (24.)			
Trefferlage	1.18 mm links, 0.76 mm hoch			
Streuwert	1.79, horizontal: 2.03, vertikal: 1.52			





Serie 4:


9.4 ↖	9.6 ↓	9.8 ↘	10.1 ↗	10.0 ↓
10.4 *	10.1 ↓	10.3 *	10.6 *	10.5 *
beste Teiler	96.8 (39.) 123.6 (40.) 131.1 (36.)			
Trefferlage	0.67 mm links, 1.02 mm tief			
Streuwert	1.51, horizontal: 1.17, vertikal: 1.79			

Unterschrift des Schützen


Ergebnis: **389** (409.1)  
 Serien: 97 99 94 99  
 Zähler: 30 9 1 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 539 (30), 470 (1), 357 (28)  
 beste Teiler 37.0 (6.) 42.1 (17.) 55.1 (16.)  
 Trefferlage 0.09 mm rechts, 0.49 mm tief  
 Streuwert 1.48, horizontal: 1.45, vertikal: 1.51




Serie 1:  
 9.1 ↘ 9.9 → 10.4 \* 9.6 ↖ 10.2 \*  
 10.8 \* 10.3 \* 10.7 \* 10.1 ↖ 10.1 ↘  
 beste Teiler 37.0 (6.) 72.9 (8.) 147.7 (3.)  
 Trefferlage 0.28 mm rechts, 0.41 mm tief  
 Streuwert 1.77, horizontal: 1.80, vertikal: 1.73



Serie 2:  
 10.5 \* 10.6 \* 10.2 \* 10.5 \* 10.4 \*  
 10.7 \* 10.8 \* 10.2 \* 9.9 ↖ 10.6 \*  
 beste Teiler 42.1 (17.) 55.1 (16.) 87.1 (12.)  
 Trefferlage 0.57 mm links, 0.16 mm hoch  
 Streuwert 0.96, horizontal: 1.10, vertikal: 0.80



Serie 3:  
 9.9 ↗ 10.6 \* 10.4 \* 10.7 \* 10.3 \*  
 9.7 ↘ 9.8 → 9.5 ← 10.6 \* 8.8 ↓  
 beste Teiler 71.1 (24.) 83.0 (29.) 90.6 (22.)  
 Trefferlage 0.23 mm rechts, 0.81 mm tief  
 Streuwert 1.92, horizontal: 1.69, vertikal: 2.13





Serie 4:  
 10.3 \* 9.6 ↘ 10.5 \* 10.4 \* 10.6 \*  
 10.0 ↘ 10.5 \* 10.4 \* 10.4 \* 10.5 \*  
 beste Teiler 76.9 (35.) 106.7 (33.) 114.8 (37.)  
 Trefferlage 0.45 mm rechts, 0.92 mm tief  
 Streuwert 1.01, horizontal: 1.08, vertikal: 0.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.5)  
 Serien: 93 91 94 95  
 Zähler: 17 19 4 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 639 (5), 553 (38), 501 (15)  
 beste Teiler 64.6 (9.) 64.6 (21.) 66.8 (10.)  
 Trefferlage 0.43 mm links, 0.13 mm tief  
 Streuwert 2.40, horizontal: 3.01, vertikal: 1.57




Serie 1:  
 10.0 ↗ 9.0 ← 10.0 ↗ 9.5 ↘ 8.4 →  
 9.4 → 9.1 ↙ 9.5 ← 10.7 \* 10.7 \*  
 beste Teiler 64.6 (9.) 66.8 (10.) 246.0 (3.)  
 Trefferlage 0.15 mm links, 0.02 mm tief  
 Streuwert 2.79, horizontal: 3.55, vertikal: 1.72



Serie 2:  
 9.6 ↘ 10.2 \* 9.2 ↙ 9.0 → 8.9 ↘  
 8.9 ← 9.9 ↓ 10.1 ← 9.8 ↘ 10.2 \*  
 beste Teiler 181.3 (20.) 199.2 (12.) 210.0 (18.)  
 Trefferlage 0.65 mm links, 0.88 mm tief  
 Streuwert 2.59, horizontal: 3.09, vertikal: 1.97





Serie 3:  
 10.7 \* 9.3 ← 10.2 \* 9.0 ↗ 10.3 \*  
 9.3 ← 9.6 → 9.3 → 9.7 ← 10.2 \*  
 beste Teiler 64.6 (21.) 158.8 (25.) 186.5 (30.)  
 Trefferlage 0.08 mm links, 0.08 mm hoch  
 Streuwert 2.41, horizontal: 3.24, vertikal: 1.09




Serie 4:  
 10.2 \* 9.9 ↘ 9.2 ← 10.6 \* 10.3 \*  
 9.7 → 10.3 \* 8.7 ↘ 10.6 \* 10.3 \*  
 beste Teiler 91.0 (39.) 93.6 (34.) 154.9 (37.)  
 Trefferlage 0.82 mm links, 0.27 mm hoch  
 Streuwert 2.01, horizontal: 2.50, vertikal: 1.35

Unterschrift des Schützen


Ergebnis: **366** (384.4)  
 Serien: 90 91 92 93  
 Zähler: 14 18 8 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 728 (22), 713 (17), 631 (12)  
 beste Teiler 34.1 (26.) 47.8 (10.) 58.5 (25.)  
 Trefferlage 0.71 mm rechts, 0.61 mm tief  
 Streuwert 2.65, horizontal: 3.19, vertikal: 1.97




Serie 1:  
 10.2 \* 9.6 ↘ 9.7 ↘ 9.6 ↘ 9.4 ↓  
 8.9 ← 9.2 ↓ 9.5 ↖ 8.9 → 10.8 \*  
 beste Teiler 47.8 (10.) 188.0 (1.) 304.5 (3.)  
 Trefferlage 1.32 mm links, 0.23 mm tief  
 Streuwert 2.56, horizontal: 2.68, vertikal: 2.43



Serie 2:  
 10.1 → 8.4 → 8.7 ↘ 9.8 ✓ 10.0 ↘  
 9.9 → 8.1 ↘ 9.5 ← 10.2 \* 10.5 \*  
 beste Teiler 120.4 (20.) 181.3 (19.) 222.6 (11.)  
 Trefferlage 1.16 mm rechts, 1.20 mm tief  
 Streuwert 2.79, horizontal: 3.53, vertikal: 1.77





Serie 3:  
 9.0 → 8.0 → 9.5 → 9.0 → 10.7 \*  
 10.8 \* 8.5 → 10.6 \* 10.5 \* 9.5 ↓  
 beste Teiler 34.1 (26.) 58.5 (25.) 93.9 (28.)  
 Trefferlage 2.49 mm rechts, 0.19 mm tief  
 Streuwert 2.43, horizontal: 3.19, vertikal: 1.27




Serie 4:  
 10.2 \* 10.3 \* 9.6 ↘ 8.9 ↘ 10.0 ←  
 9.9 ← 10.4 \* 9.0 ↓ 9.9 ↘ 9.1 →  
 beste Teiler 137.7 (37.) 175.9 (32.) 180.4 (31.)  
 Trefferlage 0.52 mm rechts, 0.82 mm tief  
 Streuwert 2.37, horizontal: 2.43, vertikal: 2.30

Unterschrift des Schützen


Ergebnis: **376** (392.2)  
 Serien: 94 92 96 94  
 Zähler: 21 14 5 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 732 (18), 578 (35), 577 (22)  
 beste Teiler 46.0 (33.) 111.7 (17.) 118.3 (8.)  
 Trefferlage 0.07 mm links, 0.57 mm tief  
 Streuwert 2.28, horizontal: 2.80, vertikal: 1.58




Serie 1:  
 9.8 ↘ 10.2 \* 9.4 → 9.9 ↗ 10.2 \*  
 10.1 ↙ 9.6 ← 10.5 \* 9.6 ↗ 9.2 ←  
 beste Teiler 118.3 (8.) 180.0 (2.) 183.6 (5.)  
 Trefferlage 0.18 mm rechts, 0.84 mm tief  
 Streuwert 2.07, horizontal: 2.68, vertikal: 1.18



Serie 2:  
 9.4 → 9.4 ← 8.9 → 10.2 \* 8.8 ↓  
 10.1 → 10.5 \* 8.0 ← 10.1 ↙ 10.2 \*  
 beste Teiler 111.7 (17.) 191.0 (20.) 200.8 (14.)  
 Trefferlage 0.35 mm links, 1.24 mm tief  
 Streuwert 2.81, horizontal: 3.63, vertikal: 1.60



Serie 3:  
 9.5 ↙ 8.6 ← 10.2 \* 10.1 ↘ 10.2 \*  
 10.5 \* 10.3 \* 10.0 ↘ 9.9 ↗ 10.3 \*  
 beste Teiler 124.3 (26.) 152.5 (27.) 159.7 (30.)  
 Trefferlage 0.59 mm links, 0.43 mm tief  
 Streuwert 2.01, horizontal: 2.21, vertikal: 1.78





Serie 4:  
 9.4 ↘ 10.0 ↘ 10.8 \* 10.4 \* 8.6 →  
 9.7 → 10.1 ← 9.8 ↘ 10.0 → 9.7 ↘  
 beste Teiler 46.0 (33.) 142.8 (34.) 218.7 (37.)  
 Trefferlage 0.45 mm rechts, 0.25 mm hoch  
 Streuwert 2.27, horizontal: 2.83, vertikal: 1.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.5)  
 Serien: 93 89 91 97  
 Zähler: 17 17 5 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 757 (13), 642 (23), 636 (10)  
 beste Teiler 11.1 (22.) 13.0 (35.) 71.0 (5.)  
 Trefferlage 0.02 mm rechts, 0.84 mm tief  
 Streuwert 2.56, horizontal: 2.87, vertikal: 2.21




Serie 1:  
 8.6 ↘ 10.3 \* 9.7 ↘ 10.3 \* 10.7 \*  
 10.0 ↖ 9.7 ↗ 9.6 ↙ 10.5 \* 8.4 ←  
 beste Teiler 71.0 (5.) 102.4 (9.) 165.4 (2.)  
 Trefferlage 0.34 mm links, 0.89 mm tief  
 Streuwert 2.49, horizontal: 2.97, vertikal: 1.90



Serie 2:  
 9.3 ↖ 9.1 ↘ 7.9 ← 9.1 ↓ 9.4 ↘  
 9.3 ↑ 9.2 ← 9.5 ↗ 10.1 ↓ 9.6 →  
 beste Teiler 201.0 (19.) 338.5 (20.) 351.3 (18.)  
 Trefferlage 0.50 mm links, 0.69 mm tief  
 Streuwert 3.23, horizontal: 3.59, vertikal: 2.83



Serie 3:  
 9.8 ↑ 10.9 \* 8.4 ↘ 9.3 ↘ 9.5 ↘  
 10.0 ↓ 9.0 ↖ 9.6 ↓ 10.2 \* 8.9 ←  
 beste Teiler 11.1 (22.) 187.1 (29.) 240.2 (26.)  
 Trefferlage 0.23 mm rechts, 1.15 mm tief  
 Streuwert 2.74, horizontal: 2.93, vertikal: 2.53





Serie 4:  
 10.3 \* 10.3 \* 8.5 ↘ 10.4 \* 10.9 \*  
 10.2 \* 10.0 ↖ 9.5 ↓ 10.3 \* 10.2 \*  
 beste Teiler 13.0 (35.) 128.5 (34.) 156.1 (39.)  
 Trefferlage 0.72 mm rechts, 0.62 mm tief  
 Streuwert 1.92, horizontal: 2.11, vertikal: 1.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.3)  
 Serien: 88 97 93 93  
 Zähler: 15 21 4 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 703 (33), 574 (1), 569 (7)  
 beste Teiler 127.1 (16.) 133.9 (11.) 137.4 (39.)  
 Trefferlage 0.43 mm links, 0.49 mm tief  
 Streuwert 2.39, horizontal: 2.68, vertikal: 2.06




Serie 1:  
 8.7 ↘ 9.8 ↓ 9.7 ↖ 8.7 ↘ 9.9 →  
 9.2 ↙ 8.7 ↖ 9.2 ↓ 9.7 ↙ 10.4 \*  
 beste Teiler 145.7 (10.) 253.6 (5.) 283.0 (2.)  
 Trefferlage 1.06 mm links, 0.92 mm tief  
 Streuwert 2.89, horizontal: 2.97, vertikal: 2.81



Serie 2:  
 10.4 \* 9.5 ↓ 9.7 → 10.1 ↗ 10.1 ←  
 10.4 \* 10.3 \* 10.0 ↓ 10.2 \* 9.9 ↘  
 beste Teiler 127.1 (16.) 133.9 (11.) 173.6 (17.)  
 Trefferlage 0.23 mm rechts, 0.72 mm tief  
 Streuwert 1.65, horizontal: 1.65, vertikal: 1.65



Serie 3:  
 10.2 \* 10.4 \* 10.1 ↘ 9.8 ↙ 9.5 ←  
 9.4 → 9.3 ↙ 9.6 → 9.7 → 9.7 ↖  
 beste Teiler 148.9 (22.) 193.5 (21.) 217.4 (23.)  
 Trefferlage 0.06 mm rechts, 0.41 mm tief  
 Streuwert 2.30, horizontal: 2.78, vertikal: 1.70





Serie 4:  
 10.2 \* 9.5 ↓ 8.1 ← 10.0 ↙ 9.3 ←  
 9.0 → 9.6 ↑ 9.8 ↖ 10.4 \* 10.1 ↑  
 beste Teiler 137.4 (39.) 194.6 (31.) 218.0 (40.)  
 Trefferlage 0.98 mm links, 0.07 mm hoch  
 Streuwert 2.69, horizontal: 3.20, vertikal: 2.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (366.9)  
 Serien: 89 90 84 88  
 Zähler: 11 14 11 3 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1045 (23), 968 (13), 760 (8)  
 beste Teiler 75.0 (9.) 77.8 (36.) 84.1 (14.)  
 Trefferlage 0.67 mm links, 0.37 mm tief  
 Streuwert 3.60, horizontal: 4.02, vertikal: 3.12




Serie 1:  
 9.3 ↗ 8.1 ↑ 9.6 ↗ 8.1 ↖ 9.3 ↖  
 10.4 \* 9.7 ↙ 7.9 ↙ 10.7 \* 10.1 ↑  
 beste Teiler 75.0 (9.) 150.1 (6.) 202.2 (10.)  
 Trefferlage 0.88 mm links, 1.35 mm hoch  
 Streuwert 3.30, horizontal: 3.63, vertikal: 2.92



Serie 2:  
 10.3 \* 9.8 ↑ 7.1 ← 10.6 \* 9.5 ↖  
 9.0 ↗ 10.5 \* 9.4 → 9.6 ↓ 8.1 ↓  
 beste Teiler 84.1 (14.) 119.3 (17.) 174.4 (11.)  
 Trefferlage 0.57 mm links, 0.48 mm tief  
 Streuwert 3.46, horizontal: 3.85, vertikal: 3.02



Serie 3:  
 8.0 ← 8.3 ↘ 6.8 → 10.1 ↑ 9.5 →  
 9.0 ↙ 8.1 ↙ 10.2 \* 9.1 ← 7.9 ↙  
 beste Teiler 199.2 (28.) 205.1 (24.) 366.5 (25.)  
 Trefferlage 1.66 mm links, 1.51 mm tief  
 Streuwert 4.29, horizontal: 5.08, vertikal: 3.33





Serie 4:  
 9.1 ← 8.9 ↘ 8.4 ↘ 8.8 ← 10.0 →  
 10.6 \* 8.6 ↗ 10.0 ↓ 9.9 ↑ 8.5 ↓  
 beste Teiler 77.8 (36.) 234.3 (35.) 235.6 (38.)  
 Trefferlage 0.43 mm rechts, 0.83 mm tief  
 Streuwert 3.33, horizontal: 3.72, vertikal: 2.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (356.7)  
 Serien: 81 82 87 90  
 Zähler: 8 15 10 5 0 2 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1400 (13), 1305 (1), 963 (14)  
 beste Teiler 79.1 (40.) 93.1 (29.) 155.9 (33.)  
 Trefferlage 0.98 mm rechts, 0.16 mm tief  
 Streuwert 4.20, horizontal: 4.29, vertikal: 4.11




Serie 1:  
 5.7 ↙                      7.2 →                      9.5 ↙                      7.3 ↓                      9.1 ↗  
 9.5 ↘                      10.1 ↗                      8.3 ↑                      8.2 ↘                      9.6 ↑  
 beste Teiler 219.1 (7.) 327.9 (10.) 364.4 (3.)  
 Trefferlage 0.13 mm rechts, 0.62 mm tief  
 Streuwert 5.24, horizontal: 5.66, vertikal: 4.78



Serie 2:  
 10.3 \*                      8.5 ↓                      5.4 ↑                      7.1 →                      10.3 \*  
 9.8 ↗                      8.3 ↙                      8.4 ↗                      9.5 →                      8.7 ↓  
 beste Teiler 163.5 (15.) 166.7 (11.) 291.5 (16.)  
 Trefferlage 1.34 mm rechts, 0.34 mm hoch  
 Streuwert 5.00, horizontal: 3.89, vertikal: 5.90



Serie 3:  
 9.1 ↘                      7.2 →                      7.7 ↘                      10.0 ↓                      9.9 ↖  
 10.2 \*                      8.6 ↖                      9.6 ↖                      10.6 \*                      8.0 →  
 beste Teiler 93.1 (29.) 192.4 (26.) 243.8 (24.)  
 Trefferlage 1.79 mm rechts, 0.73 mm tief  
 Streuwert 3.75, horizontal: 4.77, vertikal: 2.31





Serie 4:  
 9.7 ↗                      9.0 ↑                      10.3 \*                      9.5 ↘                      9.8 →  
 9.7 ↘                      8.3 ↗                      9.2 ↓                      8.9 ↖                      10.6 \*  
 beste Teiler 79.1 (40.) 155.9 (33.) 300.2 (35.)  
 Trefferlage 0.68 mm rechts, 0.33 mm hoch  
 Streuwert 2.91, horizontal: 2.81, vertikal: 3.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (382.1)  
 Serien: 90 87 93 92  
 Zähler: 14 15 10 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 760 (17), 722 (21), 615 (11)  
 beste Teiler 29.0 (13.) 62.0 (8.) 77.6 (36.)  
 Trefferlage 0.05 mm links, 0.57 mm hoch  
 Streuwert 2.82, horizontal: 3.46, vertikal: 1.99




Serie 1:  
 9.9 ↗ 10.6 \* 8.7 ↖ 9.7 ↗ 8.5 ↖  
 9.5 ↖ 10.5 \* 10.7 \* 8.8 → 9.9 ↖  
 beste Teiler 62.0 (8.) 100.2 (2.) 119.3 (7.)  
 Trefferlage 0.67 mm links, 1.57 mm hoch  
 Streuwert 2.47, horizontal: 3.32, vertikal: 1.07



Serie 2:  
 8.5 → 9.7 ↗ 10.8 \* 8.5 → 8.7 ←  
 9.6 → 7.9 ← 9.8 → 10.1 ↓ 9.1 ↓  
 beste Teiler 29.0 (13.) 224.9 (19.) 277.8 (18.)  
 Trefferlage 0.28 mm rechts, 0.18 mm tief  
 Streuwert 3.47, horizontal: 4.50, vertikal: 1.96



Serie 3:  
 8.1 → 8.7 ↖ 10.0 ↓ 10.3 \* 10.0 ←  
 10.6 \* 9.5 ← 9.6 ↖ 10.2 \* 9.2 ↑  
 beste Teiler 84.6 (26.) 153.5 (24.) 190.6 (29.)  
 Trefferlage 0.87 mm links, 0.67 mm hoch  
 Streuwert 2.74, horizontal: 3.43, vertikal: 1.80





Serie 4:  
 10.2 \* 8.9 ↖ 9.4 → 9.4 ↑ 8.7 ↖  
 10.6 \* 9.9 ← 10.1 → 9.1 ↖ 10.1 ↗  
 beste Teiler 77.6 (36.) 182.0 (31.) 203.5 (38.)  
 Trefferlage 1.07 mm rechts, 0.24 mm hoch  
 Streuwert 2.56, horizontal: 2.47, vertikal: 2.65


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **147** (156.7)  
 Serien: 69 78  
 Zähler: 0 7 3 5 2 1 2 0 0 0  
 Innenzehner: 0  
 weiteste: 1566 (5), 1535 (8), 1402 (15)  
 beste Teiler 265.3 (19.) 265.4 (3.) 267.7 (17.)  
 Trefferlage 1.61 mm links, 2.82 mm hoch  
 Streuwert 5.97, horizontal: 7.17, vertikal: 4.45





Serie 1:  
 7.4 ↘                      7.3 ↗                      9.9 ↘                      8.8 ↓                      4.7 →  
 6.1 ↘                      9.6 ↘                      4.8 ←                      6.4 ↘                      9.1 ↙  
 beste Teiler 265.4 (3.) 330.0 (7.) 469.3 (10.)  
 Trefferlage 2.43 mm links, 2.77 mm hoch  
 Streuwert 6.87, horizontal: 8.77, vertikal: 4.19




Serie 2:  
 7.4 ←                      9.4 ↑                      8.6 ↓                      8.1 ↑                      5.3 ↗  
 7.1 ←                      9.9 ↙                      9.7 ↑                      9.9 ↘                      7.2 ↑  
 beste Teiler 265.3 (19.) 267.7 (17.) 312.5 (18.)  
 Trefferlage 0.80 mm links, 2.88 mm hoch  
 Streuwert 5.22, horizontal: 5.50, vertikal: 4.93

Unterschrift des Schützen

Ergebnis: **166** (175.7)  
 Serien: 84 82  
 Zähler: 4 6 6 2 1 0 1 0 0 0  
 Innenzehner: 4  
 weiteste: 1712 (13), 1146 (3), 816 (18)  
 beste Teiler 99.1 (19.) 123.8 (10.) 165.5 (16.)  
 Trefferlage 3.15 mm rechts, 2.24 mm hoch  
 Streuwert 3.88, horizontal: 4.87, vertikal: 2.55





Serie 1:  
 8.9 ↗ 9.8 ↘ 6.4 ↗ 9.5 → 8.2 ↗  
 8.5 ↑ 9.3 ↗ 10.2 \* 7.8 → 10.5 \*  
 beste Teiler 123.8 (10.) 190.8 (8.) 296.4 (2.)  
 Trefferlage 2.85 mm rechts, 2.75 mm hoch  
 Streuwert 3.26, horizontal: 3.66, vertikal: 2.82



Serie 2:  
 8.7 ↗ 8.2 → 4.1 → 9.4 ↘ 9.5 ↗  
 10.3 \* 8.4 → 7.7 ↘ 10.6 \* 9.7 →  
 beste Teiler 99.1 (19.) 165.5 (16.) 305.4 (20.)  
 Trefferlage 3.44 mm rechts, 1.72 mm hoch  
 Streuwert 4.56, horizontal: 6.04, vertikal: 2.28


Unterschrift des Schützen

Ergebnis: **178** (184.4)  
 Serien: 88 90  
 Zähler: 4 10 6 0 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 703 (4), 702 (14), 628 (7)  
 beste Teiler 172.6 (3.) 196.9 (20.) 222.6 (13.)  
 Trefferlage 1.20 mm links, 0.40 mm tief  
 Streuwert 3.20, horizontal: 3.54, vertikal: 2.83



Serie 1:  
 9.5 →                      9.8 ↘                      10.3 \*                      8.1 ←                      9.7 ←  
 8.7 ←                      8.4 ↖                      8.7 ↗                      10.0 ↗                      9.0 ↓

beste Teiler 172.6 (3.) 249.4 (9.) 295.5 (2.)  
 Trefferlage 1.36 mm links, 0.14 mm hoch  
 Streuwert 3.30, horizontal: 3.78, vertikal: 2.75





Serie 2:  
 8.8 ↖                      9.0 →                      10.1 →                      8.1 ↘                      9.3 ↗  
 9.1 ↗                      9.3 ↙                      9.0 ←                      9.3 ←                      10.2 \*


beste Teiler 196.9 (20.) 222.6 (13.) 409.0 (17.)  
 Trefferlage 1.04 mm links, 0.94 mm tief  
 Streuwert 3.23, horizontal: 3.48, vertikal: 2.95

Unterschrift des Schützen


Ergebnis: **370** (388.4)  
 Serien: 91 97 95 87  
 Zähler: 19 13 7 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 937 (33), 699 (5), 680 (31)  
 beste Teiler 31.3 (7.) 35.6 (28.) 50.2 (11.)  
 Trefferlage 0.07 mm links, 0.02 mm hoch  
 Streuwert 2.69, horizontal: 3.46, vertikal: 1.59




Serie 1:  
 9.7 ↙ 10.2 \* 9.7 ↙ 9.9 ↑ 8.2 ←  
 9.6 → 10.8 \* 9.5 → 8.7 → 10.3 \*  
 beste Teiler 31.3 (7.) 160.6 (10.) 176.7 (2.)  
 Trefferlage 0.03 mm rechts, 0.00 mm  
 Streuwert 2.76, horizontal: 3.66, vertikal: 1.37



Serie 2:  
 10.8 \* 10.4 \* 9.8 ↘ 10.2 \* 10.1 ↑  
 10.0 → 10.1 ↙ 8.5 ↘ 10.6 \* 10.2 \*  
 beste Teiler 50.2 (11.) 88.6 (19.) 148.8 (12.)  
 Trefferlage 0.77 mm rechts, 1.00 mm tief  
 Streuwert 1.76, horizontal: 1.73, vertikal: 1.78



Serie 3:  
 10.5 \* 9.1 ← 10.5 \* 9.8 → 10.3 \*  
 9.9 ↘ 10.1 ↗ 10.8 \* 10.5 \* 8.8 →  
 beste Teiler 35.6 (28.) 108.2 (21.) 117.5 (29.)  
 Trefferlage 0.58 mm rechts, 0.60 mm hoch  
 Streuwert 2.00, horizontal: 2.69, vertikal: 0.86





Serie 4:  
 8.2 ↘ 9.0 ← 7.2 ← 9.2 ↘ 10.4 \*  
 9.4 → 9.8 → 8.5 ← 10.5 \* 8.6 →  
 beste Teiler 114.0 (39.) 132.9 (35.) 279.0 (37.)  
 Trefferlage 1.70 mm links, 0.50 mm hoch  
 Streuwert 3.70, horizontal: 4.90, vertikal: 1.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (386.2)  
 Serien: 94 93 91 93  
 Zähler: 15 21 4 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 717 (21), 627 (18), 625 (29)  
 beste Teiler 45.1 (36.) 87.2 (16.) 106.3 (10.)  
 Trefferlage 0.39 mm links, 0.39 mm tief  
 Streuwert 2.57, horizontal: 2.86, vertikal: 2.23




Serie 1:  
 10.1 ↗ 10.4 \* 9.7 ↘ 10.0 ← 9.3 →  
 9.1 ↘ 8.6 → 10.2 \* 9.7 ↘ 10.5 \*  
 beste Teiler 106.3 (10.) 127.6 (2.) 180.4 (8.)  
 Trefferlage 0.08 mm rechts, 0.67 mm hoch  
 Streuwert 2.44, horizontal: 2.95, vertikal: 1.78



Serie 2:  
 10.0 ↘ 10.2 \* 9.6 ↙ 9.1 ↘ 9.2 ↘  
 10.6 \* 9.7 ← 8.4 ↙ 10.5 \* 9.2 →  
 beste Teiler 87.2 (16.) 117.0 (19.) 188.5 (12.)  
 Trefferlage 0.09 mm rechts, 0.54 mm tief  
 Streuwert 2.71, horizontal: 3.07, vertikal: 2.28



Serie 3:  
 8.1 ↙ 9.8 ↘ 10.4 \* 9.2 ↘ 9.8 ↘  
 9.2 ↓ 10.0 ↑ 9.3 ← 8.5 ↙ 10.0 ↓  
 beste Teiler 140.2 (23.) 232.3 (27.) 243.3 (30.)  
 Trefferlage 1.00 mm links, 1.56 mm tief  
 Streuwert 2.81, horizontal: 3.27, vertikal: 2.26



Serie 4:  
 9.1 ↙ 10.3 \* 10.2 \* 9.8 ↘ 9.9 ↘  
 10.8 \* 9.4 ← 9.6 ↘ 9.3 ↑ 9.4 ←  
 beste Teiler 45.1 (36.) 164.1 (32.) 196.4 (33.)  
 Trefferlage 0.75 mm links, 0.13 mm tief  
 Streuwert 2.32, horizontal: 2.36, vertikal: 2.27

Unterschrift des Schützen

Ergebnis: **375** (394.5)

Serien: 93 93 93 96

Zähler: 21 16 1 1 1 0 0 0 0 0



Innenzehner: 17

weiteste: 1122 (24), 866 (8), 627 (32)

beste Teiler 26.8 (39.) 70.8 (37.) 106.7 (23.)

Trefferlage 0.79 mm links, 0.14 mm hoch

Streuwert 2.37, horizontal: 2.93, vertikal: 1.61




Serie 1:

10.0 ↗	9.6 ↘	10.3 *	10.1 ↙	9.8 ↙
9.9 ↗	10.4 *	7.5 ←	10.3 *	9.8 ←

beste Teiler 147.1 (7.) 166.4 (3.) 167.5 (9.)

Trefferlage 1.63 mm links, 0.27 mm tief

Streuwert 2.38, horizontal: 2.91, vertikal: 1.70




Serie 2:

9.9 ↓	9.9 ↑	9.5 →	9.7 →	9.9 →
10.2 *	9.0 ←	10.1 →	10.3 *	9.4 ↑

beste Teiler 171.2 (19.) 191.4 (16.) 205.5 (18.)

Trefferlage 0.87 mm rechts, 0.45 mm hoch

Streuwert 2.18, horizontal: 2.44, vertikal: 1.89




Serie 3:

10.4 *	10.2 *	10.5 *	6.5 ←	9.5 ↓
9.9 ↙	9.7 ↘	10.3 *	10.1 ↘	10.4 *

beste Teiler 106.7 (23.) 128.5 (30.) 137.5 (21.)

Trefferlage 1.20 mm links, 0.04 mm tief

Streuwert 2.95, horizontal: 3.85, vertikal: 1.62



Serie 4:

9.9 ↗	8.4 ↖	10.2 *	10.4 *	10.4 *
10.3 *	10.7 *	10.4 *	10.8 *	9.9 ↖

beste Teiler 26.8 (39.) 70.8 (37.) 132.3 (38.)



Trefferlage 1.22 mm links, 0.46 mm hoch

Streuwert 1.64, horizontal: 1.91, vertikal: 1.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>371</b>	(387.4)
Serien:	92 93 94 92	
Zähler:	18 16 5 1 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	808 (37), 709 (9), 684 (38)	
beste Teiler	41.4 (16.) 125.6 (35.) 132.5 (33.)	
Trefferlage	1.71 mm links, 0.70 mm tief	
Streuwert	2.22, horizontal: 2.67, vertikal: 1.65	




Serie 1:	10.2 *	10.0 ↗	9.9 ←	10.2 *	9.6 ←
	8.8 ←	9.6 ↘	10.1 ←	8.1 ←	9.9 →
beste Teiler	199.0 (1.)	199.6 (4.)	202.2 (8.)		
Trefferlage	1.64 mm links, 0.12 mm hoch				
Streuwert	2.44, horizontal: 3.06, vertikal: 1.59				



Serie 2:	9.7 →	9.1 →	10.3 *	9.3 ←	8.9 ←
	10.8 *	9.7 ←	9.5 ←	10.3 *	10.1 ←
beste Teiler	41.4 (16.)	160.6 (13.)	166.0 (19.)		
Trefferlage	1.04 mm links, 0.37 mm tief				
Streuwert	2.28, horizontal: 2.94, vertikal: 1.32				



Serie 3:	10.4 *	9.5 ↖	9.7 ↙	9.2 ←	10.0 ←
	9.5 ↖	10.1 ←	9.2 ↓	9.8 ↘	10.1 ↓
beste Teiler	137.4 (21.)	205.5 (27.)	220.0 (30.)		
Trefferlage	1.67 mm links, 1.23 mm tief				
Streuwert	1.78, horizontal: 1.87, vertikal: 1.68				





Serie 4:	10.3 *	10.3 *	10.4 *	10.1 ↖	10.5 *
	8.3 ←	7.7 ←	8.2 ←	10.3 *	9.7 ↓
beste Teiler	125.6 (35.)	132.5 (33.)	161.4 (31.)		
Trefferlage	2.49 mm links, 1.35 mm tief				
Streuwert	2.37, horizontal: 2.87, vertikal: 1.73				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>367</b>	(387.3)
Serien:	90 94 92 91	
Zähler:	12 23 5 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	598 (6), 572 (39), 539 (17)	
beste Teiler	42.0 (20.) 53.3 (19.) 95.9 (13.)	
Trefferlage	0.28 mm links, 0.26 mm hoch	
Streuwert	2.45, horizontal: 2.27, vertikal: 2.62	




Serie 1:	8.9 ↗	10.0 ↖	9.8 ↓	9.1 ↑	9.9 ↙
	8.6 ↑	10.1 ↗	9.7 ←	9.8 ↘	9.7 ↘
beste Teiler	201.2 (7.) 242.3 (2.) 264.1 (5.)				
Trefferlage	0.29 mm links, 1.27 mm hoch				
Streuwert	2.59, horizontal: 1.89, vertikal: 3.14				



Serie 2:	9.4 ←	9.9 ↙	10.6 *	10.0 ↘	9.6 ↖
	9.9 ↓	8.8 →	10.1 ↘	10.7 *	10.8 *
beste Teiler	42.0 (20.) 53.3 (19.) 95.9 (13.)				
Trefferlage	0.48 mm links, 0.26 mm tief				
Streuwert	2.10, horizontal: 2.61, vertikal: 1.40				





Serie 3:	9.0 ↑	9.5 →	9.4 ↑	9.9 ↖	10.1 ←
	9.2 ↑	9.7 →	9.9 ↑	10.0 ↘	9.5 ↓
beste Teiler	211.5 (25.) 246.2 (29.) 261.0 (28.)				
Trefferlage	0.10 mm rechts, 1.48 mm hoch				
Streuwert	2.33, horizontal: 2.06, vertikal: 2.57				




Serie 4:	10.2 *	9.4 ↙	9.4 →	9.8 ↓	9.6 ↘
	10.0 ↖	8.9 ↙	10.3 *	8.7 ↖	9.4 ↘
beste Teiler	170.1 (38.) 176.2 (31.) 226.4 (36.)				
Trefferlage	0.46 mm links, 1.42 mm tief				
Streuwert	2.51, horizontal: 2.74, vertikal: 2.26				

Unterschrift des Schützen


Ergebnis: **380** (397.8)  
 Serien: 98 94 92 96  
 Zähler: 21 18 1 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 549 (28), 485 (17), 431 (27)  
 beste Teiler 7.6 (40.) 56.5 (7.) 68.4 (36.)  
 Trefferlage 0.20 mm rechts, 0.68 mm hoch  
 Streuwert 1.93, horizontal: 2.34, vertikal: 1.41




Serie 1:  
 10.0 ↙ 10.1 → 10.2 \* 10.5 \* 10.3 \*  
 10.5 \* 10.7 \* 9.5 ↑ 9.5 → 10.4 \*  
 beste Teiler 56.5 (7.) 121.8 (4.) 124.9 (6.)  
 Trefferlage 0.14 mm rechts, 0.46 mm hoch  
 Streuwert 1.61, horizontal: 1.84, vertikal: 1.35



Serie 2:  
 9.8 ↘ 10.3 \* 9.6 ↗ 10.3 \* 9.4 →  
 9.8 ← 9.0 → 10.0 ↑ 9.6 ↘ 10.1 ↗  
 beste Teiler 151.2 (14.) 153.4 (12.) 215.1 (20.)  
 Trefferlage 0.51 mm rechts, 0.90 mm hoch  
 Streuwert 2.14, horizontal: 2.68, vertikal: 1.40



Serie 3:  
 9.9 ↑ 10.0 → 10.4 \* 9.6 ← 10.4 \*  
 9.8 ↗ 9.2 ← 8.8 → 9.7 ← 9.9 ↘  
 beste Teiler 126.6 (25.) 146.0 (23.) 247.0 (22.)  
 Trefferlage 0.05 mm links, 0.40 mm hoch  
 Streuwert 2.38, horizontal: 3.06, vertikal: 1.38





Serie 4:  
 10.1 ← 10.3 \* 9.9 ↑ 9.4 ↘ 9.3 ↗  
 10.7 \* 10.1 ↗ 9.7 ↑ 10.1 → 10.9 \*  
 beste Teiler 7.6 (40.) 68.4 (36.) 152.2 (32.)  
 Trefferlage 0.23 mm rechts, 0.94 mm hoch  
 Streuwert 1.75, horizontal: 1.87, vertikal: 1.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.9)  
 Serien: 89 92 95 82  
 Zähler: 11 19 7 3 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 871 (31), 808 (14), 762 (6)  
 beste Teiler 59.9 (28.) 85.0 (4.) 87.1 (23.)  
 Trefferlage 0.49 mm links, 0.88 mm hoch  
 Streuwert 3.03, horizontal: 3.61, vertikal: 2.31




Serie 1:  
 9.4 ↗ 9.7 ↘ 9.7 ↗ 10.6 \* 10.0 ←  
 7.9 ← 9.5 ← 9.2 ↘ 9.4 ↗ 8.5 ↗  
 beste Teiler 85.0 (4.) 246.7 (5.) 316.4 (3.)  
 Trefferlage 0.34 mm links, 1.75 mm hoch  
 Streuwert 2.94, horizontal: 3.91, vertikal: 1.39



Serie 2:  
 9.6 ↘ 10.4 \* 9.8 ↑ 7.7 ↘ 9.5 ↗  
 10.1 ↑ 10.2 \* 10.4 \* 9.3 ↗ 9.6 ↑  
 beste Teiler 138.2 (12.) 142.8 (18.) 194.7 (17.)  
 Trefferlage 0.23 mm links, 1.78 mm hoch  
 Streuwert 2.45, horizontal: 2.94, vertikal: 1.84



Serie 3:  
 9.5 ↗ 9.1 → 10.6 \* 9.0 ↘ 10.0 ↑  
 10.2 \* 9.6 ↘ 10.7 \* 10.0 → 9.0 ←  
 beste Teiler 59.9 (28.) 87.1 (23.) 180.0 (26.)  
 Trefferlage 0.06 mm rechts, 1.02 mm hoch  
 Streuwert 2.32, horizontal: 2.77, vertikal: 1.76





Serie 4:  
 7.5 ← 8.6 ↘ 8.7 ← 9.9 → 8.6 ←  
 8.5 ← 9.1 → 9.5 ↘ 8.6 ↘ 8.7 ↗  
 beste Teiler 267.0 (34.) 374.3 (38.) 464.6 (37.)  
 Trefferlage 1.46 mm links, 1.03 mm tief  
 Streuwert 4.02, horizontal: 4.85, vertikal: 2.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.4)  
 Serien: 92 95 94 95  
 Zähler: 21 14 5 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 678 (12), 607 (6), 588 (29)  
 beste Teiler 44.6 (15.) 66.3 (10.) 72.4 (19.)  
 Trefferlage 0.26 mm rechts, 0.03 mm tief  
 Streuwert 2.30, horizontal: 2.20, vertikal: 2.40




Serie 1:  
 9.0 ↓ 10.5 \* 9.8 → 9.8 ↑ 9.2 ↓  
 8.5 ↖ 10.6 \* 9.9 ↘ 9.2 ↓ 10.7 \*  
 beste Teiler 66.3 (10.) 85.0 (7.) 106.9 (2.)  
 Trefferlage 0.28 mm rechts, 0.81 mm tief  
 Streuwert 2.52, horizontal: 1.62, vertikal: 3.18



Serie 2:  
 9.8 ↗ 8.2 → 9.9 ↙ 10.0 ↖ 10.8 \*  
 10.0 ↓ 10.0 ↑ 9.6 ↓ 10.7 \* 10.2 \*  
 beste Teiler 44.6 (15.) 72.4 (19.) 176.3 (20.)  
 Trefferlage 0.52 mm rechts, 0.23 mm tief  
 Streuwert 2.24, horizontal: 2.43, vertikal: 2.03



Serie 3:  
 10.6 \* 9.9 ↑ 10.0 ↙ 10.3 \* 9.4 ↑  
 10.0 ↖ 9.2 ↑ 9.6 ↑ 8.6 ↘ 10.0 ↓  
 beste Teiler 94.8 (21.) 163.4 (24.) 226.1 (30.)  
 Trefferlage 0.10 mm links, 0.71 mm hoch  
 Streuwert 2.38, horizontal: 1.96, vertikal: 2.74





Serie 4:  
 10.6 \* 10.6 \* 10.5 \* 10.3 \* 8.9 ←  
 8.8 → 10.0 ↘ 10.2 \* 10.3 \* 9.2 ↖  
 beste Teiler 82.2 (32.) 96.3 (31.) 123.1 (33.)  
 Trefferlage 0.36 mm rechts, 0.18 mm hoch  
 Streuwert 2.26, horizontal: 2.90, vertikal: 1.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>364</b>	(380.2)
Serien:	91 93 90 90	
Zähler:	13 20 5 2 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	848 (25), 763 (6), 702 (31)	
beste Teiler	86.8 (21.) 117.0 (3.) 138.6 (17.)	
Trefferlage	0.15 mm links, 0.11 mm hoch	
Streuwert	2.92, horizontal: 3.34, vertikal: 2.44	




Serie 1:	9.9 ↘	10.1 ←	10.5 *	8.3 ↖	10.0 ↘
	7.9 ↘	9.8 ↗	9.2 ←	10.0 ↓	9.7 ↖
beste Teiler	117.0 (3.)	221.0 (2.)	232.2 (9.)		
Trefferlage	1.48 mm links, 0.45 mm hoch				
Streuwert	2.76, horizontal: 2.90, vertikal: 2.60				



Serie 2:	9.3 ↙	10.2 *	9.8 ↓	9.0 →	9.0 ↑
	9.9 ↙	10.4 *	9.6 ↘	10.2 *	9.1 →
beste Teiler	138.6 (17.)	183.6 (19.)	199.3 (12.)		
Trefferlage	0.43 mm rechts, 0.20 mm tief				
Streuwert	2.57, horizontal: 2.63, vertikal: 2.50				





Serie 3:	10.6 *	9.9 ↓	9.8 ↑	9.2 →	7.6 ←
	9.6 →	10.0 ↑	9.0 ↘	8.2 →	10.3 *
beste Teiler	86.8 (21.)	154.4 (30.)	230.3 (27.)		
Trefferlage	0.79 mm rechts, 0.35 mm hoch				
Streuwert	3.26, horizontal: 4.13, vertikal: 2.04				




Serie 4:	8.1 ↙	9.8 ↑	9.5 ←	10.2 *	9.1 ←
	9.9 ↗	8.4 ↘	10.2 *	8.5 →	10.4 *
beste Teiler	143.3 (40.)	184.3 (38.)	194.6 (34.)		
Trefferlage	0.38 mm links, 0.13 mm tief				
Streuwert	3.21, horizontal: 3.53, vertikal: 2.85				

Unterschrift des Schützen


Ergebnis: **310** (328.0)  
 Serien: 78 77 70 85  
 Zähler: 5 11 10 7 4 0 2 0 0 0  
 Innenzehner: 3  
 weiteste: 4326 (22), 1539 (13), 1525 (26)  
 beste Teiler 91.7 (40.) 118.0 (11.) 179.8 (32.)  
 Trefferlage 2.51 mm links, 2.75 mm hoch  
 Streuwert 6.55, horizontal: 8.50, vertikal: 3.67




Serie 1:  
 8.7 ↓                      7.8 ↖                      9.1 ↗                      6.1 ←                      7.7 ↑  
 8.9 ↘                      8.8 ←                      9.2 ←                      9.4 ↑                      7.6 ←  
 beste Teiler 376.2 (9.) 440.3 (8.) 461.8 (3.)  
 Trefferlage 3.04 mm links, 2.39 mm hoch  
 Streuwert 4.33, horizontal: 4.78, vertikal: 3.84



Serie 2:  
 10.5 \*                      6.8 ↘                      4.8 ↘                      6.5 ↑                      9.1 ↖  
 7.5 ←                      7.7 ↘                      9.3 ↗                      9.5 ↘                      10.0 ↓  
 beste Teiler 118.0 (11.) 229.9 (20.) 373.1 (19.)  
 Trefferlage 3.68 mm links, 3.55 mm hoch  
 Streuwert 4.76, horizontal: 5.07, vertikal: 4.44



Serie 3:  
 7.1 ↘                      0.0 ←                      9.1 ↑                      8.4 ↗                      8.5 ↑  
 4.9 →                      10.1 ↗                      9.5 ↘                      6.5 ↘                      9.4 ←  
 beste Teiler 208.5 (27.) 365.9 (28.) 389.3 (30.)  
 Trefferlage 4.28 mm links, 2.94 mm hoch  
 Streuwert 11.01, horizontal: 15.23, vertikal: 3.24





Serie 4:  
 8.2 ↗                      10.2 \*                      9.2 ↗                      8.9 ↘                      9.3 ↖  
 8.5 ↗                      8.5 →                      7.9 ↑                      8.2 ↘                      10.6 \*  
 beste Teiler 91.7 (40.) 179.8 (32.) 412.3 (35.)  
 Trefferlage 0.94 mm rechts, 2.13 mm hoch  
 Streuwert 3.63, horizontal: 3.80, vertikal: 3.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (391.6)  
 Serien: 93 95 97 91  
 Zähler: 20 16 4 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 743 (4), 662 (32), 563 (35)  
 beste Teiler 34.1 (1.) 44.5 (15.) 56.7 (9.)  
 Trefferlage 0.03 mm links, 0.90 mm tief  
 Streuwert 2.33, horizontal: 2.54, vertikal: 2.11




Serie 1:  
 10.8 \*                      10.1 ←                      9.5 →                      8.0 ↘                      10.0 →  
 9.5 →                      9.4 →                      9.8 ↓                      10.7 \*                      9.9 →  
 beste Teiler 34.1 (1.) 56.7 (9.) 209.1 (2.)  
 Trefferlage 1.76 mm rechts, 0.59 mm tief  
 Streuwert 2.23, horizontal: 2.52, vertikal: 1.89



Serie 2:  
 9.7 ↘                      10.1 ↗                      9.9 ↓                      10.4 \*                      10.8 \*  
 10.7 \*                      9.8 ←                      9.0 →                      9.0 ←                      10.4 \*  
 beste Teiler 44.5 (15.) 70.9 (16.) 141.3 (20.)  
 Trefferlage 0.12 mm links, 0.85 mm tief  
 Streuwert 2.05, horizontal: 2.59, vertikal: 1.31



Serie 3:  
 9.5 ←                      10.4 \*                      9.3 →                      10.0 ✓                      10.6 \*  
 10.1 ↓                      10.3 \*                      9.1 ↓                      10.4 \*                      10.2 \*  
 beste Teiler 80.0 (25.) 142.2 (22.) 142.3 (29.)  
 Trefferlage 0.10 mm links, 1.17 mm tief  
 Streuwert 1.83, horizontal: 1.93, vertikal: 1.72





Serie 4:  
 10.3 \*                      8.3 ↓                      8.8 ←                      10.2 \*                      8.7 ✓  
 10.1 ↓                      9.4 ↓                      9.0 ↘                      10.3 \*                      9.1 ↘  
 beste Teiler 151.2 (39.) 154.0 (31.) 176.1 (34.)  
 Trefferlage 1.69 mm links, 0.98 mm tief  
 Streuwert 2.77, horizontal: 2.11, vertikal: 3.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>369</b>	(387.9)
Serien:	90 94 93 92	
Zähler:	18 14 7 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	975 (36), 615 (5), 607 (39)	
beste Teiler	70.0 (17.) 71.5 (37.) 86.2 (6.)	
Trefferlage	0.19 mm rechts, 0.78 mm hoch	
Streuwert	2.56, horizontal: 3.25, vertikal: 1.59	




Serie 1:	8.6 ←	9.7 ↘	8.8 ←	9.7 ↓	8.5 ↗
	10.6 *	9.5 ↑	10.5 *	9.7 ↖	10.0 ←
beste Teiler	86.2 (6.) 110.0 (8.) 228.8 (10.)				
Trefferlage	1.06 mm links, 1.11 mm hoch				
Streuwert	2.63, horizontal: 3.19, vertikal: 1.91				



Serie 2:	8.8 →	9.6 ↑	10.0 ↗	9.4 ↑	10.5 *
	10.1 ↘	10.7 *	9.7 ↖	10.3 *	9.9 →
beste Teiler	70.0 (17.) 104.0 (15.) 151.6 (19.)				
Trefferlage	0.69 mm rechts, 1.13 mm hoch				
Streuwert	1.97, horizontal: 2.22, vertikal: 1.69				



Serie 3:	10.6 *	8.8 →	10.4 *	10.0 →	9.2 ↗
	10.3 *	9.7 ↘	8.8 ←	10.3 *	9.2 ↘
beste Teiler	93.0 (21.) 137.2 (23.) 151.9 (26.)				
Trefferlage	0.71 mm rechts, 0.57 mm hoch				
Streuwert	2.48, horizontal: 3.29, vertikal: 1.21				





Serie 4:	10.5 *	9.9 ↑	10.2 *	9.8 →	9.2 →
	7.1 ←	10.7 *	10.1 ↗	8.5 ↘	10.0 ←
beste Teiler	71.5 (37.) 102.0 (31.) 186.2 (33.)				
Trefferlage	0.45 mm rechts, 0.31 mm hoch				
Streuwert	3.15, horizontal: 4.17, vertikal: 1.58				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>364</b>	(382.4)
Serien:	92 90 93 89	
Zähler:	16 15 6 3 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	992 (32), 844 (16), 775 (3)	
beste Teiler	71.1 (39.) 75.4 (6.) 83.6 (4.)	
Trefferlage	0.92 mm links, 0.39 mm hoch	
Streuwert	2.86, horizontal: 3.47, vertikal: 2.08	




Serie 1:	10.0 ↘	9.3 →	7.9 →	10.6 *	9.8 ←
	10.7 *	9.3 ←	10.1 ↙	9.7 →	9.9 →
beste Teiler	75.4 (6.)	83.6 (4.)	219.7 (8.)		
Trefferlage	0.65 mm rechts, 0.29 mm hoch				
Streuwert	2.65, horizontal: 3.64, vertikal: 0.87				



Serie 2:	10.1 ↗	8.6 ↖	9.5 ↗	10.0 ↘	9.4 ↘
	7.6 ←	10.1 ↘	9.8 ↘	8.9 ←	10.4 *
beste Teiler	137.0 (20.)	205.2 (11.)	211.6 (17.)		
Trefferlage	1.17 mm links, 0.27 mm tief				
Streuwert	3.08, horizontal: 3.73, vertikal: 2.26				



Serie 3:	10.5 *	9.3 ←	10.3 *	10.4 *	10.1 ↘
	8.6 ↖	8.0 ←	9.9 ↗	10.1 ←	9.9 →
beste Teiler	108.1 (21.)	128.1 (24.)	173.0 (23.)		
Trefferlage	1.90 mm links, 0.19 mm tief				
Streuwert	2.34, horizontal: 2.94, vertikal: 1.52				





Serie 4:	9.4 ←	7.0 ↗	9.7 ↑	8.6 ↘	10.3 *
	10.2 *	8.7 ↖	9.8 ↘	10.7 *	9.2 ←
beste Teiler	71.1 (39.)	158.4 (35.)	197.3 (36.)		
Trefferlage	1.27 mm links, 1.76 mm hoch				
Streuwert	3.16, horizontal: 3.51, vertikal: 2.76				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (392.1)  
 Serien: 91 96 94 95  
 Zähler: 19 18 3 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 747 (38), 645 (7), 530 (27)  
 beste Teiler 3.0 (18.) 28.6 (6.) 86.3 (22.)  
 Trefferlage 0.09 mm links, 0.62 mm hoch  
 Streuwert 2.31, horizontal: 2.75, vertikal: 1.77




Serie 1:  
 9.6 ↗ 9.5 → 9.7 ← 9.7 → 9.6 ↙  
 10.8 \* 8.4 ← 10.1 ↑ 9.7 ↑ 9.3 ↙  
 beste Teiler 28.6 (6.) 216.2 (8.) 305.1 (9.)  
 Trefferlage 0.49 mm links, 0.53 mm hoch  
 Streuwert 2.63, horizontal: 3.29, vertikal: 1.73



Serie 2:  
 9.3 ↘ 9.7 ↘ 10.3 \* 10.1 ↑ 9.4 ↖  
 10.4 \* 10.2 \* 10.9 \* 9.6 ↑ 10.6 \*  
 beste Teiler 3.0 (18.) 93.0 (20.) 132.3 (16.)  
 Trefferlage 0.09 mm rechts, 0.44 mm hoch  
 Streuwert 1.92, horizontal: 1.89, vertikal: 1.95



Serie 3:  
 10.0 ↑ 10.6 \* 9.1 ↘ 10.4 \* 9.4 ↖  
 10.1 ↖ 8.8 ↑ 9.4 ↖ 10.3 \* 9.2 ↖  
 beste Teiler 86.3 (22.) 146.1 (24.) 159.8 (29.)  
 Trefferlage 1.06 mm links, 1.22 mm hoch  
 Streuwert 2.22, horizontal: 2.19, vertikal: 2.26





Serie 4:  
 9.9 ↖ 10.2 \* 10.3 \* 9.3 → 9.1 →  
 10.2 \* 10.4 \* 8.0 → 10.5 \* 10.0 ↖  
 beste Teiler 108.5 (39.) 136.3 (37.) 155.9 (33.)  
 Trefferlage 1.09 mm rechts, 0.31 mm hoch  
 Streuwert 2.43, horizontal: 3.27, vertikal: 1.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (405.3)  
 Serien: 98 97 99 92  
 Zähler: 27 12 1 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 502 (39), 476 (3), 441 (20)  
 beste Teiler 32.7 (1.) 51.8 (5.) 56.8 (27.)  
 Trefferlage 0.07 mm links, 0.32 mm hoch  
 Streuwert 1.69, horizontal: 1.90, vertikal: 1.46




Serie 1:  
 10.8 \*                      9.9 ↖                      9.0 ←                      10.7 \*                      10.7 \*  
 10.6 \*                      10.0 ↘                      10.5 \*                      10.1 ↗                      10.2 \*  
 beste Teiler 32.7 (1.) 51.8 (5.) 63.9 (4.)  
 Trefferlage 0.70 mm links, 0.45 mm hoch  
 Streuwert 1.48, horizontal: 1.92, vertikal: 0.85



Serie 2:  
 10.1 ↙                      9.9 →                      10.6 \*                      10.7 \*                      10.3 \*  
 10.3 \*                      10.5 \*                      10.5 \*                      9.7 ↘                      9.2 ↑  
 beste Teiler 70.0 (14.) 99.7 (13.) 119.5 (17.)  
 Trefferlage 0.29 mm rechts, 0.36 mm hoch  
 Streuwert 1.65, horizontal: 1.48, vertikal: 1.80



Serie 3:  
 10.1 ↘                      10.3 \*                      10.4 \*                      10.2 \*                      10.5 \*  
 9.9 ↘                      10.7 \*                      10.7 \*                      10.1 ↓                      10.3 \*  
 beste Teiler 56.8 (27.) 69.5 (28.) 103.4 (25.)  
 Trefferlage 0.47 mm links, 0.01 mm hoch  
 Streuwert 1.21, horizontal: 1.06, vertikal: 1.35





Serie 4:  
 9.9 ↗                      9.6 ↖                      10.7 \*                      9.5 →                      9.9 ←  
 9.3 ↘                      10.2 \*                      10.1 ↓                      8.9 →                      9.7 →  
 beste Teiler 62.3 (33.) 194.2 (37.) 206.9 (38.)  
 Trefferlage 0.57 mm rechts, 0.45 mm hoch  
 Streuwert 2.31, horizontal: 2.72, vertikal: 1.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (366.7)  
 Serien: 86 88 86 89  
 Zähler: 9 17 10 2 2 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1104 (27), 1035 (19), 957 (18)  
 beste Teiler 76.6 (40.) 82.8 (16.) 83.2 (13.)  
 Trefferlage 0.18 mm links, 0.14 mm hoch  
 Streuwert 3.67, horizontal: 4.11, vertikal: 3.17




Serie 1:  
 8.4 ↖ 9.4 ↖ 7.5 ↗ 9.8 ↘ 8.8 ←  
 10.3 \* 9.3 ↘ 10.2 \* 8.9 ↓ 8.3 ↓  
 beste Teiler 171.6 (6.) 185.1 (8.) 288.0 (4.)  
 Trefferlage 1.67 mm links, 1.56 mm tief  
 Streuwert 3.38, horizontal: 3.35, vertikal: 3.42



Serie 2:  
 9.3 ↘ 10.3 \* 10.6 \* 9.1 ← 9.6 ↑  
 10.6 \* 8.8 ↗ 7.1 → 6.8 ↖ 10.4 \*  
 beste Teiler 82.8 (16.) 83.2 (13.) 142.2 (20.)  
 Trefferlage 0.37 mm rechts, 1.03 mm hoch  
 Streuwert 3.90, horizontal: 4.86, vertikal: 2.60



Serie 3:  
 9.3 ↘ 8.8 ↗ 10.1 ↘ 10.6 \* 8.7 ↗  
 9.1 ← 6.5 ↘ 9.5 ↑ 8.3 → 9.2 ←  
 beste Teiler 84.4 (24.) 217.9 (23.) 357.1 (28.)  
 Trefferlage 0.42 mm rechts, 0.55 mm hoch  
 Streuwert 4.09, horizontal: 4.94, vertikal: 3.00





Serie 4:  
 9.5 → 9.8 ↖ 8.3 → 9.9 ↗ 8.1 ↑  
 9.2 ↓ 9.3 ↖ 9.3 ↑ 9.1 ← 10.6 \*  
 beste Teiler 76.6 (40.) 258.3 (34.) 300.5 (32.)  
 Trefferlage 0.14 mm rechts, 0.57 mm hoch  
 Streuwert 3.32, horizontal: 3.23, vertikal: 3.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (365.0)  
 Serien: 86 86 91 83  
 Zähler: 7 16 14 2 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1214 (37), 932 (23), 851 (12)  
 beste Teiler 138.3 (33.) 154.4 (25.) 162.0 (36.)  
 Trefferlage 0.56 mm rechts, 1.35 mm tief  
 Streuwert 3.50, horizontal: 4.11, vertikal: 2.77




Serie 1:  
 8.7 ↙                      9.5 ↓                      8.7 ↘                      9.8 ↘                      8.8 ↘  
 9.7 ↗                      8.3 ↖                      9.4 →                      10.3 \*                      8.8 ↘  
 beste Teiler 169.1 (9.) 294.7 (4.) 317.1 (6.)  
 Trefferlage 0.67 mm rechts, 1.07 mm tief  
 Streuwert 3.31, horizontal: 3.76, vertikal: 2.79



Serie 2:  
 9.2 ↘                      7.5 ↘                      9.2 ↖                      9.8 ↗                      9.6 ↘  
 9.1 ↘                      9.7 ↘                      8.5 ↓                      9.9 ↘                      8.8 ↘  
 beste Teiler 256.5 (19.) 291.0 (14.) 311.5 (17.)  
 Trefferlage 1.48 mm rechts, 2.46 mm tief  
 Streuwert 2.93, horizontal: 2.86, vertikal: 3.00



Serie 3:  
 9.2 ↖                      9.5 ↓                      7.2 ↘                      10.1 ↘                      10.3 \*  
 8.4 →                      10.2 \*                      9.8 ↙                      10.1 ↘                      9.6 →  
 beste Teiler 154.4 (25.) 199.6 (27.) 209.6 (24.)  
 Trefferlage 1.76 mm rechts, 0.51 mm tief  
 Streuwert 3.02, horizontal: 3.51, vertikal: 2.43





Serie 4:  
 8.8 →                      8.6 ↓                      10.4 \*                      8.8 ←                      8.3 ↓  
 10.3 \*                      6.1 ←                      8.4 →                      9.6 ↓                      8.0 ←  
 beste Teiler 138.3 (33.) 162.0 (36.) 333.7 (39.)  
 Trefferlage 1.64 mm links, 1.36 mm tief  
 Streuwert 4.40, horizontal: 5.52, vertikal: 2.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>343</b>	(363.7)			
Serien:	86	86	82	89	
Zähler:	6	16	15	1	2 0 0 0 0 0
Innenzehner:	5				
weiteste:	1108 (23), 1101 (9), 798 (30)				
beste Teiler	5.0 (3.)	86.3 (36.)	100.0 (29.)		
Trefferlage	1.71 mm rechts, 0.10 mm hoch				
Streuwert	3.55, horizontal: 4.26, vertikal: 2.66				




Serie 1:	10.1 ↖	9.9 ←	10.9 *	8.8 ↘	9.1 →
	8.1 →	8.7 ↗	10.4 *	6.5 →	8.8 ↘
beste Teiler	5.0 (3.) 132.6 (8.) 220.0 (1.)				
Trefferlage	2.61 mm rechts, 0.62 mm hoch				
Streuwert	3.54, horizontal: 4.60, vertikal: 1.99				



Serie 2:	9.3 ↘	9.6 ↘	9.0 ↗	9.9 ↙	8.8 ↙
	9.4 →	8.8 ↖	8.0 ↗	8.7 ↘	9.9 →
beste Teiler	257.1 (14.) 272.8 (20.) 347.6 (12.)				
Trefferlage	1.17 mm rechts, 0.61 mm hoch				
Streuwert	3.41, horizontal: 3.74, vertikal: 3.04				



Serie 3:	9.3 ↓	8.2 ↘	6.5 ↖	8.5 ↘	9.6 ←
	9.9 ↓	8.6 →	8.8 →	10.6 *	7.8 ↗
beste Teiler	100.0 (29.) 255.5 (26.) 349.5 (25.)				
Trefferlage	1.57 mm rechts, 0.50 mm tief				
Streuwert	4.38, horizontal: 5.02, vertikal: 3.63				





Serie 4:	9.0 ↘	8.5 ↘	8.2 →	9.1 →	9.9 ↓
	10.6 *	8.3 ↖	9.6 →	10.3 *	9.7 ↖
beste Teiler	86.3 (36.) 151.0 (39.) 254.0 (35.)				
Trefferlage	1.49 mm rechts, 0.31 mm tief				
Streuwert	3.18, horizontal: 4.13, vertikal: 1.78				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>346</b>	(363.5)
Serien:	82 88 86 90	
Zähler:	4 21 12 3 0 0 0 0 0 0	
Innenzehner:	1	
weiteste:	900 (8), 887 (14), 762 (9)	
beste Teiler	109.1 (35.) 217.2 (39.) 221.1 (12.)	
Trefferlage	0.97 mm rechts, 0.24 mm hoch	
Streuwert	3.53, horizontal: 3.84, vertikal: 3.17	




Serie 1:	8.4 ↗	9.7 →	8.6 ↗	9.5 →	9.3 ↘
	8.6 ↗	9.0 ↑	7.4 →	7.9 ←	8.4 →
beste Teiler	305.3 (2.)	361.1 (4.)	410.9 (5.)		
Trefferlage	2.43 mm rechts, 1.40 mm hoch				
Streuwert	3.89, horizontal: 4.49, vertikal: 3.17				



Serie 2:	9.7 ←	10.1 →	9.7 →	7.4 ↘	9.9 →
	9.6 →	8.5 ←	9.8 ↗	9.6 →	9.6 ↑
beste Teiler	221.1 (12.)	263.7 (15.)	286.2 (18.)		
Trefferlage	1.66 mm rechts, 0.29 mm tief				
Streuwert	3.00, horizontal: 3.65, vertikal: 2.16				



Serie 3:	8.7 ↘	9.0 →	9.5 ↘	9.4 ↗	8.8 ↘
	9.5 →	8.0 ↘	8.6 ↘	9.0 ↘	9.1 ↗
beste Teiler	361.8 (23.)	362.0 (26.)	385.4 (24.)		
Trefferlage	0.33 mm rechts, 0.82 mm hoch				
Streuwert	3.75, horizontal: 3.78, vertikal: 3.72				





Serie 4:	9.5 ↗	10.0 ←	8.3 ←	9.0 ↘	10.5 *
	8.7 ↘	9.8 →	8.0 ↓	10.1 →	9.3 ↘
beste Teiler	109.1 (35.)	217.2 (39.)	242.4 (32.)		
Trefferlage	0.51 mm links, 0.97 mm tief				
Streuwert	3.29, horizontal: 3.24, vertikal: 3.35				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (397.2)  
 Serien: 92 98 95 93  
 Zähler: 22 15 2 1 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 865 (33), 605 (34), 588 (6)  
 beste Teiler 12.0 (8.) 32.0 (11.) 48.7 (38.)  
 Trefferlage 0.55 mm links, 0.05 mm tief  
 Streuwert 2.20, horizontal: 2.64, vertikal: 1.64




Serie 1:  
 9.9 ↘                      9.3 ↘                      9.4 ↘                      9.9 →                      9.9 →  
 8.6 ↘                      9.7 ↙                      10.9 \*                      10.1 ←                      10.2 \*  
 beste Teiler 12.0 (8.) 185.8 (10.) 218.6 (9.)  
 Trefferlage 0.40 mm links, 0.12 mm hoch  
 Streuwert 2.43, horizontal: 2.87, vertikal: 1.89



Serie 2:  
 10.8 \*                      9.4 ↘                      10.1 ←                      10.0 ↘                      10.6 \*  
 10.0 ↑                      9.8 ↙                      10.7 \*                      10.2 \*                      10.5 \*  
 beste Teiler 32.0 (11.) 71.5 (18.) 94.3 (15.)  
 Trefferlage 1.02 mm links, 0.69 mm hoch  
 Streuwert 1.31, horizontal: 1.29, vertikal: 1.32



Serie 3:  
 10.7 \*                      9.3 ↘                      10.7 \*                      9.1 ↘                      9.5 ↙  
 9.8 ↘                      10.5 \*                      10.3 \*                      9.5 ↙                      10.1 ←  
 beste Teiler 66.4 (23.) 67.6 (21.) 108.5 (27.)  
 Trefferlage 0.88 mm links, 0.35 mm tief  
 Streuwert 1.99, horizontal: 2.19, vertikal: 1.78





Serie 4:  
 10.6 \*                      10.5 \*                      7.5 ↘                      8.5 ↘                      10.4 \*  
 9.5 ←                      9.2 ←                      10.8 \*                      10.0 ←                      10.7 \*  
 beste Teiler 48.7 (38.) 70.0 (40.) 85.8 (31.)  
 Trefferlage 0.07 mm rechts, 0.68 mm tief  
 Streuwert 2.89, horizontal: 3.84, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (337.9)  
 Serien: 76 78 91 78  
 Zähler: 4 16 11 4 2 1 1 0 1 0  
 Innenzehner: 2  
 weiteste: 2101 (9), 1620 (20), 1316 (17)  
 beste Teiler 174.2 (27.) 178.0 (14.) 211.8 (22.)  
 Trefferlage 1.87 mm rechts, 1.53 mm hoch  
 Streuwert 4.98, horizontal: 5.80, vertikal: 4.01




Serie 1:  
 8.6 ↗ 9.2 ↘ 7.8 ↗ 8.7 ↘ 8.2 ↘  
 8.5 → 8.1 ↑ 9.4 ↘ 2.5 → 9.1 ↑  
 beste Teiler 384.9 (8.) 431.6 (2.) 473.6 (10.)  
 Trefferlage 1.70 mm rechts, 2.38 mm hoch  
 Streuwert 6.13, horizontal: 7.70, vertikal: 3.97



Serie 2:  
 9.6 ↘ 6.0 ↗ 9.3 ↙ 10.2 \* 9.1 ↘  
 9.6 → 5.7 ← 9.6 ↘ 8.8 ← 4.5 →  
 beste Teiler 178.0 (14.) 334.1 (16.) 341.4 (18.)  
 Trefferlage 0.07 mm rechts, 0.85 mm hoch  
 Streuwert 6.18, horizontal: 7.20, vertikal: 4.95





Serie 3:  
 9.0 ↑ 10.1 → 9.2 ↙ 8.2 ↗ 9.1 ↘  
 8.5 → 10.3 \* 9.1 → 9.7 ↗ 10.0 ↑  
 beste Teiler 174.2 (27.) 211.8 (22.) 245.5 (30.)  
 Trefferlage 1.73 mm rechts, 1.00 mm hoch  
 Streuwert 2.92, horizontal: 2.88, vertikal: 2.96



Serie 4:  
 7.8 ↗ 9.2 ↗ 8.4 → 7.4 ↗ 7.4 →  
 6.8 ↘ 8.1 → 8.1 ↗ 9.5 ↘ 9.5 ↘  
 beste Teiler 359.5 (40.) 374.0 (39.) 428.5 (32.)  
 Trefferlage 3.96 mm rechts, 1.87 mm hoch  
 Streuwert 4.28, horizontal: 4.20, vertikal: 4.35

Unterschrift des Schützen


Ergebnis:	<b>340</b>	(357.3)							
Serien:	85	86	85	84					
Zähler:	4	20	8	8	0	0	0	0	0
Innenzehner:	3								
weiteste:	960 (25), 941 (6), 820 (22)								
beste Teiler	165.1 (16.) 166.0 (20.) 182.1 (27.)								
Trefferlage	0.52 mm links, 1.03 mm tief								
Streuwert	3.85, horizontal: 3.83, vertikal: 3.88								



Serie 1:

8.4 ↙	7.8 ↓	9.8 ↓	9.5 ↗	9.1 ↙
7.2 ↓	9.5 ↗	9.0 ↘	9.9 ↓	9.2 ↘


beste Teiler 269.4 (9.) 295.2 (3.) 351.1 (7.)  
 Trefferlage 0.39 mm links, 1.60 mm tief  
 Streuwert 3.86, horizontal: 3.44, vertikal: 4.25



Serie 2:

8.9 ↖	9.2 ↖	7.8 ↓	8.3 ↖	9.1 →
10.3 *	9.2 ↓	8.1 ↗	8.1 ↘	10.3 *


beste Teiler 165.1 (16.) 166.0 (20.) 443.1 (17.)  
 Trefferlage 0.04 mm rechts, 0.23 mm tief  
 Streuwert 4.10, horizontal: 4.16, vertikal: 4.04



Serie 3:

9.6 ↑	7.7 ↙	9.1 ↖	10.1 ↙	7.1 ↓
9.7 →	10.2 *	7.7 ↖	8.9 ↙	9.7 ↘

beste Teiler 182.1 (27.) 209.8 (24.) 307.1 (30.)  
 Trefferlage 2.04 mm links, 1.13 mm tief  
 Streuwert 3.76, horizontal: 3.85, vertikal: 3.67





Serie 4:

9.1 →	8.2 ↓	9.4 →	9.8 ↘	8.0 ↓
7.9 ↙	9.6 ↓	9.6 →	7.9 ↑	9.3 ←


beste Teiler 291.8 (34.) 337.5 (38.) 348.3 (37.)  
 Trefferlage 0.28 mm rechts, 1.17 mm tief  
 Streuwert 4.01, horizontal: 4.00, vertikal: 4.02

Unterschrift des Schützen


Ergebnis: **378** (395.8)  
 Serien: 96 94 94 94  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 512 (39), 502 (24), 487 (18)  
 beste Teiler 78.4 (31.) 96.8 (34.) 98.3 (2.)  
 Trefferlage 0.16 mm rechts, 0.09 mm hoch  
 Streuwert 2.07, horizontal: 2.35, vertikal: 1.75




Serie 1:  
 10.3 \*                      10.6 \*                      10.0 ↓                      9.3 ↖                      10.0 ↗  
 9.9 →                      9.2 ↖                      10.1 ↑                      9.7 →                      10.2 \*  
 beste Teiler 98.3 (2.) 161.7 (1.) 177.7 (10.)  
 Trefferlage 0.02 mm links, 0.15 mm hoch  
 Streuwert 2.02, horizontal: 2.38, vertikal: 1.59



Serie 2:  
 9.8 ↗                      9.8 ↑                      10.4 \*                      9.9 ↖                      9.4 ←  
 10.5 \*                      10.5 \*                      9.0 ↑                      9.8 ↖                      10.2 \*  
 beste Teiler 117.4 (17.) 121.0 (16.) 129.3 (13.)  
 Trefferlage 0.46 mm links, 1.41 mm hoch  
 Streuwert 1.76, horizontal: 1.74, vertikal: 1.79



Serie 3:  
 10.0 ↓                      9.9 ↓                      9.5 ↓                      8.9 →                      9.1 ↖  
 10.1 ↖                      10.1 →                      10.5 \*                      9.9 →                      10.2 \*  
 beste Teiler 103.1 (28.) 197.2 (30.) 204.6 (26.)  
 Trefferlage 0.43 mm rechts, 0.89 mm tief  
 Streuwert 2.14, horizontal: 2.54, vertikal: 1.65





Serie 4:  
 10.6 \*                      9.3 →                      10.5 \*                      10.6 \*                      10.4 \*  
 9.4 →                      9.4 ↘                      9.7 ↘                      8.9 ←                      10.2 \*  
 beste Teiler 78.4 (31.) 96.8 (34.) 111.0 (33.)  
 Trefferlage 0.71 mm rechts, 0.29 mm tief  
 Streuwert 2.19, horizontal: 2.83, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (349.9)  
 Serien: 86 71 85 92  
 Zähler: 9 12 12 3 2 1 0 0 1 0  
 Innenzehner: 5  
 weiteste: 2139 (15), 1269 (18), 1165 (4)  
 beste Teiler 52.7 (40.) 86.5 (19.) 120.0 (31.)  
 Trefferlage 1.24 mm rechts, 0.08 mm hoch  
 Streuwert 4.75, horizontal: 4.98, vertikal: 4.51




Serie 1:  
 10.0 ↗ 9.2 ↘ 8.9 ← 6.3 ↑ 9.0 ↗  
 9.2 ↘ 8.2 ← 10.0 ↘ 9.7 ↗ 8.6 ↘  
 beste Teiler 228.6 (1.) 250.4 (8.) 319.3 (9.)  
 Trefferlage 0.48 mm links, 1.63 mm hoch  
 Streuwert 4.09, horizontal: 4.07, vertikal: 4.11



Serie 2:  
 8.0 ↖ 9.9 ↖ 9.7 ↖ 8.0 ↓ 2.4 ↗  
 7.7 → 6.3 → 5.9 ↓ 10.6 \* 7.1 ↖  
 beste Teiler 86.5 (19.) 266.1 (12.) 311.2 (13.)  
 Trefferlage 1.99 mm rechts, 1.51 mm tief  
 Streuwert 7.38, horizontal: 8.22, vertikal: 6.42



Serie 3:  
 7.9 ↗ 10.1 → 8.2 → 8.8 ↗ 8.8 →  
 8.0 ↑ 8.9 → 10.4 \* 9.7 → 9.1 ↖  
 beste Teiler 138.2 (28.) 207.9 (22.) 317.0 (29.)  
 Trefferlage 3.14 mm rechts, 2.43 mm hoch  
 Streuwert 2.58, horizontal: 2.62, vertikal: 2.53





Serie 4:  
 10.5 \* 9.0 ← 8.1 ↓ 10.0 ↓ 9.2 ↘  
 9.0 ↓ 10.4 \* 8.8 ↘ 9.6 ↖ 10.7 \*  
 beste Teiler 52.7 (40.) 120.0 (31.) 149.8 (37.)  
 Trefferlage 0.31 mm rechts, 2.22 mm tief  
 Streuwert 2.60, horizontal: 2.73, vertikal: 2.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (378.3)  
 Serien: 90 89 93 90  
 Zähler: 11 20 9 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 734 (13), 731 (37), 729 (39)  
 beste Teiler 43.0 (9.) 87.0 (19.) 88.2 (21.)  
 Trefferlage 0.17 mm links, 0.47 mm hoch  
 Streuwert 2.93, horizontal: 3.50, vertikal: 2.21




Serie 1:  
 9.3 ↙ 9.4 ← 10.0 ↓ 8.9 ← 8.8 ↗  
 9.6 ↓ 8.7 ← 10.3 \* 10.8 \* 9.7 →  
 beste Teiler 43.0 (9.) 162.1 (8.) 244.9 (3.)  
 Trefferlage 1.07 mm links, 0.72 mm tief  
 Streuwert 2.70, horizontal: 3.21, vertikal: 2.07



Serie 2:  
 8.7 ↗ 9.3 → 8.0 → 9.7 ↘ 8.8 ↙  
 9.7 ← 9.9 ↘ 9.8 ← 10.6 \* 10.2 \*  
 beste Teiler 87.0 (19.) 188.0 (20.) 262.4 (17.)  
 Trefferlage 1.23 mm rechts, 0.26 mm tief  
 Streuwert 2.95, horizontal: 3.62, vertikal: 2.06



Serie 3:  
 10.6 \* 9.3 ↖ 9.3 ↖ 9.7 ↖ 9.2 ↖  
 9.0 → 10.3 \* 10.0 → 10.2 \* 8.7 ↘  
 beste Teiler 88.2 (21.) 154.9 (27.) 196.6 (29.)  
 Trefferlage 0.06 mm rechts, 1.10 mm hoch  
 Streuwert 2.58, horizontal: 2.85, vertikal: 2.28





Serie 4:  
 9.0 ← 9.7 ↗ 9.2 ← 10.3 \* 9.0 ↖  
 9.3 ← 8.0 → 10.0 → 8.0 ↖ 9.3 ↗  
 beste Teiler 160.9 (34.) 233.6 (38.) 302.3 (32.)  
 Trefferlage 0.91 mm links, 1.77 mm hoch  
 Streuwert 3.22, horizontal: 4.23, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>354</b>	(374.6)
Serien:	88 86 89 91	
Zähler:	12 16 7 4 1 0 0 0 0 0	
Innenzehner:	8	
weiteste:	1016 (26), 837 (38), 785 (19)	
beste Teiler	72.0 (40.) 93.0 (7.) 102.3 (12.)	
Trefferlage	2.04 mm links, 0.48 mm hoch	
Streuwert	2.94, horizontal: 3.33, vertikal: 2.49	




Serie 1:	7.9 ←	9.5 ↗	7.9 ←	10.5 *	9.7 ↑
	9.4 ↖	10.6 *	9.4 ↗	9.9 ←	9.7 ↑
beste Teiler	93.0 (7.) 110.0 (4.) 271.5 (9.)				
Trefferlage	1.39 mm links, 1.14 mm hoch				
Streuwert	2.94, horizontal: 3.87, vertikal: 1.52				



Serie 2:	8.7 ←	10.5 *	8.8 ←	9.6 →	8.5 ←
	9.9 ↙	10.1 →	8.7 ↘	7.8 ←	9.9 ↖
beste Teiler	102.3 (12.) 209.4 (17.) 256.4 (20.)				
Trefferlage	2.60 mm links, 0.24 mm hoch				
Streuwert	2.95, horizontal: 3.72, vertikal: 1.87				



Serie 3:	10.4 *	9.4 ↖	10.2 *	8.5 ↓	9.8 ←
	6.9 ↖	8.2 ↘	10.4 *	10.1 ←	9.5 ↑
beste Teiler	136.8 (21.) 144.3 (28.) 187.2 (23.)				
Trefferlage	2.52 mm links, 0.92 mm hoch				
Streuwert	3.04, horizontal: 2.63, vertikal: 3.39				





Serie 4:	9.4 ↗	10.1 ↘	10.3 *	9.3 ←	9.2 ←
	8.3 ↓	10.0 ↘	7.6 ←	9.3 ↖	10.7 *
beste Teiler	72.0 (40.) 175.5 (33.) 224.4 (32.)				
Trefferlage	1.65 mm links, 0.38 mm tief				
Streuwert	3.08, horizontal: 3.31, vertikal: 2.82				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (344.4)  
 Serien: 77 87 77 85  
 Zähler: 1 17 13 6 2 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 1315 (1), 1201 (25), 1025 (24)  
 beste Teiler 180.8 (15.) 258.8 (13.) 259.1 (3.)  
 Trefferlage 0.58 mm rechts, 1.61 mm hoch  
 Streuwert 4.43, horizontal: 4.96, vertikal: 3.82




Serie 1:  
 5.7 ↑                      8.6 ←                      9.9 ↘                      7.3 →                      7.7 →  
 9.1 →                      8.5 ↖                      8.8 ↖                      8.7 →                      8.6 →  
 beste Teiler 259.1 (3.) 456.0 (6.) 534.8 (8.)  
 Trefferlage 2.19 mm rechts, 2.16 mm hoch  
 Streuwert 4.84, horizontal: 5.18, vertikal: 4.48



Serie 2:  
 7.1 ↖                      9.1 ↘                      9.9 ↖                      9.4 ↗                      10.2 \*  
 9.8 ↗                      9.2 ↑                      8.6 ↗                      9.8 ↗                      8.8 →  
 beste Teiler 180.8 (15.) 258.8 (13.) 291.0 (16.)  
 Trefferlage 0.90 mm rechts, 1.86 mm hoch  
 Streuwert 3.32, horizontal: 3.96, vertikal: 2.53



Serie 3:  
 8.2 ↗                      8.3 ↘                      9.2 ↘                      6.9 ↗                      6.1 ↖  
 9.1 →                      8.9 ←                      8.6 ↑                      7.1 ←                      8.3 ←  
 beste Teiler 436.8 (23.) 463.8 (26.) 505.0 (27.)  
 Trefferlage 1.24 mm links, 2.05 mm hoch  
 Streuwert 5.36, horizontal: 5.92, vertikal: 4.75





Serie 4:  
 9.8 ↖                      7.3 →                      9.1 ←                      9.1 ↗                      7.6 ↗  
 9.9 ↖                      9.4 ↑                      9.2 ↓                      8.2 ↘                      9.3 ←  
 beste Teiler 273.1 (36.) 280.6 (31.) 383.1 (37.)  
 Trefferlage 0.49 mm rechts, 0.36 mm hoch  
 Streuwert 4.14, horizontal: 4.73, vertikal: 3.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (407.0)  
 Serien: 95 97 99 98  
 Zähler: 29 11 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 464 (39), 439 (3), 410 (10)  
 beste Teiler 23.2 (16.) 48.1 (7.) 58.2 (2.)  
 Trefferlage 0.49 mm rechts, 0.06 mm hoch  
 Streuwert 1.58, horizontal: 1.72, vertikal: 1.43




Serie 1:  
 9.4 ↘ 10.7 \* 9.2 → 9.6 ↓ 10.0 ↗  
 10.7 \* 10.8 \* 10.3 \* 9.5 ↘ 9.3 ↘  
 beste Teiler 48.1 (7.) 58.2 (2.) 63.5 (6.)  
 Trefferlage 0.97 mm rechts, 0.90 mm tief  
 Streuwert 1.93, horizontal: 1.68, vertikal: 2.14



Serie 2:  
 9.7 ↖ 10.6 \* 10.6 \* 9.7 ↗ 10.4 \*  
 10.9 \* 10.1 → 10.3 \* 10.4 \* 9.8 ↗  
 beste Teiler 23.2 (16.) 79.8 (12.) 92.6 (13.)  
 Trefferlage 0.35 mm rechts, 0.42 mm hoch  
 Streuwert 1.46, horizontal: 1.74, vertikal: 1.10



Serie 3:  
 10.1 ↖ 10.0 ↗ 10.3 \* 10.7 \* 10.4 \*  
 10.5 \* 9.7 ↘ 10.2 \* 10.2 \* 10.5 \*  
 beste Teiler 75.1 (24.) 113.0 (26.) 124.4 (30.)  
 Trefferlage 0.74 mm rechts, 0.06 mm hoch  
 Streuwert 1.29, horizontal: 1.50, vertikal: 1.05





Serie 4:  
 10.6 \* 10.6 \* 10.6 \* 10.4 \* 10.4 \*  
 10.2 \* 10.0 ↗ 9.9 → 9.1 ↖ 10.6 \*  
 beste Teiler 84.0 (31.) 85.4 (33.) 91.9 (40.)  
 Trefferlage 0.11 mm links, 0.67 mm hoch  
 Streuwert 1.47, horizontal: 1.98, vertikal: 0.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (393.7)  
 Serien: 90 94 92 97  
 Zähler: 18 17 5 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 597 (17), 585 (9), 580 (21)  
 beste Teiler 56.7 (27.) 83.2 (39.) 84.2 (33.)  
 Trefferlage 1.05 mm rechts, 0.33 mm hoch  
 Streuwert 2.08, horizontal: 2.20, vertikal: 1.94




Serie 1:  
 8.8 ↗ 10.3 \* 9.8 ↖ 8.9 ↘ 10.4 \*  
 9.8 ↑ 10.1 ↘ 9.7 → 8.6 → 9.4 →  
 beste Teiler 134.1 (5.) 157.4 (2.) 216.6 (7.)  
 Trefferlage 2.09 mm rechts, 0.25 mm hoch  
 Streuwert 2.30, horizontal: 2.69, vertikal: 1.84



Serie 2:  
 9.9 → 9.9 ↘ 10.0 ↙ 9.7 ↑ 10.3 \*  
 10.5 \* 8.6 → 9.6 ↑ 10.2 \* 10.0 ←  
 beste Teiler 102.4 (16.) 167.0 (15.) 180.3 (19.)  
 Trefferlage 0.91 mm rechts, 0.22 mm hoch  
 Streuwert 2.12, horizontal: 2.46, vertikal: 1.72



Serie 3:  
 8.6 ↓ 9.2 ↗ 10.1 ↗ 10.4 \* 9.1 ↗  
 9.9 ↘ 10.7 \* 9.8 ↑ 9.8 ↑ 9.6 →  
 beste Teiler 56.7 (27.) 137.0 (24.) 202.1 (23.)  
 Trefferlage 1.33 mm rechts, 0.79 mm hoch  
 Streuwert 2.25, horizontal: 1.70, vertikal: 2.68





Serie 4:  
 9.7 ← 10.4 \* 10.6 \* 9.9 ↗ 10.5 \*  
 9.7 ↑ 10.1 ← 10.3 \* 10.6 \* 10.2 \*  
 beste Teiler 83.2 (39.) 84.2 (33.) 123.0 (35.)  
 Trefferlage 0.12 mm links, 0.06 mm hoch  
 Streuwert 1.49, horizontal: 1.41, vertikal: 1.57

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>372</b>	(390.4)			
Serien:	90	92	93	97	
Zähler:	19	15	5	1	0 0 0 0 0 0
Innenzehner:	13				
weiteste:	842 (17), 639 (4), 586 (10)				
beste Teiler	70.7 (32.) 78.2 (24.) 82.4 (36.)				
Trefferlage	0.84 mm rechts, 0.25 mm tief				
Streuwert	2.38, horizontal: 2.77, vertikal: 1.90				




Serie 1:

9.6 ↘	9.8 ↑	9.7 ↘	8.4 ↘	10.1 →
9.4 ↓	10.6 *	9.5 ↑	9.3 ↓	8.6 →
beste Teiler	87.6 (7.) 214.5 (5.) 278.4 (2.)			
Trefferlage	1.76 mm rechts, 0.50 mm tief			
Streuwert	2.57, horizontal: 2.52, vertikal: 2.62			




Serie 2:

9.8 ↙	10.5 *	10.0 →	10.3 *	9.2 →
9.7 ↑	7.6 →	10.6 *	10.1 ←	8.8 ↙
beste Teiler	91.9 (18.) 118.6 (12.) 155.0 (14.)			
Trefferlage	0.96 mm rechts, 0.23 mm tief			
Streuwert	2.81, horizontal: 3.64, vertikal: 1.58			



Serie 3:

9.5 ↓	10.0 ↙	8.9 ↘	10.6 *	9.7 ↘
8.8 ↖	10.0 ↑	10.3 *	10.2 *	9.3 ↓
beste Teiler	78.2 (24.) 175.5 (28.) 177.9 (29.)			
Trefferlage	0.64 mm links, 0.52 mm tief			
Streuwert	2.44, horizontal: 2.73, vertikal: 2.11			





Serie 4:

10.5 *	10.7 *	9.6 →	10.0 ↘	9.5 ↗
10.6 *	10.2 *	9.5 →	10.4 *	10.5 *
beste Teiler	70.7 (32.) 82.4 (36.) 109.6 (31.)			
Trefferlage	1.30 mm rechts, 0.24 mm hoch			
Streuwert	1.40, horizontal: 1.62, vertikal: 1.15			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.9)  
 Serien: 98 89 91 95  
 Zähler: 18 18 3 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 911 (17), 682 (32), 644 (18)  
 beste Teiler 48.2 (7.) 54.0 (6.) 63.5 (10.)  
 Trefferlage 0.16 mm links, 0.37 mm tief  
 Streuwert 2.46, horizontal: 2.94, vertikal: 1.88




Serie 1:  
 9.5 ↘ 10.3 \* 10.1 ← 10.6 \* 10.6 \*  
 10.7 \* 10.8 \* 9.2 ↘ 10.7 \* 10.7 \*  
 beste Teiler 48.2 (7.) 54.0 (6.) 63.5 (10.)  
 Trefferlage 0.71 mm rechts, 0.54 mm tief  
 Streuwert 1.37, horizontal: 1.70, vertikal: 0.94



Serie 2:  
 9.5 ↗ 10.1 ← 9.8 → 9.8 → 9.4 ↖  
 9.6 ↖ 7.3 ← 8.4 → 10.7 \* 9.4 ↙  
 beste Teiler 69.8 (19.) 203.1 (12.) 282.8 (14.)  
 Trefferlage 0.54 mm links, 0.31 mm hoch  
 Streuwert 3.32, horizontal: 4.27, vertikal: 1.96





Serie 3:  
 9.9 ↘ 9.2 ↖ 9.8 ↙ 9.2 ↙ 8.9 ↙  
 10.1 → 9.2 ↘ 9.5 ↘ 9.7 ↘ 10.5 \*  
 beste Teiler 118.0 (30.) 221.4 (26.) 261.0 (21.)  
 Trefferlage 0.34 mm links, 1.41 mm tief  
 Streuwert 2.47, horizontal: 2.91, vertikal: 1.93




Serie 4:  
 10.3 \* 8.2 ← 10.5 \* 10.3 \* 10.3 \*  
 9.4 ↗ 9.9 → 10.4 \* 9.1 ↙ 10.3 \*  
 beste Teiler 118.0 (33.) 136.3 (38.) 164.9 (35.)  
 Trefferlage 0.48 mm links, 0.15 mm hoch  
 Streuwert 2.38, horizontal: 2.57, vertikal: 2.17

Unterschrift des Schützen


Ergebnis: **353** (370.3)  
 Serien: 88 89 86 90  
 Zähler: 11 18 5 5 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1122 (19), 961 (5), 868 (25)  
 beste Teiler 36.0 (31.) 131.0 (2.) 160.0 (38.)  
 Trefferlage 0.48 mm links, 0.30 mm tief  
 Streuwert 3.52, horizontal: 4.37, vertikal: 2.39




Serie 1:  
 9.4 ↘ 10.4 \* 10.2 \* 8.8 ← 7.1 →  
 7.5 ← 9.5 → 9.8 ↘ 10.3 \* 9.1 ↘  
 beste Teiler 131.0 (2.) 165.9 (9.) 199.9 (3.)  
 Trefferlage 0.59 mm rechts, 0.70 mm tief  
 Streuwert 3.75, horizontal: 5.14, vertikal: 1.33



Serie 2:  
 9.3 ↘ 8.0 ← 9.9 ↗ 10.0 ↘ 10.3 \*  
 9.6 ↗ 10.0 ↘ 9.8 ↗ 6.5 ← 9.5 ↗  
 beste Teiler 161.4 (15.) 242.1 (17.) 248.3 (14.)  
 Trefferlage 1.55 mm links, 0.45 mm tief  
 Streuwert 3.56, horizontal: 4.54, vertikal: 2.16





Serie 3:  
 7.9 ↘ 8.4 ↘ 10.2 \* 9.5 ← 7.5 ↘  
 10.2 \* 9.7 → 8.4 ↗ 9.0 ↘ 9.0 →  
 beste Teiler 193.1 (23.) 195.3 (26.) 304.6 (27.)  
 Trefferlage 0.44 mm rechts, 0.36 mm hoch  
 Streuwert 4.00, horizontal: 4.10, vertikal: 3.90




Serie 4:  
 10.8 \* 9.8 ↑ 9.5 ↗ 9.7 ← 7.9 ←  
 10.1 → 9.9 → 10.3 \* 9.5 ↘ 8.0 ←  
 beste Teiler 36.0 (31.) 160.0 (38.) 224.8 (36.)  
 Trefferlage 1.41 mm links, 0.43 mm tief  
 Streuwert 2.89, horizontal: 3.78, vertikal: 1.54

Unterschrift des Schützen


Ergebnis: **359** (376.3)  
 Serien: 88 91 92 88  
 Zähler: 10 20 9 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 847 (35), 712 (17), 709 (6)  
 beste Teiler 127.2 (32.) 144.2 (34.) 170.0 (19.)  
 Trefferlage 0.87 mm rechts, 1.29 mm hoch  
 Streuwert 2.82, horizontal: 3.25, vertikal: 2.32




Serie 1:  
 9.7 ↖ 8.8 → 9.2 → 10.0 ↗ 9.6 ↘  
 8.1 ↙ 8.3 ↖ 8.9 ↗ 9.2 ↖ 10.2 \*  
 beste Teiler 194.4 (10.) 239.8 (4.) 315.1 (1.)  
 Trefferlage 0.11 mm rechts, 1.31 mm hoch  
 Streuwert 3.34, horizontal: 3.98, vertikal: 2.55



Serie 2:  
 9.8 → 9.4 ↘ 9.4 ↑ 9.3 ↘ 10.1 ↑  
 9.3 → 8.1 ↖ 9.1 ↙ 10.3 \* 9.4 ↘  
 beste Teiler 170.0 (19.) 219.0 (15.) 299.7 (11.)  
 Trefferlage 0.88 mm rechts, 0.36 mm hoch  
 Streuwert 2.95, horizontal: 3.08, vertikal: 2.81



Serie 3:  
 10.0 ↗ 8.7 → 9.8 ↘ 9.2 ↑ 8.4 ↗  
 9.8 ↖ 9.7 ↖ 10.2 \* 10.2 \* 10.1 ↑  
 beste Teiler 179.0 (29.) 184.9 (28.) 214.1 (30.)  
 Trefferlage 0.62 mm rechts, 1.80 mm hoch  
 Streuwert 2.35, horizontal: 2.84, vertikal: 1.75





Serie 4:  
 9.9 ↗ 10.4 \* 9.1 ↖ 10.4 \* 7.6 ↗  
 8.8 → 9.8 ↗ 8.6 → 9.5 ↑ 9.9 ↗  
 beste Teiler 127.2 (32.) 144.2 (34.) 262.3 (31.)  
 Trefferlage 1.85 mm rechts, 1.70 mm hoch  
 Streuwert 2.74, horizontal: 3.24, vertikal: 2.13

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>368</b>	(384.7)
Serien:	90 91 93 94	
Zähler:	18 14 6 2 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	996 (22), 793 (1), 722 (28)	
beste Teiler	63.0 (34.) 70.2 (20.) 79.3 (10.)	
Trefferlage	0.88 mm rechts, 1.52 mm hoch	
Streuwert	2.51, horizontal: 3.12, vertikal: 1.70	




Serie 1:

7.8 →	10.1 ↖	10.4 *	8.5 ↑	10.4 *
9.7 ↑	9.5 →	8.9 ↗	9.9 →	10.6 *
beste Teiler	79.3 (10.)	139.0 (5.)	143.8 (3.)	
Trefferlage	1.83 mm rechts, 1.49 mm hoch			
Streuwert	2.44, horizontal: 2.92, vertikal: 1.85			




Serie 2:

10.0 ↑	9.6 →	10.5 *	8.9 ↖	9.3 →
9.8 ↘	9.2 ↑	9.3 ↘	8.4 ↖	10.7 *
beste Teiler	70.2 (20.)	113.2 (13.)	249.8 (11.)	
Trefferlage	0.70 mm links, 2.11 mm hoch			
Streuwert	2.36, horizontal: 2.96, vertikal: 1.52			



Serie 3:

10.0 ↗	7.0 →	10.1 ↙	10.3 *	10.2 *
10.0 ↑	9.7 ←	8.1 →	10.0 →	9.0 ↑
beste Teiler	159.5 (24.)	187.7 (25.)	204.4 (23.)	
Trefferlage	1.85 mm rechts, 1.34 mm hoch			
Streuwert	2.98, horizontal: 3.90, vertikal: 1.62			





Serie 4:

10.1 ↘	9.8 ↘	10.1 ↗	10.7 *	10.0 ↖
8.9 ↗	9.7 ↑	10.5 *	9.2 →	9.8 ↘
beste Teiler	63.0 (34.)	104.6 (38.)	207.8 (31.)	
Trefferlage	0.55 mm rechts, 1.13 mm hoch			
Streuwert	2.01, horizontal: 2.14, vertikal: 1.87			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (382.9)  
 Serien: 91 93 86 93  
 Zähler: 13 19 6 2 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 812 (30), 778 (21), 683 (7)  
 beste Teiler 79.3 (31.) 79.5 (2.) 112.9 (20.)  
 Trefferlage 0.05 mm rechts, 0.68 mm hoch  
 Streuwert 2.72, horizontal: 3.19, vertikal: 2.16




Serie 1:  
 8.9 ↗ 10.6 \* 9.6 ↗ 9.8 ↗ 9.1 ↑  
 10.0 ← 8.2 ↘ 10.5 \* 9.3 ↓ 9.8 ↘  
 beste Teiler 79.5 (2.) 123.2 (8.) 245.1 (6.)  
 Trefferlage 1.28 mm rechts, 0.49 mm hoch  
 Streuwert 2.67, horizontal: 2.28, vertikal: 3.01



Serie 2:  
 10.0 ↓ 9.9 ↗ 8.9 ← 9.7 → 10.4 \*  
 9.4 ↗ 9.2 ← 9.7 ↗ 10.1 ↑ 10.5 \*  
 beste Teiler 112.9 (20.) 145.4 (15.) 222.8 (19.)  
 Trefferlage 0.11 mm links, 0.46 mm hoch  
 Streuwert 2.33, horizontal: 2.74, vertikal: 1.83



Serie 3:  
 7.8 ← 9.7 ↓ 8.8 ↘ 9.6 ↑ 9.5 ↑  
 10.0 ↓ 8.9 → 9.7 → 10.4 \* 7.7 ←  
 beste Teiler 134.1 (29.) 250.4 (26.) 319.4 (22.)  
 Trefferlage 0.80 mm links, 0.60 mm hoch  
 Streuwert 3.53, horizontal: 4.44, vertikal: 2.27





Serie 4:  
 10.6 \* 9.3 ↘ 9.7 → 10.3 \* 9.5 ↗  
 8.4 ↘ 10.2 \* 10.0 ↗ 9.5 → 9.7 ↘  
 beste Teiler 79.3 (31.) 175.6 (34.) 200.5 (37.)  
 Trefferlage 0.16 mm links, 1.17 mm hoch  
 Streuwert 2.38, horizontal: 3.02, vertikal: 1.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (370.3)  
 Serien: 90 85 89 90  
 Zähler: 7 24 5 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 950 (15), 910 (8), 891 (11)  
 beste Teiler 103.2 (31.) 144.5 (7.) 171.0 (5.)  
 Trefferlage 0.09 mm rechts, 1.33 mm tief  
 Streuwert 3.26, horizontal: 3.69, vertikal: 2.77




Serie 1:  
 9.8 ←                      9.3 ↙                      9.0 ↘                      9.4 ↘                      10.3 \*  
 9.8 ←                      10.4 \*                      7.3 ↗                      9.6 ←                      9.8 →  
 beste Teiler 144.5 (7.) 171.0 (5.) 279.1 (6.)  
 Trefferlage 0.04 mm rechts, 0.07 mm tief  
 Streuwert 3.18, horizontal: 3.16, vertikal: 3.20



Serie 2:  
 7.4 →                      8.5 ↓                      9.0 →                      10.0 →                      7.2 →  
 9.5 ↓                      8.0 ↙                      9.6 ←                      9.7 ↘                      9.2 ←  
 beste Teiler 239.4 (14.) 312.9 (19.) 335.0 (18.)  
 Trefferlage 1.32 mm rechts, 2.07 mm tief  
 Streuwert 3.99, horizontal: 4.86, vertikal: 2.86



Serie 3:  
 9.3 ←                      9.0 →                      9.9 ↘                      10.2 \*                      10.0 ←  
 7.9 ↘                      8.3 ←                      9.9 ←                      9.2 ↘                      9.0 ←  
 beste Teiler 196.1 (24.) 228.6 (25.) 270.4 (28.)  
 Trefferlage 1.57 mm links, 0.90 mm tief  
 Streuwert 3.15, horizontal: 3.87, vertikal: 2.21





Serie 4:  
 10.5 \*                      9.8 ↘                      9.1 ↓                      9.8 ←                      8.9 ↘  
 10.2 \*                      9.8 ↘                      9.5 ←                      8.2 ↓                      9.0 ↓  
 beste Teiler 103.2 (31.) 188.7 (36.) 283.3 (34.)  
 Trefferlage 0.58 mm rechts, 2.30 mm tief  
 Streuwert 2.41, horizontal: 2.31, vertikal: 2.51

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **370** (386.4)  
 Serien: 89 97 92 92  
 Zähler: 16 18 6 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 655 (27), 652 (9), 647 (2)  
 beste Teiler 32.7 (16.) 126.4 (38.) 130.9 (30.)  
 Trefferlage 1.22 mm rechts, 0.38 mm hoch  
 Streuwert 2.40, horizontal: 2.75, vertikal: 1.99




Serie 1:  
 8.9 ↑                      8.4 →                      10.2 \*                      9.3 ↗                      10.4 \*  
 9.3 →                      8.9 ↘                      9.3 ↖                      8.3 →                      10.1 ↓

beste Teiler 148.1 (5.) 199.7 (3.) 215.5 (10.)  
 Trefferlage 2.46 mm rechts, 0.59 mm hoch  
 Streuwert 2.76, horizontal: 3.03, vertikal: 2.45




Serie 2:  
 10.4 \*                      10.1 →                      9.5 ↘                      10.2 \*                      10.0 →  
 10.8 \*                      9.4 →                      9.0 →                      10.2 \*                      10.0 ↑

beste Teiler 32.7 (16.) 142.0 (11.) 176.8 (14.)  
 Trefferlage 0.88 mm rechts, 0.51 mm hoch  
 Streuwert 1.89, horizontal: 2.37, vertikal: 1.25



Serie 3:  
 9.4 ↑                      9.9 ↑                      10.4 \*                      9.7 ↗                      10.1 ↗  
 9.6 ↖                      8.3 ↘                      9.7 ↓                      9.9 ↗                      10.4 \*

beste Teiler 130.9 (30.) 149.6 (23.) 211.7 (25.)  
 Trefferlage 0.58 mm rechts, 0.71 mm hoch  
 Streuwert 2.39, horizontal: 2.39, vertikal: 2.39





Serie 4:  
 9.5 ↘                      9.0 →                      9.2 ↗                      9.9 ←                      9.7 ↓  
 10.0 ↘                      8.6 ←                      10.4 \*                      9.8 ↗                      10.2 \*

beste Teiler 126.4 (38.) 189.0 (40.) 246.7 (36.)  
 Trefferlage 0.94 mm rechts, 0.27 mm tief  
 Streuwert 2.56, horizontal: 3.15, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (359.8)  
 Serien: 84 85 83 90  
 Zähler: 6 16 12 6 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 975 (21), 857 (29), 856 (13)  
 beste Teiler 40.4 (39.) 137.6 (38.) 140.4 (35.)  
 Trefferlage 1.31 mm links, 0.05 mm tief  
 Streuwert 3.71, horizontal: 4.09, vertikal: 3.27




Serie 1:  
 8.7 ↘                      9.7 ←                      8.9 ↓                      9.6 ↖                      8.6 ↗  
 9.6 ↘                      10.2 \*                      7.9 →                      7.7 ↓                      9.0 ↗  
 beste Teiler 187.7 (7.) 317.5 (2.) 340.3 (6.)  
 Trefferlage 0.07 mm links, 0.62 mm tief  
 Streuwert 3.89, horizontal: 3.63, vertikal: 4.13



Serie 2:  
 10.0 →                      9.4 ↗                      7.5 ↖                      8.1 ↖                      9.1 ↘  
 9.6 →                      9.4 ↗                      8.4 ←                      8.2 ←                      8.9 ↘  
 beste Teiler 239.7 (11.) 328.5 (16.) 392.6 (12.)  
 Trefferlage 0.95 mm links, 0.28 mm tief  
 Streuwert 4.07, horizontal: 5.15, vertikal: 2.56



Serie 3:  
 7.1 ↖                      9.3 ↖                      9.5 ↘                      8.0 ↘                      8.9 ↗  
 10.0 ↓                      8.7 ↘                      9.4 ↖                      7.5 ←                      8.7 ↖  
 beste Teiler 235.0 (26.) 356.1 (23.) 378.9 (28.)  
 Trefferlage 3.62 mm links, 0.48 mm hoch  
 Streuwert 3.58, horizontal: 3.67, vertikal: 3.50





Serie 4:  
 9.1 →                      9.1 ←                      9.4 ↘                      9.4 ↘                      10.4 \*  
 7.8 ↘                      8.8 ↓                      10.4 \*                      10.8 \*                      9.0 ↘  
 beste Teiler 40.4 (39.) 137.6 (38.) 140.4 (35.)  
 Trefferlage 0.61 mm links, 0.21 mm hoch  
 Streuwert 3.22, horizontal: 3.34, vertikal: 3.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (357.4)  
 Serien: 80 91 93 78  
 Zähler: 8 16 10 3 2 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1378 (38), 1227 (39), 1107 (40)  
 beste Teiler 102.5 (19.) 147.0 (14.) 174.2 (35.)  
 Trefferlage 0.11 mm links, 2.60 mm hoch  
 Streuwert 3.72, horizontal: 3.70, vertikal: 3.74




Serie 1:  
 9.1 ↑                      7.3 ↗                      8.5 →                      9.6 ↗                      8.2 ↑  
 8.4 ↑                      9.6 ↑                      7.9 ↑                      8.4 ↗                      7.7 ←  
 beste Teiler 326.8 (7.) 343.9 (4.) 456.9 (1.)  
 Trefferlage 1.18 mm rechts, 4.49 mm hoch  
 Streuwert 3.37, horizontal: 3.90, vertikal: 2.73



Serie 2:  
 8.4 ↑                      9.1 ↗                      9.1 ↘                      10.4 \*                      9.5 ↖  
 9.9 ↘                      10.1 ↖                      8.3 ↘                      10.5 \*                      9.4 ↑  
 beste Teiler 102.5 (19.) 147.0 (14.) 215.1 (17.)  
 Trefferlage 0.03 mm rechts, 2.55 mm hoch  
 Streuwert 2.42, horizontal: 2.22, vertikal: 2.60



Serie 3:  
 10.2 \*                      10.0 ↓                      9.5 ←                      9.0 ↓                      10.2 \*  
 8.8 ↑                      10.1 ↗                      9.4 →                      9.6 ↖                      9.0 ↖  
 beste Teiler 188.9 (25.) 200.3 (21.) 202.9 (27.)  
 Trefferlage 0.48 mm links, 0.03 mm tief  
 Streuwert 2.71, horizontal: 2.55, vertikal: 2.86





Serie 4:  
 9.7 ↘                      8.8 ↘                      9.4 ↘                      9.6 ↑                      10.3 \*  
 8.0 ↗                      8.5 ↑                      5.4 ↘                      6.0 ↘                      6.5 ↘  
 beste Teiler 174.2 (35.) 321.2 (31.) 331.0 (34.)  
 Trefferlage 1.20 mm links, 3.40 mm hoch  
 Streuwert 5.24, horizontal: 5.39, vertikal: 5.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (352.0)  
 Serien: 82 85 86 81  
 Zähler: 8 13 11 2 5 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1253 (28), 1185 (38), 1105 (7)  
 beste Teiler 76.1 (30.) 128.0 (20.) 137.1 (15.)  
 Trefferlage 1.40 mm links, 0.48 mm tief  
 Streuwert 4.32, horizontal: 4.60, vertikal: 4.03




Serie 1:  
 10.1 ↘ 8.9 ↙ 9.4 → 6.7 ← 8.0 ↓  
 7.9 ↘ 6.5 ← 9.5 ↓ 9.1 ← 10.0 ↘  
 beste Teiler 215.6 (1.) 238.2 (10.) 360.8 (8.)  
 Trefferlage 1.71 mm links, 1.86 mm tief  
 Streuwert 4.56, horizontal: 5.69, vertikal: 3.03



Serie 2:  
 8.8 ↑ 6.9 ↓ 7.1 ↓ 10.3 \* 10.4 \*  
 8.3 ↖ 8.4 ↑ 9.0 ↑ 9.2 ↘ 10.4 \*  
 beste Teiler 128.0 (20.) 137.1 (15.) 153.9 (14.)  
 Trefferlage 0.26 mm links, 0.50 mm tief  
 Streuwert 4.45, horizontal: 2.52, vertikal: 5.77



Serie 3:  
 9.9 ↘ 9.1 ↑ 9.7 ↖ 9.5 ↑ 10.3 \*  
 9.8 ↙ 8.3 ↘ 5.9 ← 8.5 ↖ 10.6 \*  
 beste Teiler 76.1 (30.) 169.0 (25.) 271.8 (21.)  
 Trefferlage 1.09 mm links, 0.60 mm hoch  
 Streuwert 4.00, horizontal: 4.76, vertikal: 3.06





Serie 4:  
 10.2 \* 8.8 ← 6.8 ← 9.5 ↗ 9.2 ↖  
 8.8 ↖ 8.3 ↓ 6.2 ← 8.4 ↓ 9.3 ↗  
 beste Teiler 183.6 (31.) 356.4 (34.) 422.4 (40.)  
 Trefferlage 2.54 mm links, 0.19 mm tief  
 Streuwert 4.59, horizontal: 5.20, vertikal: 3.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (370.7)  
 Serien: 86 91 88 86  
 Zähler: 10 16 10 3 1 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1007 (4), 988 (36), 933 (31)  
 beste Teiler 91.4 (11.) 108.8 (32.) 113.8 (19.)  
 Trefferlage 0.07 mm links, 0.64 mm hoch  
 Streuwert 3.42, horizontal: 3.72, vertikal: 3.09




Serie 1:  
 9.7 ↓                      9.0 ←                      9.5 ↑                      6.9 ↘                      9.9 ↓  
 8.7 ↖                      9.1 ↗                      9.7 ↖                      8.7 ↗                      10.3 \*  
 beste Teiler 160.8 (10.) 254.8 (5.) 322.0 (1.)  
 Trefferlage 0.30 mm links, 0.89 mm tief  
 Streuwert 3.69, horizontal: 4.31, vertikal: 2.93



Serie 2:  
 10.6 \*                      10.0 ←                      9.1 ↗                      7.9 ↑                      10.2 \*  
 9.5 ↓                      8.9 ←                      9.9 ↓                      10.5 \*                      9.7 ↖  
 beste Teiler 91.4 (11.) 113.8 (19.) 185.2 (15.)  
 Trefferlage 0.45 mm links, 0.54 mm hoch  
 Streuwert 2.80, horizontal: 2.59, vertikal: 3.00



Serie 3:  
 10.2 \*                      9.3 →                      8.8 ↑                      8.1 ↖                      8.6 ↘  
 9.9 ↗                      9.7 ←                      9.2 ↖                      10.4 \*                      8.3 ↖  
 beste Teiler 147.1 (29.) 193.2 (21.) 264.9 (26.)  
 Trefferlage 1.34 mm links, 0.77 mm hoch  
 Streuwert 3.25, horizontal: 3.59, vertikal: 2.86





Serie 4:  
 7.2 →                      10.5 \*                      10.2 \*                      8.5 ↖                      10.3 \*  
 7.0 ↑                      8.8 →                      8.8 →                      9.9 ↓                      9.2 ↑  
 beste Teiler 108.8 (32.) 153.0 (35.) 184.4 (33.)  
 Trefferlage 1.80 mm rechts, 2.15 mm hoch  
 Streuwert 3.63, horizontal: 3.98, vertikal: 3.25


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **174** (184.8)  
 Serien: 90 84  
 Zähler: 3 9 7 1 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 886 (12), 726 (18), 659 (20)  
 beste Teiler 68.0 (9.) 70.3 (7.) 233.4 (5.)  
 Trefferlage 0.34 mm links, 1.50 mm tief  
 Streuwert 3.26, horizontal: 3.96, vertikal: 2.38





Serie 1:  
 9.7 →                      8.5 →                      8.6 ←                      8.8 ↓                      10.0 →  
 9.3 →                      10.7 \*                      9.7 ↙                      10.7 \*                      9.0 ←  
 beste Teiler 68.0 (9.) 70.3 (7.) 233.4 (5.)  
 Trefferlage 0.22 mm rechts, 0.95 mm tief  
 Streuwert 2.95, horizontal: 3.64, vertikal: 2.03




Serie 2:  
 9.7 ↙                      7.4 ↙                      8.6 →                      9.9 ↙                      9.5 ↘  
 8.7 ↙                      9.8 ↑                      8.0 ←                      9.9 ←                      8.3 →  
 beste Teiler 268.7 (19.) 275.0 (14.) 277.5 (17.)  
 Trefferlage 0.91 mm links, 2.05 mm tief  
 Streuwert 3.62, horizontal: 4.37, vertikal: 2.68

Unterschrift des Schützen

Ergebnis: **153** (162.9)  
 Serien: 82 71  
 Zähler: 2 3 6 5 3 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 1405 (16), 1143 (18), 1072 (14)  
 beste Teiler 24.0 (1.) 203.1 (5.) 252.1 (20.)  
 Trefferlage 0.00 mm , 0.82 mm hoch  
 Streuwert 5.65, horizontal: 6.51, vertikal: 4.64



Serie 1:  
 10.9 \*                      6.8 →                      9.1 ↗                      8.4 ↘                      10.1 ↓  
 7.0 ↘                      8.8 ←                      8.5 ←                      9.6 ↘                      7.0 ←  
 beste Teiler 24.0 (1.) 203.1 (5.) 328.3 (9.)  
 Trefferlage 0.39 mm links, 0.56 mm tief  
 Streuwert 4.97, horizontal: 5.85, vertikal: 3.91



Serie 2:  
 8.9 →                      7.8 ↗                      8.3 ↖                      6.7 ←                      7.0 ↘  
 5.3 →                      7.7 ↖                      6.4 ↘                      8.7 →                      9.9 →  
 beste Teiler 252.1 (20.) 508.0 (11.) 551.4 (19.)  
 Trefferlage 0.38 mm rechts, 2.21 mm hoch  
 Streuwert 6.35, horizontal: 7.40, vertikal: 5.08

Unterschrift des Schützen

**LG 40 – Wertung – Junioren I männl.**

StandNr: 5



**Kleineidam, Joshua #363**

**StartNr: 5272**


21. Januar 2018 14:12

5400 SGem Altenfelde


Ergebnis: **361** (383.2)  
 Serien: 90 89 91 91  
 Zähler: 9 23 8 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 676 (27), 636 (2), 619 (38)  
 beste Teiler 45.6 (31.) 91.3 (10.) 100.4 (34.)  
 Trefferlage 0.23 mm rechts, 0.45 mm hoch  
 Streuwert 2.70, horizontal: 3.06, vertikal: 2.27




Serie 1:  
 9.8 ↘ 8.4 ↖ 9.9 ↑ 9.1 ↗ 9.3 ↗  
 9.9 ↘ 9.5 ↘ 9.7 → 9.7 ↓ 10.6 \*  
 beste Teiler 91.3 (10.) 259.3 (3.) 267.3 (6.)  
 Trefferlage 0.85 mm rechts, 0.91 mm hoch  
 Streuwert 2.59, horizontal: 2.70, vertikal: 2.47



Serie 2:  
 8.7 ↗ 8.8 → 9.8 → 9.8 ↓ 9.3 ←  
 9.8 ↘ 10.5 \* 9.9 ← 9.9 ↘ 9.8 ←  
 beste Teiler 120.5 (17.) 257.1 (18.) 270.2 (19.)  
 Trefferlage 0.40 mm rechts, 0.12 mm hoch  
 Streuwert 2.64, horizontal: 3.11, vertikal: 2.07



Serie 3:  
 8.5 ↘ 9.4 ↑ 10.0 ↙ 8.9 → 9.1 ←  
 9.7 ↑ 8.2 → 10.2 \* 10.5 \* 10.3 \*  
 beste Teiler 121.6 (29.) 165.1 (30.) 196.2 (28.)  
 Trefferlage 0.99 mm rechts, 0.41 mm hoch  
 Streuwert 2.95, horizontal: 3.67, vertikal: 2.00





Serie 4:  
 10.8 \* 9.0 ← 9.9 ↖ 10.6 \* 9.6 ↓  
 10.4 \* 8.9 ↑ 8.5 ← 9.3 ↓ 9.2 ↘  
 beste Teiler 45.6 (31.) 100.4 (34.) 129.6 (36.)  
 Trefferlage 1.32 mm links, 0.36 mm hoch  
 Streuwert 2.64, horizontal: 2.53, vertikal: 2.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (336.5)  
 Serien: 73 82 81 84  
 Zähler: 7 11 10 7 2 2 0 0 0 0  
 Innenzehner: 5  
 weiteste: 5755 (4), 1388 (38), 1387 (28)  
 beste Teiler 62.6 (22.) 106.0 (6.) 107.1 (30.)  
 Trefferlage 0.00 mm , 0.55 mm hoch  
 Streuwert 8.06, horizontal: 5.02, vertikal: 10.23




Serie 1:  
 9.1 ↘                      8.6 ↙                      7.9 ←                      0.0 ↑                      8.0 →  
 10.5 \*                      7.1 →                      8.8 ↘                      9.3 ↑                      7.0 →  
 beste Teiler 106.0 (6.) 404.0 (9.) 453.0 (1.)  
 Trefferlage 1.38 mm rechts, 4.72 mm hoch  
 Streuwert 13.91, horizontal: 6.46, vertikal: 18.58



Serie 2:  
 10.1 ↖                      8.1 ↓                      7.1 ↓                      9.5 ←                      7.2 ↖  
 10.1 ↗                      9.5 ↖                      7.7 ↗                      6.5 ←                      9.0 ↓  
 beste Teiler 207.9 (11.) 208.5 (16.) 351.8 (17.)  
 Trefferlage 3.01 mm links, 1.24 mm tief  
 Streuwert 4.56, horizontal: 3.56, vertikal: 5.38



Serie 3:  
 7.8 ↑                      10.7 \*                      8.8 ↖                      8.7 ↗                      9.5 ↑  
 8.7 ↑                      6.5 ←                      5.4 ↓                      10.4 \*                      10.5 \*  
 beste Teiler 62.6 (22.) 107.1 (30.) 136.0 (29.)  
 Trefferlage 0.32 mm links, 1.11 mm hoch  
 Streuwert 5.12, horizontal: 4.53, vertikal: 5.64





Serie 4:  
 9.3 →                      9.5 ↙                      9.5 ↓                      8.7 ↓                      9.9 ↗  
 9.2 ↙                      8.1 ↘                      5.4 ↘                      10.4 \*                      8.4 →  
 beste Teiler 144.5 (39.) 257.2 (35.) 371.6 (33.)  
 Trefferlage 1.95 mm rechts, 2.35 mm tief  
 Streuwert 4.07, horizontal: 4.21, vertikal: 3.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (369.0)  
 Serien: 85 89 83 92  
 Zähler: 9 20 5 3 3 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1166 (10), 1071 (19), 1046 (1)  
 beste Teiler 68.0 (20.) 86.2 (6.) 97.3 (15.)  
 Trefferlage 0.07 mm links, 0.23 mm hoch  
 Streuwert 3.65, horizontal: 4.65, vertikal: 2.24




Serie 1:  
 6.8 → 8.9 ↑ 8.2 ↘ 9.7 → 9.9 ↗  
 10.6 \* 9.9 → 10.2 \* 10.2 \* 6.3 →  
 beste Teiler 86.2 (6.) 178.4 (8.) 185.5 (9.)  
 Trefferlage 3.38 mm rechts, 0.38 mm hoch  
 Streuwert 3.60, horizontal: 4.41, vertikal: 2.54



Serie 2:  
 8.6 → 10.4 \* 9.8 → 8.8 → 10.6 \*  
 9.7 → 9.8 ↗ 10.2 \* 6.7 ← 10.7 \*  
 beste Teiler 68.0 (20.) 97.3 (15.) 150.6 (12.)  
 Trefferlage 0.93 mm rechts, 0.05 mm hoch  
 Streuwert 3.36, horizontal: 4.49, vertikal: 1.54





Serie 3:  
 9.5 ↙ 9.0 ← 7.4 ← 7.5 ← 9.9 ↖  
 8.7 ↙ 9.5 ← 7.9 ← 9.7 → 9.9 ↗  
 beste Teiler 256.1 (30.) 275.5 (25.) 313.3 (29.)  
 Trefferlage 4.01 mm links, 0.15 mm tief  
 Streuwert 2.94, horizontal: 3.58, vertikal: 2.12




Serie 4:  
 9.3 ↖ 10.1 ↗ 9.2 ↓ 9.2 ← 9.2 ←  
 9.3 ↑ 10.5 \* 9.0 ← 9.0 → 9.2 ↗  
 beste Teiler 113.8 (37.) 221.4 (32.) 405.1 (31.)  
 Trefferlage 0.60 mm links, 0.64 mm hoch  
 Streuwert 2.94, horizontal: 3.04, vertikal: 2.83

Unterschrift des Schützen


Ergebnis: **361** (377.8)  
 Serien: 88 89 89 95  
 Zähler: 12 20 5 3 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 940 (3), 866 (20), 780 (24)  
 beste Teiler 47.2 (7.) 49.3 (23.) 137.3 (36.)  
 Trefferlage 0.67 mm rechts, 0.33 mm hoch  
 Streuwert 3.00, horizontal: 3.68, vertikal: 2.11




Serie 1:  
 9.9 ↗ 10.0 ↘ 7.2 → 8.3 → 9.1 ↗  
 8.6 ↗ 10.8 \* 9.2 → 9.4 ↘ 9.7 ↑  
 beste Teiler 47.2 (7.) 227.7 (2.) 256.2 (1.)  
 Trefferlage 2.59 mm rechts, 1.67 mm hoch  
 Streuwert 2.88, horizontal: 3.82, vertikal: 1.44



Serie 2:  
 8.7 → 9.9 ← 9.2 ↗ 10.1 ↙ 10.0 ↑  
 10.2 \* 9.6 ↗ 8.8 → 9.3 → 7.5 →  
 beste Teiler 196.1 (16.) 223.5 (14.) 249.9 (15.)  
 Trefferlage 2.22 mm rechts, 0.27 mm hoch  
 Streuwert 2.96, horizontal: 3.69, vertikal: 1.96



Serie 3:  
 10.0 → 9.2 ↘ 10.8 \* 7.8 ← 9.4 ↘  
 9.6 ↘ 9.7 ↓ 8.6 ← 9.9 ↘ 9.5 ↘  
 beste Teiler 49.3 (23.) 228.6 (21.) 272.1 (29.)  
 Trefferlage 1.02 mm links, 0.72 mm tief  
 Streuwert 2.98, horizontal: 3.51, vertikal: 2.33





Serie 4:  
 9.0 ↑ 10.2 \* 10.3 \* 9.9 ↘ 9.3 ←  
 10.4 \* 9.3 ← 10.0 ↓ 9.4 ↙ 10.0 ↘  
 beste Teiler 137.3 (36.) 156.0 (33.) 187.8 (32.)  
 Trefferlage 1.08 mm links, 0.13 mm hoch  
 Streuwert 2.18, horizontal: 2.22, vertikal: 2.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (394.5)  
 Serien: 96 91 94 94  
 Zähler: 18 20 1 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 793 (12), 537 (9), 454 (28)  
 beste Teiler 20.0 (18.) 54.3 (30.) 64.4 (22.)  
 Trefferlage 0.12 mm links, 0.78 mm tief  
 Streuwert 2.13, horizontal: 2.61, vertikal: 1.52




Serie 1:  
 10.5 \* 10.1 ↖ 10.3 \* 9.3 → 10.4 \*  
 10.1 ↗ 10.1 ↓ 9.9 ↘ 8.8 → 10.0 ←  
 beste Teiler 123.3 (1.) 140.8 (5.) 155.4 (3.)  
 Trefferlage 0.38 mm rechts, 0.42 mm tief  
 Streuwert 2.04, horizontal: 2.70, vertikal: 1.00



Serie 2:  
 9.3 ↘ 7.8 ← 9.6 ↘ 9.5 ↘ 9.7 ←  
 10.2 \* 9.9 ↖ 10.9 \* 9.2 ↖ 10.4 \*  
 beste Teiler 20.0 (18.) 148.8 (20.) 190.4 (16.)  
 Trefferlage 0.83 mm links, 0.21 mm tief  
 Streuwert 2.77, horizontal: 3.57, vertikal: 1.63



Serie 3:  
 9.8 ↘ 10.7 \* 9.9 ↖ 9.9 ↙ 9.3 ↓  
 10.1 ↙ 9.7 ↗ 9.1 ↘ 10.5 \* 10.7 \*  
 beste Teiler 54.3 (30.) 64.4 (22.) 102.6 (29.)  
 Trefferlage 0.20 mm rechts, 0.91 mm tief  
 Streuwert 1.91, horizontal: 1.79, vertikal: 2.02





Serie 4:  
 10.6 \* 9.5 ↘ 9.5 ↓ 10.0 ↓ 9.8 ↙  
 9.7 ↘ 9.6 ↘ 10.0 ← 9.7 ← 10.4 \*  
 beste Teiler 99.4 (31.) 137.9 (40.) 239.2 (34.)  
 Trefferlage 0.24 mm links, 1.57 mm tief  
 Streuwert 1.77, horizontal: 2.28, vertikal: 1.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (372.9)  
 Serien: 87 89 90 89  
 Zähler: 12 13 13 2 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 807 (39), 777 (8), 736 (34)  
 beste Teiler 53.0 (40.) 106.0 (13.) 142.7 (33.)  
 Trefferlage 0.64 mm rechts, 0.01 mm tief  
 Streuwert 3.24, horizontal: 3.71, vertikal: 2.69




Serie 1:  
 10.1 ↘                      8.7 →                      10.4 \*                      9.1 →                      8.2 →  
 10.4 \*                      9.4 ↙                      7.8 →                      8.7 →                      8.8 ↗  
 beste Teiler 143.6 (6.) 147.0 (3.) 203.9 (1.)  
 Trefferlage 3.02 mm rechts, 0.82 mm hoch  
 Streuwert 2.84, horizontal: 3.76, vertikal: 1.39



Serie 2:  
 8.7 ←                      9.0 →                      10.5 \*                      9.4 ↘                      10.2 \*  
 9.5 ↘                      8.9 ↑                      8.9 ↓                      9.9 ↑                      9.1 ↘  
 beste Teiler 106.0 (13.) 196.6 (15.) 275.4 (19.)  
 Trefferlage 0.20 mm links, 0.27 mm hoch  
 Streuwert 3.06, horizontal: 3.06, vertikal: 3.06



Serie 3:  
 10.3 \*                      9.6 ↘                      10.3 \*                      10.2 \*                      9.0 ↓  
 8.6 ↘                      8.8 ↑                      9.8 ↓                      9.2 ↙                      8.1 ↘  
 beste Teiler 163.6 (21.) 166.3 (23.) 182.8 (24.)  
 Trefferlage 0.59 mm rechts, 0.82 mm tief  
 Streuwert 3.11, horizontal: 3.09, vertikal: 3.13





Serie 4:  
 10.3 \*                      9.5 ↑                      10.4 \*                      8.0 →                      9.9 ↙  
 8.3 ←                      8.3 ↓                      10.2 \*                      7.7 ←                      10.7 \*  
 beste Teiler 53.0 (40.) 142.7 (33.) 156.3 (31.)  
 Trefferlage 0.85 mm links, 0.31 mm tief  
 Streuwert 3.56, horizontal: 4.11, vertikal: 2.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (386.1)  
 Serien: 93 89 92 90  
 Zähler: 13 20 6 0 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1058 (37), 562 (25), 557 (16)  
 beste Teiler 34.8 (40.) 97.9 (32.) 107.7 (26.)  
 Trefferlage 0.47 mm links, 0.42 mm tief  
 Streuwert 2.59, horizontal: 2.99, vertikal: 2.12




Serie 1:  
 9.7 ↗ 9.6 ↘ 9.6 ↙ 10.2 \* 9.5 ↗  
 9.4 ↙ 9.3 ↙ 9.9 ↘ 10.5 \* 10.1 ↗  
 beste Teiler 119.6 (9.) 180.6 (4.) 211.0 (10.)  
 Trefferlage 1.11 mm links, 0.31 mm hoch  
 Streuwert 2.08, horizontal: 1.86, vertikal: 2.29



Serie 2:  
 9.2 ← 9.7 ↘ 8.9 ↘ 8.8 → 9.7 ↓  
 8.7 ← 10.0 → 9.7 ← 10.1 ↓ 9.7 ↙  
 beste Teiler 214.6 (19.) 230.0 (17.) 311.2 (20.)  
 Trefferlage 1.15 mm links, 0.35 mm hoch  
 Streuwert 2.79, horizontal: 3.21, vertikal: 2.30



Serie 3:  
 8.8 ↓ 10.1 ← 10.2 \* 9.9 ↙ 8.7 ↙  
 10.5 \* 10.2 \* 9.6 ← 9.4 → 9.9 ↙  
 beste Teiler 107.7 (26.) 182.4 (23.) 195.5 (27.)  
 Trefferlage 1.18 mm links, 1.46 mm tief  
 Streuwert 2.08, horizontal: 2.27, vertikal: 1.87





Serie 4:  
 9.9 ↘ 10.6 \* 9.8 ↓ 10.2 \* 9.8 →  
 10.0 ↓ 6.7 → 9.9 ↙ 8.8 → 10.8 \*  
 beste Teiler 34.8 (40.) 97.9 (32.) 187.9 (34.)  
 Trefferlage 1.57 mm rechts, 0.91 mm tief  
 Streuwert 2.86, horizontal: 3.69, vertikal: 1.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312** (329.6)  
 Serien: 78 78 75 81  
 Zähler: 3 10 12 10 3 1 0 1 0 0  
 Innenzehner: 2  
 weiteste: 1943 (3), 1326 (22), 1163 (16)  
 beste Teiler 112.8 (7.) 182.7 (4.) 234.6 (31.)  
 Trefferlage 1.81 mm links, 2.03 mm hoch  
 Streuwert 5.12, horizontal: 6.21, vertikal: 3.71




Serie 1:  
 9.7 ↘                      7.6 ↘                      3.2 ←                      10.2 \*                      9.9 ↓  
 7.1 ←                      10.5 \*                      7.5 ←                      7.0 ↗                      9.6 ↘  
 beste Teiler 112.8 (7.) 182.7 (4.) 270.7 (5.)  
 Trefferlage 3.95 mm links, 1.37 mm hoch  
 Streuwert 5.62, horizontal: 7.35, vertikal: 3.04



Serie 2:  
 7.8 ←                      7.0 ←                      9.3 ↑                      7.3 ↑                      9.0 ↑  
 6.3 ←                      9.8 ↓                      8.2 →                      8.4 →                      8.4 ←  
 beste Teiler 291.5 (17.) 403.3 (13.) 483.8 (15.)  
 Trefferlage 1.68 mm links, 1.22 mm hoch  
 Streuwert 5.34, horizontal: 6.40, vertikal: 3.99



Serie 3:  
 7.4 ←                      5.6 ↑                      9.6 →                      9.6 ←                      8.9 ↑  
 9.8 →                      6.7 ↘                      8.5 ←                      6.5 →                      8.3 ←  
 beste Teiler 283.9 (26.) 332.7 (23.) 346.0 (24.)  
 Trefferlage 1.74 mm links, 2.76 mm hoch  
 Streuwert 5.39, horizontal: 6.12, vertikal: 4.54





Serie 4:  
 10.0 ←                      7.9 ↑                      7.7 ↘                      8.3 →                      8.1 ↑  
 8.0 ↘                      8.6 ←                      9.6 ↗                      8.4 ↑                      8.3 ↘  
 beste Teiler 234.6 (31.) 328.5 (38.) 581.9 (37.)  
 Trefferlage 0.10 mm rechts, 2.77 mm hoch  
 Streuwert 4.30, horizontal: 5.03, vertikal: 3.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (384.7)  
 Serien: 93 91 94 91  
 Zähler: 13 23 4 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 704 (9), 630 (21), 570 (15)  
 beste Teiler 59.3 (24.) 61.7 (40.) 74.2 (10.)  
 Trefferlage 0.00 mm , 0.28 mm hoch  
 Streuwert 2.59, horizontal: 2.82, vertikal: 2.35




Serie 1:  
 9.3 ↘                      9.2 ↗                      10.0 ↙                      9.8 →                      10.2 \*  
 9.3 ↙                      10.1 →                      9.0 ↖                      8.1 ↘                      10.7 \*  
 beste Teiler 74.2 (10.) 185.0 (5.) 210.0 (7.)  
 Trefferlage 0.45 mm links, 0.48 mm tief  
 Streuwert 2.83, horizontal: 3.31, vertikal: 2.25



Serie 2:  
 9.9 ↙                      9.4 ↗                      10.2 \*                      8.9 ↘                      8.7 ↗  
 9.4 ↘                      10.0 ↗                      9.5 ↘                      10.0 ↖                      9.4 ↙  
 beste Teiler 188.1 (13.) 228.2 (17.) 238.9 (19.)  
 Trefferlage 0.94 mm links, 0.76 mm hoch  
 Streuwert 2.62, horizontal: 2.13, vertikal: 3.03



Serie 3:  
 8.4 ↘                      10.0 →                      9.7 ↑                      10.7 \*                      9.6 ↗  
 10.4 \*                      10.4 \*                      9.1 ↘                      9.7 ↙                      10.2 \*  
 beste Teiler 59.3 (24.) 143.1 (27.) 143.5 (26.)  
 Trefferlage 0.44 mm links, 0.52 mm hoch  
 Streuwert 2.37, horizontal: 2.63, vertikal: 2.07





Serie 4:  
 9.2 →                      9.6 ↗                      9.2 ↗                      9.1 ↙                      9.2 ↗  
 9.3 ↘                      9.6 →                      9.8 ↗                      9.7 ↗                      10.7 \*  
 beste Teiler 61.7 (40.) 298.2 (38.) 304.4 (39.)  
 Trefferlage 1.81 mm rechts, 0.35 mm hoch  
 Streuwert 2.37, horizontal: 2.61, vertikal: 2.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (379.9)  
 Serien: 91 89 91 92  
 Zähler: 16 14 7 3 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 824 (26), 790 (19), 755 (9)  
 beste Teiler 53.1 (25.) 55.1 (22.) 73.3 (8.)  
 Trefferlage 0.60 mm links, 0.64 mm hoch  
 Streuwert 2.94, horizontal: 3.53, vertikal: 2.20




Serie 1:  
 10.1 ↙ 10.0 ↙ 9.3 ↙ 10.4 \* 8.7 ↖  
 9.7 ↖ 8.9 → 10.7 \* 7.9 ↖ 10.5 \*  
 beste Teiler 73.3 (8.) 103.2 (10.) 135.0 (4.)  
 Trefferlage 1.77 mm links, 0.50 mm tief  
 Streuwert 2.60, horizontal: 3.16, vertikal: 1.88



Serie 2:  
 9.4 ↗ 9.5 ↖ 10.2 \* 8.4 → 9.8 ↗  
 9.4 ↘ 10.4 \* 10.0 ← 7.8 ↖ 8.5 ↖  
 beste Teiler 148.9 (17.) 191.0 (13.) 233.0 (18.)  
 Trefferlage 0.33 mm links, 0.07 mm tief  
 Streuwert 3.37, horizontal: 4.28, vertikal: 2.11



Serie 3:  
 8.9 ↘ 10.7 \* 10.1 ↑ 9.4 ↖ 10.7 \*  
 7.7 ↘ 10.1 ↑ 10.3 \* 8.1 ↖ 9.6 ↖  
 beste Teiler 53.1 (25.) 55.1 (22.) 163.6 (28.)  
 Trefferlage 1.17 mm links, 1.35 mm hoch  
 Streuwert 2.90, horizontal: 3.16, vertikal: 2.62





Serie 4:  
 9.7 → 10.3 \* 8.1 ↖ 9.0 ↗ 9.5 ↗  
 10.0 ↑ 9.3 ↘ 9.8 ↑ 9.0 ↗ 10.0 ↖  
 beste Teiler 151.8 (32.) 234.7 (40.) 240.9 (36.)  
 Trefferlage 0.85 mm rechts, 1.81 mm hoch  
 Streuwert 2.59, horizontal: 3.38, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (409.9)  
 Serien: 99 98 97 97  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 467 (28), 360 (19), 337 (33)  
 beste Teiler 19.2 (8.) 25.0 (5.) 27.5 (26.)  
 Trefferlage 0.00 mm , 0.34 mm hoch  
 Streuwert 1.43, horizontal: 1.71, vertikal: 1.07




Serie 1:  
 10.1 ↖ 10.7 \* 10.0 ↖ 10.4 \* 10.9 \*  
 9.9 → 10.7 \* 10.9 \* 10.7 \* 10.3 \*  
 beste Teiler 19.2 (8.) 25.0 (5.) 57.1 (2.)  
 Trefferlage 0.10 mm links, 0.79 mm hoch  
 Streuwert 0.95, horizontal: 1.07, vertikal: 0.82



Serie 2:  
 10.3 \* 9.8 ↗ 10.4 \* 10.7 \* 10.4 \*  
 10.6 \* 10.1 ← 10.1 ← 9.5 ← 10.4 \*  
 beste Teiler 58.7 (14.) 85.4 (16.) 133.8 (20.)  
 Trefferlage 0.38 mm links, 0.08 mm hoch  
 Streuwert 1.45, horizontal: 1.78, vertikal: 1.01



Serie 3:  
 9.8 ↘ 10.2 \* 10.3 \* 9.9 ↗ 10.2 \*  
 10.8 \* 10.3 \* 9.1 ← 10.4 \* 10.1 ↘  
 beste Teiler 27.5 (26.) 142.5 (29.) 153.6 (23.)  
 Trefferlage 0.09 mm links, 0.02 mm tief  
 Streuwert 1.78, horizontal: 2.14, vertikal: 1.33





Serie 4:  
 10.6 \* 10.5 \* 9.6 → 10.2 \* 10.4 \*  
 10.0 ↘ 9.9 → 9.7 ↗ 10.2 \* 10.8 \*  
 beste Teiler 31.4 (40.) 86.0 (31.) 111.8 (32.)  
 Trefferlage 0.61 mm rechts, 0.52 mm hoch  
 Streuwert 1.44, horizontal: 1.78, vertikal: 1.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (397.1)  
 Serien: 93 95 97 97  
 Zähler: 23 16 1 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 542 (7), 454 (6), 437 (35)  
 beste Teiler 38.6 (34.) 65.0 (25.) 74.2 (29.)  
 Trefferlage 0.13 mm rechts, 0.04 mm hoch  
 Streuwert 2.05, horizontal: 2.44, vertikal: 1.57




Serie 1:  
 9.3 ↘                      9.4 ↘                      10.1 →                      9.8 ↘                      9.9 →  
 9.1 ←                      8.8 ←                      10.4 \*                      10.4 \*                      10.3 \*  
 beste Teiler 129.2 (8.) 143.7 (9.) 174.6 (10.)  
 Trefferlage 0.34 mm rechts, 0.65 mm tief  
 Streuwert 2.43, horizontal: 3.14, vertikal: 1.39



Serie 2:  
 9.5 ↑                      9.3 ↖                      9.5 ↑                      10.3 \*                      9.6 →  
 10.0 ↘                      9.2 →                      10.0 ↗                      10.6 \*                      10.1 ↙  
 beste Teiler 97.4 (19.) 151.4 (14.) 221.0 (20.)  
 Trefferlage 0.38 mm rechts, 0.97 mm hoch  
 Streuwert 2.14, horizontal: 2.30, vertikal: 1.97



Serie 3:  
 9.7 →                      9.9 ←                      10.0 →                      9.3 ↖                      10.7 \*  
 10.4 \*                      10.3 \*                      10.0 ↘                      10.7 \*                      10.0 ↙  
 beste Teiler 65.0 (25.) 74.2 (29.) 136.4 (26.)  
 Trefferlage 0.32 mm links, 0.17 mm tief  
 Streuwert 1.73, horizontal: 2.03, vertikal: 1.36





Serie 4:  
 10.3 \*                      10.6 \*                      9.3 ←                      10.8 \*                      9.2 →  
 10.0 ↙                      10.5 \*                      10.3 \*                      9.4 →                      10.1 ↑  
 beste Teiler 38.6 (34.) 87.6 (32.) 104.0 (37.)  
 Trefferlage 0.12 mm rechts, 0.02 mm hoch  
 Streuwert 1.95, horizontal: 2.50, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (407.1)  
 Serien: 97 98 96 98  
 Zähler: 30 9 1 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 543 (29), 402 (31), 370 (27)  
 beste Teiler 53.2 (2.) 53.9 (26.) 68.2 (33.)  
 Trefferlage 0.35 mm links, 0.25 mm tief  
 Streuwert 1.57, horizontal: 1.58, vertikal: 1.55




Serie 1:  
 9.5 ↘ 10.7 \* 10.4 \* 10.6 \* 10.4 \*  
 9.8 ↘ 10.1 ← 10.1 ↓ 10.6 \* 9.8 ↙  
 beste Teiler 53.2 (2.) 78.8 (4.) 86.9 (9.)  
 Trefferlage 1.10 mm links, 0.13 mm tief  
 Streuwert 1.33, horizontal: 0.91, vertikal: 1.65



Serie 2:  
 10.1 ↓ 10.3 \* 9.7 ↘ 10.7 \* 10.2 \*  
 10.0 ↓ 10.7 \* 9.9 ↘ 10.3 \* 10.7 \*  
 beste Teiler 69.3 (20.) 71.5 (17.) 75.6 (14.)  
 Trefferlage 0.03 mm links, 0.18 mm tief  
 Streuwert 1.42, horizontal: 1.36, vertikal: 1.48



Serie 3:  
 10.4 \* 10.0 ↘ 10.4 \* 10.6 \* 9.6 →  
 10.7 \* 9.5 ↘ 10.0 ↓ 8.8 ↘ 10.4 \*  
 beste Teiler 53.9 (26.) 87.0 (24.) 129.0 (30.)  
 Trefferlage 0.51 mm rechts, 0.16 mm tief  
 Streuwert 1.97, horizontal: 2.22, vertikal: 1.69





Serie 4:  
 9.3 ↘ 10.1 ↘ 10.7 \* 10.1 ↘ 10.3 \*  
 10.5 \* 10.1 ← 10.5 \* 9.9 ↙ 10.6 \*  
 beste Teiler 68.2 (33.) 91.2 (40.) 109.0 (38.)  
 Trefferlage 0.78 mm links, 0.54 mm tief  
 Streuwert 1.40, horizontal: 1.21, vertikal: 1.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (386.6)  
 Serien: 88 92 95 91  
 Zähler: 12 23 4 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 859 (33), 660 (3), 541 (20)  
 beste Teiler 66.1 (29.) 85.1 (26.) 119.9 (19.)  
 Trefferlage 0.71 mm links, 0.76 mm hoch  
 Streuwert 2.44, horizontal: 3.01, vertikal: 1.70




Serie 1:  
 9.7 ←                      9.9 ↑                      8.3 ←                      10.3 \*                      8.8 ←  
 9.9 →                      9.7 ↘                      9.8 ←                      9.5 →                      8.9 →  
 beste Teiler 160.9 (4.) 262.9 (2.) 272.9 (6.)  
 Trefferlage 0.81 mm links, 0.14 mm hoch  
 Streuwert 2.89, horizontal: 3.74, vertikal: 1.65



Serie 2:  
 9.9 ↗                      10.1 ←                      10.1 ↘                      9.8 ↑                      9.8 ↘  
 9.0 ←                      9.7 ←                      9.9 ↑                      10.5 \*                      8.8 ↘  
 beste Teiler 119.9 (19.) 201.6 (13.) 215.1 (12.)  
 Trefferlage 1.35 mm links, 0.92 mm hoch  
 Streuwert 2.04, horizontal: 2.27, vertikal: 1.77



Serie 3:  
 10.3 \*                      9.3 ↑                      9.4 ↗                      10.1 ←                      9.8 →  
 10.6 \*                      10.0 ↘                      9.6 ↑                      10.7 \*                      9.6 ↘  
 beste Teiler 66.1 (29.) 85.1 (26.) 170.8 (21.)  
 Trefferlage 0.27 mm rechts, 1.20 mm hoch  
 Streuwert 1.85, horizontal: 2.04, vertikal: 1.64





Serie 4:  
 10.1 ↘                      9.6 ↘                      7.5 ←                      9.3 →                      10.3 \*  
 10.4 \*                      9.2 →                      9.7 ↑                      9.1 ↘                      9.6 ↘  
 beste Teiler 144.3 (36.) 153.1 (35.) 216.6 (31.)  
 Trefferlage 0.96 mm links, 0.78 mm hoch  
 Streuwert 2.97, horizontal: 3.77, vertikal: 1.84

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **324** (346.3)  
 Serien: 84 83 82 75  
 Zähler: 1 18 10 7 3 1 0 0 0 0  
 Innenzehner: 0  
 weiteste: 1383 (40), 1109 (29), 1049 (39)  
 beste Teiler 242.8 (38.) 262.2 (33.) 263.0 (27.)  
 Trefferlage 3.35 mm rechts, 0.45 mm hoch  
 Streuwert 3.86, horizontal: 4.99, vertikal: 2.21




Serie 1:  
 8.1 →                      9.8 ↑                      9.4 ↗                      9.2 →                      9.5 ↘  
 9.4 ←                      8.6 ↘                      9.5 ↑                      7.5 ↖                      7.9 →

beste Teiler 300.2 (2.) 363.2 (8.) 371.7 (5.)  
 Trefferlage 2.03 mm rechts, 0.87 mm hoch  
 Streuwert 3.79, horizontal: 4.70, vertikal: 2.59




Serie 2:  
 8.8 →                      8.8 →                      8.8 →                      9.1 →                      8.8 ↘  
 9.3 ↙                      9.4 ↗                      9.1 ↘                      8.4 →                      7.5 ←

beste Teiler 400.8 (17.) 407.4 (16.) 451.0 (14.)  
 Trefferlage 2.54 mm rechts, 0.54 mm tief  
 Streuwert 3.62, horizontal: 4.72, vertikal: 1.97



Serie 3:  
 9.8 ↖                      7.5 →                      7.5 →                      9.8 ↘                      8.7 →  
 9.9 →                      9.9 →                      9.2 ↗                      6.5 ←                      9.2 ↗

beste Teiler 263.0 (27.) 273.0 (26.) 289.0 (21.)  
 Trefferlage 2.55 mm rechts, 0.68 mm hoch  
 Streuwert 4.11, horizontal: 5.28, vertikal: 2.42





Serie 4:  
 7.4 →                      9.7 ↖                      9.9 ↗                      8.9 →                      8.9 →  
 6.8 →                      7.6 →                      10.0 →                      6.8 →                      5.4 →

beste Teiler 242.8 (38.) 262.2 (33.) 304.3 (32.)  
 Trefferlage 6.27 mm rechts, 0.82 mm hoch  
 Streuwert 3.60, horizontal: 4.76, vertikal: 1.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (384.2)  
 Serien: 89 94 93 90  
 Zähler: 13 21 5 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 913 (2), 628 (37), 593 (29)  
 beste Teiler 54.4 (32.) 78.1 (13.) 102.9 (6.)  
 Trefferlage 0.49 mm rechts, 1.01 mm hoch  
 Streuwert 2.61, horizontal: 3.03, vertikal: 2.10




Serie 1:  
 9.0 ← 7.3 ↗ 10.4 \* 9.8 ↗ 9.8 ←  
 10.5 \* 8.8 ↘ 9.9 ↑ 9.2 ← 9.9 ↑  
 beste Teiler 102.9 (6.) 139.4 (3.) 256.9 (10.)  
 Trefferlage 0.78 mm links, 1.78 mm hoch  
 Streuwert 2.90, horizontal: 3.25, vertikal: 2.49



Serie 2:  
 10.1 ↑ 9.9 ↙ 10.6 \* 10.4 \* 9.1 →  
 10.5 \* 9.1 ↓ 9.1 ↗ 9.2 ↗ 9.8 ↑  
 beste Teiler 78.1 (13.) 123.0 (16.) 149.0 (14.)  
 Trefferlage 1.16 mm rechts, 0.59 mm hoch  
 Streuwert 2.28, horizontal: 2.12, vertikal: 2.43



Serie 3:  
 9.4 ← 9.6 ↘ 9.5 ↑ 10.0 ↓ 10.2 \*  
 10.3 \* 9.6 ↗ 10.2 \* 8.6 → 9.7 ↘  
 beste Teiler 174.3 (26.) 176.0 (25.) 191.6 (28.)  
 Trefferlage 0.48 mm links, 1.23 mm hoch  
 Streuwert 2.29, horizontal: 2.82, vertikal: 1.59





Serie 4:  
 10.5 \* 10.7 \* 10.0 ↓ 9.2 ↘ 9.8 ↑  
 9.1 ↘ 8.4 → 8.7 → 9.7 → 8.6 →  
 beste Teiler 54.4 (32.) 119.9 (31.) 232.4 (33.)  
 Trefferlage 2.06 mm rechts, 0.44 mm hoch  
 Streuwert 2.64, horizontal: 3.26, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>369</b>	(386.0)
Serien:	93 87 95 94	
Zähler:	17 16 6 1 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	837 (17), 625 (11), 592 (37)	
beste Teiler	47.0 (40.) 81.8 (38.) 123.0 (29.)	
Trefferlage	0.58 mm rechts, 0.88 mm hoch	
Streuwert	2.53, horizontal: 2.99, vertikal: 1.95	




Serie 1:	9.5 ↘	10.1 ↖	9.2 ↘	9.5 ↙	9.3 ↖
	9.6 ↗	10.3 *	10.1 →	10.3 *	8.9 ↗
beste Teiler	166.3 (7.)	173.1 (9.)	207.3 (2.)		
Trefferlage	0.20 mm rechts, 1.12 mm hoch				
Streuwert	2.38, horizontal: 2.64, vertikal: 2.09				



Serie 2:	8.5 ↗	9.3 ↑	9.6 ↗	10.1 ↑	10.1 ↖
	9.9 ↗	7.6 →	9.0 ↘	8.6 →	8.6 ↗
beste Teiler	207.6 (15.)	222.4 (14.)	274.8 (16.)		
Trefferlage	2.48 mm rechts, 1.04 mm hoch				
Streuwert	3.13, horizontal: 3.27, vertikal: 2.98				





Serie 3:	9.3 ←	9.9 ↗	10.2 *	9.3 ↗	9.3 ←
	10.1 →	10.1 →	10.1 ↖	10.5 *	9.7 ↖
beste Teiler	123.0 (29.)	195.6 (23.)	202.4 (28.)		
Trefferlage	0.26 mm links, 0.93 mm hoch				
Streuwert	2.06, horizontal: 2.72, vertikal: 1.06				




Serie 4:	9.7 ↗	10.0 ↖	10.3 *	9.8 ←	10.4 *
	8.9 ←	8.6 →	10.6 *	10.3 *	10.8 *
beste Teiler	47.0 (40.)	81.8 (38.)	127.9 (35.)		
Trefferlage	0.07 mm links, 0.42 mm hoch				
Streuwert	2.24, horizontal: 2.88, vertikal: 1.33				

Unterschrift des Schützen


Ergebnis:	<b>344</b>	(362.3)
Serien:	86 85 88 85	
Zähler:	8 16 11 3 1 1 0 0 0 0	
Innenzehner:	7	
weiteste:	1465 (16), 1073 (36), 886 (22)	
beste Teiler	100.4 (12.) 106.8 (33.) 112.7 (4.)	
Trefferlage	0.90 mm links, 0.90 mm tief	
Streuwert	3.84, horizontal: 4.79, vertikal: 2.54	




Serie 1:	9.1 ↖	8.7 ↗	8.7 ↖	10.5 *	9.9 ↘
	8.9 ←	9.1 ↖	8.3 ↙	8.6 →	9.2 ↘
beste Teiler	112.7 (4.)	256.8 (5.)	441.5 (10.)		
Trefferlage	0.91 mm links, 0.48 mm tief				
Streuwert	3.56, horizontal: 4.25, vertikal: 2.70				



Serie 2:	10.3 *	10.6 *	9.3 ↖	9.9 ↙	9.3 ↖
	5.1 ↙	9.6 ↘	7.8 ←	9.0 ↘	8.6 ←
beste Teiler	100.4 (12.)	164.1 (11.)	260.3 (14.)		
Trefferlage	2.67 mm links, 1.10 mm tief				
Streuwert	4.13, horizontal: 4.98, vertikal: 3.07				



Serie 3:	9.7 ↗	7.4 →	10.5 *	7.6 ←	9.6 ↘
	8.1 →	9.4 ↖	10.5 *	9.4 ↙	10.0 ↘
beste Teiler	114.9 (28.)	120.0 (23.)	240.6 (30.)		
Trefferlage	1.07 mm rechts, 0.64 mm tief				
Streuwert	3.68, horizontal: 4.83, vertikal: 1.92				





Serie 4:	9.5 ↘	10.2 *	10.5 *	9.4 ↖	8.1 ←
	6.7 ←	9.9 ↘	8.2 ↗	8.8 ↘	8.3 ←
beste Teiler	106.8 (33.)	190.0 (32.)	266.0 (37.)		
Trefferlage	1.11 mm links, 1.37 mm tief				
Streuwert	4.03, horizontal: 5.05, vertikal: 2.65				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.4)  
 Serien: 93 95 89 97  
 Zähler: 22 10 8 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 674 (24), 672 (3), 600 (21)  
 beste Teiler 13.4 (23.) 31.4 (10.) 40.7 (31.)  
 Trefferlage 0.02 mm links, 0.08 mm tief  
 Streuwert 2.46, horizontal: 3.02, vertikal: 1.72




Serie 1:  
 10.2 \*                      8.7 ↘                      8.3 →                      9.3 ↓                      9.5 ←  
 10.2 \*                      10.1 →                      9.2 ←                      10.5 \*                      10.8 \*  
 beste Teiler 31.4 (10.) 116.4 (9.) 189.0 (1.)  
 Trefferlage 0.76 mm rechts, 0.58 mm tief  
 Streuwert 2.72, horizontal: 3.48, vertikal: 1.62



Serie 2:  
 10.1 ↖                      10.3 \*                      10.2 \*                      10.3 \*                      8.7 ↙  
 10.2 \*                      9.9 ↘                      10.0 ↗                      10.2 \*                      8.9 ↘  
 beste Teiler 162.8 (14.) 166.8 (12.) 180.1 (19.)  
 Trefferlage 0.99 mm links, 0.55 mm hoch  
 Streuwert 2.07, horizontal: 2.06, vertikal: 2.08



Serie 3:  
 8.6 ↘                      9.0 ←                      10.9 \*                      8.3 ←                      10.2 \*  
 8.8 ↗                      10.7 \*                      9.2 ←                      8.6 ↘                      9.7 →  
 beste Teiler 13.4 (23.) 68.0 (27.) 180.3 (25.)  
 Trefferlage 0.44 mm rechts, 0.32 mm tief  
 Streuwert 3.33, horizontal: 4.27, vertikal: 1.99





Serie 4:  
 10.8 \*                      10.4 \*                      10.7 \*                      9.9 ↗                      9.8 →  
 9.9 ←                      10.6 \*                      10.4 \*                      10.3 \*                      10.0 ←  
 beste Teiler 40.7 (31.) 60.8 (33.) 77.1 (37.)  
 Trefferlage 0.30 mm links, 0.02 mm hoch  
 Streuwert 1.38, horizontal: 1.67, vertikal: 1.01


\_\_\_\_\_  
 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (367.6)  
 Serien: 87 91 88 84  
 Zähler: 7 18 13 2 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 879 (32), 787 (34), 701 (27)  
 beste Teiler 159.4 (30.) 172.2 (36.) 204.3 (35.)  
 Trefferlage 1.82 mm rechts, 1.29 mm hoch  
 Streuwert 2.99, horizontal: 3.49, vertikal: 2.37




Serie 1:  
 9.2 ←                      8.9 →                      9.2 ↗                      8.3 ↗                      9.6 ↘  
 8.5 ↗                      9.1 ↘                      10.0 ↘                      8.6 ↘                      9.5 ↑  
 beste Teiler 243.2 (8.) 327.9 (5.) 374.8 (10.)  
 Trefferlage 0.69 mm rechts, 2.30 mm hoch  
 Streuwert 3.11, horizontal: 3.96, vertikal: 1.93



Serie 2:  
 9.0 ↗                      9.5 →                      9.8 ↘                      9.7 ↗                      10.0 ←  
 8.7 →                      9.7 →                      10.1 →                      9.3 ↗                      9.1 →  
 beste Teiler 219.5 (18.) 240.5 (15.) 291.8 (13.)  
 Trefferlage 2.33 mm rechts, 1.05 mm hoch  
 Streuwert 2.16, horizontal: 2.42, vertikal: 1.87



Serie 3:  
 9.4 ↘                      9.4 ↗                      8.7 ↑                      9.8 →                      8.9 ↘  
 10.1 →                      8.1 →                      8.3 →                      9.3 →                      10.3 \*  
 beste Teiler 159.4 (30.) 212.2 (26.) 286.2 (24.)  
 Trefferlage 1.84 mm rechts, 0.44 mm hoch  
 Streuwert 3.15, horizontal: 3.55, vertikal: 2.69





Serie 4:  
 9.7 ↓                      7.4 →                      8.4 →                      7.8 ↗                      10.1 ↘  
 10.3 \*                      8.7 →                      8.9 ↑                      8.9 ←                      9.3 →  
 beste Teiler 172.2 (36.) 204.3 (35.) 309.3 (31.)  
 Trefferlage 2.41 mm rechts, 1.38 mm hoch  
 Streuwert 3.51, horizontal: 4.09, vertikal: 2.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (386.2)  
 Serien: 91 91 92 93  
 Zähler: 14 20 5 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 860 (21), 610 (40), 595 (3)  
 beste Teiler 24.4 (28.) 67.0 (33.) 70.8 (2.)  
 Trefferlage 0.89 mm links, 0.29 mm tief  
 Streuwert 2.57, horizontal: 3.05, vertikal: 1.97




Serie 1:  
 8.9 ← 10.7 \* 8.6 ↖ 10.4 \* 9.3 ↖  
 9.2 ← 9.0 ← 9.6 ↘ 9.7 ← 10.4 \*  
 beste Teiler 70.8 (2.) 141.4 (4.) 141.4 (10.)  
 Trefferlage 2.37 mm links, 0.54 mm tief  
 Streuwert 2.22, horizontal: 2.81, vertikal: 1.41



Serie 2:  
 9.3 ↘ 10.5 \* 9.7 ↖ 9.7 ↓ 9.2 ↓  
 9.9 ← 8.7 ↘ 9.3 → 9.2 ← 10.7 \*  
 beste Teiler 74.0 (20.) 115.8 (12.) 263.0 (16.)  
 Trefferlage 0.02 mm rechts, 1.26 mm tief  
 Streuwert 2.56, horizontal: 3.13, vertikal: 1.82



Serie 3:  
 7.5 ↘ 10.0 ↗ 10.2 \* 10.3 \* 10.6 \*  
 9.6 ↘ 8.9 ← 10.9 \* 9.8 ↗ 9.8 ↗  
 beste Teiler 24.4 (28.) 100.9 (25.) 154.2 (24.)  
 Trefferlage 0.23 mm links, 1.18 mm hoch  
 Streuwert 2.64, horizontal: 3.15, vertikal: 2.02





Serie 4:  
 9.7 ↖ 9.1 ← 10.7 \* 9.7 → 9.5 ↖  
 10.2 \* 9.2 ↘ 10.0 ↘ 10.0 ↓ 8.5 ↖  
 beste Teiler 67.0 (33.) 189.7 (36.) 233.3 (39.)  
 Trefferlage 1.01 mm links, 0.55 mm tief  
 Streuwert 2.52, horizontal: 2.97, vertikal: 1.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.9)  
 Serien: 91 94 95 90  
 Zähler: 18 15 6 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 761 (4), 720 (38), 707 (9)  
 beste Teiler 47.5 (29.) 82.2 (2.) 94.5 (10.)  
 Trefferlage 0.56 mm links, 0.61 mm tief  
 Streuwert 2.52, horizontal: 2.83, vertikal: 2.16




Serie 1:  
 10.2 \*                      10.6 \*                      10.4 \*                      7.9 ↘                      10.0 ↓  
 8.9 ←                      9.6 ↘                      9.4 ←                      8.1 →                      10.6 \*  
 beste Teiler 82.2 (2.) 94.5 (10.) 130.1 (3.)  
 Trefferlage 0.66 mm rechts, 1.18 mm tief  
 Streuwert 2.95, horizontal: 3.65, vertikal: 2.01



Serie 2:  
 9.6 ↓                      9.9 ←                      9.5 ↘                      10.1 ↖                      10.2 \*  
 8.5 →                      10.2 \*                      10.5 \*                      9.1 ↓                      10.4 \*  
 beste Teiler 113.5 (18.) 126.2 (20.) 180.2 (15.)  
 Trefferlage 0.21 mm links, 0.03 mm tief  
 Streuwert 2.40, horizontal: 2.64, vertikal: 2.13



Serie 3:  
 10.0 ←                      10.1 ↖                      9.6 ↓                      10.5 \*                      9.6 ↘  
 10.3 \*                      9.6 ↘                      9.4 ↓                      10.8 \*                      9.8 ↓  
 beste Teiler 47.5 (29.) 122.9 (24.) 174.8 (26.)  
 Trefferlage 0.75 mm links, 0.46 mm tief  
 Streuwert 1.89, horizontal: 1.58, vertikal: 2.16





Serie 4:  
 10.1 ↖                      8.8 ↘                      10.0 ↓                      9.8 ←                      9.7 ↘  
 10.4 \*                      9.2 ↓                      8.1 ←                      8.7 ←                      9.7 ↘  
 beste Teiler 143.8 (36.) 222.7 (31.) 246.9 (33.)  
 Trefferlage 1.93 mm links, 0.76 mm tief  
 Streuwert 2.66, horizontal: 2.83, vertikal: 2.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.0)  
 Serien: 91 90 89 88  
 Zähler: 12 16 10 2 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 958 (36), 776 (28), 727 (10)  
 beste Teiler 63.7 (4.) 69.1 (19.) 76.1 (25.)  
 Trefferlage 0.55 mm links, 0.91 mm hoch  
 Streuwert 3.10, horizontal: 3.78, vertikal: 2.23




Serie 1:  
 9.0 ↑                      9.2 ↑                      10.5 \*                      10.7 \*                      10.4 \*  
 10.1 ←                      8.9 →                      8.8 ←                      9.3 →                      8.0 ↗  
 beste Teiler 63.7 (4.) 125.0 (3.) 140.2 (5.)  
 Trefferlage 0.21 mm rechts, 1.61 mm hoch  
 Streuwert 2.87, horizontal: 3.20, vertikal: 2.49



Serie 2:  
 8.3 ←                      9.1 ↓                      10.1 ↑                      9.2 ↘                      9.9 ↖  
 9.8 ↑                      8.5 ←                      9.8 ←                      10.7 \*                      9.2 →  
 beste Teiler 69.1 (19.) 210.4 (13.) 259.4 (15.)  
 Trefferlage 0.90 mm links, 0.32 mm hoch  
 Streuwert 2.98, horizontal: 3.54, vertikal: 2.28



Serie 3:  
 9.0 ↘                      9.9 →                      9.4 →                      9.2 →                      10.6 \*  
 8.6 →                      10.0 →                      7.8 ↖                      9.6 ↖                      9.3 ↖  
 beste Teiler 76.1 (25.) 239.1 (27.) 254.1 (22.)  
 Trefferlage 0.46 mm rechts, 1.50 mm hoch  
 Streuwert 3.09, horizontal: 3.98, vertikal: 1.78





Serie 4:  
 8.9 ←                      9.9 ←                      8.4 ↘                      8.7 ↖                      10.5 \*  
 7.1 ←                      8.3 ←                      10.2 \*                      10.1 ↖                      10.0 →  
 beste Teiler 117.4 (35.) 184.0 (38.) 220.6 (39.)  
 Trefferlage 1.98 mm links, 0.21 mm hoch  
 Streuwert 3.47, horizontal: 4.36, vertikal: 2.26

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **171** (178.2)  
 Serien: 88 83  
 Zähler: 3 7 8 2 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 961 (6), 813 (16), 727 (19)  
 beste Teiler 180.0 (2.) 212.7 (3.) 239.1 (9.)  
 Trefferlage 0.06 mm rechts, 2.40 mm hoch  
 Streuwert 3.58, horizontal: 3.73, vertikal: 3.42



Serie 1:  
 8.2 ↑                      10.2 \*                      10.1 ↓                      8.2 ↖                      8.5 ↗  
 7.1 →                      9.2 ↗                      9.1 ↑                      10.0 ↖                      9.6 →

beste Teiler 180.0 (2.) 212.7 (3.) 239.1 (9.)  
 Trefferlage 1.22 mm rechts, 2.47 mm hoch  
 Streuwert 3.44, horizontal: 3.68, vertikal: 3.18





Serie 2:  
 8.9 ↖                      9.0 ↓                      9.2 ↗                      9.6 ↗                      8.2 ↖  
 7.7 ←                      8.6 ↖                      8.9 ↑                      8.0 ↖                      9.9 ↘


beste Teiler 255.2 (20.) 341.4 (14.) 448.9 (13.)  
 Trefferlage 1.08 mm links, 2.33 mm hoch  
 Streuwert 3.71, horizontal: 3.60, vertikal: 3.81

Unterschrift des Schützen

Ergebnis: **192** (201.2)  
 Serien: 96 96  
 Zähler: 12 8 0 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 456 (2), 432 (18), 389 (10)  
 beste Teiler 13.0 (4.) 26.5 (13.) 118.0 (1.)  
 Trefferlage 0.07 mm rechts, 0.23 mm hoch  
 Streuwert 1.83, horizontal: 2.19, vertikal: 1.37





Serie 1:  
 10.5 \*                      9.1 →                      10.4 \*                      10.9 \*                      9.7 ↗  
 10.3 \*                      10.2 \*                      9.6 ↙                      10.3 \*                      9.4 ↖  
 beste Teiler 13.0 (4.) 118.0 (1.) 150.6 (3.)  
 Trefferlage 0.50 mm rechts, 0.30 mm tief  
 Streuwert 1.92, horizontal: 2.43, vertikal: 1.19




Serie 2:  
 9.9 ↙                      10.2 \*                      10.8 \*                      10.2 \*                      10.0 ↖  
 9.7 ↖                      10.4 \*                      9.2 →                      9.9 ↖                      10.5 \*  
 beste Teiler 26.5 (13.) 120.2 (20.) 138.7 (17.)  
 Trefferlage 0.36 mm links, 0.76 mm hoch  
 Streuwert 1.69, horizontal: 1.95, vertikal: 1.38

Unterschrift des Schützen

Ergebnis: **184** (190.3)  
 Serien: 93 91  
 Zähler: 8 8 4 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 703 (12), 639 (7), 584 (19)  
 beste Teiler 148.6 (2.) 160.8 (1.) 176.3 (15.)  
 Trefferlage 0.55 mm links, 1.28 mm hoch  
 Streuwert 2.67, horizontal: 3.18, vertikal: 2.02





Serie 1:  
 10.3 \*                      10.4 \*                      10.0 →                      10.0 ↖                      10.1 ↓  
 9.5 ↑                      8.4 ↗                      9.1 ↗                      8.7 ↖                      9.3 ↖  
 beste Teiler 148.6 (2.) 160.8 (1.) 216.0 (5.)  
 Trefferlage 0.11 mm links, 1.38 mm hoch  
 Streuwert 2.65, horizontal: 3.03, vertikal: 2.20




Serie 2:  
 9.4 ↖                      8.1 ↖                      9.8 ↖                      9.0 →                      10.2 \*  
 9.5 ↓                      10.1 ↗                      9.7 ↑                      8.6 ←                      10.1 ↑  
 beste Teiler 176.3 (15.) 220.9 (17.) 221.0 (20.)  
 Trefferlage 0.99 mm links, 1.19 mm hoch  
 Streuwert 2.79, horizontal: 3.43, vertikal: 1.94

Unterschrift des Schützen


Ergebnis: **378** (395.7)  
 Serien: 97 93 97 91  
 Zähler: 21 16 3 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 652 (19), 634 (40), 550 (35)  
 beste Teiler 52.5 (4.) 74.5 (28.) 81.6 (29.)  
 Trefferlage 0.33 mm links, 0.18 mm tief  
 Streuwert 2.19, horizontal: 2.62, vertikal: 1.63




Serie 1:  
 10.3 \* 10.1 ↖ 10.3 \* 10.7 \* 10.6 \*  
 9.8 ↑ 10.5 \* 9.9 ↘ 10.4 \* 9.2 ↖  
 beste Teiler 52.5 (4.) 95.7 (5.) 122.0 (7.)  
 Trefferlage 0.03 mm rechts, 0.29 mm hoch  
 Streuwert 1.66, horizontal: 1.85, vertikal: 1.43



Serie 2:  
 10.5 \* 9.0 ← 9.7 ↘ 9.6 → 9.5 ↗  
 10.5 \* 9.0 ↓ 10.4 \* 8.3 ← 10.0 ↖  
 beste Teiler 110.4 (16.) 124.9 (11.) 133.5 (18.)  
 Trefferlage 0.44 mm links, 0.70 mm tief  
 Streuwert 2.71, horizontal: 3.15, vertikal: 2.19



Serie 3:  
 10.1 → 10.2 \* 9.8 ← 10.1 ← 10.4 \*  
 9.5 ← 9.5 ↘ 10.7 \* 10.6 \* 10.6 \*  
 beste Teiler 74.5 (28.) 81.6 (29.) 94.0 (30.)  
 Trefferlage 0.25 mm links, 0.32 mm tief  
 Streuwert 1.64, horizontal: 1.95, vertikal: 1.26





Serie 4:  
 10.1 → 9.5 ← 9.8 ↙ 10.4 \* 8.8 ←  
 9.2 ← 9.9 → 10.1 ↘ 9.7 ↘ 8.4 →  
 beste Teiler 126.1 (34.) 212.2 (31.) 214.7 (38.)  
 Trefferlage 0.67 mm links, 0.00 mm  
 Streuwert 2.73, horizontal: 3.52, vertikal: 1.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (396.6)  
 Serien: 90 98 94 97  
 Zähler: 22 15 3 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 665 (1), 519 (27), 501 (30)  
 beste Teiler 27.2 (38.) 37.2 (16.) 55.4 (18.)  
 Trefferlage 0.50 mm rechts, 0.51 mm hoch  
 Streuwert 2.03, horizontal: 2.28, vertikal: 1.75




Serie 1:  
 8.3 ↖ 9.5 ↘ 9.3 ↑ 9.5 ↑ 9.5 →  
 9.5 ↘ 9.9 ↗ 9.7 → 10.0 ↘ 9.9 ↑  
 beste Teiler 242.2 (9.) 264.6 (7.) 271.0 (10.)  
 Trefferlage 0.19 mm links, 2.12 mm hoch  
 Streuwert 2.35, horizontal: 3.00, vertikal: 1.42



Serie 2:  
 9.9 ↑ 10.0 ↘ 10.2 \* 9.1 → 10.7 \*  
 10.8 \* 10.0 ↑ 10.7 \* 10.1 → 10.3 \*  
 beste Teiler 37.2 (16.) 55.4 (18.) 64.0 (15.)  
 Trefferlage 0.54 mm rechts, 0.43 mm hoch  
 Streuwert 1.60, horizontal: 1.90, vertikal: 1.23



Serie 3:  
 10.3 \* 9.6 ↖ 10.3 \* 10.5 \* 10.7 \*  
 10.1 ↓ 8.9 → 9.7 → 10.2 \* 8.9 ↘  
 beste Teiler 60.0 (25.) 105.1 (24.) 155.6 (21.)  
 Trefferlage 0.72 mm rechts, 0.46 mm tief  
 Streuwert 2.13, horizontal: 2.65, vertikal: 1.42





Serie 4:  
 9.8 ↑ 10.0 ↓ 10.1 ↘ 10.0 ↘ 10.1 ↘  
 9.7 ↑ 10.3 \* 10.8 \* 10.2 \* 9.5 →  
 beste Teiler 27.2 (38.) 166.0 (37.) 187.5 (39.)  
 Trefferlage 0.95 mm rechts, 0.03 mm tief  
 Streuwert 1.66, horizontal: 1.46, vertikal: 1.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>360</b>	(378.1)
Serien:	92 91 90 87	
Zähler:	16 14 6 2 2 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1046 (40), 1013 (10), 958 (13)	
beste Teiler	23.0 (18.) 60.2 (24.) 93.3 (6.)	
Trefferlage	1.35 mm rechts, 0.35 mm tief	
Streuwert	3.07, horizontal: 3.60, vertikal: 2.43	




Serie 1:	9.2 ↙	9.4 ↘	10.0 ↙	10.3 *	9.4 →
	10.6 *	10.2 *	9.3 ↘	10.4 *	6.9 →
beste Teiler	93.3 (6.)	127.5 (9.)	166.7 (4.)		
Trefferlage	1.77 mm rechts, 0.61 mm tief				
Streuwert	2.86, horizontal: 3.76, vertikal: 1.50				



Serie 2:	9.2 ↘	8.9 ↘	7.1 →	10.5 *	10.2 *
	8.9 ↗	9.7 ↗	10.9 *	10.2 *	10.1 ↓
beste Teiler	23.0 (18.)	111.5 (14.)	179.5 (19.)		
Trefferlage	2.14 mm rechts, 0.25 mm tief				
Streuwert	2.78, horizontal: 3.18, vertikal: 2.30				



Serie 3:	9.9 ↗	10.0 ↘	8.1 ↗	10.7 *	9.2 ↙
	9.7 ↘	10.3 *	8.5 ↙	8.6 →	9.9 ↙
beste Teiler	60.2 (24.)	161.6 (27.)	233.3 (22.)		
Trefferlage	0.32 mm rechts, 0.08 mm hoch				
Streuwert	3.11, horizontal: 3.47, vertikal: 2.71				





Serie 4:	9.4 ↘	9.4 ↓	9.9 ↙	10.3 *	7.8 ↙
	10.0 ↗	10.4 *	8.5 ↘	9.3 →	6.8 →
beste Teiler	127.5 (37.)	160.3 (34.)	238.1 (36.)		
Trefferlage	1.16 mm rechts, 0.64 mm tief				
Streuwert	3.75, horizontal: 4.22, vertikal: 3.20				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>346</b>	(365.3)
Serien:	87 86 85 88	
Zähler:	9 16 9 4 2 0 0 0 0 0	
Innenzehner:	8	
weiteste:	1102 (14), 1063 (40), 913 (24)	
beste Teiler	48.3 (19.) 59.9 (20.) 67.0 (33.)	
Trefferlage	0.25 mm rechts, 1.48 mm hoch	
Streuwert	3.66, horizontal: 4.63, vertikal: 2.31	




Serie 1:	10.1 ↑	8.2 ↗	10.3 *	8.9 ↑	8.7 ↘
	8.7 ←	9.2 ↑	7.4 →	10.7 *	9.4 →
beste Teiler	70.0 (9.)	173.4 (3.)	213.3 (1.)		
Trefferlage	0.98 mm rechts, 2.29 mm hoch				
Streuwert	3.31, horizontal: 4.17, vertikal: 2.13				



Serie 2:	9.6 ←	9.1 →	9.6 ↘	6.5 ←	7.4 ↑
	9.8 ↗	9.2 ↙	8.3 →	10.8 *	10.7 *
beste Teiler	48.3 (19.)	59.9 (20.)	293.2 (16.)		
Trefferlage	0.13 mm rechts, 1.02 mm hoch				
Streuwert	4.14, horizontal: 4.86, vertikal: 3.25				



Serie 3:	7.7 ↘	8.5 →	9.9 ↑	7.3 ↘	8.5 →
	10.6 *	8.1 →	9.5 ↘	10.2 *	9.9 →
beste Teiler	80.0 (26.)	186.6 (29.)	263.9 (30.)		
Trefferlage	0.93 mm rechts, 1.44 mm hoch				
Streuwert	3.93, horizontal: 5.09, vertikal: 2.23				





Serie 4:	9.2 ↘	9.2 ↖	10.7 *	9.9 ←	9.5 →
	9.2 →	9.1 ←	10.3 *	8.7 →	6.7 ←
beste Teiler	67.0 (33.)	169.7 (38.)	259.3 (34.)		
Trefferlage	1.04 mm links, 1.18 mm hoch				
Streuwert	3.52, horizontal: 4.79, vertikal: 1.40				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (398.4)  
 Serien: 92 94 96 95  
 Zähler: 18 21 1 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 577 (3), 490 (28), 487 (14)  
 beste Teiler 17.0 (39.) 70.4 (31.) 75.1 (13.)  
 Trefferlage 0.03 mm links, 0.24 mm tief  
 Streuwert 1.96, horizontal: 2.05, vertikal: 1.87




Serie 1:  
 9.5 ↘                      9.6 →                      8.6 ↑                      9.9 ↙                      9.8 ↑  
 10.5 \*                      9.9 ↘                      10.1 →                      9.9 ←                      10.0 ←  
 beste Teiler 111.1 (6.) 211.0 (8.) 231.4 (10.)  
 Trefferlage 0.04 mm rechts, 0.20 mm hoch  
 Streuwert 2.34, horizontal: 2.37, vertikal: 2.31



Serie 2:  
 10.1 ↘                      10.3 \*                      10.7 \*                      9.0 ↖                      10.6 \*  
 9.8 ↘                      9.8 ↘                      9.9 ↗                      9.1 ←                      9.6 ↙  
 beste Teiler 75.1 (13.) 83.0 (15.) 153.4 (12.)  
 Trefferlage 0.32 mm links, 0.04 mm hoch  
 Streuwert 2.18, horizontal: 2.29, vertikal: 2.07



Serie 3:  
 10.1 ↖                      10.4 \*                      10.3 \*                      10.2 \*                      10.2 \*  
 9.8 ↘                      9.8 ↓                      9.0 →                      9.9 ↖                      10.1 ↓  
 beste Teiler 128.4 (22.) 159.8 (23.) 188.5 (24.)  
 Trefferlage 0.43 mm rechts, 1.07 mm tief  
 Streuwert 1.75, horizontal: 2.16, vertikal: 1.21





Serie 4:  
 10.7 \*                      10.4 \*                      9.9 ↙                      9.9 ↓                      10.2 \*  
 9.5 ←                      10.6 \*                      9.9 ↓                      10.9 \*                      9.9 ↗  
 beste Teiler 17.0 (39.) 70.4 (31.) 86.2 (37.)  
 Trefferlage 0.27 mm links, 0.13 mm tief  
 Streuwert 1.62, horizontal: 1.49, vertikal: 1.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (347.0)  
 Serien: 82 81 83 82  
 Zähler: 6 13 13 3 3 0 2 0 0 0  
 Innenzehner: 4  
 weiteste: 1687 (34), 1620 (8), 1027 (10)  
 beste Teiler 23.1 (1.) 167.6 (26.) 188.0 (35.)  
 Trefferlage 3.32 mm links, 0.18 mm tief  
 Streuwert 4.18, horizontal: 5.37, vertikal: 2.48




Serie 1:  
 10.9 \*                      10.2 \*                      10.1 ↘                      9.1 ←                      9.0 ↘  
 8.3 ↙                      8.9 ↘                      4.5 ←                      8.9 ↘                      6.8 →  
 beste Teiler 23.1 (1.) 198.9 (2.) 220.6 (3.)  
 Trefferlage 2.84 mm links, 0.54 mm hoch  
 Streuwert 4.93, horizontal: 6.42, vertikal: 2.71



Serie 2:  
 10.1 ↓                      8.4 ↖                      7.2 ←                      9.5 ←                      6.9 ←  
 9.7 ↓                      8.0 ←                      7.6 ←                      9.7 ←                      8.2 ↘  
 beste Teiler 216.2 (11.) 310.8 (19.) 318.1 (16.)  
 Trefferlage 5.04 mm links, 0.36 mm hoch  
 Streuwert 3.21, horizontal: 3.75, vertikal: 2.57



Serie 3:  
 8.2 ↖                      7.4 ←                      9.9 →                      9.9 ←                      8.0 →  
 10.3 \*                      9.7 ↓                      6.9 ←                      9.5 ←                      8.3 ↖  
 beste Teiler 167.6 (26.) 258.8 (24.) 268.8 (23.)  
 Trefferlage 2.55 mm links, 0.22 mm tief  
 Streuwert 4.06, horizontal: 5.36, vertikal: 2.06





Serie 4:  
 9.3 ↙                      8.3 ↙                      9.6 ↓                      4.2 ←                      10.2 \*  
 9.6 ↓                      8.7 →                      8.6 ↖                      8.5 ←                      9.9 ↘  
 beste Teiler 188.0 (35.) 275.0 (40.) 338.8 (36.)  
 Trefferlage 2.87 mm links, 1.43 mm tief  
 Streuwert 4.60, horizontal: 6.03, vertikal: 2.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (354.6)  
 Serien: 88 81 90 78  
 Zähler: 10 10 12 6 0 1 1 0 0 0  
 Innenzehner: 9  
 weiteste: 1689 (18), 1305 (34), 891 (33)  
 beste Teiler 67.6 (23.) 83.4 (25.) 119.5 (29.)  
 Trefferlage 0.57 mm links, 0.40 mm hoch  
 Streuwert 4.43, horizontal: 5.68, vertikal: 2.65




Serie 1:  
 10.5 \*                      10.3 \*                      9.4 ↓                      7.8 ←                      10.4 \*  
 8.6 ↖                      8.3 →                      8.1 ↖                      9.5 ←                      9.3 ↘  
 beste Teiler 122.0 (1.) 132.4 (5.) 157.8 (2.)  
 Trefferlage 1.20 mm links, 0.51 mm hoch  
 Streuwert 3.54, horizontal: 4.29, vertikal: 2.60



Serie 2:  
 9.8 →                      8.4 ←                      10.2 \*                      9.2 →                      8.7 ←  
 7.4 →                      7.5 ←                      4.2 ←                      9.0 →                      10.3 \*  
 beste Teiler 163.3 (20.) 183.3 (13.) 292.1 (11.)  
 Trefferlage 1.52 mm links, 0.48 mm hoch  
 Streuwert 5.49, horizontal: 7.50, vertikal: 2.01



Serie 3:  
 10.4 \*                      9.5 ↖                      10.7 \*                      10.0 →                      10.6 \*  
 8.0 ↖                      8.5 ↑                      8.1 ↓                      10.5 \*                      7.5 ↖  
 beste Teiler 67.6 (23.) 83.4 (25.) 119.5 (29.)  
 Trefferlage 1.47 mm links, 0.92 mm hoch  
 Streuwert 3.41, horizontal: 3.18, vertikal: 3.63





Serie 4:  
 8.4 ↖                      8.9 →                      7.4 ↖                      5.7 →                      8.6 →  
 8.7 →                      7.4 →                      9.9 ←                      9.2 ↓                      9.7 ↓  
 beste Teiler 262.5 (38.) 311.3 (40.) 449.5 (39.)  
 Trefferlage 1.91 mm rechts, 0.30 mm tief  
 Streuwert 5.06, horizontal: 6.76, vertikal: 2.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.4)  
 Serien: 89 88 86 96  
 Zähler: 13 15 10 2 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 835 (22), 777 (17), 725 (7)  
 beste Teiler 53.0 (40.) 98.1 (15.) 102.8 (21.)  
 Trefferlage 0.02 mm rechts, 2.37 mm hoch  
 Streuwert 2.56, horizontal: 3.31, vertikal: 1.46




Serie 1:  
 8.4 ↗ 10.2 \* 10.0 ↑ 10.0 → 9.4 ↗  
 8.9 ↑ 8.1 ↖ 9.2 ↗ 9.8 ↑ 8.9 ↖  
 beste Teiler 196.5 (2.) 230.0 (3.) 230.2 (4.)  
 Trefferlage 0.06 mm links, 2.72 mm hoch  
 Streuwert 2.69, horizontal: 3.33, vertikal: 1.84



Serie 2:  
 8.8 ↗ 8.9 ↗ 9.0 ↘ 9.3 → 10.6 \*  
 10.0 ↑ 7.8 ↘ 9.8 ↘ 9.5 ↑ 9.0 ↘  
 beste Teiler 98.1 (15.) 227.0 (16.) 281.4 (18.)  
 Trefferlage 0.25 mm links, 2.80 mm hoch  
 Streuwert 2.70, horizontal: 3.56, vertikal: 1.36



Serie 3:  
 10.5 \* 7.6 ↖ 8.6 ↘ 9.6 ↑ 8.8 ↗  
 9.5 → 9.0 ↗ 10.3 \* 8.9 → 8.5 ↖  
 beste Teiler 102.8 (21.) 151.4 (28.) 329.6 (24.)  
 Trefferlage 0.09 mm links, 2.21 mm hoch  
 Streuwert 3.33, horizontal: 4.46, vertikal: 1.53





Serie 4:  
 9.4 ↘ 9.7 ↘ 9.5 ↗ 10.4 \* 10.1 ↑  
 10.3 \* 9.2 ↗ 10.1 ↑ 10.1 ↗ 10.7 \*  
 beste Teiler 53.0 (40.) 129.0 (34.) 165.5 (36.)  
 Trefferlage 0.53 mm rechts, 1.76 mm hoch  
 Streuwert 1.49, horizontal: 1.87, vertikal: 0.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (364.7)  
 Serien: 90 79 86 90  
 Zähler: 11 15 7 4 2 0 1 0 0 0  
 Innenzehner: 7  
 weiteste: 1628 (12), 1135 (11), 1018 (24)  
 beste Teiler 83.9 (21.) 93.0 (40.) 124.3 (2.)  
 Trefferlage 2.75 mm rechts, 0.79 mm tief  
 Streuwert 3.47, horizontal: 4.25, vertikal: 2.47




Serie 1:  
 9.5 ←                      10.5 \*                      7.6 →                      9.3 ↑                      9.4 →  
 10.1 →                      7.5 →                      10.4 \*                      10.1 ↓                      9.8 ↓  
 beste Teiler 124.3 (2.) 139.2 (8.) 205.2 (6.)  
 Trefferlage 1.89 mm rechts, 0.54 mm hoch  
 Streuwert 3.03, horizontal: 3.68, vertikal: 2.20



Serie 2:  
 6.4 →                      4.4 →                      9.4 ←                      8.4 ↓                      9.5 ↘  
 7.0 →                      9.7 ↓                      9.9 ↓                      9.9 ↓                      9.8 →  
 beste Teiler 260.5 (19.) 265.1 (18.) 289.3 (20.)  
 Trefferlage 4.26 mm rechts, 2.25 mm tief  
 Streuwert 4.47, horizontal: 6.00, vertikal: 1.99



Serie 3:  
 10.6 \*                      9.1 ↓                      9.8 ↘                      6.9 →                      8.7 →  
 10.2 \*                      7.5 ↓                      10.2 \*                      9.9 →                      8.3 →  
 beste Teiler 83.9 (21.) 179.4 (26.) 188.6 (28.)  
 Trefferlage 3.80 mm rechts, 1.08 mm tief  
 Streuwert 2.84, horizontal: 3.14, vertikal: 2.50





Serie 4:  
 9.6 ↓                      8.9 →                      9.8 ↑                      8.4 ↖                      10.4 \*  
 10.1 ↑                      10.0 →                      8.7 ↘                      8.4 ↓                      10.6 \*  
 beste Teiler 93.0 (40.) 142.0 (35.) 207.8 (36.)  
 Trefferlage 1.06 mm rechts, 0.37 mm tief  
 Streuwert 2.97, horizontal: 3.30, vertikal: 2.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.4)  
 Serien: 91 97 93 96  
 Zähler: 22 14 3 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 850 (21), 679 (7), 607 (30)  
 beste Teiler 53.5 (29.) 56.8 (17.) 71.3 (37.)  
 Trefferlage 0.87 mm rechts, 0.30 mm hoch  
 Streuwert 2.23, horizontal: 2.76, vertikal: 1.52




Serie 1:  
 10.6 \*                      9.5 ↙                      10.3 \*                      9.6 ↗                      9.5 ↘  
    9.9 ↗                      8.2 →                      10.1 ↑                      8.9 →                      9.8 ↗  
 beste Teiler 95.3 (1.) 158.1 (3.) 225.1 (8.)  
 Trefferlage 1.77 mm rechts, 0.84 mm hoch  
 Streuwert 2.29, horizontal: 2.85, vertikal: 1.55



Serie 2:  
 9.5 ↖                      10.0 ↓                      9.9 ↘                      10.5 \*                      10.0 ↑  
    10.6 \*                      10.7 \*                      9.2 →                      10.3 \*                      10.5 \*  
 beste Teiler 56.8 (17.) 84.7 (16.) 101.1 (20.)  
 Trefferlage 0.52 mm rechts, 0.22 mm tief  
 Streuwert 1.72, horizontal: 1.99, vertikal: 1.40



Serie 3:  
 7.6 →                      9.9 ←                      10.2 \*                      10.3 \*                      10.5 \*  
    10.1 ↓                      9.3 ↘                      10.0 ↑                      10.7 \*                      8.5 →  
 beste Teiler 53.5 (29.) 115.9 (25.) 172.2 (24.)  
 Trefferlage 1.36 mm rechts, 0.00 mm  
 Streuwert 2.71, horizontal: 3.55, vertikal: 1.47





Serie 4:  
 9.0 ↘                      9.9 ←                      10.6 \*                      10.1 ↖                      10.5 \*  
    9.3 ↘                      10.7 \*                      10.1 ↑                      10.2 \*                      9.3 ↗  
 beste Teiler 71.3 (37.) 76.5 (33.) 109.2 (35.)  
 Trefferlage 0.17 mm links, 0.60 mm hoch  
 Streuwert 2.06, horizontal: 2.42, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>373</b>	(389.3)
Serien:	94 95 95 89	
Zähler:	18 18 3 1 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	865 (15), 694 (37), 633 (8)	
beste Teiler	40.6 (4.) 65.0 (1.) 69.4 (20.)	
Trefferlage	0.11 mm rechts, 0.67 mm hoch	
Streuwert	2.48, horizontal: 2.94, vertikal: 1.91	




Serie 1:	10.7 *	10.0 →	9.8 ↘	10.8 *	9.2 ↑
	10.1 ↓	10.3 *	8.4 ←	9.8 ↖	9.7 ↗
beste Teiler	40.6 (4.)	65.0 (1.)	153.0 (7.)		
Trefferlage	0.58 mm links, 0.42 mm hoch				
Streuwert	2.30, horizontal: 2.58, vertikal: 1.98				



Serie 2:	10.0 ↘	10.5 *	10.4 *	10.7 *	7.5 →
	10.3 *	10.1 ↑	9.5 ↗	9.4 ←	10.7 *
beste Teiler	69.4 (20.)	71.8 (14.)	124.0 (12.)		
Trefferlage	0.96 mm rechts, 0.25 mm hoch				
Streuwert	2.49, horizontal: 3.26, vertikal: 1.32				



Serie 3:	9.5 ←	10.0 ↓	10.5 *	10.4 *	9.0 ↑
	9.4 →	9.4 ↖	9.8 →	10.0 ↘	10.0 ↗
beste Teiler	118.4 (23.)	130.5 (24.)	234.3 (22.)		
Trefferlage	0.12 mm rechts, 0.73 mm hoch				
Streuwert	2.24, horizontal: 2.58, vertikal: 1.83				





Serie 4:	9.4 →	9.2 ↘	9.8 ↗	9.3 ↖	9.6 ←
	9.9 →	8.2 →	8.7 ↘	10.0 →	9.3 ↘
beste Teiler	229.9 (39.)	265.8 (36.)	282.7 (33.)		
Trefferlage	0.06 mm links, 1.28 mm hoch				
Streuwert	3.03, horizontal: 3.49, vertikal: 2.49				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (390.4)  
 Serien: 98 96 90 89  
 Zähler: 21 13 4 2 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 866 (23), 862 (40), 706 (27)  
 beste Teiler 62.0 (14.) 78.0 (17.) 97.0 (2.)  
 Trefferlage 0.07 mm rechts, 0.40 mm hoch  
 Streuwert 2.59, horizontal: 2.88, vertikal: 2.27




Serie 1:  
 10.2 \*                      10.6 \*                      10.5 \*                      10.5 \*                      10.4 \*  
 9.6 ↙                      10.2 \*                      10.1 ↓                      9.9 ↘                      10.3 \*  
 beste Teiler 97.0 (2.) 108.1 (3.) 119.2 (4.)  
 Trefferlage 0.26 mm links, 0.42 mm tief  
 Streuwert 1.39, horizontal: 1.04, vertikal: 1.67



Serie 2:  
 9.2 ↗                      9.7 →                      10.3 \*                      10.7 \*                      10.2 \*  
 10.5 \*                      10.6 \*                      10.3 \*                      9.4 ↖                      9.9 ↗  
 beste Teiler 62.0 (14.) 78.0 (17.) 124.0 (16.)  
 Trefferlage 0.41 mm links, 0.47 mm hoch  
 Streuwert 1.83, horizontal: 1.91, vertikal: 1.74



Serie 3:  
 9.6 ↖                      8.9 ↙                      7.5 →                      9.3 ↘                      10.2 \*  
 10.6 \*                      8.1 →                      10.3 \*                      10.1 ↑                      9.2 ↗  
 beste Teiler 97.8 (26.) 174.4 (28.) 179.4 (25.)  
 Trefferlage 1.20 mm rechts, 0.18 mm hoch  
 Streuwert 3.32, horizontal: 3.88, vertikal: 2.65





Serie 4:  
 8.2 →                      9.8 ←                      9.4 ↗                      10.5 \*                      10.5 \*  
 9.8 ↖                      9.3 ↗                      8.4 ↖                      10.1 ↓                      7.5 ↘  
 beste Teiler 116.2 (35.) 116.6 (34.) 215.9 (39.)  
 Trefferlage 0.21 mm links, 1.36 mm hoch  
 Streuwert 3.31, horizontal: 3.77, vertikal: 2.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (353.6)  
 Serien: 89 84 83 81  
 Zähler: 6 17 9 4 4 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 1205 (27), 1160 (36), 1157 (39)  
 beste Teiler 102.7 (22.) 107.5 (17.) 114.1 (4.)  
 Trefferlage 0.63 mm rechts, 1.34 mm hoch  
 Streuwert 4.18, horizontal: 4.56, vertikal: 3.77




Serie 1:  
 9.6 ↘ 9.5 ↑ 8.7 ↑ 10.5 \* 10.0 ↖  
 8.9 → 8.8 → 9.0 → 9.9 ← 9.1 ↖  
 beste Teiler 114.1 (4.) 238.2 (5.) 267.1 (9.)  
 Trefferlage 1.00 mm rechts, 0.90 mm hoch  
 Streuwert 2.91, horizontal: 3.34, vertikal: 2.41



Serie 2:  
 7.2 ↖ 8.2 ↖ 8.6 ↑ 9.0 → 8.0 ↑  
 9.0 ↘ 10.5 \* 9.3 ↗ 7.7 ↘ 9.5 ↙  
 beste Teiler 107.5 (17.) 374.7 (20.) 424.3 (18.)  
 Trefferlage 0.34 mm rechts, 1.48 mm hoch  
 Streuwert 4.41, horizontal: 4.61, vertikal: 4.21





Serie 3:  
 10.0 ↙ 10.5 \* 6.5 ← 8.3 → 9.7 ↘  
 9.7 ↑ 6.1 ↗ 9.7 ↘ 7.5 → 9.3 ↖  
 beste Teiler 102.7 (22.) 244.9 (21.) 309.2 (28.)  
 Trefferlage 1.15 mm rechts, 0.48 mm hoch  
 Streuwert 4.85, horizontal: 5.57, vertikal: 4.01




Serie 4:  
 9.8 ↖ 10.0 → 8.6 ↙ 9.9 ← 8.4 ↑  
 6.3 ↑ 9.1 → 7.9 ↖ 6.3 → 9.0 ↖  
 beste Teiler 232.1 (32.) 263.4 (34.) 298.4 (31.)  
 Trefferlage 0.04 mm rechts, 2.50 mm hoch  
 Streuwert 4.75, horizontal: 5.08, vertikal: 4.40

Unterschrift des Schützen


Ergebnis: **328** (344.3)  
 Serien: 80 79 88 81  
 Zähler: 5 12 11 10 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 1155 (35), 1144 (4), 996 (18)  
 beste Teiler 37.3 (26.) 189.2 (24.) 193.2 (27.)  
 Trefferlage 0.84 mm links, 0.70 mm tief  
 Streuwert 4.60, horizontal: 5.32, vertikal: 3.75




Serie 1:  
 9.9 ↙ 8.6 ↖ 7.0 → 6.4 ↗ 7.5 ↓  
 10.0 ↓ 9.4 ↓ 9.5 ↘ 8.2 ↖ 7.5 ←  
 beste Teiler 234.7 (6.) 273.7 (1.) 373.1 (8.)  
 Trefferlage 1.37 mm links, 1.11 mm tief  
 Streuwert 5.14, horizontal: 5.37, vertikal: 4.90



Serie 2:  
 9.2 ↘ 8.8 ↗ 7.4 → 8.1 ↖ 7.2 ↗  
 9.0 ↙ 9.7 ↙ 7.0 ↖ 7.8 ↘ 8.3 ↓  
 beste Teiler 322.9 (17.) 429.6 (11.) 500.8 (16.)  
 Trefferlage 0.46 mm links, 0.59 mm tief  
 Streuwert 5.27, horizontal: 5.71, vertikal: 4.79



Serie 3:  
 9.1 ↖ 7.3 → 9.8 ↗ 10.2 \* 8.1 ↘  
 10.8 \* 10.2 \* 9.2 ↗ 8.5 → 8.9 ↓  
 beste Teiler 37.3 (26.) 189.2 (24.) 193.2 (27.)  
 Trefferlage 1.19 mm rechts, 0.60 mm tief  
 Streuwert 3.63, horizontal: 4.22, vertikal: 2.93





Serie 4:  
 8.8 ↙ 7.2 ← 9.8 ↘ 7.5 ↖ 6.3 →  
 8.7 ↗ 10.0 ← 9.1 ↙ 8.6 ← 9.7 ←  
 beste Teiler 243.2 (37.) 280.1 (33.) 301.0 (40.)  
 Trefferlage 2.74 mm links, 0.50 mm tief  
 Streuwert 4.45, horizontal: 5.86, vertikal: 2.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **289** (310.6)  
 Serien: 69 86 69 65  
 Zähler: 2 11 7 11 1 2 3 3 0 0  
 Innenzehner: 2  
 weiteste: 1973 (33), 1813 (5), 1789 (36)  
 beste Teiler 33.2 (11.) 170.4 (12.) 264.4 (15.)  
 Trefferlage 2.45 mm links, 0.16 mm tief  
 Streuwert 6.50, horizontal: 7.50, vertikal: 5.32




Serie 1:  
 8.0 ↙ 9.7 ↘ 9.4 ↙ 9.4 ↓ 3.7 ←  
 7.4 ↗ 8.5 ↘ 7.9 ← 4.5 ← 5.5 →  
 beste Teiler 302.4 (2.) 390.0 (3.) 395.7 (4.)  
 Trefferlage 3.28 mm links, 0.46 mm tief  
 Streuwert 7.21, horizontal: 9.22, vertikal: 4.37



Serie 2:  
 10.8 \* 10.3 \* 7.6 ↘ 9.7 ↘ 9.9 ←  
 9.8 ↙ 8.9 ↑ 7.8 ← 9.1 ↓ 8.5 ↓  
 beste Teiler 33.2 (11.) 170.4 (12.) 264.4 (15.)  
 Trefferlage 0.71 mm links, 1.23 mm tief  
 Streuwert 3.56, horizontal: 3.77, vertikal: 3.35



Serie 3:  
 7.7 → 9.7 ↘ 9.0 ↙ 8.3 ↘ 5.7 ↘  
 7.7 ↑ 4.3 ↘ 6.5 ↗ 7.5 → 7.9 ↓  
 beste Teiler 305.7 (22.) 481.2 (23.) 673.2 (24.)  
 Trefferlage 0.47 mm rechts, 2.70 mm hoch  
 Streuwert 6.85, horizontal: 7.12, vertikal: 6.57





Serie 4:  
 9.8 ↖ 9.2 ↖ 3.1 ↖ 7.2 ↓ 4.1 ←  
 3.8 ↙ 7.4 ← 8.7 → 8.9 ↓ 7.7 ←  
 beste Teiler 277.9 (31.) 450.6 (32.) 509.3 (39.)  
 Trefferlage 6.28 mm links, 1.66 mm tief  
 Streuwert 7.07, horizontal: 7.99, vertikal: 6.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (360.8)  
 Serien: 86 82 86 87  
 Zähler: 6 20 5 7 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3645 (14), 3205 (31), 3039 (23)  
 beste Teiler 261.0 (9.) 263.0 (24.) 315.9 (2.)  
 Trefferlage 2.67 mm rechts, 7.70 mm hoch  
 Streuwert 11.24, horizontal: 11.17, vertikal: 11.31




Serie 1:  
 7.5 ↑ 10.6 \* 9.9 ↑ 7.7 ↑ 9.2 ↑  
 10.1 ↘ 9.9 ↗ 7.7 ↑ 10.6 \* 8.8 ↘  
 beste Teiler 261.0 (9.) 315.9 (2.) 657.1 (6.)  
 Trefferlage 0.69 mm rechts, 11.93 mm hoch  
 Streuwert 8.80, horizontal: 7.18, vertikal: 10.16



Serie 2:  
 9.9 ↘ 9.1 ↗ 9.3 ↘ 6.4 → 9.0 →  
 9.3 ↑ 9.7 ↑ 7.5 ↑ 8.4 ↑ 7.5 ↘  
 beste Teiler 805.5 (11.) 996.3 (17.) 1286.0 (16.)  
 Trefferlage 5.51 mm rechts, 13.07 mm hoch  
 Streuwert 11.07, horizontal: 13.70, vertikal: 7.57



Serie 3:  
 9.3 ↘ 9.7 ← 7.2 ↑ 10.6 \* 8.9 →  
 8.5 ↗ 9.8 ↓ 10.2 → 9.4 ↗ 7.3 ↙  
 beste Teiler 263.0 (24.) 614.7 (28.) 958.4 (27.)  
 Trefferlage 1.79 mm rechts, 1.20 mm hoch  
 Streuwert 12.79, horizontal: 11.32, vertikal: 14.11





Serie 4:  
 6.9 ↗ 9.3 → 9.4 ↑ 8.5 ← 9.5 ↑  
 9.7 ↗ 9.1 ← 10.3 ↘ 9.2 → 9.9 ↑  
 beste Teiler 515.4 (38.) 871.1 (40.) 1034.6 (36.)  
 Trefferlage 2.70 mm rechts, 4.61 mm hoch  
 Streuwert 11.06, horizontal: 12.62, vertikal: 9.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (365.2)  
 Serien: 85 89 89 85  
 Zähler: 9 15 11 5 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2947 (27), 2798 (1), 2756 (32)  
 beste Teiler 103.1 (24.) 238.5 (5.) 339.5 (26.)  
 Trefferlage 1.02 mm rechts, 0.85 mm hoch  
 Streuwert 11.79, horizontal: 12.07, vertikal: 11.51




Serie 1:  
 7.5 ↖ 9.3 ↙ 8.2 ↘ 9.0 ↑ 10.7 \*  
 9.0 ↘ 7.5 ↙ 8.1 ↘ 9.4 ↓ 9.1 ↗  
 beste Teiler 238.5 (5.) 1277.9 (9.) 1350.4 (2.)  
 Trefferlage 7.48 mm links, 1.62 mm hoch  
 Streuwert 13.02, horizontal: 10.78, vertikal: 14.94



Serie 2:  
 8.7 → 9.4 ↑ 8.6 ↓ 9.5 ↓ 9.7 ↙  
 9.7 ↗ 9.7 ↘ 10.3 ↗ 10.2 ↙ 8.9 ↓  
 beste Teiler 529.8 (18.) 562.4 (19.) 986.7 (15.)  
 Trefferlage 1.55 mm rechts, 2.50 mm tief  
 Streuwert 9.10, horizontal: 6.94, vertikal: 10.85



Serie 3:  
 10.0 → 10.1 ↘ 8.1 ↗ 10.8 \* 9.8 ←  
 10.5 \* 7.3 ↗ 8.6 ↓ 8.1 → 9.8 ↑  
 beste Teiler 103.1 (24.) 339.5 (26.) 665.1 (22.)  
 Trefferlage 7.25 mm rechts, 2.25 mm hoch  
 Streuwert 10.45, horizontal: 11.32, vertikal: 9.49





Serie 4:  
 9.8 ↙ 7.5 → 8.9 ↑ 9.2 → 9.7 ↗  
 8.4 ↙ 8.1 ↘ 10.3 ↘ 7.6 ↘ 10.1 →  
 beste Teiler 537.0 (38.) 647.7 (40.) 929.1 (31.)  
 Trefferlage 2.77 mm rechts, 2.04 mm hoch  
 Streuwert 12.99, horizontal: 14.55, vertikal: 11.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.0)  
 Serien: 93 92 93 93  
 Zähler: 17 18 4 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 885 (13), 729 (1), 721 (29)  
 beste Teiler 6.0 (23.) 63.5 (9.) 91.2 (26.)  
 Trefferlage 0.26 mm rechts, 0.55 mm hoch  
 Streuwert 2.51, horizontal: 3.02, vertikal: 1.88




Serie 1:  
 8.0 ←                      9.1 ↗                      9.9 ↗                      10.5 \*                      9.8 ↘  
 9.7 ←                      9.5 ←                      10.3 \*                      10.7 \*                      10.2 \*  
 beste Teiler 63.5 (9.) 104.6 (4.) 157.2 (8.)  
 Trefferlage 0.75 mm links, 0.22 mm hoch  
 Streuwert 2.53, horizontal: 3.02, vertikal: 1.92



Serie 2:  
 8.8 ↖                      10.2 \*                      7.4 ↗                      10.2 \*                      9.9 ↗  
 9.6 ↖                      9.7 ↘                      10.3 \*                      10.5 \*                      10.1 ↘  
 beste Teiler 120.1 (19.) 166.9 (18.) 182.8 (12.)  
 Trefferlage 0.06 mm rechts, 0.74 mm hoch  
 Streuwert 2.83, horizontal: 3.27, vertikal: 2.30



Serie 3:  
 9.6 ←                      10.0 ↗                      10.9 \*                      9.8 →                      9.2 ↘  
 10.6 \*                      10.2 \*                      9.7 →                      8.1 ↗                      9.5 ↓  
 beste Teiler 6.0 (23.) 91.2 (26.) 192.8 (27.)  
 Trefferlage 0.73 mm rechts, 0.83 mm hoch  
 Streuwert 2.46, horizontal: 2.75, vertikal: 2.14





Serie 4:  
 10.0 ↗                      10.0 ↖                      8.8 →                      9.6 ←                      9.8 →  
 10.2 \*                      9.4 ↖                      9.8 ↘                      10.4 \*                      9.0 →  
 beste Teiler 128.2 (39.) 184.9 (36.) 240.8 (32.)  
 Trefferlage 1.00 mm rechts, 0.43 mm hoch  
 Streuwert 2.40, horizontal: 3.18, vertikal: 1.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (341.4)  
 Serien: 78 82 78 85  
 Zähler: 6 12 8 8 5 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1293 (40), 1197 (11), 1191 (22)  
 beste Teiler 146.6 (39.) 174.1 (37.) 186.6 (38.)  
 Trefferlage 0.52 mm rechts, 2.77 mm hoch  
 Streuwert 4.53, horizontal: 5.04, vertikal: 3.94




Serie 1:  
 8.2 ↘ 10.0 ↗ 9.0 ↘ 7.3 ↑ 9.7 ↑  
 6.4 ← 7.3 ↘ 7.3 → 7.6 ← 8.9 ↘  
 beste Teiler 245.2 (2.) 315.4 (5.) 482.7 (3.)  
 Trefferlage 1.48 mm links, 2.79 mm hoch  
 Streuwert 5.08, horizontal: 6.17, vertikal: 3.67



Serie 2:  
 6.2 ↗ 9.5 ↗ 9.9 ↘ 8.9 ↑ 6.8 ↘  
 10.0 ↘ 9.9 → 9.5 ↖ 9.9 ↑ 7.3 →  
 beste Teiler 246.0 (16.) 253.6 (17.) 255.2 (19.)  
 Trefferlage 1.09 mm rechts, 2.57 mm hoch  
 Streuwert 4.32, horizontal: 5.15, vertikal: 3.29



Serie 3:  
 9.8 ↘ 6.2 ↑ 7.5 ↑ 8.3 ↘ 8.9 ↘  
 8.5 ↗ 9.0 ↑ 6.2 ↗ 7.7 ↘ 10.2 \*  
 beste Teiler 195.7 (30.) 278.1 (21.) 480.3 (27.)  
 Trefferlage 1.81 mm rechts, 4.01 mm hoch  
 Streuwert 4.54, horizontal: 3.72, vertikal: 5.23





Serie 4:  
 7.6 ↑ 9.8 ↘ 8.9 ← 9.3 ↘ 8.2 ↘  
 9.0 ↑ 10.3 \* 10.2 \* 10.4 \* 5.8 →  
 beste Teiler 146.6 (39.) 174.1 (37.) 186.6 (38.)  
 Trefferlage 0.67 mm rechts, 1.70 mm hoch  
 Streuwert 4.33, horizontal: 5.00, vertikal: 3.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.4)  
 Serien: 93 93 96 96  
 Zähler: 21 16 3 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 572 (23), 547 (17), 546 (1)  
 beste Teiler 84.0 (12.) 88.6 (9.) 93.9 (38.)  
 Trefferlage 0.16 mm rechts, 0.50 mm hoch  
 Streuwert 2.07, horizontal: 2.24, vertikal: 1.90




Serie 1:  
 8.8 ←                      9.4 ↗                      10.5 \*                      9.0 ←                      10.1 ↓  
 9.7 ←                      9.4 ↖                      10.3 \*                      10.6 \*                      9.8 ↑  
 beste Teiler 88.6 (9.) 112.7 (3.) 152.0 (8.)  
 Trefferlage 1.06 mm links, 0.29 mm hoch  
 Streuwert 2.33, horizontal: 2.89, vertikal: 1.59



Serie 2:  
 9.8 ↑                      10.6 \*                      9.0 ↖                      9.1 ↘                      10.1 →  
 10.4 \*                      8.8 →                      9.7 ↘                      10.4 \*                      9.9 ↑  
 beste Teiler 84.0 (12.) 127.9 (16.) 145.0 (19.)  
 Trefferlage 0.59 mm rechts, 1.21 mm hoch  
 Streuwert 2.26, horizontal: 2.34, vertikal: 2.17



Serie 3:  
 9.8 ↗                      10.1 →                      8.7 ↘                      9.9 ↑                      10.1 ↑  
 10.5 \*                      10.4 \*                      10.4 \*                      10.4 \*                      10.0 ←  
 beste Teiler 101.6 (26.) 126.6 (27.) 127.4 (29.)  
 Trefferlage 0.64 mm rechts, 0.20 mm tief  
 Streuwert 1.88, horizontal: 1.98, vertikal: 1.78





Serie 4:  
 10.2 \*                      9.6 ↑                      9.9 →                      10.5 \*                      10.5 \*  
 10.3 \*                      9.4 ↑                      10.6 \*                      9.5 ↓                      10.2 \*  
 beste Teiler 93.9 (38.) 103.8 (34.) 112.2 (35.)  
 Trefferlage 0.49 mm rechts, 0.72 mm hoch  
 Streuwert 1.69, horizontal: 1.29, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (338.0)  
 Serien: 84 69 78 89  
 Zähler: 5 14 10 5 4 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4264 (12), 1289 (26), 1143 (9)  
 beste Teiler 93.2 (40.) 143.7 (10.) 203.0 (33.)  
 Trefferlage 3.16 mm rechts, 1.06 mm tief  
 Streuwert 6.21, horizontal: 8.04, vertikal: 3.55




Serie 1:  
 8.5 ↘ 10.0 ↘ 8.7 ↗ 9.4 ↑ 9.9 ↘  
 8.2 ↓ 6.5 ← 10.1 ↓ 6.4 ↘ 10.4 \*  
 beste Teiler 143.7 (10.) 215.8 (8.) 234.1 (2.)  
 Trefferlage 0.90 mm rechts, 1.16 mm tief  
 Streuwert 4.63, horizontal: 5.42, vertikal: 3.68



Serie 2:  
 6.7 ↘ 0.0 → 7.1 ↑ 8.5 → 9.4 ↖  
 7.8 ← 7.1 ↘ 9.5 ← 8.2 ↘ 8.7 →  
 beste Teiler 373.8 (18.) 399.6 (15.) 573.4 (20.)  
 Trefferlage 6.60 mm rechts, 0.61 mm tief  
 Streuwert 10.24, horizontal: 13.74, vertikal: 4.56





Serie 3:  
 9.2 ↖ 8.5 → 6.6 ↗ 8.2 ↓ 8.3 ↘  
 5.8 → 7.7 → 9.3 → 9.5 ↘ 9.0 ↙  
 beste Teiler 363.4 (29.) 403.1 (28.) 429.3 (21.)  
 Trefferlage 4.22 mm rechts, 0.82 mm tief  
 Streuwert 4.51, horizontal: 5.40, vertikal: 3.38




Serie 4:  
 9.9 ↘ 9.3 ↘ 10.1 ↑ 9.7 ↖ 7.6 ↘  
 9.6 ← 8.7 ↓ 9.5 ↘ 9.8 ↘ 10.6 \*  
 beste Teiler 93.2 (40.) 203.0 (33.) 260.8 (31.)  
 Trefferlage 0.93 mm rechts, 1.65 mm tief  
 Streuwert 2.74, horizontal: 2.61, vertikal: 2.86

Unterschrift des Schützen


Ergebnis: **366** (383.6)  
 Serien: 95 90 90 91  
 Zähler: 15 16 9 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 748 (32), 709 (38), 707 (24)  
 beste Teiler 39.8 (1.) 76.0 (7.) 77.7 (37.)  
 Trefferlage 0.84 mm rechts, 1.16 mm hoch  
 Streuwert 2.59, horizontal: 2.91, vertikal: 2.23




Serie 1:  
 10.8 \*                      8.2 →                      9.7 ←                      10.0 ↘                      10.1 ↑  
 9.4 ↙                      10.6 \*                      9.9 ←                      10.2 \*                      10.5 \*  
 beste Teiler 39.8 (1.) 76.0 (7.) 108.8 (10.)  
 Trefferlage 0.33 mm links, 0.45 mm hoch  
 Streuwert 2.26, horizontal: 2.82, vertikal: 1.50



Serie 2:  
 8.9 →                      9.3 ↘                      9.8 ↘                      8.6 →                      8.8 ↗  
 10.3 \*                      9.3 →                      9.5 ↑                      10.2 \*                      10.0 ↑  
 beste Teiler 160.7 (16.) 181.0 (19.) 226.8 (20.)  
 Trefferlage 1.34 mm rechts, 1.69 mm hoch  
 Streuwert 2.47, horizontal: 3.12, vertikal: 1.59



Serie 3:  
 9.9 ↑                      9.7 ↑                      8.6 ↗                      8.1 ↗                      9.2 ↘  
 9.2 ↑                      10.5 \*                      9.9 →                      9.6 ↓                      10.3 \*  
 beste Teiler 123.9 (27.) 167.9 (30.) 251.0 (28.)  
 Trefferlage 1.30 mm rechts, 1.86 mm hoch  
 Streuwert 2.47, horizontal: 2.52, vertikal: 2.41





Serie 4:  
 9.3 ↑                      8.0 →                      10.1 →                      10.2 \*                      9.3 ↓  
 8.6 ←                      10.6 \*                      8.1 ↑                      9.9 →                      10.4 \*  
 beste Teiler 77.7 (37.) 144.5 (40.) 200.0 (34.)  
 Trefferlage 1.05 mm rechts, 0.64 mm hoch  
 Streuwert 3.14, horizontal: 3.24, vertikal: 3.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.6)  
 Serien: 94 94 96 93  
 Zähler: 18 21 1 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 707 (33), 497 (18), 494 (11)  
 beste Teiler 31.7 (3.) 41.4 (13.) 48.6 (37.)  
 Trefferlage 0.16 mm links, 0.06 mm hoch  
 Streuwert 2.25, horizontal: 2.43, vertikal: 2.04




Serie 1:  
 10.3 \*                      9.6 ←                      10.8 \*                      9.5 ←                      10.0 ←  
 10.2 \*                      9.2 ←                      9.7 ↑                      9.8 ↓                      9.8 ↓  
 beste Teiler 31.7 (3.) 174.8 (1.) 196.8 (6.)  
 Trefferlage 1.41 mm links, 0.05 mm tief  
 Streuwert 1.86, horizontal: 1.90, vertikal: 1.82



Serie 2:  
 9.0 ←                      9.1 ↖                      10.8 \*                      10.4 \*                      10.2 \*  
 9.4 →                      9.2 ↓                      9.0 →                      9.1 ↗                      10.4 \*  
 beste Teiler 41.4 (13.) 133.1 (14.) 137.5 (20.)  
 Trefferlage 0.08 mm links, 0.74 mm tief  
 Streuwert 2.67, horizontal: 3.26, vertikal: 1.91



Serie 3:  
 9.6 ↑                      10.2 \*                      10.0 →                      10.5 \*                      9.6 ↘  
 10.3 \*                      9.9 ↓                      9.8 ↗                      10.7 \*                      10.1 ↑  
 beste Teiler 60.4 (29.) 112.1 (24.) 152.3 (26.)  
 Trefferlage 0.75 mm rechts, 0.28 mm hoch  
 Streuwert 1.65, horizontal: 1.24, vertikal: 1.98





Serie 4:  
 9.4 ↘                      9.9 ←                      8.1 ↑                      10.1 ←                      9.6 ←  
 10.4 \*                      10.8 \*                      9.2 →                      10.0 ↗                      9.9 ↖  
 beste Teiler 48.6 (37.) 142.0 (36.) 219.2 (34.)  
 Trefferlage 0.07 mm rechts, 0.76 mm hoch  
 Streuwert 2.56, horizontal: 2.67, vertikal: 2.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (363.4)  
 Serien: 88 80 89 90  
 Zähler: 12 9 15 2 2 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1091 (15), 1029 (19), 880 (20)  
 beste Teiler 87.8 (7.) 115.9 (22.) 134.1 (17.)  
 Trefferlage 0.63 mm links, 0.87 mm tief  
 Streuwert 3.69, horizontal: 4.48, vertikal: 2.66




Serie 1:  
 9.6 ↓                      8.5 →                      9.3 ↓                      8.9 ←                      8.2 ←  
 9.2 ↘                      10.6 \*                      8.3 ↗                      9.3 ←                      10.3 \*  
 beste Teiler 87.8 (7.) 159.8 (10.) 332.2 (1.)  
 Trefferlage 1.58 mm links, 1.06 mm tief  
 Streuwert 3.23, horizontal: 3.82, vertikal: 2.50



Serie 2:  
 8.7 ↘                      8.7 ←                      8.0 ↘                      8.4 ↗                      6.6 ←  
 10.2 \*                      10.4 \*                      9.0 ↘                      6.8 ←                      7.4 ↘  
 beste Teiler 134.1 (17.) 185.9 (16.) 485.6 (18.)  
 Trefferlage 1.67 mm links, 1.97 mm tief  
 Streuwert 4.84, horizontal: 5.90, vertikal: 3.46



Serie 3:  
 10.1 ↑                      10.5 \*                      8.8 →                      8.7 →                      10.2 \*  
 7.8 ←                      8.2 ↘                      9.6 ↓                      9.3 ↓                      10.0 ↘  
 beste Teiler 115.9 (22.) 183.9 (25.) 223.4 (21.)  
 Trefferlage 1.00 mm rechts, 0.69 mm tief  
 Streuwert 3.32, horizontal: 4.21, vertikal: 2.07





Serie 4:  
 8.9 ↓                      9.2 →                      10.1 ↑                      8.8 ←                      10.0 ←  
 10.2 \*                      8.7 →                      9.6 ↘                      8.3 ←                      10.0 →  
 beste Teiler 199.0 (36.) 205.5 (33.) 238.2 (35.)  
 Trefferlage 0.29 mm links, 0.23 mm hoch  
 Streuwert 3.16, horizontal: 3.83, vertikal: 2.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (373.4)  
 Serien: 88 88 87 96  
 Zähler: 12 16 11 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 886 (28), 737 (8), 705 (2)  
 beste Teiler 41.5 (37.) 82.0 (36.) 131.2 (14.)  
 Trefferlage 0.44 mm rechts, 0.27 mm tief  
 Streuwert 3.21, horizontal: 3.73, vertikal: 2.59




Serie 1:  
 10.1 ↑                      8.1 ←                      8.4 ↙                      9.3 ↖                      9.9 ↘  
    8.5 →                      9.2 ↘                      8.0 ↗                      9.0 →                      10.3 \*  
 beste Teiler 175.6 (10.) 209.1 (1.) 254.0 (5.)  
 Trefferlage 0.24 mm rechts, 0.20 mm tief  
 Streuwert 3.78, horizontal: 4.51, vertikal: 2.88



Serie 2:  
 9.2 ↑                      9.4 ↙                      9.1 →                      10.4 \*                      8.9 →  
    8.7 →                      10.0 ↑                      8.2 ↗                      9.4 →                      8.7 ↙  
 beste Teiler 131.2 (14.) 241.8 (17.) 376.5 (12.)  
 Trefferlage 1.98 mm rechts, 0.36 mm hoch  
 Streuwert 3.08, horizontal: 3.19, vertikal: 2.98



Serie 3:  
 10.2 \*                      8.6 ↗                      9.1 ↘                      9.2 ↓                      9.3 ↓  
    9.1 ←                      9.2 ↙                      7.4 ←                      9.9 →                      8.4 →  
 beste Teiler 193.1 (21.) 257.5 (29.) 418.6 (25.)  
 Trefferlage 0.61 mm links, 1.08 mm tief  
 Streuwert 3.72, horizontal: 4.43, vertikal: 2.83





Serie 4:  
 10.2 \*                      9.7 ↘                      9.8 ↓                      10.3 \*                      10.2 \*  
    10.6 \*                      10.8 \*                      10.2 \*                      10.1 ←                      8.3 →  
 beste Teiler 41.5 (37.) 82.0 (36.) 152.6 (34.)  
 Trefferlage 0.17 mm rechts, 0.19 mm tief  
 Streuwert 2.12, horizontal: 2.50, vertikal: 1.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (390.2)  
 Serien: 94 94 92 92  
 Zähler: 13 26 1 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 519 (21), 499 (33), 471 (30)  
 beste Teiler 97.6 (27.) 123.3 (6.) 135.8 (14.)  
 Trefferlage 0.47 mm rechts, 0.72 mm hoch  
 Streuwert 2.20, horizontal: 2.54, vertikal: 1.80




Serie 1:  
 9.5 ↖ 9.2 ↘ 9.3 ↗ 10.3 \* 10.0 ↗  
 10.5 \* 9.9 ↙ 9.5 ↘ 9.9 → 10.0 ↓  
 beste Teiler 123.3 (6.) 151.5 (4.) 240.4 (10.)  
 Trefferlage 1.02 mm rechts, 0.34 mm hoch  
 Streuwert 2.11, horizontal: 2.06, vertikal: 2.16



Serie 2:  
 9.9 ↓ 9.6 ↑ 10.3 \* 10.4 \* 9.5 ↗  
 9.1 → 9.6 ↗ 10.0 ↗ 10.3 \* 9.6 ↑  
 beste Teiler 135.8 (14.) 155.3 (19.) 168.8 (13.)  
 Trefferlage 0.80 mm rechts, 1.65 mm hoch  
 Streuwert 1.71, horizontal: 1.79, vertikal: 1.64





Serie 3:  
 8.9 ↖ 9.4 ↘ 9.8 ↘ 9.3 → 9.8 ↘  
 10.2 \* 10.6 \* 9.9 ↑ 10.3 \* 9.1 ←  
 beste Teiler 97.6 (27.) 171.0 (29.) 190.4 (26.)  
 Trefferlage 0.64 mm rechts, 0.07 mm hoch  
 Streuwert 2.45, horizontal: 3.05, vertikal: 1.65




Serie 4:  
 9.8 ↙ 9.5 ← 9.0 ← 9.5 ↑ 9.9 ↖  
 9.4 ↗ 10.1 ← 10.4 \* 9.2 → 9.7 ↗  
 beste Teiler 144.0 (38.) 219.9 (37.) 264.6 (35.)  
 Trefferlage 0.56 mm links, 0.84 mm hoch  
 Streuwert 2.43, horizontal: 3.08, vertikal: 1.52

Unterschrift des Schützen


Ergebnis:	<b>349</b>	(368.3)
Serien:	86 86 88 89	
Zähler:	11 14 9 5 1 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1083 (4), 917 (3), 848 (37)	
beste Teiler	58.3 (10.) 82.2 (20.) 89.2 (25.)	
Trefferlage	0.01 mm rechts, 0.60 mm hoch	
Streuwert	3.57, horizontal: 4.29, vertikal: 2.67	




Serie 1:	9.5 ↘	9.6 ←	7.3 →	6.6 →	8.6 ↘
	9.3 ↘	10.2 *	8.4 →	10.3 *	10.7 *
beste Teiler	58.3 (10.)	166.1 (9.)	198.2 (7.)		
Trefferlage	1.89 mm rechts, 0.72 mm hoch				
Streuwert	3.98, horizontal: 5.12, vertikal: 2.33				



Serie 2:	9.9 ↗	9.7 ↙	7.6 ↑	9.9 ↙	10.4 *
	8.3 ↑	8.3 →	8.6 →	8.8 →	10.6 *
beste Teiler	82.2 (20.)	138.7 (15.)	256.0 (11.)		
Trefferlage	1.26 mm rechts, 0.32 mm hoch				
Streuwert	3.55, horizontal: 3.11, vertikal: 3.94				



Serie 3:	8.9 ↗	8.4 ←	9.1 →	9.8 ↙	10.6 *
	9.0 ↑	7.9 ↘	9.1 ↗	9.4 ↙	10.2 *
beste Teiler	89.2 (25.)	182.8 (30.)	284.8 (24.)		
Trefferlage	1.03 mm links, 0.88 mm hoch				
Streuwert	3.33, horizontal: 4.00, vertikal: 2.47				





Serie 4:	10.2 *	10.5 *	7.8 ←	10.0 ↘	8.8 ←
	9.4 ←	7.6 ←	9.3 →	10.3 *	9.4 ↘
beste Teiler	124.0 (32.)	155.5 (39.)	198.0 (31.)		
Trefferlage	2.06 mm links, 0.48 mm hoch				
Streuwert	3.15, horizontal: 4.02, vertikal: 1.94				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311** (327.2)  
 Serien: 82 76 78 75  
 Zähler: 6 9 11 5 4 3 2 0 0 0  
 Innenzehner: 4  
 weiteste: 1607 (15), 1555 (24), 1333 (37)  
 beste Teiler 52.9 (13.) 90.0 (22.) 114.4 (12.)  
 Trefferlage 2.13 mm links, 0.85 mm tief  
 Streuwert 5.46, horizontal: 5.00, vertikal: 5.89




Serie 1:  
 5.8 ↓                      9.3 ↓                      8.4 ←                      8.7 →                      8.0 ↓  
 10.0 ←                      9.3 ↓                      8.0 ↑                      9.0 ←                      8.6 →  
 beste Teiler 235.7 (6.) 408.7 (7.) 409.2 (2.)  
 Trefferlage 0.46 mm links, 2.28 mm tief  
 Streuwert 4.65, horizontal: 3.81, vertikal: 5.36



Serie 2:  
 8.1 ↗                      10.5 \*                      10.7 \*                      6.9 ↓                      4.5 ←  
 6.7 ↘                      7.6 ←                      6.8 ↗                      9.4 ←                      10.3 \*  
 beste Teiler 52.9 (13.) 114.4 (12.) 164.8 (20.)  
 Trefferlage 2.99 mm links, 1.12 mm tief  
 Streuwert 5.88, horizontal: 5.92, vertikal: 5.84



Serie 3:  
 9.2 ↘                      10.6 \*                      8.1 ←                      4.7 ↓                      8.3 ↑  
 9.1 ←                      9.3 ↑                      8.8 ↘                      6.3 ←                      7.6 →  
 beste Teiler 90.0 (22.) 425.9 (27.) 449.4 (21.)  
 Trefferlage 1.78 mm links, 0.62 mm tief  
 Streuwert 5.77, horizontal: 5.54, vertikal: 6.00





Serie 4:  
 8.7 ↘                      8.4 ↘                      9.5 ←                      7.0 ↓                      9.4 ↗  
 5.7 ↘                      5.6 ↓                      10.0 ↗                      7.1 ←                      7.2 ↑  
 beste Teiler 236.0 (38.) 352.8 (33.) 392.2 (35.)  
 Trefferlage 3.29 mm links, 0.62 mm hoch  
 Streuwert 5.88, horizontal: 4.76, vertikal: 6.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (359.3)  
 Serien: 86 85 87 87  
 Zähler: 9 16 8 5 2 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1117 (21), 1049 (14), 986 (37)  
 beste Teiler 166.9 (39.) 184.3 (8.) 185.2 (18.)  
 Trefferlage 0.45 mm links, 0.09 mm hoch  
 Streuwert 3.98, horizontal: 4.17, vertikal: 3.78




Serie 1:  
 9.3 ↖ 7.5 ← 9.0 ↓ 8.8 ↘ 9.6 ↑  
 9.4 ↖ 8.6 ↘ 10.2 \* 7.4 ↓ 10.0 ↗  
 beste Teiler 184.3 (8.) 250.3 (10.) 327.7 (5.)  
 Trefferlage 0.33 mm links, 1.16 mm tief  
 Streuwert 3.91, horizontal: 3.75, vertikal: 4.06



Serie 2:  
 9.7 ↑ 10.1 ↘ 8.1 ↘ 6.8 ← 8.3 →  
 8.4 ← 9.7 ↗ 10.2 \* 7.3 → 10.1 ↗  
 beste Teiler 185.2 (18.) 206.4 (12.) 206.5 (20.)  
 Trefferlage 0.70 mm rechts, 0.06 mm hoch  
 Streuwert 4.45, horizontal: 5.74, vertikal: 2.60



Serie 3:  
 6.5 ↘ 9.8 ↑ 10.0 ↖ 10.2 \* 7.7 ↗  
 9.2 ↖ 9.2 ↓ 9.6 ↑ 9.0 ← 9.6 ↓  
 beste Teiler 193.9 (24.) 233.4 (23.) 293.4 (22.)  
 Trefferlage 1.96 mm links, 0.30 mm hoch  
 Streuwert 3.79, horizontal: 2.83, vertikal: 4.55





Serie 4:  
 9.6 ↘ 9.0 ↖ 9.6 ↖ 10.2 \* 8.5 ↖  
 8.4 ↖ 7.0 ↑ 9.2 ↓ 10.3 \* 8.2 →  
 beste Teiler 166.9 (39.) 186.2 (34.) 338.1 (31.)  
 Trefferlage 0.22 mm links, 1.18 mm hoch  
 Streuwert 3.94, horizontal: 4.04, vertikal: 3.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (405.6)  
 Serien: 97 97 98 97  
 Zähler: 29 11 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 454 (11), 388 (25), 352 (2)  
 beste Teiler 12.0 (19.) 43.4 (9.) 44.0 (22.)  
 Trefferlage 0.12 mm rechts, 0.37 mm tief  
 Streuwert 1.58, horizontal: 1.69, vertikal: 1.46




Serie 1:  
 10.7 \* 9.5 ↗ 9.8 ↘ 10.5 \* 10.4 \*  
 10.3 \* 10.0 ↙ 9.6 ↗ 10.8 \* 10.0 ↖  
 beste Teiler 43.4 (9.) 70.8 (1.) 110.3 (4.)  
 Trefferlage 0.32 mm rechts, 0.55 mm hoch  
 Streuwert 1.56, horizontal: 1.44, vertikal: 1.67



Serie 2:  
 9.1 ↙ 10.2 \* 9.9 ↘ 10.1 ← 10.1 →  
 10.1 ↖ 10.1 ↘ 10.2 \* 10.9 \* 9.9 ↓  
 beste Teiler 12.0 (19.) 198.1 (12.) 199.6 (18.)  
 Trefferlage 0.36 mm links, 0.89 mm tief  
 Streuwert 1.68, horizontal: 1.93, vertikal: 1.39



Serie 3:  
 9.9 → 10.8 \* 10.7 \* 10.1 → 9.4 ←  
 10.1 ↙ 10.2 \* 10.3 \* 10.1 → 10.1 ↘  
 beste Teiler 44.0 (22.) 55.3 (23.) 157.1 (28.)  
 Trefferlage 0.20 mm links, 0.45 mm tief  
 Streuwert 1.57, horizontal: 2.06, vertikal: 0.82





Serie 4:  
 9.7 ↘ 10.4 \* 10.2 \* 10.1 ↘ 10.2 \*  
 10.5 \* 9.8 ↗ 10.5 \* 9.6 ↘ 10.7 \*  
 beste Teiler 67.5 (40.) 113.7 (36.) 122.3 (38.)  
 Trefferlage 0.72 mm rechts, 0.70 mm tief  
 Streuwert 1.42, horizontal: 1.25, vertikal: 1.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (393.5)  
 Serien: 95 90 94 94  
 Zähler: 16 22 1 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 779 (11), 626 (39), 449 (21)  
 beste Teiler 44.4 (36.) 46.4 (32.) 77.2 (7.)  
 Trefferlage 0.10 mm rechts, 0.48 mm hoch  
 Streuwert 2.20, horizontal: 2.31, vertikal: 2.08




Serie 1:  
 9.4 ↖                      9.6 ↓                      9.9 ↗                      10.0 ↓                      10.3 \*  
 10.5 \*                      10.6 \*                      9.7 ↘                      10.5 \*                      9.9 ↗  
 beste Teiler 77.2 (7.) 120.2 (6.) 123.8 (9.)  
 Trefferlage 0.90 mm links, 0.11 mm tief  
 Streuwert 1.72, horizontal: 1.53, vertikal: 1.89



Serie 2:  
 7.8 ↗                      9.7 ←                      10.1 ↓                      9.4 ↗                      9.9 →  
 9.5 ←                      10.0 ↓                      9.5 ↗                      9.8 →                      9.8 ↓  
 beste Teiler 219.2 (13.) 228.6 (17.) 264.0 (15.)  
 Trefferlage 0.69 mm rechts, 0.62 mm hoch  
 Streuwert 2.73, horizontal: 2.88, vertikal: 2.58



Serie 3:  
 9.2 ↘                      10.6 \*                      10.4 \*                      10.1 →                      9.4 ↗  
 10.0 ↘                      9.5 ↖                      9.8 ↑                      9.8 ↗                      9.5 ↓  
 beste Teiler 84.0 (22.) 149.6 (23.) 222.6 (24.)  
 Trefferlage 0.66 mm links, 0.86 mm hoch  
 Streuwert 2.11, horizontal: 1.83, vertikal: 2.35





Serie 4:  
 10.1 ←                      10.8 \*                      9.6 →                      9.7 →                      10.0 ↗  
 10.8 \*                      10.1 ↓                      9.9 →                      8.4 →                      9.9 ↑  
 beste Teiler 44.4 (36.) 46.4 (32.) 210.4 (37.)  
 Trefferlage 1.27 mm rechts, 0.57 mm hoch  
 Streuwert 1.97, horizontal: 2.30, vertikal: 1.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.9)  
 Serien: 82 93 88 91  
 Zähler: 6 26 5 2 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1197 (8), 903 (26), 890 (6)  
 beste Teiler 86.4 (11.) 96.1 (30.) 163.4 (12.)  
 Trefferlage 0.35 mm rechts, 0.24 mm tief  
 Streuwert 3.30, horizontal: 3.54, vertikal: 3.05




Serie 1:  
 9.1 ↗ 9.1 ↘ 9.1 → 8.7 ↘ 9.9 ↘  
 7.4 ↘ 9.9 ↘ 6.2 ↘ 8.2 ↖ 8.9 ↖  
 beste Teiler 257.3 (7.) 258.2 (5.) 456.8 (2.)  
 Trefferlage 2.55 mm rechts, 1.11 mm tief  
 Streuwert 4.28, horizontal: 4.79, vertikal: 3.70



Serie 2:  
 10.6 \* 10.3 \* 9.4 ↖ 9.4 ↘ 9.5 ↖  
 9.5 ↖ 10.0 → 9.6 ↓ 9.9 ↑ 9.2 ↑  
 beste Teiler 86.4 (11.) 163.4 (12.) 228.7 (17.)  
 Trefferlage 0.54 mm links, 1.09 mm hoch  
 Streuwert 2.21, horizontal: 1.78, vertikal: 2.56





Serie 3:  
 9.1 ↖ 9.7 ↘ 10.2 \* 8.3 ↘ 9.8 ↗  
 7.3 ← 9.7 ↓ 8.3 ↖ 9.9 ↖ 10.6 \*  
 beste Teiler 96.1 (30.) 194.7 (23.) 256.4 (29.)  
 Trefferlage 1.32 mm links, 0.04 mm tief  
 Streuwert 3.44, horizontal: 3.93, vertikal: 2.86




Serie 4:  
 9.6 ↑ 9.1 ↘ 10.1 ↓ 9.9 ↖ 9.7 ↘  
 9.9 ↘ 9.3 ↘ 9.4 ↘ 9.5 ↑ 9.6 ↖  
 beste Teiler 204.2 (33.) 260.5 (34.) 271.5 (36.)  
 Trefferlage 0.73 mm rechts, 0.90 mm tief  
 Streuwert 2.39, horizontal: 1.75, vertikal: 2.88

Unterschrift des Schützen


Ergebnis: **380** (396.4)  
 Serien: 95 92 95 98  
 Zähler: 23 14 3 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 749 (28), 506 (14), 503 (18)  
 beste Teiler 46.2 (7.) 50.2 (16.) 64.0 (2.)  
 Trefferlage 0.23 mm rechts, 0.04 mm hoch  
 Streuwert 2.13, horizontal: 2.54, vertikal: 1.61




Serie 1:  
 9.5 ↘ 10.7 \* 9.4 → 10.0 ↖ 9.0 →  
 9.2 → 10.8 \* 10.3 \* 10.3 \* 9.3 →  
 beste Teiler 46.2 (7.) 64.0 (2.) 153.5 (8.)  
 Trefferlage 1.53 mm rechts, 0.72 mm tief  
 Streuwert 1.98, horizontal: 2.48, vertikal: 1.29



Serie 2:  
 9.7 → 10.2 \* 9.7 ↖ 8.9 ↖ 9.6 ←  
 10.8 \* 10.3 \* 8.9 → 10.2 \* 9.9 →  
 beste Teiler 50.2 (16.) 173.9 (17.) 181.9 (19.)  
 Trefferlage 0.41 mm rechts, 0.76 mm hoch  
 Streuwert 2.26, horizontal: 3.06, vertikal: 0.90



Serie 3:  
 9.8 ↙ 10.2 \* 10.6 \* 9.5 ← 10.4 \*  
 10.1 ↘ 10.4 \* 8.0 ↘ 10.0 → 9.4 →  
 beste Teiler 83.4 (23.) 145.7 (25.) 148.9 (27.)  
 Trefferlage 0.78 mm links, 0.38 mm hoch  
 Streuwert 2.41, horizontal: 2.56, vertikal: 2.26





Serie 4:  
 10.1 → 10.1 ↓ 10.3 \* 9.9 ↗ 10.3 \*  
 10.2 \* 9.8 ↙ 10.4 \* 10.0 ← 10.2 \*  
 beste Teiler 126.5 (38.) 166.9 (33.) 167.9 (35.)  
 Trefferlage 0.20 mm links, 0.25 mm tief  
 Streuwert 1.55, horizontal: 1.63, vertikal: 1.48


Unterschrift des Schützen




Ergebnis: **321** (342.3)  
 Serien: 75 80 81 85  
 Zähler: 5 9 15 7 1 3 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1376 (39), 1316 (17), 1271 (7)  
 beste Teiler 73.8 (35.) 105.4 (37.) 170.3 (16.)  
 Trefferlage 0.59 mm links, 1.78 mm hoch  
 Streuwert 4.65, horizontal: 5.31, vertikal: 3.88




Serie 1:  
 8.5 ↘                      8.1 ↗                      6.9 ↖                      8.0 ↗                      8.7 ↘  
 7.9 ↗                      5.9 →                      8.9 ↖                      7.7 ↖                      10.2 \*  
 beste Teiler 200.7 (10.) 505.7 (8.) 560.0 (5.)  
 Trefferlage 1.07 mm rechts, 2.80 mm hoch  
 Streuwert 5.30, horizontal: 5.56, vertikal: 5.03



Serie 2:  
 9.3 ↑                      8.7 →                      9.9 ↗                      7.7 ↑                      8.1 →  
 10.3 \*                      5.7 ←                      8.3 ←                      8.7 →                      8.7 ↖  
 beste Teiler 170.3 (16.) 265.9 (13.) 403.9 (11.)  
 Trefferlage 0.60 mm links, 0.83 mm hoch  
 Streuwert 4.98, horizontal: 6.02, vertikal: 3.67



Serie 3:  
 7.9 ↖                      9.5 ↘                      9.5 ↗                      7.3 →                      8.7 ↖  
 9.9 ↘                      9.4 ←                      7.5 ↖                      9.3 ↗                      7.4 ↖  
 beste Teiler 261.6 (26.) 364.6 (23.) 369.8 (22.)  
 Trefferlage 0.78 mm links, 1.33 mm hoch  
 Streuwert 4.54, horizontal: 4.99, vertikal: 4.05





Serie 4:  
 8.3 →                      8.6 ↖                      8.7 ↖                      10.1 ↑                      10.7 \*  
 9.2 ↖                      10.5 \*                      9.9 ↓                      5.4 ↖                      8.3 ↖  
 beste Teiler 73.8 (35.) 105.4 (37.) 207.6 (34.)  
 Trefferlage 2.07 mm links, 2.14 mm hoch  
 Streuwert 4.00, horizontal: 4.94, vertikal: 2.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (379.9)  
 Serien: 93 90 88 94  
 Zähler: 15 15 10 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 741 (14), 710 (29), 684 (24)  
 beste Teiler 60.8 (9.) 86.3 (33.) 95.1 (28.)  
 Trefferlage 0.64 mm rechts, 1.09 mm tief  
 Streuwert 2.80, horizontal: 3.11, vertikal: 2.46




Serie 1:  
 9.0 ↘ 8.4 ← 10.0 ↙ 10.1 ↓ 9.3 ↗  
 9.1 → 9.8 ↘ 10.5 \* 10.7 \* 9.7 ↙  
 beste Teiler 60.8 (9.) 112.6 (8.) 214.3 (4.)  
 Trefferlage 0.29 mm links, 0.24 mm tief  
 Streuwert 2.71, horizontal: 3.38, vertikal: 1.82



Serie 2:  
 10.0 ↗ 9.0 ← 8.3 ↘ 8.0 ↘ 9.9 ↓  
 8.7 → 9.9 ↓ 10.0 → 10.2 \* 9.0 ↙  
 beste Teiler 193.6 (19.) 243.3 (11.) 247.4 (18.)  
 Trefferlage 1.19 mm rechts, 1.51 mm tief  
 Streuwert 3.07, horizontal: 3.53, vertikal: 2.52



Serie 3:  
 9.5 ↘ 8.7 ↓ 9.1 ↘ 8.2 ↘ 9.2 →  
 8.9 ↘ 10.1 ↗ 10.6 \* 8.1 ↗ 9.1 ↘  
 beste Teiler 95.1 (28.) 214.4 (27.) 353.0 (21.)  
 Trefferlage 1.19 mm rechts, 1.82 mm tief  
 Streuwert 3.25, horizontal: 3.03, vertikal: 3.46





Serie 4:  
 10.0 → 9.8 → 10.6 \* 10.2 \* 8.9 ←  
 9.7 → 10.1 ↓ 10.4 \* 10.4 \* 8.7 ↘  
 beste Teiler 86.3 (33.) 146.7 (39.) 147.4 (38.)  
 Trefferlage 0.47 mm rechts, 0.79 mm tief  
 Streuwert 2.21, horizontal: 2.65, vertikal: 1.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.1)  
 Serien: 93 90 92 93  
 Zähler: 16 17 6 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 900 (27), 644 (31), 600 (13)  
 beste Teiler 46.8 (6.) 70.3 (18.) 76.8 (26.)  
 Trefferlage 0.00 mm , 1.07 mm hoch  
 Streuwert 2.50, horizontal: 2.88, vertikal: 2.05




Serie 1:  
 9.7 ↖ 9.8 ↓ 9.5 ↑ 10.0 ↘ 9.4 ↑  
 10.8 \* 9.7 ↘ 9.6 ↗ 10.5 \* 9.7 ↑  
 beste Teiler 46.8 (6.) 120.6 (9.) 231.7 (4.)  
 Trefferlage 0.03 mm links, 1.14 mm hoch  
 Streuwert 1.97, horizontal: 1.50, vertikal: 2.34



Serie 2:  
 8.9 ↖ 10.5 \* 8.6 → 10.1 ↙ 9.0 ←  
 8.9 ↑ 9.8 ↘ 10.7 \* 8.6 → 10.4 \*  
 beste Teiler 70.3 (18.) 123.0 (12.) 139.5 (20.)  
 Trefferlage 0.10 mm rechts, 1.22 mm hoch  
 Streuwert 2.85, horizontal: 3.64, vertikal: 1.74



Serie 3:  
 10.2 \* 10.4 \* 10.1 ↗ 10.2 \* 8.9 ↖  
 10.6 \* 7.4 → 9.5 ↘ 9.1 ↗ 9.7 →  
 beste Teiler 76.8 (26.) 134.6 (22.) 187.3 (21.)  
 Trefferlage 1.32 mm rechts, 0.23 mm tief  
 Streuwert 2.86, horizontal: 3.41, vertikal: 2.17





Serie 4:  
 8.4 ↖ 10.3 \* 10.1 → 10.4 \* 9.0 ↘  
 9.9 ↖ 9.4 ↖ 9.7 ↑ 10.2 \* 9.4 ↑  
 beste Teiler 136.1 (34.) 164.6 (32.) 197.7 (39.)  
 Trefferlage 1.42 mm links, 2.17 mm hoch  
 Streuwert 1.78, horizontal: 2.15, vertikal: 1.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.6)  
 Serien: 93 92 96 95  
 Zähler: 22 12 6 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 695 (16), 600 (32), 599 (33)  
 beste Teiler 52.6 (25.) 80.4 (23.) 86.4 (26.)  
 Trefferlage 0.45 mm rechts, 0.26 mm hoch  
 Streuwert 2.29, horizontal: 2.64, vertikal: 1.87




Serie 1:  
 9.3 → 10.1 ↑ 9.4 ↘ 9.2 ↘ 10.3 \*  
 10.6 \* 10.5 \* 8.8 ← 9.6 ↑ 9.5 ↑  
 beste Teiler 95.3 (6.) 116.1 (7.) 170.0 (5.)  
 Trefferlage 0.32 mm links, 0.93 mm hoch  
 Streuwert 2.39, horizontal: 2.92, vertikal: 1.71



Serie 2:  
 9.8 ↘ 10.1 ↘ 10.3 \* 10.0 ↗ 10.4 \*  
 8.2 → 9.8 → 8.7 ↓ 10.3 \* 8.7 ↗  
 beste Teiler 132.0 (15.) 159.0 (19.) 166.3 (13.)  
 Trefferlage 0.59 mm rechts, 0.04 mm tief  
 Streuwert 2.80, horizontal: 2.98, vertikal: 2.62



Serie 3:  
 10.4 \* 9.3 → 10.6 \* 9.8 ↗ 10.7 \*  
 10.6 \* 9.3 → 9.8 ↓ 10.3 \* 10.5 \*  
 beste Teiler 52.6 (25.) 80.4 (23.) 86.4 (26.)  
 Trefferlage 0.81 mm rechts, 0.30 mm hoch  
 Streuwert 1.67, horizontal: 1.78, vertikal: 1.56





Serie 4:  
 10.5 \* 8.6 ← 8.6 → 10.3 \* 9.8 ↗  
 10.0 ↓ 10.4 \* 10.1 ↗ 10.2 \* 10.2 \*  
 beste Teiler 124.0 (31.) 126.3 (37.) 173.0 (34.)  
 Trefferlage 0.73 mm rechts, 0.13 mm tief  
 Streuwert 2.32, horizontal: 2.96, vertikal: 1.43


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **121** (128.3)  
 Serien: 63 58  
 Zähler: 1 3 3 2 3 4 2 0 0 0  
 Innenzehner: 1  
 weiteste: 2983 (7), 2770 (11), 1606 (14)  
 beste Teiler 167.2 (19.) 425.0 (3.) 467.4 (4.)  
 Trefferlage 0.63 mm links, 0.40 mm hoch  
 Streuwert 9.77, horizontal: 12.85, vertikal: 5.07





Serie 1:  
 8.7 ↘                      7.7 ←                      9.3 ↘                      9.1 ↗                      5.0 ←  
 8.2 ↑                      0.0 →                      5.5 ←                      7.6 ↗                      5.9 ↘  
 beste Teiler 425.0 (3.) 467.4 (4.) 551.1 (1.)  
 Trefferlage 0.35 mm links, 0.09 mm hoch  
 Streuwert 9.76, horizontal: 12.41, vertikal: 6.05




Serie 2:  
 0.0 →                      9.0 ↑                      8.0 ↙                      4.5 ↙                      6.7 →  
 6.5 ←                      4.7 ↙                      5.3 ←                      10.3 \*                      6.3 →  
 beste Teiler 167.2 (19.) 481.4 (12.) 741.2 (13.)  
 Trefferlage 0.91 mm links, 0.71 mm hoch  
 Streuwert 10.29, horizontal: 13.94, vertikal: 4.18

Unterschrift des Schützen


Ergebnis: **287** (303.5)  
 Serien: 67 71 78 71  
 Zähler: 6 8 9 4 3 4 2 2 1 1  
 Innenzehner: 4  
 weiteste: 2436 (31), 2127 (4), 1798 (18)  
 beste Teiler 37.8 (34.) 107.5 (2.) 174.9 (15.)  
 Trefferlage 2.40 mm links, 0.13 mm tief  
 Streuwert 7.09, horizontal: 8.58, vertikal: 5.19




Serie 1:  
 8.0 ↖ 10.5 \* 8.4 → 2.4 → 4.5 ←  
 9.0 ↗ 8.5 ↘ 5.7 ↗ 7.6 ↖ 6.7 ←  
 beste Teiler 107.5 (2.) 486.2 (6.) 609.1 (7.)  
 Trefferlage 0.34 mm rechts, 2.22 mm hoch  
 Streuwert 8.07, horizontal: 10.77, vertikal: 3.80



Serie 2:  
 7.1 ← 6.2 ← 9.0 ↖ 3.9 ← 10.3 \*  
 8.4 ↓ 10.3 \* 3.8 ↘ 8.7 ← 7.8 ↘  
 beste Teiler 174.9 (15.) 175.8 (17.) 497.5 (13.)  
 Trefferlage 3.94 mm links, 1.36 mm tief  
 Streuwert 6.94, horizontal: 8.45, vertikal: 4.98



Serie 3:  
 8.3 ↑ 9.0 ↙ 8.4 ↙ 9.1 ↖ 9.5 ↓  
 9.1 ↙ 9.6 ↓ 4.3 ↓ 5.6 → 8.8 ↑  
 beste Teiler 331.3 (27.) 366.7 (25.) 465.1 (24.)  
 Trefferlage 0.28 mm rechts, 1.85 mm tief  
 Streuwert 5.93, horizontal: 5.19, vertikal: 6.59





Serie 4:  
 1.2 ← 9.5 ↘ 7.2 ↑ 10.8 \* 5.7 ←  
 8.6 ↙ 5.9 ← 6.1 ↖ 10.0 → 10.0 ↘  
 beste Teiler 37.8 (34.) 241.5 (39.) 242.0 (40.)  
 Trefferlage 6.30 mm links, 0.45 mm hoch  
 Streuwert 6.75, horizontal: 8.28, vertikal: 4.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (343.3)  
 Serien: 83 82 84 77  
 Zähler: 7 12 10 5 3 3 0 0 0 0  
 Innenzehner: 3  
 weiteste: 1434 (1), 1351 (39), 1276 (4)  
 beste Teiler 51.0 (38.) 108.6 (15.) 138.0 (35.)  
 Trefferlage 1.49 mm links, 0.98 mm tief  
 Streuwert 4.74, horizontal: 5.65, vertikal: 3.61




Serie 1:  
 5.2 ↙ 7.6 ← 10.0 ↘ 5.8 ← 9.6 ←  
 9.4 → 9.0 ↑ 9.9 ↙ 10.1 ↖ 10.1 ↘  
 beste Teiler 208.7 (9.) 224.4 (10.) 232.9 (3.)  
 Trefferlage 3.47 mm links, 1.32 mm tief  
 Streuwert 4.54, horizontal: 5.24, vertikal: 3.72



Serie 2:  
 9.6 ↓ 9.5 ↓ 7.3 ↙ 7.1 ↙ 10.5 \*  
 8.0 ↙ 9.5 ↓ 9.4 → 6.8 ↙ 8.9 ↘  
 beste Teiler 108.6 (15.) 336.0 (11.) 351.1 (17.)  
 Trefferlage 1.92 mm links, 3.24 mm tief  
 Streuwert 3.92, horizontal: 5.02, vertikal: 2.34



Serie 3:  
 8.5 ↙ 10.0 → 6.5 → 9.3 ← 8.7 ←  
 9.4 ← 8.5 ↘ 8.2 ← 9.0 → 9.4 ←  
 beste Teiler 240.0 (22.) 378.9 (26.) 391.2 (30.)  
 Trefferlage 0.46 mm links, 0.84 mm tief  
 Streuwert 4.36, horizontal: 5.82, vertikal: 2.03





Serie 4:  
 7.0 → 8.7 ↙ 7.5 → 8.9 ↖ 10.4 \*  
 6.6 ← 8.8 ↖ 10.7 \* 5.5 ↑ 8.4 →  
 beste Teiler 51.0 (38.) 138.0 (35.) 519.9 (34.)  
 Trefferlage 0.11 mm links, 1.47 mm hoch  
 Streuwert 5.69, horizontal: 6.64, vertikal: 4.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (333.4)  
 Serien: 85 71 76 83  
 Zähler: 5 7 16 5 5 1 1 0 0 0  
 Innenzehner: 3  
 weiteste: 1718 (18), 1306 (28), 1209 (16)  
 beste Teiler 18.9 (20.) 71.1 (39.) 179.3 (26.)  
 Trefferlage 1.91 mm links, 0.92 mm tief  
 Streuwert 5.11, horizontal: 6.05, vertikal: 3.94




Serie 1:  
 7.2 ↙                      8.2 ↗                      10.0 ←                      9.9 ←                      8.6 ↙  
 8.9 →                      9.4 ↙                      9.2 ←                      9.0 ↓                      8.9 ←  
 beste Teiler 250.0 (3.) 253.2 (4.) 394.2 (7.)  
 Trefferlage 1.54 mm links, 1.03 mm tief  
 Streuwert 3.83, horizontal: 3.69, vertikal: 3.95



Serie 2:  
 8.8 ↖                      8.0 ↖                      6.7 ←                      8.6 ↓                      7.9 ↙  
 6.1 ←                      6.9 →                      4.1 →                      8.9 →                      10.9 \*  
 beste Teiler 18.9 (20.) 511.7 (19.) 547.1 (11.)  
 Trefferlage 0.70 mm links, 0.49 mm tief  
 Streuwert 6.89, horizontal: 9.16, vertikal: 3.31



Serie 3:  
 8.4 ←                      8.9 ←                      8.6 ↙                      8.1 ↑                      7.7 ↗  
 10.2 \*                      8.0 ←                      5.7 ←                      6.3 ←                      8.4 →  
 beste Teiler 179.3 (26.) 514.7 (22.) 596.9 (23.)  
 Trefferlage 3.24 mm links, 0.07 mm tief  
 Streuwert 5.38, horizontal: 6.73, vertikal: 3.56





Serie 4:  
 8.6 ↓                      7.4 ↓                      9.4 ←                      9.6 ↖                      9.5 ↙  
 7.3 ↖                      6.3 ↓                      10.0 →                      10.7 \*                      8.1 ←  
 beste Teiler 71.1 (39.) 238.4 (38.) 340.3 (34.)  
 Trefferlage 2.17 mm links, 2.09 mm tief  
 Streuwert 4.34, horizontal: 3.49, vertikal: 5.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (388.6)  
 Serien: 93 90 92 94  
 Zähler: 16 18 5 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 853 (3), 663 (1), 594 (12)  
 beste Teiler 49.3 (24.) 68.3 (37.) 72.6 (10.)  
 Trefferlage 0.49 mm links, 0.19 mm tief  
 Streuwert 2.51, horizontal: 3.02, vertikal: 1.86




Serie 1:  
 8.3 ↙ 9.9 ↗ 7.5 ↙ 10.1 ↘ 10.0 ↘  
 10.3 \* 10.3 \* 9.6 ← 10.2 \* 10.7 \*  
 beste Teiler 72.6 (10.) 158.8 (7.) 170.4 (6.)  
 Trefferlage 1.44 mm links, 0.71 mm tief  
 Streuwert 2.67, horizontal: 3.37, vertikal: 1.71



Serie 2:  
 9.7 ← 8.6 ↗ 9.9 ↓ 8.8 ← 9.8 ↗  
 10.4 \* 9.1 ← 9.3 → 9.2 ↙ 10.2 \*  
 beste Teiler 143.9 (16.) 179.4 (20.) 271.8 (13.)  
 Trefferlage 0.40 mm links, 0.04 mm tief  
 Streuwert 2.92, horizontal: 3.59, vertikal: 2.05



Serie 3:  
 9.5 → 10.0 ↘ 9.9 ↗ 10.8 \* 9.8 ↙  
 10.4 \* 9.9 → 9.0 ← 8.8 ← 9.8 →  
 beste Teiler 49.3 (24.) 128.0 (26.) 238.2 (22.)  
 Trefferlage 0.39 mm links, 0.39 mm hoch  
 Streuwert 2.33, horizontal: 3.15, vertikal: 0.99





Serie 4:  
 10.2 \* 10.5 \* 10.1 ↖ 9.6 ↙ 10.4 \*  
 9.5 ↘ 10.7 \* 9.7 ↓ 9.2 ↗ 8.9 ↓  
 beste Teiler 68.3 (37.) 112.6 (32.) 145.2 (35.)  
 Trefferlage 0.24 mm rechts, 0.40 mm tief  
 Streuwert 2.22, horizontal: 1.92, vertikal: 2.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.4)  
 Serien: 99 94 94 91  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 601 (32), 535 (19), 478 (22)  
 beste Teiler 43.0 (2.) 86.2 (17.) 93.4 (13.)  
 Trefferlage 0.18 mm links, 0.37 mm hoch  
 Streuwert 2.10, horizontal: 2.18, vertikal: 2.01




Serie 1:  
 10.1 ↑ 10.8 \* 10.0 ↑ 10.0 ↑ 10.2 \*  
 9.6 ↗ 10.2 \* 10.5 \* 10.2 \* 10.3 \*  
 beste Teiler 43.0 (2.) 119.6 (8.) 175.4 (10.)  
 Trefferlage 0.17 mm rechts, 0.60 mm hoch  
 Streuwert 1.48, horizontal: 0.94, vertikal: 1.87



Serie 2:  
 10.0 ↖ 10.6 \* 10.6 \* 9.5 → 9.2 →  
 9.8 ↘ 10.6 \* 9.8 ← 8.8 ↙ 10.3 \*  
 beste Teiler 86.2 (17.) 93.4 (13.) 95.2 (12.)  
 Trefferlage 0.38 mm links, 0.29 mm tief  
 Streuwert 2.20, horizontal: 2.54, vertikal: 1.79



Serie 3:  
 10.3 \* 9.0 ↗ 9.6 ↗ 10.1 ↓ 9.6 ↓  
 10.5 \* 9.9 ↗ 10.2 \* 9.6 ↘ 9.3 ←  
 beste Teiler 120.7 (26.) 159.5 (21.) 180.5 (28.)  
 Trefferlage 0.13 mm rechts, 0.69 mm hoch  
 Streuwert 2.23, horizontal: 2.18, vertikal: 2.28





Serie 4:  
 10.0 ↘ 8.5 ↙ 9.7 ↖ 9.8 ↙ 9.5 ↗  
 10.1 ↘ 9.3 ↘ 9.8 ↘ 9.6 → 9.9 ↑  
 beste Teiler 222.7 (36.) 245.2 (31.) 269.8 (40.)  
 Trefferlage 0.64 mm links, 0.47 mm hoch  
 Streuwert 2.55, horizontal: 2.83, vertikal: 2.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>370</b>	(388.8)
Serien:	90 95 92 93	
Zähler:	17 17 5 1 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	837 (7), 719 (28), 642 (4)	
beste Teiler	24.0 (14.) 37.6 (20.) 94.6 (6.)	
Trefferlage	0.03 mm links, 0.58 mm hoch	
Streuwert	2.56, horizontal: 2.97, vertikal: 2.08	




Serie 1:	8.6 ↘	10.4 *	10.4 *	8.4 ↖	10.4 *
	10.6 *	7.6 ←	9.9 ←	8.4 ↗	10.0 ↘
beste Teiler	94.6 (6.)	133.0 (2.)	133.0 (3.)		
Trefferlage	1.89 mm links, 0.91 mm hoch				
Streuwert	3.01, horizontal: 3.58, vertikal: 2.29				



Serie 2:	9.7 →	10.4 *	10.3 *	10.9 *	10.1 ↘
	9.9 ↘	9.9 ↖	9.1 ↖	9.2 ↗	10.8 *
beste Teiler	24.0 (14.)	37.6 (20.)	128.6 (12.)		
Trefferlage	0.38 mm rechts, 0.42 mm hoch				
Streuwert	1.99, horizontal: 2.20, vertikal: 1.75				



Serie 3:	10.4 *	9.7 ←	9.7 ↘	9.7 ↘	10.4 *
	10.5 *	9.6 →	8.1 ↘	9.9 ↑	9.3 →
beste Teiler	108.2 (26.)	129.6 (25.)	137.9 (21.)		
Trefferlage	0.56 mm rechts, 0.71 mm hoch				
Streuwert	2.50, horizontal: 2.44, vertikal: 2.56				





Serie 4:	10.0 ↘	9.4 →	9.4 ↗	9.3 ↖	10.1 ↘
	9.5 ←	8.7 →	10.4 *	10.4 *	9.3 →
beste Teiler	132.1 (38.)	142.3 (39.)	201.0 (35.)		
Trefferlage	0.78 mm rechts, 0.30 mm hoch				
Streuwert	2.54, horizontal: 3.06, vertikal: 1.88				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (394.1)  
 Serien: 92 94 96 96  
 Zähler: 21 16 3 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 734 (16), 590 (10), 523 (39)  
 beste Teiler 18.3 (18.) 45.1 (36.) 72.4 (31.)  
 Trefferlage 0.97 mm rechts, 1.11 mm hoch  
 Streuwert 1.99, horizontal: 2.21, vertikal: 1.75




Serie 1:  
 9.4 →                      9.8 ←                      10.5 \*                      9.7 →                      9.3 ↘  
 9.3 ↗                      10.3 \*                      10.2 \*                      9.4 ↘                      8.6 ↘  
 beste Teiler 124.0 (3.) 166.7 (7.) 182.7 (8.)  
 Trefferlage 0.43 mm rechts, 1.39 mm hoch  
 Streuwert 2.43, horizontal: 2.98, vertikal: 1.70



Serie 2:  
 10.3 \*                      9.7 ↗                      9.3 ↗                      9.4 ↘                      9.3 ↗  
 8.0 →                      10.4 \*                      10.9 \*                      10.2 \*                      10.1 ↑  
 beste Teiler 18.3 (18.) 146.7 (17.) 164.7 (11.)  
 Trefferlage 1.53 mm rechts, 1.45 mm hoch  
 Streuwert 2.11, horizontal: 2.34, vertikal: 1.84



Serie 3:  
 9.6 ↑                      10.1 ↗                      9.3 →                      9.5 →                      10.2 \*  
 10.2 \*                      10.3 \*                      10.0 ↘                      10.3 \*                      9.8 ↗  
 beste Teiler 165.1 (27.) 165.1 (29.) 191.6 (26.)  
 Trefferlage 1.46 mm rechts, 0.88 mm hoch  
 Streuwert 1.56, horizontal: 1.88, vertikal: 1.16





Serie 4:  
 10.7 \*                      9.5 →                      10.3 \*                      10.3 \*                      10.2 \*  
 10.8 \*                      9.2 ↘                      10.2 \*                      8.9 ↑                      10.6 \*  
 beste Teiler 45.1 (36.) 72.4 (31.) 98.7 (40.)  
 Trefferlage 0.48 mm rechts, 0.75 mm hoch  
 Streuwert 1.90, horizontal: 1.39, vertikal: 2.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (372.7)  
 Serien: 89 87 92 89  
 Zähler: 13 14 10 3 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 808 (8), 802 (35), 795 (20)  
 beste Teiler 70.9 (22.) 89.1 (30.) 92.1 (2.)  
 Trefferlage 1.65 mm links, 1.28 mm hoch  
 Streuwert 2.97, horizontal: 3.57, vertikal: 2.21




Serie 1:  
 10.1 → 10.6 \* 9.4 ↗ 8.2 ↙ 8.3 ↑  
 10.1 ↘ 10.4 \* 7.7 ↖ 8.4 ↘ 9.7 ↘  
 beste Teiler 92.1 (2.) 127.8 (7.) 210.5 (6.)  
 Trefferlage 1.63 mm links, 1.58 mm hoch  
 Streuwert 3.20, horizontal: 3.45, vertikal: 2.92



Serie 2:  
 10.1 ↑ 10.1 ↖ 9.1 ↘ 9.3 ← 8.3 ↖  
 9.1 ↘ 8.8 ↘ 9.0 ← 8.2 ↖ 7.8 →  
 beste Teiler 202.1 (11.) 210.8 (12.) 417.0 (14.)  
 Trefferlage 2.70 mm links, 2.10 mm hoch  
 Streuwert 2.99, horizontal: 4.09, vertikal: 1.10



Serie 3:  
 10.3 \* 10.7 \* 8.2 ↙ 10.0 ↓ 10.0 ↙  
 8.2 ↖ 8.7 ← 10.4 \* 8.5 → 10.6 \*  
 beste Teiler 70.9 (22.) 89.1 (30.) 130.0 (28.)  
 Trefferlage 1.25 mm links, 0.01 mm tief  
 Streuwert 3.02, horizontal: 3.92, vertikal: 1.68





Serie 4:  
 9.5 ↗ 9.2 ↖ 9.6 ↓ 9.4 → 7.7 ↘  
 9.7 ← 9.3 ↗ 9.9 ← 9.7 ↘ 10.4 \*  
 beste Teiler 141.3 (40.) 256.6 (38.) 313.8 (36.)  
 Trefferlage 1.00 mm links, 1.47 mm hoch  
 Streuwert 2.75, horizontal: 3.03, vertikal: 2.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>377</b>	(395.4)			
Serien:	96	93	95	93	
Zähler:	21	16	2	1	0 0 0 0 0 0
Innenzehner:	17				
weiteste:	927 (11), 592 (1), 526 (31)				
beste Teiler	37.1 (38.) 68.0 (13.) 82.0 (2.)				
Trefferlage	0.61 mm links, 0.74 mm hoch				
Streuwert	2.14, horizontal: 2.39, vertikal: 1.86				




Serie 1:	8.6 ↘	10.6 *	10.2 *	9.8 ↓	9.5 ↙
	10.6 *	10.1 ↑	10.2 *	10.6 *	10.2 *
beste Teiler	82.0 (2.) 88.2 (9.) 94.7 (6.)				
Trefferlage	0.80 mm links, 0.55 mm hoch				
Streuwert	1.89, horizontal: 1.56, vertikal: 2.17				



Serie 2:	7.2 ←	10.4 *	10.7 *	9.9 ↑	10.1 ↑
	9.1 ↑	9.9 →	10.5 *	9.3 ↗	10.4 *
beste Teiler	68.0 (13.) 112.1 (18.) 134.4 (12.)				
Trefferlage	0.16 mm links, 1.56 mm hoch				
Streuwert	2.62, horizontal: 3.42, vertikal: 1.41				



Serie 3:	10.4 *	10.3 *	9.3 ↘	9.4 ←	10.2 *
	9.8 →	9.8 ↘	10.2 *	9.2 ↘	10.1 ←
beste Teiler	130.1 (21.) 159.2 (22.) 182.3 (28.)				
Trefferlage	1.29 mm links, 0.32 mm hoch				
Streuwert	1.94, horizontal: 2.23, vertikal: 1.58				



Serie 4:	8.8 ↗	9.9 ↙	10.2 *	9.8 ↘	9.4 ↘
	10.4 *	9.6 ↓	10.8 *	9.9 ↗	10.0 ↘
beste Teiler	37.1 (38.) 149.0 (36.) 192.8 (33.)				
Trefferlage	0.21 mm links, 0.55 mm hoch				
Streuwert	2.17, horizontal: 2.16, vertikal: 2.19				

Unterschrift des Schützen