




Ergebnis:	571	(600.2)				
Serien:	95	96	98	94	95	93
Zähler:	33	25	2	0	0	0
Innenzehner:	19					
weiteste:	1677 (37), 1649 (12), 1532 (32)					
beste Teiler	114.7 (19.) 134.8 (17.) 153.2 (30.)					
Trefferlage	2.64 mm links, 0.06 mm hoch					
Streuwert	5.83, horizontal: 6.22, vertikal: 5.42					




Serie 1:

9.8 ↙	9.1 ←	10.5 *	10.6 *	10.2 ↑
10.1 ↓	9.2 ↘	10.6 *	9.9 ↘	9.5 ↙
beste Teiler	260.0 (8.) 270.4 (4.) 390.6 (3.)			
Trefferlage	5.07 mm links, 3.19 mm tief			
Streuwert	5.07, horizontal: 5.36, vertikal: 4.75			




Serie 2:

10.1 ↙	8.9 ↘	9.8 ←	10.1 ←	9.9 →
10.4 *	10.8 *	10.2 ↘	10.8 *	10.3 *
beste Teiler	114.7 (19.) 134.8 (17.) 457.9 (16.)			
Trefferlage	3.82 mm links, 1.12 mm hoch			
Streuwert	4.99, horizontal: 5.13, vertikal: 4.84			




Serie 3:

10.6 *	10.2 ←	9.8 ↓	10.7 *	10.5 *
9.7 ↑	10.6 *	10.1 ↓	10.2 ↓	10.8 *
beste Teiler	153.2 (30.) 237.6 (24.) 252.2 (27.)			
Trefferlage	1.12 mm links, 1.18 mm tief			
Streuwert	4.19, horizontal: 2.68, vertikal: 5.28			




Serie 4:

9.9 ←	9.0 ←	10.4 *	9.7 ↓	10.0 →
10.4 *	8.9 ↑	10.7 *	9.4 ↘	10.6 *
beste Teiler	189.6 (38.) 289.9 (40.) 418.8 (33.)			
Trefferlage	2.21 mm links, 0.49 mm tief			
Streuwert	7.06, horizontal: 6.62, vertikal: 7.48			



Serie 5:



10.0 ↙	9.8 ←	10.3 ↘	9.4 ↘	9.9 ↘
10.1 →	9.7 ←	10.5 *	10.5 *	9.9 ←
beste Teiler	322.5 (49.) 377.3 (48.) 538.6 (43.)			
Trefferlage	5.47 mm links, 0.79 mm hoch			
Streuwert	4.25, horizontal: 4.91, vertikal: 3.47			




Serie 6:

9.5 ↘	9.1 →	9.6 ←	9.8 ←	10.2 ↗
9.6 ↗	9.3 →	9.3 ↑	10.0 →	10.7 *
beste Teiler	193.4 (60.) 590.9 (55.) 746.9 (59.)			
Trefferlage	1.88 mm rechts, 3.32 mm hoch			
Streuwert	7.20, horizontal: 8.98, vertikal: 4.79			


Ergebnis:	588	(613.0)				
Serien:	96	99	99	97	99	98
Zähler:	48	12	0	0	0	0
Innenzehner:	33					
weiteste:	1558 (11), 1471 (32), 1273 (51)					
beste Teiler	154.5 (16.) 154.8 (19.) 204.1 (4.)					
Trefferlage	0.92 mm rechts, 0.97 mm tief					
Streuwert	4.66, horizontal: 4.96, vertikal: 4.33					




Serie 1:	10.6 *	10.2 ←	9.9 ↓	10.7 *	9.7 ←
	10.2 ↘	9.6 ←	9.9 ↓	10.2 ↗	10.4 *
beste Teiler	204.1 (4.) 289.7 (1.) 439.3 (10.)				
Trefferlage	1.46 mm links, 2.69 mm tief				
Streuwert	4.78, horizontal: 5.46, vertikal: 3.99				




Serie 2:	9.0 ↗	10.3 *	10.4 *	10.3 *	10.3 →
	10.8 *	10.3 *	10.5 *	10.8 *	10.1 ↑
beste Teiler	154.5 (16.) 154.8 (19.) 379.2 (18.)				
Trefferlage	0.84 mm rechts, 2.81 mm hoch				
Streuwert	4.38, horizontal: 4.35, vertikal: 4.42				




Serie 3:	10.1 →	10.7 *	10.4 *	10.0 →	9.5 ↓
	10.4 *	10.4 *	10.3 *	10.3 *	10.2 →
beste Teiler	205.2 (22.) 430.6 (27.) 451.9 (23.)				
Trefferlage	3.45 mm rechts, 1.93 mm tief				
Streuwert	3.66, horizontal: 3.56, vertikal: 3.76				



Serie 4:	10.2 →	9.1 ↘	10.5 *	10.6 *	10.4 *
	10.4 *	10.3 *	10.5 *	9.9 ↘	9.5 ↘
beste Teiler	306.5 (34.) 332.7 (38.) 339.4 (33.)				
Trefferlage	3.18 mm rechts, 2.30 mm tief				
Streuwert	4.74, horizontal: 4.74, vertikal: 4.74				





Serie 5:	10.4 *	10.5 *	10.2 ←	10.5 *	10.2 ↓
	10.6 *	10.6 *	10.4 *	9.7 →	10.3 *
beste Teiler	284.3 (46.) 293.0 (47.) 362.0 (44.)				
Trefferlage	0.71 mm rechts, 1.49 mm tief				
Streuwert	3.83, horizontal: 4.70, vertikal: 2.69				




Serie 6:	9.4 ↘	10.6 *	10.3 *	10.2 ↗	9.8 ↓
	10.2 ↗	10.6 *	10.4 *	10.0 ←	10.2 →
beste Teiler	245.2 (57.) 270.0 (52.) 448.3 (58.)				
Trefferlage	1.21 mm links, 0.21 mm tief				
Streuwert	5.07, horizontal: 5.56, vertikal: 4.53				

Meyton Elektronik


Ergebnis:	590	(616.6)				
Serien:	96	100	98	98	98	100
Zähler:	50	10	0	0	0	0
Innenzehner:	31					
weiteste:	1309	(10),	1225	(31),	1013	(35)
beste Teiler	71.8	(36.)	75.6	(47.)	78.7	(32.)
Trefferlage	0.47 mm links, 0.10 mm tief					
Streuwert	4.36, horizontal: 4.06, vertikal: 4.64					




Serie 1:	9.9 ↘	10.0 ↗	10.4 *	10.3 *	9.9 ↘
	9.8 ↘	10.4 *	10.1 →	10.1 ↓	9.3 ↙
beste Teiler	469.2 (3.) 480.3 (7.) 513.0 (4.)				
Trefferlage	2.15 mm links, 0.01 mm tief				
Streuwert	5.70, horizontal: 4.60, vertikal: 6.62				




Serie 2:	10.3 *	10.5 *	10.2 ←	10.0 ↘	10.6 *
	10.0 ↙	10.2 ↗	10.2 ↑	10.6 *	10.3 *
beste Teiler	283.5 (15.) 297.8 (19.) 323.1 (12.)				
Trefferlage	1.73 mm links, 0.57 mm hoch				
Streuwert	3.88, horizontal: 3.85, vertikal: 3.90				




Serie 3:	10.6 *	10.1 ↑	10.6 *	10.8 *	10.5 *
	10.1 ↘	10.7 *	10.5 *	9.9 ↘	9.9 ↓
beste Teiler	146.1 (24.) 198.4 (27.) 250.4 (23.)				
Trefferlage	0.76 mm links, 0.12 mm hoch				
Streuwert	3.89, horizontal: 2.70, vertikal: 4.79				



Serie 4:	9.4 ↘	10.9 *	10.6 *	10.4 *	9.7 ↙
	10.9 *	10.0 ↘	10.4 *	10.3 *	10.0 ↗
beste Teiler	71.8 (36.) 78.7 (32.) 289.3 (33.)				
Trefferlage	1.98 mm rechts, 1.65 mm tief				
Streuwert	4.58, horizontal: 4.26, vertikal: 4.88				





Serie 5:	10.1 ↗	10.3 *	10.4 *	10.2 ↓	10.3 *
	10.4 *	10.9 *	9.9 ↘	9.8 ←	10.8 *
beste Teiler	75.6 (47.) 86.2 (50.) 432.6 (46.)				
Trefferlage	0.76 mm links, 1.03 mm hoch				
Streuwert	4.22, horizontal: 4.36, vertikal: 4.06				




Serie 6:	10.1 ↙	10.6 *	10.2 ↘	10.2 →	10.0 ↘
	10.0 ↘	10.6 *	10.8 *	10.8 *	10.8 *
beste Teiler	89.8 (58.) 125.0 (60.) 135.8 (59.)				
Trefferlage	0.59 mm rechts, 0.67 mm tief				
Streuwert	3.76, horizontal: 3.81, vertikal: 3.72				

Meyton Elektronik


Ergebnis:	585	(611.8)				
Serien:	98	98	99	97	97	96
Zähler:	45	15	0	0	0	0
Innenzehner:	26					
weiteste:	1515 (54), 1340 (34), 1235 (42)					
beste Teiler	88.0 (26.) 102.0 (27.) 164.2 (44.)					
Trefferlage	0.51 mm links, 1.03 mm tief					
Streuwert	4.78, horizontal: 4.65, vertikal: 4.91					




Serie 1:	10.3 *	10.3 →	9.9 ↖	10.1 ↘	10.3 *
	10.5 *	9.8 ↖	10.2 ↗	10.4 *	10.2 ↑
beste Teiler	373.8 (6.) 475.3 (9.) 489.8 (1.)				
Trefferlage	0.68 mm links, 0.03 mm hoch				
Streuwert	4.71, horizontal: 3.80, vertikal: 5.46				




Serie 2:	10.0 ↙	10.1 →	10.7 *	10.7 *	9.8 ↘
	10.7 *	10.4 *	10.2 →	9.7 ←	10.6 *
beste Teiler	166.0 (14.) 191.6 (16.) 218.2 (13.)				
Trefferlage	0.35 mm rechts, 0.91 mm tief				
Streuwert	4.46, horizontal: 5.75, vertikal: 2.61				




Serie 3:	10.5 *	10.0 ↑	10.4 *	10.6 *	9.8 →
	10.8 *	10.8 *	10.1 ↑	10.4 *	10.1 ↙
beste Teiler	88.0 (26.) 102.0 (27.) 319.4 (24.)				
Trefferlage	0.49 mm links, 0.61 mm hoch				
Streuwert	4.02, horizontal: 3.70, vertikal: 4.32				



Serie 4:	10.1 ↑	10.1 ↘	10.7 *	9.3 ↓	10.1 ↗
	9.9 →	10.6 *	10.0 ↓	10.5 *	9.5 ←
beste Teiler	177.7 (33.) 269.4 (37.) 381.4 (39.)				
Trefferlage	0.37 mm rechts, 2.20 mm tief				
Streuwert	5.49, horizontal: 5.08, vertikal: 5.87				





Serie 5:	9.9 ↙	9.4 ↙	10.7 *	10.7 *	10.5 *
	9.7 ↓	10.7 *	10.1 ↖	10.2 ↑	10.4 *
beste Teiler	164.2 (44.) 190.5 (43.) 227.8 (47.)				
Trefferlage	1.57 mm links, 1.29 mm tief				
Streuwert	4.75, horizontal: 4.21, vertikal: 5.24				



Serie 6:	10.4 *	9.5 ↙	10.6 *	9.1 ↓	10.2 →
	9.8 ←	10.2 ↑	10.2 ↘	10.5 *	9.8 ↖
beste Teiler	314.6 (53.) 334.5 (59.) 462.3 (51.)				
Trefferlage	1.08 mm links, 2.46 mm tief				
Streuwert	5.76, horizontal: 5.81, vertikal: 5.71				


Meyton Elektronik

Ergebnis:	558	(586.8)
Serien:	92 97 92 91 94 92	
Zähler:	26 26 8 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	1945 (30), 1931 (54), 1923 (8)	
beste Teiler	90.0 (26.) 93.6 (5.) 119.6 (11.)	
Trefferlage	0.14 mm rechts, 0.16 mm tief	
Streuwert	7.62, horizontal: 8.55, vertikal: 6.56	




Serie 1:

9.7 ↗	9.1 →	10.4 *	10.3 ↗	10.8 *
9.2 ↓	9.0 ↓	8.5 ↘	9.8 ↘	9.6 ↘
beste Teiler	93.6 (5.)	478.2 (3.)	542.5 (4.)	
Trefferlage	0.40 mm rechts, 1.10 mm tief			
Streuwert	8.74, horizontal: 7.19, vertikal: 10.05			




Serie 2:

10.8 *	10.2 ↖	10.4 *	9.3 →	9.6 →
10.0 ↖	10.0 ←	10.7 *	9.9 ↗	10.1 ↘
beste Teiler	119.6 (11.)	207.0 (18.)	421.9 (13.)	
Trefferlage	1.09 mm rechts, 0.64 mm tief			
Streuwert	5.55, horizontal: 6.88, vertikal: 3.78			




Serie 3:

9.6 ←	9.8 ←	10.3 *	10.2 ←	9.9 ↗
10.8 *	10.4 *	9.5 →	8.6 →	8.5 ←
beste Teiler	90.0 (26.)	477.3 (27.)	518.8 (23.)	
Trefferlage	0.61 mm links, 0.28 mm hoch			
Streuwert	8.27, horizontal: 11.10, vertikal: 3.67			




Serie 4:

10.6 *	9.0 ↗	9.7 ↘	9.9 ↓	10.3 *
10.0 ↘	10.6 *	8.8 ↗	8.7 ↗	8.7 ↗
beste Teiler	257.1 (37.)	298.6 (31.)	528.2 (35.)	
Trefferlage	4.55 mm rechts, 3.29 mm hoch			
Streuwert	7.99, horizontal: 7.57, vertikal: 8.40			



Serie 5:

9.9 →	9.7 ↘	9.3 ↗	9.3 ↘	9.8 →
10.4 *	10.2 ↖	9.9 ←	10.5 *	10.2 ↘
beste Teiler	382.7 (49.)	408.5 (46.)	579.0 (47.)	
Trefferlage	0.94 mm rechts, 0.18 mm tief			
Streuwert	6.60, horizontal: 7.48, vertikal: 5.57			



Serie 6:

8.8 ←	10.6 *	9.8 ↘	8.5 ↘	9.4 ↖
10.1 →	10.1 ↖	9.0 ↖	9.7 →	10.3 ←
beste Teiler	286.1 (52.)	542.9 (60.)	686.6 (56.)	
Trefferlage	5.53 mm links, 2.64 mm tief			
Streuwert	7.55, horizontal: 9.17, vertikal: 5.47			

Meyton Elektronik

KK liegend – Wertung – Damen I

StartNr: 508



StandNr: 23

17. Februar 2018 9:47

Röder, Sina #92


5500 SGes Hamm e.V. / SGes Hamm e.V.

Ergebnis:	581	(603.7)				
Serien:	97	98	98	95	96	97
Zähler:	41	19	0	0	0	0
Innenzehner:	20					
weiteste:	1534 (32), 1448 (50), 1446 (42)					
beste Teiler	15.5 (43.) 183.2 (38.) 213.9 (10.)					
Trefferlage	0.13 mm rechts, 1.16 mm hoch					
Streuwert	5.55, horizontal: 4.89, vertikal: 6.14					




Serie 1:

9.8 ↘	9.6 ↖	10.5 *	10.5 *	10.6 *
10.1 ↘	9.7 ↓	10.2 ↘	10.6 *	10.7 *
beste Teiler	213.9 (10.) 248.6 (9.) 303.6 (5.)			
Trefferlage	1.04 mm links, 0.60 mm hoch			
Streuwert	4.73, horizontal: 4.49, vertikal: 4.96			




Serie 2:

10.0 ↗	10.4 *	10.5 *	10.5 *	9.6 ↓
10.1 ↑	10.4 *	10.2 ↘	9.3 ↓	10.2 ↗
beste Teiler	348.5 (13.) 389.4 (14.) 434.5 (17.)			
Trefferlage	2.31 mm rechts, 0.00 mm			
Streuwert	5.10, horizontal: 2.03, vertikal: 6.92			




Serie 3:

10.2 ←	10.2 ←	10.0 ↑	10.4 *	10.2 ↓
10.1 ↘	10.3 *	9.4 ↑	10.1 ↘	9.6 ↘
beste Teiler	466.1 (24.) 516.6 (27.) 563.2 (22.)			
Trefferlage	0.65 mm links, 1.60 mm hoch			
Streuwert	5.47, horizontal: 4.26, vertikal: 6.45			




Serie 4:

10.1 ↑	9.0 ↑	10.4 *	9.7 ↓	9.7 ↓
9.5 ↓	10.2 ↖	10.7 *	9.4 ↘	10.2 →
beste Teiler	183.2 (38.) 474.4 (33.) 596.6 (40.)			
Trefferlage	2.51 mm rechts, 1.17 mm tief			
Streuwert	6.68, horizontal: 4.40, vertikal: 8.36			



Serie 5:

10.2 ↗	9.1 ↑	10.9 *	9.8 ↑	10.1 ↘
10.4 *	10.1 ↑	9.9 ↑	10.0 ←	9.1 ↗
beste Teiler	15.5 (43.) 452.1 (46.) 584.9 (41.)			
Trefferlage	0.34 mm links, 5.69 mm hoch			
Streuwert	5.07, horizontal: 5.65, vertikal: 4.42			





Serie 6:


9.2 ↖	10.4 *	10.2 ↙	10.5 *	10.1 ↘
9.7 →	10.5 *	10.4 *	10.3 *	9.9 ←
beste Teiler	341.7 (54.) 390.6 (57.) 434.2 (58.)			
Trefferlage	1.99 mm links, 0.22 mm hoch			
Streuwert	5.26, horizontal: 6.61, vertikal: 3.40			

Meyton Elektronik


Ergebnis:	579	(607.4)				
Serien:	96	97	97	97	97	95
Zähler:	39	21	0	0	0	0
Innenzehner:	25					
weiteste:	1470 (39), 1438 (52), 1314 (47)					
beste Teiler	111.8 (59.) 146.2 (24.) 213.3 (6.)					
Trefferlage	0.11 mm rechts, 0.87 mm tief					
Streuwert	5.25, horizontal: 5.29, vertikal: 5.22					




Serie 1:	9.7 ↖	10.0 ↙	9.6 →	10.4 *	10.4 *
	10.7 *	9.9 →	10.1 →	9.7 →	10.1 ↙
beste Teiler	213.3 (6.) 449.9 (4.) 450.0 (5.)				
Trefferlage	1.83 mm rechts, 0.93 mm tief				
Streuwert	5.47, horizontal: 6.88, vertikal: 3.52				




Serie 2:	10.3 ↖	9.6 ↘	10.2 →	10.5 *	10.4 *
	10.5 *	10.2 →	9.9 ↘	9.6 ↙	10.1 ↑
beste Teiler	390.0 (16.) 394.1 (14.) 410.9 (15.)				
Trefferlage	1.54 mm rechts, 1.75 mm tief				
Streuwert	4.85, horizontal: 4.48, vertikal: 5.19				




Serie 3:	10.7 *	9.6 ↘	10.2 ←	10.8 *	10.4 *
	9.9 ↙	9.9 ↘	10.2 ↑	10.2 ←	10.5 *
beste Teiler	146.2 (24.) 222.5 (21.) 372.2 (30.)				
Trefferlage	0.76 mm links, 1.19 mm tief				
Streuwert	4.62, horizontal: 4.71, vertikal: 4.54				



Serie 4:	9.8 ↗	10.4 *	10.0 ←	10.1 →	10.3 *
	9.7 ↙	10.2 ↗	10.4 *	9.1 ↙	10.7 *
beste Teiler	229.7 (40.) 422.8 (32.) 471.6 (38.)				
Trefferlage	0.92 mm links, 2.63 mm tief				
Streuwert	5.44, horizontal: 5.45, vertikal: 5.44				





Serie 5:	10.6 *	10.4 *	10.6 *	9.7 →	10.2 →
	10.5 *	9.3 ↖	10.5 *	10.5 *	9.4 ↙
beste Teiler	242.3 (43.) 318.5 (41.) 339.2 (49.)				
Trefferlage	0.52 mm links, 0.89 mm tief				
Streuwert	5.37, horizontal: 5.60, vertikal: 5.13				




Serie 6:	10.5 *	9.2 ↑	9.4 ↑	9.6 ←	10.6 *
	9.8 ↘	10.4 *	10.5 *	10.8 *	9.9 ↙
beste Teiler	111.8 (59.) 286.5 (55.) 364.1 (51.)				
Trefferlage	0.50 mm links, 2.16 mm hoch				
Streuwert	6.01, horizontal: 4.92, vertikal: 6.92				

Meyton Elektronik


Ergebnis:	519	(541.9)				
Serien:	87	82	85	90	86	89
Zähler:	11	27	12	10	0	0
Innenzehner:	3					
weiteste:	3079 (8), 3058 (28), 3016 (23)					
beste Teiler	144.5 (25.) 255.3 (14.) 457.3 (9.)					
Trefferlage	1.65 mm rechts, 0.34 mm hoch					
Streuwert	12.16, horizontal: 12.67, vertikal: 11.62					




Serie 1:	10.0 ↘	7.9 ↙	9.9 →	9.8 ↙	8.0 ↓
	9.5 ←	10.3 ↓	7.1 →	10.4 *	8.4 ↓
beste Teiler	457.3 (9.) 540.3 (7.) 780.0 (1.)				
Trefferlage	0.76 mm rechts, 8.02 mm tief				
Streuwert	11.20, horizontal: 13.51, vertikal: 8.28				




Serie 2:	7.5 ↘	9.6 ↓	7.5 ↓	10.6 *	9.4 →
	9.4 ↙	8.0 ↖	7.9 ↘	7.3 →	9.0 ↖
beste Teiler	255.3 (14.) 1083.0 (12.) 1210.3 (15.)				
Trefferlage	0.85 mm rechts, 3.39 mm tief				
Streuwert	15.06, horizontal: 16.39, vertikal: 13.60				




Serie 3:	9.8 ↘	7.8 →	7.2 ↗	9.2 ↗	10.8 *
	9.3 ↗	9.3 ↘	7.1 ↗	9.1 ↗	9.1 ↖
beste Teiler	144.5 (25.) 941.2 (21.) 1296.9 (26.)				
Trefferlage	7.84 mm rechts, 9.73 mm hoch				
Streuwert	10.48, horizontal: 13.35, vertikal: 6.46				



Serie 4:	7.7 ↘	8.1 ↑	9.2 ↗	10.0 ↘	9.2 ←
	10.2 ↑	9.1 →	9.0 ↘	9.5 ↘	10.1 ↙
beste Teiler	571.4 (36.) 653.4 (40.) 734.0 (34.)				
Trefferlage	1.04 mm rechts, 2.85 mm hoch				
Streuwert	11.13, horizontal: 12.03, vertikal: 10.15				





Serie 5:	9.3 →	10.1 ↓	8.2 →	9.8 ↘	8.2 ↙
	8.1 ↙	8.7 ↘	8.6 ↘	9.7 ↓	9.8 ↗
beste Teiler	711.3 (42.) 899.5 (44.) 948.7 (50.)				
Trefferlage	2.92 mm rechts, 4.83 mm tief				
Streuwert	11.37, horizontal: 11.46, vertikal: 11.29				




Serie 6:	9.5 ↑	8.5 ↙	10.0 ↘	9.3 ↘	8.3 ↗
	8.4 ↘	9.7 ↑	10.0 ↙	9.5 ↘	9.9 ↑
beste Teiler	767.2 (58.) 790.5 (53.) 868.7 (60.)				
Trefferlage	3.52 mm links, 5.75 mm hoch				
Streuwert	9.21, horizontal: 8.44, vertikal: 9.92				


Ergebnis: **575** (603.0)
 Serien: 97 95 95 97 94 97
 Zähler: 37 21 2 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 2202 (46), 1813 (18), 1317 (58)
 beste Teiler 122.0 (55.) 145.2 (17.) 206.1 (34.)
 Trefferlage 0.12 mm links, 0.98 mm tief
 Streuwert 5.75, horizontal: 6.07, vertikal: 5.41




Serie 1:
 10.7 * 9.8 ↘ 10.5 * 10.1 → 10.6 *
 10.6 * 10.4 * 9.7 ↓ 9.9 ↗ 10.2 ↘
 beste Teiler 224.8 (1.) 287.9 (6.) 316.0 (5.)
 Trefferlage 3.24 mm rechts, 0.95 mm tief
 Streuwert 3.99, horizontal: 2.33, vertikal: 5.15




Serie 2:
 10.0 ↘ 10.4 * 9.5 ↘ 10.3 ↘ 10.0 ↙
 10.3 * 10.8 * 8.7 ← 9.9 ↖ 9.4 ↖
 beste Teiler 145.2 (17.) 424.4 (12.) 481.1 (16.)
 Trefferlage 2.58 mm links, 2.47 mm tief
 Streuwert 6.49, horizontal: 7.73, vertikal: 4.94




Serie 3:
 9.8 ↑ 10.5 * 9.8 ↖ 9.7 ↙ 10.5 *
 10.0 ↖ 9.6 ↖ 10.2 ↑ 10.3 ↖ 9.8 ↙
 beste Teiler 382.7 (22.) 399.2 (25.) 543.4 (29.)
 Trefferlage 3.97 mm links, 2.03 mm hoch
 Streuwert 4.84, horizontal: 3.82, vertikal: 5.68



Serie 4:
 9.7 ↙ 10.0 ↓ 10.1 ↘ 10.7 * 10.4 *
 10.0 ↘ 9.8 ↘ 9.8 ↘ 10.0 ↖ 10.4 *
 beste Teiler 206.1 (34.) 463.8 (40.) 466.7 (35.)
 Trefferlage 0.06 mm rechts, 3.45 mm tief
 Streuwert 4.69, horizontal: 4.05, vertikal: 5.26





Serie 5:
 10.4 * 10.3 * 9.6 ↘ 9.8 ← 10.3 *
 8.2 ↘ 9.9 ↖ 10.2 ↗ 9.8 ↑ 10.4 *
 beste Teiler 418.0 (41.) 477.0 (50.) 518.6 (42.)
 Trefferlage 2.22 mm rechts, 0.99 mm hoch
 Streuwert 7.19, horizontal: 8.33, vertikal: 5.83




Serie 6:
 10.4 * 10.1 ↖ 9.8 ↘ 9.9 → 10.8 *
 10.3 * 10.1 ↘ 9.3 ↙ 10.5 * 10.0 ↙
 beste Teiler 122.0 (55.) 380.5 (59.) 480.4 (51.)
 Trefferlage 0.26 mm rechts, 2.08 mm tief
 Streuwert 5.29, horizontal: 5.80, vertikal: 4.72

Ergebnis:	550						(575.2)
Serien:	91	91	86	94	93	95	
Zähler:	23	26	9	2	0	0	0
Innenzehner:	10						
weiteste:	2610 (25), 2577 (6), 2265 (5)						
beste Teiler	118.4 (32.) 126.7 (57.) 212.0 (54.)						
Trefferlage	2.93 mm links, 0.85 mm tief						
Streuwert	8.66, horizontal: 6.89, vertikal: 10.13						




Serie 1:

10.5 *	9.3 →	10.1 ↓	9.9 ↓	8.1 ↖
7.7 ↓	8.9 ←	10.0 ↓	10.2 ←	10.5 *
beste Teiler	324.7 (1.) 392.4 (10.) 618.4 (9.)			
Trefferlage	3.18 mm links, 3.56 mm tief			
Streuwert	9.55, horizontal: 9.32, vertikal: 9.77			




Serie 2:

10.1 ↘	9.6 ↙	9.2 ↓	9.5 ←	9.1 ↓
8.5 ↗	10.3 ↘	10.6 *	9.7 ↓	8.3 ↓
beste Teiler	296.6 (18.) 535.5 (17.) 675.6 (11.)			
Trefferlage	1.35 mm links, 6.44 mm tief			
Streuwert	8.33, horizontal: 5.60, vertikal: 10.37			




Serie 3:

9.2 ↓	8.6 ↙	9.1 ↓	9.0 ↙	7.7 ↓
8.4 ↙	10.2 ←	8.9 ↖	9.1 ↗	9.5 ↑
beste Teiler	638.0 (27.) 1195.3 (30.) 1406.7 (21.)			
Trefferlage	5.78 mm links, 6.13 mm tief			
Streuwert	10.68, horizontal: 8.50, vertikal: 12.49			




Serie 4:

10.2 ←	10.8 *	10.3 *	9.8 ↖	9.4 ↗
9.1 ↖	9.2 ←	9.9 ↓	10.1 ↗	9.9 ←
beste Teiler	118.4 (32.) 496.0 (33.) 593.5 (31.)			
Trefferlage	3.43 mm links, 2.20 mm hoch			
Streuwert	6.41, horizontal: 7.14, vertikal: 5.58			



Serie 5:

9.0 ↑	9.9 ↖	10.0 ↑	10.3 ←	8.4 ↗
10.6 *	10.5 *	9.2 ↑	9.7 ↖	9.1 ↑
beste Teiler	301.7 (46.) 398.9 (47.) 559.8 (44.)			
Trefferlage	1.42 mm links, 8.49 mm hoch			
Streuwert	5.91, horizontal: 5.07, vertikal: 6.64			





Serie 6:


9.4 ↗	9.7 ↙	9.8 ↘	10.7 *	10.1 ↓
10.1 ↓	10.8 *	10.6 *	10.1 ↖	8.7 ↖
beste Teiler	126.7 (57.) 212.0 (54.) 304.1 (58.)			
Trefferlage	2.46 mm links, 0.34 mm hoch			
Streuwert	6.51, horizontal: 5.40, vertikal: 7.45			

Meyton Elektronik


Ergebnis:	577	(599.6)				
Serien:	98	95	95	97	95	97
Zähler:	38	21	1	0	0	0
Innenzehner:	16					
weiteste:	1687 (50), 1518 (36), 1511 (40)					
beste Teiler	83.4 (11.) 179.6 (8.) 228.8 (41.)					
Trefferlage	1.90 mm links, 0.11 mm hoch					
Streuwert	5.91, horizontal: 5.13, vertikal: 6.60					




Serie 1:	10.5 *	10.0 ↖	9.4 ↙	10.0 ←	10.1 ↑
	10.0 ↑	10.2 ↘	10.7 *	10.0 ↑	9.7 ←
beste Teiler	179.6 (8.) 378.1 (1.) 566.2 (7.)				
Trefferlage	3.79 mm links, 1.66 mm hoch				
Streuwert	4.84, horizontal: 4.80, vertikal: 4.88				




Serie 2:	10.8 *	10.1 ↗	9.3 ↖	10.1 ←	9.6 ↗
	9.8 ←	10.2 →	9.3 ←	9.9 ↓	10.4 *
beste Teiler	83.4 (11.) 438.2 (20.) 597.2 (17.)				
Trefferlage	1.39 mm links, 1.62 mm hoch				
Streuwert	6.29, horizontal: 6.77, vertikal: 5.78				




Serie 3:	10.6 *	9.7 ↖	9.9 ↙	9.7 ↑	10.1 ↖
	9.4 ↘	10.0 ←	10.5 *	9.9 →	10.1 ↖
beste Teiler	309.5 (21.) 342.4 (28.) 653.2 (30.)				
Trefferlage	1.82 mm links, 0.79 mm hoch				
Streuwert	5.86, horizontal: 5.81, vertikal: 5.90				



Serie 4:	10.6 *	9.9 ↗	10.3 ↓	10.3 *	10.1 ←
	9.1 ↑	10.5 *	10.0 ↓	10.2 ↑	9.1 ↓
beste Teiler	261.7 (31.) 391.5 (37.) 491.4 (34.)				
Trefferlage	0.54 mm rechts, 0.69 mm tief				
Streuwert	6.41, horizontal: 4.15, vertikal: 8.06				





Serie 5:	10.7 *	9.5 ↙	10.6 *	10.1 ↗	10.0 ↓
	9.1 ↗	9.1 ↖	10.3 ←	10.4 *	8.8 ↙
beste Teiler	228.8 (41.) 283.0 (43.) 469.2 (49.)				
Trefferlage	3.87 mm links, 3.99 mm tief				
Streuwert	6.31, horizontal: 4.01, vertikal: 7.98				




Serie 6:	10.3 *	10.2 ←	10.1 ↙	9.8 ↑	9.5 ↓
	10.0 →	10.4 *	10.6 *	9.5 ↑	10.5 *
beste Teiler	305.2 (58.) 373.9 (60.) 471.5 (57.)				
Trefferlage	1.06 mm links, 1.30 mm hoch				
Streuwert	5.43, horizontal: 4.53, vertikal: 6.20				


Ergebnis:	565	(589.8)				
Serien:	95	98	96	94	92	90
Zähler:	31	23	6	0	0	0
Innenzehner:	13					
weiteste:	2320 (60), 2135 (8), 2068 (51)					
beste Teiler	118.2 (24.) 348.9 (38.) 349.4 (3.)					
Trefferlage	1.66 mm links, 2.22 mm tief					
Streuwert	6.93, horizontal: 6.99, vertikal: 6.88					




Serie 1:	10.2 ↑	10.2 ↘	10.5 *	9.8 ↖	9.8 ↗
	10.1 →	10.0 ↘	8.3 ↘	9.8 ↗	10.4 *
beste Teiler	349.4 (3.) 437.6 (10.) 616.8 (2.)				
Trefferlage	2.11 mm rechts, 1.93 mm tief				
Streuwert	6.85, horizontal: 5.75, vertikal: 7.80				




Serie 2:	10.0 ↖	10.2 ↖	9.6 ↘	10.0 ↓	10.0 ↓
	10.5 *	10.4 *	10.1 ↓	9.5 ↘	10.4 *
beste Teiler	371.9 (16.) 457.6 (20.) 479.0 (17.)				
Trefferlage	1.44 mm rechts, 1.79 mm tief				
Streuwert	5.29, horizontal: 4.86, vertikal: 5.68				




Serie 3:	10.0 ↗	10.3 *	9.7 ←	10.8 *	10.1 →
	10.4 *	10.3 ↓	10.3 ↑	8.9 ↓	9.7 ←
beste Teiler	118.2 (24.) 402.5 (26.) 526.3 (22.)				
Trefferlage	3.00 mm links, 2.31 mm tief				
Streuwert	5.42, horizontal: 5.32, vertikal: 5.52				



Serie 4:	10.2 ←	9.4 ↓	10.3 *	10.2 →	9.8 ↓
	9.7 ↖	9.5 ↓	10.5 *	10.5 *	8.9 ←
beste Teiler	348.9 (38.) 394.9 (39.) 507.6 (33.)				
Trefferlage	3.59 mm links, 2.25 mm tief				
Streuwert	6.17, horizontal: 5.54, vertikal: 6.75				





Serie 5:	10.1 ↖	9.3 ↘	8.5 ←	9.4 ←	9.4 ↖
	9.5 ↖	10.5 *	9.9 ↗	10.0 ←	9.5 ↓
beste Teiler	387.1 (47.) 653.6 (41.) 785.9 (49.)				
Trefferlage	3.97 mm links, 1.14 mm tief				
Streuwert	8.01, horizontal: 8.60, vertikal: 7.37				



Serie 6:	8.4 ←	9.8 ↖	9.2 ↖	9.6 ←	10.1 ←
	9.9 ←	10.4 *	9.5 ↘	9.4 →	8.1 ↓
beste Teiler	477.8 (57.) 694.2 (55.) 877.0 (56.)				
Trefferlage	2.96 mm links, 3.92 mm tief				
Streuwert	9.27, horizontal: 9.49, vertikal: 9.05				


Meyton Elektronik

Ergebnis:	538	(562.3)
Serien:	89 92 89 96 87 85	
Zähler:	18 25 15 1 1 0 0 0 0 0	
Innenzehner:	10	
weiteste:	3262 (58), 2629 (53), 2357 (54)	
beste Teiler	119.0 (47.) 333.1 (32.) 352.6 (31.)	
Trefferlage	2.75 mm rechts, 0.66 mm hoch	
Streuwert	9.98, horizontal: 8.75, vertikal: 11.08	




Serie 1:

8.9 →	10.2 ↑	8.2 ↘	8.2 ↑	9.9 ↘
9.2 ↖	9.6 →	9.5 ↘	9.5 ↗	10.3 *
beste Teiler	506.9 (10.) 630.8 (2.) 877.7 (5.)			
Trefferlage	1.75 mm links, 7.78 mm hoch			
Streuwert	8.51, horizontal: 9.96, vertikal: 6.76			




Serie 2:

8.6 →	10.2 ↓	9.0 →	9.8 ↓	9.8 ↑
9.5 →	9.8 →	10.4 *	10.0 ←	9.4 ↗
beste Teiler	429.0 (18.) 575.0 (12.) 773.7 (19.)			
Trefferlage	6.78 mm rechts, 1.01 mm hoch			
Streuwert	6.71, horizontal: 7.47, vertikal: 5.86			




Serie 3:

10.3 *	10.5 *	9.0 ↑	8.2 ↘	9.8 ↘
9.2 ←	9.6 ↖	8.4 →	9.6 ←	8.1 →
beste Teiler	365.1 (22.) 500.5 (21.) 950.9 (25.)			
Trefferlage	2.17 mm rechts, 4.31 mm hoch			
Streuwert	10.51, horizontal: 13.19, vertikal: 6.83			




Serie 4:

10.5 *	10.5 *	10.0 ↓	9.2 ↘	10.0 ↗
10.3 *	9.5 ↓	9.7 ↑	9.5 ↗	10.3 *
beste Teiler	333.1 (32.) 352.6 (31.) 498.5 (36.)			
Trefferlage	3.76 mm rechts, 1.42 mm tief			
Streuwert	5.71, horizontal: 4.61, vertikal: 6.63			



Serie 5:

10.0 →	8.4 →	8.0 ↗	8.8 ↗	8.4 ↑
10.0 ←	10.8 *	8.8 ↓	8.5 ↓	9.1 ↑
beste Teiler	119.0 (47.) 746.0 (46.) 779.1 (41.)			
Trefferlage	4.61 mm rechts, 3.57 mm hoch			
Streuwert	11.46, horizontal: 8.38, vertikal: 13.87			





Serie 6:

9.1 ↓	8.8 ↓	7.7 ↓	8.0 ↓	9.0 ↓
10.5 *	9.5 ↑	6.9 ↓	10.1 ↖	9.7 ↘
beste Teiler	398.4 (56.) 658.3 (59.) 975.0 (60.)			
Trefferlage	0.95 mm rechts, 11.24 mm tief			
Streuwert	10.74, horizontal: 5.62, vertikal: 14.11			


Meyton Elektronik

Ergebnis:	557	(583.0)				
Serien:	94	93	92	91	95	92
Zähler:	24	30	5	1	0	0
Innenzehner:	15					
weiteste:	2938 (37), 2379 (51), 2259 (49)					
beste Teiler	9.4 (33.) 250.5 (27.) 309.4 (1.)					
Trefferlage	0.26 mm rechts, 0.98 mm tief					
Streuwert	8.09, horizontal: 7.22, vertikal: 8.88					




Serie 1:

10.6 *	9.8 ↖	9.1 ↖	9.4 →	9.8 ↖
9.3 ↓	10.1 ↑	10.5 *	10.5 *	9.6 ↓
beste Teiler	309.4 (1.) 361.7 (9.) 378.4 (8.)			
Trefferlage	1.47 mm links, 0.91 mm hoch			
Streuwert	7.07, horizontal: 6.50, vertikal: 7.61			




Serie 2:

8.3 ↓	10.3 *	9.7 ↙	9.2 ↓	10.2 ↘
9.7 ↓	10.3 *	9.9 ↘	9.6 ↓	10.2 →
beste Teiler	495.5 (17.) 506.4 (12.) 573.5 (20.)			
Trefferlage	0.07 mm links, 6.53 mm tief			
Streuwert	6.48, horizontal: 5.55, vertikal: 7.29			




Serie 3:

10.0 ←	9.6 ↖	9.9 →	9.6 ←	9.9 ↘
9.2 ↗	10.6 *	9.1 ↖	9.1 ↘	9.1 ↑
beste Teiler	250.5 (27.) 742.3 (21.) 849.5 (25.)			
Trefferlage	0.90 mm rechts, 2.81 mm hoch			
Streuwert	8.25, horizontal: 8.61, vertikal: 7.87			




Serie 4:

10.3 *	9.6 ↓	10.9 *	10.0 ←	10.4 *
9.9 ↖	7.3 ↑	10.2 →	8.6 ↘	8.8 ↘
beste Teiler	9.4 (33.) 452.9 (35.) 497.3 (31.)			
Trefferlage	1.88 mm rechts, 0.64 mm hoch			
Streuwert	10.06, horizontal: 8.03, vertikal: 11.74			



Serie 5:

9.2 ↖	10.1 ↖	10.2 ↗	9.4 ←	10.0 ↑
10.5 *	10.4 *	9.9 ↓	8.1 ↘	10.4 *
beste Teiler	367.2 (46.) 405.1 (47.) 466.4 (50.)			
Trefferlage	0.54 mm links, 1.12 mm tief			
Streuwert	7.91, horizontal: 7.29, vertikal: 8.48			





Serie 6:

8.0 ↘	9.7 ↖	10.4 *	10.4 *	10.3 *
9.2 ↗	9.6 →	9.8 ↗	9.7 ↖	9.5 ↘
beste Teiler	471.6 (53.) 476.9 (54.) 525.7 (55.)			
Trefferlage	0.91 mm rechts, 2.63 mm tief			
Streuwert	8.46, horizontal: 8.29, vertikal: 8.62			


Meyton Elektronik

Ergebnis:	543	(570.6)
Serien:	94 94 90 89 92 84	
Zähler:	19 27 12 2 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2507 (58), 2494 (60), 2316 (23)	
beste Teiler	226.2 (15.) 309.7 (17.) 340.5 (20.)	
Trefferlage	0.83 mm rechts, 3.10 mm hoch	
Streuwert	8.91, horizontal: 7.64, vertikal: 10.03	




Serie 1:

9.1 →	10.2 ↙	9.7 ↓	8.6 ↙	9.4 ↙
10.2 ↓	10.0 →	10.0 ↙	10.0 ↗	9.0 ↘
beste Teiler	621.8 (2.) 638.3 (6.) 747.2 (7.)			
Trefferlage	0.93 mm rechts, 5.65 mm tief			
Streuwert	7.43, horizontal: 7.25, vertikal: 7.61			




Serie 2:

8.6 ↖	10.2 ↖	9.3 →	8.9 →	10.7 *
10.5 *	10.6 *	10.3 *	9.8 →	10.5 *
beste Teiler	226.2 (15.) 309.7 (17.) 340.5 (20.)			
Trefferlage	2.05 mm rechts, 3.63 mm hoch			
Streuwert	6.76, horizontal: 7.54, vertikal: 5.87			




Serie 3:

9.8 ↑	9.0 ↗	8.1 ↑	10.3 *	10.4 *
10.1 ↖	8.7 ↗	9.8 →	8.8 ↖	9.6 ↙
beste Teiler	413.3 (25.) 490.5 (24.) 676.5 (26.)			
Trefferlage	1.58 mm rechts, 6.88 mm hoch			
Streuwert	8.48, horizontal: 7.64, vertikal: 9.25			




Serie 4:

9.9 ↓	9.8 ↙	9.1 ↗	8.1 →	9.9 →
9.7 ↖	9.8 ↖	10.2 ←	8.5 ↗	9.7 ↖
beste Teiler	565.1 (38.) 814.1 (31.) 858.2 (35.)			
Trefferlage	2.42 mm rechts, 4.06 mm hoch			
Streuwert	8.99, horizontal: 9.46, vertikal: 8.49			



Serie 5:



9.2 ↗	10.2 ↗	9.0 ←	10.3 ↑	8.7 ↓
9.4 ↓	9.6 ↘	9.8 ←	10.0 ↓	9.4 ↖
beste Teiler	553.2 (44.) 610.3 (42.) 752.0 (49.)			
Trefferlage	1.38 mm links, 1.19 mm tief			
Streuwert	8.72, horizontal: 8.18, vertikal: 9.23			



Serie 6:

10.4 *	9.3 ↓	8.4 ↖	8.9 ↑	8.9 ↖
9.9 ←	9.5 ↗	7.8 ↖	9.2 ↑	7.8 ↗
beste Teiler	410.2 (51.) 834.1 (56.) 1199.2 (57.)			
Trefferlage	0.57 mm links, 10.92 mm hoch			
Streuwert	9.46, horizontal: 6.76, vertikal: 11.54			


Ergebnis:	541	(570.0)				
Serien:	93	93	87	92	90	86
Zähler:	16	31	11	2	0	0
Innenzehner:	6					
weiteste:	2569 (44), 2516 (53), 1919 (24)					
beste Teiler	177.4 (18.) 278.0 (19.) 318.4 (8.)					
Trefferlage	1.68 mm links, 0.69 mm tief					
Streuwert	9.05, horizontal: 9.92, vertikal: 8.08					



Serie 1:

8.7 ↗	9.2 ↑	10.3 ↓	9.7 ↗	9.9 ↑
9.9 ↘	10.2 ←	10.6 *	10.1 ↘	9.9 ←


beste Teiler 318.4 (8.) 553.3 (3.) 625.9 (7.)
 Trefferlage 0.36 mm links, 2.36 mm hoch
 Streuwert 7.14, horizontal: 6.55, vertikal: 7.69



Serie 2:

10.0 ↓	8.6 ↙	10.5 *	9.1 ↘	9.7 ↙
10.3 ↙	9.1 →	10.7 *	10.6 *	8.6 →


beste Teiler 177.4 (18.) 278.0 (19.) 325.3 (13.)
 Trefferlage 0.46 mm rechts, 5.29 mm tief
 Streuwert 7.77, horizontal: 9.82, vertikal: 4.95



Serie 3:

9.3 →	9.4 ←	8.9 ↙	8.6 →	10.0 ↗
9.8 ←	9.7 ←	8.6 ↓	8.7 ↘	9.7 ↑


beste Teiler 748.0 (25.) 885.1 (26.) 998.1 (27.)
 Trefferlage 0.70 mm links, 0.08 mm hoch
 Streuwert 10.44, horizontal: 12.33, vertikal: 8.12



Serie 4:

8.7 →	10.3 ↓	10.5 *	9.8 ↙	9.7 ↑
9.6 ←	9.0 ↗	9.0 ↘	10.0 ↘	9.1 ↗


beste Teiler 385.0 (33.) 548.6 (32.) 774.4 (39.)
 Trefferlage 0.37 mm rechts, 2.55 mm hoch
 Streuwert 8.64, horizontal: 10.67, vertikal: 5.95



Serie 5:

9.4 ↑	9.4 ↙	9.6 →	7.7 ↘	10.2 ↗
9.9 ↗	9.9 ←	10.1 ↑	10.5 *	8.6 ←

beste Teiler 391.7 (49.) 595.7 (45.) 649.1 (48.)
 Trefferlage 3.41 mm links, 0.15 mm hoch
 Streuwert 9.34, horizontal: 8.70, vertikal: 9.94





Serie 6:

9.1 ↙	9.3 ←	7.8 ↙	9.2 ↘	9.8 ↑
8.9 ↘	9.1 →	8.9 ←	9.1 ←	9.4 ↘


beste Teiler 928.6 (55.) 1266.2 (60.) 1292.8 (52.)
 Trefferlage 6.48 mm links, 4.00 mm tief
 Streuwert 10.18, horizontal: 11.08, vertikal: 9.19

Meyton Elektronik


Ergebnis:	548	(578.7)				
Serien:	83	89	93	95	94	94
Zähler:	24	22	12	2	0	0 0 0 0 0
Innenzehner:	14					
weiteste:	2807 (6), 2520 (5), 2219 (7)					
beste Teiler	102.3 (53.) 117.5 (11.) 156.9 (32.)					
Trefferlage	4.10 mm links, 1.43 mm hoch					
Streuwert	8.11, horizontal: 8.10, vertikal: 8.12					




Serie 1:	10.3 *	9.5 ↖	8.7 ↖	9.2 ↓	7.8 ↖
	7.4 ↖	8.2 ↖	8.4 ↗	8.8 ↗	9.3 ↖
beste Teiler	497.5 (1.) 1122.0 (2.) 1328.3 (10.)				
Trefferlage	14.63 mm links, 0.97 mm tief				
Streuwert	8.60, horizontal: 7.79, vertikal: 9.34				




Serie 2:	10.8 *	9.8 ←	9.7 ↖	9.5 ↖	10.6 *
	9.7 ↖	8.8 ←	9.6 ↗	8.7 ←	8.9 ↖
beste Teiler	117.5 (11.) 281.4 (15.) 934.9 (12.)				
Trefferlage	7.30 mm links, 4.18 mm hoch				
Streuwert	6.44, horizontal: 7.78, vertikal: 4.74				




Serie 3:	10.0 ↓	9.6 ↘	10.3 ↗	10.4 *	8.8 ↘
	9.2 ←	9.9 ↗	9.8 ←	10.1 ↗	9.5 ↗
beste Teiler	470.3 (24.) 543.6 (23.) 715.5 (29.)				
Trefferlage	2.05 mm links, 4.29 mm tief				
Streuwert	6.77, horizontal: 7.61, vertikal: 5.80				



Serie 4:	9.7 ↑	10.8 *	10.5 *	9.9 ↓	10.5 *
	9.4 ↗	10.2 ↗	10.5 *	10.3 →	8.4 ↑
beste Teiler	156.9 (32.) 326.9 (35.) 380.7 (33.)				
Trefferlage	1.76 mm rechts, 2.53 mm hoch				
Streuwert	6.52, horizontal: 2.69, vertikal: 8.82				





Serie 5:	9.8 ↖	10.3 *	8.9 ↑	10.0 ↓	10.6 *
	10.3 *	8.8 ↘	10.2 ↓	10.0 ↑	9.2 ↖
beste Teiler	317.3 (45.) 491.4 (46.) 525.6 (42.)				
Trefferlage	0.51 mm links, 2.04 mm hoch				
Streuwert	7.55, horizontal: 5.02, vertikal: 9.42				



Serie 6:	9.7 ↖	10.3 ↑	10.8 *	8.5 ↑	10.4 *
	9.8 ↗	9.6 ↗	10.2 ↖	10.5 *	9.3 ↖
beste Teiler	102.3 (53.) 357.6 (59.) 457.4 (55.)				
Trefferlage	1.88 mm links, 5.13 mm hoch				
Streuwert	6.11, horizontal: 4.58, vertikal: 7.32				

Meyton Elektronik


Ergebnis:	415	(442.1)								
Serien:	72	76	75	58	67	67				
Zähler:	4	5	13	18	12	3	2	1	1	0
Innenzehner:	4									
weiteste:	9092 (34), 6966 (50), 6387 (31)									
beste Teiler	216.9 (27.) 468.0 (16.) 485.9 (22.)									
Trefferlage	18.94 mm rechts, 9.86 mm tief									
Streuwert	17.50, horizontal: 18.09, vertikal: 16.90									



Serie 1:

8.4 ←	9.5 ↘	7.1 ↓	9.4 ↑	5.0 ↗
9.8 ↖	4.8 ↘	7.0 →	6.3 →	8.9 ↘


beste Teiler 932.4 (6.) 1141.0 (2.) 1263.4 (4.)
 Trefferlage 12.49 mm rechts, 5.81 mm tief
 Streuwert 19.97, horizontal: 18.87, vertikal: 21.01



Serie 2:

8.8 →	8.2 ↘	6.9 ↘	6.3 ↘	7.5 →
10.4 *	9.6 ↖	7.1 →	8.1 ←	7.6 ↗


beste Teiler 468.0 (16.) 1085.3 (17.) 1714.5 (11.)
 Trefferlage 13.77 mm rechts, 4.68 mm tief
 Streuwert 15.26, horizontal: 18.29, vertikal: 11.46



Serie 3:

6.3 →	10.3 *	6.7 →	6.3 ↘	7.9 ↘
6.9 ↗	10.7 *	8.8 ↘	7.4 →	9.1 ↗


beste Teiler 216.9 (27.) 485.9 (22.) 1460.5 (30.)
 Trefferlage 19.45 mm rechts, 2.23 mm tief
 Streuwert 13.01, horizontal: 14.81, vertikal: 10.91



Serie 4:

3.0 →	7.9 ↘	5.9 ↘	0.0 ↘	8.8 →
7.9 →	7.4 →	8.7 ↘	7.0 →	6.1 ↓


beste Teiler 1719.1 (35.) 1788.4 (38.) 2405.6 (32.)
 Trefferlage 30.44 mm rechts, 17.67 mm tief
 Streuwert 19.25, horizontal: 22.91, vertikal: 14.70



Serie 5:

7.3 ↘	10.3 *	8.2 ↘	6.2 →	4.8 →
7.6 ↘	7.0 ↘	8.4 ↗	8.0 ↓	2.2 ↓

beste Teiler 502.0 (42.) 2044.7 (48.) 2216.1 (43.)
 Trefferlage 18.50 mm rechts, 16.34 mm tief
 Streuwert 19.27, horizontal: 16.11, vertikal: 21.98





Serie 6:

5.6 ↙	7.4 →	8.5 →	6.6 ↓	7.6 ↓
6.2 ↘	7.2 →	7.7 →	6.8 →	8.7 →


beste Teiler 1772.9 (60.) 1968.4 (53.) 2605.1 (58.)
 Trefferlage 18.99 mm rechts, 12.41 mm tief
 Streuwert 15.39, horizontal: 15.07, vertikal: 15.70

Meyton Elektronik


Ergebnis:	568	(594.4)				
Serien:	97	95	95	95	91	95
Zähler:	34	20	6	0	0	0
Innenzehner:	18					
weiteste:	2018 (44), 1915 (2), 1828 (43)					
beste Teiler	80.6 (46.) 133.5 (5.) 150.7 (39.)					
Trefferlage	0.29 mm rechts, 0.01 mm hoch					
Streuwert	6.87, horizontal: 5.85, vertikal: 7.77					




Serie 1:	10.0 ↑	8.6 ↑	10.8 *	10.0 ↘	10.8 *
	10.0 ↘	9.2 ↑	10.3 →	10.6 *	10.0 ↑
beste Teiler	133.5 (5.) 152.8 (3.) 320.2 (9.)				
Trefferlage	1.37 mm rechts, 5.25 mm hoch				
Streuwert	5.49, horizontal: 2.90, vertikal: 7.21				




Serie 2:	10.1 ↘	10.3 *	9.1 ↘	10.4 *	9.2 →
	10.0 ↘	9.6 →	9.6 ↓	10.2 →	9.8 ←
beste Teiler	480.0 (14.) 503.5 (12.) 604.0 (19.)				
Trefferlage	2.90 mm rechts, 0.28 mm tief				
Streuwert	6.84, horizontal: 8.02, vertikal: 5.40				




Serie 3:	9.9 ↖	9.3 ↓	10.3 *	10.4 *	10.6 *
	9.8 ↖	10.6 *	10.0 ↑	10.5 *	8.8 ↑
beste Teiler	262.2 (27.) 310.3 (25.) 344.3 (29.)				
Trefferlage	1.83 mm links, 1.34 mm hoch				
Streuwert	6.22, horizontal: 3.46, vertikal: 8.09				



Serie 4:	9.5 →	10.3 *	9.5 ↗	10.6 *	9.8 ↓
	9.8 ↑	10.2 ↑	10.3 ←	10.8 *	9.4 ↓
beste Teiler	150.7 (39.) 307.0 (34.) 500.1 (32.)				
Trefferlage	1.50 mm rechts, 0.60 mm hoch				
Streuwert	6.03, horizontal: 4.87, vertikal: 7.00				





Serie 5:	10.2 ↖	10.2 ↘	8.7 ↑	8.4 ↘	9.6 ←
	10.9 *	9.9 ↗	9.3 ↓	8.9 ↘	10.0 ↓
beste Teiler	80.6 (46.) 562.5 (41.) 586.6 (42.)				
Trefferlage	0.50 mm rechts, 0.67 mm tief				
Streuwert	9.13, horizontal: 8.43, vertikal: 9.79				




Serie 6:	10.4 *	9.5 ↗	10.4 *	9.6 ←	8.7 ↓
	10.0 ←	10.6 *	10.5 *	10.0 ↗	9.6 ↓
beste Teiler	263.2 (57.) 358.9 (58.) 453.2 (51.)				
Trefferlage	2.70 mm links, 6.15 mm tief				
Streuwert	4.86, horizontal: 4.35, vertikal: 5.32				

Meyton Elektronik


Ergebnis:	582	(607.4)				
Serien:	97	98	95	98	98	96
Zähler:	43	16	1	0	0	0
Innenzehner:	23					
weiteste:	2009 (3), 1336 (11), 1214 (23)					
beste Teiler	97.9 (7.) 173.2 (39.) 218.6 (2.)					
Trefferlage	1.53 mm rechts, 0.92 mm hoch					
Streuwert	5.12, horizontal: 5.83, vertikal: 4.29					




Serie 1:	10.2 ↘	10.7 *	8.4 →	10.2 →	9.5 ←
	10.3 ↓	10.8 *	10.4 *	10.0 →	10.4 *
beste Teiler	97.9 (7.) 218.6 (2.) 458.9 (10.)				
Trefferlage	1.58 mm rechts, 1.25 mm tief				
Streuwert	6.24, horizontal: 8.23, vertikal: 3.18				




Serie 2:	9.3 ↗	10.3 *	9.8 ↑	10.5 *	10.3 ↑
	10.1 ↑	10.0 ↘	10.2 ↙	10.5 *	10.6 *
beste Teiler	314.4 (20.) 321.1 (19.) 342.4 (14.)				
Trefferlage	0.73 mm rechts, 3.48 mm hoch				
Streuwert	4.49, horizontal: 4.66, vertikal: 4.30				




Serie 3:	10.4 *	9.8 ↗	9.4 →	9.8 →	10.1 ↘
	10.0 ←	9.8 ←	9.6 ←	10.3 *	10.3 *
beste Teiler	450.6 (21.) 499.8 (29.) 518.6 (30.)				
Trefferlage	1.65 mm links, 1.20 mm hoch				
Streuwert	5.97, horizontal: 7.76, vertikal: 3.32				



Serie 4:	10.1 →	9.7 ↗	10.5 *	10.5 *	9.6 →
	10.5 *	10.6 *	10.1 ↗	10.7 *	10.5 *
beste Teiler	173.2 (39.) 300.9 (37.) 355.1 (34.)				
Trefferlage	4.49 mm rechts, 1.35 mm hoch				
Streuwert	2.97, horizontal: 3.27, vertikal: 2.64				





Serie 5:	10.6 *	10.1 ↗	10.0 →	9.7 ↑	10.5 *
	9.9 ↗	10.0 →	10.6 *	10.6 *	10.1 ↑
beste Teiler	244.7 (41.) 254.9 (49.) 305.8 (48.)				
Trefferlage	3.37 mm rechts, 2.60 mm hoch				
Streuwert	3.69, horizontal: 2.87, vertikal: 4.36				



Serie 6:	10.1 ↘	10.4 *	9.5 →	10.1 ↙	10.4 *
	9.9 ↗	10.2 ←	9.8 ↑	10.3 ↙	9.8 ↓
beste Teiler	432.6 (52.) 450.5 (55.) 560.0 (59.)				
Trefferlage	0.69 mm rechts, 1.82 mm tief				
Streuwert	5.43, horizontal: 5.30, vertikal: 5.55				

Meyton Elektronik


Ergebnis:	564	(591.1)					
Serien:	92	94	98	91	97	92	
Zähler:	31	23	5	1	0	0	0
Innenzehner:	14						
weiteste:	2600 (8), 2139 (5), 2090 (54)						
beste Teiler	27.7 (6.) 98.2 (1.) 140.9 (11.)						
Trefferlage	0.13 mm rechts, 0.68 mm tief						
Streuwert	7.27, horizontal: 6.05, vertikal: 8.32						



Serie 1:

10.8 *	8.7 ↓	10.4 *	10.1 ↓	8.3 ↙
10.9 *	10.4 *	7.7 ↑	9.4 ↘	10.1 ←


beste Teiler 27.7 (6.) 98.2 (1.) 436.5 (7.)
 Trefferlage 0.82 mm rechts, 2.68 mm tief
 Streuwert 9.66, horizontal: 6.60, vertikal: 11.96



Serie 2:

10.8 *	10.2 →	10.1 →	9.8 ↑	10.0 ↑
9.9 →	9.7 ↓	10.1 ↖	9.6 ↗	8.9 ↗


beste Teiler 140.9 (11.) 593.8 (12.) 661.4 (13.)
 Trefferlage 2.36 mm rechts, 3.40 mm hoch
 Streuwert 6.04, horizontal: 5.00, vertikal: 6.93



Serie 3:

10.7 *	10.3 →	10.2 ↗	9.0 ↑	9.7 ↘
10.4 *	10.0 ↓	10.1 →	10.5 *	10.1 ↖


beste Teiler 175.1 (21.) 395.6 (29.) 435.2 (26.)
 Trefferlage 2.11 mm rechts, 2.05 mm hoch
 Streuwert 5.29, horizontal: 3.64, vertikal: 6.53



Serie 4:

8.5 ↓	9.6 ↓	9.9 →	9.3 ↗	9.8 ↖
9.2 ↘	9.7 ↑	9.6 ↓	10.0 ↙	10.4 *


beste Teiler 415.2 (40.) 738.8 (39.) 801.6 (33.)
 Trefferlage 0.59 mm rechts, 3.23 mm tief
 Streuwert 8.06, horizontal: 7.06, vertikal: 8.95



Serie 5:

10.5 *	10.3 ↓	9.8 ↗	10.1 ↘	10.7 *
10.4 *	9.6 ↓	10.5 *	9.5 ←	10.0 ↑

beste Teiler 192.8 (45.) 328.1 (48.) 391.6 (41.)
 Trefferlage 0.70 mm links, 0.22 mm tief
 Streuwert 5.39, horizontal: 5.28, vertikal: 5.49





Serie 6:

9.8 ↗	10.1 ↖	9.7 ↓	8.3 ↓	9.1 ←
10.2 ↗	10.7 *	9.9 ↙	9.2 ↖	9.8 ↙


beste Teiler 238.6 (57.) 598.4 (56.) 686.1 (52.)
 Trefferlage 4.39 mm links, 3.41 mm tief
 Streuwert 7.37, horizontal: 6.79, vertikal: 7.91

Meyton Elektronik


Ergebnis:	564	(593.7)				
Serien:	94	96	95	95	91	93
Zähler:	29	26	5	0	0	0
Innenzehner:	15					
weiteste:	1859 (27), 1859 (43), 1834 (58)					
beste Teiler	99.8 (36.) 101.3 (11.) 164.2 (56.)					
Trefferlage	2.46 mm rechts, 3.33 mm hoch					
Streuwert	6.12, horizontal: 6.75, vertikal: 5.42					




Serie 1:	10.1 ↘	9.8 ↙	10.7 *	10.2 ↑	10.0 ↙
	9.1 ↗	9.9 →	9.9 ←	9.5 ↑	9.7 ←
beste Teiler	201.8 (3.) 567.0 (4.) 661.4 (1.)				
Trefferlage	0.38 mm links, 1.90 mm hoch				
Streuwert	6.57, horizontal: 7.46, vertikal: 5.55				




Serie 2:	10.8 *	10.2 →	10.7 *	9.5 →	10.1 ↑
	9.6 →	10.5 *	9.5 ↑	10.4 *	9.9 ↘
beste Teiler	101.3 (11.) 173.5 (13.) 390.5 (17.)				
Trefferlage	2.66 mm rechts, 2.93 mm hoch				
Streuwert	4.70, horizontal: 5.22, vertikal: 4.11				




Serie 3:	9.2 ↗	9.5 →	10.5 *	10.2 ↖	10.2 ↗
	10.2 ↑	8.6 →	10.1 ↑	10.4 *	9.9 ↗
beste Teiler	348.3 (23.) 433.6 (29.) 605.3 (24.)				
Trefferlage	5.04 mm rechts, 4.71 mm hoch				
Streuwert	5.05, horizontal: 6.72, vertikal: 2.44				



Serie 4:	10.3 *	9.9 ←	9.8 ↘	9.7 ↘	10.0 ↗
	10.8 *	10.0 ↘	10.5 *	9.8 →	9.6 ↘
beste Teiler	99.8 (36.) 337.8 (38.) 494.1 (31.)				
Trefferlage	2.79 mm rechts, 0.13 mm hoch				
Streuwert	5.46, horizontal: 5.73, vertikal: 5.18				





Serie 5:	9.2 ↖	10.2 ↖	8.6 ↖	9.9 ↗	8.9 →
	10.2 ↗	8.8 ↖	9.5 →	10.4 *	10.1 →
beste Teiler	475.2 (49.) 589.7 (46.) 633.6 (42.)				
Trefferlage	1.42 mm rechts, 5.81 mm hoch				
Streuwert	7.82, horizontal: 8.79, vertikal: 6.73				




Serie 6:	10.6 *	9.9 ↗	10.5 *	9.2 →	9.1 →
	10.7 *	9.4 ↑	8.7 ↑	10.7 *	9.8 ↘
beste Teiler	164.2 (56.) 200.8 (59.) 283.3 (51.)				
Trefferlage	3.21 mm rechts, 4.53 mm hoch				
Streuwert	6.53, horizontal: 6.52, vertikal: 6.54				

Meyton Elektronik


Ergebnis:	567						(591.2)
Serien:	94	94	92	95	96	96	
Zähler:	30	27	3	0	0	0	
Innenzehner:	14						
weiteste:	1800 (1), 1781 (23), 1654 (20)						
beste Teiler	93.7 (55.) 205.7 (47.) 220.0 (18.)						
Trefferlage	0.05 mm rechts, 1.77 mm hoch						
Streuwert	6.84, horizontal: 5.73, vertikal: 7.80						




Serie 1:	8.7 ↓	9.9 ↖	10.3 *	10.5 *	10.1 ←
	10.0 ↗	9.6 ↖	9.7 ↑	9.2 ↗	10.4 *
beste Teiler	360.0 (4.) 434.8 (10.) 483.9 (3.)				
Trefferlage	1.29 mm links, 3.21 mm hoch				
Streuwert	6.92, horizontal: 4.99, vertikal: 8.42				




Serie 2:	10.6 *	9.4 ↓	9.6 ←	9.3 ↑	10.3 *
	9.5 ↓	10.1 →	10.7 *	10.1 ↑	8.9 ↖
beste Teiler	220.0 (18.) 253.5 (11.) 528.7 (15.)				
Trefferlage	2.27 mm links, 0.01 mm tief				
Streuwert	7.20, horizontal: 6.71, vertikal: 7.67				




Serie 3:	9.2 ↑	9.7 ↖	8.7 ↑	9.6 ↓	10.1 ↓
	10.3 *	10.1 ↖	9.0 ↗	9.5 ↗	9.0 ↘
beste Teiler	528.5 (26.) 663.5 (25.) 718.2 (27.)				
Trefferlage	0.08 mm links, 3.82 mm hoch				
Streuwert	8.57, horizontal: 6.23, vertikal: 10.40				



Serie 4:	10.0 ↖	9.2 ↗	10.7 *	9.2 ↑	9.8 ↑
	10.2 →	9.2 ↘	9.8 ↑	10.0 ←	10.1 ↖
beste Teiler	233.8 (33.) 628.2 (36.) 704.9 (40.)				
Trefferlage	1.05 mm rechts, 4.06 mm hoch				
Streuwert	6.59, horizontal: 5.77, vertikal: 7.32				





Serie 5:	10.4 *	9.0 ↓	10.2 ←	10.6 *	9.6 ↗
	10.2 ↘	10.7 *	10.6 *	9.9 →	9.6 ↑
beste Teiler	205.7 (47.) 250.3 (44.) 257.4 (48.)				
Trefferlage	0.29 mm rechts, 0.14 mm hoch				
Streuwert	6.08, horizontal: 5.18, vertikal: 6.86				



Serie 6:	10.0 ↓	10.0 →	9.5 ↗	10.2 ↓	10.8 *
	9.6 ↘	9.8 →	10.0 ↘	10.4 *	9.8 ↖
beste Teiler	93.7 (55.) 455.0 (59.) 639.5 (54.)				
Trefferlage	2.62 mm rechts, 0.60 mm tief				
Streuwert	5.69, horizontal: 5.45, vertikal: 5.92				

Meyton Elektronik


Ergebnis:	533	(558.4)				
Serien:	88	86	88	92	92	87
Zähler:	18	23	13	6	0	0
Innenzehner:	7					
weiteste:	3070 (58), 2954 (22), 2909 (1)					
beste Teiler	297.2 (38.) 307.8 (12.) 365.5 (47.)					
Trefferlage	1.87 mm rechts, 2.44 mm hoch					
Streuwert	10.46, horizontal: 8.47, vertikal: 12.14					



Serie 1:

7.3 ↑	8.2 ↗	10.5 *	9.7 ↘	10.2 ↑
8.4 ↑	9.5 ↑	9.4 ↗	8.5 ↘	10.2 ↓


beste Teiler 399.2 (3.) 565.6 (10.) 638.9 (5.)
 Trefferlage 1.23 mm links, 10.47 mm hoch
 Streuwert 9.15, horizontal: 8.47, vertikal: 9.79



Serie 2:

9.9 ↓	10.6 *	10.4 *	8.4 →	8.9 ↓
7.8 ↘	9.5 ↓	8.9 ←	9.2 ↘	8.5 ↑


beste Teiler 307.8 (12.) 476.0 (13.) 838.4 (11.)
 Trefferlage 4.66 mm rechts, 3.70 mm tief
 Streuwert 10.61, horizontal: 10.60, vertikal: 10.62



Serie 3:

10.0 ↘	7.3 ↑	8.3 ↘	8.1 ↑	9.8 ↓
9.6 ↓	9.7 ↑	9.0 →	9.5 ↘	10.4 *


beste Teiler 439.0 (30.) 787.2 (21.) 902.2 (25.)
 Trefferlage 4.18 mm rechts, 6.74 mm hoch
 Streuwert 10.48, horizontal: 8.60, vertikal: 12.07



Serie 4:

9.0 →	10.0 ←	10.2 ↘	9.7 ↑	9.7 →
9.0 ↘	9.9 →	10.6 *	9.5 ↘	8.6 ↗


beste Teiler 297.2 (38.) 622.3 (33.) 723.8 (32.)
 Trefferlage 6.27 mm rechts, 0.91 mm hoch
 Streuwert 7.22, horizontal: 6.19, vertikal: 8.12



Serie 5:

10.2 ↗	7.7 ↘	10.0 ↘	10.1 →	8.4 ↓
10.0 ↘	10.5 *	8.8 ↘	10.1 →	9.8 ←

beste Teiler 365.5 (47.) 635.2 (41.) 693.7 (49.)
 Trefferlage 1.67 mm links, 2.43 mm tief
 Streuwert 9.62, horizontal: 9.09, vertikal: 10.12





Serie 6:

9.0 ↑	10.3 *	7.8 ↓	9.7 ↓	10.3 ↓
9.0 ↑	9.7 ↘	7.1 ↑	9.3 ↓	8.7 ↓


beste Teiler 508.4 (52.) 542.5 (55.) 1015.4 (57.)
 Trefferlage 0.97 mm links, 2.66 mm hoch
 Streuwert 12.27, horizontal: 4.67, vertikal: 16.72

Ergebnis:	550	(577.3)				
Serien:	93	93	90	92	92	90
Zähler:	20	32	6	2	0	0
Innenzehner:	11					
weiteste:	2888 (29), 2660 (57), 2240 (30)					
beste Teiler	128.8 (16.) 138.0 (4.) 177.4 (27.)					
Trefferlage	1.03 mm rechts, 1.11 mm hoch					
Streuwert	8.63, horizontal: 8.57, vertikal: 8.69					




Serie 1:

9.9 ↙	9.9 ↘	9.6 ↓	10.8 *	9.4 ↗
9.3 ↗	10.7 *	9.6 ←	10.0 ↑	9.0 ↑
beste Teiler	138.0 (4.) 217.0 (7.) 731.0 (9.)			
Trefferlage	0.81 mm rechts, 2.41 mm hoch			
Streuwert	7.23, horizontal: 6.17, vertikal: 8.15			




Serie 2:

8.3 ↘	8.9 ↗	10.2 ↗	9.3 ↗	10.1 →
10.8 *	9.6 ↓	9.6 ↙	10.2 ↑	10.2 ↗
beste Teiler	128.8 (16.) 584.4 (20.) 635.1 (13.)			
Trefferlage	4.85 mm rechts, 1.04 mm hoch			
Streuwert	7.67, horizontal: 7.53, vertikal: 7.81			




Serie 3:

9.1 ↘	9.8 →	10.3 *	10.4 *	9.1 ↑
9.5 ↘	10.7 *	9.8 ↓	7.3 ↓	8.2 ↘
beste Teiler	177.4 (27.) 467.1 (24.) 513.1 (23.)			
Trefferlage	0.97 mm rechts, 1.25 mm tief			
Streuwert	10.82, horizontal: 7.59, vertikal: 13.29			




Serie 4:

9.0 ←	9.8 ←	10.4 *	9.6 →	9.1 →
10.0 ←	8.9 ↑	10.5 *	10.7 *	8.5 ↖
beste Teiler	198.5 (39.) 382.4 (38.) 473.8 (33.)			
Trefferlage	2.47 mm links, 2.19 mm hoch			
Streuwert	8.53, horizontal: 10.54, vertikal: 5.86			



Serie 5:

9.9 →	9.8 ↗	9.5 ↙	9.9 ↗	9.9 ↑
10.3 ↗	10.3 *	9.2 ↑	9.1 ↙	9.2 ↙
beste Teiler	516.0 (47.) 533.4 (46.) 829.4 (41.)			
Trefferlage	0.54 mm rechts, 1.21 mm hoch			
Streuwert	7.78, horizontal: 6.60, vertikal: 8.80			





Serie 6:

10.6 *	9.0 ↘	9.8 ↘	8.8 ↑	9.2 ↑
10.3 ←	7.6 ←	9.2 →	10.2 ↙	9.4 →
beste Teiler	283.5 (51.) 536.3 (56.) 591.0 (59.)			
Trefferlage	1.46 mm rechts, 1.09 mm hoch			
Streuwert	10.35, horizontal: 12.00, vertikal: 8.39			


Meyton Elektronik

Ergebnis:	548	(574.6)				
Serien:	92	95	91	86	93	91
Zähler:	22	26	10	2	0	0
Innenzehner:	10					
weiteste:	2924 (37), 2424 (34), 2380 (33)					
beste Teiler	104.0 (46.) 155.8 (12.) 207.9 (6.)					
Trefferlage	1.71 mm rechts, 0.99 mm hoch					
Streuwert	8.79, horizontal: 10.21, vertikal: 7.09					




Serie 1:

9.2 ↘	8.6 ↘	10.2 ↑	9.7 ↘	9.3 ↘
10.7 *	9.4 ←	8.9 ↘	10.0 →	10.0 ↑
beste Teiler	207.9 (6.) 610.2 (3.) 774.8 (10.)			
Trefferlage	2.13 mm links, 5.51 mm hoch			
Streuwert	7.67, horizontal: 8.03, vertikal: 7.29			




Serie 2:

10.0 ↑	10.8 *	10.4 *	9.6 →	9.7 →
9.9 →	10.0 ↓	9.7 ↗	9.2 ←	10.3 *
beste Teiler	155.8 (12.) 436.5 (13.) 513.3 (20.)			
Trefferlage	2.88 mm rechts, 1.00 mm hoch			
Streuwert	6.01, horizontal: 6.98, vertikal: 4.85			




Serie 3:

9.9 ↗	10.4 *	8.6 →	8.6 →	9.4 →
10.0 ↓	9.3 →	8.5 ↘	10.2 ↘	10.0 ↑
beste Teiler	454.4 (22.) 568.8 (29.) 721.3 (30.)			
Trefferlage	7.75 mm rechts, 1.64 mm hoch			
Streuwert	7.51, horizontal: 8.47, vertikal: 6.42			




Serie 4:

8.8 ↗	8.6 →	8.0 ↗	7.9 ←	10.5 *
10.0 ↓	7.3 ←	9.8 ↑	9.4 ↗	10.3 ←
beste Teiler	345.8 (35.) 556.0 (40.) 730.8 (36.)			
Trefferlage	1.62 mm links, 1.35 mm tief			
Streuwert	12.78, horizontal: 15.00, vertikal: 10.08			




Serie 5:

9.8 ↑	9.7 →	9.9 ↘	9.6 ↗	10.2 →
10.8 *	10.1 ←	10.5 *	9.5 ↘	8.4 ←
beste Teiler	104.0 (46.) 354.0 (48.) 596.4 (45.)			
Trefferlage	0.42 mm links, 0.41 mm tief			
Streuwert	7.43, horizontal: 9.00, vertikal: 5.43			





Serie 6:


9.2 ↘	10.4 *	9.8 ←	9.5 →	9.4 ↓
9.2 ↘	10.3 *	9.5 →	9.4 →	8.3 ↗
beste Teiler	457.9 (52.) 481.9 (57.) 914.2 (53.)			
Trefferlage	3.80 mm rechts, 0.43 mm tief			
Streuwert	8.89, horizontal: 10.54, vertikal: 6.86			




Ergebnis:	573	(600.7)				
Serien:	94	97	92	94	98	98
Zähler:	36	21	3	0	0	0
Innenzehner:	15					
weiteste:	1654 (34), 1608 (29), 1604 (3)					
beste Teiler	106.9 (9.) 168.2 (57.) 174.0 (42.)					
Trefferlage	0.89 mm rechts, 1.91 mm tief					
Streuwert	5.74, horizontal: 5.80, vertikal: 5.68					




Serie 1:	10.0 ↘	10.0 →	8.9 →	9.4 →	9.4 ↓
	10.4 *	9.2 →	10.5 *	10.8 *	9.9 ↙
beste Teiler	106.9 (9.) 385.3 (8.) 472.0 (6.)				
Trefferlage	3.69 mm rechts, 2.65 mm tief				
Streuwert	6.64, horizontal: 7.80, vertikal: 5.23				




Serie 2:	10.2 ↙	10.7 *	9.8 ↘	10.0 ↓	10.2 ↘
	10.3 ↘	9.8 →	10.2 ↓	9.9 →	10.2 ↘
beste Teiler	220.2 (12.) 531.0 (16.) 565.2 (15.)				
Trefferlage	2.16 mm rechts, 3.05 mm tief				
Streuwert	4.34, horizontal: 4.83, vertikal: 3.78				




Serie 3:	9.8 ↓	10.2 ↙	9.8 ↘	9.5 ↙	9.7 ↘
	10.4 *	10.3 ↙	9.7 ↗	8.9 ↓	9.2 ↙
beste Teiler	456.6 (26.) 537.6 (27.) 585.2 (22.)				
Trefferlage	1.58 mm links, 3.52 mm tief				
Streuwert	7.00, horizontal: 7.17, vertikal: 6.83				




Serie 4:	9.7 ↓	9.5 ↘	10.3 *	8.9 ↓	10.4 *
	10.0 ↓	9.9 →	9.8 ↙	10.1 ↑	10.3 ↗
beste Teiler	456.4 (35.) 517.4 (33.) 532.3 (40.)				
Trefferlage	0.02 mm links, 3.66 mm tief				
Streuwert	6.24, horizontal: 4.84, vertikal: 7.39				





Serie 5:	10.1 ↗	10.7 *	10.4 *	10.6 *	10.3 ↘
	9.4 ↘	10.4 *	10.0 ↙	10.0 ↗	9.9 ↑
beste Teiler	174.0 (42.) 299.0 (44.) 420.4 (43.)				
Trefferlage	0.40 mm rechts, 1.91 mm hoch				
Streuwert	4.82, horizontal: 5.07, vertikal: 4.55				




Serie 6:	10.2 ↘	10.7 *	10.0 ↓	9.9 →	10.5 *
	9.8 ↙	10.7 *	10.2 ↑	10.5 *	10.2 ↗
beste Teiler	168.2 (57.) 227.7 (52.) 369.5 (59.)				
Trefferlage	0.71 mm rechts, 0.49 mm tief				
Streuwert	4.40, horizontal: 4.17, vertikal: 4.62				




Ergebnis: **577** (602.0)
 Serien: 97 96 94 97 96 97
 Zähler: 37 23 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 1465 (43), 1245 (37), 1231 (12)
 beste Teiler 90.1 (36.) 119.8 (27.) 163.4 (16.)
 Trefferlage 0.59 mm rechts, 4.41 mm tief
 Streuwert 4.72, horizontal: 4.78, vertikal: 4.66




Serie 1:
 10.1 → 10.5 * 10.1 ↘ 9.4 ↓ 10.2 ←
 9.7 ↘ 9.7 ↓ 10.2 ↙ 10.7 * 10.2 ↘
 beste Teiler 216.1 (9.) 336.9 (2.) 589.1 (5.)
 Trefferlage 1.24 mm rechts, 4.20 mm tief
 Streuwert 4.52, horizontal: 4.50, vertikal: 4.53




Serie 2:
 10.6 * 9.4 ↘ 10.1 ↓ 10.3 ↓ 10.4 *
 10.7 * 9.4 ↘ 9.9 ↙ 9.4 ↓ 10.0 ↓
 beste Teiler 163.4 (16.) 303.0 (11.) 438.5 (15.)
 Trefferlage 0.51 mm rechts, 6.93 mm tief
 Streuwert 3.28, horizontal: 2.83, vertikal: 3.68




Serie 3:
 9.5 ↙ 9.7 ↓ 10.4 * 9.9 ↙ 10.0 ↘
 9.9 ↓ 10.8 * 10.7 * 9.9 ← 9.4 ↘
 beste Teiler 119.8 (27.) 229.9 (28.) 425.5 (23.)
 Trefferlage 1.11 mm links, 4.16 mm tief
 Streuwert 5.25, horizontal: 5.18, vertikal: 5.31



Serie 4:
 10.2 ↘ 10.0 ← 9.6 ↘ 9.7 ↓ 10.5 *
 10.8 * 9.4 ↘ 10.3 * 10.5 * 10.2 ↓
 beste Teiler 90.1 (36.) 335.6 (35.) 337.5 (39.)
 Trefferlage 1.97 mm rechts, 5.10 mm tief
 Streuwert 3.82, horizontal: 3.93, vertikal: 3.72





Serie 5:
 9.7 → 10.1 ← 9.1 ↘ 10.4 * 10.1 ↘
 9.8 ↓ 9.5 ← 10.4 * 10.3 * 10.0 ←
 beste Teiler 413.3 (44.) 458.0 (48.) 493.1 (49.)
 Trefferlage 0.74 mm links, 4.56 mm tief
 Streuwert 5.48, horizontal: 6.79, vertikal: 3.73




Serie 6:
 9.6 ↘ 10.1 ↓ 10.0 ↓ 9.8 ↘ 9.7 →
 10.5 * 10.3 * 10.1 ← 10.0 ↑ 10.1 ↘
 beste Teiler 384.5 (56.) 514.6 (57.) 652.5 (58.)
 Trefferlage 1.71 mm rechts, 1.52 mm tief
 Streuwert 5.46, horizontal: 4.92, vertikal: 5.95

Meyton Elektronik


Ergebnis:	578	(606.8)				
Serien:	97	96	96	97	97	95
Zähler:	38	22	0	0	0	0
Innenzehner:	21					
weiteste:	1241 (16), 1235 (34), 1232 (21)					
beste Teiler	115.2 (49.) 143.9 (12.) 212.2 (10.)					
Trefferlage	0.37 mm rechts, 0.53 mm tief					
Streuwert	5.21, horizontal: 4.97, vertikal: 5.44					




Serie 1:	10.2 ↓	9.9 ↓	10.1 ↖	9.8 ↙	10.3 ↘
	10.5 *	10.5 *	10.5 *	9.9 ↖	10.7 *
beste Teiler	212.2 (10.) 325.6 (8.) 336.1 (7.)				
Trefferlage	2.69 mm links, 0.71 mm tief				
Streuwert	4.07, horizontal: 3.63, vertikal: 4.46				




Serie 2:	9.7 ↓	10.8 *	9.9 ↗	9.5 ↓	10.0 ↘
	9.4 ↘	10.6 *	10.6 *	10.5 *	10.0 ↙
beste Teiler	143.9 (12.) 277.2 (18.) 299.1 (17.)				
Trefferlage	1.14 mm rechts, 3.92 mm tief				
Streuwert	4.91, horizontal: 3.72, vertikal: 5.87				




Serie 3:	9.4 ↙	10.6 *	10.4 *	9.9 ↖	10.2 ↖
	10.2 ↖	9.7 →	10.5 *	10.3 ↘	9.7 →
beste Teiler	306.1 (22.) 391.2 (28.) 451.5 (23.)				
Trefferlage	1.38 mm rechts, 0.89 mm hoch				
Streuwert	5.50, horizontal: 6.15, vertikal: 4.77				



Serie 4:	9.5 ↑	10.5 *	10.2 ↓	9.4 ↙	10.4 *
	10.1 →	10.3 *	9.8 ↗	10.0 ←	10.3 *
beste Teiler	335.9 (32.) 461.6 (35.) 498.3 (37.)				
Trefferlage	0.68 mm links, 0.93 mm hoch				
Streuwert	5.65, horizontal: 5.76, vertikal: 5.54				





Serie 5:	10.2 →	9.6 ↘	10.3 *	9.9 ↓	10.2 ↗
	10.1 ↙	9.7 ↓	10.4 *	10.8 *	10.1 ←
beste Teiler	115.2 (49.) 472.9 (48.) 512.8 (43.)				
Trefferlage	0.49 mm rechts, 2.86 mm tief				
Streuwert	4.79, horizontal: 4.81, vertikal: 4.76				




Serie 6:	10.4 *	9.7 ↗	10.4 *	10.3 ↙	9.7 ↗
	10.1 ↗	9.8 ↗	9.9 →	9.7 ↗	10.7 *
beste Teiler	225.4 (60.) 442.6 (53.) 467.8 (51.)				
Trefferlage	2.62 mm rechts, 2.47 mm hoch				
Streuwert	5.07, horizontal: 4.65, vertikal: 5.47				

Meyton Elektronik

Ergebnis:	574	(601.1)				
Serien:	97	94	96	95	97	95
Zähler:	35	24	1	0	0	0
Innenzehner:	23					
weiteste:	1621 (33), 1593 (43), 1591 (25)					
beste Teiler	57.7 (51.) 99.7 (8.) 127.2 (32.)					
Trefferlage	1.04 mm links, 2.24 mm hoch					
Streuwert	5.85, horizontal: 5.88, vertikal: 5.82					




Serie 1:	9.2 ↑	10.7 *	10.6 *	9.4 ←	10.3 *
	9.8 →	10.4 *	10.8 *	10.5 *	10.3 *
beste Teiler	99.7 (8.) 176.0 (2.) 284.5 (3.)				
Trefferlage	0.15 mm rechts, 3.42 mm hoch				
Streuwert	4.83, horizontal: 5.45, vertikal: 4.11				




Serie 2:	10.8 *	10.0 ↖	9.8 ↘	10.6 *	9.2 ↗
	9.7 ↗	9.9 ↓	9.9 →	9.2 ↙	10.2 ↗
beste Teiler	145.2 (11.) 257.3 (14.) 579.4 (20.)				
Trefferlage	1.65 mm rechts, 0.59 mm hoch				
Streuwert	6.59, horizontal: 6.20, vertikal: 6.95				




Serie 3:	10.6 *	10.5 *	10.3 ↙	9.7 ↗	9.0 ↖
	10.3 *	10.4 *	9.4 ↑	10.2 ↖	9.3 ←
beste Teiler	257.1 (21.) 352.8 (22.) 459.1 (27.)				
Trefferlage	2.37 mm links, 3.36 mm hoch				
Streuwert	6.02, horizontal: 7.22, vertikal: 4.51				



Serie 4:	9.6 ↓	10.8 *	8.9 ↑	10.5 *	9.6 ↑
	10.5 *	9.8 ↓	10.6 *	10.0 ↖	10.0 ↑
beste Teiler	127.2 (32.) 303.9 (38.) 333.7 (34.)				
Trefferlage	0.55 mm links, 2.13 mm hoch				
Streuwert	6.17, horizontal: 2.90, vertikal: 8.23				





Serie 5:	10.2 ↑	10.2 ↖	9.0 ↑	9.8 ↗	10.2 ↖
	10.5 *	10.4 *	9.6 ←	10.6 *	10.0 ↖
beste Teiler	320.9 (49.) 361.8 (46.) 424.6 (47.)				
Trefferlage	1.37 mm links, 3.65 mm hoch				
Streuwert	5.33, horizontal: 4.87, vertikal: 5.75				




Serie 6:	10.9 *	10.0 ↖	9.6 ↙	9.2 ↖	9.5 ↖
	10.4 *	10.4 *	9.8 ↓	10.1 ↗	9.4 ←
beste Teiler	57.7 (51.) 456.7 (57.) 458.7 (56.)				
Trefferlage	3.75 mm links, 0.32 mm hoch				
Streuwert	6.21, horizontal: 7.33, vertikal: 4.85				

Ergebnis:	543	(571.3)				
Serien:	92	87	94	91	92	87
Zähler:	19	28	11	1	0	0
Innenzehner:	7					
weiteste:	3422 (56), 3004 (15), 2176 (11)					
beste Teiler	268.8 (12.) 317.2 (50.) 318.5 (43.)					
Trefferlage	2.44 mm rechts, 0.43 mm hoch					
Streuwert	9.09, horizontal: 8.88, vertikal: 9.29					




Serie 1:

8.9 ↗	10.3 *	9.7 ↘	10.4 *	9.8 ↘
10.5 *	8.4 ↘	9.8 →	9.9 →	10.3 ↘
beste Teiler	379.9 (6.) 404.5 (4.) 492.4 (2.)			
Trefferlage	4.41 mm rechts, 1.41 mm hoch			
Streuwert	7.00, horizontal: 6.63, vertikal: 7.35			




Serie 2:

8.2 ↘	10.6 *	9.2 ↘	9.3 ↘	7.2 ↘
10.1 ↘	9.5 ↙	8.9 ↗	9.8 ↓	8.8 ↖
beste Teiler	268.8 (12.) 662.8 (16.) 897.8 (19.)			
Trefferlage	2.17 mm rechts, 6.73 mm tief			
Streuwert	10.68, horizontal: 9.61, vertikal: 11.66			




Serie 3:

9.6 ←	9.3 ←	9.2 ↗	9.9 →	10.2 ↗
9.2 ↘	10.2 ↘	10.3 ↘	9.7 →	10.1 ↓
beste Teiler	552.2 (28.) 623.1 (25.) 623.1 (27.)			
Trefferlage	0.35 mm links, 1.13 mm hoch			
Streuwert	7.54, horizontal: 8.72, vertikal: 6.14			




Serie 4:

9.4 ←	10.0 ↘	10.0 →	10.4 *	10.1 ↗
8.5 →	8.9 ↘	8.8 ↘	9.5 ↗	9.0 →
beste Teiler	410.3 (34.) 692.3 (35.) 785.4 (32.)			
Trefferlage	2.17 mm rechts, 2.57 mm hoch			
Streuwert	9.32, horizontal: 11.58, vertikal: 6.28			



Serie 5:

9.9 ↗	9.5 ↗	10.6 *	9.7 ↘	9.9 ↘
8.9 ↘	10.1 →	8.4 ↘	10.1 ↗	10.6 *
beste Teiler	317.2 (50.) 318.5 (43.) 661.0 (47.)			
Trefferlage	3.56 mm rechts, 1.54 mm hoch			
Streuwert	7.50, horizontal: 7.30, vertikal: 7.69			





Serie 6:

8.4 →	9.0 ↑	9.7 ↓	9.7 →	9.9 →
6.7 ↘	9.4 →	9.1 ↘	9.7 ↙	10.1 ↘
beste Teiler	656.4 (60.) 811.9 (55.) 966.0 (53.)			
Trefferlage	2.69 mm rechts, 2.65 mm hoch			
Streuwert	11.66, horizontal: 10.14, vertikal: 13.01			

Meyton Elektronik


Ergebnis:	536	(562.8)				
Serien:	88	95	85	87	91	90
Zähler:	16	29	10	5	0	0
Innenzehner:	6					
weiteste:	2814 (10), 2538 (44), 2524 (36)					
beste Teiler	121.5 (58.) 218.1 (45.) 230.9 (9.)					
Trefferlage	2.11 mm rechts, 1.24 mm hoch					
Streuwert	9.87, horizontal: 7.91, vertikal: 11.51					



Serie 1:

9.3 ↘	9.0 →	8.9 ↓	9.1 ↗	10.0 ↖
8.7 ↓	9.8 ↑	9.4 ↗	10.7 *	7.4 →


beste Teiler 230.9 (9.) 732.7 (5.) 955.4 (7.)
 Trefferlage 4.83 mm rechts, 1.25 mm hoch
 Streuwert 10.69, horizontal: 9.89, vertikal: 11.44



Serie 2:

10.1 ←	9.8 ↑	9.7 ↓	10.1 ↘	9.3 ↓
10.1 ↘	10.0 →	9.3 ↓	10.2 ↖	9.5 →


beste Teiler 569.5 (19.) 685.6 (14.) 706.5 (11.)
 Trefferlage 2.51 mm rechts, 2.56 mm tief
 Streuwert 6.67, horizontal: 5.93, vertikal: 7.34



Serie 3:

8.9 ↓	9.3 ↑	8.5 ↖	8.3 ↑	8.4 ↓
9.6 →	8.9 →	10.2 ↗	8.8 ↖	9.5 ↓


beste Teiler 620.3 (28.) 1060.9 (26.) 1187.0 (30.)
 Trefferlage 1.79 mm rechts, 2.52 mm hoch
 Streuwert 11.73, horizontal: 7.81, vertikal: 14.64



Serie 4:

10.1 ←	7.9 ↖	9.1 ↓	9.9 ↗	9.0 ↖
7.8 ↓	9.2 ↑	10.5 *	7.9 ↗	10.6 *


beste Teiler 299.5 (40.) 344.6 (38.) 691.5 (31.)
 Trefferlage 0.57 mm rechts, 3.18 mm hoch
 Streuwert 11.86, horizontal: 9.96, vertikal: 13.49



Serie 5:

9.9 ↖	10.4 *	9.7 ↑	7.8 ↓	10.7 *
9.4 ↑	9.1 ↗	10.2 ↗	9.6 ↘	9.2 ↑

beste Teiler 218.1 (45.) 424.0 (42.) 562.2 (48.)
 Trefferlage 1.81 mm rechts, 1.25 mm hoch
 Streuwert 9.08, horizontal: 5.57, vertikal: 11.57





Serie 6:

9.1 ↗	9.4 ↑	8.0 ↓	10.1 ↗	9.3 ↖
9.7 ↑	9.5 ↘	10.8 *	9.5 ↗	8.6 ←


beste Teiler 121.5 (58.) 689.7 (54.) 970.3 (56.)
 Trefferlage 1.15 mm rechts, 1.80 mm hoch
 Streuwert 10.10, horizontal: 8.58, vertikal: 11.41

Meyton Elektronik


Ergebnis: **553** (574.9)
 Serien: 94 92 93 93 94 87
 Zähler: 32 19 7 0 1 0 0 0 0 0
 Innenzehner: 12
 weiteste: 15703 (56), 3765 (39), 2152 (17)
 beste Teiler 88.1 (8.) 107.0 (36.) 173.4 (23.)
 Trefferlage 3.38 mm rechts, 0.60 mm tief
 Streuwert 16.40, horizontal: 21.86, vertikal: 7.74




Serie 1:
 10.3 → 8.5 ↘ 9.1 ↓ 10.2 ↙ 10.0 ←
 9.6 ↑ 10.1 ↑ 10.8 * 9.5 ← 9.0 ↘
 beste Teiler 88.1 (8.) 545.2 (1.) 575.7 (4.)
 Trefferlage 1.03 mm links, 0.03 mm tief
 Streuwert 8.27, horizontal: 7.62, vertikal: 8.88




Serie 2:
 10.1 ↘ 10.1 ↘ 10.4 * 10.0 ↖ 9.6 ←
 8.4 ↘ 8.3 ↑ 9.1 ↑ 9.7 ↗ 9.0 ↖
 beste Teiler 479.8 (13.) 673.4 (11.) 673.5 (12.)
 Trefferlage 0.01 mm rechts, 2.27 mm hoch
 Streuwert 9.63, horizontal: 8.42, vertikal: 10.70




Serie 3:
 8.8 ↘ 10.3 * 10.7 * 9.4 → 10.4 *
 10.5 * 10.6 * 9.7 ↓ 8.8 → 9.6 ↓
 beste Teiler 173.4 (23.) 289.8 (27.) 377.0 (26.)
 Trefferlage 5.57 mm rechts, 3.69 mm tief
 Streuwert 5.65, horizontal: 6.42, vertikal: 4.76



Serie 4:
 10.0 → 10.2 ↖ 9.9 ↙ 10.4 * 9.5 ↘
 10.8 * 10.2 ↗ 9.9 ↓ 6.2 ↗ 10.0 ←
 beste Teiler 107.0 (36.) 476.0 (34.) 579.1 (37.)
 Trefferlage 0.77 mm rechts, 0.44 mm hoch
 Streuwert 10.29, horizontal: 12.18, vertikal: 7.96





Serie 5:
 10.2 ↙ 8.5 ← 9.2 ↙ 10.0 ↗ 10.0 ↓
 9.9 ↘ 10.3 * 8.7 ↘ 10.6 * 10.3 ↘
 beste Teiler 306.1 (49.) 499.0 (47.) 535.1 (50.)
 Trefferlage 1.45 mm links, 1.42 mm tief
 Streuwert 7.98, horizontal: 9.85, vertikal: 5.48



Serie 6:
 10.2 ↖ 10.2 → 10.7 * 9.3 ↘ 10.0 →
 0.0 → 10.1 ↓ 9.4 ↙ 10.0 → 9.6 ↙
 beste Teiler 190.5 (53.) 629.3 (51.) 635.7 (52.)
 Trefferlage 16.44 mm rechts, 1.22 mm tief
 Streuwert 35.46, horizontal: 49.54, vertikal: 7.78


Ergebnis:	532	(559.2)								
Serien:	83	92	86	88	93	90				
Zähler:	13	30	14	2	1	0	0	0	0	0
Innenzehner:	8									
weiteste:	3460 (7), 2804 (1), 2420 (29)									
beste Teiler	64.6 (11.) 161.1 (9.) 165.6 (34.)									
Trefferlage	2.06 mm links, 3.60 mm hoch									
Streuwert	9.97, horizontal: 9.16, vertikal: 10.73									



Serie 1:

7.4 ↘	9.6 ↙	8.9 ↘	8.4 ↖	9.5 ↙
9.2 ↘	6.6 ↑	9.0 ↑	10.7 *	8.7 ↙


beste Teiler 161.1 (9.) 1108.6 (2.) 1180.3 (5.)
 Trefferlage 6.36 mm links, 7.00 mm hoch
 Streuwert 12.46, horizontal: 11.16, vertikal: 13.63



Serie 2:

10.9 *	10.2 ↗	9.8 ↗	10.0 ↖	9.4 ↗
9.7 ↘	9.6 ↘	9.8 ↑	8.8 ↘	9.2 ↗


beste Teiler 64.6 (11.) 598.3 (12.) 767.2 (14.)
 Trefferlage 2.76 mm rechts, 4.20 mm hoch
 Streuwert 7.00, horizontal: 6.97, vertikal: 7.03



Serie 3:

10.1 ↖	8.9 ↗	9.9 ↘	9.1 ↘	9.6 ↗
9.1 ↗	9.1 ↖	8.0 ↙	7.9 ↑	8.2 ↘


beste Teiler 707.8 (21.) 846.2 (23.) 1062.6 (25.)
 Trefferlage 1.04 mm links, 5.95 mm hoch
 Streuwert 11.62, horizontal: 11.13, vertikal: 12.10



Serie 4:

9.9 ↑	9.6 ↗	9.6 ↖	10.7 *	8.3 ↘
8.6 ↘	9.9 ↖	9.0 ↖	9.0 ↖	8.8 ↑


beste Teiler 165.6 (34.) 827.0 (31.) 866.2 (37.)
 Trefferlage 2.60 mm links, 5.14 mm hoch
 Streuwert 9.49, horizontal: 8.76, vertikal: 10.16



Serie 5:

8.6 ↘	8.1 ↓	9.1 ↙	10.0 →	9.6 ↖
10.1 ↘	10.3 *	10.5 *	9.1 ↖	10.3 *

beste Teiler 356.2 (48.) 501.4 (47.) 519.7 (50.)
 Trefferlage 2.38 mm links, 2.98 mm tief
 Streuwert 8.97, horizontal: 7.10, vertikal: 10.51





Serie 6:

8.9 ↘	8.7 ↖	9.2 ↘	10.7 *	10.4 *
9.5 ↙	9.4 ↓	9.3 ↑	9.5 ↘	9.2 ↑

beste Teiler 236.5 (54.) 478.9 (55.) 1162.3 (59.)
 Trefferlage 2.74 mm links, 2.30 mm hoch
 Streuwert 9.05, horizontal: 8.77, vertikal: 9.32

Meyton Elektronik


Ergebnis:	515	(545.1)				
Serien:	84	85	85	88	88	85
Zähler:	9	24	20	7	0	0
Innenzehner:	5					
weiteste:	2915 (25), 2803 (58), 2756 (35)					
beste Teiler	175.8 (33.) 207.5 (49.) 366.2 (53.)					
Trefferlage	0.83 mm links, 0.82 mm tief					
Streuwert	11.67, horizontal: 11.87, vertikal: 11.46					



Serie 1:

8.9 ↘	8.8 ↓	10.2 ↖	8.0 ↘	9.6 ↗
9.5 ↘	7.8 ↖	9.0 ↓	8.9 ↖	8.2 ↘


beste Teiler 573.4 (3.) 1111.9 (5.) 1168.5 (6.)
 Trefferlage 1.75 mm rechts, 2.69 mm tief
 Streuwert 12.69, horizontal: 13.16, vertikal: 12.19



Serie 2:

9.4 ←	10.4 *	8.7 ↗	9.6 ↗	9.6 ↓
9.8 ↘	9.2 ↓	7.5 ↗	7.5 ↖	8.5 ↑


beste Teiler 421.9 (12.) 884.4 (16.) 1059.4 (14.)
 Trefferlage 3.22 mm links, 0.50 mm hoch
 Streuwert 12.41, horizontal: 13.00, vertikal: 11.79



Serie 3:

9.8 ↗	10.0 ↗	10.0 ↗	9.9 ↑	7.3 ↖
8.7 ↑	8.7 ↗	8.7 ↓	8.6 ←	8.2 ↗


beste Teiler 778.3 (22.) 783.8 (23.) 879.3 (24.)
 Trefferlage 4.16 mm links, 0.73 mm hoch
 Streuwert 12.31, horizontal: 12.66, vertikal: 11.95



Serie 4:

9.9 ←	9.2 →	10.7 *	8.4 ↘	7.5 ←
10.0 ↓	8.2 ↗	9.1 ↓	10.5 *	8.5 ←


beste Teiler 175.8 (33.) 385.9 (39.) 796.7 (36.)
 Trefferlage 4.12 mm links, 6.85 mm tief
 Streuwert 10.50, horizontal: 12.41, vertikal: 8.16



Serie 5:

9.8 ↗	8.8 ←	9.2 ↘	9.5 ↗	9.5 ↗
9.4 ←	8.3 ↑	8.8 ↘	10.7 *	9.6 ↑

beste Teiler 207.5 (49.) 934.4 (41.) 1057.3 (50.)
 Trefferlage 0.74 mm links, 0.89 mm hoch
 Streuwert 10.07, horizontal: 8.33, vertikal: 11.56





Serie 6:

9.2 ↘	9.5 ↗	10.5 *	9.6 ↗	9.9 ↗
8.7 ↗	7.7 →	7.4 ↑	8.2 ↗	9.8 →


beste Teiler 366.2 (53.) 805.1 (55.) 934.1 (60.)
 Trefferlage 5.51 mm rechts, 2.45 mm hoch
 Streuwert 11.85, horizontal: 10.73, vertikal: 12.88

Meyton Elektronik


Ergebnis:	582	(610.0)				
Serien:	95	96	99	95	97	100
Zähler:	42	18	0	0	0	0
Innenzehner:	28					
weiteste:	1433 (43), 1331 (5), 1220 (25)					
beste Teiler	44.6 (29.) 69.8 (27.) 82.0 (21.)					
Trefferlage	0.79 mm links, 0.15 mm hoch					
Streuwert	5.07, horizontal: 5.88, vertikal: 4.11					




Serie 1:	10.4 *	9.8 ↙	9.5 ↑	10.0 ↑	9.3 ↓
	9.7 ←	10.1 ↙	9.9 ↘	10.7 *	10.6 *
beste Teiler	208.2 (9.) 306.4 (10.) 410.0 (1.)				
Trefferlage	2.44 mm links, 0.05 mm hoch				
Streuwert	5.97, horizontal: 4.32, vertikal: 7.26				



Serie 2:	10.5 *	9.8 ↘	10.5 *	10.1 →	9.4 →
	9.8 →	10.0 ↘	10.3 *	9.7 →	10.0 →
beste Teiler	373.4 (11.) 384.7 (13.) 526.0 (18.)				
Trefferlage	5.46 mm rechts, 0.14 mm tief				
Streuwert	4.31, horizontal: 5.30, vertikal: 3.00				




Serie 3:	10.8 *	10.3 ↘	10.3 *	10.2 ←	9.4 ↘
	10.5 *	10.9 *	10.4 *	10.9 *	10.6 *
beste Teiler	44.6 (29.) 69.8 (27.) 82.0 (21.)				
Trefferlage	1.37 mm links, 1.13 mm hoch				
Streuwert	3.71, horizontal: 4.53, vertikal: 2.63				



Serie 4:	9.6 ↙	9.5 ↗	9.6 →	10.5 *	10.6 *
	10.8 *	10.5 *	9.6 ←	9.7 ↙	10.7 *
beste Teiler	129.0 (36.) 186.2 (40.) 260.3 (35.)				
Trefferlage	0.86 mm links, 0.76 mm tief				
Streuwert	5.77, horizontal: 6.96, vertikal: 4.25				





Serie 5:	10.3 *	9.8 ↘	9.2 ↖	10.4 *	10.6 *
	10.6 *	10.3 *	10.1 ↘	10.6 *	9.8 ←
beste Teiler	241.3 (49.) 272.9 (45.) 317.5 (46.)				
Trefferlage	3.29 mm links, 0.66 mm hoch				
Streuwert	4.75, horizontal: 5.99, vertikal: 3.02				




Serie 6:	10.6 *	10.4 *	10.5 *	10.6 *	10.1 ↙
	10.3 ←	10.2 ↘	10.0 ↘	10.0 ←	10.1 ↘
beste Teiler	295.1 (51.) 316.5 (54.) 361.9 (53.)				
Trefferlage	2.24 mm links, 0.04 mm tief				
Streuwert	3.95, horizontal: 4.30, vertikal: 3.56				

Meyton Elektronik


Ergebnis:	561	(588.2)				
Serien:	92	94	92	91	96	96
Zähler:	29	25	4	2	0	0
Innenzehner:	14					
weiteste:	2864 (26), 2688 (9), 2003 (4)					
beste Teiler	137.9 (15.) 197.0 (44.) 215.3 (40.)					
Trefferlage	1.34 mm links, 0.83 mm tief					
Streuwert	7.50, horizontal: 7.43, vertikal: 7.57					




Serie 1:	9.4 ←	10.0 ↙	10.2 ↖	8.4 ↓	10.4 *
	9.6 ↗	10.6 *	10.0 →	7.6 →	9.6 ↘
beste Teiler	271.9 (7.) 418.0 (5.) 599.0 (3.)				
Trefferlage	0.17 mm links, 1.69 mm tief				
Streuwert	9.59, horizontal: 11.09, vertikal: 7.82				




Serie 2:	8.6 ↓	10.1 ↘	10.5 *	9.9 ↗	10.8 *
	10.3 *	9.8 ↓	10.2 ↓	9.6 ←	9.3 ↑
beste Teiler	137.9 (15.) 331.1 (13.) 528.1 (16.)				
Trefferlage	1.52 mm rechts, 2.73 mm tief				
Streuwert	6.73, horizontal: 5.26, vertikal: 7.94				




Serie 3:	10.0 ↓	10.2 ↓	9.7 ↓	9.9 ↓	9.5 ↑
	7.4 ↘	10.6 *	9.2 ↙	9.8 ←	10.2 ↖
beste Teiler	246.0 (27.) 594.2 (22.) 607.6 (30.)				
Trefferlage	4.29 mm links, 0.55 mm tief				
Streuwert	8.64, horizontal: 6.18, vertikal: 10.54				



Serie 4:	8.9 ↙	9.9 ↘	9.7 ↓	10.0 →	9.7 ↘
	9.7 ↑	8.6 ↖	9.5 ↑	10.2 ↓	10.7 *
beste Teiler	215.3 (40.) 631.3 (39.) 771.7 (34.)				
Trefferlage	3.65 mm links, 0.48 mm hoch				
Streuwert	7.77, horizontal: 7.39, vertikal: 8.13				





Serie 5:	9.6 →	10.3 ↗	10.5 *	10.7 *	9.1 ↓
	10.2 ↑	9.5 ↘	10.3 *	10.6 *	9.4 ↓
beste Teiler	197.0 (44.) 297.9 (49.) 377.3 (43.)				
Trefferlage	1.91 mm rechts, 0.13 mm hoch				
Streuwert	6.13, horizontal: 4.59, vertikal: 7.36				




Serie 6:	9.1 ↖	9.9 ↘	10.1 ↙	9.9 ↖	9.4 ↖
	10.0 ←	10.4 *	10.1 →	10.4 *	10.4 *
beste Teiler	438.9 (57.) 457.8 (59.) 459.8 (60.)				
Trefferlage	3.38 mm links, 0.60 mm tief				
Streuwert	5.76, horizontal: 7.37, vertikal: 3.47				

Meyton Elektronik


Ergebnis:	571	(598.1)				
Serien:	97	97	92	94	96	95
Zähler:	33	25	2	0	0	0
Innenzehner:	19					
weiteste:	1795 (32), 1786 (50), 1590 (22)					
beste Teiler	97.3 (11.) 184.2 (58.) 198.8 (12.)					
Trefferlage	0.01 mm rechts, 0.07 mm hoch					
Streuwert	6.30, horizontal: 6.35, vertikal: 6.26					




Serie 1:	10.7 *	10.0 ↙	9.4 ↘	9.8 ↘	10.6 *
	10.6 *	9.3 ↘	10.3 *	10.3 *	10.1 ↘
beste Teiler	216.8 (1.) 257.0 (6.) 309.8 (5.)				
Trefferlage	0.21 mm rechts, 1.83 mm tief				
Streuwert	5.51, horizontal: 6.35, vertikal: 4.52				




Serie 2:	10.8 *	10.7 *	9.9 ↘	10.1 ↘	10.4 *
	10.4 *	9.3 ↘	10.3 *	9.9 ↘	10.5 *
beste Teiler	97.3 (11.) 198.8 (12.) 379.0 (20.)				
Trefferlage	2.02 mm rechts, 4.08 mm tief				
Streuwert	3.65, horizontal: 3.93, vertikal: 3.34				




Serie 3:	9.6 ↖	9.0 →	10.5 *	9.2 ↖	9.8 →
	9.5 →	10.1 ↘	9.5 ↖	9.2 ↖	9.5 ↖
beste Teiler	336.4 (23.) 654.4 (27.) 956.6 (25.)				
Trefferlage	0.99 mm rechts, 4.30 mm hoch				
Streuwert	7.91, horizontal: 9.36, vertikal: 6.14				



Serie 4:	10.3 *	8.7 ↑	9.9 ↘	9.8 ↙	10.2 ↑
	9.4 ↗	10.1 ↗	10.2 ↑	9.3 ↙	10.1 ↑
beste Teiler	493.0 (31.) 578.9 (35.) 629.3 (38.)				
Trefferlage	0.03 mm links, 2.93 mm hoch				
Streuwert	7.12, horizontal: 5.47, vertikal: 8.46				





Serie 5:	10.1 ↑	10.2 ↘	10.2 ↙	9.7 ↘	10.5 *
	10.2 ↓	10.3 *	10.6 *	9.8 ↑	8.7 ↖
beste Teiler	294.6 (48.) 332.7 (45.) 489.9 (47.)				
Trefferlage	2.05 mm links, 0.85 mm hoch				
Streuwert	6.03, horizontal: 5.94, vertikal: 6.11				




Serie 6:	10.2 ↘	9.4 ←	9.7 ↘	10.1 ↙	10.7 *
	9.8 ↗	9.9 ↘	10.7 *	10.4 *	9.6 ←
beste Teiler	184.2 (58.) 228.4 (55.) 459.5 (59.)				
Trefferlage	1.05 mm links, 1.72 mm tief				
Streuwert	5.75, horizontal: 6.62, vertikal: 4.72				

Meyton Elektronik


Ergebnis:	567	(592.2)
Serien:	95 91 95 95 96 95	
Zähler:	30 27 3 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	2113 (12), 2084 (11), 1776 (9)	
beste Teiler	84.9 (3.) 130.8 (59.) 133.1 (24.)	
Trefferlage	1.08 mm rechts, 0.01 mm tief	
Streuwert	6.85, horizontal: 6.10, vertikal: 7.53	




Serie 1:				
10.4 *	9.9 ↓	10.8 *	9.3 ↑	10.0 →
10.0 ↘	10.3 ↘	9.8 ↘	8.7 ↑	10.0 ↙
beste Teiler	84.9 (3.)	468.9 (1.)	537.5 (7.)	
Trefferlage	1.66 mm rechts, 0.49 mm tief			
Streuwert	6.88, horizontal: 3.92, vertikal: 8.91			




Serie 2:				
8.3 ↖	8.3 ↖	9.3 ↓	10.0 ↗	10.2 ↗
9.0 →	9.3 →	10.3 ↗	9.2 ↗	9.4 ↗
beste Teiler	534.6 (18.)	585.3 (15.)	764.1 (14.)	
Trefferlage	0.28 mm links, 2.32 mm hoch			
Streuwert	10.28, horizontal: 9.09, vertikal: 11.34			




Serie 3:				
10.2 ↖	10.3 *	9.4 ↗	10.8 *	10.5 *
9.8 ↘	10.0 →	9.8 ↗	9.9 ↖	9.3 ↗
beste Teiler	133.1 (24.)	396.9 (25.)	512.7 (22.)	
Trefferlage	0.90 mm rechts, 0.98 mm hoch			
Streuwert	6.21, horizontal: 6.84, vertikal: 5.51			



Serie 4:				
10.7 *	9.4 ←	9.8 ↗	9.5 ↘	10.2 ↘
10.5 *	9.8 ↑	9.8 ↘	10.2 ↗	10.2 →
beste Teiler	213.0 (31.)	361.4 (36.)	590.7 (35.)	
Trefferlage	0.23 mm rechts, 2.26 mm tief			
Streuwert	5.83, horizontal: 6.41, vertikal: 5.18			





Serie 5:				
10.2 →	10.2 ↗	10.6 *	9.5 ↗	9.8 ↖
10.0 ↓	9.2 ↑	10.0 ↓	10.5 *	9.8 ↘
beste Teiler	242.1 (43.)	387.4 (49.)	591.3 (41.)	
Trefferlage	2.31 mm rechts, 0.34 mm hoch			
Streuwert	6.01, horizontal: 4.26, vertikal: 7.36			




Serie 6:				
9.6 ↘	9.7 ↖	9.6 ↘	10.0 ↓	10.0 ↖
9.9 →	10.4 *	10.1 ↖	10.8 *	9.7 ↘
beste Teiler	130.8 (59.)	427.1 (57.)	709.3 (58.)	
Trefferlage	1.66 mm rechts, 1.02 mm tief			
Streuwert	6.01, horizontal: 5.85, vertikal: 6.16			

Meyton Elektronik


Ergebnis:	546	(572.1)				
Serien:	93	87	90	89	93	94
Zähler:	22	25	10	3	0	0
Innenzehner:	12					
weiteste:	2704 (18), 2615 (16), 2537 (13)					
beste Teiler	243.4 (20.) 250.1 (2.) 322.8 (48.)					
Trefferlage	1.00 mm rechts, 4.53 mm tief					
Streuwert	8.52, horizontal: 7.94, vertikal: 9.06					




Serie 1:	9.4 ↖	10.6 *	10.4 *	9.3 ↙	9.0 ↘
	10.4 *	10.1 ↖	8.9 ↓	9.3 ↘	9.7 ↓
beste Teiler	250.1 (2.) 402.2 (6.) 407.9 (3.)				
Trefferlage	2.25 mm links, 5.24 mm tief				
Streuwert	6.96, horizontal: 6.53, vertikal: 7.37				




Serie 2:	10.4 *	8.9 ↙	7.8 ↘	10.4 *	9.6 →
	7.7 ↓	10.0 →	7.6 ↘	9.2 ↙	10.6 *
beste Teiler	243.4 (20.) 428.1 (11.) 440.9 (14.)				
Trefferlage	3.29 mm rechts, 9.49 mm tief				
Streuwert	9.83, horizontal: 9.97, vertikal: 9.68				




Serie 3:	9.1 ↓	10.5 *	10.0 →	8.5 ↓	10.3 ↘
	9.8 ↘	9.3 ↘	9.8 →	8.9 ↓	8.8 ↙
beste Teiler	332.0 (22.) 537.6 (25.) 742.4 (23.)				
Trefferlage	2.69 mm rechts, 8.40 mm tief				
Streuwert	6.66, horizontal: 5.94, vertikal: 7.31				



Serie 4:	9.8 ↖	9.0 ↓	10.1 ←	10.4 *	8.9 ↑
	8.9 ↓	9.8 ↘	9.1 →	8.4 ↑	9.0 →
beste Teiler	473.7 (34.) 683.2 (33.) 891.1 (37.)				
Trefferlage	1.51 mm rechts, 1.55 mm hoch				
Streuwert	10.14, horizontal: 7.75, vertikal: 12.06				





Serie 5:	9.7 ↙	8.2 ↘	9.3 ↙	10.0 →	10.2 →
	10.2 ←	9.9 ↙	10.5 *	9.4 →	9.4 ↘
beste Teiler	322.8 (48.) 563.4 (45.) 588.5 (46.)				
Trefferlage	2.43 mm rechts, 6.18 mm tief				
Streuwert	6.80, horizontal: 8.27, vertikal: 4.91				




Serie 6:	8.3 ↙	9.4 ↖	9.7 ↑	10.5 *	10.1 →
	10.4 *	10.4 *	9.4 ←	9.4 ↗	10.0 ↓
beste Teiler	361.2 (54.) 426.6 (56.) 475.2 (57.)				
Trefferlage	1.65 mm links, 0.59 mm hoch				
Streuwert	7.93, horizontal: 8.74, vertikal: 7.02				

Meyton Elektronik


Ergebnis:	575						(597.9)
Serien:	93	98	98	96	95	95	
Zähler:	36	23	1	0	0	0	0
Innenzehner:	17						
weiteste:	1937 (9), 1523 (49), 1499 (56)						
beste Teiler	121.8 (57.) 185.0 (10.) 205.2 (46.)						
Trefferlage	0.76 mm rechts, 2.96 mm tief						
Streuwert	5.91, horizontal: 5.66, vertikal: 6.15						




Serie 1:	9.5 ↓	9.5 ↘	10.7 *	9.9 ←	10.0 ↙
	9.5 ↓	9.4 →	10.1 ↗	8.5 ↘	10.7 *
beste Teiler	185.0 (10.) 213.8 (3.) 699.8 (8.)				
Trefferlage	3.43 mm rechts, 5.02 mm tief				
Streuwert	6.43, horizontal: 6.57, vertikal: 6.29				




Serie 2:	10.0 ↗	10.3 *	9.2 ↘	10.3 *	10.0 ↘
	10.1 ↙	10.2 ↗	10.2 ↓	9.8 ↓	10.3 ↙
beste Teiler	481.2 (12.) 523.6 (14.) 541.0 (20.)				
Trefferlage	1.54 mm links, 0.21 mm hoch				
Streuwert	5.65, horizontal: 3.89, vertikal: 6.98				




Serie 3:	10.5 *	10.6 *	9.9 ↓	10.6 *	10.0 →
	10.2 ↘	10.6 *	10.6 *	10.4 *	9.5 ↘
beste Teiler	261.2 (24.) 282.6 (28.) 295.7 (27.)				
Trefferlage	1.28 mm rechts, 3.04 mm tief				
Streuwert	3.71, horizontal: 3.54, vertikal: 3.88				



Serie 4:	9.2 ↙	9.4 ↓	9.6 ↘	10.3 *	10.1 ↓
	9.8 →	10.1 →	10.0 ↘	10.2 ←	10.4 *
beste Teiler	473.4 (40.) 498.1 (34.) 563.0 (39.)				
Trefferlage	0.03 mm rechts, 3.44 mm tief				
Streuwert	6.10, horizontal: 5.42, vertikal: 6.72				





Serie 5:	9.5 ↓	10.1 ←	10.1 ↓	10.3 *	10.4 *
	10.7 *	9.3 ↑	9.3 ↗	9.0 ↓	9.9 ↘
beste Teiler	205.2 (46.) 480.9 (45.) 485.9 (44.)				
Trefferlage	0.50 mm links, 4.06 mm tief				
Streuwert	6.57, horizontal: 4.90, vertikal: 7.89				



Serie 6:	9.7 ←	9.9 ←	9.5 ↘	10.1 ↘	10.0 ↗
	9.1 →	10.8 *	10.6 *	9.4 ↘	10.0 ←
beste Teiler	121.8 (57.) 296.2 (58.) 715.8 (54.)				
Trefferlage	1.85 mm rechts, 2.42 mm tief				
Streuwert	6.60, horizontal: 8.22, vertikal: 4.41				


Meyton Elektronik

Ergebnis:	583	(610.7)				
Serien:	98	98	97	96	98	96
Zähler:	43	17	0	0	0	0
Innenzehner:	25					
weiteste:	1415 (58), 1271 (23), 1002 (28)					
beste Teiler	55.5 (45.) 87.3 (55.) 102.3 (1.)					
Trefferlage	0.19 mm rechts, 1.56 mm hoch					
Streuwert	4.69, horizontal: 5.07, vertikal: 4.28					




Serie 1:

10.8 *	10.6 *	10.5 *	10.3 *	10.1 ↘
10.2 ↑	9.9 →	10.6 *	9.9 ↘	10.2 ↘
beste Teiler	102.3 (1.) 274.4 (2.) 281.8 (8.)			
Trefferlage	0.51 mm rechts, 2.25 mm hoch			
Streuwert	3.90, horizontal: 4.39, vertikal: 3.34			




Serie 2:

9.8 →	10.5 *	10.4 *	10.0 ↗	10.3 *
9.8 →	10.0 ↙	10.1 →	10.2 ↗	10.7 *
beste Teiler	202.7 (20.) 386.3 (12.) 461.8 (13.)			
Trefferlage	2.43 mm rechts, 1.34 mm hoch			
Streuwert	4.44, horizontal: 5.13, vertikal: 3.61			




Serie 3:

10.3 *	10.6 *	9.4 ↖	9.9 ↖	10.0 ↖
10.1 ↘	10.3 *	9.7 ↙	10.5 *	10.1 ↘
beste Teiler	279.2 (22.) 335.5 (29.) 489.3 (27.)			
Trefferlage	2.24 mm links, 2.62 mm hoch			
Streuwert	4.92, horizontal: 4.48, vertikal: 5.32			




Serie 4:

9.9 ↙	10.5 *	10.2 ↗	10.1 →	10.3 *
10.6 *	10.0 ←	9.9 →	9.8 ←	9.9 ↑
beste Teiler	279.4 (36.) 399.1 (32.) 499.4 (35.)			
Trefferlage	0.08 mm links, 1.17 mm hoch			
Streuwert	5.14, horizontal: 6.00, vertikal: 4.11			



Serie 5:



10.3 *	10.2 ↓	10.5 *	10.5 *	10.9 *
10.3 *	9.9 ↑	9.8 →	10.5 *	10.6 *
beste Teiler	55.5 (45.) 251.4 (50.) 345.3 (49.)			
Trefferlage	0.18 mm rechts, 0.59 mm tief			
Streuwert	3.95, horizontal: 4.17, vertikal: 3.71			



Serie 6:

9.7 ↘	10.2 ↘	10.0 ↑	10.1 ↗	10.8 *
10.4 *	10.0 →	9.2 ↘	9.9 ↑	9.9 →
beste Teiler	87.3 (55.) 431.0 (56.) 619.8 (52.)			
Trefferlage	0.38 mm rechts, 2.56 mm hoch			
Streuwert	5.73, horizontal: 6.07, vertikal: 5.36			


Ergebnis:	512	(540.6)				
Serien:	87	81	82	88	87	87
Zähler:	9	24	20	4	3	0 0 0 0 0
Innenzehner:	4					
weiteste:	3606 (16), 3484 (4), 3256 (47)					
beste Teiler	120.9 (44.) 304.5 (1.) 385.5 (36.)					
Trefferlage	3.54 mm rechts, 8.05 mm tief					
Streuwert	10.64, horizontal: 10.62, vertikal: 10.66					



Serie 1:

10.6 *	8.6 ↘	9.2 ↓	6.6 ↓	8.8 ↘
10.3 ↘	9.2 ↙	9.8 ↙	9.7 ↙	9.7 ↖


beste Teiler 304.5 (1.) 540.8 (6.) 956.2 (8.)
 Trefferlage 1.09 mm links, 9.40 mm tief
 Streuwert 9.66, horizontal: 7.86, vertikal: 11.18



Serie 2:

7.3 ↘	9.1 ↓	8.7 ↙	8.7 ↓	9.4 ↖
6.4 ↘	8.8 ↘	8.8 ↘	10.1 →	8.5 ↗


beste Teiler 671.1 (19.) 1278.8 (15.) 1454.0 (12.)
 Trefferlage 5.45 mm rechts, 10.16 mm tief
 Streuwert 12.69, horizontal: 10.49, vertikal: 14.55



Serie 3:

7.9 →	8.0 ↘	9.3 →	8.4 ↓	9.8 →
9.2 ↓	9.6 →	7.1 ←	7.9 ↓	9.9 ←


beste Teiler 845.2 (30.) 883.3 (25.) 1052.0 (27.)
 Trefferlage 4.46 mm rechts, 6.77 mm tief
 Streuwert 13.08, horizontal: 14.72, vertikal: 11.21



Serie 4:

9.1 ↓	9.6 ↘	8.9 ↘	8.5 →	8.7 ↘
10.5 *	10.4 *	9.7 ↓	8.5 ↓	9.3 ←


beste Teiler 385.5 (36.) 466.7 (37.) 1002.3 (38.)
 Trefferlage 5.69 mm rechts, 8.12 mm tief
 Streuwert 7.50, horizontal: 8.17, vertikal: 6.76



Serie 5:

9.2 ↓	9.5 ↓	9.1 ↓	10.8 *	9.4 ↘
8.7 ↘	6.9 ↘	8.2 ↖	10.1 ↗	9.2 ↓

beste Teiler 120.9 (44.) 692.7 (49.) 1182.2 (42.)
 Trefferlage 2.01 mm rechts, 7.72 mm tief
 Streuwert 11.08, horizontal: 12.10, vertikal: 9.94





Serie 6:

8.8 ←	9.9 →	8.6 ↗	9.8 ↑	8.4 ↓
10.0 →	8.1 ↘	10.2 ↙	9.0 ↓	8.1 ↓


beste Teiler 593.5 (58.) 729.9 (56.) 874.1 (52.)
 Trefferlage 4.76 mm rechts, 6.12 mm tief
 Streuwert 10.61, horizontal: 9.99, vertikal: 11.19

Ergebnis:	556						(579.7)
Serien:	96	90	89	94	94	93	
Zähler:	26	25	8	1	0	0	
Innenzehner:	10						
weiteste:	2608 (25), 2160 (20), 2141 (16)						
beste Teiler	92.1 (1.) 165.0 (32.) 321.6 (40.)						
Trefferlage	2.11 mm rechts, 0.74 mm hoch						
Streuwert	8.06, horizontal: 9.34, vertikal: 6.55						




Serie 1:

10.8 *	10.3 ↗	10.0 ↘	10.2 →	9.6 →
10.1 ↑	9.5 →	10.1 ↘	9.2 ↘	9.5 ↘
beste Teiler	92.1 (1.) 534.2 (2.) 575.6 (4.)			
Trefferlage	3.15 mm rechts, 1.55 mm hoch			
Streuwert	6.02, horizontal: 6.31, vertikal: 5.71			




Serie 2:

10.1 ↙	8.5 ↘	9.4 ↖	10.2 ↗	9.9 ↗
8.3 ←	9.2 ↘	10.2 ↘	9.9 →	8.3 ↘
beste Teiler	580.5 (18.) 597.6 (14.) 681.7 (11.)			
Trefferlage	2.79 mm links, 2.74 mm hoch			
Streuwert	9.92, horizontal: 12.23, vertikal: 6.86			




Serie 3:

8.7 →	9.3 →	10.0 ↑	9.3 ↘	7.7 ↘
8.9 →	9.0 ↘	9.2 ←	10.0 ←	10.4 *
beste Teiler	473.7 (30.) 767.7 (23.) 797.0 (29.)			
Trefferlage	6.93 mm rechts, 2.40 mm tief			
Streuwert	9.55, horizontal: 11.47, vertikal: 7.13			




Serie 4:

10.2 ←	10.7 *	10.1 ↑	10.4 *	9.7 →
9.7 →	9.5 ↓	8.9 ←	9.7 ←	10.5 *
beste Teiler	165.0 (32.) 321.6 (40.) 475.0 (34.)			
Trefferlage	0.60 mm links, 2.39 mm tief			
Streuwert	6.46, horizontal: 7.98, vertikal: 4.45			



Serie 5:

9.9 →	9.6 →	10.4 *	8.9 ↑	10.5 *
10.0 ↗	10.1 ↘	9.3 →	10.4 *	9.2 ↗
beste Teiler	365.8 (45.) 414.6 (49.) 474.3 (43.)			
Trefferlage	4.53 mm rechts, 5.03 mm hoch			
Streuwert	5.40, horizontal: 5.56, vertikal: 5.23			



Serie 6:

10.0 ↘	9.0 ←	9.1 ↘	9.3 ↑	10.0 ↑
9.8 ↗	10.4 *	9.6 ↓	10.4 *	8.6 ↖
beste Teiler	401.8 (59.) 439.4 (57.) 736.6 (55.)			
Trefferlage	1.50 mm rechts, 0.06 mm tief			
Streuwert	8.43, horizontal: 9.33, vertikal: 7.43			

Meyton Elektronik

Ergebnis: **589** (616.5)

Serien: 99 98 98 98 99 97

Zähler: 49 11 0 0 0 0 0 0 0



Innenzehner: 29

weiteste: 1079 (32), 1054 (38), 1046 (49)

beste Teiler 22.3 (16.) 85.1 (42.) 104.7 (43.)

Trefferlage 0.35 mm rechts, 0.88 mm tief

Streuwert 4.27, horizontal: 4.15, vertikal: 4.39




Serie 1:

10.6 *	10.0 ←	9.8 ↓	10.6 *	10.1 ←
10.8 *	10.6 *	10.0 ↗	10.8 *	10.2 ←

beste Teiler 105.6 (9.) 130.9 (6.) 255.5 (7.)

Trefferlage 1.78 mm links, 1.25 mm tief

Streuwert 3.86, horizontal: 3.84, vertikal: 3.87




Serie 2:

10.6 *	10.2 ↗	9.9 ↘	10.5 *	10.0 ↙
10.9 *	10.2 ↓	10.4 *	10.7 *	9.8 ←

beste Teiler 22.3 (16.) 233.4 (19.) 264.5 (11.)

Trefferlage 0.73 mm links, 0.02 mm hoch

Streuwert 4.18, horizontal: 4.34, vertikal: 4.02




Serie 3:

10.0 ↓	10.1 ←	10.5 *	9.7 ↓	10.5 *
10.6 *	9.8 ↗	10.3 *	10.2 ↓	10.2 ↓

beste Teiler 294.7 (26.) 385.6 (25.) 393.2 (23.)

Trefferlage 0.74 mm rechts, 2.03 mm tief

Streuwert 4.69, horizontal: 4.31, vertikal: 5.04




Serie 4:

10.1 ↙	9.6 ↓	10.1 ←	10.2 ↘	10.5 *
10.6 *	10.3 *	9.6 ↑	10.0 →	10.5 *

beste Teiler 292.8 (36.) 352.1 (35.) 377.9 (40.)

Trefferlage 0.44 mm links, 0.16 mm hoch

Streuwert 5.09, horizontal: 4.18, vertikal: 5.86




Serie 5:

10.3 ↗	10.8 *	10.8 *	10.0 ↘	10.3 *
10.8 *	10.7 *	10.7 *	9.6 ↘	10.4 *

beste Teiler 85.1 (42.) 104.7 (43.) 157.0 (46.)

Trefferlage 2.75 mm rechts, 0.90 mm tief

Streuwert 3.06, horizontal: 3.22, vertikal: 2.90



Serie 6:

9.8 ↗	10.7 *	10.1 ↘	10.5 *	10.5 *
10.3 *	9.8 ↓	9.9 ↓	10.2 ↑	10.2 →

beste Teiler 207.7 (52.) 322.5 (55.) 383.8 (54.)

Trefferlage 1.60 mm rechts, 1.28 mm tief

Streuwert 4.50, horizontal: 4.17, vertikal: 4.82

Meyton Elektronik

Ergebnis: **576** (601.3)

Serien: 97 97 97 97 97 91

Zähler: 37 22 1 0 0 0 0 0 0



Innenzehner: 20

weiteste: 1975 (58), 1561 (12), 1453 (28)

beste Teiler 123.8 (41.) 181.2 (17.) 199.2 (2.)

Trefferlage 3.23 mm links, 1.35 mm tief

Streuwert 5.37, horizontal: 5.37, vertikal: 5.36




Serie 1:

10.3 *	10.7 *	9.8 ↑	10.4 *	10.0 ↑
10.5 *	9.7 ↖	9.6 ↖	10.3 *	10.0 ↖

beste Teiler 199.2 (2.) 392.6 (6.) 403.0 (4.)

Trefferlage 3.50 mm links, 1.16 mm hoch

Streuwert 4.52, horizontal: 4.15, vertikal: 4.85




Serie 2:

10.0 ↓	9.0 ↖	10.0 ↘	10.0 ↖	10.2 ←
9.8 ↘	10.7 *	10.1 ↖	9.8 ↑	10.6 *

beste Teiler 181.2 (17.) 266.6 (20.) 609.1 (15.)

Trefferlage 3.57 mm links, 0.97 mm hoch

Streuwert 5.46, horizontal: 5.53, vertikal: 5.38




Serie 3:

10.0 ↘	9.4 ↖	10.1 ↑	10.4 *	10.4 *
10.3 *	9.9 ←	9.1 ↖	10.7 *	10.1 ↓

beste Teiler 221.7 (29.) 440.1 (25.) 461.4 (24.)

Trefferlage 2.52 mm links, 3.35 mm tief

Streuwert 5.16, horizontal: 5.62, vertikal: 4.66




Serie 4:

9.3 ↖	10.3 ↑	10.2 ↓	10.6 *	10.3 *
10.5 *	10.1 ↖	9.9 ↖	10.7 *	9.5 ↓

beste Teiler 236.2 (39.) 312.0 (34.) 379.8 (36.)

Trefferlage 2.58 mm links, 1.31 mm tief

Streuwert 5.06, horizontal: 4.92, vertikal: 5.20




Serie 5:

10.8 *	10.0 →	10.4 *	10.0 ↘	9.7 ←
10.3 ↑	10.3 *	9.5 ←	9.4 ↖	10.0 ↖

beste Teiler 123.8 (41.) 425.5 (43.) 514.6 (47.)

Trefferlage 2.47 mm links, 0.03 mm hoch

Streuwert 5.62, horizontal: 7.28, vertikal: 3.19



Serie 6:

10.6 *	10.7 *	9.9 ↖	9.6 ↖	9.7 ↓
9.9 ↖	9.5 ↓	8.5 ↓	9.4 ↘	9.8 ←



beste Teiler 202.0 (52.) 295.6 (51.) 838.1 (53.)

Trefferlage 4.76 mm links, 5.64 mm tief


Streuwert 5.71, horizontal: 5.31, vertikal: 6.08

Meyton Elektronik


Ergebnis:	565	(590.1)				
Serien:	98	93	94	92	91	97
Zähler:	31	23	6	0	0	0
Innenzehner:	11					
weiteste:	2146 (14), 1876 (24), 1759 (30)					
beste Teiler	105.0 (23.) 214.9 (10.) 230.8 (57.)					
Trefferlage	0.42 mm rechts, 1.06 mm tief					
Streuwert	7.12, horizontal: 6.53, vertikal: 7.66					




Serie 1:	10.1 ↗	10.5 *	10.5 *	9.6 ↓	10.0 ↓
	10.5 *	10.1 ↑	10.2 ↗	9.1 →	10.7 *
beste Teiler	214.9 (10.) 327.3 (3.) 361.9 (2.)				
Trefferlage	2.41 mm rechts, 0.24 mm hoch				
Streuwert	5.37, horizontal: 5.11, vertikal: 5.61				




Serie 2:	10.1 ↓	10.2 ↙	9.2 ↘	8.3 ↓	9.5 ←
	9.3 ←	9.9 →	9.5 →	10.1 ↗	10.3 ↙
beste Teiler	551.5 (20.) 562.8 (12.) 673.1 (11.)				
Trefferlage	2.56 mm links, 2.34 mm tief				
Streuwert	8.17, horizontal: 8.22, vertikal: 8.12				




Serie 3:	10.2 ↖	10.4 *	10.8 *	8.6 ↓	9.8 ↑
	10.2 →	10.2 ↑	10.2 ↑	9.9 ↓	8.8 ↑
beste Teiler	105.0 (23.) 478.8 (22.) 592.1 (28.)				
Trefferlage	1.23 mm rechts, 1.96 mm hoch				
Streuwert	7.22, horizontal: 3.27, vertikal: 9.67				



Serie 4:	9.0 ←	8.9 ↓	10.0 ↗	9.7 ↗	10.4 *
	9.6 ↓	10.1 ←	9.5 ↓	9.4 ↓	9.9 →
beste Teiler	454.3 (35.) 653.1 (37.) 741.9 (33.)				
Trefferlage	1.24 mm rechts, 4.81 mm tief				
Streuwert	7.18, horizontal: 7.47, vertikal: 6.87				





Serie 5:	10.6 *	9.9 ↓	10.5 *	9.5 ↘	8.8 ↖
	9.8 ↗	8.8 ↓	10.2 ↓	9.3 ↓	9.7 ←
beste Teiler	295.3 (41.) 346.9 (43.) 573.7 (48.)				
Trefferlage	1.38 mm links, 0.76 mm tief				
Streuwert	8.12, horizontal: 5.70, vertikal: 9.97				



Serie 6:	9.1 ←	10.4 *	10.1 ↓	10.1 →	10.1 ↗
	10.2 →	10.7 *	9.0 →	9.9 ↘	10.1 →
beste Teiler	230.8 (57.) 473.2 (52.) 639.8 (56.)				
Trefferlage	1.62 mm rechts, 0.67 mm tief				
Streuwert	6.47, horizontal: 8.14, vertikal: 4.18				


Meyton Elektronik

Ergebnis:	553	(578.5)				
Serien:	91	94	93	91	92	92
Zähler:	26	22	11	1	0	0
Innenzehner:	8					
weiteste:	2478 (59), 1956 (4), 1951 (14)					
beste Teiler	100.2 (27.) 292.9 (19.) 355.0 (52.)					
Trefferlage	0.69 mm links, 1.14 mm hoch					
Streuwert	8.28, horizontal: 8.02, vertikal: 8.54					




Serie 1:

9.0 →	10.5 *	9.6 ←	8.5 ↗	9.6 →
8.6 ↗	9.8 →	10.1 ↘	9.0 ↗	10.5 *
beste Teiler	370.5 (10.) 373.6 (2.) 664.5 (8.)			
Trefferlage	5.45 mm rechts, 3.29 mm hoch			
Streuwert	8.21, horizontal: 9.19, vertikal: 7.08			




Serie 2:

9.4 ↘	9.5 ↘	8.9 ↓	8.5 ↑	10.2 ↘
10.2 →	10.2 ↘	10.1 ↗	10.6 *	10.1 ↑
beste Teiler	292.9 (19.) 573.4 (15.) 606.5 (17.)			
Trefferlage	0.55 mm rechts, 1.52 mm tief			
Streuwert	7.93, horizontal: 4.26, vertikal: 10.37			




Serie 3:

10.2 ↖	10.0 ↓	8.5 ←	9.7 ↘	10.1 ↘
9.7 →	10.8 *	8.8 ↗	9.9 ↖	10.3 *
beste Teiler	100.2 (27.) 510.5 (30.) 599.6 (21.)			
Trefferlage	1.24 mm links, 0.63 mm hoch			
Streuwert	7.74, horizontal: 8.47, vertikal: 6.92			




Serie 4:

9.9 ↖	9.8 ↓	10.3 →	8.8 ↑	9.0 ↑
8.5 ←	10.0 ↖	9.9 ↘	10.0 ↑	9.2 ↖
beste Teiler	555.2 (33.) 738.2 (39.) 751.0 (37.)			
Trefferlage	2.92 mm links, 4.35 mm hoch			
Streuwert	8.21, horizontal: 8.15, vertikal: 8.27			




Serie 5:

9.5 ←	10.1 ↓	9.3 ←	9.5 ↘	10.1 ↘
8.7 ←	9.7 ↖	10.4 *	8.8 ↘	10.0 →
beste Teiler	406.7 (48.) 641.2 (45.) 685.6 (42.)			
Trefferlage	4.58 mm links, 3.64 mm tief			
Streuwert	7.32, horizontal: 8.02, vertikal: 6.54			





Serie 6:

10.3 *	10.5 *	10.2 ↘	8.8 ←	9.2 ↓
10.0 ←	9.5 ↑	10.0 ↑	7.9 ↑	9.7 ↖
beste Teiler	355.0 (52.) 488.0 (51.) 584.4 (53.)			
Trefferlage	1.41 mm links, 3.73 mm hoch			
Streuwert	8.74, horizontal: 7.01, vertikal: 10.18			




Ergebnis:	579							(605.0)
Serien:	95	98	94	99	95	98		
Zähler:	42	15	3	0	0	0	0	
Innenzehner:	26							
weiteste:	2119 (2), 2066 (48), 1633 (26)							
beste Teiler	20.0 (15.) 76.5 (5.) 91.1 (22.)							
Trefferlage	1.10 mm links, 0.95 mm hoch							
Streuwert	5.77, horizontal: 5.55, vertikal: 5.98							




Serie 1:

10.8 *	8.3 ↘	9.7 ↑	9.5 →	10.9 *
10.3 *	10.7 *	10.5 *	10.2 ↘	9.9 ←
beste Teiler	76.5 (5.) 113.3 (1.) 210.4 (7.)			
Trefferlage	2.44 mm links, 2.61 mm hoch			
Streuwert	6.27, horizontal: 7.20, vertikal: 5.16			




Serie 2:

10.2 ↑	10.3 *	10.0 ↑	10.8 *	10.9 *
10.1 ↘	10.4 *	9.7 ↘	9.8 ↓	10.3 *
beste Teiler	20.0 (15.) 160.1 (14.) 428.7 (17.)			
Trefferlage	0.79 mm rechts, 0.09 mm hoch			
Streuwert	4.62, horizontal: 3.91, vertikal: 5.22			




Serie 3:

9.7 ↓	10.8 *	9.3 ↘	10.8 *	9.4 ↗
8.9 ←	10.3 ←	10.4 *	10.0 ↘	9.2 ↑
beste Teiler	91.1 (22.) 147.3 (24.) 476.2 (28.)			
Trefferlage	1.57 mm links, 0.48 mm hoch			
Streuwert	7.35, horizontal: 6.80, vertikal: 7.87			




Serie 4:

10.3 ↘	10.1 ↗	9.5 ↘	10.6 *	10.4 *
10.8 *	10.3 ↙	10.5 *	10.4 *	10.4 *
beste Teiler	93.8 (36.) 242.4 (34.) 377.1 (38.)			
Trefferlage	0.21 mm links, 1.63 mm hoch			
Streuwert	3.97, horizontal: 3.44, vertikal: 4.45			



Serie 5:

10.2 ↓	9.7 ←	10.5 *	10.4 *	9.5 ↖
9.7 ←	10.4 *	8.4 ↑	10.0 →	10.1 →
beste Teiler	362.8 (43.) 452.0 (44.) 461.3 (47.)			
Trefferlage	1.63 mm links, 2.03 mm hoch			
Streuwert	7.01, horizontal: 6.19, vertikal: 7.75			





Serie 6:


10.2 ↑	10.0 ↗	10.0 ↘	10.3 *	9.5 ↙
9.3 ←	10.5 *	10.1 ↓	10.4 *	10.4 *
beste Teiler	349.1 (57.) 437.9 (59.) 450.4 (60.)			
Trefferlage	1.55 mm links, 1.12 mm tief			
Streuwert	5.45, horizontal: 5.57, vertikal: 5.32			

Meyton Elektronik


Ergebnis:	531	(557.2)				
Serien:	72	94	88	93	90	94
Zähler:	18	24	13	2	2	1 0 0 0 0
Innenzehner:	9					
weiteste:	4307 (2), 3801 (5), 3745 (3)					
beste Teiler	21.4 (33.) 304.9 (55.) 334.7 (25.)					
Trefferlage	0.51 mm rechts, 5.45 mm tief					
Streuwert	10.63, horizontal: 8.50, vertikal: 12.40					




Serie 1:	7.9 ↓	5.6 ↘	6.3 ↓	7.0 ↙	6.2 ↓
	8.3 ↓	8.0 ↘	8.5 ↓	8.9 →	9.4 ←
beste Teiler	1248.2 (10.) 1676.3 (9.) 1975.9 (8.)				
Trefferlage	5.07 mm rechts, 21.93 mm tief				
Streuwert	13.11, horizontal: 11.85, vertikal: 14.27				




Serie 2:	9.9 ↗	8.7 ↘	10.2 ↓	10.3 *	10.0 ↘
	8.8 ↘	9.9 →	10.3 ↙	10.1 ↓	10.0 ↓
beste Teiler	511.5 (14.) 544.0 (18.) 634.5 (13.)				
Trefferlage	5.09 mm rechts, 4.95 mm tief				
Streuwert	5.41, horizontal: 6.11, vertikal: 4.60				




Serie 3:	10.5 *	9.7 ↓	8.1 ↙	8.5 ↓	10.5 *
	9.4 ↓	8.9 ↓	8.8 ↓	8.9 ↑	10.3 *
beste Teiler	334.7 (25.) 343.9 (21.) 512.7 (30.)				
Trefferlage	1.63 mm links, 5.99 mm tief				
Streuwert	9.50, horizontal: 6.89, vertikal: 11.53				



Serie 4:	10.1 ↖	9.5 ↗	10.9 *	9.0 ↙	9.4 ↖
	9.4 ↑	10.1 ↙	9.4 ↓	9.6 ↙	9.7 ↓
beste Teiler	21.4 (33.) 661.8 (31.) 719.8 (37.)				
Trefferlage	1.82 mm links, 0.72 mm tief				
Streuwert	7.75, horizontal: 6.06, vertikal: 9.13				



Serie 5:	9.6 ↘	9.5 ↓	10.4 *	9.5 ↑	9.1 ←
	9.5 ↙	8.0 ↘	9.1 ↑	9.5 ←	9.7 ↗
beste Teiler	464.7 (43.) 1036.0 (50.) 1119.5 (41.)				
Trefferlage	3.25 mm links, 2.30 mm hoch				
Streuwert	9.46, horizontal: 8.54, vertikal: 10.31				



Serie 6:	10.1 ↘	8.7 ←	9.9 →	9.0 ↘	10.6 *
	10.4 *	10.5 *	10.3 ↓	9.4 ↓	9.4 ↖
beste Teiler	304.9 (55.) 379.5 (57.) 428.9 (56.)				
Trefferlage	0.36 mm links, 1.43 mm tief				
Streuwert	7.55, horizontal: 8.04, vertikal: 7.04				

Meyton Elektronik