





Ergebnis: **325** (346.7)  
 Serien: 75 82 87 81  
 Zähler: 4 13 13 6 2 2 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4112 (5), 4058 (6), 3321 (9)  
 beste Teiler 278.5 (7.) 339.5 (22.) 473.7 (19.)  
 Trefferlage 4.44 mm rechts, 1.26 mm hoch  
 Streuwert 14.23, horizontal: 14.96, vertikal: 13.45




Serie 1:  
 9.4 ←                      9.1 ↑                      8.7 ↙                      9.8 ↙                      5.8 ↙  
 5.9 ↗                      10.6 \*                      8.6 ↑                      6.8 ↗                      6.9 →  
 beste Teiler 278.5 (7.) 895.1 (4.) 1210.9 (1.)  
 Trefferlage 2.88 mm rechts, 4.68 mm hoch  
 Streuwert 18.69, horizontal: 22.01, vertikal: 14.63



Serie 2:  
 8.8 ↗                      8.6 ↘                      7.0 ↑                      9.5 ↘                      8.7 →  
 8.5 ↑                      7.8 ←                      8.7 →                      10.4 \*                      9.5 →  
 beste Teiler 473.7 (19.) 1161.0 (20.) 1165.0 (14.)  
 Trefferlage 3.29 mm rechts, 6.13 mm hoch  
 Streuwert 13.09, horizontal: 14.34, vertikal: 11.70



Serie 3:  
 7.4 ↗                      10.5 \*                      10.0 ↗                      8.8 ↑                      8.7 ↓  
 9.4 ←                      9.5 ←                      9.5 ↘                      9.0 ↓                      8.8 ↑  
 beste Teiler 339.5 (22.) 738.0 (23.) 1125.7 (28.)  
 Trefferlage 0.69 mm rechts, 2.08 mm hoch  
 Streuwert 11.54, horizontal: 9.80, vertikal: 13.06





Serie 4:  
 9.6 ↓                      9.4 ←                      8.5 ↘                      7.8 ↓                      7.1 ↘  
 9.9 ↑                      8.7 →                      7.2 ↘                      8.8 →                      9.0 →  
 beste Teiler 835.4 (36.) 1077.4 (31.) 1244.0 (32.)  
 Trefferlage 10.88 mm rechts, 7.81 mm tief  
 Streuwert 11.17, horizontal: 10.86, vertikal: 11.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.6)  
 Serien: 81 84 89 86  
 Zähler: 8 11 15 5 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3247 (37), 3168 (4), 3037 (5)  
 beste Teiler 189.8 (23.) 292.9 (21.) 439.9 (30.)  
 Trefferlage 4.34 mm rechts, 0.20 mm tief  
 Streuwert 12.32, horizontal: 10.24, vertikal: 14.10




Serie 1:  
 7.9 ↑                      8.6 ↑                      8.4 ↗                      7.0 ↑                      7.2 →  
 9.2 ↑                      8.0 ↑                      10.3 ←                      9.0 ↘                      8.8 ↓  
 beste Teiler 489.1 (8.) 1422.4 (6.) 1550.8 (9.)  
 Trefferlage 6.69 mm rechts, 10.12 mm hoch  
 Streuwert 13.24, horizontal: 10.83, vertikal: 15.28



Serie 2:  
 8.8 ↘                      9.3 ↓                      7.6 ↗                      8.7 ↘                      8.9 ↘  
 9.2 ↑                      10.0 ↓                      10.0 →                      7.7 ↘                      8.9 ↑  
 beste Teiler 751.5 (18.) 764.1 (17.) 1287.9 (12.)  
 Trefferlage 7.52 mm rechts, 3.95 mm tief  
 Streuwert 11.40, horizontal: 8.48, vertikal: 13.71



Serie 3:  
 10.6 \*                      9.9 ↓                      10.7 \*                      9.9 ↙                      8.1 ←  
 8.1 ←                      9.1 ↘                      8.1 ↗                      8.2 ↗                      10.4 \*  
 beste Teiler 189.8 (23.) 292.9 (21.) 439.9 (30.)  
 Trefferlage 0.28 mm links, 0.60 mm tief  
 Streuwert 11.63, horizontal: 14.18, vertikal: 8.35





Serie 4:  
 10.0 ↘                      9.8 ↗                      8.9 ↘                      8.8 ↓                      9.7 ↗  
 9.3 ↘                      6.9 ↓                      8.9 ↖                      9.4 ↓                      10.3 ↓  
 beste Teiler 489.3 (40.) 758.2 (31.) 885.8 (32.)  
 Trefferlage 3.47 mm rechts, 6.37 mm tief  
 Streuwert 10.40, horizontal: 4.72, vertikal: 13.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.0)  
 Serien: 94 94 92 88  
 Zähler: 14 21 4 1 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2651 (40), 2374 (39), 2186 (13)  
 beste Teiler 281.1 (10.) 373.7 (21.) 483.5 (17.)  
 Trefferlage 3.63 mm rechts, 3.04 mm hoch  
 Streuwert 7.79, horizontal: 8.42, vertikal: 7.10




Serie 1:  
 10.0 → 9.9 → 10.2 ↗ 10.2 ↘ 9.6 →  
 9.2 ← 10.3 ↗ 8.7 ↑ 9.0 ↗ 10.6 \*  
 beste Teiler 281.1 (10.) 558.8 (7.) 616.5 (3.)  
 Trefferlage 2.58 mm rechts, 4.18 mm hoch  
 Streuwert 7.04, horizontal: 7.89, vertikal: 6.08



Serie 2:  
 10.1 ↖ 9.5 ← 8.2 ↗ 9.8 ↑ 10.1 ←  
 10.3 ↗ 10.3 ↘ 10.2 → 9.3 → 9.9 ↘  
 beste Teiler 483.5 (17.) 510.5 (16.) 624.8 (18.)  
 Trefferlage 1.29 mm rechts, 1.56 mm hoch  
 Streuwert 7.77, horizontal: 9.62, vertikal: 5.32



Serie 3:  
 10.5 \* 9.7 ↑ 9.3 ↑ 10.2 ↑ 10.0 ↘  
 9.8 → 9.8 ↗ 9.7 → 8.7 ↗ 9.0 ↘  
 beste Teiler 373.7 (21.) 577.5 (24.) 751.0 (25.)  
 Trefferlage 3.11 mm rechts, 5.10 mm hoch  
 Streuwert 6.85, horizontal: 7.06, vertikal: 6.63





Serie 4:  
 9.9 ↗ 9.9 ↘ 9.7 ↘ 10.0 → 9.9 ↘  
 9.8 ↗ 9.0 ↗ 9.1 ↗ 8.0 → 7.6 ↘  
 beste Teiler 783.2 (34.) 814.0 (35.) 819.2 (31.)  
 Trefferlage 7.54 mm rechts, 1.32 mm hoch  
 Streuwert 9.38, horizontal: 8.85, vertikal: 9.88

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>348</b>	(366.6)			
Serien:	88	86	85	89	
Zähler:	5	21	11	3	0 0 0 0 0 0
Innenzehner:	1				
weiteste:	3197 (27), 2600 (1), 2456 (36)				
beste Teiler	460.4 (22.) 523.2 (7.) 661.3 (34.)				
Trefferlage	3.48 mm links, 9.75 mm tief				
Streuwert	8.16, horizontal: 8.03, vertikal: 8.29				




Serie 1:

7.7 ↙	9.7 ↗	9.0 →	9.1 ↘	9.9 ↘
9.7 ↘	10.3 ↘	9.8 ↘	8.7 ↓	9.9 ↘
beste Teiler	523.2 (7.) 833.6 (5.) 840.9 (10.)			
Trefferlage	1.39 mm links, 7.51 mm tief			
Streuwert	8.62, horizontal: 7.88, vertikal: 9.30			




Serie 2:

9.0 ↓	10.1 ↗	8.6 ↖	9.1 →	9.0 ↖
8.8 ←	8.5 ↓	8.6 ↓	9.1 ↓	8.5 ↘
beste Teiler	686.0 (12.) 1487.1 (19.) 1488.3 (14.)			
Trefferlage	4.12 mm links, 12.06 mm tief			
Streuwert	7.84, horizontal: 9.41, vertikal: 5.86			



Serie 3:

9.6 ↘	10.4 *	8.3 ↘	9.3 ←	9.7 ←
8.8 ↓	7.0 ↘	8.6 ↖	8.7 ↓	9.4 ↖
beste Teiler	460.4 (22.) 1033.5 (25.) 1090.4 (21.)			
Trefferlage	7.80 mm links, 11.75 mm tief			
Streuwert	7.51, horizontal: 6.89, vertikal: 8.09			





Serie 4:

9.5 →	9.7 ←	9.0 ↘	10.1 ↘	10.0 ↘
7.9 ↓	9.9 ↘	9.2 ↓	8.8 ↓	9.6 ↘
beste Teiler	661.3 (34.) 750.0 (35.) 805.2 (37.)			
Trefferlage	0.62 mm links, 7.70 mm tief			
Streuwert	8.29, horizontal: 6.82, vertikal: 9.54			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.9)  
 Serien: 87 90 89 86  
 Zähler: 10 17 8 5 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3047 (29), 2937 (34), 2556 (36)  
 beste Teiler 232.0 (10.) 275.8 (22.) 318.6 (30.)  
 Trefferlage 5.98 mm rechts, 1.32 mm hoch  
 Streuwert 9.94, horizontal: 10.94, vertikal: 8.83




Serie 1:  
 8.6 ↙ 9.5 ↑ 8.0 → 8.8 → 9.7 →  
 9.8 ↙ 9.0 → 8.6 ↘ 9.6 → 10.7 \*  
 beste Teiler 232.0 (10.) 902.8 (6.) 982.4 (5.)  
 Trefferlage 4.18 mm rechts, 3.25 mm hoch  
 Streuwert 10.41, horizontal: 12.54, vertikal: 7.71



Serie 2:  
 9.4 → 10.0 → 7.9 ↓ 10.5 \* 10.3 ↓  
 10.0 ↗ 9.2 → 9.8 ↑ 7.8 ↗ 9.7 ↘  
 beste Teiler 351.8 (14.) 493.7 (15.) 778.6 (12.)  
 Trefferlage 6.76 mm rechts, 0.11 mm tief  
 Streuwert 9.09, horizontal: 7.29, vertikal: 10.58



Serie 3:  
 10.2 ↓ 10.6 \* 8.3 ↖ 9.0 ↗ 8.8 ↗  
 8.6 → 10.2 ↖ 9.4 ↗ 7.1 → 10.6 \*  
 beste Teiler 275.8 (22.) 318.6 (30.) 608.3 (27.)  
 Trefferlage 5.76 mm rechts, 5.57 mm hoch  
 Streuwert 10.14, horizontal: 12.88, vertikal: 6.29





Serie 4:  
 9.9 ↓ 9.8 ↗ 8.3 → 7.3 → 9.9 →  
 7.8 ↓ 9.7 ← 9.6 → 10.2 ↖ 9.7 ↓  
 beste Teiler 602.3 (39.) 823.5 (35.) 845.1 (31.)  
 Trefferlage 7.21 mm rechts, 3.41 mm tief  
 Streuwert 10.30, horizontal: 11.69, vertikal: 8.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.1)  
 Serien: 89 87 90 86  
 Zähler: 12 12 12 4 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3068 (8), 2721 (39), 2504 (12)  
 beste Teiler 118.2 (15.) 155.5 (29.) 302.8 (18.)  
 Trefferlage 3.36 mm links, 3.09 mm tief  
 Streuwert 10.56, horizontal: 10.19, vertikal: 10.91




Serie 1:  
 8.7 ↙ 9.2 ↗ 10.4 \* 10.5 \* 9.9 ↓  
 9.4 ← 10.0 ↑ 7.1 ↙ 8.7 ↙ 9.2 ↓  
 beste Teiler 369.6 (4.) 464.5 (3.) 793.2 (7.)  
 Trefferlage 5.60 mm links, 5.00 mm tief  
 Streuwert 9.88, horizontal: 10.56, vertikal: 9.15



Serie 2:  
 10.2 ← 7.8 ↓ 8.2 ↙ 8.6 ↓ 10.8 \*  
 9.2 ↙ 9.7 ↘ 10.6 \* 8.7 ↗ 8.5 ↑  
 beste Teiler 118.2 (15.) 302.8 (18.) 628.5 (11.)  
 Trefferlage 2.79 mm links, 2.11 mm tief  
 Streuwert 11.54, horizontal: 8.63, vertikal: 13.85





Serie 3:  
 9.5 → 8.4 ↙ 8.3 ↘ 10.0 ↘ 10.2 ↓  
 8.6 ↘ 9.6 ← 8.4 ↓ 10.8 \* 10.3 ↘  
 beste Teiler 155.5 (29.) 527.2 (30.) 575.5 (25.)  
 Trefferlage 5.15 mm links, 1.68 mm tief  
 Streuwert 9.88, horizontal: 9.75, vertikal: 10.01




Serie 4:  
 8.4 ↙ 9.9 ← 9.4 ↘ 7.9 ↓ 10.6 \*  
 10.3 ↘ 8.8 ↑ 9.4 ← 7.5 ↘ 9.4 →  
 beste Teiler 316.4 (35.) 525.6 (36.) 824.8 (32.)  
 Trefferlage 0.09 mm rechts, 3.59 mm tief  
 Streuwert 11.80, horizontal: 12.09, vertikal: 11.51

Unterschrift des Schützen


Ergebnis: **336** (353.1)  
 Serien: 87 81 86 82  
 Zähler: 7 13 11 7 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3995 (33), 3409 (28), 3117 (35)  
 beste Teiler 299.9 (26.) 436.5 (14.) 492.7 (25.)  
 Trefferlage 3.79 mm rechts, 2.22 mm hoch  
 Streuwert 13.42, horizontal: 13.15, vertikal: 13.67




Serie 1:  
 10.0 ↖ 9.4 ↖ 10.3 → 9.3 ↑ 8.2 ↘  
 9.0 → 9.2 ↙ 7.4 ↙ 8.2 → 8.3 →  
 beste Teiler 507.1 (3.) 800.5 (1.) 1243.3 (2.)  
 Trefferlage 0.10 mm rechts, 1.74 mm tief  
 Streuwert 13.15, horizontal: 15.06, vertikal: 10.90



Serie 2:  
 9.9 ↘ 8.1 ↑ 7.7 ↗ 10.4 \* 8.8 ↑  
 8.3 ↙ 8.9 → 7.7 ↘ 9.9 ↗ 7.6 ↓  
 beste Teiler 436.5 (14.) 815.3 (11.) 864.9 (19.)  
 Trefferlage 5.24 mm rechts, 1.02 mm hoch  
 Streuwert 13.92, horizontal: 11.35, vertikal: 16.08





Serie 3:  
 8.6 ↖ 8.7 ↙ 7.8 ↗ 9.6 ↓ 10.3 ↑  
 10.6 \* 10.2 ↓ 6.7 → 9.5 → 9.5 ↗  
 beste Teiler 299.9 (26.) 492.7 (25.) 610.6 (27.)  
 Trefferlage 3.85 mm rechts, 0.85 mm hoch  
 Streuwert 12.36, horizontal: 14.92, vertikal: 9.12




Serie 4:  
 9.8 ↘ 7.2 ↑ 6.0 ↗ 9.3 ↘ 7.1 ↖  
 9.5 → 9.1 → 8.0 ↗ 8.8 ↖ 10.2 ↓  
 beste Teiler 567.9 (40.) 916.6 (31.) 1187.4 (36.)  
 Trefferlage 5.98 mm rechts, 8.73 mm hoch  
 Streuwert 14.66, horizontal: 12.18, vertikal: 16.78

Unterschrift des Schützen


Ergebnis: **310** (326.3)  
 Serien: 83 84 70 73  
 Zähler: 3 11 9 11 3 2 1 0 0 0  
 Innenzehner: 0  
 weiteste: 5522 (28), 4259 (37), 4172 (25)  
 beste Teiler 519.7 (9.) 541.4 (16.) 565.3 (6.)  
 Trefferlage 13.83 mm links, 5.15 mm tief  
 Streuwert 14.43, horizontal: 14.90, vertikal: 13.95




Serie 1:  
 9.8 ↗ 8.2 ↘ 7.8 ↙ 9.3 ↘ 9.1 ↗  
 10.2 ↘ 7.4 ↓ 7.5 ↓ 10.3 ↙ 7.0 ↘  
 beste Teiler 519.7 (9.) 565.3 (6.) 958.0 (1.)  
 Trefferlage 4.47 mm links, 10.08 mm tief  
 Streuwert 12.88, horizontal: 12.43, vertikal: 13.31



Serie 2:  
 9.6 ← 7.2 ← 9.7 ↘ 9.0 ↗ 8.4 ↓  
 10.3 ↓ 9.5 ← 9.6 ↘ 6.5 ↘ 8.7 ↘  
 beste Teiler 541.4 (16.) 1034.3 (13.) 1046.6 (11.)  
 Trefferlage 10.04 mm links, 5.15 mm tief  
 Streuwert 11.42, horizontal: 10.53, vertikal: 12.25



Serie 3:  
 8.3 ↘ 8.6 → 6.3 ↙ 8.3 ↘ 5.7 ←  
 7.4 ↘ 9.4 ↘ 4.0 ← 8.5 ↘ 7.8 ←  
 beste Teiler 1221.0 (27.) 1888.1 (22.) 1994.8 (29.)  
 Trefferlage 21.27 mm links, 4.31 mm tief  
 Streuwert 16.15, horizontal: 19.49, vertikal: 11.92





Serie 4:  
 7.7 ← 7.0 ← 9.8 ↘ 9.1 ↘ 8.1 ←  
 6.3 ↘ 5.6 ↘ 7.1 ↓ 7.8 ↘ 8.4 ←  
 beste Teiler 895.4 (33.) 1488.4 (34.) 2062.6 (40.)  
 Trefferlage 19.56 mm links, 1.06 mm tief  
 Streuwert 14.71, horizontal: 10.27, vertikal: 18.10

Unterschrift des Schützen

Meyton Elektronik




Ergebnis: **335** (354.5)  
 Serien: 85 84 86 80  
 Zähler: 3 19 11 5 1 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4109 (37), 3651 (17), 2925 (36)  
 beste Teiler 226.1 (29.) 562.4 (39.) 741.2 (7.)  
 Trefferlage 0.27 mm links, 3.02 mm tief  
 Streuwert 13.14, horizontal: 10.90, vertikal: 15.05




Serie 1:  
 9.9 ↑                      7.3 →                      9.2 ↓                      8.6 ↘                      9.7 ↖  
 8.6 ↓                      10.0 ↓                      7.6 ↖                      9.5 ↓                      9.5 →

beste Teiler 741.2 (7.) 858.9 (1.) 986.6 (5.)  
 Trefferlage 2.88 mm rechts, 2.37 mm tief  
 Streuwert 12.58, horizontal: 13.82, vertikal: 11.21




Serie 2:  
 9.2 ↓                      9.6 ↘                      8.9 ↓                      9.1 ↑                      9.7 ↑  
 8.2 ↙                      6.4 ↓                      8.2 →                      9.4 ←                      9.3 ↙

beste Teiler 1017.8 (15.) 1047.6 (12.) 1208.2 (19.)  
 Trefferlage 0.12 mm rechts, 7.95 mm tief  
 Streuwert 12.65, horizontal: 10.22, vertikal: 14.69



Serie 3:  
 9.6 ↓                      8.7 ↘                      8.5 ↓                      7.7 ↓                      8.2 ↙  
 9.4 ↑                      9.0 ↗                      9.7 ↑                      10.7 \*                      9.9 ←

beste Teiler 226.1 (29.) 827.8 (30.) 1011.3 (28.)  
 Trefferlage 0.41 mm links, 3.84 mm tief  
 Streuwert 11.53, horizontal: 9.90, vertikal: 12.96





Serie 4:  
 9.7 ↓                      8.4 ←                      9.2 ↓                      8.3 ←                      9.9 ↓  
 7.3 ↓                      5.8 ↑                      8.7 ↑                      10.2 ←                      7.7 ↑

beste Teiler 562.4 (39.) 802.3 (35.) 984.2 (31.)  
 Trefferlage 3.69 mm links, 2.07 mm hoch  
 Streuwert 16.00, horizontal: 9.88, vertikal: 20.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (370.1)  
 Serien: 86 89 93 86  
 Zähler: 13 15 7 4 0 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4401 (37), 3140 (2), 2780 (11)  
 beste Teiler 182.2 (32.) 247.3 (3.) 275.7 (35.)  
 Trefferlage 1.10 mm links, 2.07 mm tief  
 Streuwert 11.47, horizontal: 11.69, vertikal: 11.25




Serie 1:  
 7.9 ↗ 7.0 ↓ 10.6 \* 9.5 ↘ 9.2 ↘  
 10.0 ↖ 9.4 ↙ 7.6 ↘ 10.0 → 8.9 ↙  
 beste Teiler 247.3 (3.) 760.8 (9.) 773.9 (6.)  
 Trefferlage 0.06 mm links, 4.76 mm tief  
 Streuwert 12.79, horizontal: 8.87, vertikal: 15.76



Serie 2:  
 7.5 ↓ 8.7 ↓ 8.2 ← 9.5 ↓ 9.8 ↘  
 10.4 ↘ 10.5 \* 8.5 → 10.4 ↙ 10.1 ↓  
 beste Teiler 388.2 (17.) 479.8 (16.) 480.5 (19.)  
 Trefferlage 0.95 mm links, 7.44 mm tief  
 Streuwert 9.89, horizontal: 10.73, vertikal: 8.96



Serie 3:  
 10.6 \* 9.0 ↗ 9.1 ← 9.8 ↑ 9.2 →  
 10.3 ↖ 9.8 ↖ 9.2 ← 10.0 ↖ 9.2 ↓  
 beste Teiler 279.7 (21.) 509.1 (26.) 770.9 (29.)  
 Trefferlage 0.80 mm links, 3.08 mm hoch  
 Streuwert 8.17, horizontal: 8.85, vertikal: 7.43





Serie 4:  
 8.9 ↗ 10.7 \* 9.1 ↖ 9.5 ↙ 10.6 \*  
 10.2 → 5.4 ← 8.1 ↖ 9.1 → 8.6 ↘  
 beste Teiler 182.2 (32.) 275.7 (35.) 600.7 (36.)  
 Trefferlage 2.60 mm links, 0.83 mm hoch  
 Streuwert 14.16, horizontal: 17.77, vertikal: 9.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (359.2)  
 Serien: 84 83 87 86  
 Zähler: 9 15 7 6 2 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 4203 (12), 3399 (3), 3374 (29)  
 beste Teiler 60.8 (38.) 272.2 (30.) 368.0 (25.)  
 Trefferlage 3.01 mm links, 6.28 mm hoch  
 Streuwert 12.42, horizontal: 10.25, vertikal: 14.27




Serie 1:  
 9.8 ↑                      9.5 ←                      6.7 ↑                      9.6 ↓                      8.9 ←  
 7.7 ↗                      9.1 ↑                      9.4 ↑                      9.5 ↘                      9.9 ↘  
 beste Teiler 866.9 (10.) 947.0 (1.) 1096.1 (4.)  
 Trefferlage 3.01 mm links, 9.77 mm hoch  
 Streuwert 10.48, horizontal: 7.85, vertikal: 12.57



Serie 2:  
 9.2 ↗                      5.7 ↗                      9.7 ←                      7.0 ↑                      10.3 ↓  
 9.4 ↘                      10.4 \*                      7.7 ↘                      9.4 ↑                      8.3 ←  
 beste Teiler 469.8 (17.) 558.1 (15.) 993.0 (13.)  
 Trefferlage 2.06 mm links, 9.84 mm hoch  
 Streuwert 14.09, horizontal: 13.40, vertikal: 14.75



Serie 3:  
 9.8 ↑                      8.6 ↑                      8.9 ↘                      10.2 ↗                      10.5 \*  
 8.0 ↑                      10.5 \*                      8.7 ↙                      6.7 ↙                      10.6 \*  
 beste Teiler 272.2 (30.) 368.0 (25.) 399.1 (27.)  
 Trefferlage 4.30 mm links, 3.32 mm hoch  
 Streuwert 11.79, horizontal: 10.03, vertikal: 13.32





Serie 4:  
 7.3 ↗                      8.4 ↑                      10.0 ←                      9.6 ↗                      9.1 ↙  
 10.5 \*                      7.2 ↓                      10.9 \*                      7.5 ↘                      9.0 ←  
 beste Teiler 60.8 (38.) 385.0 (36.) 777.3 (33.)  
 Trefferlage 2.69 mm links, 2.21 mm hoch  
 Streuwert 13.85, horizontal: 10.52, vertikal: 16.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (344.9)  
 Serien: 78 80 82 85  
 Zähler: 3 14 12 8 2 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4766 (4), 3868 (36), 3590 (12)  
 beste Teiler 165.6 (27.) 424.6 (18.) 783.3 (34.)  
 Trefferlage 2.43 mm rechts, 1.77 mm tief  
 Streuwert 14.82, horizontal: 14.19, vertikal: 15.43




Serie 1:  
 9.6 ↘                      8.3 ↘                      7.8 ↙                      5.0 →                      9.9 ↓  
 7.4 ↓                      7.5 ↓                      8.0 ↙                      9.6 ↑                      9.3 ↓  
 beste Teiler 813.8 (5.) 1059.4 (9.) 1096.4 (1.)  
 Trefferlage 5.15 mm rechts, 10.12 mm tief  
 Streuwert 16.04, horizontal: 17.48, vertikal: 14.46



Serie 2:  
 8.0 ↘                      6.5 ↘                      7.6 ↙                      8.8 ↑                      9.9 →  
 9.9 ↓                      8.3 ↙                      10.4 \*                      7.9 ↙                      8.5 →  
 beste Teiler 424.6 (18.) 877.8 (15.) 880.1 (16.)  
 Trefferlage 0.98 mm links, 2.45 mm tief  
 Streuwert 15.57, horizontal: 17.45, vertikal: 13.44



Serie 3:  
 7.6 ↑                      8.9 →                      9.0 ↑                      7.5 ↗                      9.1 ↑  
 8.9 ↓                      10.7 \*                      7.7 ↓                      8.0 ↘                      9.6 ↘  
 beste Teiler 165.6 (27.) 1095.6 (30.) 1448.7 (25.)  
 Trefferlage 6.53 mm rechts, 1.75 mm hoch  
 Streuwert 13.70, horizontal: 10.25, vertikal: 16.45





Serie 4:  
 8.8 ↑                      8.2 ↙                      9.8 ↘                      10.0 ←                      9.8 ↓  
 6.1 ↑                      9.4 ←                      9.5 ↘                      8.4 ↗                      9.7 ↓  
 beste Teiler 783.3 (34.) 893.4 (33.) 923.1 (35.)  
 Trefferlage 0.95 mm links, 3.73 mm hoch  
 Streuwert 13.23, horizontal: 10.22, vertikal: 15.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (356.9)  
 Serien: 85 87 86 80  
 Zähler: 6 14 13 6 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3639 (9), 3061 (34), 2948 (29)  
 beste Teiler 56.3 (18.) 464.0 (4.) 553.9 (6.)  
 Trefferlage 6.14 mm links, 5.72 mm hoch  
 Streuwert 11.34, horizontal: 11.63, vertikal: 11.03




Serie 1:  
 8.5 ↖ 9.8 ↓ 9.7 ↑ 10.4 \* 8.8 ↗  
 10.3 ↓ 9.0 ↓ 8.5 ↖ 6.4 ↗ 8.5 ↖  
 beste Teiler 464.0 (4.) 553.9 (6.) 912.5 (2.)  
 Trefferlage 5.71 mm links, 4.82 mm hoch  
 Streuwert 12.20, horizontal: 10.69, vertikal: 13.55



Serie 2:  
 7.9 ↖ 9.0 ↖ 8.6 ↖ 9.8 ↓ 9.1 →  
 9.6 ↗ 8.9 → 10.9 \* 9.2 ↑ 9.9 ↑  
 beste Teiler 56.3 (18.) 866.1 (20.) 923.7 (14.)  
 Trefferlage 0.81 mm links, 1.72 mm hoch  
 Streuwert 10.82, horizontal: 12.81, vertikal: 8.38





Serie 3:  
 8.6 ↖ 8.5 ↑ 9.3 ↑ 8.8 → 9.5 ←  
 8.6 ↖ 9.3 ↓ 10.1 ↓ 7.3 ↖ 10.0 ↑  
 beste Teiler 653.0 (28.) 780.8 (30.) 1169.2 (25.)  
 Trefferlage 5.24 mm links, 4.38 mm hoch  
 Streuwert 11.48, horizontal: 12.26, vertikal: 10.64




Serie 4:  
 7.5 ↖ 9.0 ↖ 10.1 ↖ 7.1 ↖ 9.3 ←  
 7.9 ↖ 8.8 ↖ 7.5 ↑ 8.8 ↑ 8.1 ←  
 beste Teiler 644.6 (33.) 1315.5 (35.) 1567.0 (32.)  
 Trefferlage 12.82 mm links, 11.98 mm hoch  
 Streuwert 9.27, horizontal: 8.70, vertikal: 9.82

Unterschrift des Schützen


Ergebnis: **300** (317.0)  
 Serien: 76 84 75 65  
 Zähler: 4 12 8 4 6 2 3 0 1 0  
 Innenzehner: 1  
 weiteste: 6923 (6), 5475 (32), 5088 (21)  
 beste Teiler 350.2 (14.) 640.4 (20.) 640.5 (19.)  
 Trefferlage 4.00 mm links, 9.74 mm hoch  
 Streuwert 19.01, horizontal: 17.92, vertikal: 20.04




Serie 1:  
 8.4 ↙ 4.8 ↙ 9.4 ↖ 9.5 ↗ 9.4 ←  
 2.3 ↖ 9.6 → 9.0 ↓ 8.4 ↓ 9.6 ↗  
 beste Teiler 1074.8 (10.) 1092.8 (7.) 1183.2 (4.)  
 Trefferlage 10.40 mm links, 3.18 mm tief  
 Streuwert 20.78, horizontal: 24.78, vertikal: 15.81



Serie 2:  
 8.8 ↘ 9.6 ↘ 8.0 ↑ 10.5 \* 9.4 ↓  
 5.3 ↘ 7.5 ← 8.4 ↗ 10.2 ↖ 10.2 →  
 beste Teiler 350.2 (14.) 640.4 (20.) 640.5 (19.)  
 Trefferlage 5.43 mm links, 9.27 mm hoch  
 Streuwert 13.54, horizontal: 11.52, vertikal: 15.29



Serie 3:  
 4.6 ↑ 7.2 ↑ 6.8 ↑ 9.7 ↙ 8.5 ↑  
 6.7 ↘ 9.4 ↘ 9.0 → 9.2 ↑ 8.8 ↓  
 beste Teiler 1017.9 (24.) 1263.5 (27.) 1392.4 (29.)  
 Trefferlage 1.66 mm links, 16.37 mm hoch  
 Streuwert 15.71, horizontal: 8.80, vertikal: 20.40





Serie 4:  
 6.5 ↘ 4.1 ↑ 6.4 ↑ 7.3 ↘ 8.2 ↓  
 6.5 ↗ 10.0 ↘ 6.4 ↘ 5.7 ← 7.7 ↗  
 beste Teiler 745.0 (37.) 2214.8 (35.) 2625.5 (40.)  
 Trefferlage 1.47 mm rechts, 16.49 mm hoch  
 Streuwert 22.75, horizontal: 21.91, vertikal: 23.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.3)  
 Serien: 88 89 87 95  
 Zähler: 11 19 8 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2820 (16), 2453 (30), 2276 (26)  
 beste Teiler 226.7 (33.) 338.7 (31.) 352.8 (11.)  
 Trefferlage 2.65 mm links, 1.27 mm hoch  
 Streuwert 9.66, horizontal: 9.82, vertikal: 9.49




Serie 1:  
 10.2 ←                      10.4 \*                      8.6 ↖                      8.2 ↘                      8.9 ←  
 8.5 ↓                      10.0 ↘                      8.8 ←                      9.0 ↓                      9.7 ↖  
 beste Teiler 449.6 (2.) 573.9 (1.) 777.4 (7.)  
 Trefferlage 7.62 mm links, 2.68 mm tief  
 Streuwert 9.38, horizontal: 7.50, vertikal: 10.94



Serie 2:  
 10.5 \*                      10.2 ↖                      9.3 ↖                      9.2 ↘                      9.6 ↖  
 7.4 ↗                      9.3 ↘                      9.0 ↖                      8.9 ↗                      9.4 ↖  
 beste Teiler 352.8 (11.) 624.0 (12.) 1088.2 (15.)  
 Trefferlage 2.88 mm links, 4.61 mm hoch  
 Streuwert 10.28, horizontal: 11.21, vertikal: 9.25



Serie 3:  
 9.4 ↘                      10.4 \*                      8.7 ↗                      9.1 ↓                      9.7 ↓  
 8.1 ↗                      9.9 ↑                      9.6 ↖                      9.4 ↑                      7.9 ←  
 beste Teiler 452.6 (22.) 825.6 (27.) 972.4 (25.)  
 Trefferlage 0.94 mm links, 0.96 mm hoch  
 Streuwert 11.16, horizontal: 12.06, vertikal: 10.18





Serie 4:  
 10.5 \*                      10.3 ↗                      10.7 \*                      9.4 ↘                      9.0 ↗  
 9.2 ↑                      10.4 \*                      9.6 ↖                      9.9 ↑                      10.0 ↓  
 beste Teiler 226.7 (33.) 338.7 (31.) 465.5 (37.)  
 Trefferlage 0.81 mm rechts, 2.21 mm hoch  
 Streuwert 6.95, horizontal: 6.79, vertikal: 7.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (355.6)  
 Serien: 86 82 85 83  
 Zähler: 7 10 19 1 2 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4422 (18), 3462 (25), 3310 (13)  
 beste Teiler 186.0 (19.) 266.1 (24.) 266.4 (8.)  
 Trefferlage 3.39 mm links, 1.36 mm hoch  
 Streuwert 13.05, horizontal: 12.57, vertikal: 13.51




Serie 1:  
 8.6 ↘                      8.6 ↘                      8.8 ↑                      8.0 ↘                      8.8 ↘  
 9.1 ↗                      8.8 ↓                      10.6 \*                      10.2 ←                      9.7 ↘  
 beste Teiler 266.4 (8.) 603.1 (9.) 1027.4 (10.)  
 Trefferlage 3.48 mm links, 1.78 mm hoch  
 Streuwert 11.44, horizontal: 8.29, vertikal: 13.89



Serie 2:  
 8.8 ←                      9.2 ↗                      6.8 ↗                      8.9 ↘                      8.4 ↓  
 9.3 ←                      10.3 ↗                      5.4 ↗                      10.7 \*                      9.5 ←  
 beste Teiler 186.0 (19.) 520.7 (17.) 1187.9 (20.)  
 Trefferlage 12.54 mm links, 8.27 mm tief  
 Streuwert 11.35, horizontal: 12.36, vertikal: 10.24



Serie 3:  
 10.1 ↗                      8.8 ↑                      9.4 ↑                      10.6 \*                      6.6 ↗  
 8.3 →                      10.0 ↑                      7.2 ↑                      9.3 ↓                      8.8 ↘  
 beste Teiler 266.1 (24.) 641.3 (21.) 800.7 (27.)  
 Trefferlage 4.23 mm rechts, 9.07 mm hoch  
 Streuwert 12.11, horizontal: 12.44, vertikal: 11.77





Serie 4:  
 8.4 ↓                      9.7 ↑                      8.8 ↑                      8.2 ↘                      8.6 ↗  
 8.2 ↘                      9.3 →                      8.8 ←                      9.2 ↗                      8.8 ↘  
 beste Teiler 1016.5 (32.) 1296.3 (37.) 1400.0 (39.)  
 Trefferlage 1.77 mm links, 2.89 mm hoch  
 Streuwert 12.87, horizontal: 12.18, vertikal: 13.53

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **356** (374.6)  
 Serien: 89 90 87 90  
 Zähler: 8 23 6 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2914 (9), 2670 (30), 2434 (12)  
 beste Teiler 338.3 (25.) 413.2 (33.) 483.7 (3.)  
 Trefferlage 4.75 mm links, 6.19 mm hoch  
 Streuwert 8.28, horizontal: 7.86, vertikal: 8.68




Serie 1:  
 10.3 ↑                      9.8 ↘                      10.3 ↗                      9.4 ←                      8.7 ↗  
    9.7 ↘                      8.4 ←                      9.0 ↑                      7.3 ↑                      10.0 ↘  
 beste Teiler 483.7 (3.) 534.2 (1.) 794.0 (10.)  
 Trefferlage 2.57 mm links, 7.30 mm hoch  
 Streuwert 9.63, horizontal: 9.39, vertikal: 9.87



Serie 2:  
 10.0 ↑                      7.9 ↑                      8.8 ↘                      9.1 ↘                      10.3 ↘  
    9.2 ←                      10.1 ↘                      9.3 ↘                      9.7 ↘                      9.7 ↗  
 beste Teiler 545.8 (15.) 684.4 (17.) 773.5 (11.)  
 Trefferlage 5.56 mm links, 7.67 mm hoch  
 Streuwert 7.21, horizontal: 7.25, vertikal: 7.16



Serie 3:  
 9.0 ↘                      8.7 ↘                      8.8 ←                      9.5 ↓                      10.5 \*  
    9.7 ←                      9.3 ←                      9.9 ↑                      9.6 ↘                      7.6 ↑  
 beste Teiler 338.3 (25.) 818.0 (28.) 1033.1 (26.)  
 Trefferlage 3.61 mm links, 4.98 mm hoch  
 Streuwert 10.06, horizontal: 9.25, vertikal: 10.80





Serie 4:  
 9.8 ↑                      8.7 ←                      10.4 \*                      9.8 ↑                      9.7 ↘  
    9.0 ↗                      9.4 ↘                      9.8 ↘                      9.4 ↘                      9.0 ↘  
 beste Teiler 413.2 (33.) 890.9 (34.) 891.9 (38.)  
 Trefferlage 7.26 mm links, 4.82 mm hoch  
 Streuwert 6.33, horizontal: 5.18, vertikal: 7.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285** (302.1)  
 Serien: 67 71 73 74  
 Zähler: 1 5 9 12 10 2 1 0 0 0  
 Innenzehner: 0  
 weiteste: 4831 (7), 4627 (28), 4416 (2)  
 beste Teiler 794.5 (23.) 1010.3 (35.) 1064.4 (18.)  
 Trefferlage 1.78 mm rechts, 14.64 mm hoch  
 Streuwert 17.86, horizontal: 19.95, vertikal: 15.49




Serie 1:  
 7.3 ↗ 5.4 ↑ 7.1 ← 9.2 ↙ 6.9 →  
 8.7 ↘ 4.9 ↘ 8.6 ↑ 7.3 → 6.2 ↗  
 beste Teiler 1410.2 (4.) 1775.3 (6.) 1849.9 (8.)  
 Trefferlage 4.50 mm rechts, 15.82 mm hoch  
 Streuwert 20.56, horizontal: 23.23, vertikal: 17.48



Serie 2:  
 8.4 ↑ 7.4 ↘ 6.6 ↑ 6.0 ↘ 7.3 →  
 7.7 ↑ 7.8 ↘ 9.6 ↑ 7.2 ← 7.8 ↑  
 beste Teiler 1064.4 (18.) 2036.1 (11.) 2540.3 (17.)  
 Trefferlage 1.78 mm links, 13.98 mm hoch  
 Streuwert 18.03, horizontal: 20.55, vertikal: 15.09



Serie 3:  
 8.9 ↑ 6.6 ↘ 10.0 ↑ 6.8 ↘ 6.3 ↑  
 8.1 ↑ 9.5 ← 5.2 ↗ 8.0 ↘ 7.7 →  
 beste Teiler 794.5 (23.) 1173.5 (27.) 1632.1 (21.)  
 Trefferlage 0.58 mm links, 18.63 mm hoch  
 Streuwert 15.93, horizontal: 19.37, vertikal: 11.49





Serie 4:  
 7.2 ↑ 8.3 ↑ 9.0 ↗ 7.9 ↗ 9.7 ↑  
 6.3 ↑ 6.3 ↙ 8.5 ↙ 8.1 → 6.3 →  
 beste Teiler 1010.3 (35.) 1571.8 (33.) 1995.6 (38.)  
 Trefferlage 4.99 mm rechts, 10.13 mm hoch  
 Streuwert 18.42, horizontal: 18.64, vertikal: 18.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (379.1)  
 Serien: 87 90 91 89  
 Zähler: 11 19 7 2 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3548 (32), 2868 (2), 2565 (18)  
 beste Teiler 123.9 (23.) 191.9 (20.) 386.8 (4.)  
 Trefferlage 1.73 mm rechts, 1.12 mm hoch  
 Streuwert 9.78, horizontal: 9.24, vertikal: 10.29




Serie 1:  
 9.6 ←                      7.4 ↘                      8.5 ↗                      10.5 \*                      8.9 ↖  
 8.8 ↗                      9.9 ↑                      9.9 ↘                      9.3 →                      10.3 →  
 beste Teiler 386.8 (4.) 482.1 (10.) 818.2 (7.)  
 Trefferlage 0.94 mm rechts, 6.39 mm hoch  
 Streuwert 10.04, horizontal: 11.17, vertikal: 8.76



Serie 2:  
 9.6 ↘                      8.1 ↙                      9.9 ↑                      9.7 →                      9.6 ↓  
 10.1 ←                      9.3 ↙                      7.7 ↗                      10.0 ↑                      10.7 \*  
 beste Teiler 191.9 (20.) 647.8 (16.) 760.2 (19.)  
 Trefferlage 1.09 mm rechts, 1.41 mm tief  
 Streuwert 10.09, horizontal: 8.92, vertikal: 11.13



Serie 3:  
 8.5 →                      9.9 ↘                      10.8 \*                      9.4 ↓                      10.3 ↑  
 9.5 ↗                      9.9 ←                      9.8 ↗                      9.9 →                      9.8 ↑  
 beste Teiler 123.9 (23.) 547.0 (25.) 806.8 (22.)  
 Trefferlage 3.04 mm rechts, 2.49 mm hoch  
 Streuwert 7.28, horizontal: 7.96, vertikal: 6.52





Serie 4:  
 9.8 →                      6.5 ↗                      8.9 ↘                      8.5 ↙                      10.0 ↙  
 10.4 \*                      9.2 ↓                      10.3 ↖                      10.1 ↘                      9.8 ↙  
 beste Teiler 433.3 (36.) 540.6 (38.) 661.3 (39.)  
 Trefferlage 1.87 mm rechts, 2.97 mm tief  
 Streuwert 11.32, horizontal: 9.96, vertikal: 12.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.9)  
 Serien: 89 91 93 90  
 Zähler: 13 18 8 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2721 (14), 2353 (32), 2224 (3)  
 beste Teiler 194.5 (28.) 228.9 (22.) 256.1 (39.)  
 Trefferlage 1.74 mm links, 0.46 mm tief  
 Streuwert 9.02, horizontal: 9.15, vertikal: 8.90




Serie 1:  
 8.5 ↖ 9.6 ← 8.2 ↗ 8.3 ↘ 9.7 ↗  
 10.2 ↗ 9.6 ↘ 9.7 ↓ 10.1 ↖ 9.6 →  
 beste Teiler 610.3 (6.) 653.4 (9.) 983.9 (5.)  
 Trefferlage 3.49 mm links, 2.44 mm tief  
 Streuwert 9.92, horizontal: 10.10, vertikal: 9.75



Serie 2:  
 9.3 ↗ 8.7 ↑ 10.1 ↖ 7.5 ↘ 9.5 ↗  
 10.6 \* 10.0 ↓ 9.1 ↓ 10.2 ↖ 9.3 →  
 beste Teiler 293.5 (16.) 596.5 (19.) 686.8 (13.)  
 Trefferlage 1.36 mm rechts, 0.24 mm tief  
 Streuwert 10.24, horizontal: 9.49, vertikal: 10.94



Serie 3:  
 9.6 ← 10.7 \* 10.2 ↘ 9.5 ↗ 10.0 →  
 9.8 ↘ 9.6 ↘ 10.7 \* 8.8 ← 9.9 ↓  
 beste Teiler 194.5 (28.) 228.9 (22.) 596.8 (23.)  
 Trefferlage 0.27 mm links, 1.22 mm tief  
 Streuwert 7.13, horizontal: 8.24, vertikal: 5.81





Serie 4:  
 9.8 ↓ 8.0 ↖ 9.2 ↗ 9.8 ↘ 9.9 ↑  
 10.2 ↖ 8.8 ↖ 10.1 ↓ 10.6 \* 8.9 ←  
 beste Teiler 256.1 (39.) 635.1 (36.) 719.0 (38.)  
 Trefferlage 4.56 mm links, 2.06 mm hoch  
 Streuwert 8.94, horizontal: 8.78, vertikal: 9.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (369.9)  
 Serien: 90 82 86 93  
 Zähler: 8 18 11 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2776 (14), 2754 (25), 2608 (27)  
 beste Teiler 220.0 (10.) 323.3 (36.) 426.6 (26.)  
 Trefferlage 0.70 mm links, 4.80 mm hoch  
 Streuwert 10.24, horizontal: 9.86, vertikal: 10.61




Serie 1:  
 9.9 ↘ 8.9 ↙ 9.6 ↙ 9.7 ↘ 10.3 ↖  
 9.2 ↙ 9.8 ↓ 9.5 ↘ 8.4 ↑ 10.7 \*  
 beste Teiler 220.0 (10.) 487.2 (5.) 859.8 (1.)  
 Trefferlage 1.69 mm links, 3.07 mm tief  
 Streuwert 8.54, horizontal: 7.21, vertikal: 9.70



Serie 2:  
 8.6 ↙ 8.2 ↘ 8.6 ↖ 7.5 ↗ 9.3 ↗  
 9.0 ↖ 8.1 ↗ 8.8 ↘ 9.8 ↑ 8.6 ↓  
 beste Teiler 939.8 (19.) 1328.0 (15.) 1592.0 (16.)  
 Trefferlage 2.25 mm links, 5.54 mm hoch  
 Streuwert 13.52, horizontal: 13.77, vertikal: 13.25



Serie 3:  
 10.1 ↑ 9.6 ↘ 9.1 ↑ 8.6 ↗ 7.5 ↑  
 10.4 \* 7.7 ↖ 8.7 ↑ 10.3 ↗ 8.7 ↑  
 beste Teiler 426.6 (26.) 530.0 (29.) 657.6 (21.)  
 Trefferlage 0.24 mm links, 11.29 mm hoch  
 Streuwert 9.34, horizontal: 10.78, vertikal: 7.63





Serie 4:  
 9.2 ↖ 9.3 → 9.2 ↘ 9.7 → 10.3 ↙  
 10.5 \* 9.3 ↑ 9.6 ↑ 9.3 ↑ 10.3 ↗  
 beste Teiler 323.3 (36.) 483.8 (35.) 535.7 (40.)  
 Trefferlage 1.39 mm rechts, 5.45 mm hoch  
 Streuwert 6.98, horizontal: 7.36, vertikal: 6.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (350.9)  
 Serien: 78 82 87 85  
 Zähler: 6 11 17 2 3 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4137 (16), 3587 (9), 3563 (5)  
 beste Teiler 293.4 (31.) 302.6 (11.) 524.9 (3.)  
 Trefferlage 0.42 mm links, 2.19 mm tief  
 Streuwert 13.93, horizontal: 16.10, vertikal: 11.35




Serie 1:  
 8.4 ←                      8.7 ↓                      10.3 ↘                      9.5 ↓                      6.5 ←  
 9.4 ↖                      8.3 →                      6.9 →                      6.5 ←                      8.9 ↙  
 beste Teiler 524.9 (3.) 1186.0 (4.) 1202.5 (6.)  
 Trefferlage 5.41 mm links, 4.42 mm tief  
 Streuwert 16.52, horizontal: 21.19, vertikal: 9.84



Serie 2:  
 10.6 \*                      9.0 ↓                      10.0 ↗                      9.8 ↓                      8.1 ↘  
 5.8 ←                      8.0 ←                      8.9 ↘                      7.2 ↓                      8.8 ←  
 beste Teiler 302.6 (11.) 772.7 (13.) 891.2 (14.)  
 Trefferlage 4.36 mm links, 7.50 mm tief  
 Streuwert 14.73, horizontal: 17.12, vertikal: 11.88



Serie 3:  
 8.2 ↗                      8.8 ↓                      10.1 ↓                      10.0 ↗                      9.1 ←  
 8.3 →                      9.7 ↘                      8.5 ←                      8.7 ↑                      9.8 ↙  
 beste Teiler 709.8 (23.) 740.1 (24.) 955.9 (30.)  
 Trefferlage 0.04 mm rechts, 0.19 mm hoch  
 Streuwert 11.61, horizontal: 11.31, vertikal: 11.90





Serie 4:  
 10.6 \*                      9.6 →                      9.0 ↓                      8.2 →                      9.4 ↗  
 7.5 →                      9.9 →                      8.9 ↑                      8.5 ↗                      8.5 ↘  
 beste Teiler 293.4 (31.) 824.6 (37.) 1045.9 (32.)  
 Trefferlage 8.02 mm rechts, 2.96 mm hoch  
 Streuwert 10.82, horizontal: 11.34, vertikal: 10.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (365.3)  
 Serien: 87 87 89 83  
 Zähler: 9 14 13 3 0 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4423 (18), 3048 (27), 2697 (33)  
 beste Teiler 170.5 (19.) 265.0 (3.) 312.6 (1.)  
 Trefferlage 4.03 mm links, 0.70 mm tief  
 Streuwert 11.61, horizontal: 12.13, vertikal: 11.06




Serie 1:  
 10.6 \*                      8.7 ↙                      10.6 \*                      8.6 ↙                      9.2 ↘  
    8.8 ↗                      9.6 ↙                      9.2 ↘                      8.5 ↗                      8.5 ↑  
 beste Teiler 265.0 (3.) 312.6 (1.) 1042.7 (7.)  
 Trefferlage 0.30 mm links, 1.47 mm hoch  
 Streuwert 11.19, horizontal: 10.57, vertikal: 11.78



Serie 2:  
 9.8 ↙                      10.3 ←                      10.4 \*                      9.7 →                      9.2 ↙  
    8.9 ↑                      9.4 →                      5.4 ←                      10.7 \*                      8.7 →  
 beste Teiler 170.5 (19.) 413.8 (13.) 536.9 (12.)  
 Trefferlage 2.59 mm links, 1.76 mm tief  
 Streuwert 12.99, horizontal: 16.85, vertikal: 7.31



Serie 3:  
 10.5 \*                      8.7 ↗                      10.2 ↘                      8.8 ↘                      8.9 ↘  
    9.3 ↖                      7.1 ↓                      10.1 ↓                      10.2 ↗                      9.4 ←  
 beste Teiler 330.0 (21.) 622.2 (23.) 640.9 (29.)  
 Trefferlage 1.84 mm links, 0.17 mm tief  
 Streuwert 11.17, horizontal: 9.18, vertikal: 12.86





Serie 4:  
 9.0 ↖                      9.1 ↓                      7.6 ↘                      8.0 ↘                      9.6 ↙  
    9.6 ↙                      8.3 ↙                      9.4 ↓                      8.9 ←                      7.8 ↙  
 beste Teiler 1046.0 (35.) 1078.1 (36.) 1252.5 (38.)  
 Trefferlage 11.41 mm links, 2.33 mm tief  
 Streuwert 10.89, horizontal: 8.64, vertikal: 12.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **324** (341.6)  
 Serien: 80 84 82 78  
 Zähler: 7 8 13 7 4 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4308 (8), 3652 (26), 3599 (40)  
 beste Teiler 120.1 (5.) 297.3 (17.) 562.2 (9.)  
 Trefferlage 7.91 mm links, 3.18 mm hoch  
 Streuwert 14.29, horizontal: 14.87, vertikal: 13.69




Serie 1:  
 10.1 ↓                      8.6 ←                      6.5 →                      8.2 ↙                      10.8 \*  
 8.3 ↑                      8.3 ↓                      5.6 ↑                      10.2 ↗                      7.9 ←  
 beste Teiler 120.1 (5.) 562.2 (9.) 674.2 (1.)  
 Trefferlage 1.23 mm links, 1.23 mm hoch  
 Streuwert 17.44, horizontal: 16.56, vertikal: 18.27



Serie 2:  
 9.1 ←                      7.4 ←                      10.1 ↖                      6.7 ←                      7.8 ↑  
 8.8 ↑                      10.6 \*                      9.2 ↖                      10.2 ←                      8.3 ↑  
 beste Teiler 297.3 (17.) 638.6 (19.) 649.6 (13.)  
 Trefferlage 9.56 mm links, 5.51 mm hoch  
 Streuwert 12.10, horizontal: 12.89, vertikal: 11.26



Serie 3:  
 8.7 ↗                      9.3 ←                      8.4 ↓                      9.2 ↑                      8.4 ↑  
 6.4 ↘                      7.9 ←                      10.1 ↑                      8.7 ↑                      9.5 →  
 beste Teiler 660.9 (28.) 1157.8 (30.) 1310.8 (22.)  
 Trefferlage 2.62 mm links, 6.99 mm hoch  
 Streuwert 13.78, horizontal: 12.80, vertikal: 14.69





Serie 4:  
 9.2 ←                      7.4 ←                      8.5 ←                      8.6 ↘                      9.8 ↘  
 8.5 ↘                      9.5 ↓                      7.2 ←                      7.1 ←                      6.5 ←  
 beste Teiler 927.2 (35.) 1138.8 (37.) 1365.5 (31.)  
 Trefferlage 18.22 mm links, 1.01 mm tief  
 Streuwert 10.99, horizontal: 12.30, vertikal: 9.49

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **328** (345.1)  
 Serien: 81 81 83 83  
 Zähler: 6 13 11 7 1 1 0 1 0 0  
 Innenzehner: 3  
 weiteste: 5674 (5), 4271 (18), 3593 (31)  
 beste Teiler 338.4 (26.) 422.9 (15.) 466.9 (30.)  
 Trefferlage 0.18 mm rechts, 1.76 mm tief  
 Streuwert 15.30, horizontal: 14.04, vertikal: 16.46




Serie 1:  
 8.0 ↗ 9.6 ↓ 8.9 ↗ 9.4 ↘ 3.9 ↗  
 9.7 ↓ 7.9 → 9.0 ← 10.2 ↑ 9.4 ↙  
 beste Teiler 613.3 (9.) 972.1 (6.) 1056.5 (2.)  
 Trefferlage 1.21 mm rechts, 6.62 mm hoch  
 Streuwert 16.64, horizontal: 12.61, vertikal: 19.86



Serie 2:  
 9.0 ← 9.1 ↘ 7.1 ↓ 9.3 ↘ 10.4 \*  
 8.5 → 9.8 ↓ 5.6 ↘ 8.3 ↓ 7.8 ←  
 beste Teiler 422.9 (15.) 893.1 (17.) 1335.5 (14.)  
 Trefferlage 3.20 mm rechts, 11.19 mm tief  
 Streuwert 14.15, horizontal: 16.57, vertikal: 11.22



Serie 3:  
 8.6 ↓ 7.6 ↖ 9.0 → 8.0 ↘ 7.2 ↖  
 10.5 \* 9.7 → 8.9 ↘ 7.9 ← 10.4 \*  
 beste Teiler 338.4 (26.) 466.9 (30.) 1000.8 (27.)  
 Trefferlage 0.84 mm rechts, 0.71 mm hoch  
 Streuwert 14.47, horizontal: 13.93, vertikal: 15.00





Serie 4:  
 6.5 ↓ 10.0 ↓ 8.8 ↖ 10.0 ← 7.3 ↖  
 8.1 ↘ 9.7 ↖ 9.1 ↓ 8.3 ↗ 8.6 ←  
 beste Teiler 739.5 (34.) 755.1 (32.) 1022.2 (37.)  
 Trefferlage 4.50 mm links, 3.19 mm tief  
 Streuwert 14.70, horizontal: 13.80, vertikal: 15.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (360.5)  
 Serien: 86 94 77 89  
 Zähler: 13 12 6 6 3 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3948 (29), 3401 (26), 3376 (8)  
 beste Teiler 336.8 (20.) 371.2 (2.) 518.1 (15.)  
 Trefferlage 0.08 mm rechts, 0.11 mm hoch  
 Streuwert 13.08, horizontal: 10.59, vertikal: 15.16




Serie 1:  
 9.2 ↗ 10.5 \* 10.2 → 10.1 ↘ 7.4 ↓  
 7.9 ↑ 9.5 ↗ 6.7 → 10.0 → 8.2 ↓  
 beste Teiler 371.2 (2.) 571.5 (3.) 663.1 (4.)  
 Trefferlage 5.14 mm rechts, 0.46 mm hoch  
 Streuwert 13.34, horizontal: 11.21, vertikal: 15.18



Serie 2:  
 10.0 ↖ 9.7 ↑ 10.0 ↘ 9.0 ↘ 10.3 →  
 9.4 ↖ 9.8 ↗ 8.1 ↗ 10.2 ↖ 10.5 \*  
 beste Teiler 336.8 (20.) 518.1 (15.) 615.3 (19.)  
 Trefferlage 0.70 mm rechts, 3.64 mm hoch  
 Streuwert 7.96, horizontal: 7.69, vertikal: 8.23





Serie 3:  
 8.2 ↓ 7.5 ↘ 7.0 ↗ 8.9 ← 7.2 ↓  
 6.7 ↓ 10.3 ↖ 8.7 ↗ 6.0 ↓ 10.0 ↗  
 beste Teiler 524.8 (27.) 723.0 (30.) 1680.0 (24.)  
 Trefferlage 3.17 mm links, 5.69 mm tief  
 Streuwert 18.43, horizontal: 13.76, vertikal: 22.14




Serie 4:  
 9.1 ↗ 10.1 → 9.6 ↓ 8.7 ↖ 9.3 ↓  
 9.7 ↗ 9.8 ↖ 10.3 ↑ 9.1 ↑ 7.6 ↑  
 beste Teiler 555.7 (38.) 704.7 (32.) 936.0 (37.)  
 Trefferlage 2.34 mm links, 2.04 mm hoch  
 Streuwert 10.40, horizontal: 8.06, vertikal: 12.31

Unterschrift des Schützen


Ergebnis: **322** (338.9)  
 Serien: 81 76 85 80  
 Zähler: 7 8 11 10 2 2 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4681 (15), 4405 (25), 3861 (11)  
 beste Teiler 110.4 (28.) 415.1 (22.) 457.1 (16.)  
 Trefferlage 7.42 mm links, 2.92 mm tief  
 Streuwert 15.05, horizontal: 16.21, vertikal: 13.80




Serie 1:  
 8.7 ↙ 9.7 ↘ 8.4 ↘ 8.7 ↗ 10.0 ↑  
 7.6 ↙ 7.7 → 9.3 ↓ 8.1 ↖ 7.8 ↘  
 beste Teiler 760.5 (5.) 985.6 (2.) 1287.8 (8.)  
 Trefferlage 1.98 mm links, 3.00 mm tief  
 Streuwert 14.59, horizontal: 17.13, vertikal: 11.50



Serie 2:  
 6.1 ↙ 7.9 ↑ 7.2 ↓ 8.9 → 5.1 ↖  
 10.4 \* 9.2 → 9.1 ↙ 8.1 ↘ 7.5 ↙  
 beste Teiler 457.1 (16.) 1416.5 (17.) 1516.1 (18.)  
 Trefferlage 9.12 mm links, 1.37 mm tief  
 Streuwert 18.74, horizontal: 20.40, vertikal: 16.91



Serie 3:  
 7.7 ↙ 10.4 \* 9.1 → 8.6 ↖ 5.4 ↖  
 10.3 ← 8.1 ↓ 10.8 \* 8.6 ↓ 10.2 ↓  
 beste Teiler 110.4 (28.) 415.1 (22.) 498.9 (26.)  
 Trefferlage 5.80 mm links, 9.60 mm tief  
 Streuwert 12.61, horizontal: 14.80, vertikal: 9.94





Serie 4:  
 8.6 ↘ 10.2 ↓ 7.9 ← 7.8 ↘ 9.6 →  
 7.1 ← 9.4 ↘ 8.3 ↖ 6.1 ↓ 9.2 ↘  
 beste Teiler 576.9 (32.) 1076.8 (35.) 1258.6 (37.)  
 Trefferlage 12.75 mm links, 2.26 mm hoch  
 Streuwert 13.52, horizontal: 11.78, vertikal: 15.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (367.6)  
 Serien: 89 84 88 89  
 Zähler: 10 15 12 1 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3345 (8), 3234 (16), 2433 (31)  
 beste Teiler 207.6 (35.) 309.0 (5.) 423.4 (30.)  
 Trefferlage 0.87 mm rechts, 3.55 mm tief  
 Streuwert 11.01, horizontal: 10.92, vertikal: 11.09




Serie 1:  
 9.5 ↙ 8.6 ← 10.0 ↑ 10.0 ↘ 10.6 \*  
 10.3 ↘ 8.7 ↖ 6.8 ↓ 9.5 → 9.2 ↓  
 beste Teiler 309.0 (5.) 544.5 (6.) 734.0 (4.)  
 Trefferlage 2.83 mm links, 5.51 mm tief  
 Streuwert 10.64, horizontal: 9.40, vertikal: 11.76



Serie 2:  
 9.0 → 8.2 ↘ 8.9 ↘ 9.4 ↘ 8.8 ↖  
 6.9 ↓ 8.1 ← 9.6 → 10.3 ↖ 9.3 ↗  
 beste Teiler 489.5 (19.) 1119.3 (18.) 1249.7 (14.)  
 Trefferlage 2.68 mm rechts, 2.17 mm tief  
 Streuwert 13.40, horizontal: 13.99, vertikal: 12.78



Serie 3:  
 8.3 ↓ 9.1 ← 9.2 ↖ 8.8 → 9.2 →  
 8.6 ↖ 8.8 ↓ 10.1 ↖ 9.2 → 10.4 \*  
 beste Teiler 423.4 (30.) 669.3 (28.) 1386.6 (25.)  
 Trefferlage 1.05 mm rechts, 6.75 mm tief  
 Streuwert 10.01, horizontal: 11.33, vertikal: 8.47





Serie 4:  
 7.9 ↑ 10.1 ↗ 8.7 ↗ 9.6 ↓ 10.7 \*  
 9.5 ↓ 8.5 ↖ 10.3 ↘ 9.0 → 9.9 ↗  
 beste Teiler 207.6 (35.) 504.8 (38.) 677.4 (32.)  
 Trefferlage 2.61 mm rechts, 0.23 mm hoch  
 Streuwert 10.19, horizontal: 9.07, vertikal: 11.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.1)  
 Serien: 93 89 92 84  
 Zähler: 12 17 8 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2593 (39), 2466 (36), 2413 (7)  
 beste Teiler 306.8 (17.) 404.9 (10.) 405.2 (22.)  
 Trefferlage 2.48 mm rechts, 1.12 mm hoch  
 Streuwert 9.89, horizontal: 9.78, vertikal: 9.99




Serie 1:  
 10.3 ↓                      9.1 ↓                      9.9 ↘                      10.3 ←                      9.8 ↙  
 10.1 ↘                      7.9 ↑                      9.9 ↖                      10.3 ↗                      10.4 \*  
 beste Teiler 404.9 (10.) 501.8 (4.) 513.8 (9.)  
 Trefferlage 0.26 mm rechts, 0.35 mm hoch  
 Streuwert 8.08, horizontal: 5.19, vertikal: 10.18



Serie 2:  
 9.0 ↗                      8.8 ↗                      10.1 ↙                      9.9 ↖                      8.6 ↗  
 8.1 ↗                      10.6 \*                      10.0 ↘                      9.7 ←                      8.7 →  
 beste Teiler 306.8 (17.) 684.4 (13.) 795.6 (18.)  
 Trefferlage 5.30 mm rechts, 5.01 mm hoch  
 Streuwert 9.15, horizontal: 10.01, vertikal: 8.20



Serie 3:  
 10.2 →                      10.4 \*                      9.2 ↑                      9.6 →                      9.7 ↙  
 10.2 ↑                      10.0 ↑                      8.0 ↘                      9.9 ↑                      8.1 →  
 beste Teiler 405.2 (22.) 628.2 (26.) 636.8 (21.)  
 Trefferlage 4.59 mm rechts, 2.34 mm hoch  
 Streuwert 8.94, horizontal: 8.81, vertikal: 9.07





Serie 4:  
 8.6 ↓                      9.2 →                      8.4 ↘                      9.1 ←                      9.9 ↓  
 7.9 ↙                      9.0 ←                      9.6 ↑                      7.7 ↗                      9.9 ↘  
 beste Teiler 819.1 (40.) 856.6 (35.) 1087.5 (38.)  
 Trefferlage 0.20 mm links, 3.20 mm tief  
 Streuwert 12.68, horizontal: 13.50, vertikal: 11.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (359.5)  
 Serien: 88 88 83 83  
 Zähler: 7 14 13 6 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3150 (24), 3066 (8), 2985 (40)  
 beste Teiler 160.5 (20.) 302.2 (4.) 591.9 (36.)  
 Trefferlage 4.08 mm links, 3.62 mm tief  
 Streuwert 11.85, horizontal: 12.50, vertikal: 11.15




Serie 1:  
 8.1 ↙                      8.7 ↙                      10.0 ↙                      10.6 \*                      9.1 ↘  
 9.4 ↗                      8.5 ↙                      7.1 ↓                      9.2 ↖                      10.1 ↘  
 beste Teiler 302.2 (4.) 720.3 (10.) 727.9 (3.)  
 Trefferlage 6.61 mm links, 4.21 mm tief  
 Streuwert 11.15, horizontal: 10.61, vertikal: 11.67



Serie 2:  
 9.9 ↗                      10.0 ↙                      9.6 ↗                      8.9 ↙                      9.4 ↓  
 7.8 →                      9.5 ←                      9.7 ↓                      8.9 →                      10.8 \*  
 beste Teiler 160.5 (20.) 750.2 (12.) 857.7 (11.)  
 Trefferlage 1.53 mm rechts, 1.81 mm tief  
 Streuwert 9.93, horizontal: 11.95, vertikal: 7.37



Serie 3:  
 8.7 ↘                      8.3 ↙                      9.6 ↙                      7.0 ↑                      8.9 →  
 8.1 ↘                      8.9 ↙                      9.7 ↙                      10.2 →                      8.1 ↙  
 beste Teiler 598.9 (29.) 1019.6 (28.) 1109.0 (23.)  
 Trefferlage 4.89 mm links, 2.93 mm tief  
 Streuwert 13.57, horizontal: 13.09, vertikal: 14.04





Serie 4:  
 9.0 ↙                      9.6 ↓                      7.8 ↙                      7.9 ↑                      8.2 ↙  
 10.2 ↓                      9.1 ←                      8.1 ↘                      9.6 →                      7.2 ←  
 beste Teiler 591.9 (36.) 1071.5 (39.) 1076.6 (32.)  
 Trefferlage 6.38 mm links, 5.52 mm tief  
 Streuwert 13.12, horizontal: 14.21, vertikal: 11.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **307** (321.4)  
 Serien: 79 82 74 72  
 Zähler: 4 6 10 14 5 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4166 (37), 3851 (38), 3789 (16)  
 beste Teiler 413.7 (10.) 491.2 (11.) 508.2 (20.)  
 Trefferlage 5.83 mm links, 0.50 mm tief  
 Streuwert 17.43, horizontal: 17.51, vertikal: 17.36




Serie 1:  
 9.0 ←                      7.5 ↑                      8.0 ↘                      7.4 ↙                      8.6 ↗  
 6.2 ↖                      7.1 ←                      9.3 ←                      8.1 →                      10.4 \*  
 beste Teiler 413.7 (10.) 1346.5 (8.) 1537.9 (1.)  
 Trefferlage 4.85 mm links, 2.71 mm tief  
 Streuwert 17.45, horizontal: 19.38, vertikal: 15.29



Serie 2:  
 10.3 ↓                      7.0 ←                      7.3 ↓                      7.6 ↘                      9.2 ↖  
 6.2 →                      10.1 ←                      7.6 ↖                      9.0 ↘                      10.3 ↑  
 beste Teiler 491.2 (11.) 508.2 (20.) 718.5 (17.)  
 Trefferlage 4.88 mm links, 1.97 mm tief  
 Streuwert 16.73, horizontal: 18.48, vertikal: 14.77



Serie 3:  
 7.8 ↗                      7.3 ↓                      7.8 ↖                      6.8 ↗                      8.3 ↖  
 8.3 ↘                      8.3 ←                      8.5 ←                      8.8 ↓                      7.6 ↗  
 beste Teiler 1702.9 (29.) 1946.4 (28.) 2082.1 (27.)  
 Trefferlage 4.13 mm links, 0.98 mm hoch  
 Streuwert 17.86, horizontal: 17.34, vertikal: 18.37





Serie 4:  
 7.8 ↘                      7.3 ↖                      9.1 ↗                      7.4 ↗                      8.2 ↘  
 9.1 ↘                      5.7 ↖                      6.1 ↘                      6.8 ↖                      8.2 ↘  
 beste Teiler 1449.5 (36.) 1473.5 (33.) 2208.6 (35.)  
 Trefferlage 9.46 mm links, 1.69 mm hoch  
 Streuwert 19.89, horizontal: 17.06, vertikal: 22.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (373.5)  
 Serien: 92 88 86 92  
 Zähler: 12 15 12 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2797 (31), 2288 (30), 2235 (38)  
 beste Teiler 370.0 (3.) 407.0 (5.) 407.0 (36.)  
 Trefferlage 1.99 mm links, 0.96 mm hoch  
 Streuwert 10.18, horizontal: 11.13, vertikal: 9.15




Serie 1:  
 8.6 ←                      9.1 ↗                      10.5 \*                      10.0 ↓                      10.4 \*  
 10.1 ↘                      8.6 ↖                      9.0 ↗                      10.0 →                      8.6 ↑  
 beste Teiler 370.0 (3.) 407.0 (5.) 650.2 (6.)  
 Trefferlage 0.54 mm rechts, 3.58 mm hoch  
 Streuwert 9.37, horizontal: 9.67, vertikal: 9.06



Serie 2:  
 9.3 ↓                      8.9 ←                      8.5 ↖                      9.9 ←                      10.4 \*  
 9.9 ↘                      9.5 ←                      8.5 →                      9.3 ↖                      9.6 ←  
 beste Teiler 445.2 (15.) 835.8 (14.) 852.0 (16.)  
 Trefferlage 5.38 mm links, 1.14 mm hoch  
 Streuwert 9.03, horizontal: 10.65, vertikal: 7.05



Serie 3:  
 8.2 ↑                      9.5 ←                      8.4 ←                      9.3 ↘                      9.9 ↖  
 9.0 ↓                      9.9 ↖                      8.3 ↓                      9.3 ↗                      8.1 ←  
 beste Teiler 803.3 (27.) 825.4 (25.) 1189.6 (22.)  
 Trefferlage 4.45 mm links, 1.12 mm tief  
 Streuwert 11.85, horizontal: 11.14, vertikal: 12.53





Serie 4:  
 7.5 ↗                      8.3 →                      10.0 ←                      10.4 \*                      10.1 ↖  
 10.4 \*                      9.5 ↖                      8.2 ↗                      10.4 \*                      10.1 ↗  
 beste Teiler 407.0 (36.) 415.5 (39.) 460.6 (34.)  
 Trefferlage 1.29 mm rechts, 0.26 mm hoch  
 Streuwert 10.67, horizontal: 12.92, vertikal: 7.79

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **328** (347.7)  
 Serien: 79 85 80 84  
 Zähler: 5 11 12 11 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3390 (38), 3144 (2), 3057 (1)  
 beste Teiler 193.6 (34.) 337.4 (4.) 533.6 (18.)  
 Trefferlage 3.34 mm rechts, 2.47 mm hoch  
 Streuwert 13.95, horizontal: 14.04, vertikal: 13.86




Serie 1:  
 7.1 ↓                      7.0 ↘                      7.9 →                      10.5 \*                      9.0 ↙  
 8.6 ↖                      7.4 ↓                      7.6 ↗                      8.1 ↖                      9.8 ↖  
 beste Teiler 337.4 (4.) 907.4 (10.) 1564.3 (5.)  
 Trefferlage 1.80 mm rechts, 4.59 mm tief  
 Streuwert 16.68, horizontal: 16.31, vertikal: 17.05



Serie 2:  
 8.6 ↓                      7.3 ←                      8.3 ↓                      8.3 ←                      8.5 →  
 8.6 →                      10.2 ↑                      10.3 ↓                      9.5 →                      9.9 →  
 beste Teiler 533.6 (18.) 613.6 (17.) 835.6 (20.)  
 Trefferlage 0.75 mm rechts, 3.38 mm tief  
 Streuwert 12.97, horizontal: 15.75, vertikal: 9.39





Serie 3:  
 7.9 ↗                      9.7 ↙                      9.6 →                      10.1 ↗                      8.4 ↑  
 8.9 ↖                      7.4 ↑                      7.2 ↑                      7.9 →                      8.4 ↑  
 beste Teiler 659.0 (24.) 974.6 (22.) 1072.0 (23.)  
 Trefferlage 4.83 mm rechts, 11.90 mm hoch  
 Streuwert 12.02, horizontal: 10.23, vertikal: 13.57




Serie 4:  
 9.7 ↘                      7.8 ↗                      9.7 ↖                      10.7 \*                      8.6 ←  
 9.3 ↗                      8.5 ↑                      6.7 →                      9.4 →                      9.3 →  
 beste Teiler 193.6 (34.) 979.1 (31.) 1029.1 (33.)  
 Trefferlage 6.00 mm rechts, 5.96 mm hoch  
 Streuwert 11.80, horizontal: 14.67, vertikal: 7.95

Unterschrift des Schützen


Ergebnis: **353** (371.6)  
 Serien: 91 87 86 89  
 Zähler: 9 18 12 0 0 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4343 (19), 2336 (25), 2300 (38)  
 beste Teiler 276.9 (30.) 379.9 (9.) 406.6 (15.)  
 Trefferlage 1.80 mm rechts, 1.92 mm hoch  
 Streuwert 10.75, horizontal: 9.99, vertikal: 11.47




Serie 1:  
 8.7 ↙ 10.1 → 9.9 ↓ 9.2 → 9.7 ↗  
 9.8 → 8.8 ↗ 9.5 ↙ 10.5 \* 10.0 →  
 beste Teiler 379.9 (9.) 665.0 (2.) 799.4 (10.)  
 Trefferlage 2.80 mm rechts, 1.61 mm tief  
 Streuwert 8.32, horizontal: 10.03, vertikal: 6.14



Serie 2:  
 9.7 ↗ 10.3 ↙ 9.1 ↑ 8.9 ↑ 10.4 \*  
 9.7 → 9.0 ↘ 9.9 ↑ 5.5 ↑ 9.7 ↗  
 beste Teiler 406.6 (15.) 522.5 (12.) 879.1 (18.)  
 Trefferlage 4.00 mm rechts, 10.19 mm hoch  
 Streuwert 10.09, horizontal: 7.94, vertikal: 11.85



Serie 3:  
 9.7 → 9.0 → 9.5 ↘ 8.7 ↓ 8.0 ↗  
 9.0 ↑ 8.7 ↓ 8.7 ← 8.3 ↗ 10.6 \*  
 beste Teiler 276.9 (30.) 1015.0 (21.) 1163.7 (23.)  
 Trefferlage 4.13 mm rechts, 0.16 mm hoch  
 Streuwert 11.94, horizontal: 10.35, vertikal: 13.34





Serie 4:  
 8.8 ↙ 9.9 ↙ 10.4 \* 9.1 ↙ 10.4 \*  
 9.3 ↑ 8.7 ↗ 8.1 ↙ 10.1 ↑ 8.2 ←  
 beste Teiler 445.9 (33.) 460.6 (35.) 667.8 (39.)  
 Trefferlage 3.74 mm links, 1.05 mm tief  
 Streuwert 10.62, horizontal: 10.72, vertikal: 10.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **316** (332.7)  
 Serien: 72 87 83 74  
 Zähler: 6 11 9 8 3 1 0 2 0 0  
 Innenzehner: 3  
 weiteste: 5734 (40), 5708 (9), 4337 (2)  
 beste Teiler 393.0 (13.) 464.0 (24.) 468.1 (12.)  
 Trefferlage 0.07 mm links, 0.83 mm hoch  
 Streuwert 17.68, horizontal: 15.22, vertikal: 19.84




Serie 1:  
 10.3 ↖ 5.5 ↗ 9.2 ↙ 8.5 → 8.9 ↗  
 7.9 ↓ 7.0 ↙ 9.8 ↘ 3.8 ↘ 6.0 →  
 beste Teiler 535.6 (1.) 957.0 (8.) 1428.9 (3.)  
 Trefferlage 6.75 mm rechts, 3.49 mm tief  
 Streuwert 22.00, horizontal: 20.92, vertikal: 23.02



Serie 2:  
 7.9 ← 10.4 \* 10.5 \* 9.6 ↘ 9.0 ↑  
 7.3 ↘ 9.9 → 8.0 ↓ 9.8 ← 9.0 ↑  
 beste Teiler 393.0 (13.) 468.1 (12.) 851.2 (17.)  
 Trefferlage 4.80 mm links, 2.58 mm hoch  
 Streuwert 11.78, horizontal: 10.34, vertikal: 13.06



Serie 3:  
 9.7 ← 7.6 ← 10.1 ↘ 10.4 \* 10.2 ↗  
 8.4 → 7.4 ↓ 7.0 ↑ 6.9 ↘ 9.3 ←  
 beste Teiler 464.0 (24.) 625.7 (25.) 675.5 (23.)  
 Trefferlage 1.08 mm links, 2.12 mm tief  
 Streuwert 15.41, horizontal: 13.14, vertikal: 17.38





Serie 4:  
 9.0 → 8.1 ← 8.2 ↗ 8.3 ↘ 8.1 ↑  
 6.6 ↘ 8.4 ↗ 9.2 ↙ 7.7 ↗ 3.8 ↓  
 beste Teiler 1407.1 (38.) 1590.1 (31.) 2074.6 (37.)  
 Trefferlage 1.17 mm links, 6.35 mm hoch  
 Streuwert 20.53, horizontal: 14.42, vertikal: 25.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (366.8)  
 Serien: 80 86 90 92  
 Zähler: 8 18 11 2 0 0 1 0 0 0  
 Innenzehner: 3  
 weiteste: 4898 (8), 2641 (18), 2518 (25)  
 beste Teiler 162.0 (30.) 333.0 (22.) 369.6 (39.)  
 Trefferlage 0.10 mm rechts, 1.46 mm tief  
 Streuwert 11.68, horizontal: 11.00, vertikal: 12.32




Serie 1:  
 8.6 ↘                      8.7 ↙                      8.0 ↙                      8.6 ↓                      9.1 ↘  
 9.8 ↙                      8.9 ↘                      4.8 →                      9.1 ↑                      9.6 ↓  
 beste Teiler 898.8 (6.) 1093.6 (10.) 1447.8 (9.)  
 Trefferlage 1.41 mm rechts, 11.10 mm tief  
 Streuwert 14.26, horizontal: 17.49, vertikal: 10.03



Serie 2:  
 8.9 ↗                      10.3 ↘                      9.5 ↙                      9.4 ↙                      8.7 →  
 8.0 ↑                      9.9 ↑                      7.6 ↗                      9.3 ↓                      9.5 ←  
 beste Teiler 543.4 (12.) 842.2 (17.) 1187.9 (13.)  
 Trefferlage 1.06 mm rechts, 3.53 mm hoch  
 Streuwert 11.62, horizontal: 10.17, vertikal: 12.90



Serie 3:  
 9.3 ↑                      10.5 \*                      9.0 →                      9.0 ↘                      7.8 ↓  
 9.7 ↓                      10.0 ↓                      9.3 ↗                      8.6 ↑                      10.7 \*  
 beste Teiler 162.0 (30.) 333.0 (22.) 742.8 (27.)  
 Trefferlage 1.38 mm rechts, 1.62 mm hoch  
 Streuwert 10.31, horizontal: 7.11, vertikal: 12.73





Serie 4:  
 9.7 ↓                      8.8 ↙                      9.9 ↙                      10.0 ↘                      10.1 ↘  
 10.1 ↙                      9.7 ↘                      9.4 ↑                      10.5 \*                      8.4 ↘  
 beste Teiler 369.6 (39.) 684.3 (35.) 688.5 (36.)  
 Trefferlage 3.42 mm links, 0.06 mm hoch  
 Streuwert 8.07, horizontal: 6.79, vertikal: 9.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (342.5)  
 Serien: 84 79 82 83  
 Zähler: 9 12 5 9 4 0 0 1 0 0  
 Innenzehner: 1  
 weiteste: 6250 (23), 3976 (15), 3768 (26)  
 beste Teiler 403.1 (25.) 535.9 (2.) 585.2 (12.)  
 Trefferlage 1.33 mm links, 6.99 mm tief  
 Streuwert 15.39, horizontal: 13.74, vertikal: 16.88




Serie 1:  
 7.3 ↙ 10.3 ↘ 10.0 ↘ 9.3 ↘ 7.5 ↓  
 8.3 ← 7.6 ↓ 7.5 ↓ 9.5 ↘ 10.0 ↓  
 beste Teiler 535.9 (2.) 747.9 (10.) 777.4 (3.)  
 Trefferlage 3.83 mm links, 13.09 mm tief  
 Streuwert 10.91, horizontal: 8.98, vertikal: 12.55



Serie 2:  
 7.0 ↘ 10.2 ↘ 6.6 ↖ 9.3 ↑ 6.0 ↑  
 9.9 ↘ 9.1 ↗ 7.6 ↗ 8.6 ↗ 8.7 ↓  
 beste Teiler 585.2 (12.) 824.4 (16.) 1289.7 (14.)  
 Trefferlage 0.40 mm rechts, 3.50 mm hoch  
 Streuwert 17.63, horizontal: 16.32, vertikal: 18.85



Serie 3:  
 8.7 ↘ 9.1 → 3.1 ↓ 10.1 ← 10.4 \*  
 6.2 ↙ 7.6 ↘ 10.1 → 9.8 ↑ 10.0 ←  
 beste Teiler 403.1 (25.) 677.7 (24.) 709.0 (28.)  
 Trefferlage 3.43 mm links, 7.27 mm tief  
 Streuwert 18.59, horizontal: 14.87, vertikal: 21.68





Serie 4:  
 9.7 ↓ 9.2 ↙ 7.7 ↓ 9.0 ↘ 7.4 →  
 9.9 ↓ 6.9 ↙ 8.3 → 10.0 ↗ 9.0 ↙  
 beste Teiler 745.2 (39.) 803.4 (36.) 969.4 (31.)  
 Trefferlage 1.53 mm rechts, 11.11 mm tief  
 Streuwert 12.17, horizontal: 15.04, vertikal: 8.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (342.4)  
 Serien: 79 88 80 76  
 Zähler: 8 11 8 6 3 4 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4617 (12), 4099 (34), 4048 (37)  
 beste Teiler 164.7 (19.) 337.0 (3.) 453.5 (14.)  
 Trefferlage 6.19 mm links, 0.76 mm tief  
 Streuwert 15.29, horizontal: 17.19, vertikal: 13.12




Serie 1:  
 6.5 ←                      6.8 →                      10.5 \*                      9.4 ←                      9.2 ↙  
 10.0 ↗                      8.2 →                      7.9 ↘                      8.2 ↘                      6.7 ↙  
 beste Teiler 337.0 (3.) 730.3 (6.) 1232.0 (4.)  
 Trefferlage 0.11 mm rechts, 6.96 mm tief  
 Streuwert 16.70, horizontal: 21.39, vertikal: 10.02



Serie 2:  
 9.5 ↓                      5.2 ←                      10.1 ↘                      10.4 \*                      10.3 ↗  
 10.3 ↗                      7.9 ↙                      7.8 ↘                      10.7 \*                      10.0 ↘  
 beste Teiler 164.7 (19.) 453.5 (14.) 505.1 (15.)  
 Trefferlage 6.95 mm links, 0.06 mm tief  
 Streuwert 13.35, horizontal: 15.95, vertikal: 10.10



Serie 3:  
 9.8 ↑                      9.3 ↙                      7.8 ↙                      9.3 ←                      5.9 ↙  
 8.8 ↙                      8.4 ↑                      8.1 ←                      8.9 ↑                      9.1 ↘  
 beste Teiler 949.5 (21.) 1298.4 (22.) 1344.0 (24.)  
 Trefferlage 12.42 mm links, 0.80 mm tief  
 Streuwert 12.53, horizontal: 11.66, vertikal: 13.35





Serie 4:  
 9.0 ←                      8.7 →                      7.4 ←                      5.8 ↘                      9.4 ↑  
 9.9 ←                      5.9 ↑                      9.1 ↓                      7.7 ↘                      8.5 ↓  
 beste Teiler 835.8 (36.) 1253.1 (35.) 1449.2 (38.)  
 Trefferlage 5.49 mm links, 4.76 mm hoch  
 Streuwert 17.78, horizontal: 18.55, vertikal: 16.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (379.3)  
 Serien: 85 91 90 93  
 Zähler: 8 25 6 0 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3203 (5), 2088 (19), 1970 (1)  
 beste Teiler 162.0 (40.) 192.3 (7.) 475.2 (39.)  
 Trefferlage 2.76 mm rechts, 2.79 mm tief  
 Streuwert 8.89, horizontal: 9.50, vertikal: 8.22




Serie 1:  
 8.5 ↗ 9.8 ↖ 9.7 ↘ 9.6 ← 6.9 ↘  
 9.1 → 10.7 \* 9.9 ↘ 8.6 → 8.6 ↘  
 beste Teiler 192.3 (7.) 848.7 (8.) 923.5 (2.)  
 Trefferlage 7.51 mm rechts, 2.43 mm tief  
 Streuwert 10.76, horizontal: 12.05, vertikal: 9.30



Serie 2:  
 10.2 ↘ 9.8 ↙ 10.2 ← 9.4 ↙ 9.5 ↘  
 9.6 ↑ 9.8 ↘ 9.5 ↑ 8.3 → 9.6 →  
 beste Teiler 574.7 (11.) 611.3 (13.) 898.7 (12.)  
 Trefferlage 2.99 mm rechts, 1.80 mm tief  
 Streuwert 8.23, horizontal: 8.53, vertikal: 7.91





Serie 3:  
 9.0 ↗ 9.6 ← 9.6 ↘ 8.9 ↘ 9.0 ←  
 9.1 ↙ 9.9 ↖ 9.7 ← 9.8 ↗ 10.3 ↘  
 beste Teiler 498.0 (30.) 858.2 (27.) 905.0 (29.)  
 Trefferlage 0.86 mm links, 2.13 mm tief  
 Streuwert 9.02, horizontal: 9.86, vertikal: 8.09




Serie 4:  
 8.8 ↘ 10.0 ↓ 9.0 ↘ 9.4 → 9.1 ↗  
 9.8 ↙ 9.7 ↙ 10.2 ↓ 10.4 \* 10.7 \*  
 beste Teiler 162.0 (40.) 475.2 (39.) 628.3 (38.)  
 Trefferlage 1.44 mm rechts, 4.81 mm tief  
 Streuwert 7.30, horizontal: 5.88, vertikal: 8.49

Unterschrift des Schützen


Ergebnis: **341** (359.5)  
 Serien: 89 76 87 89  
 Zähler: 8 17 7 5 2 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4013 (18), 3390 (19), 3326 (16)  
 beste Teiler 360.6 (25.) 384.0 (3.) 398.0 (21.)  
 Trefferlage 1.82 mm rechts, 6.05 mm tief  
 Streuwert 12.17, horizontal: 12.00, vertikal: 12.35




Serie 1:  
 10.2 ←                      9.7 ↖                      10.5 \*                      9.8 ↙                      9.3 ↓  
 7.3 ↘                      8.1 ↓                      8.6 ↗                      9.4 →                      10.0 ↗  
 beste Teiler 384.0 (3.) 605.1 (1.) 773.8 (10.)  
 Trefferlage 0.49 mm links, 4.60 mm tief  
 Streuwert 10.85, horizontal: 10.48, vertikal: 11.19



Serie 2:  
 8.9 ↖                      7.6 →                      9.1 ↓                      8.7 →                      9.7 ↓  
 6.8 →                      10.0 ↓                      5.9 ↓                      6.7 ↙                      8.2 ↓  
 beste Teiler 793.2 (17.) 1035.5 (15.) 1473.4 (13.)  
 Trefferlage 2.69 mm rechts, 9.85 mm tief  
 Streuwert 16.70, horizontal: 18.74, vertikal: 14.38



Serie 3:  
 10.5 \*                      7.4 ↓                      9.5 →                      10.2 ↓                      10.5 \*  
 10.0 →                      7.5 ↗                      8.7 ↓                      9.1 ↘                      7.2 ↘  
 beste Teiler 360.6 (25.) 398.0 (21.) 624.4 (24.)  
 Trefferlage 2.64 mm rechts, 5.86 mm tief  
 Streuwert 12.53, horizontal: 9.59, vertikal: 14.91





Serie 4:  
 9.3 ↗                      9.0 ↙                      9.5 →                      9.5 ↑                      9.3 ↘  
 9.7 ↘                      9.6 ↓                      9.8 ↙                      9.8 ↘                      8.9 ↓  
 beste Teiler 899.1 (38.) 915.8 (39.) 1038.7 (36.)  
 Trefferlage 2.47 mm rechts, 3.89 mm tief  
 Streuwert 8.53, horizontal: 7.91, vertikal: 9.10

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **358** (376.0)  
 Serien: 88 94 90 86  
 Zähler: 15 12 10 2 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3229 (35), 2821 (34), 2576 (4)  
 beste Teiler 238.9 (2.) 239.1 (26.) 248.8 (12.)  
 Trefferlage 1.78 mm links, 3.77 mm hoch  
 Streuwert 10.11, horizontal: 9.87, vertikal: 10.33




Serie 1:  
 8.2 ↗ 10.7 \* 9.7 ↘ 7.7 ↑ 8.7 ↙  
 9.7 ↘ 9.8 ↗ 9.9 ↑ 9.0 ↘ 10.4 \*  
 beste Teiler 238.9 (2.) 416.8 (10.) 860.1 (8.)  
 Trefferlage 0.70 mm rechts, 3.04 mm hoch  
 Streuwert 10.57, horizontal: 9.03, vertikal: 11.91



Serie 2:  
 10.3 ↓ 10.6 \* 10.1 ← 8.8 ↗ 9.0 ↘  
 9.0 ↗ 10.6 \* 10.5 \* 8.1 ↑ 10.2 ↓  
 beste Teiler 248.8 (12.) 306.1 (17.) 382.5 (18.)  
 Trefferlage 2.40 mm rechts, 2.68 mm hoch  
 Streuwert 8.60, horizontal: 6.82, vertikal: 10.06





Serie 3:  
 8.4 ↑ 9.2 ← 9.3 ↘ 8.6 → 10.2 ↘  
 10.7 \* 10.4 \* 8.8 ← 10.3 ↘ 8.6 ↑  
 beste Teiler 239.1 (26.) 473.1 (27.) 519.8 (29.)  
 Trefferlage 3.10 mm links, 5.63 mm hoch  
 Streuwert 9.09, horizontal: 9.74, vertikal: 8.38




Serie 4:  
 9.0 ← 10.0 ↘ 9.9 ↘ 7.4 ↑ 6.9 ←  
 8.1 ← 10.5 \* 9.9 ↗ 10.3 → 8.5 ↑  
 beste Teiler 385.2 (37.) 530.9 (39.) 727.8 (32.)  
 Trefferlage 7.14 mm links, 3.72 mm hoch  
 Streuwert 11.89, horizontal: 11.79, vertikal: 11.99

Unterschrift des Schützen


Ergebnis: **345** (361.5)  
 Serien: 81 88 86 90  
 Zähler: 6 15 17 2 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2870 (7), 2844 (8), 2392 (13)  
 beste Teiler 178.3 (30.) 386.4 (18.) 479.0 (39.)  
 Trefferlage 6.41 mm links, 2.50 mm hoch  
 Streuwert 10.93, horizontal: 9.65, vertikal: 12.09




Serie 1:  
 8.9 ←                      8.2 ↑                      9.3 ↑                      8.7 ↘                      9.7 ↗  
 8.0 ↑                      7.4 ↘                      7.4 ↑                      9.1 ←                      8.5 ←  
 beste Teiler 1032.7 (5.) 1293.8 (3.) 1517.1 (9.)  
 Trefferlage 9.35 mm links, 12.19 mm hoch  
 Streuwert 9.98, horizontal: 10.29, vertikal: 9.66



Serie 2:  
 8.0 ←                      8.2 ↘                      8.0 ↘                      9.0 ←                      9.3 ↓  
 9.9 ↘                      9.6 ↗                      10.5 \*                      10.3 ←                      8.3 ↘  
 beste Teiler 386.4 (18.) 482.4 (19.) 814.0 (16.)  
 Trefferlage 8.73 mm links, 1.58 mm hoch  
 Streuwert 10.31, horizontal: 9.44, vertikal: 11.12





Serie 3:  
 8.9 ↓                      9.1 ↘                      9.7 ↗                      9.0 ←                      8.5 ↘  
 8.2 ←                      8.4 ↑                      8.6 ↑                      9.9 ↓                      10.7 \*  
 beste Teiler 178.3 (30.) 858.3 (29.) 1033.8 (23.)  
 Trefferlage 5.80 mm links, 1.50 mm tief  
 Streuwert 10.99, horizontal: 8.54, vertikal: 12.99




Serie 4:  
 10.1 ↑                      9.4 ↘                      10.3 ↘                      9.9 ↓                      9.3 →  
 8.2 ↘                      9.6 →                      8.5 ↑                      10.4 ↓                      8.5 ←  
 beste Teiler 479.0 (39.) 526.2 (33.) 671.6 (31.)  
 Trefferlage 1.74 mm links, 2.25 mm tief  
 Streuwert 9.86, horizontal: 9.76, vertikal: 9.95

Unterschrift des Schützen


Ergebnis: **256** (273.2)  
 Serien: 73 54 63 66  
 Zähler: 1 3 7 11 9 3 3 1 0 2  
 Innenzehner: 0  
 weiteste: 7939 (33), 7718 (19), 5764 (17)  
 beste Teiler 500.4 (4.) 907.5 (28.) 1186.3 (26.)  
 Trefferlage 16.07 mm rechts, 22.12 mm hoch  
 Streuwert 17.59, horizontal: 14.76, vertikal: 20.02




Serie 1:  
 6.4 ↑                      7.6 ↑                      7.2 →                      10.3 ↘                      7.6 ↑  
 8.7 →                      7.8 ↗                      7.9 ↑                      8.4 →                      6.2 ↑  
 beste Teiler 500.4 (4.) 1806.4 (6.) 2019.0 (9.)  
 Trefferlage 12.06 mm rechts, 16.86 mm hoch  
 Streuwert 12.53, horizontal: 9.20, vertikal: 15.15



Serie 2:  
 5.0 →                      7.2 ↑                      6.2 ↗                      4.4 ↑                      7.8 →  
 7.0 →                      3.7 →                      6.1 →                      1.3 ↑                      8.8 ↗  
 beste Teiler 1697.1 (20.) 2543.4 (15.) 3000.0 (12.)  
 Trefferlage 26.68 mm rechts, 22.62 mm hoch  
 Streuwert 20.86, horizontal: 18.04, vertikal: 23.34



Serie 3:  
 6.3 ↗                      5.5 ↗                      6.3 ↖                      4.1 ↑                      5.0 ↑  
 9.5 ↗                      7.7 ↗                      9.8 →                      6.9 ↑                      6.5 ↗  
 beste Teiler 907.5 (28.) 1186.3 (26.) 2627.5 (27.)  
 Trefferlage 9.64 mm rechts, 28.06 mm hoch  
 Streuwert 15.51, horizontal: 15.28, vertikal: 15.73





Serie 4:  
 7.7 →                      8.5 →                      1.0 ↑                      8.4 ↗                      8.8 ↗  
 4.5 ↑                      8.2 →                      7.3 →                      6.1 ↗                      9.5 ↗  
 beste Teiler 1190.0 (40.) 1699.0 (35.) 1998.0 (32.)  
 Trefferlage 15.89 mm rechts, 20.93 mm hoch  
 Streuwert 19.44, horizontal: 10.55, vertikal: 25.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (349.2)  
 Serien: 83 87 77 83  
 Zähler: 4 15 11 7 3 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3872 (36), 3321 (27), 3219 (22)  
 beste Teiler 403.7 (11.) 446.0 (7.) 489.3 (32.)  
 Trefferlage 5.34 mm links, 8.25 mm hoch  
 Streuwert 12.16, horizontal: 13.41, vertikal: 10.75




Serie 1:  
 9.5 ←                      9.5 →                      8.7 ↖                      9.3 ↘                      8.2 ↗  
 8.6 ↙                      10.4 \*                      7.4 ←                      7.8 ↖                      8.9 ↘  
 beste Teiler 446.0 (7.) 1169.0 (1.) 1185.3 (2.)  
 Trefferlage 10.86 mm links, 4.77 mm hoch  
 Streuwert 10.47, horizontal: 10.81, vertikal: 10.13



Serie 2:  
 10.4 \*                      8.6 ↗                      8.3 ↖                      9.6 ↙                      8.1 ↘  
 8.3 ↗                      9.5 ↖                      9.1 →                      9.2 ↗                      9.8 ↘  
 beste Teiler 403.7 (11.) 934.4 (20.) 1097.4 (14.)  
 Trefferlage 2.78 mm links, 7.27 mm hoch  
 Streuwert 10.45, horizontal: 11.63, vertikal: 9.11



Serie 3:  
 9.6 ↘                      6.9 ←                      7.9 ↖                      8.3 ↙                      9.8 ↗  
 7.5 ↑                      6.8 ↗                      7.7 ↑                      10.0 →                      8.6 ↑  
 beste Teiler 752.9 (29.) 915.2 (25.) 1116.8 (21.)  
 Trefferlage 3.85 mm links, 11.12 mm hoch  
 Streuwert 14.60, horizontal: 16.73, vertikal: 12.10





Serie 4:  
 9.6 ↑                      10.3 ↘                      9.1 ↗                      7.7 ↘                      9.3 ↗  
 6.1 ←                      7.1 ↑                      9.8 ↓                      9.0 ↘                      8.9 ↗  
 beste Teiler 489.3 (32.) 905.8 (38.) 1078.2 (31.)  
 Trefferlage 3.87 mm links, 9.84 mm hoch  
 Streuwert 13.13, horizontal: 14.20, vertikal: 11.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (377.7)  
 Serien: 93 93 86 89  
 Zähler: 12 19 7 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2539 (23), 2406 (35), 2385 (11)  
 beste Teiler 210.0 (20.) 387.7 (8.) 407.0 (7.)  
 Trefferlage 0.18 mm rechts, 0.31 mm tief  
 Streuwert 9.60, horizontal: 7.70, vertikal: 11.18




Serie 1:  
 10.1 ↘ 9.9 ↗ 9.2 ↓ 8.5 ↑ 10.1 ↗  
 9.7 ↘ 10.4 \* 10.5 \* 8.9 ↑ 10.3 ↘  
 beste Teiler 387.7 (8.) 407.0 (7.) 537.9 (10.)  
 Trefferlage 1.48 mm links, 4.66 mm hoch  
 Streuwert 7.25, horizontal: 4.79, vertikal: 9.07



Serie 2:  
 8.0 ↑ 9.8 ↘ 9.1 ↓ 9.3 ↘ 10.1 ↘  
 10.4 \* 9.2 ↓ 10.0 ↓ 9.4 ↗ 10.7 \*  
 beste Teiler 210.0 (20.) 421.6 (16.) 703.9 (15.)  
 Trefferlage 0.50 mm rechts, 4.00 mm tief  
 Streuwert 8.71, horizontal: 5.76, vertikal: 10.89





Serie 3:  
 10.1 ↓ 9.6 ↘ 7.8 ↑ 9.1 ↘ 9.2 ↗  
 9.2 ↗ 8.8 ↗ 8.9 ↗ 9.1 ↑ 8.8 ↘  
 beste Teiler 692.4 (21.) 1097.1 (22.) 1402.2 (26.)  
 Trefferlage 2.71 mm rechts, 6.58 mm hoch  
 Streuwert 10.55, horizontal: 10.89, vertikal: 10.20




Serie 4:  
 9.9 ↘ 9.1 ↓ 8.8 ↗ 10.3 ↘ 7.9 ↓  
 9.0 ↓ 9.7 ↘ 10.4 \* 9.0 ↘ 9.4 ↘  
 beste Teiler 429.4 (38.) 547.5 (34.) 844.9 (31.)  
 Trefferlage 0.97 mm links, 8.48 mm tief  
 Streuwert 8.27, horizontal: 8.38, vertikal: 8.16

Unterschrift des Schützen


Ergebnis: **346** (365.9)  
 Serien: 85 91 84 86  
 Zähler: 10 14 8 8 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3172 (34), 3042 (30), 2708 (26)  
 beste Teiler 154.5 (35.) 215.3 (3.) 241.2 (16.)  
 Trefferlage 0.30 mm links, 2.89 mm hoch  
 Streuwert 11.77, horizontal: 12.42, vertikal: 11.08




Serie 1:  
 7.7 ↘ 8.2 ↙ 10.7 \* 9.1 ↙ 10.5 \*  
 10.5 \* 8.0 → 9.5 ↘ 7.9 ↙ 7.9 ↙  
 beste Teiler 215.3 (3.) 358.7 (6.) 388.6 (5.)  
 Trefferlage 5.37 mm links, 4.94 mm tief  
 Streuwert 12.38, horizontal: 14.19, vertikal: 10.26



Serie 2:  
 9.2 ↙ 8.7 ↑ 9.8 ← 9.5 ↘ 8.7 ↘  
 10.6 \* 10.6 \* 10.0 ↘ 9.6 ← 9.7 ↘  
 beste Teiler 241.2 (16.) 311.4 (17.) 739.1 (18.)  
 Trefferlage 6.23 mm links, 5.25 mm hoch  
 Streuwert 6.25, horizontal: 4.87, vertikal: 7.37





Serie 3:  
 9.7 ← 9.9 → 10.0 ↘ 9.9 ↘ 9.8 ↓  
 7.6 ↗ 7.9 ← 8.6 ↗ 9.2 → 7.1 →  
 beste Teiler 772.2 (23.) 833.2 (22.) 843.0 (24.)  
 Trefferlage 4.84 mm rechts, 3.30 mm hoch  
 Streuwert 12.53, horizontal: 16.05, vertikal: 7.50




Serie 4:  
 8.2 ↘ 10.0 ↘ 8.8 ↗ 7.0 ↑ 10.8 \*  
 8.5 ↗ 7.6 ↑ 9.4 ↓ 10.1 → 9.4 ↑  
 beste Teiler 154.5 (35.) 690.2 (39.) 789.6 (32.)  
 Trefferlage 5.55 mm rechts, 7.96 mm hoch  
 Streuwert 11.48, horizontal: 7.09, vertikal: 14.60

Unterschrift des Schützen


Ergebnis: **281** (296.7)  
 Serien: 65 74 71 71  
 Zähler: 5 5 12 2 6 5 1 3 1 0  
 Innenzehner: 3  
 weiteste: 6901 (26), 6243 (32), 6182 (39)  
 beste Teiler 375.7 (38.) 387.5 (3.) 417.7 (20.)  
 Trefferlage 12.06 mm rechts, 3.55 mm hoch  
 Streuwert 21.87, horizontal: 14.75, vertikal: 27.18




Serie 1:  
 8.8 ↑                      9.1 →                      10.5 \*                      5.8 ↘                      6.1 ↘  
 6.5 ↘                      6.7 ↗                      4.1 ↗                      5.8 ↓                      6.2 ↑  
 beste Teiler 387.5 (3.) 1445.0 (2.) 1692.2 (1.)  
 Trefferlage 14.75 mm rechts, 6.99 mm hoch  
 Streuwert 23.06, horizontal: 18.41, vertikal: 26.92



Serie 2:  
 5.2 ↘                      6.6 →                      8.7 ↙                      8.8 ↘                      3.6 ↗  
 9.2 ←                      8.5 ↘                      8.9 ↗                      9.3 ↘                      10.4 \*  
 beste Teiler 417.7 (20.) 1312.3 (19.) 1391.3 (16.)  
 Trefferlage 8.48 mm rechts, 1.03 mm tief  
 Streuwert 20.64, horizontal: 17.08, vertikal: 23.67



Serie 3:  
 8.7 ↗                      8.0 ↘                      7.0 ↘                      9.1 ↘                      8.0 ↘  
 2.3 ↗                      10.1 ↘                      8.8 →                      5.4 ↘                      6.9 ↗  
 beste Teiler 717.4 (27.) 1497.4 (24.) 1708.9 (28.)  
 Trefferlage 16.04 mm rechts, 4.67 mm tief  
 Streuwert 21.09, horizontal: 11.82, vertikal: 27.39



Serie 4:  
 5.2 ↗                      3.1 ↑                      8.5 →                      10.0 →                      8.1 ↘  
 9.1 ↓                      8.5 ↓                      10.5 \*                      3.2 ↑                      7.4 ↗  
 beste Teiler 375.7 (38.) 790.1 (34.) 1475.3 (36.)  
 Trefferlage 8.97 mm rechts, 12.93 mm hoch  
 Streuwert 23.22, horizontal: 11.02, vertikal: 30.93

Unterschrift des Schützen

Meyton Elektronik

**LP 40 – Wertung – Damen II**

**StartNr: 5486**



StandNr: 47

21. Januar 2018 9:51


**Kimla, Olga #129**

5200 PolSV Dortmund 1


Ergebnis: **368** (385.7)  
 Serien: 92 92 93 91  
 Zähler: 15 18 7 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2195 (16), 1821 (22), 1807 (15)  
 beste Teiler 171.7 (10.) 226.1 (36.) 292.9 (40.)  
 Trefferlage 0.24 mm rechts, 1.03 mm hoch  
 Streuwert 8.32, horizontal: 7.39, vertikal: 9.15




Serie 1:  
 10.2 ↗ 9.0 ↑ 9.4 ← 9.4 ↓ 8.9 ↑  
 8.9 ↑ 10.3 → 9.7 ↑ 10.1 ↓ 10.7 \*  
 beste Teiler 171.7 (10.) 542.1 (7.) 637.6 (1.)  
 Trefferlage 0.61 mm links, 4.44 mm hoch  
 Streuwert 7.78, horizontal: 5.57, vertikal: 9.50



Serie 2:  
 10.6 \* 10.1 ↓ 8.9 ↗ 9.4 ↓ 8.7 →  
 8.2 ↘ 10.2 ↗ 10.5 \* 10.0 ↗ 9.5 ↘  
 beste Teiler 315.8 (11.) 357.3 (18.) 634.4 (17.)  
 Trefferlage 4.04 mm rechts, 1.09 mm tief  
 Streuwert 8.67, horizontal: 8.11, vertikal: 9.20



Serie 3:  
 10.0 ↙ 8.7 ↘ 9.3 ↓ 9.8 ↓ 10.0 ↗  
 9.1 ← 10.5 \* 9.9 → 10.2 ← 9.0 ↑  
 beste Teiler 345.0 (27.) 570.1 (29.) 730.7 (21.)  
 Trefferlage 3.12 mm links, 1.54 mm hoch  
 Streuwert 8.00, horizontal: 6.49, vertikal: 9.27





Serie 4:  
 9.2 ↘ 9.4 ↓ 8.8 ↗ 9.7 ↓ 9.8 ↙  
 10.7 \* 9.4 ↑ 9.0 ← 9.9 ↑ 10.6 \*  
 beste Teiler 226.1 (36.) 292.9 (40.) 828.0 (39.)  
 Trefferlage 0.67 mm rechts, 0.76 mm tief  
 Streuwert 8.62, horizontal: 8.26, vertikal: 8.96

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **327** (345.9)  
 Serien: 80 81 84 82  
 Zähler: 3 14 12 9 2 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3600 (15), 3273 (35), 3032 (5)  
 beste Teiler 568.7 (13.) 719.5 (32.) 772.0 (30.)  
 Trefferlage 2.30 mm links, 1.17 mm hoch  
 Streuwert 14.24, horizontal: 15.44, vertikal: 12.92




Serie 1:  
 7.7 ↘                      7.6 →                      9.7 ↗                      9.1 ↓                      7.2 ↑  
 7.7 ↘                      9.6 ↗                      8.2 ↖                      9.6 ↑                      8.1 ↓  
 beste Teiler 970.4 (3.) 1093.3 (9.) 1104.2 (7.)  
 Trefferlage 1.46 mm rechts, 1.61 mm hoch  
 Streuwert 15.77, horizontal: 15.13, vertikal: 16.39



Serie 2:  
 7.7 →                      8.3 ↓                      10.2 ↑                      9.8 ↙                      6.5 ↙  
 9.9 ↖                      9.2 ↓                      9.0 →                      7.3 ↖                      7.8 ↖  
 beste Teiler 568.7 (13.) 809.0 (16.) 933.4 (14.)  
 Trefferlage 3.93 mm links, 6.33 mm tief  
 Streuwert 14.82, horizontal: 17.54, vertikal: 11.47



Serie 3:  
 8.2 ↖                      9.2 ←                      8.1 ←                      9.6 ↘                      9.4 →  
 8.7 ↗                      7.7 ↑                      8.0 ←                      8.9 ↖                      10.0 →  
 beste Teiler 772.0 (30.) 1080.5 (24.) 1226.9 (25.)  
 Trefferlage 5.14 mm links, 3.07 mm hoch  
 Streuwert 12.95, horizontal: 15.27, vertikal: 10.11





Serie 4:  
 9.9 ↑                      10.1 ↗                      8.7 ↙                      8.7 ↖                      6.9 ↖  
 9.7 ↙                      8.4 ↖                      9.7 ↗                      7.8 →                      8.0 ↗  
 beste Teiler 719.5 (32.) 878.3 (31.) 965.9 (36.)  
 Trefferlage 1.60 mm links, 6.34 mm hoch  
 Streuwert 13.41, horizontal: 15.33, vertikal: 11.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (356.5)  
 Serien: 86 88 84 82  
 Zähler: 8 17 7 5 1 2 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4731 (40), 4224 (30), 3596 (6)  
 beste Teiler 190.4 (11.) 400.0 (21.) 423.9 (4.)  
 Trefferlage 2.42 mm rechts, 3.78 mm hoch  
 Streuwert 13.38, horizontal: 13.83, vertikal: 12.91




Serie 1:  
 9.2 ←                      7.5 ↓                      10.0 ↓                      10.4 \*                      7.9 ↗  
 6.5 ↗                      10.4 \*                      10.0 ↑                      9.1 →                      8.4 ↘  
 beste Teiler 423.9 (4.) 467.4 (7.) 724.7 (8.)  
 Trefferlage 4.95 mm rechts, 0.16 mm tief  
 Streuwert 13.67, horizontal: 12.08, vertikal: 15.10



Serie 2:  
 10.7 \*                      10.0 ←                      8.0 ↑                      8.2 ←                      8.9 ↗  
 9.3 ↑                      9.3 ↑                      9.7 →                      7.3 ↘                      10.1 ←  
 beste Teiler 190.4 (11.) 709.2 (20.) 740.6 (12.)  
 Trefferlage 2.93 mm links, 3.29 mm hoch  
 Streuwert 11.92, horizontal: 10.67, vertikal: 13.04



Serie 3:  
 10.5 \*                      8.9 ←                      9.2 ↑                      9.7 ←                      8.7 ↑  
 9.8 ↗                      9.5 ↗                      9.7 ↘                      8.0 ↑                      5.7 ↗  
 beste Teiler 400.0 (21.) 922.8 (26.) 984.8 (28.)  
 Trefferlage 3.55 mm rechts, 8.58 mm hoch  
 Streuwert 12.31, horizontal: 13.14, vertikal: 11.43





Serie 4:  
 9.5 ↗                      9.5 ↘                      7.4 ↗                      9.5 ←                      9.3 ←  
 9.7 ↑                      9.0 ↑                      9.3 ↗                      7.7 ↘                      5.0 →  
 beste Teiler 987.8 (36.) 1147.5 (31.) 1149.4 (32.)  
 Trefferlage 4.11 mm rechts, 3.39 mm hoch  
 Streuwert 15.86, horizontal: 18.79, vertikal: 12.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (364.2)  
 Serien: 86 89 86 84  
 Zähler: 8 16 9 7 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2967 (1), 2903 (30), 2661 (40)  
 beste Teiler 306.0 (17.) 326.2 (37.) 352.9 (4.)  
 Trefferlage 1.00 mm rechts, 5.31 mm hoch  
 Streuwert 11.19, horizontal: 9.92, vertikal: 12.32




Serie 1:  
 7.2 ↗ 9.7 ↘ 7.8 ↙ 10.5 \* 8.5 →  
 9.6 ↑ 10.4 \* 9.1 ↖ 9.8 ↓ 8.7 ↗  
 beste Teiler 352.9 (4.) 410.2 (7.) 890.3 (9.)  
 Trefferlage 3.20 mm rechts, 0.92 mm hoch  
 Streuwert 12.11, horizontal: 12.59, vertikal: 11.61



Serie 2:  
 8.5 ↖ 9.6 ↖ 10.3 ← 9.6 ↙ 9.3 ↖  
 9.3 ↖ 10.6 \* 10.2 ↗ 8.8 ↑ 7.8 ↖  
 beste Teiler 306.0 (17.) 543.4 (13.) 617.9 (18.)  
 Trefferlage 6.26 mm links, 7.93 mm hoch  
 Streuwert 7.34, horizontal: 4.57, vertikal: 9.33





Serie 3:  
 10.1 ↗ 7.9 ↓ 9.8 ↖ 8.3 ↑ 9.2 ←  
 9.2 → 9.2 ↓ 9.2 ↑ 9.9 ↑ 7.3 ↑  
 beste Teiler 659.2 (21.) 814.6 (29.) 892.7 (23.)  
 Trefferlage 0.10 mm rechts, 4.66 mm hoch  
 Streuwert 12.11, horizontal: 8.14, vertikal: 15.06




Serie 4:  
 8.4 ↑ 8.5 → 8.7 ↘ 8.1 ↑ 9.3 ↑  
 10.5 \* 10.5 \* 9.5 ↑ 7.7 ↑ 7.6 →  
 beste Teiler 326.2 (37.) 364.1 (36.) 1142.7 (38.)  
 Trefferlage 6.96 mm rechts, 7.73 mm hoch  
 Streuwert 11.17, horizontal: 8.75, vertikal: 13.16

Unterschrift des Schützen


Ergebnis: **348** (365.4)  
 Serien: 88 86 83 91  
 Zähler: 6 23 6 3 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3687 (29), 3203 (27), 2943 (20)  
 beste Teiler 262.9 (38.) 449.9 (40.) 531.3 (14.)  
 Trefferlage 3.96 mm rechts, 6.74 mm hoch  
 Streuwert 10.31, horizontal: 10.96, vertikal: 9.61




Serie 1:  
 8.6 ←                      9.3 ↑                      9.7 →                      9.0 ←                      9.5 ↘  
 9.1 ↙                      9.4 ↘                      9.0 →                      8.7 ↗                      9.9 ↗  
 beste Teiler 820.8 (10.) 992.2 (3.) 1134.6 (5.)  
 Trefferlage 0.18 mm links, 3.84 mm hoch  
 Streuwert 10.13, horizontal: 12.60, vertikal: 6.81



Serie 2:  
 7.7 ↘                      9.3 ↑                      9.8 ↑                      10.3 ←                      9.1 ↘  
 9.1 ↗                      9.0 ↑                      8.9 ↗                      9.7 →                      7.3 ↘  
 beste Teiler 531.3 (14.) 897.2 (13.) 978.0 (19.)  
 Trefferlage 0.77 mm links, 11.84 mm hoch  
 Streuwert 9.06, horizontal: 9.53, vertikal: 8.57





Serie 3:  
 9.9 ↓                      8.8 →                      8.0 ↑                      9.4 ↗                      9.7 ↗  
 9.3 ↗                      6.9 ↗                      10.1 ↘                      6.3 ↗                      9.9 ↘  
 beste Teiler 651.2 (28.) 831.3 (21.) 838.0 (30.)  
 Trefferlage 10.14 mm rechts, 8.93 mm hoch  
 Streuwert 10.66, horizontal: 9.74, vertikal: 11.51




Serie 4:  
 8.2 ↗                      7.4 →                      9.4 ↗                      10.0 ↓                      10.3 →  
 9.8 ↑                      9.5 ↘                      10.6 \*                      9.1 ↘                      10.4 \*  
 beste Teiler 262.9 (38.) 449.9 (40.) 539.5 (35.)  
 Trefferlage 6.67 mm rechts, 2.35 mm hoch  
 Streuwert 9.08, horizontal: 9.05, vertikal: 9.11

Unterschrift des Schützen


Ergebnis: **356** (373.8)  
 Serien: 89 92 87 88  
 Zähler: 11 17 9 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3078 (27), 2613 (34), 2426 (1)  
 beste Teiler 138.2 (30.) 399.0 (10.) 511.3 (38.)  
 Trefferlage 3.26 mm links, 0.93 mm tief  
 Streuwert 10.19, horizontal: 10.33, vertikal: 10.05




Serie 1:  
 7.9 ←                      10.1 ↓                      9.7 ↘                      9.3 ↓                      8.2 ↗  
 9.5 ←                      9.4 ↗                      9.7 ↘                      9.8 ↓                      10.5 \*  
 beste Teiler 399.0 (10.) 719.0 (2.) 912.1 (9.)  
 Trefferlage 1.80 mm links, 1.58 mm tief  
 Streuwert 10.08, horizontal: 9.91, vertikal: 10.26



Serie 2:  
 9.8 ←                      8.4 ↗                      8.3 ↑                      9.1 →                      9.8 ←  
 9.4 ←                      10.2 ↘                      10.3 ←                      10.2 ↘                      10.1 →  
 beste Teiler 545.1 (18.) 569.5 (17.) 600.0 (19.)  
 Trefferlage 4.41 mm links, 0.30 mm tief  
 Streuwert 8.69, horizontal: 8.67, vertikal: 8.71





Serie 3:  
 9.8 →                      9.6 ↘                      9.1 ↑                      10.2 ↘                      8.7 ←  
 8.9 ←                      7.1 ↘                      9.8 ↘                      8.2 ↗                      10.8 \*  
 beste Teiler 138.2 (30.) 627.1 (24.) 912.4 (28.)  
 Trefferlage 5.79 mm links, 6.44 mm hoch  
 Streuwert 10.14, horizontal: 10.89, vertikal: 9.32




Serie 4:  
 10.3 ↘                      9.7 ←                      9.2 ↗                      7.7 ↘                      9.5 ↓  
 8.9 ←                      8.0 ↘                      10.3 ↘                      8.2 ↗                      10.1 →  
 beste Teiler 511.3 (38.) 537.2 (31.) 715.1 (40.)  
 Trefferlage 1.04 mm links, 8.29 mm tief  
 Streuwert 10.05, horizontal: 12.41, vertikal: 6.92

Unterschrift des Schützen


Ergebnis: **344** (361.5)  
 Serien: 88 89 84 83  
 Zähler: 6 17 13 3 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3282 (27), 2899 (24), 2658 (32)  
 beste Teiler 266.0 (26.) 462.6 (12.) 467.2 (9.)  
 Trefferlage 2.38 mm links, 3.65 mm tief  
 Streuwert 11.70, horizontal: 11.76, vertikal: 11.64




Serie 1:  
 9.8 →                      8.0 ←                      10.3 ↙                      9.2 ←                      9.1 ↑  
 7.8 ↓                      9.9 ←                      9.8 ←                      10.4 \*                      8.4 ↗  
 beste Teiler 467.2 (9.) 492.6 (3.) 816.4 (7.)  
 Trefferlage 2.98 mm links, 0.15 mm tief  
 Streuwert 11.11, horizontal: 11.04, vertikal: 11.18



Serie 2:  
 10.3 ↘                      10.4 \*                      8.6 ↙                      8.6 ↓                      9.2 →  
 9.7 ←                      8.4 ↑                      10.0 →                      8.1 ↙                      9.8 →  
 beste Teiler 462.6 (12.) 522.9 (11.) 774.4 (18.)  
 Trefferlage 0.02 mm rechts, 2.89 mm tief  
 Streuwert 10.68, horizontal: 9.60, vertikal: 11.66



Serie 3:  
 9.4 ↙                      9.2 ↗                      8.5 ←                      7.3 ↙                      8.0 ←  
 10.6 \*                      6.8 ↓                      9.4 →                      9.0 ↙                      9.8 ↙  
 beste Teiler 266.0 (26.) 956.0 (30.) 1257.5 (21.)  
 Trefferlage 4.53 mm links, 8.75 mm tief  
 Streuwert 12.36, horizontal: 13.77, vertikal: 10.76





Serie 4:  
 8.5 ↙                      7.6 ↙                      8.8 ↓                      8.4 ←                      9.1 ↑  
 9.8 ↙                      9.3 →                      8.4 →                      9.2 ↖                      8.6 ↑  
 beste Teiler 953.2 (36.) 1340.7 (37.) 1387.4 (39.)  
 Trefferlage 2.01 mm links, 2.82 mm tief  
 Streuwert 13.23, horizontal: 13.56, vertikal: 12.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (339.6)  
 Serien: 80 80 86 77  
 Zähler: 4 12 13 7 3 0 1 0 0 0  
 Innenzehner: 1  
 weiteste: 5190 (7), 3924 (10), 3446 (35)  
 beste Teiler 340.6 (11.) 489.2 (27.) 666.0 (3.)  
 Trefferlage 4.09 mm links, 1.60 mm tief  
 Streuwert 15.52, horizontal: 15.35, vertikal: 15.69




Serie 1:  
 8.1 → 9.2 ↗ 10.1 ↓ 9.3 ↖ 8.0 ←  
 9.2 ↑ 4.5 ↓ 9.4 ← 8.3 → 6.0 ↑  
 beste Teiler 666.0 (3.) 1242.2 (8.) 1315.4 (4.)  
 Trefferlage 2.37 mm rechts, 0.02 mm tief  
 Streuwert 18.98, horizontal: 15.60, vertikal: 21.84



Serie 2:  
 10.5 \* 8.6 → 8.1 → 9.4 ↘ 10.0 ↓  
 7.9 ↙ 7.9 ↘ 8.1 ↘ 6.8 ↖ 7.8 ↙  
 beste Teiler 340.6 (11.) 761.9 (15.) 1220.0 (14.)  
 Trefferlage 0.57 mm links, 2.25 mm tief  
 Streuwert 15.82, horizontal: 17.51, vertikal: 13.93



Serie 3:  
 7.2 ↙ 8.8 ↙ 9.8 ↓ 8.0 ↓ 9.5 ↓  
 9.1 ↑ 10.3 ← 9.8 ← 9.9 ↑ 8.2 ↘  
 beste Teiler 489.2 (27.) 812.4 (29.) 882.0 (23.)  
 Trefferlage 4.78 mm links, 3.08 mm tief  
 Streuwert 11.80, horizontal: 9.54, vertikal: 13.69





Serie 4:  
 9.9 ↑ 7.2 ← 7.1 ← 7.4 ← 6.6 ↙  
 8.1 ↓ 8.3 ↘ 8.8 ↘ 9.9 ↑ 8.5 ↗  
 beste Teiler 822.3 (31.) 830.6 (39.) 1756.6 (38.)  
 Trefferlage 13.36 mm links, 1.04 mm tief  
 Streuwert 14.58, horizontal: 14.95, vertikal: 14.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.4)  
 Serien: 94 85 85 90  
 Zähler: 12 17 4 7 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3162 (35), 2911 (18), 2838 (29)  
 beste Teiler 105.6 (26.) 257.8 (5.) 344.5 (28.)  
 Trefferlage 3.13 mm links, 0.81 mm tief  
 Streuwert 10.95, horizontal: 10.13, vertikal: 11.71




Serie 1:  
 10.1 ↘                      9.7 ↘                      10.4 \*                      9.5 ↙                      10.6 \*  
 10.0 ↓                      9.7 ↑                      9.2 ↘                      9.8 ↑                      9.5 ↘  
 beste Teiler 257.8 (5.) 464.8 (3.) 685.6 (1.)  
 Trefferlage 0.30 mm links, 1.76 mm tief  
 Streuwert 6.85, horizontal: 5.68, vertikal: 7.86



Serie 2:  
 9.6 ↙                      8.4 ↑                      9.8 ↓                      9.4 ←                      9.8 ↓  
 9.3 ↑                      7.5 ↘                      7.3 ↓                      8.7 ↓                      10.2 ↘  
 beste Teiler 610.9 (20.) 884.7 (13.) 891.5 (15.)  
 Trefferlage 1.30 mm links, 6.49 mm tief  
 Streuwert 11.90, horizontal: 6.99, vertikal: 15.31



Serie 3:  
 10.5 \*                      7.7 ←                      10.1 ↗                      7.4 ←                      9.8 ←  
 10.8 \*                      8.0 ↗                      10.5 \*                      7.4 ↘                      7.8 ↗  
 beste Teiler 105.6 (26.) 344.5 (28.) 384.4 (21.)  
 Trefferlage 3.29 mm links, 5.31 mm hoch  
 Streuwert 13.38, horizontal: 16.50, vertikal: 9.25





Serie 4:  
 9.1 ←                      8.5 ↑                      9.7 ←                      9.5 ↑                      7.0 ↙  
 10.3 →                      10.0 ←                      9.6 ↙                      9.2 ↙                      10.0 ↘  
 beste Teiler 559.0 (36.) 758.7 (40.) 778.8 (37.)  
 Trefferlage 7.63 mm links, 0.33 mm tief  
 Streuwert 9.75, horizontal: 7.49, vertikal: 11.57

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **189** (203.3)  
 Serien: 54 55 44 36  
 Zähler: 0 3 5 3 8 5 2 3 5 1  
 Innenzehner: 0  
 weiteste: 10395 (38), 9945 (35), 9472 (27)  
 beste Teiler 1154.8 (24.) 1203.7 (15.) 1543.1 (22.)  
 Trefferlage 2.48 mm links, 1.85 mm tief  
 Streuwert 38.09, horizontal: 32.27, vertikal: 43.13




Serie 1:  
 6.5 ↑                      8.0 ↗                      6.7 ↓                      8.2 ↗                      6.0 ↓  
 3.8 ↑                      2.7 ↓                      8.2 ↘                      7.6 ←                      0.0 ↗  
 beste Teiler 2161.3 (8.) 2240.4 (4.) 2341.6 (2.)  
 Trefferlage 0.54 mm links, 8.84 mm hoch  
 Streuwert 32.94, horizontal: 20.40, vertikal: 41.87



Serie 2:  
 6.0 ↙                      3.4 ↑                      5.9 ↘                      8.5 ↙                      9.4 ↓  
 3.7 ↗                      1.9 ↙                      6.3 ↙                      7.6 →                      7.6 ↙  
 beste Teiler 1203.7 (15.) 1943.5 (14.) 2702.4 (19.)  
 Trefferlage 10.42 mm links, 0.42 mm hoch  
 Streuwert 31.44, horizontal: 25.17, vertikal: 36.66





Serie 3:  
 4.5 ↗                      9.0 ↘                      2.2 ↙                      9.5 ↘                      0.0 ↓  
 5.1 ↗                      0.0 ↗                      5.5 ↑                      8.1 →                      2.4 ↙  
 beste Teiler 1154.8 (24.) 1543.1 (22.) 2314.0 (29.)  
 Trefferlage 7.31 mm rechts, 1.03 mm tief  
 Streuwert 42.76, horizontal: 34.33, vertikal: 49.79




Serie 4:  
 2.7 ↙                      5.9 ↑                      5.2 ↑                      6.3 ↗                      0.0 ↙  
 6.6 →                      4.0 →                      0.0 ↙                      6.0 ↓                      2.3 ↓  
 beste Teiler 3476.4 (36.) 3727.6 (34.) 3936.2 (39.)  
 Trefferlage 6.29 mm links, 15.63 mm tief  
 Streuwert 45.97, horizontal: 45.67, vertikal: 46.26

Unterschrift des Schützen


Ergebnis: **334** (352.5)  
 Serien: 76 83 89 86  
 Zähler: 7 11 15 5 0 2 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4768 (4), 4639 (6), 3197 (7)  
 beste Teiler 147.1 (26.) 170.0 (36.) 289.8 (23.)  
 Trefferlage 3.82 mm links, 9.11 mm tief  
 Streuwert 12.15, horizontal: 9.72, vertikal: 14.16




Serie 1:  
 9.3 ↘                      8.4 ↑                      10.0 ↙                      5.0 ↙                      8.7 ↙  
 5.2 ↓                      7.0 ↓                      7.7 ↓                      9.3 ↙                      8.8 ←  
 beste Teiler 748.7 (3.) 1299.8 (9.) 1336.5 (1.)  
 Trefferlage 7.71 mm links, 15.96 mm tief  
 Streuwert 15.66, horizontal: 12.26, vertikal: 18.45



Serie 2:  
 8.4 ↓                      9.8 ↓                      8.6 ↓                      8.9 ↙                      10.0 ↓  
 10.4 \*                      8.8 ↑                      8.8 ↓                      7.7 ↑                      7.8 ↓  
 beste Teiler 405.4 (16.) 741.1 (15.) 899.6 (12.)  
 Trefferlage 0.03 mm links, 6.00 mm tief  
 Streuwert 12.37, horizontal: 7.50, vertikal: 15.81



Serie 3:  
 9.0 ↓                      8.6 ↙                      10.6 \*                      9.0 ↙                      8.0 ↓  
 10.8 \*                      9.0 ↙                      8.4 ←                      9.4 ↑                      9.7 ↙  
 beste Teiler 147.1 (26.) 289.8 (23.) 1038.1 (30.)  
 Trefferlage 7.82 mm links, 5.51 mm tief  
 Streuwert 8.85, horizontal: 7.58, vertikal: 9.95





Serie 4:  
 9.0 ↘                      10.0 ↙                      9.3 ↓                      7.9 ↓                      8.9 ↙  
 10.7 \*                      9.5 ↘                      8.7 →                      8.9 ↓                      8.5 ↓  
 beste Teiler 170.0 (36.) 741.3 (32.) 1159.8 (37.)  
 Trefferlage 0.28 mm rechts, 8.98 mm tief  
 Streuwert 9.46, horizontal: 8.72, vertikal: 10.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (344.7)  
 Serien: 86 79 83 80  
 Zähler: 9 13 7 6 3 0 1 0 0 1  
 Innenzehner: 4  
 weiteste: 7879 (28), 5521 (19), 3856 (32)  
 beste Teiler 118.0 (25.) 230.0 (7.) 230.8 (11.)  
 Trefferlage 0.92 mm rechts, 10.42 mm hoch  
 Streuwert 15.32, horizontal: 13.56, vertikal: 16.89




Serie 1:  
 10.1 ↙                      9.3 ←                      10.1 ↖                      7.6 ←                      9.5 ↘  
 7.7 ↑                      10.7 \*                      7.2 ↘                      7.6 ↘                      10.0 ↓  
 beste Teiler 230.0 (7.) 710.2 (1.) 719.6 (3.)  
 Trefferlage 10.57 mm links, 5.24 mm hoch  
 Streuwert 10.88, horizontal: 10.71, vertikal: 11.04



Serie 2:  
 10.7 \*                      7.3 ↗                      9.8 ↑                      7.0 ↗                      10.1 ↑  
 9.7 ↑                      6.6 ↑                      8.7 ↗                      4.0 ↗                      9.6 ↓  
 beste Teiler 230.8 (11.) 681.7 (15.) 887.4 (13.)  
 Trefferlage 9.79 mm rechts, 13.58 mm hoch  
 Streuwert 14.81, horizontal: 14.14, vertikal: 15.46



Serie 3:  
 9.1 ↖                      10.4 \*                      9.2 ↑                      8.5 ↗                      10.8 \*  
 9.5 ↑                      10.0 ↙                      1.1 ↑                      8.3 ↘                      9.0 →  
 beste Teiler 118.0 (25.) 461.3 (22.) 788.5 (27.)  
 Trefferlage 1.67 mm rechts, 13.41 mm hoch  
 Streuwert 18.43, horizontal: 10.68, vertikal: 23.78





Serie 4:  
 9.8 ↑                      6.1 ↗                      6.9 ↑                      8.7 →                      9.8 ↘  
 8.5 →                      8.7 ↑                      9.1 ↙                      8.5 ↑                      9.4 ←  
 beste Teiler 902.7 (35.) 959.2 (31.) 1246.3 (40.)  
 Trefferlage 2.79 mm rechts, 9.47 mm hoch  
 Streuwert 13.93, horizontal: 11.39, vertikal: 16.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.7)  
 Serien: 90 94 88 88  
 Zähler: 11 20 7 2 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2722 (4), 2477 (22), 2282 (32)  
 beste Teiler 115.1 (12.) 354.2 (11.) 399.8 (27.)  
 Trefferlage 4.11 mm links, 1.46 mm hoch  
 Streuwert 9.06, horizontal: 8.82, vertikal: 9.29




Serie 1:  
 9.4 ↗ 9.9 ← 8.1 ↙ 7.5 ↘ 10.2 ↘  
 9.3 ↘ 9.2 ↘ 10.3 ↑ 9.9 ↘ 10.2 ←  
 beste Teiler 545.6 (8.) 573.1 (10.) 618.3 (5.)  
 Trefferlage 6.66 mm links, 5.40 mm hoch  
 Streuwert 8.41, horizontal: 7.85, vertikal: 8.94



Serie 2:  
 10.5 \* 10.8 \* 9.4 ↓ 8.8 ↑ 10.0 ↘  
 10.3 ↗ 10.0 ← 8.5 ↙ 9.2 ← 10.0 ←  
 beste Teiler 115.1 (12.) 354.2 (11.) 527.5 (16.)  
 Trefferlage 5.02 mm links, 0.58 mm tief  
 Streuwert 7.26, horizontal: 5.30, vertikal: 8.80



Serie 3:  
 8.3 ↘ 7.9 ↘ 9.7 ↘ 9.8 ↑ 9.3 ↘  
 8.2 ↙ 10.5 \* 10.0 ↘ 9.5 ↘ 9.9 ↗  
 beste Teiler 399.8 (27.) 777.8 (28.) 840.1 (30.)  
 Trefferlage 1.46 mm links, 2.07 mm hoch  
 Streuwert 10.97, horizontal: 12.14, vertikal: 9.65





Serie 4:  
 9.9 → 8.1 ↓ 9.8 ↘ 9.3 ↗ 9.7 ↘  
 9.5 ↘ 8.9 ← 9.1 ← 9.9 ↘ 9.9 ↙  
 beste Teiler 832.1 (39.) 853.0 (40.) 858.7 (31.)  
 Trefferlage 3.31 mm links, 1.02 mm tief  
 Streuwert 9.42, horizontal: 9.15, vertikal: 9.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **324** (342.0)  
 Serien: 78 75 83 88  
 Zähler: 9 8 7 12 2 2 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4555 (18), 4388 (12), 3792 (11)  
 beste Teiler 349.1 (22.) 412.6 (40.) 438.4 (19.)  
 Trefferlage 7.06 mm links, 5.33 mm hoch  
 Streuwert 14.58, horizontal: 14.79, vertikal: 14.37




Serie 1:  
 8.6 ↙ 7.7 ↘ 6.9 ↘ 10.2 ↗ 8.4 ↘  
 7.6 ↖ 10.3 ↖ 8.9 ↗ 7.9 ↖ 7.1 ↗  
 beste Teiler 516.8 (7.) 593.5 (4.) 1642.0 (8.)  
 Trefferlage 7.22 mm links, 1.34 mm hoch  
 Streuwert 15.95, horizontal: 14.13, vertikal: 17.58



Serie 2:  
 6.2 ↘ 5.5 ↘ 7.3 ↘ 9.8 ↖ 7.6 ↖  
 10.1 ↗ 8.4 ↖ 5.3 ↑ 10.4 \* 8.7 ↑  
 beste Teiler 438.4 (19.) 666.3 (16.) 934.8 (14.)  
 Trefferlage 13.94 mm links, 15.68 mm hoch  
 Streuwert 13.91, horizontal: 15.00, vertikal: 12.73



Serie 3:  
 9.4 ↓ 10.5 \* 10.0 ↘ 7.3 ← 7.5 ↗  
 7.9 → 8.2 ↖ 9.4 ← 9.2 ↘ 7.0 ↖  
 beste Teiler 349.1 (22.) 770.7 (23.) 1211.9 (28.)  
 Trefferlage 3.60 mm links, 1.82 mm hoch  
 Streuwert 15.11, horizontal: 18.02, vertikal: 11.48





Serie 4:  
 10.1 ← 9.9 ← 9.7 ↗ 7.5 ← 9.5 ↗  
 7.6 ↓ 8.3 ↑ 10.1 ↖ 9.6 ↖ 10.4 \*  
 beste Teiler 412.6 (40.) 658.5 (38.) 711.0 (31.)  
 Trefferlage 3.49 mm links, 2.48 mm hoch  
 Streuwert 11.19, horizontal: 10.88, vertikal: 11.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **306** (323.4)  
 Serien: 82 75 78 71  
 Zähler: 4 9 10 9 4 3 0 1 0 0  
 Innenzehner: 2  
 weiteste: 5655 (30), 4278 (39), 4202 (17)  
 beste Teiler 320.6 (3.) 423.5 (23.) 554.2 (5.)  
 Trefferlage 2.14 mm rechts, 6.22 mm tief  
 Streuwert 17.99, horizontal: 19.26, vertikal: 16.62




Serie 1:  
 8.7 ↑                      8.7 →                      10.6 \*                      10.0 ↙                      10.3 ↘  
 7.2 ↖                      7.1 ↓                      7.6 ↗                      9.5 ↓                      6.2 →  
 beste Teiler 320.6 (3.) 554.2 (5.) 737.9 (4.)  
 Trefferlage 5.51 mm rechts, 4.50 mm tief  
 Streuwert 15.63, horizontal: 17.84, vertikal: 13.05



Serie 2:  
 9.7 ↘                      6.2 ↓                      8.5 ↑                      9.3 ←                      9.6 ↖  
 7.1 ←                      5.7 ↘                      7.1 ↓                      8.5 ↖                      7.9 ↑  
 beste Teiler 1008.8 (11.) 1117.1 (15.) 1343.2 (14.)  
 Trefferlage 2.51 mm links, 7.60 mm tief  
 Streuwert 18.68, horizontal: 17.79, vertikal: 19.54



Serie 3:  
 7.0 →                      9.2 ↑                      10.4 \*                      9.0 ↙                      8.9 ↓  
 8.1 ↘                      8.9 ←                      8.4 →                      8.3 ↖                      3.9 ←  
 beste Teiler 423.5 (23.) 1431.0 (22.) 1559.1 (24.)  
 Trefferlage 5.60 mm links, 2.16 mm tief  
 Streuwert 18.58, horizontal: 23.15, vertikal: 12.44





Serie 4:  
 8.0 ↘                      9.7 ↗                      5.9 ↓                      7.7 ↘                      6.5 ↓  
 9.6 ↖                      9.1 →                      7.5 ↓                      5.6 ↗                      6.2 ↘  
 beste Teiler 989.6 (32.) 1056.4 (36.) 1467.2 (37.)  
 Trefferlage 11.16 mm rechts, 10.64 mm tief  
 Streuwert 18.55, horizontal: 15.61, vertikal: 21.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (353.3)  
 Serien: 85 80 84 86  
 Zähler: 7 10 15 7 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3218 (5), 3197 (14), 3109 (13)  
 beste Teiler 236.0 (29.) 392.0 (34.) 621.8 (36.)  
 Trefferlage 3.97 mm links, 0.46 mm hoch  
 Streuwert 13.22, horizontal: 13.23, vertikal: 13.21




Serie 1:  
 9.9 ←                      9.0 ↘                      10.0 ↑                      10.0 ↗                      6.9 ↓  
 8.1 ↓                      8.4 ←                      8.3 ↓                      9.9 ↓                      8.7 ←  
 beste Teiler 755.3 (4.) 786.3 (3.) 843.2 (1.)  
 Trefferlage 4.78 mm links, 6.75 mm tief  
 Streuwert 11.93, horizontal: 9.16, vertikal: 14.17



Serie 2:  
 8.5 ↑                      9.5 →                      7.1 →                      7.0 ↘                      7.8 ←  
 8.0 ←                      9.6 ↙                      8.0 ↓                      8.5 ↗                      9.8 ←  
 beste Teiler 960.6 (20.) 1080.7 (17.) 1124.5 (12.)  
 Trefferlage 5.75 mm links, 1.50 mm tief  
 Streuwert 15.77, horizontal: 16.98, vertikal: 14.46



Serie 3:  
 8.8 ↘                      10.1 ↖                      8.2 ↑                      7.6 ←                      7.8 ↗  
 7.2 ←                      10.1 ↓                      9.4 ←                      10.7 \*                      8.8 →  
 beste Teiler 236.0 (29.) 697.4 (27.) 714.9 (22.)  
 Trefferlage 4.10 mm links, 2.35 mm hoch  
 Streuwert 13.68, horizontal: 16.04, vertikal: 10.82





Serie 4:  
 8.6 →                      8.4 ↖                      7.5 ↑                      10.5 \*                      8.8 ↑  
 10.2 ↙                      9.3 ↑                      9.8 ↘                      8.6 ↖                      9.9 ↑  
 beste Teiler 392.0 (34.) 621.8 (36.) 880.2 (40.)  
 Trefferlage 1.25 mm links, 7.74 mm hoch  
 Streuwert 10.51, horizontal: 10.80, vertikal: 10.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **303** (321.7)  
 Serien: 74 70 80 79  
 Zähler: 2 10 12 7 6 1 1 1 0 0  
 Innenzehner: 1  
 weiteste: 5636 (16), 5359 (9), 4158 (3)  
 beste Teiler 255.9 (24.) 739.1 (38.) 845.8 (7.)  
 Trefferlage 11.36 mm rechts, 3.74 mm tief  
 Streuwert 16.62, horizontal: 14.05, vertikal: 18.85




Serie 1:  
 8.3 ↗ 8.5 ↘ 5.8 ↓ 8.3 → 6.3 ↓  
 9.1 → 9.9 ↑ 8.0 ↑ 4.3 → 9.2 ↑  
 beste Teiler 845.8 (7.) 1402.8 (10.) 1469.6 (6.)  
 Trefferlage 13.13 mm rechts, 4.83 mm tief  
 Streuwert 18.79, horizontal: 15.61, vertikal: 21.51



Serie 2:  
 9.2 → 8.4 ↙ 6.0 ↘ 6.8 → 7.6 ↖  
 3.9 ↑ 7.8 ↘ 7.2 → 8.0 ↓ 9.9 ↖  
 beste Teiler 871.4 (20.) 1431.4 (11.) 2009.9 (12.)  
 Trefferlage 9.63 mm rechts, 5.68 mm tief  
 Streuwert 21.26, horizontal: 19.32, vertikal: 23.05



Serie 3:  
 8.0 ↘ 8.7 ↘ 7.9 ↑ 10.6 \* 9.7 ↑  
 8.9 ↓ 7.8 → 8.0 ↘ 9.5 ↑ 6.8 →  
 beste Teiler 255.9 (24.) 1022.9 (25.) 1130.2 (29.)  
 Trefferlage 11.71 mm rechts, 1.90 mm tief  
 Streuwert 12.70, horizontal: 10.63, vertikal: 14.47





Serie 4:  
 9.9 → 9.0 ↘ 6.8 ↘ 7.0 ↓ 9.2 →  
 8.6 → 8.2 ↗ 10.0 ↓ 7.9 ↘ 6.7 ↑  
 beste Teiler 739.1 (38.) 874.9 (31.) 1398.7 (35.)  
 Trefferlage 10.99 mm rechts, 2.55 mm tief  
 Streuwert 14.90, horizontal: 10.90, vertikal: 18.03

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **332** (351.4)  
 Serien: 76 80 84 92  
 Zähler: 6 14 11 5 3 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4627 (4), 3800 (1), 3615 (6)  
 beste Teiler 303.7 (39.) 335.2 (35.) 372.7 (36.)  
 Trefferlage 0.84 mm rechts, 1.61 mm hoch  
 Streuwert 14.22, horizontal: 12.53, vertikal: 15.72




Serie 1:  
 6.2 ↓                      9.2 ↑                      9.9 →                      5.2 ↗                      7.8 ↑  
 6.4 ↖                      9.5 ↘                      8.2 ↓                      9.0 ↗                      8.6 ↖  
 beste Teiler 809.8 (3.) 1133.0 (7.) 1392.8 (2.)  
 Trefferlage 3.84 mm rechts, 4.91 mm hoch  
 Streuwert 19.16, horizontal: 17.22, vertikal: 20.92



Serie 2:  
 8.9 ↘                      7.8 ↗                      7.3 ↘                      8.9 ↖                      7.9 ↗  
 6.7 ↖                      8.4 ↖                      10.4 \*                      9.6 ↓                      10.2 ↖  
 beste Teiler 471.3 (18.) 567.2 (20.) 1063.3 (19.)  
 Trefferlage 1.99 mm rechts, 1.35 mm hoch  
 Streuwert 15.52, horizontal: 14.75, vertikal: 16.25



Serie 3:  
 7.5 ↓                      9.6 ←                      8.9 ↖                      8.4 ↗                      9.3 ↓  
 8.5 ↖                      9.6 ↑                      9.2 ↑                      8.3 ↑                      9.9 →  
 beste Teiler 813.1 (30.) 1074.2 (22.) 1105.0 (27.)  
 Trefferlage 1.42 mm links, 4.51 mm hoch  
 Streuwert 12.32, horizontal: 8.77, vertikal: 15.06





Serie 4:  
 10.3 ↑                      9.1 ↓                      9.3 ↗                      8.4 ←                      10.5 \*  
 10.5 \*                      9.1 ↖                      8.7 ↓                      10.6 \*                      9.6 ↓  
 beste Teiler 303.7 (39.) 335.2 (35.) 372.7 (36.)  
 Trefferlage 1.03 mm links, 4.33 mm tief  
 Streuwert 8.67, horizontal: 8.28, vertikal: 9.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **317** (337.4)  
 Serien: 78 77 79 83  
 Zähler: 5 9 12 8 4 2 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4494 (4), 4112 (25), 3609 (20)  
 beste Teiler 136.9 (40.) 151.5 (34.) 274.0 (10.)  
 Trefferlage 0.36 mm rechts, 4.32 mm tief  
 Streuwert 15.96, horizontal: 14.73, vertikal: 17.11




Serie 1:  
 7.8 ←                      8.8 ↘                      8.1 →                      5.3 ↓                      9.9 ↙  
 8.6 ↗                      6.6 ↓                      9.4 ↖                      8.9 ↓                      10.6 \*  
 beste Teiler 274.0 (10.) 875.8 (5.) 1235.8 (8.)  
 Trefferlage 0.85 mm links, 8.19 mm tief  
 Streuwert 16.52, horizontal: 13.80, vertikal: 18.86



Serie 2:  
 10.1 →                      9.2 ↗                      9.1 ↗                      7.7 ↖                      7.1 ↖  
 6.8 ↓                      7.0 →                      7.8 ↓                      9.6 ↓                      6.4 ←  
 beste Teiler 716.6 (11.) 1095.1 (19.) 1363.4 (12.)  
 Trefferlage 2.54 mm links, 0.76 mm tief  
 Streuwert 18.48, horizontal: 19.38, vertikal: 17.53



Serie 3:  
 8.3 ↘                      9.8 ↗                      8.3 ↓                      8.0 ↓                      5.8 ↓  
 7.6 ↙                      8.0 ↗                      10.4 \*                      9.6 ↑                      7.9 ↖  
 beste Teiler 471.9 (28.) 926.9 (22.) 1044.0 (29.)  
 Trefferlage 0.62 mm rechts, 6.18 mm tief  
 Streuwert 16.43, horizontal: 11.89, vertikal: 19.97





Serie 4:  
 8.9 ←                      8.3 ↘                      7.5 ↗                      10.8 \*                      8.5 ↓  
 9.3 ←                      8.7 ↓                      6.9 →                      9.2 →                      10.8 \*  
 beste Teiler 136.9 (40.) 151.5 (34.) 1304.2 (36.)  
 Trefferlage 4.21 mm rechts, 2.14 mm tief  
 Streuwert 13.64, horizontal: 14.33, vertikal: 12.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **306** (324.1)  
 Serien: 71 76 81 78  
 Zähler: 2 13 9 6 7 1 2 0 0 0  
 Innenzehner: 1  
 weiteste: 5247 (13), 5089 (31), 4678 (9)  
 beste Teiler 406.9 (33.) 504.6 (36.) 840.0 (26.)  
 Trefferlage 10.23 mm links, 8.56 mm tief  
 Streuwert 15.80, horizontal: 14.63, vertikal: 16.90




Serie 1:  
 9.7 ↘                      6.4 ←                      6.5 ←                      6.2 ↘                      8.4 ↘  
 8.0 ↓                      9.4 ↓                      8.2 ↓                      5.1 ↓                      6.9 ↙  
 beste Teiler 983.9 (1.) 1233.0 (7.) 2037.2 (5.)  
 Trefferlage 6.37 mm links, 17.35 mm tief  
 Streuwert 17.59, horizontal: 19.34, vertikal: 15.64



Serie 2:  
 9.1 ↙                      7.2 ↓                      4.4 ↑                      7.3 ←                      6.7 ←  
 9.4 ↙                      9.0 ↘                      9.2 ←                      7.2 ←                      9.7 ←  
 beste Teiler 976.0 (20.) 1238.0 (16.) 1434.6 (18.)  
 Trefferlage 12.94 mm links, 1.72 mm tief  
 Streuwert 17.93, horizontal: 12.82, vertikal: 21.88



Serie 3:  
 8.5 ↙                      8.1 ↘                      9.1 →                      7.7 ↙                      6.9 ↘  
 9.9 ↙                      9.7 ↓                      8.1 ↓                      8.3 ↙                      9.8 ↘  
 beste Teiler 840.0 (26.) 895.5 (30.) 1029.8 (27.)  
 Trefferlage 8.70 mm links, 4.70 mm tief  
 Streuwert 13.12, horizontal: 11.77, vertikal: 14.34





Serie 4:  
 4.6 ↙                      8.9 ↙                      10.4 \*                      7.5 ←                      9.7 ↘  
 10.3 ↘                      8.5 ↙                      6.7 ↙                      9.7 ↓                      7.7 ←  
 beste Teiler 406.9 (33.) 504.6 (36.) 1013.9 (39.)  
 Trefferlage 12.93 mm links, 10.47 mm tief  
 Streuwert 13.50, horizontal: 14.65, vertikal: 12.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **317** (335.1)  
 Serien: 75 85 80 77  
 Zähler: 6 11 10 5 3 5 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4629 (9), 4454 (26), 4421 (15)  
 beste Teiler 372.6 (35.) 417.8 (12.) 612.4 (1.)  
 Trefferlage 0.61 mm links, 8.63 mm tief  
 Streuwert 15.96, horizontal: 16.12, vertikal: 15.79




Serie 1:  
 10.2 ↙ 9.9 ← 8.5 ↓ 5.9 → 7.2 ↓  
 8.6 → 9.9 ↘ 7.8 ↖ 5.2 ↓ 7.1 ←  
 beste Teiler 612.4 (1.) 824.2 (2.) 851.5 (7.)  
 Trefferlage 0.73 mm links, 9.97 mm tief  
 Streuwert 18.53, horizontal: 20.03, vertikal: 16.89



Serie 2:  
 9.3 ↘ 10.4 \* 10.1 ↘ 9.8 ↗ 5.4 ↗  
 8.5 ↑ 7.4 ↘ 9.5 ↓ 9.4 ↓ 9.0 ←  
 beste Teiler 417.8 (12.) 669.6 (13.) 883.4 (14.)  
 Trefferlage 3.42 mm links, 8.02 mm tief  
 Streuwert 13.40, horizontal: 13.56, vertikal: 13.25



Serie 3:  
 8.3 → 8.4 ↖ 9.3 ↓ 10.0 ↗ 9.4 ↖  
 5.4 → 9.9 ↘ 8.0 ↑ 6.8 ↗ 8.2 ↓  
 beste Teiler 763.0 (24.) 834.0 (27.) 1221.9 (25.)  
 Trefferlage 5.97 mm rechts, 2.16 mm hoch  
 Streuwert 16.72, horizontal: 17.77, vertikal: 15.59





Serie 4:  
 6.5 ↓ 8.6 ↓ 5.9 ↗ 10.1 ↗ 10.5 \*  
 6.3 ↓ 8.4 ↘ 8.2 ↓ 7.9 ↓ 9.9 ↓  
 beste Teiler 372.6 (35.) 648.0 (34.) 867.7 (40.)  
 Trefferlage 4.24 mm links, 18.70 mm tief  
 Streuwert 11.96, horizontal: 12.42, vertikal: 11.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (350.8)  
 Serien: 84 82 83 85  
 Zähler: 4 17 10 7 2 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3514 (12), 3501 (25), 3155 (18)  
 beste Teiler 499.2 (39.) 555.0 (6.) 588.9 (20.)  
 Trefferlage 0.74 mm rechts, 4.16 mm tief  
 Streuwert 13.48, horizontal: 14.15, vertikal: 12.77




Serie 1:  
 9.4 ↓                      7.1 ↓                      8.7 ←                      9.6 ↘                      7.6 ↗  
 10.3 ↑                      8.7 →                      8.7 ↓                      9.6 ↓                      9.9 ↖  
 beste Teiler 555.0 (6.) 879.9 (10.) 1070.3 (4.)  
 Trefferlage 2.35 mm links, 8.29 mm tief  
 Streuwert 11.58, horizontal: 10.33, vertikal: 12.71



Serie 2:  
 8.4 →                      6.6 ↑                      9.7 ←                      7.8 ↘                      9.1 →  
 8.9 →                      9.1 ↓                      7.0 ←                      9.0 ↓                      10.2 ↘  
 beste Teiler 588.9 (20.) 985.0 (13.) 1463.6 (17.)  
 Trefferlage 1.27 mm rechts, 1.62 mm tief  
 Streuwert 15.56, horizontal: 15.41, vertikal: 15.72



Serie 3:  
 7.2 ↓                      9.9 ↓                      7.8 ↖                      9.0 ↘                      6.6 →  
 9.1 ←                      10.1 ↘                      8.9 ↗                      9.9 →                      9.6 ↖  
 beste Teiler 682.3 (27.) 840.4 (22.) 849.1 (29.)  
 Trefferlage 1.65 mm rechts, 3.79 mm tief  
 Streuwert 14.18, horizontal: 14.84, vertikal: 13.48





Serie 4:  
 8.1 →                      9.1 ↘                      9.0 ↘                      8.7 ↗                      8.2 ←  
 9.1 ←                      9.1 →                      7.5 ←                      10.3 ↗                      8.2 ↘  
 beste Teiler 499.2 (39.) 1452.1 (36.) 1498.9 (32.)  
 Trefferlage 2.42 mm rechts, 2.97 mm tief  
 Streuwert 13.74, horizontal: 16.99, vertikal: 9.41

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **334** (349.9)  
 Serien: 74 86 87 87  
 Zähler: 5 17 8 7 3 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3978 (8), 3972 (9), 3838 (16)  
 beste Teiler 382.2 (28.) 467.2 (37.) 585.2 (34.)  
 Trefferlage 0.62 mm links, 0.94 mm hoch  
 Streuwert 14.32, horizontal: 13.49, vertikal: 15.10




Serie 1:  
 7.6 ←                      7.2 ↖                      8.1 ↖                      7.6 ↓                      8.1 ←  
 7.2 ↑                      9.2 ↓                      6.0 ↗                      6.0 ↓                      9.1 ↓

beste Teiler 1428.5 (7.) 1488.0 (10.) 2263.6 (3.)  
 Trefferlage 3.05 mm links, 0.78 mm hoch  
 Streuwert 20.75, horizontal: 19.44, vertikal: 21.99




Serie 2:  
 9.3 ↘                      9.9 →                      9.1 ↖                      9.0 ↘                      9.9 ↗  
 6.2 →                      9.1 ↗                      8.2 ↓                      10.0 ←                      8.4 ↙

beste Teiler 750.0 (19.) 854.3 (15.) 855.3 (12.)  
 Trefferlage 6.52 mm rechts, 2.21 mm tief  
 Streuwert 12.85, horizontal: 14.69, vertikal: 10.71



Serie 3:  
 9.7 ↗                      8.8 ↗                      8.8 ↙                      10.0 ↓                      7.9 ↓  
 9.7 ↗                      8.5 ↓                      10.5 \*                      9.1 ←                      9.9 →

beste Teiler 382.2 (28.) 722.4 (24.) 845.0 (30.)  
 Trefferlage 0.37 mm links, 2.99 mm tief  
 Streuwert 10.63, horizontal: 7.84, vertikal: 12.83





Serie 4:  
 9.8 ←                      9.6 ←                      8.6 ↖                      10.2 ↖                      9.1 ↖  
 9.8 ↓                      10.4 \*                      7.7 ↑                      7.3 ↖                      9.3 ↑

beste Teiler 467.2 (37.) 585.2 (34.) 918.9 (36.)  
 Trefferlage 5.58 mm links, 8.20 mm hoch  
 Streuwert 9.53, horizontal: 6.54, vertikal: 11.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (357.2)  
 Serien: 86 84 84 85  
 Zähler: 4 18 12 5 1 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3439 (38), 2891 (37), 2531 (16)  
 beste Teiler 407.0 (6.) 520.0 (33.) 529.9 (10.)  
 Trefferlage 2.54 mm links, 1.91 mm tief  
 Streuwert 12.35, horizontal: 10.56, vertikal: 13.90




Serie 1:  
 7.9 ↗ 8.5 ↓ 9.1 ↘ 9.3 ↘ 8.8 ↖  
 10.4 \* 8.9 ↘ 8.4 ↑ 9.4 ↑ 10.3 →  
 beste Teiler 407.0 (6.) 529.9 (10.) 1279.9 (9.)  
 Trefferlage 2.01 mm rechts, 2.79 mm hoch  
 Streuwert 11.65, horizontal: 8.85, vertikal: 13.89



Serie 2:  
 9.1 ↑ 9.4 → 7.8 ↓ 8.1 ↘ 9.3 ↓  
 7.8 ↙ 9.0 ↓ 9.8 ← 8.6 ↘ 9.6 ↘  
 beste Teiler 934.6 (18.) 1043.3 (20.) 1207.0 (12.)  
 Trefferlage 6.66 mm links, 3.34 mm tief  
 Streuwert 12.01, horizontal: 10.03, vertikal: 13.71



Serie 3:  
 8.7 ← 7.8 ↙ 9.5 ↘ 9.1 → 9.0 →  
 8.0 ↘ 8.9 ↙ 9.8 ↓ 8.7 ↙ 9.3 ↓  
 beste Teiler 905.6 (28.) 1133.8 (23.) 1308.3 (30.)  
 Trefferlage 5.13 mm links, 3.70 mm tief  
 Streuwert 11.98, horizontal: 12.46, vertikal: 11.47





Serie 4:  
 10.0 ↓ 8.3 ↗ 10.3 ↘ 8.2 ↙ 9.1 ↘  
 9.8 ↖ 7.3 ↓ 6.7 ↑ 9.7 ← 9.5 ↓  
 beste Teiler 520.0 (33.) 793.1 (31.) 938.1 (36.)  
 Trefferlage 0.38 mm links, 3.41 mm tief  
 Streuwert 13.91, horizontal: 9.72, vertikal: 17.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (350.6)  
 Serien: 80 83 85 84  
 Zähler: 5 14 12 6 3 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3651 (11), 3347 (5), 3220 (9)  
 beste Teiler 219.4 (6.) 399.1 (34.) 450.2 (30.)  
 Trefferlage 0.81 mm rechts, 0.36 mm tief  
 Streuwert 13.97, horizontal: 15.21, vertikal: 12.60




Serie 1:  
 9.3 ↘                      9.1 ↓                      7.6 ↘                      8.9 ↘                      6.8 →  
 10.7 \*                      8.0 ←                      9.1 ↓                      6.9 →                      8.5 →  
 beste Teiler 219.4 (6.) 1314.1 (1.) 1452.3 (2.)  
 Trefferlage 9.88 mm rechts, 7.27 mm tief  
 Streuwert 13.30, horizontal: 17.37, vertikal: 7.22



Serie 2:  
 6.4 ←                      9.9 →                      8.3 ↗                      8.9 →                      9.7 ←  
 10.1 ↗                      8.7 →                      8.3 →                      9.9 ↓                      8.1 ↑  
 beste Teiler 698.0 (16.) 822.8 (12.) 833.2 (19.)  
 Trefferlage 2.72 mm rechts, 5.84 mm hoch  
 Streuwert 13.33, horizontal: 16.46, vertikal: 9.20



Serie 3:  
 7.6 ↓                      7.0 ↙                      7.0 ↑                      10.1 →                      9.9 ↖  
 9.0 ↖                      9.0 ←                      8.9 ↖                      9.0 →                      10.4 \*  
 beste Teiler 450.2 (30.) 705.2 (24.) 852.7 (25.)  
 Trefferlage 4.29 mm links, 1.82 mm hoch  
 Streuwert 14.17, horizontal: 11.97, vertikal: 16.08





Serie 4:  
 9.3 ↓                      9.6 →                      7.7 ↓                      10.5 \*                      8.3 ↖  
 8.8 ↖                      8.3 ↖                      9.6 ↙                      7.6 ↖                      9.8 ↗  
 beste Teiler 399.1 (34.) 946.9 (40.) 1053.3 (38.)  
 Trefferlage 5.02 mm links, 1.84 mm tief  
 Streuwert 12.54, horizontal: 11.17, vertikal: 13.77

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **334** (350.7)  
 Serien: 87 84 83 80  
 Zähler: 7 11 15 4 2 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4290 (28), 3960 (23), 3850 (31)  
 beste Teiler 36.0 (1.) 413.1 (2.) 553.5 (26.)  
 Trefferlage 0.27 mm rechts, 2.07 mm tief  
 Streuwert 14.15, horizontal: 14.88, vertikal: 13.38




Serie 1:  
 10.9 \*                      10.4 \*                      7.4 ↙                      8.8 ↘                      10.0 ↗  
 9.9 ↑                      8.6 →                      7.2 ↓                      9.6 ↖                      9.7 ↘  
 beste Teiler 36.0 (1.) 413.1 (2.) 797.2 (5.)  
 Trefferlage 1.25 mm rechts, 3.17 mm tief  
 Streuwert 12.04, horizontal: 12.44, vertikal: 11.63



Serie 2:  
 9.8 →                      8.4 ←                      8.1 ↖                      8.3 ↓                      8.5 ←  
 8.3 ↖                      9.3 ↑                      9.0 ↓                      9.3 ↓                      8.3 →  
 beste Teiler 884.6 (11.) 1308.9 (17.) 1309.0 (19.)  
 Trefferlage 2.48 mm links, 1.32 mm tief  
 Streuwert 13.46, horizontal: 14.37, vertikal: 12.47



Serie 3:  
 10.0 ↗                      10.1 ↗                      6.0 ↙                      9.4 ↗                      9.0 ↑  
 10.3 ↑                      9.3 ↓                      5.6 ↙                      8.9 →                      7.6 ↗  
 beste Teiler 553.5 (26.) 641.3 (22.) 772.7 (21.)  
 Trefferlage 0.90 mm links, 0.68 mm tief  
 Streuwert 16.87, horizontal: 17.70, vertikal: 15.99





Serie 4:  
 6.1 ↗                      8.6 ↙                      8.5 ↓                      9.8 ↘                      8.6 ↙  
 7.6 →                      8.6 ↘                      10.1 ↗                      8.7 ↙                      8.1 ↘  
 beste Teiler 665.0 (38.) 933.4 (34.) 1784.4 (39.)  
 Trefferlage 3.22 mm rechts, 3.12 mm tief  
 Streuwert 15.62, horizontal: 16.26, vertikal: 14.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (347.4)  
 Serien: 80 78 86 86  
 Zähler: 9 13 7 5 3 2 1 0 0 0  
 Innenzehner: 5  
 weiteste: 5256 (15), 4433 (2), 4048 (9)  
 beste Teiler 243.7 (30.) 381.0 (21.) 428.7 (40.)  
 Trefferlage 0.55 mm rechts, 2.42 mm tief  
 Streuwert 15.54, horizontal: 14.59, vertikal: 16.44




Serie 1:  
 9.2 ↘                      5.4 ←                      8.1 ↓                      10.4 \*                      9.5 ↙  
 8.1 ←                      10.0 ↗                      6.2 ↖                      5.9 ↓                      10.3 ↘  
 beste Teiler 431.8 (4.) 496.2 (10.) 770.1 (7.)  
 Trefferlage 11.19 mm links, 10.12 mm tief  
 Streuwert 15.43, horizontal: 15.37, vertikal: 15.49



Serie 2:  
 9.6 ↘                      7.8 ↑                      9.3 ↘                      8.5 ↘                      4.4 ↗  
 9.8 ↓                      8.4 ↓                      8.1 →                      8.7 ↑                      8.6 ↓  
 beste Teiler 936.1 (16.) 1062.6 (11.) 1316.3 (13.)  
 Trefferlage 7.00 mm rechts, 3.18 mm hoch  
 Streuwert 16.96, horizontal: 14.04, vertikal: 19.45



Serie 3:  
 10.5 \*                      9.1 ↘                      7.2 ↓                      9.8 ↘                      7.4 ↓  
 9.3 ←                      6.9 ↑                      9.5 ↗                      10.1 ↑                      10.6 \*  
 beste Teiler 243.7 (30.) 381.0 (21.) 701.5 (29.)  
 Trefferlage 2.71 mm rechts, 2.03 mm tief  
 Streuwert 13.56, horizontal: 7.27, vertikal: 17.74





Serie 4:  
 9.4 ↓                      10.2 ↘                      7.7 ↘                      10.4 \*                      7.4 ↙  
 9.7 ↓                      6.5 →                      9.6 ↑                      9.4 ↗                      10.4 \*  
 beste Teiler 428.7 (40.) 446.8 (34.) 579.1 (32.)  
 Trefferlage 3.67 mm rechts, 0.70 mm tief  
 Streuwert 13.30, horizontal: 14.85, vertikal: 11.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (368.9)  
 Serien: 83 90 91 86  
 Zähler: 10 15 12 2 0 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 4539 (2), 3160 (9), 2507 (7)  
 beste Teiler 310.4 (25.) 406.7 (40.) 412.7 (39.)  
 Trefferlage 5.06 mm rechts, 6.17 mm hoch  
 Streuwert 10.13, horizontal: 8.45, vertikal: 11.58




Serie 1:  
 9.8 → 5.3 ↑ 10.4 \* 8.5 ↑ 10.4 \*  
 9.5 ↘ 7.8 → 9.8 ↗ 7.0 ↗ 9.2 ↖  
 beste Teiler 438.8 (5.) 459.4 (3.) 943.0 (8.)  
 Trefferlage 7.34 mm rechts, 9.38 mm hoch  
 Streuwert 13.36, horizontal: 10.24, vertikal: 15.88



Serie 2:  
 9.8 → 9.8 ↘ 9.9 ↑ 10.3 ↓ 10.4 \*  
 8.3 → 8.3 ↑ 9.1 ↑ 9.3 ↑ 9.4 ↓  
 beste Teiler 451.1 (15.) 508.5 (14.) 826.4 (13.)  
 Trefferlage 5.10 mm rechts, 3.86 mm hoch  
 Streuwert 8.58, horizontal: 6.48, vertikal: 10.26



Serie 3:  
 10.2 ↖ 8.1 ↗ 9.4 ↖ 10.1 ↑ 10.6 \*  
 10.2 ↓ 8.6 ↑ 8.8 ↗ 9.8 ↗ 9.3 →  
 beste Teiler 310.4 (25.) 579.9 (21.) 599.6 (26.)  
 Trefferlage 3.92 mm rechts, 7.07 mm hoch  
 Streuwert 7.62, horizontal: 7.28, vertikal: 7.94





Serie 4:  
 8.2 ↗ 9.2 ↖ 8.9 ↓ 8.9 ↑ 8.9 ↖  
 9.9 ← 8.4 ↘ 8.3 ↑ 10.4 \* 10.4 \*  
 beste Teiler 406.7 (40.) 412.7 (39.) 866.3 (36.)  
 Trefferlage 3.86 mm rechts, 4.36 mm hoch  
 Streuwert 10.93, horizontal: 10.04, vertikal: 11.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (371.6)  
 Serien: 88 85 91 89  
 Zähler: 10 18 8 3 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3242 (9), 2691 (12), 2552 (21)  
 beste Teiler 62.2 (8.) 112.0 (23.) 171.8 (24.)  
 Trefferlage 1.87 mm rechts, 2.54 mm tief  
 Streuwert 10.54, horizontal: 10.77, vertikal: 10.31




Serie 1:  
 7.8 ↘ 9.4 → 10.1 ↙ 8.8 ↓ 9.0 ←  
 10.5 \* 9.0 ↙ 10.9 \* 6.9 ↙ 10.3 ←  
 beste Teiler 62.2 (8.) 369.7 (6.) 501.4 (10.)  
 Trefferlage 2.08 mm links, 4.15 mm tief  
 Streuwert 11.83, horizontal: 12.41, vertikal: 11.22



Serie 2:  
 9.0 ↘ 7.6 ↑ 9.6 ↗ 9.9 ↙ 8.9 ↓  
 9.2 ↗ 8.6 ↓ 8.8 → 9.6 → 9.1 →  
 beste Teiler 843.9 (14.) 1042.2 (13.) 1120.2 (19.)  
 Trefferlage 6.54 mm rechts, 0.25 mm hoch  
 Streuwert 10.92, horizontal: 8.16, vertikal: 13.10



Serie 3:  
 7.8 ↙ 9.3 ← 10.8 \* 10.7 \* 10.0 ↙  
 10.2 → 9.2 ↓ 9.2 ↘ 9.5 → 8.3 →  
 beste Teiler 112.0 (23.) 171.8 (24.) 580.0 (26.)  
 Trefferlage 0.67 mm rechts, 3.32 mm tief  
 Streuwert 10.01, horizontal: 12.24, vertikal: 7.10





Serie 4:  
 9.5 ↘ 9.5 → 10.0 ↗ 8.6 ↗ 8.2 ↓  
 10.3 ↓ 9.8 ← 9.1 ↘ 8.9 ↙ 9.7 ↘  
 beste Teiler 542.0 (36.) 737.0 (33.) 922.3 (37.)  
 Trefferlage 2.38 mm rechts, 2.97 mm tief  
 Streuwert 9.71, horizontal: 9.39, vertikal: 10.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **289** (305.7)  
 Serien: 73 73 72 71  
 Zähler: 2 5 12 8 8 4 1 0 0 0  
 Innenzehner: 1  
 weiteste: 4896 (5), 4776 (10), 4760 (24)  
 beste Teiler 346.0 (4.) 694.9 (36.) 885.4 (25.)  
 Trefferlage 0.65 mm links, 6.72 mm tief  
 Streuwert 20.19, horizontal: 21.39, vertikal: 18.91




Serie 1:  
 6.0 ↓                      8.7 ↙                      8.4 ↑                      10.5 \*                      4.8 ↓  
 7.5 ↓                      8.6 ↘                      9.7 ↘                      8.1 ↗                      5.0 ↖  
 beste Teiler 346.0 (4.) 986.2 (8.) 1834.7 (2.)  
 Trefferlage 3.08 mm links, 7.29 mm tief  
 Streuwert 21.16, horizontal: 17.27, vertikal: 24.44



Serie 2:  
 7.7 ↘                      6.7 ↗                      8.3 ↓                      7.7 ↑                      8.9 ↗  
 6.1 →                      6.3 ↓                      9.3 ←                      8.2 ↓                      8.3 ←  
 beste Teiler 1337.3 (18.) 1618.1 (15.) 2127.7 (20.)  
 Trefferlage 5.35 mm rechts, 3.76 mm tief  
 Streuwert 19.38, horizontal: 16.79, vertikal: 21.66



Serie 3:  
 9.4 ↘                      8.4 ↘                      6.2 ↗                      5.0 ←                      9.8 ↘  
 7.4 ←                      7.0 ↘                      8.5 ↙                      5.9 ↓                      8.7 →  
 beste Teiler 885.4 (25.) 1277.9 (21.) 1763.7 (30.)  
 Trefferlage 1.78 mm rechts, 8.17 mm tief  
 Streuwert 20.81, horizontal: 23.25, vertikal: 18.04





Serie 4:  
 7.5 ↘                      7.8 ↘                      8.5 ↓                      6.3 ←                      9.8 ↑  
 10.1 ←                      6.0 ←                      7.0 ↘                      5.4 ↙                      6.2 ←  
 beste Teiler 694.9 (36.) 900.1 (35.) 1966.8 (33.)  
 Trefferlage 6.64 mm links, 7.66 mm tief  
 Streuwert 21.36, horizontal: 27.73, vertikal: 11.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (380.8)  
 Serien: 89 94 92 87  
 Zähler: 13 19 5 3 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 3009 (38), 2837 (10), 2510 (8)  
 beste Teiler 86.8 (30.) 337.4 (6.) 347.6 (23.)  
 Trefferlage 0.17 mm links, 1.73 mm hoch  
 Streuwert 9.49, horizontal: 10.60, vertikal: 8.22




Serie 1:  
 8.6 ↑                      10.3 ←                      9.5 ↗                      9.5 ↓                      9.4 ↓  
 10.5 \*                      10.4 \*                      7.8 ←                      10.3 ↗                      7.4 ←  
 beste Teiler 337.4 (6.) 418.1 (7.) 509.7 (2.)  
 Trefferlage 4.10 mm links, 0.77 mm tief  
 Streuwert 10.79, horizontal: 11.54, vertikal: 9.98



Serie 2:  
 9.8 →                      10.1 →                      10.4 \*                      9.5 ←                      10.4 \*  
 9.8 →                      9.0 ←                      9.6 →                      10.4 \*                      9.8 ↗  
 beste Teiler 415.7 (15.) 417.1 (13.) 457.9 (19.)  
 Trefferlage 0.40 mm rechts, 1.45 mm hoch  
 Streuwert 6.79, horizontal: 9.07, vertikal: 3.17





Serie 3:  
 9.6 ↗                      9.5 ↗                      10.5 \*                      10.4 \*                      8.4 ↗  
 8.2 ←                      10.1 ↘                      9.2 →                      9.8 ←                      10.8 \*  
 beste Teiler 86.8 (30.) 347.6 (23.) 465.6 (24.)  
 Trefferlage 1.25 mm rechts, 1.27 mm hoch  
 Streuwert 9.14, horizontal: 11.20, vertikal: 6.45




Serie 4:  
 9.1 ↓                      8.6 ↑                      9.8 ↗                      8.4 ↑                      10.4 \*  
 9.5 ↑                      9.4 ←                      7.2 ↗                      9.9 ↓                      9.5 ←  
 beste Teiler 428.0 (35.) 837.1 (39.) 919.2 (33.)  
 Trefferlage 1.74 mm rechts, 4.98 mm hoch  
 Streuwert 11.06, horizontal: 11.06, vertikal: 11.06

Unterschrift des Schützen


Ergebnis: **363** (381.5)  
 Serien: 90 91 90 92  
 Zähler: 11 22 6 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2650 (3), 2123 (20), 2072 (6)  
 beste Teiler 69.4 (5.) 312.8 (31.) 351.3 (9.)  
 Trefferlage 2.47 mm links, 0.49 mm tief  
 Streuwert 8.77, horizontal: 8.32, vertikal: 9.19




Serie 1:  
 9.3 ←                      9.5 ↓                      7.6 ↓                      9.7 →                      10.9 \*  
 8.4 ←                      10.0 ↗                      9.3 →                      10.5 \*                      9.6 ↘  
 beste Teiler 69.4 (5.) 351.3 (9.) 762.8 (7.)  
 Trefferlage 0.61 mm links, 5.96 mm tief  
 Streuwert 9.31, horizontal: 10.27, vertikal: 8.25



Serie 2:  
 10.1 →                      9.1 ↙                      10.2 ↓                      9.7 ↖                      9.6 →  
 9.2 ←                      9.8 ↖                      9.9 ↓                      9.4 ↙                      8.3 ↑  
 beste Teiler 620.5 (13.) 713.1 (11.) 813.4 (18.)  
 Trefferlage 3.09 mm links, 0.72 mm hoch  
 Streuwert 8.66, horizontal: 7.19, vertikal: 9.91



Serie 3:  
 9.2 ←                      10.2 ↙                      10.0 ↓                      8.5 →                      9.6 ↘  
 8.7 ↑                      10.0 ←                      9.7 ↓                      9.7 ←                      8.8 ↖  
 beste Teiler 592.4 (22.) 746.0 (27.) 797.5 (23.)  
 Trefferlage 2.49 mm links, 0.24 mm tief  
 Streuwert 9.42, horizontal: 9.89, vertikal: 8.93





Serie 4:  
 10.6 \*                      8.4 ↘                      9.8 ↑                      10.1 ←                      9.1 ↑  
 10.3 ↗                      9.8 ←                      9.5 ↓                      9.7 ←                      9.7 ↗  
 beste Teiler 312.8 (31.) 502.9 (36.) 661.0 (34.)  
 Trefferlage 3.71 mm links, 3.50 mm hoch  
 Streuwert 7.29, horizontal: 6.26, vertikal: 8.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (360.3)  
 Serien: 89 88 81 83  
 Zähler: 4 20 11 4 0 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4404 (35), 3015 (19), 2935 (29)  
 beste Teiler 385.5 (7.) 552.4 (10.) 671.7 (15.)  
 Trefferlage 1.78 mm links, 1.12 mm tief  
 Streuwert 12.39, horizontal: 14.65, vertikal: 9.62




Serie 1:  
 9.9 ↘                      9.6 ↗                      9.3 ←                      8.9 ←                      8.8 ↘  
 9.9 ↘                      10.5 \*                      8.3 ↘                      9.0 ↗                      10.3 ←  
 beste Teiler 385.5 (7.) 552.4 (10.) 801.1 (1.)  
 Trefferlage 0.27 mm rechts, 3.19 mm tief  
 Streuwert 9.42, horizontal: 9.22, vertikal: 9.62



Serie 2:  
 9.1 ←                      9.6 ←                      8.3 ←                      9.9 ↗                      10.1 →  
 10.1 →                      8.2 ↘                      9.2 ↘                      7.2 ←                      9.9 ↖  
 beste Teiler 671.7 (15.) 707.1 (16.) 823.3 (20.)  
 Trefferlage 6.28 mm links, 3.17 mm tief  
 Streuwert 10.75, horizontal: 13.44, vertikal: 7.11



Serie 3:  
 8.5 ↓                      9.5 ←                      8.8 ←                      9.6 ↗                      9.9 ↗  
 7.4 ←                      9.2 ↘                      7.4 →                      7.3 ↗                      8.5 ↗  
 beste Teiler 827.3 (25.) 1067.4 (24.) 1124.1 (22.)  
 Trefferlage 2.61 mm links, 3.84 mm tief  
 Streuwert 14.55, horizontal: 17.21, vertikal: 11.29





Serie 4:  
 9.4 →                      8.6 ↖                      8.9 ↖                      9.9 ↖                      5.4 →  
 9.3 ↗                      8.5 ←                      9.7 ↖                      9.2 →                      9.2 ↖  
 beste Teiler 867.7 (34.) 971.4 (38.) 1255.8 (31.)  
 Trefferlage 1.48 mm rechts, 5.73 mm hoch  
 Streuwert 13.95, horizontal: 18.14, vertikal: 7.76

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **325** (340.1)  
 Serien: 81 77 85 82  
 Zähler: 5 12 11 7 5 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3761 (11), 3558 (2), 3512 (4)  
 beste Teiler 346.4 (30.) 402.0 (27.) 474.0 (3.)  
 Trefferlage 0.93 mm links, 5.10 mm hoch  
 Streuwert 15.14, horizontal: 14.97, vertikal: 15.31




Serie 1:  
 8.1 ↗ 6.5 → 10.4 \* 6.6 ↘ 9.0 →  
 8.7 ↘ 7.4 → 9.7 ↙ 9.9 ↘ 9.5 ↘  
 beste Teiler 474.0 (3.) 837.0 (9.) 975.2 (8.)  
 Trefferlage 3.88 mm rechts, 1.86 mm tief  
 Streuwert 15.85, horizontal: 16.85, vertikal: 14.78



Serie 2:  
 6.2 ↗ 9.6 → 9.3 ↘ 8.1 ↘ 6.9 →  
 7.9 ↑ 7.1 ↘ 8.1 ↘ 9.2 ↙ 8.0 ↙  
 beste Teiler 1060.6 (12.) 1331.3 (13.) 1369.9 (19.)  
 Trefferlage 2.63 mm links, 9.91 mm hoch  
 Streuwert 16.78, horizontal: 20.29, vertikal: 12.31



Serie 3:  
 8.8 ← 8.6 ↘ 8.2 ↑ 10.3 ↘ 7.3 ↗  
 7.2 ↑ 10.4 \* 9.4 ↙ 8.0 ↙ 10.5 \*  
 beste Teiler 346.4 (30.) 402.0 (27.) 500.7 (24.)  
 Trefferlage 4.58 mm links, 7.63 mm hoch  
 Streuwert 12.51, horizontal: 11.01, vertikal: 13.85





Serie 4:  
 9.5 ↘ 8.2 ↘ 8.0 ↑ 7.8 ↙ 9.6 ↗  
 9.1 ↙ 9.4 ↘ 6.6 ↑ 10.0 → 7.0 ↑  
 beste Teiler 761.6 (39.) 1088.5 (35.) 1172.4 (31.)  
 Trefferlage 0.41 mm links, 4.71 mm hoch  
 Streuwert 15.46, horizontal: 10.53, vertikal: 19.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (363.6)  
 Serien: 92 84 86 84  
 Zähler: 8 16 11 4 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3754 (39), 2935 (15), 2905 (40)  
 beste Teiler 70.8 (12.) 434.5 (33.) 472.8 (38.)  
 Trefferlage 0.07 mm rechts, 0.58 mm tief  
 Streuwert 12.07, horizontal: 13.67, vertikal: 10.22




Serie 1:  
 10.1 ↘ 8.3 ↗ 9.8 ↖ 9.5 ↗ 8.6 ↘  
 10.0 ↙ 10.0 ↙ 9.8 ↙ 10.2 ← 9.9 ↖  
 beste Teiler 569.7 (9.) 718.2 (1.) 744.2 (7.)  
 Trefferlage 1.22 mm links, 0.27 mm tief  
 Streuwert 8.67, horizontal: 7.84, vertikal: 9.43



Serie 2:  
 7.9 ↖ 10.9 \* 8.0 → 9.7 ↑ 7.3 ←  
 8.9 ↘ 9.9 ↙ 8.8 ← 9.5 ↑ 9.3 ↖  
 beste Teiler 70.8 (12.) 841.8 (17.) 986.4 (14.)  
 Trefferlage 6.73 mm links, 4.23 mm hoch  
 Streuwert 11.58, horizontal: 14.84, vertikal: 6.94



Serie 3:  
 10.2 ↗ 9.2 ← 9.4 ↓ 9.6 ↙ 8.7 ↑  
 8.4 ↘ 9.3 ↘ 9.1 → 7.5 → 8.0 →  
 beste Teiler 632.7 (21.) 1087.9 (24.) 1210.4 (23.)  
 Trefferlage 8.01 mm rechts, 2.30 mm tief  
 Streuwert 11.20, horizontal: 12.58, vertikal: 9.64





Serie 4:  
 8.9 → 9.0 ← 10.4 \* 8.7 → 8.2 →  
 9.2 ↗ 9.4 ↘ 10.4 \* 6.3 ↓ 7.3 ↙  
 beste Teiler 434.5 (33.) 472.8 (38.) 1248.3 (37.)  
 Trefferlage 0.22 mm rechts, 4.00 mm tief  
 Streuwert 14.60, horizontal: 15.70, vertikal: 13.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (359.5)  
 Serien: 92 87 82 83  
 Zähler: 9 15 9 5 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3682 (25), 3304 (27), 2722 (40)  
 beste Teiler 190.2 (16.) 269.8 (6.) 502.2 (38.)  
 Trefferlage 1.50 mm links, 1.12 mm tief  
 Streuwert 12.60, horizontal: 10.83, vertikal: 14.15




Serie 1:  
 8.4 ↘                      9.5 ←                      10.0 ↑                      9.0 ↓                      9.1 ↙  
 10.6 \*                      9.5 ↓                      9.7 ↑                      10.0 ↘                      9.8 →  
 beste Teiler 269.8 (6.) 725.5 (3.) 794.0 (9.)  
 Trefferlage 2.07 mm links, 1.08 mm tief  
 Streuwert 8.78, horizontal: 7.62, vertikal: 9.81



Serie 2:  
 9.2 →                      8.5 ↘                      10.3 ←                      8.0 ↘                      10.1 ↓  
 10.7 \*                      7.9 ↑                      8.9 ↓                      8.6 ↗                      9.0 ←  
 beste Teiler 190.2 (16.) 552.0 (13.) 641.1 (15.)  
 Trefferlage 1.45 mm rechts, 1.14 mm hoch  
 Streuwert 12.11, horizontal: 10.92, vertikal: 13.19



Serie 3:  
 7.8 ←                      9.1 ↑                      10.0 ↖                      9.7 →                      6.3 ↘  
 9.3 ↘                      6.8 ↙                      9.1 ↙                      8.4 ↖                      9.8 ↑  
 beste Teiler 771.9 (23.) 895.4 (30.) 968.1 (24.)  
 Trefferlage 2.11 mm links, 3.38 mm tief  
 Streuwert 15.29, horizontal: 13.58, vertikal: 16.83





Serie 4:  
 9.7 ↗                      7.6 ↙                      10.0 ↑                      8.0 ↗                      9.3 ↙  
 8.2 ↓                      7.6 ↘                      10.3 →                      8.2 ↘                      7.5 ↑  
 beste Teiler 502.2 (38.) 726.5 (33.) 1009.1 (31.)  
 Trefferlage 3.26 mm links, 1.16 mm tief  
 Streuwert 14.74, horizontal: 11.51, vertikal: 17.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (384.2)  
 Serien: 90 92 93 92  
 Zähler: 12 23 5 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2219 (14), 1915 (2), 1841 (40)  
 beste Teiler 263.1 (22.) 278.8 (18.) 378.4 (25.)  
 Trefferlage 1.13 mm rechts, 0.49 mm tief  
 Streuwert 8.36, horizontal: 9.06, vertikal: 7.61




Serie 1:  
 10.0 ↖                      8.6 ↙                      9.2 ←                      9.2 ↖                      9.7 ↗  
    9.9 ↗                      9.5 ↓                      9.7 ↗                      9.4 ←                      9.6 →  
 beste Teiler 739.9 (1.) 858.4 (6.) 1020.6 (5.)  
 Trefferlage 1.70 mm links, 1.35 mm tief  
 Streuwert 8.96, horizontal: 9.76, vertikal: 8.08



Serie 2:  
 10.0 ↑                      10.1 →                      9.0 ←                      8.2 ←                      9.3 →  
    8.7 ↑                      10.3 ↘                      10.6 \*                      9.3 ←                      9.6 ↑  
 beste Teiler 278.8 (18.) 487.9 (17.) 708.9 (12.)  
 Trefferlage 2.42 mm links, 2.32 mm hoch  
 Streuwert 9.31, horizontal: 10.83, vertikal: 7.47



Serie 3:  
 10.3 ↘                      10.6 \*                      9.4 →                      9.1 ↓                      10.5 \*  
    9.2 ↘                      10.4 \*                      9.7 →                      9.5 ↑                      8.9 ↓  
 beste Teiler 263.1 (22.) 378.4 (25.) 437.7 (27.)  
 Trefferlage 4.00 mm rechts, 3.51 mm tief  
 Streuwert 6.96, horizontal: 5.75, vertikal: 7.99





Serie 4:  
 10.0 ↘                      9.9 →                      10.2 ↙                      9.8 ←                      9.9 ↑  
    9.0 →                      10.0 ↑                      9.9 →                      9.4 →                      8.6 ↘  
 beste Teiler 583.4 (33.) 766.4 (31.) 776.0 (37.)  
 Trefferlage 4.65 mm rechts, 0.57 mm hoch  
 Streuwert 7.36, horizontal: 7.98, vertikal: 6.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (358.8)  
 Serien: 81 83 89 88  
 Zähler: 11 10 11 6 1 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 4034 (3), 3795 (18), 3107 (34)  
 beste Teiler 275.1 (17.) 297.9 (37.) 323.4 (40.)  
 Trefferlage 2.67 mm rechts, 0.68 mm tief  
 Streuwert 13.12, horizontal: 15.22, vertikal: 10.61




Serie 1:  
 9.9 ↙                      9.7 →                      5.9 ↙                      9.2 ↓                      9.4 ↙  
 8.7 →                      8.0 ↘                      7.6 ↗                      7.6 ↙                      10.2 ↘  
 beste Teiler 567.9 (10.) 850.9 (1.) 974.5 (2.)  
 Trefferlage 5.31 mm links, 3.01 mm tief  
 Streuwert 15.14, horizontal: 17.04, vertikal: 12.98



Serie 2:  
 9.0 ↘                      7.8 →                      7.9 ↗                      8.5 ←                      10.0 ←  
 8.3 ↗                      10.6 \*                      6.2 →                      9.7 ↘                      9.9 ↙  
 beste Teiler 275.1 (17.) 767.0 (15.) 810.5 (20.)  
 Trefferlage 8.25 mm rechts, 1.08 mm hoch  
 Streuwert 13.49, horizontal: 16.59, vertikal: 9.41



Serie 3:  
 10.5 \*                      8.3 ↓                      10.4 \*                      8.9 ↗                      7.3 →  
 10.1 ↗                      10.5 \*                      9.0 ↘                      8.8 ↘                      9.4 →  
 beste Teiler 341.2 (21.) 393.7 (27.) 451.6 (23.)  
 Trefferlage 5.53 mm rechts, 0.46 mm hoch  
 Streuwert 10.81, horizontal: 11.23, vertikal: 10.37





Serie 4:  
 8.8 ←                      10.0 ↓                      8.2 ↘                      7.1 →                      8.9 →  
 8.2 ↘                      10.6 \*                      10.0 ←                      9.2 ↓                      10.5 \*  
 beste Teiler 297.9 (37.) 323.4 (40.) 729.9 (38.)  
 Trefferlage 2.22 mm rechts, 1.27 mm tief  
 Streuwert 12.44, horizontal: 14.04, vertikal: 10.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (367.4)  
 Serien: 91 89 84 89  
 Zähler: 10 17 9 4 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3128 (38), 2655 (28), 2651 (40)  
 beste Teiler 217.0 (21.) 455.7 (14.) 524.3 (2.)  
 Trefferlage 0.05 mm links, 3.58 mm hoch  
 Streuwert 10.99, horizontal: 11.26, vertikal: 10.71




Serie 1:  
 9.2 ↙ 10.3 → 10.0 ↘ 8.1 ↑ 9.0 ↘  
 9.3 ↑ 9.8 ← 9.5 ↑ 10.3 ← 8.0 ↑  
 beste Teiler 524.3 (2.) 546.6 (9.) 797.2 (3.)  
 Trefferlage 0.66 mm links, 4.23 mm hoch  
 Streuwert 10.17, horizontal: 7.32, vertikal: 12.38



Serie 2:  
 9.3 ← 8.7 ↙ 10.3 ↘ 10.4 \* 8.4 ↗  
 9.4 ← 8.5 → 9.7 ↘ 10.0 ↘ 8.9 ↑  
 beste Teiler 455.7 (14.) 550.1 (13.) 779.5 (19.)  
 Trefferlage 1.31 mm links, 1.95 mm hoch  
 Streuwert 10.27, horizontal: 10.69, vertikal: 9.83



Serie 3:  
 10.7 \* 7.9 ← 8.4 ↘ 8.8 ↘ 9.4 ←  
 9.5 ↑ 9.3 → 7.6 ↘ 9.2 → 8.0 ↗  
 beste Teiler 217.0 (21.) 1181.0 (26.) 1204.4 (25.)  
 Trefferlage 1.93 mm links, 3.02 mm hoch  
 Streuwert 13.17, horizontal: 14.84, vertikal: 11.25





Serie 4:  
 9.6 ↖ 10.0 → 9.5 ↑ 10.1 ↑ 9.2 ↘  
 10.1 ↗ 9.3 ↑ 7.0 → 9.1 ↘ 7.6 ↘  
 beste Teiler 674.5 (34.) 697.1 (36.) 729.7 (32.)  
 Trefferlage 3.68 mm rechts, 5.11 mm hoch  
 Streuwert 11.26, horizontal: 11.80, vertikal: 10.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (370.3)  
 Serien: 88 89 95 79  
 Zähler: 11 15 9 4 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3447 (40), 2643 (1), 2523 (36)  
 beste Teiler 56.0 (16.) 301.9 (27.) 447.6 (5.)  
 Trefferlage 2.33 mm links, 4.90 mm tief  
 Streuwert 10.34, horizontal: 11.90, vertikal: 8.50




Serie 1:  
 7.6 ↘ 8.6 ↙ 8.2 ↙ 9.5 ↓ 10.4 \*  
 9.2 ↙ 9.6 ↘ 10.4 \* 9.0 ← 9.9 ↓  
 beste Teiler 447.6 (5.) 452.1 (8.) 805.0 (10.)  
 Trefferlage 3.22 mm links, 8.68 mm tief  
 Streuwert 9.06, horizontal: 10.46, vertikal: 7.40



Serie 2:  
 10.4 \* 9.0 ↙ 8.3 ↗ 9.5 ↙ 9.3 ↖  
 10.9 \* 10.0 ↓ 8.7 ↙ 9.9 → 7.9 ←  
 beste Teiler 56.0 (16.) 456.0 (11.) 763.6 (17.)  
 Trefferlage 4.32 mm links, 1.54 mm tief  
 Streuwert 10.10, horizontal: 10.78, vertikal: 9.36



Serie 3:  
 10.2 ↘ 10.0 ↗ 8.8 ← 10.2 ↖ 10.0 ↘  
 10.0 ↙ 10.6 \* 9.5 ← 9.3 ← 9.9 →  
 beste Teiler 301.9 (27.) 566.7 (24.) 628.1 (21.)  
 Trefferlage 2.91 mm links, 1.18 mm tief  
 Streuwert 6.74, horizontal: 8.53, vertikal: 4.25





Serie 4:  
 8.8 ↙ 8.9 ↓ 9.8 ↑ 8.6 ↙ 9.8 ↙  
 7.8 ↘ 9.1 → 7.9 ↓ 8.2 ← 6.6 →  
 beste Teiler 890.5 (35.) 922.3 (33.) 1508.7 (37.)  
 Trefferlage 1.12 mm rechts, 8.20 mm tief  
 Streuwert 14.02, horizontal: 17.21, vertikal: 9.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.2)  
 Serien: 89 91 90 90  
 Zähler: 12 19 6 3 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2570 (8), 2441 (4), 2418 (22)  
 beste Teiler 172.7 (2.) 296.2 (21.) 329.5 (36.)  
 Trefferlage 6.20 mm links, 2.62 mm hoch  
 Streuwert 8.39, horizontal: 7.53, vertikal: 9.17




Serie 1:  
 10.0 ↘                      10.7 \*                      9.5 ←                      7.9 ←                      9.8 ↗  
 10.0 ↙                      9.7 ↙                      7.7 ←                      10.4 \*                      8.5 ↘  
 beste Teiler 172.7 (2.) 471.5 (9.) 736.6 (6.)  
 Trefferlage 7.92 mm links, 2.76 mm hoch  
 Streuwert 8.81, horizontal: 10.42, vertikal: 6.84



Serie 2:  
 9.5 ↑                      9.1 ←                      9.0 ↗                      9.3 ↑                      10.3 ↘  
 8.9 ←                      9.0 ↓                      9.2 ↓                      10.2 ←                      9.2 ↙  
 beste Teiler 559.9 (15.) 572.1 (19.) 1171.0 (11.)  
 Trefferlage 4.88 mm links, 0.13 mm tief  
 Streuwert 9.19, horizontal: 7.32, vertikal: 10.74



Serie 3:  
 10.6 \*                      7.9 ↘                      9.5 ↑                      9.6 ↖                      10.4 \*  
 10.3 ↖                      9.1 ↖                      9.6 ↑                      8.9 ↘                      9.7 ←  
 beste Teiler 296.2 (21.) 435.8 (25.) 495.5 (26.)  
 Trefferlage 6.32 mm links, 6.54 mm hoch  
 Streuwert 6.60, horizontal: 5.62, vertikal: 7.46





Serie 4:  
 9.9 ←                      8.6 ↘                      10.4 \*                      9.9 ↙                      9.1 ←  
 10.5 \*                      8.4 ↙                      9.3 ↘                      8.2 ↘                      10.4 \*  
 beste Teiler 329.5 (36.) 458.4 (40.) 474.0 (33.)  
 Trefferlage 5.68 mm links, 1.35 mm hoch  
 Streuwert 9.12, horizontal: 6.83, vertikal: 10.94

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **329** (350.2)  
 Serien: 84 80 79 86  
 Zähler: 3 14 15 5 3 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3391 (14), 3330 (15), 3270 (26)  
 beste Teiler 495.0 (9.) 615.4 (40.) 626.9 (36.)  
 Trefferlage 2.93 mm links, 3.12 mm hoch  
 Streuwert 13.43, horizontal: 13.86, vertikal: 12.98




Serie 1:  
 8.3 ↓                      9.5 ←                      7.7 ↙                      8.6 ↑                      8.1 ↑  
 9.4 ↓                      9.0 ↑                      9.9 ↘                      10.3 →                      7.6 ↘  
 beste Teiler 495.0 (9.) 805.2 (8.) 1147.0 (2.)  
 Trefferlage 3.13 mm links, 2.28 mm hoch  
 Streuwert 13.31, horizontal: 9.60, vertikal: 16.20



Serie 2:  
 8.7 ↙                      9.2 →                      8.6 ↑                      6.7 →                      6.8 ←  
 8.3 ↑                      9.9 ↓                      9.9 ←                      8.4 ←                      9.6 →  
 beste Teiler 805.1 (17.) 848.1 (18.) 1086.0 (20.)  
 Trefferlage 0.78 mm links, 3.04 mm hoch  
 Streuwert 15.15, horizontal: 18.72, vertikal: 10.43



Serie 3:  
 7.6 ↙                      9.3 ←                      8.8 ↘                      8.8 ↑                      9.9 ↑  
 6.9 ↑                      8.4 ←                      8.7 ↓                      8.6 ↘                      8.0 ↘  
 beste Teiler 840.3 (25.) 1354.4 (22.) 1746.9 (23.)  
 Trefferlage 5.45 mm links, 3.18 mm hoch  
 Streuwert 14.72, horizontal: 13.15, vertikal: 16.14





Serie 4:  
 9.8 ←                      9.2 ↗                      7.2 ↘                      8.6 ↑                      7.6 ↙  
 10.2 →                      8.3 →                      9.8 →                      9.8 ↘                      10.2 ↙  
 beste Teiler 615.4 (40.) 626.9 (36.) 881.5 (39.)  
 Trefferlage 2.38 mm links, 3.98 mm hoch  
 Streuwert 12.27, horizontal: 14.32, vertikal: 9.81


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **379** (396.4)  
 Serien: 94 97 92 96  
 Zähler: 23 13 4 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2071 (4), 1740 (33), 1679 (16)  
 beste Teiler 61.9 (2.) 165.8 (8.) 175.0 (6.)  
 Trefferlage 2.13 mm links, 1.19 mm hoch  
 Streuwert 6.85, horizontal: 7.14, vertikal: 6.54




Serie 1:  
 9.0 → 10.9 \* 9.9 ↗ 8.4 ↘ 9.9 ←  
 10.7 \* 10.7 \* 10.7 \* 10.0 → 9.5 ↘  
 beste Teiler 61.9 (2.) 165.8 (8.) 175.0 (6.)  
 Trefferlage 0.45 mm rechts, 1.54 mm hoch  
 Streuwert 7.46, horizontal: 8.30, vertikal: 6.52



Serie 2:  
 10.3 → 10.5 \* 10.5 \* 9.7 ↓ 10.2 →  
 8.9 ↖ 10.7 \* 10.5 \* 10.2 ↙ 10.2 ↓  
 beste Teiler 237.4 (17.) 333.3 (13.) 388.8 (18.)  
 Trefferlage 1.11 mm links, 0.89 mm tief  
 Streuwert 5.55, horizontal: 6.31, vertikal: 4.67



Serie 3:  
 9.2 ↖ 10.4 \* 9.0 ↘ 10.1 ↑ 10.5 \*  
 9.2 ↘ 8.9 ↖ 9.9 ↗ 9.0 ↑ 9.6 ↙  
 beste Teiler 376.1 (25.) 470.3 (22.) 689.0 (24.)  
 Trefferlage 5.87 mm links, 4.24 mm hoch  
 Streuwert 7.04, horizontal: 6.69, vertikal: 7.38





Serie 4:  
 9.6 ↙ 10.6 \* 8.8 ↙ 10.4 \* 10.0 ↙  
 10.1 → 9.1 ← 10.1 ↑ 10.1 ↑ 10.4 \*  
 beste Teiler 249.0 (32.) 429.9 (40.) 436.0 (34.)  
 Trefferlage 1.99 mm links, 0.12 mm tief  
 Streuwert 6.82, horizontal: 6.60, vertikal: 7.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (341.3)  
 Serien: 80 79 83 83  
 Zähler: 7 8 12 9 4 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3741 (13), 3671 (20), 3405 (4)  
 beste Teiler 116.3 (26.) 527.8 (14.) 549.8 (17.)  
 Trefferlage 1.05 mm links, 2.70 mm tief  
 Streuwert 15.38, horizontal: 15.08, vertikal: 15.68




Serie 1:  
 8.3 ↙                      7.6 ↓                      8.1 ↘                      6.7 ↓                      9.8 →  
 10.1 ↓                      8.2 ↓                      9.4 →                      7.6 ↖                      8.2 ↓  
 beste Teiler 647.1 (6.) 889.0 (5.) 1216.9 (8.)  
 Trefferlage 3.06 mm links, 9.67 mm tief  
 Streuwert 14.44, horizontal: 13.45, vertikal: 15.37



Serie 2:  
 8.3 ↓                      7.2 →                      6.3 ↗                      10.3 →                      7.1 ↓  
 8.7 ↑                      10.3 ↘                      10.0 ↘                      7.7 ↓                      6.4 ↗  
 beste Teiler 527.8 (14.) 549.8 (17.) 724.7 (18.)  
 Trefferlage 7.54 mm rechts, 0.67 mm tief  
 Streuwert 17.58, horizontal: 15.97, vertikal: 19.06





Serie 3:  
 7.2 ↙                      8.0 ↖                      8.9 ↗                      9.7 →                      7.3 ↖  
 10.8 \*                      8.9 ↖                      7.6 ↓                      10.1 ↖                      9.1 ↖  
 beste Teiler 116.3 (26.) 643.1 (29.) 1014.6 (24.)  
 Trefferlage 8.09 mm links, 0.61 mm tief  
 Streuwert 13.49, horizontal: 11.52, vertikal: 15.21




Serie 4:  
 8.1 ↗                      10.2 ↘                      9.7 ↑                      8.0 ↗                      7.3 ↖  
 9.1 ↘                      9.9 ↗                      9.8 ↓                      6.9 ↖                      8.4 ↖  
 beste Teiler 604.5 (32.) 879.9 (37.) 957.5 (38.)  
 Trefferlage 0.60 mm links, 0.14 mm hoch  
 Streuwert 14.77, horizontal: 16.57, vertikal: 12.72

Unterschrift des Schützen


Ergebnis: **358** (377.1)  
 Serien: 88 91 90 89  
 Zähler: 14 12 12 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3065 (26), 2537 (13), 2288 (37)  
 beste Teiler 201.9 (16.) 425.0 (32.) 427.9 (14.)  
 Trefferlage 1.51 mm links, 1.16 mm tief  
 Streuwert 9.84, horizontal: 9.41, vertikal: 10.26




Serie 1:  
 10.3 ↖                      8.8 →                      10.2 ↙                      9.8 ↘                      10.0 →  
 8.8 ↓                      8.5 ↑                      9.6 ↘                      8.9 ←                      8.7 ←  
 beste Teiler 543.1 (1.) 636.9 (3.) 747.0 (5.)  
 Trefferlage 0.48 mm links, 0.28 mm tief  
 Streuwert 10.26, horizontal: 11.06, vertikal: 9.38



Serie 2:  
 10.4 \*                      9.7 ↑                      7.8 →                      10.4 \*                      10.3 ←  
 10.7 \*                      9.0 ↓                      9.7 ↖                      9.3 ↓                      8.5 ↙  
 beste Teiler 201.9 (16.) 427.9 (14.) 453.4 (11.)  
 Trefferlage 0.27 mm links, 2.08 mm tief  
 Streuwert 9.67, horizontal: 9.96, vertikal: 9.37



Serie 3:  
 9.7 ↖                      10.3 ↗                      8.8 ↗                      10.3 ↗                      8.5 ↘  
 7.1 ↑                      10.3 ↖                      9.5 ↓                      10.0 ↖                      9.0 ↘  
 beste Teiler 481.5 (22.) 520.2 (24.) 559.2 (27.)  
 Trefferlage 0.73 mm links, 2.25 mm hoch  
 Streuwert 10.99, horizontal: 7.55, vertikal: 13.58





Serie 4:  
 9.6 ↖                      10.4 \*                      8.8 ↘                      9.5 ↘                      9.8 ←  
 10.0 ↗                      8.1 ↓                      8.8 ←                      8.8 ←                      10.4 \*  
 beste Teiler 425.0 (32.) 446.8 (40.) 730.5 (36.)  
 Trefferlage 4.57 mm links, 4.54 mm tief  
 Streuwert 8.91, horizontal: 9.53, vertikal: 8.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (355.8)  
 Serien: 86 83 84 84  
 Zähler: 5 15 15 2 3 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3541 (19), 3411 (40), 3329 (28)  
 beste Teiler 551.0 (13.) 564.8 (14.) 633.5 (26.)  
 Trefferlage 0.07 mm links, 3.84 mm hoch  
 Streuwert 12.67, horizontal: 12.84, vertikal: 12.49




Serie 1:  
 8.9 ↘                      9.0 ↘                      9.7 ↗                      8.9 ↙                      8.5 ↑  
 9.7 ←                      9.4 ↙                      9.6 ↘                      9.2 ↗                      8.6 ←  
 beste Teiler 1021.1 (3.) 1028.0 (6.) 1119.8 (8.)  
 Trefferlage 7.00 mm links, 4.38 mm hoch  
 Streuwert 9.21, horizontal: 9.48, vertikal: 8.93



Serie 2:  
 9.3 ←                      9.3 ←                      10.3 →                      10.2 ↓                      8.1 ↗  
 7.8 ↑                      8.2 ↙                      8.4 →                      6.5 ↗                      8.1 →  
 beste Teiler 551.0 (13.) 564.8 (14.) 1307.1 (12.)  
 Trefferlage 4.90 mm rechts, 5.16 mm hoch  
 Streuwert 14.46, horizontal: 13.70, vertikal: 15.18



Serie 3:  
 8.0 ↘                      8.5 ↗                      10.1 ↗                      8.3 ↑                      9.8 ↙  
 10.2 ↘                      8.8 ↑                      6.8 ↘                      8.8 ←                      9.7 ↘  
 beste Teiler 633.5 (26.) 699.0 (23.) 958.2 (25.)  
 Trefferlage 1.24 mm rechts, 3.65 mm hoch  
 Streuwert 13.33, horizontal: 12.60, vertikal: 14.03





Serie 4:  
 8.9 ↘                      8.8 ↘                      9.3 ↑                      9.9 ↑                      9.0 ↓  
 7.5 ↑                      9.7 ↙                      9.3 ↑                      10.0 ↙                      6.7 ←  
 beste Teiler 723.4 (39.) 837.5 (34.) 997.0 (37.)  
 Trefferlage 0.54 mm rechts, 2.15 mm hoch  
 Streuwert 13.38, horizontal: 13.96, vertikal: 12.78

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **355** (370.7)  
 Serien: 89 91 90 85  
 Zähler: 9 21 7 2 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3278 (2), 3155 (34), 3010 (22)  
 beste Teiler 117.6 (8.) 301.6 (3.) 369.6 (1.)  
 Trefferlage 1.42 mm rechts, 3.76 mm hoch  
 Streuwert 10.61, horizontal: 10.94, vertikal: 10.27




Serie 1:  
 10.5 \*                      6.9 ←                      10.6 \*                      9.5 ↙                      8.2 ↑  
 9.6 ↘                      9.4 ↑                      10.8 \*                      9.8 →                      9.5 →

beste Teiler 117.6 (8.) 301.6 (3.) 369.6 (1.)  
 Trefferlage 1.78 mm links, 3.42 mm hoch  
 Streuwert 10.73, horizontal: 12.45, vertikal: 8.66




Serie 2:  
 8.1 ↑                      9.1 ↗                      9.0 ↑                      9.5 ↘                      9.2 ↗  
 9.6 ↑                      10.4 \*                      9.4 ↑                      9.4 ↓                      10.2 ↙

beste Teiler 401.1 (17.) 563.8 (20.) 1074.7 (16.)  
 Trefferlage 4.03 mm rechts, 5.37 mm hoch  
 Streuwert 8.53, horizontal: 6.00, vertikal: 10.46



Serie 3:  
 9.5 ↓                      7.2 ↘                      10.1 ↘                      8.7 →                      10.2 ↑  
 10.4 \*                      9.1 ↘                      8.3 ↑                      9.2 ↗                      10.2 ←

beste Teiler 405.7 (26.) 623.2 (30.) 636.3 (25.)  
 Trefferlage 1.11 mm rechts, 3.12 mm hoch  
 Streuwert 11.22, horizontal: 11.58, vertikal: 10.86





Serie 4:  
 9.0 →                      9.0 ↓                      9.9 →                      7.0 ↘                      9.7 ↗  
 8.6 ↘                      9.3 →                      8.1 ↘                      8.8 ↑                      9.7 →


beste Teiler 833.0 (33.) 999.2 (40.) 1010.4 (35.)  
 Trefferlage 2.31 mm rechts, 3.16 mm hoch  
 Streuwert 12.75, horizontal: 13.18, vertikal: 12.29

Unterschrift des Schützen


Ergebnis: **329** (347.2)  
 Serien: 81 76 86 86  
 Zähler: 5 13 14 5 1 1 1 0 0 0  
 Innenzehner: 3  
 weiteste: 4973 (37), 4315 (20), 3396 (16)  
 beste Teiler 246.4 (38.) 435.6 (6.) 440.7 (39.)  
 Trefferlage 5.24 mm rechts, 5.18 mm tief  
 Streuwert 13.84, horizontal: 13.57, vertikal: 14.10




Serie 1:  
 7.3 ↗ 7.2 ↖ 8.3 ↗ 9.5 → 8.6 ↘  
 10.4 \* 9.7 → 8.9 ↖ 8.5 → 7.2 →  
 beste Teiler 435.6 (6.) 991.7 (7.) 1193.8 (4.)  
 Trefferlage 9.24 mm rechts, 0.65 mm tief  
 Streuwert 13.96, horizontal: 15.91, vertikal: 11.68



Serie 2:  
 9.8 ↑ 9.0 ↙ 8.3 → 7.1 ↑ 8.6 →  
 6.7 ↘ 9.1 ↘ 7.7 → 8.8 ↖ 5.6 ↓  
 beste Teiler 884.8 (11.) 1488.3 (17.) 1583.8 (12.)  
 Trefferlage 8.16 mm rechts, 5.58 mm tief  
 Streuwert 17.13, horizontal: 12.41, vertikal: 20.81





Serie 3:  
 10.0 ↙ 9.1 → 9.3 → 8.7 ↓ 8.4 ↘  
 9.5 ↘ 8.5 ↓ 8.9 ← 9.1 ↙ 8.7 →  
 beste Teiler 742.2 (21.) 1184.4 (26.) 1348.7 (23.)  
 Trefferlage 4.40 mm rechts, 9.60 mm tief  
 Streuwert 8.83, horizontal: 10.99, vertikal: 5.92




Serie 4:  
 9.0 ← 9.6 ↑ 9.4 ↖ 10.3 ← 8.6 ↘  
 9.8 ↓ 4.7 ↘ 10.6 \* 10.4 \* 8.3 ←  
 beste Teiler 246.4 (38.) 440.7 (39.) 515.8 (34.)  
 Trefferlage 0.81 mm links, 4.88 mm tief  
 Streuwert 14.37, horizontal: 14.17, vertikal: 14.58

Unterschrift des Schützen


Ergebnis: **320** (337.1)  
 Serien: 81 83 80 76  
 Zähler: 4 13 11 7 3 0 2 0 0 0  
 Innenzehner: 2  
 weiteste: 5546 (33), 5233 (26), 3584 (36)  
 beste Teiler 136.8 (7.) 348.9 (19.) 589.4 (3.)  
 Trefferlage 6.83 mm links, 0.46 mm hoch  
 Streuwert 15.87, horizontal: 16.78, vertikal: 14.91




Serie 1:  
 9.7 ↘                      8.4 ↙                      10.2 →                      7.2 ↑                      7.7 ↙  
 9.3 ↘                      10.8 \*                      7.7 ↘                      6.9 ←                      8.0 ↙  
 beste Teiler 136.8 (7.) 589.4 (3.) 1019.4 (1.)  
 Trefferlage 10.83 mm links, 0.06 mm hoch  
 Streuwert 13.78, horizontal: 12.32, vertikal: 15.11



Serie 2:  
 9.3 ↙                      9.0 ↗                      8.1 ↖                      9.1 ↖                      9.0 ↙  
 6.5 ↓                      7.4 ↑                      8.8 ↑                      10.5 \*                      8.6 ↓  
 beste Teiler 348.9 (19.) 1327.0 (11.) 1456.0 (14.)  
 Trefferlage 4.43 mm links, 0.33 mm tief  
 Streuwert 14.80, horizontal: 9.75, vertikal: 18.52



Serie 3:  
 8.9 ↘                      9.6 ↘                      8.9 ↘                      9.3 ←                      10.0 ↗  
 4.4 ↘                      9.9 →                      7.5 ←                      9.1 →                      7.9 ←  
 beste Teiler 773.8 (25.) 842.7 (27.) 1118.8 (22.)  
 Trefferlage 9.88 mm links, 4.84 mm hoch  
 Streuwert 15.04, horizontal: 16.54, vertikal: 13.37





Serie 4:  
 9.0 ↗                      8.6 ↙                      4.0 →                      8.3 ↓                      8.2 ↙  
 6.5 ←                      9.9 ↓                      7.1 ↘                      9.4 ↓                      8.4 ←  
 beste Teiler 841.7 (37.) 1277.5 (39.) 1526.4 (31.)  
 Trefferlage 2.19 mm links, 2.70 mm tief  
 Streuwert 20.26, horizontal: 25.32, vertikal: 13.41

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **311** (330.6)  
 Serien: 74 76 79 82  
 Zähler: 4 8 11 10 6 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4301 (5), 3791 (7), 3648 (38)  
 beste Teiler 377.6 (27.) 412.6 (15.) 496.9 (35.)  
 Trefferlage 1.22 mm rechts, 7.76 mm hoch  
 Streuwert 15.98, horizontal: 16.63, vertikal: 15.30




Serie 1:  
 6.5 ↖ 8.6 ↖ 8.7 ← 7.4 ↘ 5.6 ↗  
 7.6 ↗ 6.2 ↙ 10.1 ↖ 8.4 ↑ 9.9 ↑  
 beste Teiler 678.5 (8.) 841.6 (10.) 1789.4 (3.)  
 Trefferlage 1.17 mm links, 10.26 mm hoch  
 Streuwert 18.60, horizontal: 18.23, vertikal: 18.96



Serie 2:  
 8.5 ↘ 7.3 → 9.1 ← 8.2 ↘ 10.4 \*  
 6.5 ↗ 6.9 → 7.5 ↖ 7.3 ↑ 8.6 ↑  
 beste Teiler 412.6 (15.) 1484.0 (13.) 1912.1 (20.)  
 Trefferlage 8.67 mm rechts, 7.92 mm hoch  
 Streuwert 16.38, horizontal: 18.08, vertikal: 14.48



Serie 3:  
 6.4 ← 7.9 ↖ 9.6 → 8.3 ↑ 8.6 ↓  
 7.7 ↗ 10.5 \* 9.1 ↑ 8.8 ↙ 7.8 ↑  
 beste Teiler 377.6 (27.) 1100.7 (23.) 1491.4 (28.)  
 Trefferlage 1.64 mm links, 6.12 mm hoch  
 Streuwert 15.43, horizontal: 16.51, vertikal: 14.28





Serie 4:  
 9.2 ↑ 8.1 ↑ 7.9 ↑ 9.8 ↖ 10.3 ←  
 9.2 ↓ 9.5 ↘ 6.4 ← 7.5 ↑ 8.7 ↘  
 beste Teiler 496.9 (35.) 942.0 (34.) 1150.0 (37.)  
 Trefferlage 0.94 mm links, 6.72 mm hoch  
 Streuwert 14.40, horizontal: 13.57, vertikal: 15.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **321** (342.1)  
 Serien: 79 81 81 80  
 Zähler: 2 14 13 5 6 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3916 (16), 3524 (35), 3376 (12)  
 beste Teiler 277.4 (19.) 520.8 (40.) 809.7 (31.)  
 Trefferlage 6.40 mm links, 3.52 mm tief  
 Streuwert 14.13, horizontal: 14.87, vertikal: 13.36




Serie 1:  
 9.6 ↙                      8.2 ←                      6.9 ↙                      8.2 ←                      7.3 ↗  
 8.9 →                      7.5 ←                      9.2 ↘                      9.3 ↗                      8.7 ←  
 beste Teiler 1119.2 (1.) 1332.3 (9.) 1385.7 (8.)  
 Trefferlage 8.26 mm links, 0.72 mm tief  
 Streuwert 14.96, horizontal: 15.87, vertikal: 14.00



Serie 2:  
 8.6 ↓                      6.7 ←                      8.7 ↙                      9.1 ↙                      9.2 ↓  
 6.1 ↙                      8.6 ↘                      9.4 ↗                      10.6 \*                      8.8 ←  
 beste Teiler 277.4 (19.) 1279.0 (18.) 1379.3 (15.)  
 Trefferlage 10.93 mm links, 3.37 mm tief  
 Streuwert 13.51, horizontal: 12.92, vertikal: 14.08



Serie 3:  
 9.7 ↑                      8.7 ←                      9.6 ←                      9.7 ↗                      6.8 →  
 8.4 ↓                      7.5 ←                      8.1 ←                      8.6 ↓                      9.2 ↙  
 beste Teiler 982.2 (21.) 1034.8 (24.) 1057.7 (23.)  
 Trefferlage 4.23 mm links, 4.03 mm tief  
 Streuwert 14.27, horizontal: 17.46, vertikal: 10.13





Serie 4:  
 9.9 ↓                      7.9 ↘                      7.8 ↓                      9.3 →                      6.5 ↙  
 8.7 ↘                      9.2 ←                      6.9 ↘                      9.7 ↓                      10.3 ↑  
 beste Teiler 520.8 (40.) 809.7 (31.) 1011.7 (39.)  
 Trefferlage 2.16 mm links, 5.95 mm tief  
 Streuwert 14.88, horizontal: 13.50, vertikal: 16.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.9)  
 Serien: 84 88 88 88  
 Zähler: 9 15 12 3 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3708 (22), 2690 (3), 2576 (7)  
 beste Teiler 137.7 (25.) 241.6 (35.) 354.8 (17.)  
 Trefferlage 0.17 mm rechts, 0.13 mm tief  
 Streuwert 11.96, horizontal: 10.07, vertikal: 13.58




Serie 1:  
 9.3 ↙                      8.4 ↑                      7.6 ↗                      9.1 ↘                      10.0 ↑  
 9.3 ↘                      7.7 ↓                      9.9 →                      8.5 ↓                      8.7 ↑  
 beste Teiler 737.2 (5.) 876.5 (8.) 1304.3 (6.)  
 Trefferlage 0.58 mm rechts, 0.40 mm tief  
 Streuwert 13.37, horizontal: 9.32, vertikal: 16.45



Serie 2:  
 9.9 →                      10.0 ↑                      7.8 ↙                      9.2 ↗                      8.5 ↘  
 9.7 →                      10.5 \*                      9.7 ↓                      9.5 ↓                      8.5 →  
 beste Teiler 354.8 (17.) 728.8 (12.) 824.6 (11.)  
 Trefferlage 3.33 mm rechts, 2.58 mm tief  
 Streuwert 10.22, horizontal: 11.42, vertikal: 8.85



Serie 3:  
 9.2 ↑                      6.3 ↓                      10.1 ↘                      9.0 ↗                      10.8 \*  
 8.0 ↗                      10.0 →                      10.5 \*                      8.2 ↓                      8.2 ↓  
 beste Teiler 137.7 (25.) 400.6 (28.) 682.4 (23.)  
 Trefferlage 3.19 mm rechts, 3.72 mm tief  
 Streuwert 13.29, horizontal: 7.36, vertikal: 17.30





Serie 4:  
 8.0 ↖                      8.8 ↖                      9.2 ↖                      8.4 ↖                      10.6 \*  
 9.5 ←                      10.3 ↓                      8.0 ↑                      9.2 ↘                      9.8 ↖  
 beste Teiler 241.6 (35.) 485.8 (37.) 909.8 (40.)  
 Trefferlage 6.43 mm links, 6.16 mm hoch  
 Streuwert 9.60, horizontal: 9.90, vertikal: 9.28


\_\_\_\_\_  
 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (364.5)  
 Serien: 86 86 87 87  
 Zähler: 6 18 12 4 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3026 (21), 2881 (10), 2611 (17)  
 beste Teiler 411.4 (14.) 440.9 (24.) 448.0 (1.)  
 Trefferlage 4.06 mm rechts, 4.71 mm tief  
 Streuwert 10.68, horizontal: 10.15, vertikal: 11.19




Serie 1:  
 10.4 \*                      9.8 ↙                      8.2 →                      9.1 →                      9.0 ↘  
 8.9 ↗                      10.0 ↓                      7.7 ↓                      9.9 ↘                      7.3 ↓  
 beste Teiler 448.0 (1.) 766.2 (7.) 856.9 (9.)  
 Trefferlage 6.33 mm rechts, 6.11 mm tief  
 Streuwert 10.99, horizontal: 8.13, vertikal: 13.24



Serie 2:  
 9.7 ↙                      9.7 ↖                      9.5 →                      10.4 \*                      8.4 →  
 8.7 ↙                      7.7 ↓                      8.7 →                      9.6 ↘                      9.8 →  
 beste Teiler 411.4 (14.) 938.0 (20.) 977.8 (11.)  
 Trefferlage 2.75 mm rechts, 5.30 mm tief  
 Streuwert 10.40, horizontal: 11.42, vertikal: 9.26



Serie 3:  
 7.2 ↖                      8.1 ↓                      9.0 ↙                      10.4 \*                      8.4 ↘  
 8.7 →                      9.7 →                      10.2 ↖                      9.2 ↑                      9.6 ↘  
 beste Teiler 440.9 (24.) 574.2 (28.) 977.6 (27.)  
 Trefferlage 0.05 mm links, 1.68 mm tief  
 Streuwert 12.58, horizontal: 11.97, vertikal: 13.16





Serie 4:  
 9.0 →                      8.6 →                      8.8 ↓                      10.2 ↙                      9.8 ↗  
 8.7 →                      9.2 ↓                      9.2 ↓                      8.1 ↘                      9.9 ↗  
 beste Teiler 576.1 (34.) 827.8 (40.) 955.4 (35.)  
 Trefferlage 7.21 mm rechts, 5.73 mm tief  
 Streuwert 9.06, horizontal: 8.33, vertikal: 9.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.6)  
 Serien: 91 91 92 89  
 Zähler: 13 20 4 3 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2833 (20), 2682 (5), 2491 (22)  
 beste Teiler 110.4 (2.) 224.2 (10.) 253.3 (13.)  
 Trefferlage 3.37 mm links, 0.78 mm hoch  
 Streuwert 8.99, horizontal: 9.41, vertikal: 8.56




Serie 1:  
 9.7 ↘ 10.8 \* 10.1 ↙ 10.5 \* 7.6 ←  
 9.4 ↗ 8.3 ↘ 9.9 ↓ 9.4 → 10.7 \*  
 beste Teiler 110.4 (2.) 224.2 (10.) 389.6 (4.)  
 Trefferlage 2.89 mm links, 0.98 mm tief  
 Streuwert 9.51, horizontal: 9.86, vertikal: 9.15



Serie 2:  
 9.3 ↘ 9.1 ← 10.6 \* 9.2 ↑ 9.4 ←  
 9.8 ↘ 9.6 ↙ 10.5 \* 10.2 ↘ 7.4 ↗  
 beste Teiler 253.3 (13.) 363.9 (18.) 606.4 (19.)  
 Trefferlage 3.26 mm links, 2.97 mm hoch  
 Streuwert 9.45, horizontal: 10.03, vertikal: 8.82



Serie 3:  
 10.1 ← 7.8 ↘ 10.1 ← 9.5 ↑ 9.6 ↗  
 10.3 → 9.9 ↘ 10.2 ↘ 9.5 ← 9.2 ↓  
 beste Teiler 511.9 (26.) 636.8 (28.) 672.9 (21.)  
 Trefferlage 1.42 mm links, 0.57 mm tief  
 Streuwert 8.81, horizontal: 9.85, vertikal: 7.64





Serie 4:  
 9.5 ↘ 8.8 ← 9.1 ← 8.2 ↑ 10.5 \*  
 10.3 → 9.5 ↙ 9.5 ↘ 8.6 ← 9.9 ↑  
 beste Teiler 400.0 (35.) 527.2 (36.) 843.3 (40.)  
 Trefferlage 5.93 mm links, 1.71 mm hoch  
 Streuwert 9.02, horizontal: 8.76, vertikal: 9.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (375.8)  
 Serien: 93 91 88 87  
 Zähler: 12 18 7 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2551 (3), 2502 (25), 2411 (39)  
 beste Teiler 183.3 (9.) 299.0 (38.) 311.5 (12.)  
 Trefferlage 2.37 mm links, 5.50 mm hoch  
 Streuwert 9.02, horizontal: 8.52, vertikal: 9.49




Serie 1:  
 10.0 ←                      10.4 ←                      7.8 ↑                      10.0 ↓                      10.5 \*  
 9.0 ↘                      9.2 ←                      9.2 ←                      10.7 \*                      9.6 ↙  
 beste Teiler 183.3 (9.) 378.3 (5.) 479.0 (2.)  
 Trefferlage 5.22 mm links, 1.86 mm hoch  
 Streuwert 8.29, horizontal: 5.74, vertikal: 10.22



Serie 2:  
 9.1 ↗                      10.6 \*                      9.3 ↗                      10.0 →                      9.6 ↑  
 9.6 ↘                      8.1 ↗                      10.4 \*                      8.6 ↘                      9.7 ←  
 beste Teiler 311.5 (12.) 468.2 (18.) 764.0 (14.)  
 Trefferlage 1.18 mm rechts, 5.80 mm hoch  
 Streuwert 8.69, horizontal: 10.75, vertikal: 5.96



Serie 3:  
 8.8 ↘                      10.2 ↙                      9.3 →                      10.0 ↑                      7.8 ↑  
 9.4 ↙                      9.4 ↘                      9.3 →                      8.4 ↘                      9.8 ↑  
 beste Teiler 604.3 (22.) 734.5 (24.) 931.3 (30.)  
 Trefferlage 2.46 mm links, 6.89 mm hoch  
 Streuwert 9.47, horizontal: 9.33, vertikal: 9.62





Serie 4:  
 8.6 ↓                      9.9 ↘                      9.4 ↘                      10.3 ↑                      8.8 ↘  
 9.2 ↗                      9.0 ←                      10.6 \*                      7.9 ↑                      8.3 ↘  
 beste Teiler 299.0 (38.) 495.5 (34.) 871.6 (32.)  
 Trefferlage 3.01 mm links, 7.45 mm hoch  
 Streuwert 9.79, horizontal: 7.43, vertikal: 11.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (360.1)  
 Serien: 89 86 87 83  
 Zähler: 10 13 11 4 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3740 (39), 3607 (33), 2981 (24)  
 beste Teiler 263.4 (2.) 343.4 (17.) 356.1 (37.)  
 Trefferlage 1.65 mm rechts, 5.34 mm hoch  
 Streuwert 12.04, horizontal: 11.47, vertikal: 12.58




Serie 1:  
 8.4 ↗ 10.6 \* 8.4 ↗ 10.0 ↘ 10.0 ↗  
 8.9 ↗ 9.3 ↗ 8.3 ← 10.3 ↘ 8.9 ←  
 beste Teiler 263.4 (2.) 484.5 (9.) 734.0 (4.)  
 Trefferlage 0.11 mm rechts, 6.83 mm hoch  
 Streuwert 9.73, horizontal: 10.60, vertikal: 8.78



Serie 2:  
 9.5 ↗ 8.4 → 8.4 ↙ 8.8 ↖ 10.3 ←  
 7.3 ↗ 10.5 \* 9.9 ↖ 8.9 ← 9.2 ↘  
 beste Teiler 343.4 (17.) 544.2 (15.) 838.7 (18.)  
 Trefferlage 0.77 mm links, 2.88 mm hoch  
 Streuwert 11.94, horizontal: 10.97, vertikal: 12.83





Serie 3:  
 8.2 ↗ 9.2 ↗ 10.4 \* 7.2 ↗ 9.0 ↘  
 9.6 ↑ 9.3 ← 7.8 ↗ 10.0 ↓ 9.5 ↗  
 beste Teiler 436.6 (23.) 721.8 (29.) 1090.0 (26.)  
 Trefferlage 6.97 mm rechts, 6.25 mm hoch  
 Streuwert 10.65, horizontal: 10.96, vertikal: 10.33




Serie 4:  
 9.1 ↗ 9.1 ↖ 6.4 ↗ 9.0 ↑ 7.4 ↗  
 9.0 ↘ 10.5 \* 8.7 ↙ 6.3 ↙ 10.1 ↗  
 beste Teiler 356.1 (37.) 686.0 (40.) 1486.5 (31.)  
 Trefferlage 0.31 mm rechts, 5.41 mm hoch  
 Streuwert 15.84, horizontal: 13.22, vertikal: 18.09

Unterschrift des Schützen


Ergebnis: **351** (368.6)  
 Serien: 97 93 82 79  
 Zähler: 15 11 6 6 2 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3305 (22), 3280 (32), 3180 (29)  
 beste Teiler 125.8 (16.) 207.0 (20.) 311.3 (25.)  
 Trefferlage 6.29 mm links, 4.54 mm hoch  
 Streuwert 10.63, horizontal: 10.98, vertikal: 10.27




Serie 1:  
 9.5 ↘                      9.3 ←                      10.3 ↙                      10.1 ↑                      10.1 ↑  
 10.2 ↑                      9.6 ↑                      10.4 \*                      10.5 \*                      10.3 ←  
 beste Teiler 353.3 (9.) 416.6 (8.) 487.9 (10.)  
 Trefferlage 2.60 mm links, 3.92 mm hoch  
 Streuwert 4.77, horizontal: 5.05, vertikal: 4.47



Serie 2:  
 9.1 ↓                      10.2 ↑                      9.0 ↘                      9.9 ↘                      9.2 ←  
 10.8 \*                      10.5 \*                      8.5 ←                      9.8 ↑                      10.7 \*  
 beste Teiler 125.8 (16.) 207.0 (20.) 385.0 (17.)  
 Trefferlage 5.40 mm links, 1.09 mm hoch  
 Streuwert 7.32, horizontal: 7.86, vertikal: 6.75



Serie 3:  
 7.8 ↘                      6.8 ↘                      8.5 ←                      7.5 ↘                      10.6 \*  
 10.2 →                      9.5 ←                      9.8 ↙                      7.0 ↑                      9.0 ↘  
 beste Teiler 311.3 (25.) 637.8 (26.) 949.8 (28.)  
 Trefferlage 8.96 mm links, 8.66 mm hoch  
 Streuwert 12.56, horizontal: 10.60, vertikal: 14.25





Serie 4:  
 10.4 \*                      6.9 ↑                      8.8 ↘                      7.8 ←                      10.2 →  
 8.0 ←                      7.9 ←                      8.5 ↗                      7.1 ←                      8.3 ↑  
 beste Teiler 423.0 (31.) 572.5 (35.) 1687.8 (33.)  
 Trefferlage 8.18 mm links, 4.47 mm hoch  
 Streuwert 15.03, horizontal: 17.18, vertikal: 12.50

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **320** (335.1)  
 Serien: 80 81 84 75  
 Zähler: 6 11 11 7 2 1 1 1 0 0  
 Innenzehner: 3  
 weiteste: 5952 (34), 5415 (11), 4322 (6)  
 beste Teiler 288.7 (24.) 366.9 (21.) 433.5 (35.)  
 Trefferlage 0.30 mm links, 0.27 mm hoch  
 Streuwert 17.29, horizontal: 20.29, vertikal: 13.65




Serie 1:  
 8.5 →                      7.5 →                      10.0 ↓                      9.3 →                      9.0 ↓  
 5.5 ↗                      10.2 →                      6.6 ↖                      7.3 ↖                      9.8 ←  
 beste Teiler 587.3 (7.) 790.0 (3.) 959.4 (10.)  
 Trefferlage 3.18 mm rechts, 0.37 mm hoch  
 Streuwert 17.60, horizontal: 21.21, vertikal: 13.04



Serie 2:  
 4.2 ↗                      8.3 ↗                      9.8 ↓                      10.0 →                      8.0 →  
 8.5 ↓                      8.7 ↗                      9.1 ←                      8.3 →                      9.6 ↓  
 beste Teiler 744.5 (14.) 933.9 (13.) 1067.5 (20.)  
 Trefferlage 8.98 mm rechts, 3.95 mm hoch  
 Streuwert 15.98, horizontal: 15.42, vertikal: 16.52



Serie 3:  
 10.5 \*                      8.7 ↑                      9.0 ←                      10.6 \*                      8.3 →  
 9.8 ↖                      7.3 →                      7.3 ↖                      7.7 ←                      9.3 ↑  
 beste Teiler 288.7 (24.) 366.9 (21.) 885.6 (26.)  
 Trefferlage 2.77 mm links, 2.77 mm hoch  
 Streuwert 13.99, horizontal: 17.65, vertikal: 8.93





Serie 4:  
 8.1 ↖                      9.0 ←                      7.5 ↗                      3.5 ←                      10.4 \*  
 7.2 ↖                      8.9 ↓                      9.3 ←                      6.1 ↓                      8.4 →  
 beste Teiler 433.5 (35.) 1316.7 (38.) 1590.5 (32.)  
 Trefferlage 10.62 mm links, 5.97 mm tief  
 Streuwert 19.61, horizontal: 23.46, vertikal: 14.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (362.2)  
 Serien: 88 79 88 88  
 Zähler: 8 16 10 4 1 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4772 (19), 3568 (15), 2711 (21)  
 beste Teiler 264.4 (7.) 288.3 (30.) 306.8 (37.)  
 Trefferlage 2.30 mm rechts, 1.94 mm hoch  
 Streuwert 12.51, horizontal: 10.94, vertikal: 13.91




Serie 1:  
 9.2 ←                      10.0 ←                      10.0 ↙                      8.0 ↘                      7.7 →  
 8.5 ↘                      10.6 \*                      9.0 ↘                      9.9 ↓                      8.5 ↓  
 beste Teiler 264.4 (7.) 771.1 (3.) 774.1 (2.)  
 Trefferlage 4.05 mm rechts, 7.82 mm tief  
 Streuwert 10.20, horizontal: 11.77, vertikal: 8.33



Serie 2:  
 9.9 ↘                      8.9 ↘                      9.9 ↓                      8.9 ↓                      6.5 ↖  
 8.5 ↖                      9.6 ↗                      8.3 ↗                      5.0 ↗                      9.4 ↗  
 beste Teiler 848.8 (11.) 879.6 (13.) 1104.1 (17.)  
 Trefferlage 1.25 mm rechts, 8.42 mm hoch  
 Streuwert 16.06, horizontal: 16.44, vertikal: 15.67



Serie 3:  
 7.6 ↗                      9.4 ↖                      9.5 ↗                      8.3 ↗                      9.4 ↑  
 9.6 ↘                      9.7 ↓                      9.7 ↙                      9.7 ↖                      10.6 \*  
 beste Teiler 288.3 (30.) 989.9 (29.) 1006.3 (28.)  
 Trefferlage 1.67 mm rechts, 5.30 mm hoch  
 Streuwert 9.80, horizontal: 7.23, vertikal: 11.83





Serie 4:  
 9.2 ↑                      8.3 ↗                      10.1 ↖                      7.8 ↘                      10.0 ↙  
 7.9 ↑                      10.6 \*                      10.4 \*                      9.8 ↖                      8.3 ↘  
 beste Teiler 306.8 (37.) 406.0 (38.) 663.0 (33.)  
 Trefferlage 2.24 mm rechts, 1.88 mm hoch  
 Streuwert 11.61, horizontal: 7.21, vertikal: 14.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297** (312.7)  
 Serien: 72 76 69 80  
 Zähler: 6 9 6 8 3 3 4 1 0 0  
 Innenzehner: 1  
 weiteste: 6379 (16), 5570 (20), 5507 (27)  
 beste Teiler 473.5 (9.) 595.2 (11.) 624.2 (30.)  
 Trefferlage 6.42 mm links, 2.61 mm hoch  
 Streuwert 20.78, horizontal: 18.03, vertikal: 23.20




Serie 1:  
 9.8 ↘                      7.7 ↖                      4.9 →                      7.4 ↓                      4.6 ←  
 8.4 ↑                      9.8 ↘                      9.7 ↗                      10.4 \*                      5.1 ↖  
 beste Teiler 473.5 (9.) 923.2 (1.) 954.8 (7.)  
 Trefferlage 5.47 mm links, 6.07 mm hoch  
 Streuwert 22.02, horizontal: 23.87, vertikal: 20.00



Serie 2:  
 10.2 ↙                      10.0 ←                      6.5 ↑                      9.8 →                      7.5 ←  
 3.0 ←                      8.3 ←                      10.1 ↘                      9.8 ↘                      4.0 ↑  
 beste Teiler 595.2 (11.) 661.6 (18.) 785.7 (12.)  
 Trefferlage 11.62 mm links, 7.44 mm hoch  
 Streuwert 21.15, horizontal: 18.88, vertikal: 23.20



Serie 3:  
 7.4 ↑                      7.0 ↗                      5.5 ↓                      8.3 ↑                      6.5 ↖  
 7.9 ↙                      4.1 ↖                      8.2 ←                      7.6 ↓                      10.2 →  
 beste Teiler 624.2 (30.) 2108.6 (24.) 2181.7 (28.)  
 Trefferlage 6.78 mm links, 4.95 mm hoch  
 Streuwert 23.09, horizontal: 15.09, vertikal: 28.96





Serie 4:  
 9.3 ←                      9.0 ↑                      9.9 ←                      6.1 ↓                      10.0 ↑  
 9.6 →                      7.6 →                      5.4 ↓                      8.1 ←                      8.0 ↘  
 beste Teiler 754.1 (35.) 803.6 (33.) 1114.4 (36.)  
 Trefferlage 1.82 mm links, 8.00 mm tief  
 Streuwert 17.12, horizontal: 14.16, vertikal: 19.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **294** (312.8)  
 Serien: 73 73 68 80  
 Zähler: 5 4 12 8 5 5 0 0 0 1  
 Innenzehner: 3  
 weiteste: 7796 (26), 4504 (16), 4249 (24)  
 beste Teiler 159.3 (22.) 415.5 (23.) 429.8 (36.)  
 Trefferlage 8.60 mm rechts, 0.97 mm hoch  
 Streuwert 19.69, horizontal: 21.90, vertikal: 17.21




Serie 1:  
 5.7 ↗ 10.2 → 10.3 ↘ 7.9 ↗ 6.6 ←  
 8.6 → 7.5 ↓ 6.2 → 7.4 ↗ 7.8 →  
 beste Teiler 522.8 (3.) 588.7 (2.) 1901.4 (6.)  
 Trefferlage 12.89 mm rechts, 3.09 mm hoch  
 Streuwert 18.02, horizontal: 20.39, vertikal: 15.30



Serie 2:  
 8.1 ↖ 6.6 → 7.7 ↑ 5.7 ← 9.0 ↓  
 5.3 ↗ 9.8 ↘ 9.1 → 7.5 ↓ 8.6 ←  
 beste Teiler 931.7 (17.) 1503.6 (18.) 1570.6 (15.)  
 Trefferlage 1.22 mm rechts, 0.70 mm tief  
 Streuwert 20.83, horizontal: 23.24, vertikal: 18.09



Serie 3:  
 8.4 → 10.8 \* 10.4 \* 5.6 ↙ 6.3 ↑  
 1.2 → 8.9 ↑ 8.9 → 7.5 ↙ 5.8 →  
 beste Teiler 159.3 (22.) 415.5 (23.) 1655.3 (27.)  
 Trefferlage 8.73 mm rechts, 0.97 mm hoch  
 Streuwert 25.75, horizontal: 29.48, vertikal: 21.38





Serie 4:  
 8.8 ↓ 8.0 ↗ 7.3 ↗ 6.1 ↘ 8.2 →  
 10.4 \* 8.8 ↘ 9.2 ↗ 8.2 ↘ 8.4 →  
 beste Teiler 429.8 (36.) 1393.9 (38.) 1704.2 (31.)  
 Trefferlage 11.56 mm rechts, 0.54 mm hoch  
 Streuwert 14.47, horizontal: 12.73, vertikal: 16.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (349.4)  
 Serien: 81 85 81 84  
 Zähler: 7 11 13 7 0 1 1 0 0 0  
 Innenzehner: 2  
 weiteste: 4863 (10), 4783 (26), 3072 (29)  
 beste Teiler 171.1 (17.) 300.1 (16.) 509.7 (38.)  
 Trefferlage 2.10 mm links, 1.12 mm hoch  
 Streuwert 14.60, horizontal: 14.35, vertikal: 14.85




Serie 1:  
 8.9 ←                      9.7 ←                      8.1 ↑                      10.0 ↓                      9.3 ↘  
 9.3 ↑                      8.5 ↓                      7.2 ↙                      9.9 ↓                      4.9 ↘  
 beste Teiler 760.8 (4.) 852.3 (9.) 1020.4 (2.)  
 Trefferlage 7.69 mm links, 1.60 mm hoch  
 Streuwert 15.56, horizontal: 14.53, vertikal: 16.52



Serie 2:  
 8.3 →                      8.4 ↓                      8.3 ↑                      7.7 ↙                      9.9 ↓  
 10.6 \*                      10.7 \*                      8.2 ↓                      8.2 ←                      9.6 →  
 beste Teiler 171.1 (17.) 300.1 (16.) 811.8 (15.)  
 Trefferlage 1.37 mm links, 3.83 mm tief  
 Streuwert 12.81, horizontal: 13.06, vertikal: 12.56



Serie 3:  
 7.2 ↑                      9.6 ↑                      7.9 →                      8.1 ←                      10.3 ↘  
 5.0 ↑                      9.6 ←                      10.1 ↓                      7.1 ↓                      9.4 ↙  
 beste Teiler 555.8 (25.) 668.5 (28.) 1070.4 (27.)  
 Trefferlage 1.26 mm rechts, 3.32 mm hoch  
 Streuwert 17.63, horizontal: 13.72, vertikal: 20.81





Serie 4:  
 8.9 ←                      7.6 ↘                      8.9 →                      7.8 →                      10.2 ↙  
 8.7 ↑                      9.2 ←                      10.3 ↘                      9.5 ←                      8.3 →  
 beste Teiler 509.7 (38.) 576.3 (35.) 1140.4 (39.)  
 Trefferlage 0.62 mm links, 3.38 mm hoch  
 Streuwert 12.75, horizontal: 16.50, vertikal: 7.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (356.6)  
 Serien: 89 81 86 83  
 Zähler: 8 14 10 6 1 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4473 (11), 3293 (38), 3061 (36)  
 beste Teiler 248.9 (24.) 310.8 (3.) 429.6 (19.)  
 Trefferlage 1.45 mm rechts, 9.19 mm hoch  
 Streuwert 11.66, horizontal: 11.91, vertikal: 11.41




Serie 1:  
 8.0 ↗ 7.4 → 10.6 \* 9.2 ↘ 8.0 ↗  
 10.0 → 8.7 ↘ 10.1 ↘ 10.1 ↘ 9.7 ←  
 beste Teiler 310.8 (3.) 664.0 (9.) 706.7 (8.)  
 Trefferlage 3.19 mm rechts, 5.30 mm hoch  
 Streuwert 11.21, horizontal: 12.73, vertikal: 9.44



Serie 2:  
 5.4 ↗ 9.6 ← 8.9 ↗ 9.5 ↓ 9.6 ↑  
 8.4 ← 8.6 ↑ 7.7 ↘ 10.4 \* 8.9 →  
 beste Teiler 429.6 (19.) 1074.7 (12.) 1098.1 (15.)  
 Trefferlage 1.41 mm links, 8.33 mm hoch  
 Streuwert 14.23, horizontal: 12.65, vertikal: 15.66



Serie 3:  
 9.4 ↘ 7.7 → 9.8 ↗ 10.6 \* 7.5 ↑  
 8.0 → 9.9 → 9.7 ↗ 9.6 ← 9.6 ↗  
 beste Teiler 248.9 (24.) 847.7 (27.) 916.1 (23.)  
 Trefferlage 5.12 mm rechts, 8.27 mm hoch  
 Streuwert 9.88, horizontal: 11.79, vertikal: 7.49





Serie 4:  
 9.8 ↗ 9.0 ↑ 10.2 ↘ 7.4 → 8.3 ↘  
 7.1 ↑ 10.0 ← 6.8 ↑ 8.2 ↑ 9.2 ↘  
 beste Teiler 565.0 (33.) 748.8 (37.) 902.8 (31.)  
 Trefferlage 1.05 mm links, 14.84 mm hoch  
 Streuwert 10.93, horizontal: 10.91, vertikal: 10.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (358.2)  
 Serien: 85 89 81 84  
 Zähler: 7 16 11 3 2 0 1 0 0 0  
 Innenzehner: 4  
 weiteste: 5367 (1), 3655 (30), 3483 (36)  
 beste Teiler 228.2 (32.) 234.5 (16.) 274.1 (12.)  
 Trefferlage 5.43 mm links, 0.08 mm tief  
 Streuwert 12.91, horizontal: 14.19, vertikal: 11.48




Serie 1:  
 4.2 ↗ 10.3 ↘ 8.7 ↘ 8.4 ↓ 10.1 ↓  
 9.4 ↙ 10.5 \* 8.8 ↗ 9.5 ← 9.4 ↑  
 beste Teiler 368.0 (7.) 542.5 (2.) 670.8 (5.)  
 Trefferlage 4.73 mm rechts, 2.51 mm tief  
 Streuwert 15.20, horizontal: 18.10, vertikal: 11.60



Serie 2:  
 9.5 ↘ 10.6 \* 7.7 ↑ 9.4 ↗ 9.2 ↑  
 10.7 \* 9.3 ← 8.5 ↑ 9.4 ↓ 9.6 ↑  
 beste Teiler 234.5 (16.) 274.1 (12.) 1085.5 (20.)  
 Trefferlage 1.86 mm links, 7.62 mm hoch  
 Streuwert 8.67, horizontal: 6.05, vertikal: 10.67



Serie 3:  
 9.9 ↗ 9.9 ← 10.1 ← 8.4 ← 7.4 ↓  
 9.2 ↗ 7.4 ↘ 8.9 ↙ 8.9 ↙ 6.4 ←  
 beste Teiler 690.3 (23.) 860.6 (22.) 861.5 (21.)  
 Trefferlage 9.43 mm links, 1.34 mm tief  
 Streuwert 13.66, horizontal: 14.03, vertikal: 13.28





Serie 4:  
 9.0 ↘ 10.7 \* 8.3 ← 8.9 ← 9.5 ↘  
 6.6 ← 9.4 ← 9.0 ↙ 8.9 ← 8.2 ←  
 beste Teiler 228.2 (32.) 1153.5 (35.) 1234.0 (37.)  
 Trefferlage 15.17 mm links, 4.11 mm tief  
 Streuwert 7.54, horizontal: 7.72, vertikal: 7.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (375.6)  
 Serien: 91 90 87 91  
 Zähler: 12 16 11 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2463 (5), 2129 (28), 2129 (30)  
 beste Teiler 319.6 (37.) 321.9 (8.) 367.4 (14.)  
 Trefferlage 2.32 mm links, 5.81 mm tief  
 Streuwert 8.82, horizontal: 8.52, vertikal: 9.11




Serie 1:  
 10.1 → 9.1 ↙ 10.5 \* 9.4 ↘ 7.9 ↓  
 9.2 ↘ 10.0 ↓ 10.5 \* 9.6 ↘ 8.9 ↘  
 beste Teiler 321.9 (8.) 384.8 (3.) 704.2 (1.)  
 Trefferlage 0.04 mm links, 8.59 mm tief  
 Streuwert 7.39, horizontal: 7.59, vertikal: 7.18



Serie 2:  
 10.3 ↙ 8.8 ↙ 9.2 → 10.5 \* 9.9 ←  
 8.3 ↙ 9.1 ↘ 10.2 ↘ 8.7 ↓ 9.7 ↙  
 beste Teiler 367.4 (14.) 545.0 (11.) 613.0 (18.)  
 Trefferlage 4.64 mm links, 5.46 mm tief  
 Streuwert 8.24, horizontal: 9.26, vertikal: 7.07



Serie 3:  
 8.5 ↓ 9.8 ↘ 9.5 → 9.4 ← 8.8 ↑  
 8.7 ↘ 10.0 ↓ 8.3 ↙ 10.0 ↘ 8.3 ↘  
 beste Teiler 730.8 (29.) 767.1 (27.) 942.8 (22.)  
 Trefferlage 2.31 mm links, 4.43 mm tief  
 Streuwert 10.95, horizontal: 10.20, vertikal: 11.65





Serie 4:  
 9.1 ↘ 8.8 ↙ 9.2 ↘ 10.2 ↘ 9.2 ↙  
 10.3 → 10.6 \* 9.0 ↘ 9.5 ↓ 8.5 ↑  
 beste Teiler 319.6 (37.) 495.6 (36.) 561.4 (34.)  
 Trefferlage 2.27 mm links, 4.77 mm tief  
 Streuwert 9.09, horizontal: 7.43, vertikal: 10.50

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **337** (351.4)  
 Serien: 87 85 83 82  
 Zähler: 6 13 16 2 3 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3696 (36), 3446 (39), 3306 (23)  
 beste Teiler 359.2 (14.) 554.0 (24.) 715.8 (10.)  
 Trefferlage 3.64 mm links, 2.53 mm hoch  
 Streuwert 13.24, horizontal: 11.46, vertikal: 14.82




Serie 1:  
 10.0 ←                      9.3 ↓                      7.6 ↙                      7.2 ↘                      10.0 ↗  
    9.7 ↑                      8.8 ↖                      8.0 ↗                      9.0 ←                      10.1 →  
 beste Teiler 715.8 (10.) 761.1 (5.) 764.6 (1.)  
 Trefferlage 5.07 mm links, 2.90 mm hoch  
 Streuwert 12.65, horizontal: 11.24, vertikal: 13.91



Serie 2:  
 8.0 ↑                      8.2 ↖                      8.7 ←                      10.5 \*                      8.7 ↗  
    9.3 ↗                      8.6 ↓                      9.7 ↗                      9.1 ↗                      8.4 ↖  
 beste Teiler 359.2 (14.) 1022.6 (18.) 1354.0 (16.)  
 Trefferlage 1.74 mm links, 6.49 mm hoch  
 Streuwert 11.87, horizontal: 11.86, vertikal: 11.89



Serie 3:  
 8.8 ↖                      9.9 ↑                      6.8 ↓                      10.3 →                      8.4 ↗  
    8.4 ↗                      9.0 →                      8.4 ↖                      8.6 ↖                      9.0 ←  
 beste Teiler 554.0 (24.) 805.6 (22.) 1541.5 (30.)  
 Trefferlage 1.06 mm links, 5.12 mm hoch  
 Streuwert 13.51, horizontal: 11.41, vertikal: 15.32





Serie 4:  
 8.4 ←                      9.2 ↘                      10.0 ↘                      8.0 ↑                      9.0 ↖  
    6.3 ↙                      9.3 ↑                      8.6 ←                      6.6 ↓                      9.5 ↙  
 beste Teiler 728.0 (33.) 1181.7 (40.) 1284.8 (37.)  
 Trefferlage 6.67 mm links, 4.39 mm tief  
 Streuwert 15.02, horizontal: 12.15, vertikal: 17.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **300** (318.2)  
 Serien: 80 77 75 68  
 Zähler: 5 8 10 9 3 0 4 0 0 1  
 Innenzehner: 2  
 weiteste: 7707 (34), 5418 (37), 4918 (7)  
 beste Teiler 132.6 (4.) 446.2 (2.) 720.2 (30.)  
 Trefferlage 7.24 mm links, 14.83 mm hoch  
 Streuwert 16.57, horizontal: 15.37, vertikal: 17.69




Serie 1:  
 9.8 ↑                      10.4 \*                      7.5 ↘                      10.8 \*                      9.1 ↗  
 6.8 ↘                      4.8 ↘                      9.8 ↑                      10.0 ↑                      6.2 ↑  
 beste Teiler 132.6 (4.) 446.2 (2.) 740.1 (9.)  
 Trefferlage 5.05 mm links, 15.53 mm hoch  
 Streuwert 13.94, horizontal: 9.36, vertikal: 17.35



Serie 2:  
 7.2 ↗                      8.8 ↑                      6.4 ↘                      7.9 ↑                      9.4 ↘  
 8.9 ↑                      8.3 ↘                      9.0 ↘                      7.0 ↘                      8.0 ↘  
 beste Teiler 1246.9 (15.) 1522.7 (18.) 1680.0 (16.)  
 Trefferlage 7.70 mm links, 16.92 mm hoch  
 Streuwert 11.25, horizontal: 13.52, vertikal: 8.38



Serie 3:  
 4.8 ↘                      10.0 ↑                      7.2 ↘                      8.9 ←                      4.9 →  
 7.9 ←                      9.6 ←                      7.1 ↑                      9.3 ↘                      10.1 ↘  
 beste Teiler 720.2 (30.) 726.0 (22.) 1115.0 (27.)  
 Trefferlage 5.55 mm links, 10.50 mm hoch  
 Streuwert 18.94, horizontal: 19.56, vertikal: 18.29





Serie 4:  
 8.8 ↑                      8.6 ↘                      8.1 →                      1.3 ↘                      8.2 ↘  
 7.7 ←                      4.2 ↑                      9.7 ↘                      7.5 ↑                      8.2 ↘  
 beste Teiler 989.8 (38.) 1708.1 (31.) 1896.8 (32.)  
 Trefferlage 10.64 mm links, 16.35 mm hoch  
 Streuwert 22.03, horizontal: 18.68, vertikal: 24.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (330.8)  
 Serien: 76 72 85 80  
 Zähler: 3 14 10 4 5 3 1 0 0 0  
 Innenzehner: 1  
 weiteste: 5308 (8), 4451 (36), 4343 (20)  
 beste Teiler 314.6 (31.) 537.7 (23.) 600.4 (26.)  
 Trefferlage 1.46 mm links, 0.52 mm tief  
 Streuwert 17.51, horizontal: 17.80, vertikal: 17.22




Serie 1:  
 8.0 ←                      9.0 ←                      7.5 ↗                      9.5 ↘                      7.1 ↘  
 6.1 →                      9.0 ↘                      4.3 ←                      9.5 ↑                      8.5 ↑  
 beste Teiler 1140.3 (4.) 1180.6 (9.) 1533.1 (2.)  
 Trefferlage 9.16 mm links, 2.52 mm tief  
 Streuwert 19.41, horizontal: 22.27, vertikal: 16.03



Serie 2:  
 6.4 →                      5.7 ↗                      6.9 ↑                      9.3 ↗                      8.9 →  
 9.6 ↓                      9.1 ↓                      9.4 ↗                      6.8 →                      5.5 ↘  
 beste Teiler 1058.1 (16.) 1217.5 (18.) 1337.1 (14.)  
 Trefferlage 11.23 mm rechts, 4.70 mm hoch  
 Streuwert 19.19, horizontal: 17.04, vertikal: 21.13



Serie 3:  
 8.7 ↘                      7.8 ↘                      10.3 ↗                      9.5 ←                      8.5 ↘  
 10.2 ↑                      8.8 ↗                      8.1 ↘                      8.2 ↘                      9.8 ↘  
 beste Teiler 537.7 (23.) 600.4 (26.) 928.8 (30.)  
 Trefferlage 3.38 mm links, 3.77 mm tief  
 Streuwert 12.12, horizontal: 10.43, vertikal: 13.61





Serie 4:  
 10.6 \*                      8.5 ←                      9.6 ←                      8.0 ↑                      9.3 ↗  
 5.4 ↘                      6.9 →                      7.4 ↓                      9.5 ↑                      9.6 ↖  
 beste Teiler 314.6 (31.) 1044.7 (40.) 1059.5 (33.)  
 Trefferlage 4.55 mm links, 0.51 mm tief  
 Streuwert 16.84, horizontal: 14.75, vertikal: 18.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (329.0)  
 Serien: 84 82 69 78  
 Zähler: 5 10 12 7 3 1 1 0 0 1  
 Innenzehner: 1  
 weiteste: 7683 (25), 4989 (20), 4071 (28)  
 beste Teiler 259.6 (19.) 514.9 (26.) 595.9 (9.)  
 Trefferlage 7.99 mm links, 1.55 mm hoch  
 Streuwert 17.33, horizontal: 16.74, vertikal: 17.90




Serie 1:  
 10.0 ↑                      8.0 ↗                      7.8 ↙                      8.3 ↘                      8.7 ↘  
 8.0 ←                      7.5 ←                      9.1 ↗                      10.2 ↓                      9.6 ↙  
 beste Teiler 595.9 (9.) 724.1 (1.) 1042.1 (10.)  
 Trefferlage 10.36 mm links, 1.25 mm tief  
 Streuwert 12.08, horizontal: 12.30, vertikal: 11.85



Serie 2:  
 10.1 ↘                      8.8 ←                      9.1 ↓                      6.8 ←                      9.0 ←  
 9.6 ↘                      9.2 ←                      8.0 ↑                      10.6 \*                      4.7 ←  
 beste Teiler 259.6 (19.) 651.4 (11.) 1093.8 (16.)  
 Trefferlage 12.19 mm links, 0.13 mm tief  
 Streuwert 14.56, horizontal: 17.31, vertikal: 11.15



Serie 3:  
 9.7 ↘                      6.7 ↙                      6.1 ↘                      9.4 ↓                      1.3 ↘  
 10.3 →                      8.4 ↓                      5.9 ↑                      8.3 ↑                      7.1 ↑  
 beste Teiler 514.9 (26.) 979.0 (21.) 1221.8 (24.)  
 Trefferlage 1.00 mm links, 2.23 mm hoch  
 Streuwert 26.08, horizontal: 21.91, vertikal: 29.67





Serie 4:  
 9.2 ↓                      7.8 ↙                      9.0 ↘                      7.9 ↗                      8.5 ↗  
 7.7 ←                      8.7 ↑                      7.6 ↘                      8.0 ↗                      8.3 ↘  
 beste Teiler 1369.1 (31.) 1572.0 (33.) 1827.2 (37.)  
 Trefferlage 8.41 mm links, 5.36 mm hoch  
 Streuwert 14.44, horizontal: 14.23, vertikal: 14.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (364.9)  
 Serien: 87 85 90 85  
 Zähler: 10 16 9 3 0 2 0 0 0 0  
 Innenzehner: 6  
 weiteste: 4718 (32), 4203 (37), 2924 (15)  
 beste Teiler 176.3 (31.) 207.1 (27.) 237.9 (38.)  
 Trefferlage 0.02 mm links, 1.88 mm tief  
 Streuwert 12.60, horizontal: 10.49, vertikal: 14.41




Serie 1:  
 9.0 ↖ 8.4 ↓ 8.9 ↓ 10.5 \* 9.1 ↙  
 7.4 → 9.4 ↓ 9.8 ↑ 9.6 ↓ 9.1 →  
 beste Teiler 321.8 (4.) 907.5 (8.) 1088.0 (9.)  
 Trefferlage 4.76 mm rechts, 3.60 mm tief  
 Streuwert 10.98, horizontal: 9.98, vertikal: 11.90



Serie 2:  
 7.8 ↗ 8.0 ↙ 10.5 \* 9.6 ↘ 7.3 ↖  
 9.6 ↙ 10.0 ↓ 8.3 ↘ 8.1 ↑ 9.8 ↓  
 beste Teiler 354.7 (13.) 785.0 (17.) 934.3 (20.)  
 Trefferlage 1.23 mm links, 0.53 mm hoch  
 Streuwert 13.70, horizontal: 13.17, vertikal: 14.20



Serie 3:  
 10.0 ↘ 9.5 ↘ 8.8 ↓ 9.7 → 9.4 ↙  
 8.8 ↘ 10.7 \* 8.4 ↙ 9.3 ↑ 10.1 ↖  
 beste Teiler 207.1 (27.) 643.5 (30.) 754.3 (21.)  
 Trefferlage 0.09 mm links, 3.34 mm tief  
 Streuwert 9.42, horizontal: 10.16, vertikal: 8.61





Serie 4:  
 10.7 \* 5.1 ↓ 9.6 ↓ 8.1 ↖ 9.5 ↖  
 10.2 ↙ 5.7 ↑ 10.7 \* 10.6 \* 9.8 ↓  
 beste Teiler 176.3 (31.) 237.9 (38.) 303.0 (39.)  
 Trefferlage 3.55 mm links, 1.12 mm tief  
 Streuwert 16.27, horizontal: 7.72, vertikal: 21.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **316** (336.0)  
 Serien: 76 78 81 81  
 Zähler: 4 9 14 7 4 2 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4707 (4), 4136 (13), 3781 (34)  
 beste Teiler 323.2 (25.) 438.7 (40.) 492.2 (1.)  
 Trefferlage 4.17 mm links, 3.82 mm tief  
 Streuwert 15.94, horizontal: 18.16, vertikal: 13.35




Serie 1:  
 10.3 ↙ 9.5 ← 8.2 ↗ 5.1 ← 8.6 ←  
 6.9 ← 7.4 ← 8.3 ↙ 7.2 ← 8.5 ←  
 beste Teiler 492.2 (1.) 1135.8 (2.) 1906.0 (5.)  
 Trefferlage 20.54 mm links, 4.58 mm tief  
 Streuwert 11.43, horizontal: 11.87, vertikal: 10.97



Serie 2:  
 9.3 ↓ 7.4 ← 5.8 ↗ 8.6 ← 7.2 ↙  
 9.9 ↙ 10.0 ↑ 7.4 → 8.8 ↓ 8.0 ↘  
 beste Teiler 776.1 (17.) 816.9 (16.) 1352.6 (11.)  
 Trefferlage 1.04 mm links, 4.44 mm tief  
 Streuwert 17.49, horizontal: 18.91, vertikal: 15.96



Serie 3:  
 9.9 ↑ 9.2 ↗ 7.4 ↑ 8.7 ← 10.5 \*  
 6.8 ↙ 9.7 ↘ 8.5 ↗ 8.5 ↓ 7.7 ↘  
 beste Teiler 323.2 (25.) 821.6 (21.) 1027.5 (27.)  
 Trefferlage 1.24 mm rechts, 2.25 mm tief  
 Streuwert 14.88, horizontal: 11.93, vertikal: 17.33





Serie 4:  
 9.8 ↘ 6.3 ← 8.8 → 6.2 → 8.6 ↘  
 8.9 ↘ 9.7 ↘ 9.7 ↖ 8.3 ↙ 10.4 \*  
 beste Teiler 438.7 (40.) 918.7 (31.) 983.7 (38.)  
 Trefferlage 3.67 mm rechts, 4.00 mm tief  
 Streuwert 15.35, horizontal: 19.45, vertikal: 9.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.7)  
 Serien: 86 83 86 85  
 Zähler: 6 15 14 3 2 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3539 (16), 3208 (32), 2854 (17)  
 beste Teiler 358.0 (2.) 600.6 (39.) 684.9 (9.)  
 Trefferlage 5.88 mm links, 1.15 mm tief  
 Streuwert 11.82, horizontal: 11.39, vertikal: 12.24




Serie 1:  
 7.7 ← 10.5 \* 9.6 → 9.4 ↙ 8.6 ↑  
 9.1 ↙ 8.3 ↘ 9.6 ↙ 10.1 ↘ 7.8 ↙  
 beste Teiler 358.0 (2.) 684.9 (9.) 1057.0 (3.)  
 Trefferlage 7.22 mm links, 0.27 mm tief  
 Streuwert 11.17, horizontal: 9.98, vertikal: 12.25



Serie 2:  
 10.0 ↑ 8.2 ↙ 8.9 ← 9.5 ↘ 9.9 →  
 6.5 ↙ 7.4 ↙ 8.7 ↙ 9.2 ↑ 9.7 ←  
 beste Teiler 790.7 (11.) 862.7 (15.) 1008.5 (20.)  
 Trefferlage 10.01 mm links, 4.88 mm tief  
 Streuwert 11.75, horizontal: 11.94, vertikal: 11.55





Serie 3:  
 8.4 ↘ 9.7 ↙ 9.6 ↘ 8.4 ↓ 8.7 ↑  
 10.1 ↓ 9.4 ↙ 8.1 ↙ 9.8 ↗ 8.5 ↙  
 beste Teiler 718.0 (26.) 919.8 (29.) 982.5 (22.)  
 Trefferlage 6.10 mm links, 3.15 mm tief  
 Streuwert 10.78, horizontal: 9.13, vertikal: 12.21




Serie 4:  
 8.3 ↓ 6.9 ← 10.1 → 9.4 ↑ 9.9 ↘  
 9.5 → 8.7 ↑ 8.0 ↑ 10.2 ↙ 8.3 ↗  
 beste Teiler 600.6 (39.) 703.6 (33.) 873.9 (35.)  
 Trefferlage 0.20 mm links, 3.67 mm hoch  
 Streuwert 13.21, horizontal: 13.40, vertikal: 13.02

Unterschrift des Schützen


Ergebnis: **311** (326.5)  
 Serien: 82 78 74 77  
 Zähler: 0 12 13 10 4 1 0 0 0 0  
 Innenzehner: 0  
 weiteste: 4049 (30), 3979 (37), 3856 (15)  
 beste Teiler 893.1 (12.) 955.0 (2.) 991.9 (7.)  
 Trefferlage 3.08 mm rechts, 8.58 mm tief  
 Streuwert 15.84, horizontal: 16.70, vertikal: 14.93




Serie 1:  
 9.0 ↙                      9.8 ↗                      7.7 ↘                      9.2 ↓                      8.4 ↘  
 8.0 ↘                      9.7 ↙                      7.4 ↙                      7.6 →                      9.0 ↓  
 beste Teiler 955.0 (2.) 991.9 (7.) 1429.1 (4.)  
 Trefferlage 4.04 mm rechts, 5.27 mm tief  
 Streuwert 14.20, horizontal: 17.01, vertikal: 10.67



Serie 2:  
 7.3 ↖                      9.8 →                      9.5 ←                      9.1 ↘                      6.1 ↓  
 8.2 ↓                      6.2 →                      9.1 ↘                      7.4 ↘                      8.3 ↓  
 beste Teiler 893.1 (12.) 1151.0 (13.) 1461.1 (14.)  
 Trefferlage 4.01 mm rechts, 9.33 mm tief  
 Streuwert 16.85, horizontal: 18.21, vertikal: 15.37



Serie 3:  
 9.6 ↗                      7.6 ↖                      8.8 ↙                      7.5 ↓                      8.4 ↘  
 9.3 ↘                      6.6 ↙                      7.7 ↙                      8.0 ↘                      5.9 →  
 beste Teiler 1056.7 (21.) 1359.9 (26.) 1731.7 (23.)  
 Trefferlage 1.48 mm rechts, 7.81 mm tief  
 Streuwert 18.17, horizontal: 20.37, vertikal: 15.66





Serie 4:  
 8.6 →                      7.1 ↓                      8.0 →                      8.6 ↓                      8.4 ↓  
 8.2 ↓                      6.0 ↙                      9.6 ↗                      8.7 ↑                      7.1 ↓  
 beste Teiler 1059.9 (38.) 1820.8 (39.) 1898.4 (31.)  
 Trefferlage 2.79 mm rechts, 11.89 mm tief  
 Streuwert 16.01, horizontal: 12.94, vertikal: 18.57

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **325** (347.2)  
 Serien: 89 80 79 77  
 Zähler: 6 9 14 7 3 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4263 (8), 3743 (18), 3520 (37)  
 beste Teiler 203.9 (5.) 453.5 (10.) 457.2 (12.)  
 Trefferlage 4.35 mm links, 6.61 mm hoch  
 Streuwert 13.62, horizontal: 13.93, vertikal: 13.29




Serie 1:  
 8.8 ↙ 10.1 ↖ 10.2 → 8.4 ↘ 10.7 \*  
 9.8 ↑ 9.3 ↖ 5.6 ↑ 10.0 ↑ 10.4 \*  
 beste Teiler 203.9 (5.) 453.5 (10.) 573.0 (3.)  
 Trefferlage 4.29 mm links, 7.43 mm hoch  
 Streuwert 11.15, horizontal: 5.80, vertikal: 14.66



Serie 2:  
 8.9 ↖ 10.4 \* 8.8 ↘ 8.9 ↖ 7.8 →  
 8.3 ↖ 8.7 ↓ 6.3 ← 8.9 ↙ 9.7 →  
 beste Teiler 457.2 (12.) 999.9 (20.) 1619.2 (14.)  
 Trefferlage 2.99 mm links, 0.50 mm hoch  
 Streuwert 14.81, horizontal: 17.83, vertikal: 11.01



Serie 3:  
 9.5 ↖ 7.9 ↖ 8.3 ↙ 9.6 ↗ 8.0 ↗  
 7.6 ← 7.5 ↑ 7.2 ↗ 8.4 ← 9.6 ↙  
 beste Teiler 1085.7 (30.) 1117.4 (24.) 1158.6 (21.)  
 Trefferlage 5.61 mm links, 7.56 mm hoch  
 Streuwert 14.69, horizontal: 15.78, vertikal: 13.52





Serie 4:  
 6.9 ↗ 9.9 ← 7.7 ↘ 8.8 ← 9.9 ↗  
 8.8 ↖ 6.6 ↑ 9.1 ↘ 7.0 ← 8.9 ↑  
 beste Teiler 855.4 (35.) 858.6 (32.) 1461.9 (38.)  
 Trefferlage 4.49 mm links, 10.95 mm hoch  
 Streuwert 14.48, horizontal: 15.40, vertikal: 13.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.1)  
 Serien: 92 86 91 92  
 Zähler: 10 22 7 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2427 (13), 2367 (18), 2234 (15)  
 beste Teiler 247.4 (37.) 369.3 (4.) 457.9 (24.)  
 Trefferlage 4.68 mm links, 2.82 mm tief  
 Streuwert 8.26, horizontal: 8.27, vertikal: 8.25




Serie 1:  
 8.7 ↗ 10.0 ↑ 9.4 ↙ 10.5 \* 9.7 ←  
 9.3 ← 10.3 ↙ 9.4 ↙ 9.2 ↓ 9.2 ↓  
 beste Teiler 369.3 (4.) 532.8 (7.) 740.3 (2.)  
 Trefferlage 4.10 mm links, 2.47 mm tief  
 Streuwert 8.12, horizontal: 6.54, vertikal: 9.43



Serie 2:  
 9.5 ↖ 9.7 ↗ 7.9 ← 9.4 ← 8.2 ←  
 9.7 → 10.3 ← 8.0 ↙ 9.2 ↙ 8.5 ↙  
 beste Teiler 517.2 (17.) 976.2 (16.) 1015.5 (12.)  
 Trefferlage 10.08 mm links, 4.35 mm tief  
 Streuwert 9.17, horizontal: 10.71, vertikal: 7.32





Serie 3:  
 9.7 ← 8.8 ← 9.7 ↓ 10.4 \* 8.6 ↖  
 9.8 ↘ 10.3 ← 9.7 ↓ 9.9 ↙ 10.1 ↖  
 beste Teiler 457.9 (24.) 537.5 (27.) 691.0 (30.)  
 Trefferlage 4.10 mm links, 1.92 mm tief  
 Streuwert 7.46, horizontal: 6.97, vertikal: 7.92




Serie 4:  
 9.3 ↘ 9.3 ← 8.7 ↓ 9.7 ↘ 9.8 ↖  
 10.0 ↙ 10.6 \* 9.6 ↑ 9.7 ↗ 10.3 →  
 beste Teiler 247.4 (37.) 558.9 (40.) 750.4 (36.)  
 Trefferlage 0.45 mm links, 2.55 mm tief  
 Streuwert 7.85, horizontal: 6.13, vertikal: 9.25

Unterschrift des Schützen


Ergebnis: **336** (352.5)  
 Serien: 84 85 86 81  
 Zähler: 7 14 11 5 2 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4324 (33), 3380 (4), 3215 (29)  
 beste Teiler 475.4 (26.) 484.8 (36.) 539.4 (17.)  
 Trefferlage 0.45 mm rechts, 5.17 mm tief  
 Streuwert 13.30, horizontal: 13.27, vertikal: 13.34




Serie 1:  
 8.3 ↙ 10.0 → 9.2 ↙ 6.7 ↓ 9.8 ←  
 7.6 → 9.4 ← 8.8 → 9.5 ↘ 9.3 ↓  
 beste Teiler 781.6 (2.) 910.1 (5.) 1139.4 (9.)  
 Trefferlage 1.15 mm rechts, 8.88 mm tief  
 Streuwert 12.00, horizontal: 13.55, vertikal: 10.23



Serie 2:  
 8.2 ↗ 7.0 ↙ 9.0 ← 9.6 ↓ 9.8 ↑  
 9.6 → 10.3 ↗ 8.0 ↗ 8.2 → 8.6 ←  
 beste Teiler 539.4 (17.) 895.3 (15.) 1068.1 (16.)  
 Trefferlage 2.21 mm rechts, 0.02 mm hoch  
 Streuwert 13.84, horizontal: 14.98, vertikal: 12.59



Serie 3:  
 10.2 ↘ 9.2 ↖ 8.8 ↗ 8.8 → 10.1 ↓  
 10.4 \* 9.0 → 7.0 → 6.9 ↘ 9.1 ↙  
 beste Teiler 475.4 (26.) 612.6 (21.) 711.7 (25.)  
 Trefferlage 6.88 mm rechts, 3.91 mm tief  
 Streuwert 12.35, horizontal: 13.26, vertikal: 11.37





Serie 4:  
 10.1 ↖ 7.8 ↙ 5.5 ↓ 9.5 ↑ 9.6 ↙  
 10.3 ↑ 7.8 ↙ 8.6 ← 8.5 ↓ 8.4 ↑  
 beste Teiler 484.8 (36.) 684.8 (31.) 1042.8 (35.)  
 Trefferlage 8.44 mm links, 7.91 mm tief  
 Streuwert 13.49, horizontal: 6.41, vertikal: 17.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (362.1)  
 Serien: 80 89 86 88  
 Zähler: 6 17 13 2 2 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3534 (40), 3360 (4), 2965 (24)  
 beste Teiler 450.3 (14.) 535.4 (39.) 552.4 (25.)  
 Trefferlage 4.51 mm rechts, 0.97 mm hoch  
 Streuwert 11.74, horizontal: 13.20, vertikal: 10.08




Serie 1:  
 9.6 ↗ 9.3 ↖ 8.3 → 6.8 ↘ 8.9 ↘  
 7.7 ↗ 9.7 ↘ 8.5 ↑ 8.5 → 8.7 ↖  
 beste Teiler 988.3 (7.) 1095.3 (1.) 1333.8 (2.)  
 Trefferlage 8.50 mm rechts, 5.23 mm hoch  
 Streuwert 12.99, horizontal: 11.13, vertikal: 14.61



Serie 2:  
 8.0 → 9.4 ← 9.1 ↑ 10.4 \* 9.2 ←  
 9.9 ↘ 9.2 ↖ 8.4 → 9.9 ↘ 9.3 ↖  
 beste Teiler 450.3 (14.) 834.6 (19.) 855.5 (16.)  
 Trefferlage 0.99 mm rechts, 0.47 mm hoch  
 Streuwert 10.82, horizontal: 13.56, vertikal: 7.07



Serie 3:  
 8.3 ↘ 9.8 ↘ 9.8 → 7.2 → 10.3 ↘  
 9.3 → 8.4 → 9.7 ↑ 8.8 ↗ 9.9 →  
 beste Teiler 552.4 (25.) 877.6 (30.) 928.3 (23.)  
 Trefferlage 7.50 mm rechts, 0.11 mm hoch  
 Streuwert 10.67, horizontal: 10.96, vertikal: 10.37





Serie 4:  
 10.3 ↑ 10.0 → 10.2 ← 9.3 ↗ 8.1 →  
 8.6 ↘ 9.7 ↘ 8.8 ← 10.3 → 6.5 ←  
 beste Teiler 535.4 (39.) 552.5 (31.) 629.7 (33.)  
 Trefferlage 1.07 mm rechts, 1.90 mm tief  
 Streuwert 12.47, horizontal: 16.50, vertikal: 6.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (355.7)  
 Serien: 85 86 85 85  
 Zähler: 6 17 11 4 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3994 (29), 3950 (5), 3045 (6)  
 beste Teiler 118.5 (35.) 176.8 (23.) 225.1 (7.)  
 Trefferlage 3.35 mm links, 5.29 mm hoch  
 Streuwert 12.58, horizontal: 12.19, vertikal: 12.96




Serie 1:  
 8.4 ↘ 9.3 ↘ 9.0 ↗ 9.2 ↘ 6.0 ↑  
 7.1 ↙ 10.7 \* 10.1 ↑ 9.1 ↙ 8.3 ←  
 beste Teiler 225.1 (7.) 669.3 (8.) 1356.8 (2.)  
 Trefferlage 4.54 mm links, 1.59 mm hoch  
 Streuwert 14.92, horizontal: 11.97, vertikal: 17.37



Serie 2:  
 8.9 ↘ 9.3 ↑ 9.0 ↓ 9.4 ↗ 7.3 ↑  
 9.2 ↑ 7.8 ↘ 10.3 ← 9.4 ↘ 9.0 ↘  
 beste Teiler 508.3 (18.) 1216.1 (14.) 1231.7 (19.)  
 Trefferlage 5.16 mm links, 9.46 mm hoch  
 Streuwert 9.96, horizontal: 9.00, vertikal: 10.83





Serie 3:  
 9.9 ↘ 8.1 ↘ 10.7 \* 8.3 ↙ 10.3 ↘  
 9.9 ← 9.1 ↑ 9.0 ↙ 6.0 ↗ 7.7 ←  
 beste Teiler 176.8 (23.) 522.5 (25.) 827.3 (26.)  
 Trefferlage 4.38 mm links, 3.87 mm hoch  
 Streuwert 14.02, horizontal: 15.71, vertikal: 12.10




Serie 4:  
 8.0 ↑ 8.2 ↘ 8.8 ↗ 9.5 ↙ 10.8 \*  
 9.1 → 8.3 → 8.7 ↗ 9.7 ← 8.8 ↙  
 beste Teiler 118.5 (35.) 1036.6 (39.) 1186.1 (34.)  
 Trefferlage 0.69 mm rechts, 6.22 mm hoch  
 Streuwert 11.69, horizontal: 12.20, vertikal: 11.17

Unterschrift des Schützen


Ergebnis: **323** (339.7)  
 Serien: 82 80 86 75  
 Zähler: 3 14 12 7 3 0 1 0 0 0  
 Innenzehner: 1  
 weiteste: 5465 (13), 3974 (39), 3757 (34)  
 beste Teiler 384.3 (1.) 588.0 (14.) 656.5 (29.)  
 Trefferlage 3.18 mm links, 0.62 mm tief  
 Streuwert 15.70, horizontal: 15.34, vertikal: 16.05




Serie 1:  
 10.5 \*                      8.8 ↖                      8.2 ↖                      9.5 →                      9.1 ↓  
 7.8 ↓                      7.9 ↓                      8.3 ↙                      7.4 ↗                      9.6 ↘  
 beste Teiler 384.3 (1.) 1094.3 (10.) 1157.3 (4.)  
 Trefferlage 0.02 mm links, 1.54 mm tief  
 Streuwert 14.39, horizontal: 12.28, vertikal: 16.22



Serie 2:  
 7.5 →                      8.1 ←                      4.1 ↓                      10.2 ↗                      9.5 ↗  
 9.0 ↙                      8.7 ↗                      8.8 →                      8.4 ↙                      9.6 ↙  
 beste Teiler 588.0 (14.) 1063.0 (20.) 1168.5 (15.)  
 Trefferlage 0.49 mm rechts, 5.97 mm tief  
 Streuwert 17.39, horizontal: 15.44, vertikal: 19.15



Serie 3:  
 9.7 ↓                      9.3 ↑                      9.1 ↑                      8.7 ←                      8.0 ↓  
 9.5 ←                      7.4 ↗                      9.5 ←                      10.1 ↑                      8.0 ↑  
 beste Teiler 656.5 (29.) 991.5 (21.) 1179.4 (26.)  
 Trefferlage 0.97 mm links, 4.32 mm hoch  
 Streuwert 12.61, horizontal: 11.02, vertikal: 14.03





Serie 4:  
 9.8 ←                      9.9 ↑                      8.2 ←                      6.3 ↗                      7.4 ↙  
 6.4 ←                      9.5 ←                      8.3 ←                      6.0 ←                      7.6 ↓  
 beste Teiler 809.4 (32.) 898.8 (31.) 1136.0 (37.)  
 Trefferlage 12.22 mm links, 0.70 mm hoch  
 Streuwert 17.53, horizontal: 19.68, vertikal: 15.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (347.3)  
 Serien: 85 73 84 87  
 Zähler: 6 15 10 4 1 4 0 0 0 0  
 Innenzehner: 0  
 weiteste: 4682 (22), 4210 (13), 4131 (8)  
 beste Teiler 486.1 (39.) 608.8 (37.) 653.9 (27.)  
 Trefferlage 1.11 mm rechts, 2.85 mm hoch  
 Streuwert 14.97, horizontal: 15.35, vertikal: 14.58




Serie 1:  
 9.1 ↑                      10.1 →                      10.0 ↙                      8.4 ↘                      9.5 ↗  
 8.5 ↘                      9.2 ↑                      5.8 →                      10.0 ↑                      7.4 ↘  
 beste Teiler 696.6 (2.) 747.0 (3.) 747.3 (9.)  
 Trefferlage 4.45 mm rechts, 7.65 mm hoch  
 Streuwert 13.49, horizontal: 14.55, vertikal: 12.33



Serie 2:  
 9.3 →                      6.7 ↙                      5.7 ↑                      8.2 ←                      7.9 ↓  
 7.5 ↖                      5.8 ↘                      9.5 ←                      8.9 ↗                      9.1 ↗  
 beste Teiler 1175.0 (18.) 1325.3 (11.) 1511.0 (20.)  
 Trefferlage 1.72 mm links, 2.02 mm hoch  
 Streuwert 20.04, horizontal: 20.55, vertikal: 19.51



Serie 3:  
 8.3 ↗                      5.1 ↙                      9.8 ↘                      9.9 ↗                      9.7 ↗  
 8.7 ↙                      10.1 ↗                      8.5 ↑                      9.5 ↙                      9.5 ↑  
 beste Teiler 653.9 (27.) 837.6 (24.) 946.3 (23.)  
 Trefferlage 1.68 mm links, 1.31 mm hoch  
 Streuwert 14.68, horizontal: 14.10, vertikal: 15.24





Serie 4:  
 9.6 ↑                      9.6 ↘                      8.2 ↓                      9.9 ↘                      8.9 ←  
 9.4 ↗                      10.2 ←                      8.1 ↘                      10.3 ↖                      7.4 →  
 beste Teiler 486.1 (39.) 608.8 (37.) 810.9 (34.)  
 Trefferlage 3.40 mm rechts, 0.43 mm hoch  
 Streuwert 11.68, horizontal: 12.33, vertikal: 10.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.2)  
 Serien: 95 93 92 91  
 Zähler: 17 18 4 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2580 (29), 2016 (40), 1631 (10)  
 beste Teiler 183.6 (26.) 297.9 (27.) 319.4 (23.)  
 Trefferlage 1.30 mm rechts, 1.88 mm hoch  
 Streuwert 7.76, horizontal: 7.35, vertikal: 8.15




Serie 1:  
 10.2 ↗ 10.3 → 9.9 → 9.6 ← 10.1 ↘  
 10.0 ↙ 10.4 \* 10.1 ↘ 9.0 → 8.9 ↑  
 beste Teiler 450.7 (7.) 483.5 (2.) 630.2 (1.)  
 Trefferlage 1.65 mm rechts, 1.44 mm hoch  
 Streuwert 6.99, horizontal: 7.32, vertikal: 6.65



Serie 2:  
 10.5 \* 10.1 ↑ 9.0 ↗ 8.9 ↓ 9.7 ↗  
 8.9 ↑ 10.5 \* 10.4 \* 9.5 ← 10.1 ↘  
 beste Teiler 386.1 (11.) 396.5 (17.) 420.5 (18.)  
 Trefferlage 4.14 mm links, 3.02 mm hoch  
 Streuwert 7.08, horizontal: 3.91, vertikal: 9.21



Serie 3:  
 10.0 ↙ 9.2 ↑ 10.6 \* 9.9 ↘ 9.9 ↘  
 10.7 \* 10.6 \* 9.8 ↓ 7.7 ↗ 9.9 →  
 beste Teiler 183.6 (26.) 297.9 (27.) 319.4 (23.)  
 Trefferlage 3.08 mm rechts, 2.11 mm hoch  
 Streuwert 7.83, horizontal: 6.74, vertikal: 8.79





Serie 4:  
 9.2 ↘ 9.8 ↓ 10.1 → 9.2 ↑ 9.3 ↗  
 10.1 ← 9.0 → 9.8 ↘ 9.9 → 8.4 →  
 beste Teiler 655.7 (33.) 696.5 (36.) 879.4 (39.)  
 Trefferlage 4.61 mm rechts, 0.94 mm hoch  
 Streuwert 8.66, horizontal: 8.44, vertikal: 8.88

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **327** (343.9)  
 Serien: 87 85 80 75  
 Zähler: 5 12 13 6 3 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4765 (37), 3602 (23), 3449 (22)  
 beste Teiler 192.2 (17.) 516.3 (5.) 595.4 (10.)  
 Trefferlage 1.63 mm links, 4.13 mm hoch  
 Streuwert 14.64, horizontal: 15.29, vertikal: 13.96




Serie 1:  
 8.3 ↘                      8.4 ↙                      9.2 ↗                      9.4 →                      10.3 ↘  
 9.1 ↗                      8.4 ↗                      8.4 ↑                      8.2 ↗                      10.2 ↙  
 beste Teiler 516.3 (5.) 595.4 (10.) 1227.3 (4.)  
 Trefferlage 5.88 mm rechts, 3.36 mm hoch  
 Streuwert 11.55, horizontal: 10.68, vertikal: 12.37



Serie 2:  
 7.5 ↓                      9.5 ↗                      7.7 ↘                      9.3 ↑                      9.5 ↓  
 8.2 ←                      10.7 \*                      8.3 ↗                      8.5 ←                      10.0 ↙  
 beste Teiler 192.2 (17.) 746.0 (20.) 1148.5 (12.)  
 Trefferlage 4.60 mm links, 0.60 mm hoch  
 Streuwert 12.87, horizontal: 11.38, vertikal: 14.20





Serie 3:  
 10.2 ↘                      6.6 ↑                      6.4 ↖                      8.2 ↑                      9.7 ↘  
 8.1 ↘                      7.8 ←                      9.3 ↓                      8.4 ↓                      9.1 ↙  
 beste Teiler 609.1 (21.) 999.9 (25.) 1339.0 (28.)  
 Trefferlage 9.39 mm links, 3.33 mm hoch  
 Streuwert 15.09, horizontal: 13.06, vertikal: 16.87




Serie 4:  
 7.9 ←                      8.8 ↙                      9.1 ←                      9.9 →                      7.8 ↗  
 6.9 ↗                      5.0 ↗                      9.0 ←                      8.9 ↖                      7.7 ↑  
 beste Teiler 841.0 (34.) 1471.5 (33.) 1571.0 (38.)  
 Trefferlage 1.56 mm rechts, 9.22 mm hoch  
 Streuwert 17.44, horizontal: 21.15, vertikal: 12.69

Unterschrift des Schützen


Ergebnis: **314** (332.9)  
 Serien: 83 74 78 79  
 Zähler: 4 14 6 10 2 3 0 1 0 0  
 Innenzehner: 4  
 weiteste: 6239 (18), 4785 (14), 4235 (19)  
 beste Teiler 232.3 (5.) 246.9 (11.) 252.9 (31.)  
 Trefferlage 7.51 mm links, 11.26 mm tief  
 Streuwert 15.02, horizontal: 16.81, vertikal: 12.99




Serie 1:  
 9.9 ↘                      8.9 ↓                      8.5 ↓                      10.5 \*                      10.7 \*  
 7.3 →                      7.0 ↙                      8.2 ↓                      9.4 ←                      7.7 ↘  
 beste Teiler 232.3 (5.) 364.8 (4.) 867.4 (1.)  
 Trefferlage 0.45 mm links, 13.18 mm tief  
 Streuwert 11.03, horizontal: 12.37, vertikal: 9.50



Serie 2:  
 10.6 \*                      8.7 ↓                      9.3 ↑                      5.0 ↓                      7.7 ↓  
 9.2 ↓                      9.6 ↓                      3.2 ←                      5.7 ↗                      9.2 ↙  
 beste Teiler 246.9 (11.) 1045.0 (17.) 1330.9 (13.)  
 Trefferlage 13.34 mm links, 15.74 mm tief  
 Streuwert 17.35, horizontal: 18.92, vertikal: 15.63



Serie 3:  
 5.7 ↗                      9.9 ↓                      7.7 ↙                      9.9 ↖                      9.7 →  
 7.4 ↓                      9.1 ↗                      9.8 ↓                      6.2 ←                      8.2 →  
 beste Teiler 851.1 (22.) 853.5 (24.) 905.5 (28.)  
 Trefferlage 4.38 mm links, 8.36 mm tief  
 Streuwert 16.35, horizontal: 18.26, vertikal: 14.18





Serie 4:  
 10.6 \*                      6.3 ←                      8.2 ↓                      7.4 ↘                      7.6 ←  
 9.5 ↓                      7.3 ←                      9.9 ↑                      9.0 ←                      7.2 ↙  
 beste Teiler 252.9 (31.) 827.0 (38.) 1158.1 (36.)  
 Trefferlage 11.87 mm links, 7.76 mm tief  
 Streuwert 14.16, horizontal: 15.96, vertikal: 12.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (364.0)  
 Serien: 84 89 89 84  
 Zähler: 5 22 9 3 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4291 (38), 2712 (9), 2641 (2)  
 beste Teiler 328.2 (4.) 377.7 (29.) 651.5 (13.)  
 Trefferlage 3.21 mm links, 1.93 mm hoch  
 Streuwert 11.47, horizontal: 10.98, vertikal: 11.93




Serie 1:  
 8.9 ↘                      7.6 ←                      8.5 ←                      10.5 \*                      9.2 ↘  
 9.4 ←                      8.7 ↘                      9.3 ↑                      7.6 ↑                      9.4 ↓  
 beste Teiler 328.2 (4.) 1217.2 (10.) 1232.0 (6.)  
 Trefferlage 8.33 mm links, 4.08 mm hoch  
 Streuwert 11.13, horizontal: 11.05, vertikal: 11.20



Serie 2:  
 10.0 ↗                      9.3 ↙                      10.1 ←                      7.8 ↘                      9.2 ↓  
 9.9 ↗                      9.7 ←                      8.2 ↓                      9.7 ↓                      9.1 →  
 beste Teiler 651.5 (13.) 781.1 (11.) 859.7 (16.)  
 Trefferlage 0.37 mm links, 2.67 mm tief  
 Streuwert 10.54, horizontal: 9.36, vertikal: 11.60



Serie 3:  
 9.1 ↙                      10.0 ↓                      9.7 ↗                      9.7 ←                      8.9 ←  
 9.4 →                      8.3 ↘                      9.1 →                      10.5 \*                      8.8 ↑  
 beste Teiler 377.7 (29.) 800.1 (22.) 1007.3 (24.)  
 Trefferlage 1.65 mm links, 1.37 mm hoch  
 Streuwert 10.16, horizontal: 11.43, vertikal: 8.70





Serie 4:  
 8.0 ↗                      9.6 ↓                      9.7 ←                      9.6 ↙                      8.6 ←  
 9.2 ↑                      9.8 ↘                      5.6 ↑                      9.1 ↙                      9.2 ←  
 beste Teiler 901.7 (37.) 1026.2 (33.) 1041.1 (34.)  
 Trefferlage 2.51 mm links, 4.95 mm hoch  
 Streuwert 13.84, horizontal: 11.88, vertikal: 15.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **292** (311.6)  
 Serien: 70 76 75 71  
 Zähler: 2 10 10 5 6 5 1 0 1 0  
 Innenzehner: 2  
 weiteste: 6904 (20), 4994 (10), 4794 (1)  
 beste Teiler 283.5 (9.) 290.3 (29.) 920.3 (15.)  
 Trefferlage 4.50 mm links, 1.57 mm hoch  
 Streuwert 20.55, horizontal: 18.57, vertikal: 22.36




Serie 1:  
 5.0 ↘ 8.2 ↘ 9.4 ↖ 8.6 ↙ 9.3 ↘  
 5.7 ↘ 6.5 ↓ 6.6 ↓ 10.6 \* 4.7 ↘  
 beste Teiler 283.5 (9.) 1242.0 (3.) 1343.5 (5.)  
 Trefferlage 8.17 mm links, 3.80 mm tief  
 Streuwert 22.80, horizontal: 19.02, vertikal: 26.04



Serie 2:  
 8.6 → 9.2 ↗ 8.5 ↙ 8.9 ↑ 9.8 ↘  
 8.9 ← 7.6 → 8.7 ↘ 9.6 ↑ 2.3 ↑  
 beste Teiler 920.3 (15.) 1067.1 (19.) 1397.0 (12.)  
 Trefferlage 3.52 mm rechts, 9.80 mm hoch  
 Streuwert 18.84, horizontal: 15.68, vertikal: 21.54



Serie 3:  
 9.3 ↘ 5.3 ↙ 8.2 ↖ 7.6 ↘ 6.8 ↗  
 7.6 ↙ 6.2 ← 9.3 ↙ 10.6 \* 8.4 ←  
 beste Teiler 290.3 (29.) 1337.3 (28.) 1353.1 (21.)  
 Trefferlage 13.41 mm links, 1.81 mm tief  
 Streuwert 17.49, horizontal: 17.77, vertikal: 17.21





Serie 4:  
 5.0 ↗ 7.8 ← 9.0 ← 6.8 ↓ 9.5 ←  
 7.3 ↗ 9.7 ↖ 5.9 ↓ 8.6 ↑ 6.0 ↑  
 beste Teiler 1009.1 (37.) 1175.8 (35.) 1568.3 (33.)  
 Trefferlage 0.05 mm rechts, 2.11 mm hoch  
 Streuwert 22.14, horizontal: 19.31, vertikal: 24.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (380.1)  
 Serien: 94 86 89 93  
 Zähler: 10 22 8 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2219 (20), 2059 (19), 1969 (5)  
 beste Teiler 230.7 (9.) 237.7 (3.) 366.7 (39.)  
 Trefferlage 1.86 mm links, 0.68 mm hoch  
 Streuwert 8.98, horizontal: 9.39, vertikal: 8.56




Serie 1:  
 10.3 ↘                      9.4 ↗                      10.7 \*                      10.2 ↙                      8.5 ↓  
 9.1 ←                      10.1 ↓                      9.7 →                      10.7 \*                      9.8 ↖  
 beste Teiler 230.7 (9.) 237.7 (3.) 488.7 (1.)  
 Trefferlage 1.11 mm links, 1.60 mm tief  
 Streuwert 7.60, horizontal: 7.40, vertikal: 7.79



Serie 2:  
 9.5 ↘                      8.9 ↓                      9.7 ←                      9.2 →                      9.7 ↗  
 9.3 ↑                      8.7 ↘                      9.4 ←                      8.4 ↖                      8.2 ↖  
 beste Teiler 1019.8 (13.) 1035.5 (15.) 1177.1 (11.)  
 Trefferlage 3.23 mm links, 0.08 mm tief  
 Streuwert 11.23, horizontal: 11.55, vertikal: 10.90



Serie 3:  
 10.0 ↑                      9.7 ←                      9.5 ↙                      8.5 ↓                      9.1 ↗  
 9.1 →                      9.9 ←                      8.7 ↗                      9.3 ↑                      9.0 ↗  
 beste Teiler 727.2 (21.) 870.8 (27.) 986.7 (22.)  
 Trefferlage 2.50 mm rechts, 2.57 mm hoch  
 Streuwert 9.95, horizontal: 10.14, vertikal: 9.75





Serie 4:  
 9.6 ↑                      9.5 ↗                      9.5 ←                      10.0 ↙                      10.4 \*  
 9.9 ←                      8.9 ↖                      10.5 \*                      10.5 \*                      9.0 ↖  
 beste Teiler 366.7 (39.) 368.1 (38.) 467.7 (35.)  
 Trefferlage 5.61 mm links, 1.84 mm hoch  
 Streuwert 6.42, horizontal: 7.17, vertikal: 5.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **270** (285.8)  
 Serien: 76 55 63 76  
 Zähler: 1 4 10 11 5 6 1 1 0 0  
 Innenzehner: 0  
 weiteste: 8076 (18), 6228 (29), 5453 (15)  
 beste Teiler 700.6 (3.) 968.3 (7.) 1014.5 (34.)  
 Trefferlage 3.81 mm links, 6.55 mm tief  
 Streuwert 23.43, horizontal: 27.42, vertikal: 18.61




Serie 1:  
 5.1 ↗ 7.3 ↘ 10.1 ↓ 7.9 ↓ 7.2 ↘  
 8.3 ↘ 9.7 → 8.1 ← 6.3 ↓ 9.6 ←  
 beste Teiler 700.6 (3.) 968.3 (7.) 1043.9 (10.)  
 Trefferlage 2.14 mm rechts, 5.47 mm tief  
 Streuwert 19.45, horizontal: 18.76, vertikal: 20.12



Serie 2:  
 8.9 ↖ 5.4 → 7.1 ↙ 7.5 ← 4.1 ↙  
 6.9 ← 6.5 ↓ 0.0 ← 7.0 → 5.5 ↙  
 beste Teiler 1605.8 (11.) 2721.9 (14.) 3116.1 (13.)  
 Trefferlage 18.12 mm links, 9.14 mm tief  
 Streuwert 28.36, horizontal: 35.77, vertikal: 18.14



Serie 3:  
 8.4 ↘ 5.7 ↙ 5.5 ↓ 6.4 ↙ 8.7 ↘  
 5.9 ↙ 8.1 ↘ 8.2 ↙ 3.2 → 7.0 ↓  
 beste Teiler 1768.4 (25.) 2032.3 (21.) 2210.9 (28.)  
 Trefferlage 2.85 mm links, 18.58 mm tief  
 Streuwert 23.23, horizontal: 28.01, vertikal: 17.17





Serie 4:  
 9.0 ↗ 8.0 ↖ 8.9 ↖ 9.7 ↓ 7.4 →  
 7.6 ↗ 6.6 → 7.3 ↗ 8.6 ← 7.1 ←  
 beste Teiler 1014.5 (34.) 1573.4 (31.) 1660.2 (33.)  
 Trefferlage 3.58 mm rechts, 7.00 mm hoch  
 Streuwert 17.49, horizontal: 22.65, vertikal: 9.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **302** (323.1)  
 Serien: 76 69 83 74  
 Zähler: 3 15 9 4 3 1 1 3 0 1  
 Innenzehner: 2  
 weiteste: 7938 (17), 6226 (4), 5882 (38)  
 beste Teiler 96.3 (1.) 206.8 (39.) 511.1 (23.)  
 Trefferlage 9.88 mm rechts, 0.86 mm hoch  
 Streuwert 19.42, horizontal: 19.15, vertikal: 19.69




Serie 1:  
 10.8 \*                      9.1 ↙                      9.7 ↘                      3.2 →                      7.7 ↓  
 9.3 ↙                      8.0 ↘                      3.9 →                      9.8 ↓                      9.0 ←  
 beste Teiler 96.3 (1.) 881.4 (9.) 987.6 (3.)  
 Trefferlage 10.22 mm rechts, 6.36 mm tief  
 Streuwert 20.55, horizontal: 26.27, vertikal: 12.41



Serie 2:  
 9.8 →                      7.0 ↑                      9.1 ↗                      6.7 ↗                      8.9 ←  
 6.9 →                      1.0 ↗                      9.5 ←                      9.8 →                      5.9 ↘  
 beste Teiler 948.7 (11.) 956.4 (19.) 1200.3 (18.)  
 Trefferlage 15.41 mm rechts, 10.73 mm hoch  
 Streuwert 21.59, horizontal: 21.84, vertikal: 21.34



Serie 3:  
 8.9 ↗                      8.5 ↑                      10.3 ↗                      9.0 ↗                      8.9 ↓  
 9.5 ↓                      7.2 ↓                      8.3 ↘                      9.9 ↗                      7.9 →  
 beste Teiler 511.1 (23.) 865.0 (29.) 1187.0 (26.)  
 Trefferlage 8.55 mm rechts, 1.04 mm tief  
 Streuwert 12.10, horizontal: 8.00, vertikal: 15.12





Serie 4:  
 8.3 ↓                      4.3 →                      9.7 ↙                      9.5 ↙                      8.3 ↗  
 6.6 ↓                      9.8 →                      3.6 ↑                      10.7 \*                      8.8 ↓  
 beste Teiler 206.8 (39.) 958.7 (37.) 1015.8 (33.)  
 Trefferlage 5.33 mm rechts, 0.13 mm hoch  
 Streuwert 22.02, horizontal: 17.29, vertikal: 25.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (349.2)  
 Serien: 79 82 84 89  
 Zähler: 8 13 10 7 0 0 2 0 0 0  
 Innenzehner: 1  
 weiteste: 5449 (8), 4802 (13), 3200 (39)  
 beste Teiler 440.4 (20.) 514.5 (27.) 575.3 (37.)  
 Trefferlage 1.64 mm links, 3.57 mm hoch  
 Streuwert 14.45, horizontal: 15.45, vertikal: 13.38




Serie 1:  
 8.5 ↗ 8.1 ← 8.6 ← 9.0 ↘ 7.9 ↑  
 9.3 ↘ 7.7 ↗ 4.1 ↗ 9.4 ↘ 10.2 ↘  
 beste Teiler 597.1 (10.) 1213.0 (9.) 1342.3 (6.)  
 Trefferlage 0.07 mm links, 12.52 mm hoch  
 Streuwert 15.95, horizontal: 16.84, vertikal: 15.01



Serie 2:  
 10.0 ↘ 8.5 ↑ 4.9 ← 10.0 ↑ 7.6 ↗  
 8.5 ↙ 10.0 → 8.0 ↙ 7.9 ↑ 10.4 \*  
 beste Teiler 440.4 (20.) 743.4 (17.) 766.6 (11.)  
 Trefferlage 6.69 mm links, 3.50 mm hoch  
 Streuwert 15.93, horizontal: 18.36, vertikal: 13.07



Serie 3:  
 8.7 ↘ 7.5 ↓ 8.2 ← 7.9 ↑ 9.3 ↑  
 9.1 → 10.3 ← 8.4 → 9.3 ↓ 9.4 ↙  
 beste Teiler 514.5 (27.) 1230.3 (30.) 1287.0 (25.)  
 Trefferlage 1.78 mm links, 1.04 mm tief  
 Streuwert 13.43, horizontal: 12.68, vertikal: 14.13





Serie 4:  
 9.3 → 9.4 ↗ 9.3 ↘ 10.0 ↑ 9.2 ←  
 9.5 ← 10.2 ↙ 8.7 ↓ 7.0 → 9.9 ↙  
 beste Teiler 575.3 (37.) 791.9 (34.) 806.0 (40.)  
 Trefferlage 1.97 mm rechts, 0.69 mm tief  
 Streuwert 11.29, horizontal: 14.42, vertikal: 6.87

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **340** (356.9)  
 Serien: 86 89 84 81  
 Zähler: 6 18 6 10 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3143 (34), 3014 (23), 3001 (21)  
 beste Teiler 485.7 (31.) 539.2 (15.) 573.2 (25.)  
 Trefferlage 1.16 mm rechts, 0.32 mm hoch  
 Streuwert 12.92, horizontal: 12.68, vertikal: 13.15




Serie 1:  
 9.4 ↙ 9.8 ↗ 7.6 ↑ 7.3 ↑ 10.0 ←  
 10.2 ↗ 7.3 ↓ 9.5 ← 9.9 ← 9.9 ↗  
 beste Teiler 581.8 (6.) 734.0 (5.) 854.3 (10.)  
 Trefferlage 1.95 mm links, 3.60 mm hoch  
 Streuwert 12.60, horizontal: 6.54, vertikal: 16.58



Serie 2:  
 8.2 ↙ 9.0 ↘ 8.6 ↙ 10.1 ↓ 10.3 →  
 9.1 ↘ 9.4 ↓ 9.2 ↘ 9.6 ↗ 8.4 →  
 beste Teiler 539.2 (15.) 679.3 (14.) 1057.0 (19.)  
 Trefferlage 0.07 mm links, 3.55 mm tief  
 Streuwert 11.00, horizontal: 12.30, vertikal: 9.52



Serie 3:  
 7.2 ↓ 9.7 ← 7.2 ↗ 9.9 ↘ 10.2 ↑  
 7.9 ↗ 9.6 → 9.2 ↗ 9.4 ↘ 8.6 ←  
 beste Teiler 573.2 (25.) 867.8 (24.) 968.2 (22.)  
 Trefferlage 1.35 mm links, 1.98 mm hoch  
 Streuwert 13.67, horizontal: 10.42, vertikal: 16.28





Serie 4:  
 10.3 ← 7.5 → 9.1 → 7.0 → 7.9 ↘  
 7.7 ← 9.4 ← 8.4 ↘ 9.0 ↑ 8.9 ↘  
 beste Teiler 485.7 (31.) 1228.8 (37.) 1496.7 (33.)  
 Trefferlage 8.04 mm rechts, 0.74 mm tief  
 Streuwert 14.28, horizontal: 17.94, vertikal: 9.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297** (314.6)  
 Serien: 71 75 74 77  
 Zähler: 3 8 9 9 7 2 2 0 0 0  
 Innenzehner: 1  
 weiteste: 5365 (8), 4934 (16), 4140 (24)  
 beste Teiler 214.7 (12.) 690.1 (19.) 795.6 (32.)  
 Trefferlage 7.32 mm rechts, 10.59 mm hoch  
 Streuwert 17.30, horizontal: 16.10, vertikal: 18.43




Serie 1:  
 8.1 ↑                      8.2 ↗                      6.3 ↑                      8.0 ↗                      8.6 ↗  
 8.6 ↗                      6.0 ↑                      4.2 ↗                      8.3 ←                      7.1 ↗  
 beste Teiler 1877.1 (6.) 1912.8 (5.) 2132.1 (9.)  
 Trefferlage 11.90 mm rechts, 19.87 mm hoch  
 Streuwert 15.20, horizontal: 16.20, vertikal: 14.14



Serie 2:  
 7.8 ↑                      10.7 \*                      6.7 ↘                      7.7 ←                      9.2 ↘  
 4.8 ↗                      7.3 ↗                      7.5 ←                      10.1 ↑                      8.0 ↗  
 beste Teiler 214.7 (12.) 690.1 (19.) 1366.1 (15.)  
 Trefferlage 5.10 mm rechts, 7.03 mm hoch  
 Streuwert 19.16, horizontal: 19.45, vertikal: 18.87



Serie 3:  
 9.6 ↘                      9.6 ↑                      9.2 ↑                      5.8 ↗                      6.5 ↑  
 9.3 ←                      7.6 ↑                      9.9 ↘                      5.9 ↘                      6.8 ↘  
 beste Teiler 844.3 (28.) 1043.6 (21.) 1094.2 (22.)  
 Trefferlage 8.95 mm rechts, 8.69 mm hoch  
 Streuwert 17.63, horizontal: 16.38, vertikal: 18.80





Serie 4:  
 6.4 ↑                      10.0 ←                      7.8 ↗                      9.2 ↘                      8.0 →  
 6.5 ↓                      8.4 ↑                      7.6 ↑                      9.4 ↘                      7.9 ↘  
 beste Teiler 795.6 (32.) 1264.4 (39.) 1432.5 (34.)  
 Trefferlage 3.32 mm rechts, 6.78 mm hoch  
 Streuwert 17.27, horizontal: 12.81, vertikal: 20.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.4)  
 Serien: 93 88 95 85  
 Zähler: 14 17 5 4 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3182 (29), 2897 (40), 2691 (38)  
 beste Teiler 86.6 (23.) 290.1 (28.) 300.0 (21.)  
 Trefferlage 2.54 mm rechts, 2.51 mm tief  
 Streuwert 9.55, horizontal: 9.50, vertikal: 9.61




Serie 1:  
 9.2 ↓                      9.8 ↖                      9.8 ↘                      10.3 →                      9.8 ↙  
 9.9 ↖                      9.7 ↗                      9.6 ↗                      10.6 \*                      10.5 \*  
 beste Teiler 311.9 (9.) 374.7 (10.) 502.3 (4.)  
 Trefferlage 0.06 mm links, 0.72 mm hoch  
 Streuwert 6.48, horizontal: 5.10, vertikal: 7.61



Serie 2:  
 9.3 ↙                      9.6 →                      9.4 ↖                      9.9 ↗                      9.7 ↘  
 9.4 ↓                      8.4 ↙                      9.9 ↓                      10.2 ↓                      7.9 →  
 beste Teiler 570.8 (19.) 842.7 (14.) 851.6 (18.)  
 Trefferlage 1.48 mm rechts, 2.89 mm tief  
 Streuwert 9.96, horizontal: 11.89, vertikal: 7.54



Serie 3:  
 10.6 \*                      10.5 \*                      10.8 \*                      10.2 →                      10.4 \*  
 9.7 ↓                      9.4 ↓                      10.6 \*                      7.0 →                      10.2 ↓  
 beste Teiler 86.6 (23.) 290.1 (28.) 300.0 (21.)  
 Trefferlage 3.98 mm rechts, 3.77 mm tief  
 Streuwert 7.74, horizontal: 10.06, vertikal: 4.30





Serie 4:  
 10.2 ↖                      10.2 ↓                      8.7 ↗                      8.0 ↓                      9.4 ↑  
 10.0 ↗                      8.4 ↓                      7.6 →                      8.3 ↙                      7.3 ↓  
 beste Teiler 562.1 (32.) 583.1 (31.) 759.8 (36.)  
 Trefferlage 4.77 mm rechts, 4.11 mm tief  
 Streuwert 13.34, horizontal: 10.28, vertikal: 15.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **303** (323.1)  
 Serien: 72 79 75 77  
 Zähler: 2 9 12 8 8 0 0 0 1 0  
 Innenzehner: 1  
 weiteste: 6644 (6), 3930 (35), 3798 (9)  
 beste Teiler 176.5 (18.) 492.5 (1.) 913.9 (28.)  
 Trefferlage 3.92 mm links, 0.64 mm tief  
 Streuwert 18.26, horizontal: 17.75, vertikal: 18.75




Serie 1:  
 10.3 ↗ 7.3 ← 7.0 ↑ 8.9 ↑ 9.5 ←  
 2.6 ↑ 8.6 ↓ 7.9 ↖ 6.2 ↓ 8.6 ↘  
 beste Teiler 492.5 (1.) 1129.8 (5.) 1638.7 (4.)  
 Trefferlage 1.90 mm links, 10.43 mm hoch  
 Streuwert 21.52, horizontal: 16.03, vertikal: 25.87



Serie 2:  
 6.5 ← 9.8 ↘ 6.3 ← 9.6 ↑ 8.8 ↑  
 7.3 ↑ 8.7 ← 10.7 \* 7.8 ← 9.0 ←  
 beste Teiler 176.5 (18.) 957.5 (12.) 1047.5 (14.)  
 Trefferlage 12.19 mm links, 1.70 mm hoch  
 Streuwert 14.19, horizontal: 14.52, vertikal: 13.85



Serie 3:  
 8.2 ← 8.6 ← 6.7 ↗ 6.8 → 6.9 ←  
 7.9 ↘ 8.8 ← 9.8 ↓ 8.6 → 9.7 ↑  
 beste Teiler 913.9 (28.) 970.1 (30.) 1685.3 (27.)  
 Trefferlage 0.90 mm rechts, 0.30 mm hoch  
 Streuwert 17.54, horizontal: 21.68, vertikal: 12.04





Serie 4:  
 9.2 ↙ 7.8 → 7.2 ↓ 8.4 ↓ 6.0 ↙  
 6.3 ↓ 8.3 ↙ 9.0 ↓ 9.5 ← 8.0 →  
 beste Teiler 1176.2 (39.) 1400.2 (31.) 1540.5 (38.)  
 Trefferlage 2.50 mm links, 15.02 mm tief  
 Streuwert 15.21, horizontal: 17.83, vertikal: 12.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (356.3)  
 Serien: 84 85 88 84  
 Zähler: 8 16 9 4 2 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4515 (37), 3419 (32), 3344 (11)  
 beste Teiler 162.9 (30.) 196.8 (39.) 220.7 (14.)  
 Trefferlage 3.46 mm rechts, 1.53 mm hoch  
 Streuwert 13.36, horizontal: 13.78, vertikal: 12.92




Serie 1:  
 8.2 ↗ 7.2 ← 9.8 ↖ 9.0 → 9.3 ↗  
 8.1 ↘ 9.3 ↙ 7.7 → 9.0 ↖ 9.4 ←  
 beste Teiler 881.8 (3.) 1259.1 (10.) 1302.7 (5.)  
 Trefferlage 2.33 mm links, 1.21 mm hoch  
 Streuwert 14.13, horizontal: 16.46, vertikal: 11.33



Serie 2:  
 6.8 → 9.9 ↗ 9.9 ↓ 10.7 \* 9.7 →  
 10.3 ↓ 7.1 ↗ 8.9 ↑ 7.1 → 10.3 ↗  
 beste Teiler 220.7 (14.) 509.0 (16.) 513.3 (20.)  
 Trefferlage 10.45 mm rechts, 3.31 mm hoch  
 Streuwert 11.55, horizontal: 13.57, vertikal: 9.09





Serie 3:  
 8.2 ← 9.3 ↗ 9.4 ← 9.0 ↖ 8.7 ↑  
 10.0 ↘ 9.4 ↘ 8.1 ↓ 8.0 ↘ 10.7 \*  
 beste Teiler 162.9 (30.) 724.6 (26.) 1215.5 (23.)  
 Trefferlage 0.23 mm links, 0.87 mm tief  
 Streuwert 12.02, horizontal: 11.11, vertikal: 12.86




Serie 4:  
 9.7 ↗ 6.7 ↓ 8.4 ↙ 10.0 ↗ 8.3 ↗  
 9.6 ↖ 5.3 ↗ 10.0 ↑ 10.7 \* 9.1 →  
 beste Teiler 196.8 (39.) 744.0 (38.) 766.6 (34.)  
 Trefferlage 5.98 mm rechts, 2.50 mm hoch  
 Streuwert 15.27, horizontal: 11.42, vertikal: 18.34

Unterschrift des Schützen


Ergebnis: **338** (354.5)  
 Serien: 88 85 80 85  
 Zähler: 10 14 6 6 2 2 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4103 (3), 4025 (30), 3899 (19)  
 beste Teiler 326.0 (35.) 349.6 (14.) 386.3 (20.)  
 Trefferlage 2.68 mm links, 1.39 mm hoch  
 Streuwert 13.95, horizontal: 16.19, vertikal: 11.27




Serie 1:  
 7.1 ↑                      10.3 ←                      5.8 ↖                      9.2 ↖                      10.1 ↗  
 7.3 ←                      10.1 ↙                      10.1 ↑                      10.4 \*                      10.3 ←  
 beste Teiler 437.0 (9.) 528.0 (2.) 540.4 (10.)  
 Trefferlage 9.18 mm links, 5.53 mm hoch  
 Streuwert 12.38, horizontal: 13.94, vertikal: 10.59



Serie 2:  
 9.1 →                      9.0 ↙                      8.3 ↙                      10.5 \*                      9.7 →  
 7.6 ↗                      9.3 ↘                      8.7 ←                      6.1 ←                      10.5 \*  
 beste Teiler 349.6 (14.) 386.3 (20.) 1008.3 (15.)  
 Trefferlage 1.22 mm links, 3.54 mm tief  
 Streuwert 14.30, horizontal: 18.38, vertikal: 8.44



Serie 3:  
 9.3 ↖                      7.6 ↑                      7.7 →                      7.8 ↙                      9.1 ←  
 9.1 ↓                      8.4 ↑                      10.2 ↗                      9.3 ↓                      5.9 ↖  
 beste Teiler 636.5 (28.) 1316.4 (21.) 1351.4 (29.)  
 Trefferlage 3.61 mm links, 1.04 mm hoch  
 Streuwert 16.22, horizontal: 17.63, vertikal: 14.68





Serie 4:  
 8.3 ↑                      6.7 →                      8.8 ↙                      9.6 ↖                      10.5 \*  
 9.6 ↖                      9.2 ↓                      8.4 →                      9.9 ↑                      9.6 ↓  
 beste Teiler 326.0 (35.) 827.2 (39.) 1090.6 (34.)  
 Trefferlage 3.27 mm rechts, 2.53 mm hoch  
 Streuwert 12.38, horizontal: 14.24, vertikal: 10.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284** (306.4)  
 Serien: 76 71 76 61  
 Zähler: 2 7 12 7 5 1 5 0 0 1  
 Innenzehner: 1  
 weiteste: 7366 (32), 5286 (31), 5132 (8)  
 beste Teiler 273.9 (10.) 566.8 (11.) 805.9 (22.)  
 Trefferlage 3.33 mm rechts, 6.71 mm tief  
 Streuwert 21.08, horizontal: 24.40, vertikal: 17.13




Serie 1:  
 8.3 →                      7.9 ↓                      9.2 ↘                      9.7 ↗                      4.8 ←  
 8.9 ↘                      9.5 ←                      4.5 ↙                      8.9 ↑                      10.6 \*  
 beste Teiler 273.9 (10.) 1028.4 (4.) 1188.9 (7.)  
 Trefferlage 5.75 mm links, 3.50 mm tief  
 Streuwert 19.16, horizontal: 20.73, vertikal: 17.46



Serie 2:  
 10.2 ↙                      7.6 ↘                      5.7 →                      4.8 ↑                      8.2 ↘  
 9.4 ↖                      8.2 ↙                      4.6 ↘                      8.3 →                      8.7 ↙  
 beste Teiler 566.8 (11.) 1279.9 (16.) 1809.8 (20.)  
 Trefferlage 8.24 mm rechts, 3.48 mm tief  
 Streuwert 21.87, horizontal: 21.92, vertikal: 21.82



Serie 3:  
 6.2 ↘                      9.9 ←                      9.4 ↙                      9.9 ↘                      7.7 ↖  
 6.7 →                      6.6 ↓                      8.1 ↙                      8.7 →                      8.8 ↗  
 beste Teiler 805.9 (22.) 842.8 (24.) 1218.8 (23.)  
 Trefferlage 4.28 mm rechts, 6.84 mm tief  
 Streuwert 17.06, horizontal: 20.20, vertikal: 13.20





Serie 4:  
 4.3 →                      1.7 ←                      6.7 ↘                      7.5 ↙                      7.6 →  
 8.8 ←                      7.5 ↓                      6.0 ↓                      8.9 ↘                      7.4 →  
 beste Teiler 1641.6 (39.) 1742.4 (36.) 2667.6 (35.)  
 Trefferlage 6.56 mm rechts, 13.04 mm tief  
 Streuwert 26.27, horizontal: 33.63, vertikal: 15.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **272** (288.8)  
 Serien: 71 71 65 65  
 Zähler: 2 8 9 8 3 3 3 2 0 1  
 Innenzehner: 1  
 weiteste: 9409 (17), 7656 (39), 6341 (20)  
 beste Teiler 292.0 (19.) 712.8 (13.) 819.9 (31.)  
 Trefferlage 3.94 mm rechts, 7.03 mm tief  
 Streuwert 25.20, horizontal: 24.97, vertikal: 25.41




Serie 1:  
 7.5 → 9.8 ↓ 6.4 ↘ 9.8 ↑ 5.8 ↗  
 8.9 → 7.0 ↓ 5.3 ↗ 6.8 ↓ 9.4 ↑  
 beste Teiler 897.2 (2.) 928.4 (4.) 1267.4 (10.)  
 Trefferlage 2.26 mm rechts, 4.59 mm hoch  
 Streuwert 21.40, horizontal: 16.63, vertikal: 25.29



Serie 2:  
 8.9 ↗ 8.8 ↘ 10.1 ↑ 7.3 ↘ 9.8 ↗  
 7.2 ↘ 0.0 ↙ 9.9 ↑ 10.6 \* 3.0 ↓  
 beste Teiler 292.0 (19.) 712.8 (13.) 875.0 (18.)  
 Trefferlage 2.95 mm links, 14.45 mm tief  
 Streuwert 27.14, horizontal: 23.78, vertikal: 30.13



Serie 3:  
 7.6 → 8.5 ↘ 4.0 ↓ 3.2 ↗ 8.4 ↗  
 7.2 ↙ 7.3 ← 9.3 → 4.0 ← 8.2 ↘  
 beste Teiler 1284.2 (28.) 1962.2 (22.) 2074.4 (25.)  
 Trefferlage 4.57 mm rechts, 8.27 mm tief  
 Streuwert 26.96, horizontal: 30.52, vertikal: 22.84





Serie 4:  
 9.9 ↘ 7.3 ↙ 9.1 ↘ 8.1 ↙ 5.5 ↓  
 8.1 ↘ 4.6 ↘ 8.0 → 1.4 → 6.8 ↑  
 beste Teiler 819.9 (31.) 1463.6 (33.) 2301.5 (36.)  
 Trefferlage 11.88 mm rechts, 9.99 mm tief  
 Streuwert 25.59, horizontal: 28.33, vertikal: 22.51

Unterschrift des Schützen


Meyton Elektronik



Ergebnis: **153** (160.9)  
 Serien: 79 74  
 Zähler: 2 6 3 4 3 1 1 0 0 0  
 Innenzehner: 0  
 weiteste: 5348 (2), 4451 (6), 3882 (20)  
 beste Teiler 513.1 (1.) 750.1 (10.) 885.7 (12.)  
 Trefferlage 7.89 mm rechts, 10.76 mm tief  
 Streuwert 16.79, horizontal: 14.95, vertikal: 18.45



Serie 1:  
 10.3 ←                      4.3 ↓                      9.5 →                      9.1 ←                      7.7 →  
 5.4 →                      9.8 ↓                      8.6 ↙                      8.0 ↓                      10.0 →  
 beste Teiler 513.1 (1.) 750.1 (10.) 908.5 (7.)  
 Trefferlage 7.36 mm rechts, 11.45 mm tief  
 Streuwert 16.86, horizontal: 17.51, vertikal: 16.18



Serie 2:  
 6.5 ↓                      9.8 ↓                      7.6 ↓                      7.1 ↓                      8.8 →  
 9.4 ↘                      7.0 ↓                      6.8 →                      9.1 ↖                      6.1 ↗  
 beste Teiler 885.7 (12.) 1228.4 (16.) 1458.8 (19.)  
 Trefferlage 8.43 mm rechts, 10.07 mm tief  
 Streuwert 17.61, horizontal: 12.82, vertikal: 21.35

Unterschrift des Schützen