





Ergebnis: **283.0** (270)
 Serien: 92.3 94.6 96.1
 Zähler: 8 15 6 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2415 (2), 2183 (9), 2141 (15)
 beste Teiler 296.9 (12.) 302.0 (4.) 342.9 (11.)
 Trefferlage 1.76 mm links, 2.18 mm tief
 Streuwert 9.41, horizontal: 7.49, vertikal: 11.00



Serie 1:
 10.0 ↘ 7.9 ↓ 8.4 ↗ 10.6 * 9.3 ↑
 10.3 ↗ 9.7 ↙ 8.6 ↗ 8.2 ← 9.3 ↙
 beste Teiler 302.0 (4.) 496.3 (6.) 762.2 (1.)
 Trefferlage 2.80 mm links, 0.02 mm hoch
 Streuwert 11.27, horizontal: 8.36, vertikal: 13.58



Serie 2:
 10.5 * 10.6 * 9.3 ↘ 9.5 ↓ 8.3 ↓
 9.0 ↓ 9.3 ↓ 8.5 ↙ 10.0 → 9.6 ↑
 beste Teiler 296.9 (12.) 342.9 (11.) 753.6 (19.)
 Trefferlage 0.00 mm , 5.61 mm tief
 Streuwert 8.95, horizontal: 5.52, vertikal: 11.39





Serie 3:
 9.7 → 9.6 ← 9.6 ← 8.7 ↘ 9.8 ↙
 10.2 ← 9.2 ↘ 9.3 ↗ 10.2 ↓ 9.8 ←
 beste Teiler 587.3 (29.) 622.2 (26.) 898.3 (25.)
 Trefferlage 2.49 mm links, 0.97 mm tief
 Streuwert 8.08, horizontal: 8.67, vertikal: 7.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **294.7** (282)
 Serien: 97.1 101.4 96.2
 Zähler: 17 9 3 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3132 (22), 1998 (27), 1824 (23)
 beste Teiler 158.6 (28.) 292.9 (11.) 368.0 (15.)
 Trefferlage 2.16 mm rechts, 1.09 mm tief
 Streuwert 7.67, horizontal: 2.33, vertikal: 10.60



Serie 1:
 10.0 ↓ 9.4 ↑ 9.0 ↑ 10.4 * 8.8 ↓
 9.2 ↑ 10.0 ↑ 10.3 ↘ 10.1 ↘ 9.9 ↑
 beste Teiler 401.3 (4.) 542.3 (8.) 660.1 (9.)
 Trefferlage 2.89 mm rechts, 2.40 mm hoch
 Streuwert 7.46, horizontal: 1.73, vertikal: 10.41



Serie 2:
 10.6 * 10.0 ↓ 9.9 ↑ 10.4 * 10.5 *
 9.7 ↘ 10.5 * 10.2 ↑ 9.7 ↑ 9.9 ↓
 beste Teiler 292.9 (11.) 368.0 (15.) 376.8 (17.)
 Trefferlage 1.14 mm rechts, 0.40 mm hoch
 Streuwert 5.17, horizontal: 2.48, vertikal: 6.88





Serie 3:
 10.3 ↑ 7.0 ↓ 8.7 ↓ 10.4 * 10.1 ↘
 10.4 * 8.5 ↓ 10.8 * 9.7 ↑ 10.3 ↘
 beste Teiler 158.6 (28.) 416.7 (24.) 474.0 (26.)
 Trefferlage 2.45 mm rechts, 6.07 mm tief
 Streuwert 9.20, horizontal: 2.55, vertikal: 12.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **293.4** (280)
 Serien: 97.8 99.0 96.6
 Zähler: 15 11 3 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2507 (25), 2282 (4), 2150 (15)
 beste Teiler 206.8 (24.) 283.7 (23.) 283.9 (11.)
 Trefferlage 0.45 mm rechts, 1.12 mm hoch
 Streuwert 7.99, horizontal: 4.80, vertikal: 10.22



Serie 1:
 10.5 * 9.1 ↘ 10.4 * 8.1 ↑ 9.5 ↑
 10.1 → 10.3 ↑ 10.2 ↘ 9.7 ↓ 9.9 ↘
 beste Teiler 330.3 (1.) 468.7 (3.) 492.9 (7.)
 Trefferlage 3.01 mm rechts, 0.29 mm hoch
 Streuwert 7.83, horizontal: 3.98, vertikal: 10.34





Serie 2:
 10.6 * 9.4 ↑ 9.7 ↓ 10.0 ↘ 8.3 ↓
 10.3 ↓ 10.5 * 9.7 ← 10.4 * 10.1 ↘
 beste Teiler 283.9 (11.) 358.5 (17.) 431.5 (19.)
 Trefferlage 0.77 mm links, 2.41 mm tief
 Streuwert 7.12, horizontal: 4.50, vertikal: 9.01




Serie 3:
 10.1 ← 9.7 ← 10.6 * 10.7 * 7.8 ↑
 8.3 ↑ 9.7 ↑ 10.3 ↘ 9.5 ↑ 9.9 ↘
 beste Teiler 206.8 (24.) 283.7 (23.) 491.0 (28.)
 Trefferlage 0.88 mm links, 5.49 mm hoch
 Streuwert 8.36, horizontal: 5.21, vertikal: 10.62

Unterschrift des Schützen


Ergebnis: **275.8** (263)
 Serien: 93.8 97.0 85.0
 Zähler: 8 10 9 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2840 (8), 2825 (23), 2547 (27)
 beste Teiler 254.8 (3.) 539.4 (19.) 546.5 (2.)
 Trefferlage 8.95 mm links, 4.53 mm hoch
 Streuwert 8.72, horizontal: 7.44, vertikal: 9.84



Serie 1:
 9.7 ↙ 10.3 ↙ 10.6 * 9.7 ↘ 8.3 ↖
 8.0 ↙ 9.6 ↑ 7.4 ↑ 10.1 ← 10.1 ↖
 beste Teiler 254.8 (3.) 546.5 (2.) 641.7 (9.)
 Trefferlage 4.98 mm links, 4.25 mm hoch
 Streuwert 10.08, horizontal: 6.01, vertikal: 12.92





Serie 2:
 9.4 ↘ 9.1 ↘ 10.1 ↖ 9.8 ← 10.2 ↖
 9.4 ↘ 9.6 ← 10.0 ← 10.3 ↘ 9.1 ↘
 beste Teiler 539.4 (19.) 591.9 (15.) 657.2 (13.)
 Trefferlage 8.17 mm links, 4.35 mm hoch
 Streuwert 3.70, horizontal: 3.12, vertikal: 4.20




Serie 3:
 8.9 ↗ 8.2 ↘ 7.4 ↙ 8.9 ↘ 9.4 ↘
 8.7 ↘ 7.8 ↘ 8.3 ↘ 8.8 ↘ 8.6 ←
 beste Teiler 1239.8 (25.) 1649.6 (21.) 1679.7 (24.)
 Trefferlage 13.69 mm links, 5.00 mm hoch
 Streuwert 10.40, horizontal: 9.45, vertikal: 11.28

Unterschrift des Schützen


Ergebnis: **303.7** (291)
 Serien: 102.7 99.4 101.6
 Zähler: 22 7 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1674 (19), 1191 (5), 1168 (13)
 beste Teiler 179.8 (21.) 216.9 (3.) 245.6 (15.)
 Trefferlage 1.93 mm rechts, 1.98 mm tief
 Streuwert 4.93, horizontal: 4.61, vertikal: 5.22



Serie 1:
 10.6 * 10.4 * 10.7 * 10.2 ↙ 9.5 ↓
 10.3 ↓ 10.2 ↘ 9.8 ← 10.4 * 10.6 *
 beste Teiler 216.9 (3.) 276.7 (10.) 310.9 (1.)
 Trefferlage 0.09 mm rechts, 3.23 mm tief
 Streuwert 4.02, horizontal: 4.31, vertikal: 3.70



Serie 2:
 10.2 ↗ 10.1 ↗ 9.5 ↘ 10.0 → 10.6 *
 10.2 ↗ 10.3 ↘ 9.8 ↘ 8.9 ↘ 9.8 ↓
 beste Teiler 245.6 (15.) 518.0 (17.) 612.1 (11.)
 Trefferlage 4.03 mm rechts, 3.69 mm tief
 Streuwert 5.25, horizontal: 4.41, vertikal: 5.98





Serie 3:
 10.7 * 10.6 * 10.0 → 10.1 ↘ 10.2 ↗
 9.8 ↓ 10.1 → 9.7 ↗ 10.2 ↖ 10.2 ↑
 beste Teiler 179.8 (21.) 295.9 (22.) 581.9 (30.)
 Trefferlage 1.67 mm rechts, 0.99 mm hoch
 Streuwert 4.76, horizontal: 4.68, vertikal: 4.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **276.0** (264)
 Serien: 95.5 91.5 89.0
 Zähler: 7 12 9 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3076 (12), 2999 (7), 2350 (26)
 beste Teiler 378.5 (3.) 497.7 (11.) 538.2 (10.)
 Trefferlage 2.78 mm rechts, 1.96 mm tief
 Streuwert 11.02, horizontal: 11.82, vertikal: 10.15



Serie 1:
 9.9 ↘ 8.9 ↓ 10.5 * 9.6 ↘ 10.1 ↘
 10.1 ↓ 7.2 → 9.1 ↗ 9.8 ↓ 10.3 ↗
 beste Teiler 378.5 (3.) 538.2 (10.) 653.1 (6.)
 Trefferlage 5.53 mm rechts, 1.96 mm tief
 Streuwert 9.02, horizontal: 9.86, vertikal: 8.09



Serie 2:
 10.3 ↘ 7.1 ← 8.8 ↗ 9.7 ↙ 8.1 ↖
 10.0 ↓ 9.7 ↙ 9.8 ↘ 9.2 ← 8.8 ↗
 beste Teiler 497.7 (11.) 754.9 (16.) 939.2 (18.)
 Trefferlage 5.12 mm links, 2.10 mm hoch
 Streuwert 11.33, horizontal: 12.01, vertikal: 10.61





Serie 3:
 10.2 ↘ 8.1 ↓ 8.0 ↘ 9.4 → 9.5 ←
 8.0 → 8.7 ↓ 9.2 ↗ 8.9 → 9.0 ↘
 beste Teiler 567.8 (21.) 1151.0 (25.) 1229.9 (24.)
 Trefferlage 7.96 mm rechts, 6.03 mm tief
 Streuwert 10.45, horizontal: 10.06, vertikal: 10.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.5** (283)
 Serien: 97.6 98.5 100.4
 Zähler: 16 11 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2109 (4), 1777 (21), 1621 (8)
 beste Teiler 51.0 (26.) 57.3 (10.) 133.3 (1.)
 Trefferlage 0.48 mm links, 4.23 mm hoch
 Streuwert 6.46, horizontal: 2.95, vertikal: 8.65



Serie 1:
 10.8 * 10.4 * 9.6 ↗ 8.3 ↑ 10.3 ↑
 9.4 ↗ 9.2 ↘ 8.9 ↑ 9.8 ↗ 10.9 *
 beste Teiler 57.3 (10.) 133.3 (1.) 446.5 (2.)
 Trefferlage 0.02 mm rechts, 5.73 mm hoch
 Streuwert 7.34, horizontal: 3.06, vertikal: 9.92



Serie 2:
 9.0 ↗ 10.0 ↑ 9.9 ↗ 9.3 ↑ 10.3 ↑
 9.6 ↘ 10.2 ↑ 9.8 ↗ 10.3 ↘ 10.1 ↘
 beste Teiler 490.4 (15.) 494.6 (19.) 595.6 (17.)
 Trefferlage 0.96 mm links, 4.39 mm hoch
 Streuwert 6.14, horizontal: 3.50, vertikal: 7.94





Serie 3:
 8.7 ↑ 10.4 * 10.3 ↘ 10.5 * 10.0 ↗
 10.9 * 9.5 ↑ 9.4 ↓ 10.5 * 10.2 ↗
 beste Teiler 51.0 (26.) 323.4 (29.) 380.7 (24.)
 Trefferlage 0.52 mm links, 2.56 mm hoch
 Streuwert 6.33, horizontal: 2.41, vertikal: 8.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **293.7** (282)
 Serien: 98.3 95.8 99.6
 Zähler: 16 11 2 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2938 (19), 2321 (28), 1858 (18)
 beste Teiler 110.8 (27.) 123.5 (14.) 230.1 (22.)
 Trefferlage 4.98 mm links, 0.43 mm hoch
 Streuwert 7.27, horizontal: 7.73, vertikal: 6.78



Serie 1:
 10.4 * 10.0 ↘ 10.2 ↓ 9.4 ↓ 9.0 ↘
 10.3 ↓ 10.3 ↗ 10.1 ↘ 9.5 ↖ 9.1 ↖
 beste Teiler 462.6 (1.) 519.4 (6.) 551.7 (7.)
 Trefferlage 5.46 mm links, 1.32 mm hoch
 Streuwert 6.07, horizontal: 5.34, vertikal: 6.73



Serie 2:
 9.0 ← 9.0 ↓ 10.3 ↘ 10.8 * 10.2 ↑
 10.4 * 9.7 ↑ 8.6 ← 7.3 ↖ 10.5 *
 beste Teiler 123.5 (14.) 382.4 (20.) 447.9 (16.)
 Trefferlage 6.06 mm links, 1.07 mm hoch
 Streuwert 9.10, horizontal: 10.36, vertikal: 7.65





Serie 3:
 10.1 ↗ 10.7 * 9.8 ↘ 9.9 ↓ 10.5 *
 9.8 ↙ 10.8 * 8.0 ← 10.2 ↓ 9.8 ↘
 beste Teiler 110.8 (27.) 230.1 (22.) 358.6 (25.)
 Trefferlage 3.43 mm links, 1.08 mm tief
 Streuwert 6.82, horizontal: 7.23, vertikal: 6.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **305.9** (292)
 Serien: 101.9 100.7 103.3
 Zähler: 23 6 1 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1847 (13), 1197 (30), 1072 (27)
 beste Teiler 63.2 (11.) 148.3 (21.) 214.6 (26.)
 Trefferlage 0.65 mm links, 0.39 mm hoch
 Streuwert 5.02, horizontal: 3.39, vertikal: 6.23



Serie 1:
 10.0 ↖ 10.6 * 10.3 ↓ 10.6 * 10.1 ↗
 9.9 ↙ 10.3 ↘ 9.9 ↗ 10.4 * 9.8 ↘
 beste Teiler 304.5 (2.) 305.4 (4.) 432.4 (9.)
 Trefferlage 0.38 mm links, 0.47 mm tief
 Streuwert 4.88, horizontal: 3.60, vertikal: 5.88





Serie 2:
 10.9 * 10.2 ↗ 8.6 ↑ 10.5 * 10.0 ↖
 9.8 ↓ 10.1 ↗ 10.0 ← 10.1 ↗ 10.5 *
 beste Teiler 63.2 (11.) 332.6 (20.) 400.2 (14.)
 Trefferlage 1.48 mm links, 2.92 mm hoch
 Streuwert 5.67, horizontal: 3.13, vertikal: 7.38




Serie 3:
 10.8 * 10.5 * 10.5 * 10.5 * 10.3 ↖
 10.7 * 9.6 ↓ 10.3 ↑ 10.6 * 9.5 ↘
 beste Teiler 148.3 (21.) 214.6 (26.) 292.4 (29.)
 Trefferlage 0.10 mm links, 1.26 mm tief
 Streuwert 4.37, horizontal: 3.62, vertikal: 5.01

Unterschrift des Schützen


Ergebnis: **305.6** (292)
 Serien: 101.1 102.3 102.2
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1295 (28), 1221 (4), 1004 (13)
 beste Teiler 107.8 (10.) 136.3 (19.) 137.7 (23.)
 Trefferlage 0.34 mm rechts, 0.06 mm hoch
 Streuwert 4.90, horizontal: 3.38, vertikal: 6.05



Serie 1:
 10.3 ↙ 10.1 → 9.8 ↓ 9.4 ↓ 10.0 ↗
 10.2 ↘ 9.8 ↑ 10.0 ↑ 10.7 * 10.8 *
 beste Teiler 107.8 (10.) 227.9 (9.) 496.7 (1.)
 Trefferlage 0.46 mm rechts, 0.16 mm hoch
 Streuwert 5.45, horizontal: 3.30, vertikal: 6.97





Serie 2:
 10.2 ↗ 10.5 * 9.7 ↘ 9.7 ↘ 10.4 *
 10.0 ↑ 10.4 * 10.7 * 10.8 * 9.9 ↗
 beste Teiler 136.3 (19.) 216.9 (18.) 341.4 (12.)
 Trefferlage 0.09 mm rechts, 1.93 mm hoch
 Streuwert 4.61, horizontal: 3.45, vertikal: 5.53




Serie 3:
 10.4 * 10.7 * 10.8 * 10.4 * 9.8 ↓
 10.4 * 10.2 ↘ 9.3 ↓ 10.1 ↗ 10.1 ↖
 beste Teiler 137.7 (23.) 199.3 (22.) 421.4 (21.)
 Trefferlage 0.47 mm rechts, 1.90 mm tief
 Streuwert 4.71, horizontal: 3.72, vertikal: 5.52

Unterschrift des Schützen


Ergebnis: **284.0** (273)
 Serien: 94.4 95.0 94.6
 Zähler: 9 16 4 1 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2710 (11), 2090 (17), 2032 (30)
 beste Teiler 191.2 (16.) 576.2 (2.) 612.3 (15.)
 Trefferlage 2.61 mm links, 1.70 mm tief
 Streuwert 9.04, horizontal: 6.22, vertikal: 11.17



Serie 1:
 9.4 ↙ 10.2 ↘ 9.0 ↙ 9.9 ↓ 9.3 ↙
 9.3 ↘ 9.7 → 9.1 ↓ 9.0 ↓ 9.5 ↙
 beste Teiler 576.2 (2.) 857.9 (4.) 993.5 (7.)
 Trefferlage 3.71 mm links, 6.61 mm tief
 Streuwert 7.37, horizontal: 5.76, vertikal: 8.69





Serie 2:
 7.6 ↓ 10.0 ↙ 8.4 ↑ 10.1 → 10.2 ↓
 10.7 * 8.3 ↘ 10.0 ↙ 10.0 ↑ 9.7 →
 beste Teiler 191.2 (16.) 612.3 (15.) 647.0 (14.)
 Trefferlage 2.15 mm links, 1.44 mm hoch
 Streuwert 10.19, horizontal: 6.49, vertikal: 12.86




Serie 3:
 9.7 ↘ 10.0 ↙ 9.4 ↘ 10.0 ↘ 9.4 ↗
 9.6 ↓ 9.7 ↘ 9.5 ↓ 8.9 ↗ 8.4 ↙
 beste Teiler 725.2 (24.) 793.4 (22.) 993.0 (27.)
 Trefferlage 1.97 mm links, 0.07 mm hoch
 Streuwert 9.14, horizontal: 6.87, vertikal: 10.95

Unterschrift des Schützen


Ergebnis: **289.1** (276)
 Serien: 95.2 97.9 96.0
 Zähler: 9 18 3 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2207 (23), 1816 (10), 1788 (6)
 beste Teiler 383.5 (18.) 436.1 (5.) 515.5 (24.)
 Trefferlage 1.64 mm rechts, 6.69 mm hoch
 Streuwert 6.56, horizontal: 6.84, vertikal: 6.26



Serie 1:
 10.3 ↑ 9.6 ↑ 9.7 ↗ 9.3 ↘ 10.4 *
 8.7 ↑ 9.4 ↗ 9.1 ↗ 10.0 ← 8.7 ↑
 beste Teiler 436.1 (5.) 555.8 (1.) 750.4 (9.)
 Trefferlage 1.56 mm rechts, 8.71 mm hoch
 Streuwert 6.43, horizontal: 6.39, vertikal: 6.46





Serie 2:
 10.2 ↘ 9.3 ↗ 10.2 → 10.2 ↗ 9.5 ←
 9.2 → 9.9 ↑ 10.5 * 9.9 ↗ 9.0 ↗
 beste Teiler 383.5 (18.) 561.9 (13.) 586.7 (14.)
 Trefferlage 2.82 mm rechts, 5.19 mm hoch
 Streuwert 6.12, horizontal: 7.75, vertikal: 3.85




Serie 3:
 10.3 → 9.8 ↘ 8.2 ↑ 10.3 ↓ 9.7 ↗
 9.1 ↑ 9.9 ↘ 9.3 ↘ 9.6 → 9.8 ↗
 beste Teiler 515.5 (24.) 533.4 (21.) 850.7 (27.)
 Trefferlage 0.53 mm rechts, 6.17 mm hoch
 Streuwert 7.40, horizontal: 6.86, vertikal: 7.90

Unterschrift des Schützen


Ergebnis: **276.3** (261)
 Serien: 94.2 91.6 90.5
 Zähler: 8 11 7 2 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3890 (12), 3642 (9), 2528 (17)
 beste Teiler 70.4 (11.) 96.5 (15.) 310.8 (5.)
 Trefferlage 3.50 mm links, 1.64 mm hoch
 Streuwert 11.54, horizontal: 11.32, vertikal: 11.76



Serie 1:
 10.0 ↙ 9.4 ↘ 9.6 ↘ 10.1 ↙ 10.6 *
 10.5 * 10.0 ↗ 9.5 ← 6.4 ← 8.1 ↓
 beste Teiler 310.8 (5.) 383.9 (6.) 664.2 (4.)
 Trefferlage 6.62 mm links, 2.35 mm tief
 Streuwert 10.35, horizontal: 11.70, vertikal: 8.78





Serie 2:
 10.9 * 6.1 ↘ 9.7 ↘ 9.7 ↗ 10.8 *
 8.9 ↘ 7.8 ↗ 9.0 ↑ 9.8 ← 8.9 ↘
 beste Teiler 70.4 (11.) 96.5 (15.) 954.3 (19.)
 Trefferlage 0.73 mm links, 3.99 mm hoch
 Streuwert 13.06, horizontal: 9.96, vertikal: 15.55




Serie 3:
 9.1 ↘ 9.2 ← 8.9 ↙ 8.7 ← 8.6 ↑
 9.7 ↗ 9.5 ↙ 8.8 ↘ 10.1 ↘ 7.9 ↗
 beste Teiler 651.3 (29.) 978.5 (26.) 1129.0 (27.)
 Trefferlage 3.16 mm links, 3.30 mm hoch
 Streuwert 11.33, horizontal: 12.54, vertikal: 9.98

Unterschrift des Schützen


Ergebnis: **291.1** (278)
 Serien: 99.8 98.2 93.1
 Zähler: 13 14 1 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2702 (23), 2679 (17), 1839 (26)
 beste Teiler 81.8 (18.) 189.0 (12.) 202.1 (2.)
 Trefferlage 1.46 mm rechts, 0.14 mm tief
 Streuwert 8.33, horizontal: 6.88, vertikal: 9.56



Serie 1:
 9.1 ↓ 10.7 * 10.3 → 9.9 → 9.3 ↓
 10.1 ↘ 10.3 ↑ 10.3 → 10.6 * 9.2 ↓
 beste Teiler 202.1 (2.) 311.1 (9.) 487.9 (3.)
 Trefferlage 0.75 mm rechts, 2.33 mm tief
 Streuwert 6.36, horizontal: 4.42, vertikal: 7.83



Serie 2:
 9.6 ↓ 10.7 * 10.1 ↓ 10.1 ← 10.1 ↙
 9.7 ↓ 7.6 ↑ 10.8 * 10.1 ← 9.4 ↘
 beste Teiler 81.8 (18.) 189.0 (12.) 655.0 (19.)
 Trefferlage 0.17 mm rechts, 1.92 mm tief
 Streuwert 8.33, horizontal: 4.98, vertikal: 10.67





Serie 3:
 9.3 ↓ 9.6 ↗ 7.6 → 9.5 ↑ 9.8 ↓
 8.7 ↑ 9.3 ↘ 9.6 ↗ 9.5 → 10.2 ↙
 beste Teiler 602.4 (30.) 936.6 (25.) 1066.2 (28.)
 Trefferlage 3.47 mm rechts, 3.82 mm hoch
 Streuwert 9.85, horizontal: 10.06, vertikal: 9.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **274.6** (262)
 Serien: 87.7 94.7 92.2
 Zähler: 9 11 6 3 0 0 1 0 0 0
 Innenzehner: 3
 weiteste: 5261 (7), 3194 (4), 2811 (27)
 beste Teiler 121.4 (9.) 264.4 (30.) 365.0 (8.)
 Trefferlage 2.84 mm links, 3.41 mm hoch
 Streuwert 12.32, horizontal: 5.22, vertikal: 16.62



Serie 1:
 10.0 ↘ 8.3 ↘ 9.1 ↖ 7.0 ↑ 9.8 ↙
 9.1 ↖ 4.4 ↑ 10.5 * 10.8 * 8.7 ↑
 beste Teiler 121.4 (9.) 365.0 (8.) 780.1 (1.)
 Trefferlage 3.00 mm links, 9.03 mm hoch
 Streuwert 15.32, horizontal: 3.40, vertikal: 21.40





Serie 2:
 9.9 ↙ 9.6 ↖ 10.2 ↑ 10.0 ↘ 9.6 ↗
 10.2 ↗ 8.1 ↓ 9.6 ↖ 9.0 ↖ 8.5 ↖
 beste Teiler 597.2 (16.) 597.6 (13.) 782.6 (14.)
 Trefferlage 2.51 mm links, 2.55 mm hoch
 Streuwert 9.35, horizontal: 6.14, vertikal: 11.71




Serie 3:
 8.9 ↑ 8.7 ↙ 7.6 ↑ 9.6 ← 10.1 ↘
 9.1 ↙ 7.4 ↓ 9.9 ← 10.3 → 10.6 *
 beste Teiler 264.4 (30.) 503.1 (29.) 643.3 (25.)
 Trefferlage 3.02 mm links, 1.33 mm tief
 Streuwert 11.66, horizontal: 6.19, vertikal: 15.29

Unterschrift des Schützen


Ergebnis: **294.8** (281)
 Serien: 97.8 98.9 98.1
 Zähler: 14 14 1 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2477 (7), 2235 (4), 1534 (27)
 beste Teiler 60.4 (9.) 124.7 (30.) 145.6 (20.)
 Trefferlage 1.19 mm links, 1.22 mm tief
 Streuwert 7.67, horizontal: 5.67, vertikal: 9.25



Serie 1:
 9.1 ↙ 9.9 ↘ 10.1 ↘ 8.2 ↑ 10.5 *
 10.4 * 7.9 ↙ 10.6 * 10.9 * 10.2 ↓
 beste Teiler 60.4 (9.) 275.3 (8.) 353.9 (5.)
 Trefferlage 4.49 mm links, 0.05 mm hoch
 Streuwert 8.59, horizontal: 6.97, vertikal: 9.96





Serie 2:
 9.2 ↓ 9.2 ↑ 10.8 * 9.8 ↗ 9.3 ↓
 9.9 → 9.9 ↑ 9.9 ↓ 10.1 ↖ 10.8 *
 beste Teiler 145.6 (20.) 150.0 (13.) 695.5 (19.)
 Trefferlage 0.58 mm rechts, 0.67 mm tief
 Streuwert 7.13, horizontal: 4.08, vertikal: 9.23




Serie 3:
 9.7 ↓ 9.9 ↘ 10.2 ↑ 10.2 ↗ 10.0 ↘
 9.1 ↓ 9.0 ↙ 10.1 ↗ 9.1 ↓ 10.8 *
 beste Teiler 124.7 (30.) 609.1 (24.) 635.4 (23.)
 Trefferlage 0.32 mm rechts, 3.06 mm tief
 Streuwert 7.27, horizontal: 4.49, vertikal: 9.26

Unterschrift des Schützen


Ergebnis: **291.9** (277)
 Serien: 96.0 93.9 102.0
 Zähler: 11 15 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2092 (16), 1911 (20), 1771 (5)
 beste Teiler 157.9 (12.) 216.1 (25.) 334.6 (8.)
 Trefferlage 1.27 mm links, 2.22 mm hoch
 Streuwert 7.64, horizontal: 4.95, vertikal: 9.61



Serie 1:
 10.0 → 9.1 ↑ 9.9 → 9.9 ↖ 8.7 ↑
 9.8 ↖ 9.2 ↖ 10.5 * 9.0 ↑ 9.9 ↙
 beste Teiler 334.6 (8.) 739.6 (1.) 818.2 (10.)
 Trefferlage 0.49 mm links, 6.35 mm hoch
 Streuwert 7.14, horizontal: 6.11, vertikal: 8.04



Serie 2:
 10.0 ↓ 10.8 * 9.7 ↙ 9.9 ↖ 9.3 ↓
 8.3 ↓ 9.3 ↑ 8.9 ↑ 9.1 ↓ 8.6 ↖
 beste Teiler 157.9 (12.) 735.2 (11.) 864.2 (14.)
 Trefferlage 1.48 mm links, 1.38 mm tief
 Streuwert 10.01, horizontal: 5.44, vertikal: 13.06





Serie 3:
 9.8 ↖ 10.4 * 9.9 ↖ 10.5 * 10.7 *
 9.7 ↑ 10.0 ↙ 10.4 * 10.3 ↑ 10.3 ↓
 beste Teiler 216.1 (25.) 365.5 (24.) 409.7 (22.)
 Trefferlage 1.84 mm links, 1.69 mm hoch
 Streuwert 4.44, horizontal: 3.32, vertikal: 5.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.8** (280)
 Serien: 97.8 97.9 101.1
 Zähler: 15 11 3 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2501 (9), 1706 (15), 1702 (16)
 beste Teiler 188.4 (8.) 191.9 (2.) 199.7 (29.)
 Trefferlage 2.22 mm links, 2.25 mm hoch
 Streuwert 6.96, horizontal: 3.16, vertikal: 9.32



Serie 1:
 10.5 * 10.7 * 9.2 ↑ 10.3 ↑ 9.8 ↓
 9.7 ↑ 9.2 ↓ 10.7 * 7.8 ↓ 9.9 ←
 beste Teiler 188.4 (8.) 191.9 (2.) 387.0 (1.)
 Trefferlage 2.49 mm links, 1.36 mm tief
 Streuwert 8.29, horizontal: 3.34, vertikal: 11.23





Serie 2:
 9.7 ↓ 10.7 * 9.9 ↘ 9.9 ↓ 8.8 ↑
 8.8 ↑ 10.4 * 9.1 ↑ 10.1 ↖ 10.5 *
 beste Teiler 235.5 (12.) 356.9 (20.) 458.7 (17.)
 Trefferlage 3.36 mm links, 4.52 mm hoch
 Streuwert 6.77, horizontal: 2.79, vertikal: 9.15




Serie 3:
 10.2 ↗ 10.6 * 9.8 ↖ 10.5 * 8.8 ↑
 10.4 * 10.5 * 9.5 ↑ 10.7 * 10.1 ↑
 beste Teiler 199.7 (29.) 311.0 (22.) 371.8 (27.)
 Trefferlage 0.81 mm links, 3.60 mm hoch
 Streuwert 5.34, horizontal: 3.08, vertikal: 6.90

Unterschrift des Schützen


Ergebnis: **300.2** (286)
 Serien: 101.5 97.7 101.0
 Zähler: 16 14 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1428 (20), 1417 (30), 1352 (12)
 beste Teiler 246.4 (17.) 255.1 (1.) 260.9 (2.)
 Trefferlage 1.30 mm links, 1.01 mm hoch
 Streuwert 5.92, horizontal: 3.48, vertikal: 7.62



Serie 1:
 10.6 * 10.6 * 10.3 ↓ 9.7 ↙ 10.1 ↘
 9.7 ↓ 9.6 ↙ 10.3 ↗ 10.1 ↑ 10.5 *
 beste Teiler 255.1 (1.) 260.9 (2.) 372.9 (10.)
 Trefferlage 1.61 mm links, 2.80 mm tief
 Streuwert 4.59, horizontal: 3.35, vertikal: 5.56



Serie 2:
 9.3 ↑ 9.3 ↑ 10.5 * 9.9 ↙ 10.2 ↘
 9.7 ↘ 10.6 * 9.6 ↑ 9.4 ↑ 9.2 ↓
 beste Teiler 246.4 (17.) 335.4 (13.) 601.9 (15.)
 Trefferlage 1.08 mm links, 3.44 mm hoch
 Streuwert 7.15, horizontal: 3.84, vertikal: 9.35





Serie 3:
 10.6 * 10.5 * 9.9 ↘ 9.6 ↑ 10.4 *
 9.8 ↙ 10.3 ↑ 10.4 * 10.3 ↘ 9.2 ↑
 beste Teiler 269.1 (21.) 356.6 (22.) 438.0 (28.)
 Trefferlage 1.22 mm links, 2.41 mm hoch
 Streuwert 5.33, horizontal: 3.60, vertikal: 6.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **292.7** (279)
 Serien: 96.4 97.0 99.3
 Zähler: 16 7 7 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2293 (7), 1958 (13), 1941 (8)
 beste Teiler 99.4 (20.) 127.4 (12.) 237.5 (30.)
 Trefferlage 2.73 mm links, 5.19 mm hoch
 Streuwert 6.91, horizontal: 3.85, vertikal: 8.98



Serie 1:
 10.3 ↙ 10.0 ↘ 9.7 ↑ 9.7 ↑ 10.5 *
 10.1 ↘ 8.1 ↘ 8.5 ↓ 9.3 ↙ 10.2 ↙
 beste Teiler 367.8 (5.) 510.3 (1.) 619.4 (10.)
 Trefferlage 3.60 mm links, 1.70 mm hoch
 Streuwert 8.49, horizontal: 5.24, vertikal: 10.81





Serie 2:
 8.8 ↑ 10.8 * 8.5 ↑ 10.4 * 8.8 ↑
 9.6 ↑ 10.3 ↘ 10.2 ↑ 8.8 ↑ 10.8 *
 beste Teiler 99.4 (20.) 127.4 (12.) 428.0 (14.)
 Trefferlage 0.80 mm links, 9.72 mm hoch
 Streuwert 5.41, horizontal: 1.59, vertikal: 7.49




Serie 3:
 10.4 * 9.6 ← 10.1 ↑ 10.0 ↓ 10.3 ↘
 9.8 ← 8.8 ↑ 9.2 ↑ 10.4 * 10.7 *
 beste Teiler 237.5 (30.) 418.2 (21.) 449.8 (29.)
 Trefferlage 3.80 mm links, 4.14 mm hoch
 Streuwert 5.50, horizontal: 3.39, vertikal: 7.01

Unterschrift des Schützen


Ergebnis: **285.2** (272)
 Serien: 95.7 93.2 96.3
 Zähler: 13 8 7 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2736 (6), 2614 (15), 2139 (17)
 beste Teiler 205.9 (7.) 351.4 (1.) 387.4 (23.)
 Trefferlage 1.75 mm links, 0.59 mm hoch
 Streuwert 9.65, horizontal: 8.70, vertikal: 10.51



Serie 1:
 10.5 * 9.4 ↙ 10.1 ↘ 8.9 → 9.2 ↓
 7.5 ↘ 10.7 * 8.9 ↘ 10.1 ↖ 10.4 *
 beste Teiler 205.9 (7.) 351.4 (1.) 468.8 (10.)
 Trefferlage 2.81 mm links, 2.01 mm tief
 Streuwert 9.61, horizontal: 9.18, vertikal: 10.03



Serie 2:
 8.9 ↗ 9.9 → 9.3 ↓ 10.4 → 7.7 ↗
 10.3 ↘ 8.3 ← 10.2 ↗ 9.8 ↗ 8.4 ↘
 beste Teiler 479.5 (14.) 529.3 (16.) 634.4 (18.)
 Trefferlage 1.56 mm rechts, 5.38 mm hoch
 Streuwert 10.36, horizontal: 10.69, vertikal: 10.03





Serie 3:
 10.3 ↘ 9.7 ← 10.5 * 9.1 ↑ 9.3 ↘
 10.2 ← 8.4 ↓ 10.2 ↗ 8.4 ↓ 10.2 ←
 beste Teiler 387.4 (23.) 533.3 (21.) 620.4 (30.)
 Trefferlage 4.02 mm links, 1.57 mm tief
 Streuwert 8.45, horizontal: 5.13, vertikal: 10.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **295.4** (281)
 Serien: 97.5 99.1 98.8
 Zähler: 16 9 5 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2105 (19), 1770 (4), 1740 (3)
 beste Teiler 162.2 (2.) 175.0 (20.) 183.2 (11.)
 Trefferlage 0.26 mm links, 1.11 mm tief
 Streuwert 7.36, horizontal: 5.26, vertikal: 8.98



Serie 1:
 10.5 * 10.7 * 8.8 ↓ 8.7 ↙ 10.0 ↘
 10.2 ↘ 10.6 * 8.9 ↑ 9.3 ↓ 9.8 ↘
 beste Teiler 162.2 (2.) 241.5 (7.) 350.6 (1.)
 Trefferlage 0.23 mm links, 3.20 mm tief
 Streuwert 8.03, horizontal: 5.33, vertikal: 10.03



Serie 2:
 10.7 * 9.4 → 10.4 * 10.5 * 9.8 ↖
 9.5 ↑ 9.8 ↓ 10.0 → 8.3 ↓ 10.7 *
 beste Teiler 175.0 (20.) 183.2 (11.) 390.9 (14.)
 Trefferlage 0.67 mm rechts, 1.05 mm tief
 Streuwert 7.39, horizontal: 5.52, vertikal: 8.87





Serie 3:
 9.6 ↘ 10.6 * 10.3 ↘ 10.4 * 10.1 ←
 9.8 ↑ 9.0 ↑ 8.8 ↓ 10.1 ↓ 10.1 ←
 beste Teiler 252.1 (22.) 456.6 (24.) 526.0 (23.)
 Trefferlage 1.22 mm links, 0.89 mm hoch
 Streuwert 7.05, horizontal: 5.32, vertikal: 8.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **289.9** (277)
 Serien: 96.7 97.1 96.1
 Zähler: 14 10 5 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2428 (3), 1935 (8), 1900 (22)
 beste Teiler 284.5 (4.) 406.4 (20.) 494.6 (23.)
 Trefferlage 1.90 mm links, 4.62 mm hoch
 Streuwert 7.48, horizontal: 4.44, vertikal: 9.60



Serie 1:
 9.5 ↑ 10.1 ↗ 7.9 ↑ 10.6 * 10.2 ↘
 10.0 ↙ 9.7 ↓ 8.5 ↘ 10.2 ↙ 10.0 ↑
 beste Teiler 284.5 (4.) 599.3 (9.) 626.6 (5.)
 Trefferlage 1.77 mm links, 3.84 mm hoch
 Streuwert 8.37, horizontal: 5.14, vertikal: 10.65



Serie 2:
 9.6 ↓ 10.1 ↖ 9.8 ↓ 10.2 ↖ 10.3 ↑
 8.7 ↑ 9.7 ↘ 9.5 ↗ 8.8 ↑ 10.4 *
 beste Teiler 406.4 (20.) 514.1 (15.) 621.7 (14.)
 Trefferlage 0.97 mm links, 4.63 mm hoch
 Streuwert 7.31, horizontal: 4.52, vertikal: 9.30





Serie 3:
 10.1 ↖ 8.6 ↑ 10.3 ↖ 8.9 ↓ 9.8 ↘
 10.0 ↗ 10.1 ↖ 9.9 ← 9.4 ↑ 9.0 ↑
 beste Teiler 494.6 (23.) 663.4 (21.) 715.3 (27.)
 Trefferlage 2.95 mm links, 5.39 mm hoch
 Streuwert 7.42, horizontal: 3.81, vertikal: 9.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.6** (280)
 Serien: 100.7 95.4 100.5
 Zähler: 12 16 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2000 (17), 1669 (15), 1510 (18)
 beste Teiler 94.8 (3.) 183.8 (1.) 228.1 (25.)
 Trefferlage 2.35 mm rechts, 3.06 mm hoch
 Streuwert 6.44, horizontal: 4.60, vertikal: 7.85



Serie 1:
 10.7 * 10.6 * 10.8 * 9.9 ↑ 9.2 ↘
 9.9 → 9.4 ↗ 9.8 ↑ 10.0 → 10.4 *
 beste Teiler 94.8 (3.) 183.8 (1.) 314.8 (2.)
 Trefferlage 1.52 mm rechts, 2.86 mm hoch
 Streuwert 5.59, horizontal: 5.89, vertikal: 5.28





Serie 2:
 10.5 * 9.8 ↑ 9.7 ↓ 9.6 ↘ 8.9 ↑
 9.7 → 8.5 ↓ 9.1 ↑ 9.8 ↑ 9.8 →
 beste Teiler 371.8 (11.) 935.2 (19.) 935.9 (20.)
 Trefferlage 4.35 mm rechts, 0.33 mm hoch
 Streuwert 8.57, horizontal: 3.86, vertikal: 11.49




Serie 3:
 10.1 ↗ 10.6 * 10.1 ↑ 9.1 ↑ 10.7 *
 10.4 * 9.6 ↗ 9.9 ↗ 9.5 ↑ 10.5 *
 beste Teiler 228.1 (25.) 269.6 (22.) 363.0 (30.)
 Trefferlage 1.19 mm rechts, 5.99 mm hoch
 Streuwert 4.06, horizontal: 3.44, vertikal: 4.59

Unterschrift des Schützen


Ergebnis: **276.2** (261)
 Serien: 89.9 94.2 92.1
 Zähler: 7 13 5 4 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3390 (18), 3139 (2), 2898 (4)
 beste Teiler 110.0 (11.) 196.8 (20.) 295.5 (16.)
 Trefferlage 3.76 mm links, 0.47 mm tief
 Streuwert 11.46, horizontal: 8.17, vertikal: 14.01



Serie 1:
 9.2 ↙ 7.0 ↖ 10.0 ↓ 7.3 ↘ 10.6 *
 7.8 ↘ 9.7 ↗ 8.6 ↗ 9.7 ↗ 10.0 ←
 beste Teiler 304.3 (5.) 748.6 (3.) 750.2 (10.)
 Trefferlage 3.99 mm links, 1.52 mm tief
 Streuwert 13.27, horizontal: 10.34, vertikal: 15.66





Serie 2:
 10.8 * 8.8 ↓ 9.3 ↑ 9.2 ← 8.2 ↓
 10.6 * 9.5 ↓ 6.7 ↖ 10.4 ↖ 10.7 *
 beste Teiler 110.0 (11.) 196.8 (20.) 295.5 (16.)
 Trefferlage 1.55 mm links, 0.22 mm hoch
 Streuwert 11.65, horizontal: 6.11, vertikal: 15.31




Serie 3:
 9.6 ↙ 9.3 ← 9.8 ← 9.9 ↑ 9.1 ↖
 8.8 ↙ 9.7 ← 9.6 ↗ 7.4 ↓ 8.9 ↗
 beste Teiler 858.7 (24.) 910.6 (23.) 981.7 (27.)
 Trefferlage 5.75 mm links, 0.11 mm tief
 Streuwert 10.28, horizontal: 7.80, vertikal: 12.28

Unterschrift des Schützen


Ergebnis: **279.3** (267)
 Serien: 95.4 96.2 87.7
 Zähler: 9 14 4 1 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3838 (4), 3790 (29), 2983 (27)
 beste Teiler 265.7 (7.) 494.5 (6.) 548.8 (17.)
 Trefferlage 2.16 mm rechts, 2.24 mm hoch
 Streuwert 11.09, horizontal: 4.52, vertikal: 15.01



Serie 1:
 9.7 ↖ 9.3 ↑ 9.8 ↗ 6.2 ↑ 10.0 ↑
 10.3 ↗ 10.6 * 9.6 ↑ 9.9 → 10.0 ↓
 beste Teiler 265.7 (7.) 494.5 (6.) 722.6 (10.)
 Trefferlage 0.30 mm rechts, 8.31 mm hoch
 Streuwert 9.10, horizontal: 4.03, vertikal: 12.22



Serie 2:
 9.7 ↖ 9.7 ↘ 9.1 ↗ 9.1 ↑ 8.5 ↑
 10.1 ↗ 10.3 ↓ 10.1 ↗ 9.6 ↓ 10.0 ↑
 beste Teiler 548.8 (17.) 649.6 (16.) 687.8 (18.)
 Trefferlage 2.27 mm rechts, 4.22 mm hoch
 Streuwert 7.78, horizontal: 3.34, vertikal: 10.49





Serie 3:
 10.0 ↘ 8.3 ↑ 8.8 ↓ 9.8 ↘ 9.8 ↗
 9.9 ↑ 7.2 ↘ 8.7 ↓ 6.2 ↓ 9.0 ↗
 beste Teiler 747.0 (21.) 805.5 (26.) 903.3 (24.)
 Trefferlage 3.90 mm rechts, 5.82 mm tief
 Streuwert 13.80, horizontal: 5.60, vertikal: 18.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291.7** (279)
 Serien: 95.9 98.6 97.2
 Zähler: 11 17 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2054 (10), 1602 (2), 1547 (21)
 beste Teiler 329.8 (30.) 380.1 (6.) 426.6 (14.)
 Trefferlage 1.68 mm rechts, 1.00 mm hoch
 Streuwert 7.55, horizontal: 3.73, vertikal: 10.01



Serie 1:
 9.7 ↗ 8.9 ↑ 9.8 ↓ 9.4 ↑ 9.2 ↑
 10.5 * 10.4 * 10.4 * 9.2 ↑ 8.4 ↓
 beste Teiler 380.1 (6.) 427.9 (8.) 463.8 (7.)
 Trefferlage 2.38 mm rechts, 2.94 mm hoch
 Streuwert 8.57, horizontal: 3.92, vertikal: 11.46



Serie 2:
 9.7 ↑ 10.2 ↘ 10.1 ↗ 10.4 * 9.1 ↓
 10.2 → 9.8 ↑ 9.6 ↑ 10.2 ↘ 9.3 ↓
 beste Teiler 426.6 (14.) 581.1 (19.) 603.5 (16.)
 Trefferlage 2.83 mm rechts, 0.08 mm tief
 Streuwert 6.56, horizontal: 3.28, vertikal: 8.68





Serie 3:
 9.0 ↑ 9.3 ↓ 9.7 ↑ 9.7 ↑ 9.8 ↑
 10.4 * 9.2 ↓ 9.6 ↓ 10.0 ← 10.5 *
 beste Teiler 329.8 (30.) 456.3 (26.) 774.5 (29.)
 Trefferlage 0.18 mm links, 0.16 mm hoch
 Streuwert 7.83, horizontal: 3.56, vertikal: 10.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **292.8** (278)
 Serien: 98.0 99.3 95.5
 Zähler: 12 14 4 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1821 (28), 1780 (23), 1702 (24)
 beste Teiler 193.1 (30.) 235.6 (8.) 373.6 (18.)
 Trefferlage 0.08 mm links, 1.78 mm hoch
 Streuwert 7.45, horizontal: 4.91, vertikal: 9.32



Serie 1:
 9.2 ↓ 10.2 ↖ 9.7 ↗ 9.8 → 9.5 ↘
 9.7 ↑ 9.4 ↓ 10.7 * 9.8 ↑ 10.0 →
 beste Teiler 235.6 (8.) 571.6 (2.) 773.4 (10.)
 Trefferlage 1.07 mm rechts, 0.85 mm hoch
 Streuwert 7.21, horizontal: 5.68, vertikal: 8.47



Serie 2:
 9.7 ↗ 10.0 ↓ 9.6 ↘ 9.3 ↘ 10.1 ←
 9.8 ↓ 10.4 * 10.5 * 10.1 ↓ 9.8 ↑
 beste Teiler 373.6 (18.) 450.8 (17.) 649.0 (15.)
 Trefferlage 1.82 mm links, 0.55 mm hoch
 Streuwert 6.22, horizontal: 4.72, vertikal: 7.42





Serie 3:
 10.5 * 10.3 ← 8.7 ↑ 8.8 ↓ 9.9 ↓
 8.9 ↑ 10.0 → 8.7 ↑ 9.0 ↑ 10.7 *
 beste Teiler 193.1 (30.) 399.5 (21.) 486.0 (22.)
 Trefferlage 0.48 mm rechts, 3.93 mm hoch
 Streuwert 9.04, horizontal: 4.24, vertikal: 12.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **294.9** (282)
 Serien: 100.1 97.9 96.9
 Zähler: 13 16 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1997 (23), 1412 (16), 1409 (25)
 beste Teiler 95.3 (26.) 252.3 (9.) 287.9 (10.)
 Trefferlage 0.81 mm links, 0.62 mm hoch
 Streuwert 7.15, horizontal: 4.84, vertikal: 8.87



Serie 1:
 10.2 ↓ 9.3 ↓ 9.4 ↗ 9.9 ↑ 10.5 *
 10.2 ↑ 9.4 ↓ 10.0 ↓ 10.6 * 10.6 *
 beste Teiler 252.3 (9.) 287.9 (10.) 357.2 (5.)
 Trefferlage 0.24 mm rechts, 0.96 mm tief
 Streuwert 6.31, horizontal: 2.49, vertikal: 8.57



Serie 2:
 9.6 ← 10.3 ↓ 10.5 * 9.9 ↗ 10.4 *
 9.2 ↑ 9.7 ← 9.2 ↓ 9.3 ↖ 9.8 ↘
 beste Teiler 359.3 (13.) 462.4 (15.) 560.4 (12.)
 Trefferlage 2.74 mm links, 0.44 mm tief
 Streuwert 7.10, horizontal: 6.35, vertikal: 7.78





Serie 3:
 10.2 ↖ 9.7 ↑ 8.5 ↑ 9.4 ↓ 9.2 ↗
 10.8 * 10.0 ↗ 9.7 ↑ 10.1 ← 9.3 ↓
 beste Teiler 95.3 (26.) 629.3 (21.) 698.9 (29.)
 Trefferlage 0.07 mm rechts, 3.28 mm hoch
 Streuwert 8.08, horizontal: 4.77, vertikal: 10.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **268.4** (255)
 Serien: 89.4 89.0 90.0
 Zähler: 6 11 8 2 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3576 (4), 3553 (19), 3324 (10)
 beste Teiler 144.3 (3.) 293.7 (6.) 437.3 (27.)
 Trefferlage 4.76 mm rechts, 5.88 mm tief
 Streuwert 12.35, horizontal: 8.08, vertikal: 15.48



Serie 1:
 10.3 → 9.8 ↗ 10.8 * 6.5 ↓ 8.0 ↑
 10.6 * 8.0 ↓ 8.4 ↓ 10.2 → 6.8 ↘
 beste Teiler 144.3 (3.) 293.7 (6.) 485.1 (1.)
 Trefferlage 6.90 mm rechts, 6.33 mm tief
 Streuwert 13.30, horizontal: 8.63, vertikal: 16.72





Serie 2:
 9.9 ↗ 9.2 ↓ 9.9 ↑ 9.8 ↓ 8.4 ↓
 9.7 ↖ 9.2 ↗ 9.4 ↘ 6.5 ↑ 7.0 ↓
 beste Teiler 810.2 (13.) 841.6 (11.) 953.4 (14.)
 Trefferlage 0.94 mm rechts, 0.13 mm hoch
 Streuwert 13.99, horizontal: 7.39, vertikal: 18.36




Serie 3:
 9.2 ↓ 8.9 ↘ 9.0 ↓ 8.2 ↓ 8.2 ↓
 9.9 ↘ 10.4 * 8.0 ↘ 10.3 ↗ 7.9 ↓
 beste Teiler 437.3 (27.) 545.9 (29.) 840.9 (26.)
 Trefferlage 6.44 mm rechts, 11.46 mm tief
 Streuwert 8.30, horizontal: 7.55, vertikal: 8.99

Unterschrift des Schützen


Ergebnis: **257.4** (245)
 Serien: 78.8 83.7 94.9
 Zähler: 6 12 3 5 1 1 1 1 0 0
 Innenzehner: 0
 weiteste: 5690 (7), 5258 (2), 4071 (20)
 beste Teiler 533.5 (1.) 549.0 (22.) 619.8 (29.)
 Trefferlage 2.86 mm rechts, 6.26 mm hoch
 Streuwert 15.81, horizontal: 7.26, vertikal: 21.14



Serie 1:
 10.3 ↓ 4.4 ↓ 9.3 ↑ 7.6 ↗ 6.9 ↑
 9.9 ↑ 3.8 ↑ 9.8 ↘ 9.1 ↑ 7.7 ↗
 beste Teiler 533.5 (1.) 862.2 (6.) 890.3 (8.)
 Trefferlage 2.88 mm rechts, 11.55 mm hoch
 Streuwert 20.49, horizontal: 7.62, vertikal: 27.96





Serie 2:
 8.9 ↘ 8.4 ↘ 8.3 ↓ 9.2 ↗ 7.4 ↑
 10.0 ↗ 9.2 ↑ 9.1 ↘ 7.3 ↑ 5.9 ↓
 beste Teiler 778.1 (16.) 1370.8 (14.) 1437.9 (17.)
 Trefferlage 2.60 mm rechts, 4.68 mm hoch
 Streuwert 16.35, horizontal: 6.93, vertikal: 22.07




Serie 3:
 9.8 → 10.3 → 9.1 ↘ 10.0 ↓ 9.2 ↓
 9.8 ↘ 7.3 ↑ 9.2 → 10.2 ↘ 10.0 ↑
 beste Teiler 549.0 (22.) 619.8 (29.) 750.8 (24.)
 Trefferlage 3.11 mm rechts, 2.54 mm hoch
 Streuwert 9.65, horizontal: 7.98, vertikal: 11.08

Unterschrift des Schützen


Ergebnis: **256.0** (241)
 Serien: 86.4 81.8 87.8
 Zähler: 4 12 4 6 2 1 0 0 1 0
 Innenzehner: 2
 weiteste: 6572 (12), 4713 (8), 3827 (13)
 beste Teiler 58.3 (25.) 319.9 (19.) 498.7 (20.)
 Trefferlage 3.92 mm rechts, 6.81 mm tief
 Streuwert 16.11, horizontal: 10.14, vertikal: 20.41



Serie 1:
 9.4 ↗ 10.1 ↖ 9.3 ↓ 9.8 → 8.1 ↑
 9.4 ↘ 7.8 ↗ 5.1 ↑ 9.3 → 8.1 →
 beste Teiler 717.7 (2.) 956.8 (4.) 1208.4 (1.)
 Trefferlage 7.20 mm rechts, 10.58 mm hoch
 Streuwert 13.03, horizontal: 9.14, vertikal: 16.00





Serie 2:
 9.4 ↓ 2.7 ↓ 6.2 ↘ 7.7 ↙ 9.6 ↘
 8.7 ↘ 8.9 ↓ 7.7 ↓ 10.6 * 10.3 ↙
 beste Teiler 319.9 (19.) 498.7 (20.) 1054.1 (15.)
 Trefferlage 2.55 mm rechts, 18.40 mm tief
 Streuwert 15.99, horizontal: 13.05, vertikal: 18.47




Serie 3:
 9.8 ↙ 9.4 ↗ 7.1 ↓ 7.6 ↘ 10.9 *
 9.5 ↘ 7.4 ↓ 9.8 ↘ 9.4 ↘ 6.9 ↓
 beste Teiler 58.3 (25.) 942.9 (28.) 950.8 (21.)
 Trefferlage 2.00 mm rechts, 12.62 mm tief
 Streuwert 11.87, horizontal: 7.73, vertikal: 14.90

Unterschrift des Schützen


Ergebnis: **275.0** (263)
 Serien: 87.8 95.2 92.0
 Zähler: 10 7 9 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2917 (8), 2649 (6), 2544 (9)
 beste Teiler 254.3 (17.) 293.2 (15.) 413.0 (5.)
 Trefferlage 0.69 mm links, 4.11 mm hoch
 Streuwert 11.28, horizontal: 8.37, vertikal: 13.58



Serie 1:
 9.1 ↓ 9.0 ↖ 8.4 ↖ 8.4 ↑ 10.4 *
 7.6 ↓ 10.4 * 7.3 ↑ 7.8 ↓ 9.4 →
 beste Teiler 413.0 (5.) 430.6 (7.) 1229.0 (10.)
 Trefferlage 2.16 mm links, 1.58 mm hoch
 Streuwert 14.13, horizontal: 7.35, vertikal: 18.57





Serie 2:
 8.3 ↗ 8.0 → 9.4 ↖ 8.4 ↖ 10.6 *
 9.6 ↖ 10.6 * 10.2 ↙ 10.1 ↑ 10.0 ↓
 beste Teiler 254.3 (17.) 293.2 (15.) 614.5 (18.)
 Trefferlage 0.22 mm links, 3.90 mm hoch
 Streuwert 9.66, horizontal: 9.89, vertikal: 9.42



Serie 3:
 8.1 ↗ 10.2 ↙ 7.9 ↑ 9.7 ↘ 8.8 ↑
 8.4 ↑ 8.9 ↖ 10.1 ← 10.2 ↘ 9.7 ←
 beste Teiler 572.6 (29.) 610.7 (22.) 696.8 (28.)
 Trefferlage 0.29 mm rechts, 6.86 mm hoch
 Streuwert 10.38, horizontal: 8.38, vertikal: 12.05


Unterschrift des Schützen

Ergebnis: **276.3** (265)
 Serien: 96.4 91.1 88.8
 Zähler: 10 10 5 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3177 (17), 3042 (27), 2895 (9)
 beste Teiler 200.8 (15.) 359.6 (5.) 372.3 (29.)
 Trefferlage 2.12 mm rechts, 3.80 mm tief
 Streuwert 11.34, horizontal: 10.05, vertikal: 12.50




Serie 1:
 9.5 ↙ 10.3 ↖ 10.1 ↖ 9.8 ↑ 10.5 *
 10.4 * 8.6 ↖ 9.7 ↖ 7.3 ↗ 10.2 →

beste Teiler 359.6 (5.) 434.1 (6.) 554.0 (2.)
 Trefferlage 1.59 mm links, 3.26 mm hoch
 Streuwert 9.19, horizontal: 10.31, vertikal: 7.91



Serie 2:
 10.0 ↘ 10.2 ↖ 7.3 ↗ 9.0 ↘ 10.7 *
 9.5 ↘ 7.0 ↓ 9.2 ↓ 8.9 ← 9.3 ↓

beste Teiler 200.8 (15.) 589.7 (12.) 766.5 (11.)
 Trefferlage 1.74 mm rechts, 5.24 mm tief
 Streuwert 12.13, horizontal: 11.48, vertikal: 12.75





Serie 3:
 8.0 ↘ 9.8 ↑ 9.1 ↙ 8.6 ↓ 10.1 →
 8.6 → 7.1 ↓ 9.4 → 10.5 * 7.6 ↓


beste Teiler 372.3 (29.) 681.5 (25.) 898.5 (22.)
 Trefferlage 6.21 mm rechts, 9.43 mm tief
 Streuwert 10.92, horizontal: 7.28, vertikal: 13.62

Unterschrift des Schützen


Ergebnis: **300.1** (286)
 Serien: 99.6 100.1 100.4
 Zähler: 18 10 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 627 (10), 540 (15), 482 (21)
 beste Teiler 11.4 (27.) 55.0 (8.) 60.8 (23.)
 Trefferlage 0.18 mm links, 0.43 mm tief
 Streuwert 2.01, horizontal: 2.46, vertikal: 1.41



Serie 1:
 10.4 * 10.2 * 9.7 ↖ 9.3 ↘ 10.2 *
 10.4 * 10.7 * 10.7 * 9.6 → 8.4 ↙
 beste Teiler 55.0 (8.) 69.2 (7.) 146.1 (1.)
 Trefferlage 0.14 mm links, 0.20 mm tief
 Streuwert 2.20, horizontal: 2.76, vertikal: 1.44





Serie 2:
 10.5 * 10.6 * 10.4 * 10.1 ↘ 8.8 ↙
 9.2 ← 9.8 ← 9.8 ← 10.5 * 10.4 *
 beste Teiler 79.0 (12.) 106.4 (11.) 118.3 (19.)
 Trefferlage 1.11 mm links, 0.49 mm tief
 Streuwert 1.86, horizontal: 2.25, vertikal: 1.35




Serie 3:
 9.0 ↘ 10.4 * 10.7 * 10.2 * 9.4 →
 10.0 ↓ 10.9 * 10.7 * 9.5 ← 9.6 ↘
 beste Teiler 11.4 (27.) 60.8 (23.) 63.2 (28.)
 Trefferlage 0.69 mm rechts, 0.59 mm tief
 Streuwert 1.93, horizontal: 2.23, vertikal: 1.57

Unterschrift des Schützen


Ergebnis: **290.4** (279)
 Serien: 95.8 98.1 96.5
 Zähler: 15 10 4 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2657 (13), 1950 (5), 1914 (29)
 beste Teiler 115.0 (1.) 236.4 (19.) 293.5 (7.)
 Trefferlage 0.70 mm rechts, 5.32 mm tief
 Streuwert 7.56, horizontal: 6.04, vertikal: 8.81



Serie 1:
 10.8 * 9.5 ↘ 9.7 ↘ 9.2 ↓ 8.5 ↘
 9.7 ↓ 10.6 * 10.1 ↙ 8.6 ↓ 9.1 ↓
 beste Teiler 115.0 (1.) 293.5 (7.) 663.6 (8.)
 Trefferlage 0.16 mm rechts, 7.80 mm tief
 Streuwert 7.24, horizontal: 6.58, vertikal: 7.85





Serie 2:
 10.1 ↓ 10.3 ↗ 7.6 ↘ 9.1 ↓ 9.7 →
 10.3 ← 10.0 ↘ 10.0 ↘ 10.7 * 10.3 ↘
 beste Teiler 236.4 (19.) 493.7 (16.) 528.7 (20.)
 Trefferlage 1.82 mm rechts, 5.24 mm tief
 Streuwert 7.32, horizontal: 5.84, vertikal: 8.54




Serie 3:
 10.3 ↘ 10.2 ↙ 9.0 ↓ 10.3 → 9.2 ↑
 9.6 → 10.2 → 8.8 ↙ 8.6 ↓ 10.3 ↑
 beste Teiler 500.6 (21.) 509.2 (30.) 513.3 (24.)
 Trefferlage 0.13 mm rechts, 2.93 mm tief
 Streuwert 8.39, horizontal: 6.19, vertikal: 10.12

Unterschrift des Schützen


Ergebnis: **256.7** (244)
 Serien: 86.6 81.0 89.1
 Zähler: 2 10 10 6 2 0 0 0 0 0
 Innenzehner: 0
 weiteste: 3473 (15), 3232 (17), 3137 (16)
 beste Teiler 477.0 (20.) 731.1 (22.) 1077.8 (27.)
 Trefferlage 8.89 mm links, 1.85 mm tief
 Streuwert 13.28, horizontal: 14.94, vertikal: 11.37



Serie 1:
 7.5 ↘ 8.3 ← 9.4 ↓ 9.1 ↙ 8.9 →
 9.6 ← 9.0 ↘ 8.8 ↑ 8.7 ↗ 7.3 ←
 beste Teiler 1092.2 (6.) 1277.0 (3.) 1503.8 (4.)
 Trefferlage 7.48 mm links, 2.08 mm hoch
 Streuwert 13.17, horizontal: 15.33, vertikal: 10.57





Serie 2:
 9.5 ↘ 9.1 → 7.9 ↙ 8.2 ↓ 6.6 ←
 7.0 ← 6.9 ← 8.0 ↘ 7.4 ↙ 10.4 ←
 beste Teiler 477.0 (20.) 1155.3 (11.) 1467.8 (12.)
 Trefferlage 10.91 mm links, 7.95 mm tief
 Streuwert 15.38, horizontal: 19.21, vertikal: 10.19




Serie 3:
 8.4 ↙ 10.0 ← 9.1 ↑ 8.4 ↘ 9.0 ↓
 7.7 ↙ 9.6 ↘ 8.6 ← 9.5 ↘ 8.8 ↗
 beste Teiler 731.1 (22.) 1077.8 (27.) 1132.7 (29.)
 Trefferlage 8.27 mm links, 0.30 mm hoch
 Streuwert 11.07, horizontal: 10.40, vertikal: 11.71

Unterschrift des Schützen


Ergebnis: **284.1** (274)
 Serien: 94.2 94.0 95.9
 Zähler: 9 17 3 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2941 (5), 2262 (26), 2107 (2)
 beste Teiler 412.4 (7.) 444.4 (23.) 530.3 (29.)
 Trefferlage 1.64 mm links, 2.80 mm hoch
 Streuwert 9.12, horizontal: 7.38, vertikal: 10.58



Serie 1:
 10.1 ↓ 8.3 ↘ 9.5 ↙ 10.1 ↗ 7.3 ↖
 8.9 ↖ 10.4 * 10.3 ↗ 9.9 ↗ 9.4 ↙
 beste Teiler 412.4 (7.) 545.5 (8.) 685.8 (1.)
 Trefferlage 5.00 mm links, 5.29 mm hoch
 Streuwert 9.25, horizontal: 7.27, vertikal: 10.87



Serie 2:
 9.4 ↗ 9.3 ← 9.0 ↙ 10.1 ↓ 9.5 ↗
 9.8 ↓ 9.1 ↗ 9.3 ↗ 9.0 ↗ 9.5 ↓
 beste Teiler 704.9 (14.) 923.7 (16.) 1177.3 (20.)
 Trefferlage 0.17 mm links, 2.51 mm hoch
 Streuwert 9.27, horizontal: 8.38, vertikal: 10.08





Serie 3:
 9.8 ↓ 9.2 ↓ 10.4 * 10.0 → 9.0 ↑
 8.1 ↗ 10.0 ↙ 9.5 ↓ 10.3 ↓ 9.6 ↑
 beste Teiler 444.4 (23.) 530.3 (29.) 743.4 (24.)
 Trefferlage 0.25 mm rechts, 0.61 mm hoch
 Streuwert 8.99, horizontal: 5.77, vertikal: 11.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.1** (283)
 Serien: 98.5 98.1 99.5
 Zähler: 15 13 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2014 (12), 1778 (4), 1579 (26)
 beste Teiler 177.8 (18.) 272.5 (23.) 282.0 (8.)
 Trefferlage 1.17 mm links, 3.26 mm tief
 Streuwert 6.57, horizontal: 6.23, vertikal: 6.90



Serie 1:
 10.3 ↙ 10.5 * 9.5 ↙ 8.7 ↗ 9.3 ↘
 9.7 ↓ 10.3 ↓ 10.6 * 9.5 ↘ 10.1 →
 beste Teiler 282.0 (8.) 354.9 (2.) 490.8 (7.)
 Trefferlage 2.55 mm rechts, 2.86 mm tief
 Streuwert 6.76, horizontal: 7.05, vertikal: 6.46





Serie 2:
 9.2 ↑ 8.4 ↙ 10.2 ↑ 10.1 ↓ 9.7 ←
 10.0 ↓ 10.3 ↗ 10.7 * 9.7 ↓ 9.8 ↓
 beste Teiler 177.8 (18.) 484.4 (17.) 640.8 (13.)
 Trefferlage 1.73 mm links, 2.41 mm tief
 Streuwert 7.42, horizontal: 6.19, vertikal: 8.47




Serie 3:
 10.2 ↙ 9.3 ↓ 10.6 * 9.6 ↙ 10.2 ↘
 9.0 ↙ 9.9 ↙ 10.2 ↙ 9.9 ↓ 10.6 *
 beste Teiler 272.5 (23.) 317.6 (30.) 587.5 (28.)
 Trefferlage 4.33 mm links, 4.51 mm tief
 Streuwert 4.86, horizontal: 3.19, vertikal: 6.09

Unterschrift des Schützen


Ergebnis: **292.4** (276)
 Serien: 94.0 98.1 100.3
 Zähler: 11 16 1 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2545 (7), 2441 (3), 1610 (6)
 beste Teiler 288.1 (21.) 351.0 (5.) 357.3 (24.)
 Trefferlage 0.98 mm links, 2.73 mm tief
 Streuwert 7.65, horizontal: 5.93, vertikal: 9.05



Serie 1:
 9.7 ← 9.8 ↑ 7.9 ↓ 9.4 ↘ 10.5 *
 8.9 ↑ 7.8 ↘ 9.9 ↑ 9.7 ↘ 10.4 ↗
 beste Teiler 351.0 (5.) 476.3 (10.) 855.8 (8.)
 Trefferlage 0.91 mm rechts, 3.11 mm tief
 Streuwert 10.43, horizontal: 6.55, vertikal: 13.22



Serie 2:
 10.1 → 10.0 ↖ 9.8 ↗ 10.4 * 9.4 ↓
 10.5 * 9.9 ↓ 9.2 ↓ 9.2 ↗ 9.6 ←
 beste Teiler 399.6 (16.) 419.5 (14.) 684.3 (11.)
 Trefferlage 2.27 mm links, 4.92 mm tief
 Streuwert 6.09, horizontal: 6.25, vertikal: 5.93





Serie 3:
 10.6 * 9.8 ↖ 9.3 ↓ 10.5 * 9.8 ↓
 10.4 * 10.3 ← 9.7 ↖ 9.8 → 10.1 ↖
 beste Teiler 288.1 (21.) 357.3 (24.) 434.5 (26.)
 Trefferlage 1.58 mm links, 0.15 mm tief
 Streuwert 5.76, horizontal: 5.04, vertikal: 6.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288.1** (276)
 Serien: 99.1 100.5 88.5
 Zähler: 14 11 2 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2763 (24), 2760 (27), 2708 (29)
 beste Teiler 87.4 (18.) 116.1 (25.) 244.1 (5.)
 Trefferlage 1.53 mm links, 2.72 mm tief
 Streuwert 9.09, horizontal: 5.39, vertikal: 11.68



Serie 1:
 10.5 * 9.6 ↓ 9.6 ↓ 10.2 → 10.6 *
 9.0 ↓ 10.1 ↓ 9.9 ↓ 9.6 ↓ 10.0 ↙
 beste Teiler 244.1 (5.) 337.0 (1.) 566.1 (4.)
 Trefferlage 0.79 mm rechts, 7.45 mm tief
 Streuwert 3.83, horizontal: 3.05, vertikal: 4.47





Serie 2:
 10.3 ← 10.2 ↙ 9.1 ↙ 10.2 ↑ 10.5 *
 10.3 ↙ 10.3 ← 10.8 * 9.9 ↓ 8.9 ↑
 beste Teiler 87.4 (18.) 346.2 (15.) 529.0 (17.)
 Trefferlage 2.10 mm links, 0.38 mm tief
 Streuwert 6.07, horizontal: 3.47, vertikal: 7.85




Serie 3:
 9.2 ↓ 10.1 ↗ 9.0 ↙ 7.5 ↑ 10.8 *
 9.3 ↓ 7.5 ↑ 9.3 ↑ 7.6 ↙ 8.2 ↙
 beste Teiler 116.1 (25.) 677.0 (22.) 1324.9 (28.)
 Trefferlage 3.27 mm links, 0.33 mm tief
 Streuwert 13.84, horizontal: 7.91, vertikal: 17.90

Unterschrift des Schützen


Ergebnis: **292.3** (279)
 Serien: 97.1 99.0 96.2
 Zähler: 15 10 4 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3072 (13), 2025 (27), 1926 (9)
 beste Teiler 99.6 (11.) 179.0 (3.) 208.1 (12.)
 Trefferlage 1.84 mm links, 3.93 mm tief
 Streuwert 7.82, horizontal: 3.96, vertikal: 10.33



Serie 1:
 10.3 ↘ 10.4 * 10.7 * 10.3 ↓ 8.6 ↑
 10.0 ↙ 9.3 ↘ 10.4 * 8.5 ↓ 8.6 ↓
 beste Teiler 179.0 (3.) 427.7 (8.) 460.5 (2.)
 Trefferlage 1.99 mm links, 2.88 mm tief
 Streuwert 8.41, horizontal: 3.16, vertikal: 11.47





Serie 2:
 10.8 * 10.7 * 7.1 ↓ 9.4 ↖ 10.3 →
 10.6 * 9.7 ↑ 9.6 ↓ 10.3 ↘ 10.5 *
 beste Teiler 99.6 (11.) 208.1 (12.) 312.0 (16.)
 Trefferlage 0.61 mm links, 2.82 mm tief
 Streuwert 8.58, horizontal: 5.07, vertikal: 11.03




Serie 3:
 10.4 * 9.6 ↙ 9.2 ↓ 10.1 ↖ 10.0 ↙
 9.8 ↘ 8.4 ↓ 9.8 ↓ 9.7 ↓ 9.2 ↓
 beste Teiler 466.0 (21.) 642.3 (24.) 767.9 (25.)
 Trefferlage 2.93 mm links, 6.10 mm tief
 Streuwert 6.88, horizontal: 3.42, vertikal: 9.11

Unterschrift des Schützen


Ergebnis: **286.3** (275)
 Serien: 97.6 95.3 93.4
 Zähler: 12 13 3 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3064 (12), 2966 (27), 2366 (11)
 beste Teiler 332.2 (13.) 364.5 (20.) 430.7 (5.)
 Trefferlage 0.87 mm links, 3.55 mm hoch
 Streuwert 9.09, horizontal: 7.35, vertikal: 10.54



Serie 1:
 9.5 ↗ 10.3 ↗ 9.7 ↗ 10.0 ↙ 10.4 *
 9.7 ← 10.0 ↗ 8.9 ↘ 9.8 ← 9.3 ↘
 beste Teiler 430.7 (5.) 556.6 (2.) 787.7 (7.)
 Trefferlage 3.93 mm links, 4.21 mm hoch
 Streuwert 6.15, horizontal: 5.38, vertikal: 6.84





Serie 2:
 8.0 ↓ 7.1 ↑ 10.5 * 9.9 ↗ 10.1 ↘
 9.9 ↑ 10.1 → 10.2 ↘ 9.0 ↘ 10.5 *
 beste Teiler 332.2 (13.) 364.5 (20.) 588.8 (18.)
 Trefferlage 3.54 mm rechts, 0.85 mm hoch
 Streuwert 10.28, horizontal: 4.55, vertikal: 13.81




Serie 3:
 9.3 → 9.7 ↗ 9.4 ↓ 9.6 ↘ 10.1 ↘
 10.0 ← 7.2 ↗ 10.3 ↗ 8.1 ↘ 9.7 ←
 beste Teiler 495.7 (28.) 660.2 (25.) 797.1 (26.)
 Trefferlage 2.23 mm links, 5.58 mm hoch
 Streuwert 9.95, horizontal: 9.51, vertikal: 10.38

Unterschrift des Schützen


Ergebnis: **286.8** (270)
 Serien: 96.0 91.7 99.1
 Zähler: 11 13 3 2 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 4169 (17), 2941 (19), 2408 (9)
 beste Teiler 204.9 (20.) 211.8 (8.) 250.7 (12.)
 Trefferlage 2.93 mm links, 0.13 mm hoch
 Streuwert 9.85, horizontal: 8.82, vertikal: 10.78



Serie 1:
 8.7 ↖ 10.3 ← 9.8 ↙ 9.8 ← 8.4 ↑
 10.4 * 10.4 * 10.7 * 7.9 ↓ 9.6 ←
 beste Teiler 211.8 (8.) 454.5 (7.) 473.0 (6.)
 Trefferlage 4.64 mm links, 0.22 mm tief
 Streuwert 9.01, horizontal: 3.32, vertikal: 12.31





Serie 2:
 9.6 ↙ 10.6 * 9.6 ↙ 9.8 → 8.9 ↑
 9.8 ↓ 5.7 ← 9.7 ↗ 7.3 ↑ 10.7 *
 beste Teiler 204.9 (20.) 250.7 (12.) 892.2 (14.)
 Trefferlage 4.30 mm links, 2.15 mm hoch
 Streuwert 13.21, horizontal: 13.73, vertikal: 12.67




Serie 3:
 9.6 ↑ 10.0 ↙ 10.6 * 9.3 ← 9.2 ↓
 9.9 → 10.3 ↖ 10.5 * 10.0 ↘ 9.7 ↓
 beste Teiler 286.7 (23.) 364.7 (28.) 494.3 (27.)
 Trefferlage 0.12 mm rechts, 1.51 mm tief
 Streuwert 6.71, horizontal: 5.94, vertikal: 7.39

Unterschrift des Schützen


Ergebnis: **283.6** (269)
 Serien: 90.9 93.1 99.6
 Zähler: 10 12 7 0 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4003 (3), 1894 (15), 1892 (2)
 beste Teiler 337.5 (20.) 354.8 (25.) 374.5 (27.)
 Trefferlage 0.40 mm links, 3.41 mm hoch
 Streuwert 9.78, horizontal: 3.74, vertikal: 13.31



Serie 1:
 8.6 ↑ 8.6 ↓ 5.9 ↑ 9.8 ↑ 9.8 ↗
 8.8 ↑ 10.3 ↖ 9.7 ↖ 9.1 ↑ 10.3 →
 beste Teiler 522.7 (7.) 536.2 (10.) 954.5 (5.)
 Trefferlage 0.07 mm rechts, 10.01 mm hoch
 Streuwert 10.94, horizontal: 3.99, vertikal: 14.95





Serie 2:
 10.0 ↓ 9.3 ↓ 8.8 ↑ 8.6 ↓ 8.6 ↑
 9.1 ↑ 9.7 ↑ 8.7 ↓ 9.8 ↓ 10.5 *
 beste Teiler 337.5 (20.) 799.3 (11.) 892.6 (19.)
 Trefferlage 0.64 mm rechts, 1.05 mm tief
 Streuwert 10.46, horizontal: 3.27, vertikal: 14.43




Serie 3:
 10.4 * 10.1 ↓ 9.4 ↙ 9.4 ↑ 10.5 *
 9.4 ↖ 10.5 * 9.6 ↑ 10.3 ↘ 10.0 ↑
 beste Teiler 354.8 (25.) 374.5 (27.) 471.0 (21.)
 Trefferlage 1.93 mm links, 1.27 mm hoch
 Streuwert 6.24, horizontal: 3.80, vertikal: 7.96

Unterschrift des Schützen


Ergebnis: **267.7** (255)
 Serien: 90.0 89.7 88.0
 Zähler: 5 10 10 5 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2997 (25), 2845 (16), 2842 (4)
 beste Teiler 147.0 (10.) 657.9 (23.) 696.0 (3.)
 Trefferlage 1.00 mm links, 0.01 mm tief
 Streuwert 12.72, horizontal: 13.16, vertikal: 12.27



Serie 1:
 9.0 ↘ 7.8 ← 10.1 → 7.4 ↗ 8.2 ↖
 9.5 ← 8.9 → 8.7 ↓ 9.6 ↖ 10.8 *
 beste Teiler 147.0 (10.) 696.0 (3.) 1068.1 (9.)
 Trefferlage 2.76 mm links, 3.55 mm hoch
 Streuwert 12.55, horizontal: 13.46, vertikal: 11.56



Serie 2:
 8.7 → 9.3 ↙ 9.4 ↓ 8.9 ↗ 9.0 ↙
 7.4 ↘ 9.7 ↗ 10.0 ↓ 9.0 ↖ 8.3 →
 beste Teiler 735.9 (18.) 970.0 (17.) 1232.1 (13.)
 Trefferlage 1.77 mm links, 2.03 mm hoch
 Streuwert 12.37, horizontal: 14.64, vertikal: 9.59





Serie 3:
 8.3 ↓ 8.7 → 10.1 ↙ 9.9 ← 7.2 ↓
 10.1 → 9.4 ↓ 8.6 ↓ 7.7 → 8.0 ↑
 beste Teiler 657.9 (23.) 715.4 (26.) 810.1 (24.)
 Trefferlage 1.53 mm rechts, 5.63 mm tief
 Streuwert 13.35, horizontal: 12.29, vertikal: 14.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **286.7** (273)
 Serien: 93.8 97.9 95.0
 Zähler: 9 17 3 0 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3283 (5), 1998 (30), 1713 (28)
 beste Teiler 301.0 (11.) 386.0 (21.) 389.6 (17.)
 Trefferlage 1.28 mm links, 0.99 mm hoch
 Streuwert 9.01, horizontal: 7.09, vertikal: 10.58



Serie 1:
 8.9 ↗ 9.7 ↖ 9.0 ← 10.3 → 6.8 ↗
 10.1 ↑ 10.2 ← 9.3 ← 10.4 * 9.1 ↓
 beste Teiler 450.9 (9.) 526.9 (4.) 569.7 (7.)
 Trefferlage 0.90 mm links, 3.88 mm hoch
 Streuwert 10.64, horizontal: 9.95, vertikal: 11.29





Serie 2:
 10.6 * 9.8 ↗ 9.4 ↓ 9.4 ↓ 10.0 ↓
 9.3 ↖ 10.5 * 9.2 ↓ 9.5 ↗ 10.2 ↓
 beste Teiler 301.0 (11.) 389.6 (17.) 595.4 (20.)
 Trefferlage 0.23 mm links, 2.19 mm tief
 Streuwert 7.38, horizontal: 5.34, vertikal: 8.96




Serie 3:
 10.5 * 9.4 ↓ 9.9 ← 9.4 ↖ 9.9 →
 9.4 ↑ 9.3 ↑ 8.8 ↖ 9.9 ↓ 8.5 ↓
 beste Teiler 386.0 (21.) 830.5 (25.) 848.4 (29.)
 Trefferlage 2.72 mm links, 1.29 mm hoch
 Streuwert 9.03, horizontal: 5.56, vertikal: 11.50

Unterschrift des Schützen


Ergebnis: **292.9** (280)
 Serien: 96.1 97.9 98.9
 Zähler: 14 12 4 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2374 (8), 1980 (7), 1855 (11)
 beste Teiler 256.4 (13.) 346.6 (4.) 421.6 (21.)
 Trefferlage 2.69 mm links, 1.29 mm hoch
 Streuwert 7.36, horizontal: 3.23, vertikal: 9.90



Serie 1:
 9.8 ↓ 10.3 ↑ 10.3 ← 10.5 * 10.0 ↖
 10.0 ↑ 8.5 ↓ 8.0 ↑ 9.8 ↙ 8.9 ↑
 beste Teiler 346.6 (4.) 507.6 (2.) 533.8 (3.)
 Trefferlage 2.74 mm links, 2.24 mm hoch
 Streuwert 8.97, horizontal: 3.01, vertikal: 12.33



Serie 2:
 8.6 ↓ 9.9 ↙ 10.6 * 9.9 ↑ 9.3 ↑
 10.0 ↑ 9.8 ↙ 9.4 ↓ 10.1 ↙ 10.3 ←
 beste Teiler 256.4 (13.) 508.8 (20.) 714.7 (19.)
 Trefferlage 3.78 mm links, 2.14 mm tief
 Streuwert 6.94, horizontal: 2.01, vertikal: 9.61





Serie 3:
 10.4 * 10.0 ↓ 9.8 ↑ 9.4 ↑ 10.1 ↗
 10.2 ↘ 10.1 ← 9.8 ↗ 9.8 ↙ 9.3 ↑
 beste Teiler 421.6 (21.) 628.0 (26.) 644.0 (27.)
 Trefferlage 1.53 mm links, 3.79 mm hoch
 Streuwert 5.83, horizontal: 4.21, vertikal: 7.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **276.9** (262)
 Serien: 92.0 93.8 91.1
 Zähler: 5 17 5 2 0 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4066 (7), 2771 (29), 2568 (28)
 beste Teiler 335.2 (25.) 374.7 (20.) 435.1 (2.)
 Trefferlage 1.31 mm rechts, 0.30 mm hoch
 Streuwert 11.28, horizontal: 10.88, vertikal: 11.66



Serie 1:
 9.0 ↓ 10.4 * 9.3 ↘ 10.3 ↓ 9.3 ↓
 9.5 → 5.9 ↑ 9.9 ↘ 10.0 → 8.4 ↑
 beste Teiler 435.1 (2.) 534.1 (4.) 785.7 (9.)
 Trefferlage 2.99 mm rechts, 1.49 mm hoch
 Streuwert 12.62, horizontal: 5.26, vertikal: 17.05





Serie 2:
 9.8 ↙ 9.6 ↗ 8.6 ↗ 9.2 ↓ 8.5 →
 8.9 ↘ 9.8 ↘ 9.3 ↓ 9.6 ↓ 10.5 *
 beste Teiler 374.7 (20.) 899.5 (11.) 943.9 (17.)
 Trefferlage 2.68 mm rechts, 0.92 mm tief
 Streuwert 9.69, horizontal: 9.58, vertikal: 9.80




Serie 3:
 9.8 ↓ 9.7 ↖ 9.9 → 9.0 → 10.5 *
 8.6 ↗ 9.1 → 7.7 ← 7.5 ← 9.3 ←
 beste Teiler 335.2 (25.) 826.1 (23.) 890.8 (21.)
 Trefferlage 1.72 mm links, 0.34 mm hoch
 Streuwert 12.13, horizontal: 15.69, vertikal: 6.94

Unterschrift des Schützen


Ergebnis: **303.7** (289)
 Serien: 98.1 102.1 103.5
 Zähler: 20 9 1 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1812 (1), 1339 (4), 1313 (6)
 beste Teiler 197.7 (17.) 228.1 (29.) 243.2 (27.)
 Trefferlage 0.68 mm links, 0.64 mm tief
 Streuwert 5.46, horizontal: 2.95, vertikal: 7.13



Serie 1:
 8.7 ↓ 10.6 * 10.2 ↖ 9.3 ↓ 10.6 *
 9.3 ↓ 9.3 ↖ 10.4 * 9.9 ↑ 9.8 ↖
 beste Teiler 265.7 (2.) 302.2 (5.) 448.9 (8.)
 Trefferlage 0.79 mm links, 1.84 mm tief
 Streuwert 7.54, horizontal: 3.02, vertikal: 10.22



Serie 2:
 9.7 ↓ 10.3 ← 10.0 ↙ 10.2 ↓ 10.1 ↓
 10.6 * 10.7 * 10.5 * 9.8 ↓ 10.2 ↑
 beste Teiler 197.7 (17.) 259.0 (16.) 351.7 (18.)
 Trefferlage 1.25 mm links, 2.97 mm tief
 Streuwert 4.12, horizontal: 2.91, vertikal: 5.05





Serie 3:
 10.4 * 10.6 * 10.1 ↑ 10.6 * 10.5 *
 9.9 ↖ 10.6 * 10.2 ↑ 10.7 * 9.9 ↖
 beste Teiler 228.1 (29.) 243.2 (27.) 275.1 (22.)
 Trefferlage 0.00 mm , 2.87 mm hoch
 Streuwert 3.34, horizontal: 3.10, vertikal: 3.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285.5** (270)
 Serien: 94.3 95.3 95.9
 Zähler: 8 14 8 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2252 (17), 2148 (3), 2055 (10)
 beste Teiler 299.1 (20.) 306.3 (23.) 463.0 (9.)
 Trefferlage 0.31 mm links, 1.97 mm hoch
 Streuwert 9.11, horizontal: 8.62, vertikal: 9.57



Serie 1:
 9.7 → 9.1 ↙ 8.3 ↑ 8.6 ↓ 9.9 ↗
 10.2 ↓ 9.8 ↘ 9.9 ← 10.4 * 8.4 ↗
 beste Teiler 463.0 (9.) 561.8 (6.) 814.8 (5.)
 Trefferlage 2.02 mm rechts, 1.41 mm hoch
 Streuwert 9.93, horizontal: 7.90, vertikal: 11.61



Serie 2:
 9.7 ↖ 10.4 * 9.8 ↑ 8.4 ↖ 8.4 ↘
 9.7 ↖ 8.1 ← 10.1 ↓ 10.1 ↑ 10.6 *
 beste Teiler 299.1 (20.) 466.8 (12.) 660.1 (18.)
 Trefferlage 3.40 mm links, 1.08 mm hoch
 Streuwert 9.49, horizontal: 8.50, vertikal: 10.39





Serie 3:
 9.9 ↖ 9.6 ↖ 10.6 * 8.8 ← 9.7 ↗
 9.5 → 9.9 ↘ 9.0 ↗ 8.9 ↑ 10.0 →
 beste Teiler 306.3 (23.) 726.3 (30.) 845.8 (21.)
 Trefferlage 0.42 mm rechts, 3.42 mm hoch
 Streuwert 8.25, horizontal: 9.33, vertikal: 7.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **289.9** (276)
 Serien: 96.8 97.5 95.6
 Zähler: 10 17 2 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2490 (21), 2153 (26), 1899 (11)
 beste Teiler 66.8 (23.) 88.1 (5.) 167.0 (29.)
 Trefferlage 1.08 mm links, 5.52 mm hoch
 Streuwert 7.50, horizontal: 5.95, vertikal: 8.78



Serie 1:
 9.0 ↑ 10.2 ↑ 9.0 ↗ 9.3 ↖ 10.8 *
 10.1 ↙ 9.6 ↑ 9.7 ↖ 9.8 ↖ 9.3 ↗
 beste Teiler 88.1 (5.) 611.0 (2.) 646.2 (6.)
 Trefferlage 0.86 mm links, 7.33 mm hoch
 Streuwert 6.15, horizontal: 5.84, vertikal: 6.44





Serie 2:
 8.6 ↖ 9.3 ↖ 10.6 * 9.8 ↓ 9.9 ↖
 10.6 * 9.7 ↖ 9.4 ↖ 10.2 ↘ 9.4 ↗
 beste Teiler 242.2 (16.) 317.0 (13.) 595.8 (19.)
 Trefferlage 2.55 mm links, 4.06 mm hoch
 Streuwert 7.16, horizontal: 6.92, vertikal: 7.39




Serie 3:
 7.8 ↑ 9.2 ↓ 10.9 * 9.4 ↓ 10.4 *
 8.3 ↖ 10.4 * 9.0 ↑ 10.7 * 9.5 ↑
 beste Teiler 66.8 (23.) 167.0 (29.) 424.8 (25.)
 Trefferlage 0.16 mm rechts, 5.17 mm hoch
 Streuwert 9.33, horizontal: 5.29, vertikal: 12.08

Unterschrift des Schützen


Ergebnis: **294.6** (281)
 Serien: 96.5 96.0 102.1
 Zähler: 17 8 4 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2437 (15), 2388 (11), 1890 (4)
 beste Teiler 146.8 (30.) 196.3 (27.) 211.0 (10.)
 Trefferlage 0.11 mm links, 1.78 mm hoch
 Streuwert 7.75, horizontal: 4.72, vertikal: 9.89



Serie 1:
 8.8 ↗ 9.8 ↘ 8.8 ↑ 8.6 ↑ 9.3 ↘
 9.8 ↑ 10.1 ↖ 10.0 ↘ 10.6 * 10.7 *
 beste Teiler 211.0 (10.) 314.6 (9.) 698.6 (7.)
 Trefferlage 1.72 mm links, 3.98 mm hoch
 Streuwert 8.20, horizontal: 3.89, vertikal: 10.93



Serie 2:
 8.0 ↑ 9.6 ↑ 10.4 * 10.0 ↓ 7.9 ↓
 9.7 ↗ 10.4 * 9.8 ↓ 10.1 ↑ 10.1 ↘
 beste Teiler 431.3 (17.) 447.6 (13.) 653.1 (19.)
 Trefferlage 1.65 mm rechts, 0.57 mm hoch
 Streuwert 9.54, horizontal: 2.99, vertikal: 13.15





Serie 3:
 9.0 ← 10.4 * 10.4 * 9.6 ↑ 10.2 →
 10.3 ← 10.7 * 10.5 * 10.2 → 10.8 *
 beste Teiler 146.8 (30.) 196.3 (27.) 344.9 (28.)
 Trefferlage 0.25 mm links, 0.79 mm hoch
 Streuwert 5.29, horizontal: 6.43, vertikal: 3.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **298.7** (287)
 Serien: 96.8 100.4 101.5
 Zähler: 17 13 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1518 (9), 1471 (1), 1451 (16)
 beste Teiler 196.0 (18.) 292.0 (28.) 345.6 (12.)
 Trefferlage 1.62 mm links, 2.43 mm tief
 Streuwert 5.94, horizontal: 3.73, vertikal: 7.53



Serie 1:
 9.1 ↘ 9.7 ↓ 10.3 ↙ 10.2 ↙ 9.5 ↘
 9.2 ↑ 10.2 ↓ 9.8 ↑ 9.1 ↙ 9.7 ↙
 beste Teiler 487.9 (3.) 561.0 (7.) 626.2 (4.)
 Trefferlage 0.12 mm links, 4.42 mm tief
 Streuwert 7.24, horizontal: 5.00, vertikal: 8.93



Serie 2:
 9.9 ↓ 10.5 * 9.4 ↙ 10.4 * 10.4 *
 9.1 ↓ 10.1 ← 10.7 * 10.1 ↘ 9.8 ↘
 beste Teiler 196.0 (18.) 345.6 (12.) 401.0 (14.)
 Trefferlage 2.01 mm links, 3.19 mm tief
 Streuwert 5.35, horizontal: 3.30, vertikal: 6.81





Serie 3:
 10.4 ↑ 10.3 ↘ 10.2 ↘ 9.5 ↓ 10.4 *
 10.4 ↘ 10.0 ↙ 10.6 * 10.3 ↓ 9.4 ↑
 beste Teiler 292.0 (28.) 448.3 (25.) 476.8 (21.)
 Trefferlage 2.74 mm links, 0.33 mm hoch
 Streuwert 4.89, horizontal: 2.20, vertikal: 6.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **281.4** (267)
 Serien: 92.2 96.5 92.7
 Zähler: 9 10 10 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2758 (1), 2191 (6), 2115 (15)
 beste Teiler 277.0 (11.) 348.5 (18.) 381.1 (26.)
 Trefferlage 4.79 mm links, 2.88 mm tief
 Streuwert 9.33, horizontal: 5.46, vertikal: 12.00



Serie 1:
 7.5 ↑ 9.2 ↑ 10.2 ↑ 8.8 ← 9.8 ↓
 8.2 ↓ 9.7 ← 10.0 ↑ 8.6 ↘ 10.2 ←
 beste Teiler 561.2 (3.) 585.0 (10.) 768.1 (8.)
 Trefferlage 5.20 mm links, 2.96 mm hoch
 Streuwert 10.57, horizontal: 6.14, vertikal: 13.63





Serie 2:
 10.6 * 9.6 ↙ 9.4 ↙ 10.2 ↗ 8.3 ↓
 10.4 * 8.7 ↘ 10.5 * 9.2 ↓ 9.6 ↓
 beste Teiler 277.0 (11.) 348.5 (18.) 439.0 (16.)
 Trefferlage 3.55 mm links, 4.03 mm tief
 Streuwert 8.05, horizontal: 5.18, vertikal: 10.14




Serie 3:
 9.8 ↘ 8.9 ↓ 9.3 ↙ 9.8 ← 8.6 ←
 10.5 * 8.6 ↓ 8.5 ↓ 8.6 ↓ 10.1 ↘
 beste Teiler 381.1 (26.) 701.2 (30.) 922.1 (21.)
 Trefferlage 5.64 mm links, 7.59 mm tief
 Streuwert 8.38, horizontal: 5.37, vertikal: 10.57

Unterschrift des Schützen


Ergebnis: **222.2** (211)
 Serien: 75.3 71.2 75.7
 Zähler: 1 6 5 7 4 6 1 0 0 0
 Innenzehner: 0
 weiteste: 4803 (20), 4741 (16), 4624 (14)
 beste Teiler 666.2 (13.) 926.9 (30.) 938.2 (3.)
 Trefferlage 9.24 mm links, 23.89 mm hoch
 Streuwert 12.64, horizontal: 7.86, vertikal: 16.05



Serie 1:
 9.1 ↘ 9.2 ↘ 9.8 ↙ 7.2 ↘ 5.3 ↑
 8.7 ↘ 6.1 ↑ 7.3 ↑ 7.0 ↘ 5.6 ↑
 beste Teiler 938.2 (3.) 1364.6 (2.) 1448.1 (1.)
 Trefferlage 10.99 mm links, 22.74 mm hoch
 Streuwert 11.99, horizontal: 5.68, vertikal: 15.97



Serie 2:
 6.7 ↑ 7.1 ↑ 10.1 ↗ 5.2 ↑ 8.9 ↘
 5.0 ↑ 8.1 ↘ 7.2 ↘ 8.0 ↑ 4.9 ↑
 beste Teiler 666.2 (13.) 1640.7 (15.) 2289.1 (17.)
 Trefferlage 6.68 mm links, 28.58 mm hoch
 Streuwert 11.76, horizontal: 9.21, vertikal: 13.85





Serie 3:
 6.0 ↑ 5.2 ↘ 5.9 ↑ 7.8 ↘ 9.2 ↑
 7.6 ↑ 8.4 ↙ 6.5 ↑ 9.3 ↑ 9.8 ↙
 beste Teiler 926.9 (30.) 1342.4 (29.) 1419.6 (25.)
 Trefferlage 10.05 mm links, 20.36 mm hoch
 Streuwert 14.39, horizontal: 8.40, vertikal: 18.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **250.8** (236)
 Serien: 92.4 75.9 82.5
 Zähler: 2 11 8 5 2 0 1 0 1 0
 Innenzehner: 1
 weiteste: 6809 (15), 4892 (30), 3994 (12)
 beste Teiler 131.3 (21.) 752.8 (8.) 905.8 (18.)
 Trefferlage 4.98 mm links, 2.33 mm hoch
 Streuwert 17.24, horizontal: 11.27, vertikal: 21.62



Serie 1:
 8.8 ↑ 8.7 ↑ 9.3 ↑ 7.9 ↗ 9.1 ↖
 9.8 ↘ 9.3 ↙ 10.0 ← 9.7 ← 9.8 ↑
 beste Teiler 752.8 (8.) 943.9 (6.) 944.5 (10.)
 Trefferlage 1.97 mm links, 9.00 mm hoch
 Streuwert 8.40, horizontal: 6.54, vertikal: 9.91



Serie 2:
 7.7 ← 6.0 ↓ 8.2 ↘ 9.1 ↘ 2.4 ↘
 8.5 ↓ 7.1 ↑ 9.8 ← 7.6 ↑ 9.5 ↑
 beste Teiler 905.8 (18.) 1130.6 (20.) 1505.4 (14.)
 Trefferlage 9.68 mm links, 7.91 mm tief
 Streuwert 21.49, horizontal: 16.34, vertikal: 25.63





Serie 3:
 10.8 * 7.8 ↘ 8.5 ↘ 8.5 ↓ 9.3 ↘
 6.8 ↑ 9.4 ← 8.6 ↗ 8.0 ↘ 4.8 ↓
 beste Teiler 131.3 (21.) 1257.7 (27.) 1344.7 (25.)
 Trefferlage 3.29 mm links, 5.91 mm hoch
 Streuwert 17.79, horizontal: 7.88, vertikal: 23.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **283.9** (270)
 Serien: 96.2 96.7 91.0
 Zähler: 12 9 6 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2879 (21), 2831 (25), 2543 (9)
 beste Teiler 113.4 (5.) 188.6 (4.) 296.6 (26.)
 Trefferlage 4.03 mm links, 0.45 mm hoch
 Streuwert 9.87, horizontal: 10.44, vertikal: 9.25



Serie 1:
 8.4 ↗ 10.0 ↑ 8.9 ↗ 10.7 * 10.8 *
 9.0 ↘ 10.1 ← 10.5 * 7.8 ← 10.0 ↗
 beste Teiler 113.4 (5.) 188.6 (4.) 393.6 (8.)
 Trefferlage 2.45 mm links, 4.30 mm hoch
 Streuwert 9.16, horizontal: 9.57, vertikal: 8.73





Serie 2:
 10.3 ← 9.7 ← 9.9 ↗ 10.0 ↑ 8.0 →
 10.5 * 8.3 ← 9.6 ↘ 10.5 * 9.9 ↓
 beste Teiler 339.9 (16.) 377.0 (19.) 484.6 (11.)
 Trefferlage 0.93 mm links, 0.92 mm tief
 Streuwert 8.92, horizontal: 11.09, vertikal: 6.01




Serie 3:
 7.4 ← 10.3 ↑ 9.9 ↘ 9.5 ↘ 7.4 ←
 10.6 * 9.4 ↓ 8.5 ↓ 8.5 ↑ 9.5 ↘
 beste Teiler 296.6 (26.) 492.7 (22.) 875.3 (23.)
 Trefferlage 8.70 mm links, 2.02 mm tief
 Streuwert 10.89, horizontal: 9.96, vertikal: 11.75

Unterschrift des Schützen


Ergebnis: **297.8** (285)
 Serien: 98.6 98.9 100.3
 Zähler: 16 13 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1721 (8), 1487 (19), 1400 (6)
 beste Teiler 172.2 (5.) 198.4 (20.) 299.4 (3.)
 Trefferlage 1.13 mm links, 1.81 mm tief
 Streuwert 6.33, horizontal: 5.88, vertikal: 6.75



Serie 1:
 9.9 ← 9.4 ↖ 10.6 * 10.3 ↘ 10.7 *
 9.2 ↗ 10.5 * 8.8 ↖ 9.2 ↓ 10.0 ↓
 beste Teiler 172.2 (5.) 299.4 (3.) 338.2 (7.)
 Trefferlage 4.43 mm links, 1.05 mm tief
 Streuwert 6.71, horizontal: 5.66, vertikal: 7.61



Serie 2:
 9.7 ← 10.1 ← 10.0 ↘ 9.7 ↓ 9.7 ↑
 10.0 ↗ 9.9 ↓ 10.0 ↓ 9.1 ↓ 10.7 *
 beste Teiler 198.4 (20.) 709.8 (12.) 742.4 (18.)
 Trefferlage 1.98 mm links, 2.24 mm tief
 Streuwert 6.40, horizontal: 4.51, vertikal: 7.85





Serie 3:
 10.1 ↓ 10.3 ↓ 9.6 ↗ 10.1 ↘ 9.7 →
 10.3 ↓ 10.3 ↖ 10.5 * 9.6 ↓ 9.8 ↘
 beste Teiler 400.0 (28.) 491.1 (27.) 496.8 (26.)
 Trefferlage 3.02 mm rechts, 2.14 mm tief
 Streuwert 5.16, horizontal: 5.18, vertikal: 5.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **274.3** (263)
 Serien: 93.8 88.0 92.5
 Zähler: 8 13 5 2 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3645 (9), 3264 (10), 2735 (13)
 beste Teiler 206.4 (5.) 276.7 (28.) 277.3 (6.)
 Trefferlage 1.53 mm links, 4.81 mm hoch
 Streuwert 11.57, horizontal: 7.61, vertikal: 14.48



Serie 1:
 10.0 ↑ 10.0 → 9.2 ← 10.3 ↘ 10.7 *
 10.6 * 10.5 * 9.2 ↘ 6.4 ↓ 6.9 ↑
 beste Teiler 206.4 (5.) 277.3 (6.) 365.6 (7.)
 Trefferlage 0.48 mm rechts, 1.58 mm hoch
 Streuwert 12.82, horizontal: 7.72, vertikal: 16.40





Serie 2:
 8.1 ↑ 9.1 ↖ 7.5 ↑ 9.4 ↑ 9.0 ↘
 8.6 ↙ 9.5 ↑ 8.7 ↑ 9.9 ↗ 8.2 ↑
 beste Teiler 870.0 (19.) 1190.9 (17.) 1240.5 (14.)
 Trefferlage 3.51 mm links, 12.59 mm hoch
 Streuwert 9.26, horizontal: 8.24, vertikal: 10.18




Serie 3:
 9.5 ↘ 9.0 ↙ 9.8 ← 9.4 ↗ 9.0 ↑
 7.8 ↑ 9.1 ↑ 10.6 * 8.1 ↓ 10.2 ↓
 beste Teiler 276.7 (28.) 614.0 (30.) 944.8 (23.)
 Trefferlage 1.56 mm links, 0.27 mm hoch
 Streuwert 11.22, horizontal: 7.10, vertikal: 14.19

Unterschrift des Schützen


Ergebnis: **289.1** (275)
 Serien: 95.9 98.3 94.9
 Zähler: 12 13 3 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3060 (6), 2432 (18), 2300 (21)
 beste Teiler 130.1 (17.) 202.0 (26.) 241.8 (11.)
 Trefferlage 4.27 mm rechts, 4.93 mm tief
 Streuwert 7.71, horizontal: 4.99, vertikal: 9.69



Serie 1:
 10.4 * 10.2 ↘ 9.6 ↘ 9.9 ↘ 10.1 ↘
 7.1 ↘ 9.8 → 9.8 ↘ 10.0 ↑ 9.0 ↘
 beste Teiler 447.5 (1.) 573.0 (2.) 658.8 (5.)
 Trefferlage 4.57 mm rechts, 5.03 mm tief
 Streuwert 8.22, horizontal: 5.71, vertikal: 10.13



Serie 2:
 10.6 * 10.5 * 10.6 * 9.5 ↘ 9.0 ↘
 10.3 → 10.8 * 7.9 ↘ 9.2 → 9.9 →
 beste Teiler 130.1 (17.) 241.8 (11.) 262.0 (13.)
 Trefferlage 5.28 mm rechts, 3.77 mm tief
 Streuwert 6.90, horizontal: 5.97, vertikal: 7.72





Serie 3:
 8.1 ↓ 9.0 ↘ 9.4 ↗ 9.4 ↑ 8.9 ↓
 10.7 * 8.8 ↓ 10.3 → 10.4 * 9.9 ↓
 beste Teiler 202.0 (26.) 444.7 (29.) 525.3 (28.)
 Trefferlage 2.95 mm rechts, 5.99 mm tief
 Streuwert 8.55, horizontal: 2.98, vertikal: 11.72

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **267.4** (253)
 Serien: 88.2 86.6 92.6
 Zähler: 5 14 5 2 3 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4135 (18), 3677 (4), 3445 (16)
 beste Teiler 492.4 (20.) 533.3 (10.) 571.8 (29.)
 Trefferlage 0.25 mm rechts, 5.03 mm hoch
 Streuwert 13.10, horizontal: 10.28, vertikal: 15.42




Serie 1:
 9.7 ↓ 9.7 ↓ 8.8 ↖ 6.4 ↑ 9.3 ↑
 8.4 → 9.9 ↙ 8.9 ↑ 6.8 ↖ 10.3 →

beste Teiler 533.3 (10.) 803.8 (7.) 975.8 (2.)
 Trefferlage 0.78 mm links, 8.08 mm hoch
 Streuwert 13.43, horizontal: 11.14, vertikal: 15.39



Serie 2:
 8.5 ↖ 9.4 ↗ 9.2 ↑ 9.0 ↓ 8.4 ↑
 6.6 ↓ 10.1 ↘ 5.8 ↑ 9.3 ↖ 10.3 ←

beste Teiler 492.4 (20.) 713.2 (17.) 1276.1 (12.)
 Trefferlage 2.47 mm links, 4.97 mm hoch
 Streuwert 15.37, horizontal: 7.71, vertikal: 20.32





Serie 3:
 9.7 ↖ 9.6 ↖ 9.8 ↓ 10.1 ↗ 7.9 ↗
 9.6 ↗ 9.0 ↙ 7.7 ↗ 10.2 ↘ 9.0 ↘

beste Teiler 571.8 (29.) 685.2 (24.) 945.2 (23.)
 Trefferlage 4.03 mm rechts, 2.04 mm hoch
 Streuwert 10.66, horizontal: 11.46, vertikal: 9.79


Unterschrift des Schützen

Ergebnis: **281.6** (269)
 Serien: 92.8 89.9 98.9
 Zähler: 11 9 8 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2850 (1), 2417 (16), 2358 (23)
 beste Teiler 35.0 (21.) 199.5 (2.) 283.7 (30.)
 Trefferlage 1.71 mm rechts, 3.94 mm hoch
 Streuwert 10.08, horizontal: 8.19, vertikal: 11.66




Serie 1:
 7.4 ↑ 10.7 * 9.1 ↑ 8.0 → 9.9 ↖
 8.5 ↗ 10.4 * 10.5 * 8.9 ↘ 9.4 ←

beste Teiler 199.5 (2.) 381.1 (8.) 427.2 (7.)
 Trefferlage 0.65 mm rechts, 8.37 mm hoch
 Streuwert 10.01, horizontal: 10.12, vertikal: 9.89



Serie 2:
 9.4 ↘ 9.1 ↑ 8.4 ↖ 9.4 ✓ 8.2 →
 7.9 ↖ 10.3 ↓ 9.2 ↑ 8.5 ↗ 9.5 ↓

beste Teiler 482.2 (17.) 1135.5 (20.) 1220.4 (14.)
 Trefferlage 2.01 mm rechts, 5.46 mm hoch
 Streuwert 11.57, horizontal: 9.97, vertikal: 12.98





Serie 3:
 10.9 * 10.5 * 8.0 ↑ 10.3 ↘ 10.0 ✓
 10.0 ↓ 9.8 ↘ 10.2 → 8.6 ↓ 10.6 *

beste Teiler 35.0 (21.) 283.7 (30.) 345.0 (22.)
 Trefferlage 2.48 mm rechts, 2.00 mm tief
 Streuwert 7.76, horizontal: 3.50, vertikal: 10.40


Unterschrift des Schützen

Ergebnis: **251.1** (236)
 Serien: 84.7 83.8 82.6
 Zähler: 3 7 8 7 5 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3967 (19), 3896 (1), 3896 (25)
 beste Teiler 158.7 (8.) 417.6 (20.) 535.7 (21.)
 Trefferlage 12.02 mm links, 2.90 mm hoch
 Streuwert 14.28, horizontal: 13.43, vertikal: 15.09




Serie 1:
 6.1 ← 9.4 ↑ 6.7 ↘ 8.0 ↓ 9.8 ↗
 7.8 ← 9.8 ← 10.8 * 7.7 ↑ 8.6 ↖

beste Teiler 158.7 (8.) 892.2 (7.) 937.1 (5.)
 Trefferlage 9.03 mm links, 7.61 mm hoch
 Streuwert 14.57, horizontal: 14.26, vertikal: 14.87



Serie 2:
 8.3 ↘ 7.7 ↘ 7.4 ← 7.6 ↘ 8.6 ↖
 8.0 ← 9.9 ↘ 9.9 ↘ 6.0 ← 10.4 *

beste Teiler 417.6 (20.) 813.6 (18.) 816.2 (17.)
 Trefferlage 16.00 mm links, 7.99 mm hoch
 Streuwert 10.79, horizontal: 12.97, vertikal: 8.05





Serie 3:
 10.3 ↗ 6.1 ↘ 9.5 ↗ 8.6 ↗ 6.1 ↗
 9.9 ↘ 8.5 ↓ 8.8 ↘ 7.1 ↓ 7.7 ←


beste Teiler 535.7 (21.) 858.6 (26.) 1163.5 (23.)
 Trefferlage 11.03 mm links, 6.88 mm tief
 Streuwert 15.30, horizontal: 13.44, vertikal: 16.96

Unterschrift des Schützen


Ergebnis: **278.2** (268)
 Serien: 93.6 89.3 95.3
 Zähler: 8 16 3 2 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3501 (19), 3093 (25), 2572 (12)
 beste Teiler 143.6 (21.) 499.6 (30.) 594.6 (24.)
 Trefferlage 3.47 mm rechts, 0.30 mm hoch
 Streuwert 10.75, horizontal: 9.57, vertikal: 11.81



Serie 1:
 8.0 ↗ 8.9 ↓ 9.8 ↘ 10.0 ↑ 9.3 ↓
 9.5 → 10.1 ↑ 9.3 ↑ 9.4 → 9.3 ↓
 beste Teiler 675.4 (7.) 766.6 (4.) 920.4 (3.)
 Trefferlage 5.58 mm rechts, 1.22 mm tief
 Streuwert 9.19, horizontal: 6.61, vertikal: 11.18



Serie 2:
 8.5 ↗ 7.7 ↓ 9.0 ↘ 9.2 ↓ 9.4 ↑
 10.1 ↗ 9.7 ↗ 10.1 ↘ 6.6 ↗ 9.0 →
 beste Teiler 672.9 (18.) 688.7 (16.) 1033.0 (17.)
 Trefferlage 7.67 mm rechts, 0.94 mm hoch
 Streuwert 12.29, horizontal: 8.62, vertikal: 15.09





Serie 3:
 10.8 * 9.0 ↓ 10.0 ↑ 10.2 ↙ 7.1 ↘
 9.6 ↘ 9.2 ↖ 9.9 ↙ 9.2 ↗ 10.3 ↗
 beste Teiler 143.6 (21.) 499.6 (30.) 594.6 (24.)
 Trefferlage 2.83 mm links, 1.19 mm hoch
 Streuwert 10.03, horizontal: 10.42, vertikal: 9.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **275.8** (264)
 Serien: 91.0 92.6 92.2
 Zähler: 8 11 9 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3951 (19), 2462 (20), 2370 (9)
 beste Teiler 148.0 (25.) 270.4 (17.) 292.2 (10.)
 Trefferlage 0.06 mm rechts, 4.36 mm tief
 Streuwert 11.26, horizontal: 8.25, vertikal: 13.61



Serie 1:
 8.7 ↓ 9.1 ↘ 8.5 ↓ 8.6 ↖ 9.9 ↓
 10.0 ↘ 8.1 ↖ 9.5 ↘ 8.0 ↓ 10.6 *
 beste Teiler 292.2 (10.) 733.4 (6.) 838.9 (5.)
 Trefferlage 0.01 mm links, 6.34 mm tief
 Streuwert 11.18, horizontal: 5.28, vertikal: 14.91





Serie 2:
 9.5 ↓ 9.2 ↓ 10.2 ↖ 9.2 ↘ 10.4 *
 9.2 ↓ 10.6 * 10.4 * 6.0 ↓ 7.9 →
 beste Teiler 270.4 (17.) 470.5 (15.) 473.3 (18.)
 Trefferlage 2.13 mm rechts, 10.13 mm tief
 Streuwert 10.28, horizontal: 8.80, vertikal: 11.58




Serie 3:
 8.4 ↖ 9.8 → 9.0 ↖ 8.5 ↑ 10.8 *
 8.4 ↙ 9.6 ↑ 9.3 ↓ 8.4 ↗ 10.0 ↑
 beste Teiler 148.0 (25.) 775.9 (30.) 896.7 (22.)
 Trefferlage 1.94 mm links, 3.38 mm hoch
 Streuwert 10.90, horizontal: 10.25, vertikal: 11.52

Unterschrift des Schützen


Ergebnis: **247.5** (236)
 Serien: 80.9 80.3 86.3
 Zähler: 2 7 11 5 5 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3745 (15), 3723 (19), 3605 (13)
 beste Teiler 424.6 (17.) 705.4 (22.) 858.8 (25.)
 Trefferlage 2.49 mm rechts, 0.79 mm hoch
 Streuwert 16.68, horizontal: 15.83, vertikal: 17.49



Serie 1:
 8.1 ↓ 8.6 ↑ 8.0 ↑ 7.9 ↗ 7.7 ↖
 8.0 ↙ 6.5 ↓ 9.2 ↘ 9.4 ↖ 7.5 ↑
 beste Teiler 1253.3 (9.) 1399.7 (8.) 1859.8 (2.)
 Trefferlage 0.89 mm links, 0.65 mm hoch
 Streuwert 17.69, horizontal: 10.91, vertikal: 22.52



Serie 2:
 7.3 ↓ 8.7 ↗ 6.4 → 9.2 ↖ 6.3 ↗
 9.0 ↘ 10.4 * 8.4 ↖ 6.3 → 8.3 ↖
 beste Teiler 424.6 (17.) 1368.0 (14.) 1524.7 (16.)
 Trefferlage 7.31 mm rechts, 1.99 mm hoch
 Streuwert 18.23, horizontal: 20.22, vertikal: 16.00





Serie 3:
 8.5 ↓ 10.1 ↑ 8.3 ↖ 9.1 ↖ 9.9 ↖
 8.4 → 8.3 ↖ 6.7 ↑ 9.6 ↗ 7.4 ↗
 beste Teiler 705.4 (22.) 858.8 (25.) 1097.8 (29.)
 Trefferlage 1.07 mm rechts, 0.24 mm tief
 Streuwert 15.15, horizontal: 15.45, vertikal: 14.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **243.3** (229)
 Serien: 80.5 82.3 80.5
 Zähler: 3 6 8 5 6 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4040 (1), 4014 (3), 3906 (27)
 beste Teiler 397.4 (28.) 414.7 (17.) 747.3 (14.)
 Trefferlage 1.07 mm rechts, 10.80 mm hoch
 Streuwert 16.16, horizontal: 15.18, vertikal: 17.09



Serie 1:
 5.9 ↘ 8.8 ↘ 5.9 ↑ 9.4 ↘ 9.6 ↗
 6.7 ↗ 7.6 ↑ 9.3 → 8.3 → 9.0 ↑
 beste Teiler 1091.6 (5.) 1216.5 (4.) 1337.2 (8.)
 Trefferlage 3.00 mm rechts, 14.43 mm hoch
 Streuwert 15.53, horizontal: 17.00, vertikal: 13.90



Serie 2:
 6.9 ↗ 6.3 ↗ 9.2 ↑ 10.0 ↑ 8.1 ↑
 6.8 ↘ 10.4 * 8.5 ↗ 8.6 ↘ 7.5 ↘
 beste Teiler 414.7 (17.) 747.3 (14.) 1419.1 (13.)
 Trefferlage 4.76 mm rechts, 9.67 mm hoch
 Streuwert 16.14, horizontal: 14.65, vertikal: 17.50





Serie 3:
 6.5 ↘ 9.0 ↑ 7.5 ↘ 8.6 ← 8.8 ↑
 7.4 ↗ 6.1 ↑ 10.5 * 8.3 ↓ 7.8 ↑
 beste Teiler 397.4 (28.) 1561.3 (22.) 1755.2 (25.)
 Trefferlage 4.56 mm links, 8.30 mm hoch
 Streuwert 17.37, horizontal: 13.57, vertikal: 20.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **281.3** (266)
 Serien: 93.1 96.6 91.6
 Zähler: 9 13 6 0 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4583 (23), 3299 (5), 2209 (18)
 beste Teiler 220.4 (13.) 321.5 (15.) 426.8 (22.)
 Trefferlage 2.41 mm rechts, 1.91 mm tief
 Streuwert 10.86, horizontal: 11.09, vertikal: 10.63



Serie 1:
 10.0 ↗ 10.2 ↖ 8.8 ↗ 8.5 ↓ 6.8 ↗
 9.8 ↓ 9.8 ↑ 9.5 ↗ 9.9 ↑ 9.8 ↗
 beste Teiler 639.1 (2.) 765.7 (1.) 811.7 (9.)
 Trefferlage 5.79 mm rechts, 4.75 mm hoch
 Streuwert 9.93, horizontal: 6.23, vertikal: 12.59



Serie 2:
 10.1 ↑ 9.5 ↘ 10.7 * 10.2 ↗ 10.5 *
 8.6 ↓ 9.6 ↖ 8.2 ↓ 9.4 ↖ 9.8 ↖
 beste Teiler 220.4 (13.) 321.5 (15.) 589.4 (14.)
 Trefferlage 3.60 mm links, 1.83 mm tief
 Streuwert 8.47, horizontal: 7.44, vertikal: 9.39



Serie 3:
 8.7 ↙ 10.4 * 5.2 ↘ 9.4 ↓ 9.8 ↓
 10.0 ↓ 9.7 ↘ 8.5 ↘ 9.9 ↓ 10.0 ↘
 beste Teiler 426.8 (22.) 779.9 (26.) 786.4 (30.)
 Trefferlage 5.05 mm rechts, 8.65 mm tief
 Streuwert 11.38, horizontal: 15.53, vertikal: 4.19

Unterschrift des Schützen