





Ergebnis: **342** (361.2)
 Serien: 86 90 87 79
 Zähler: 9 14 12 3 1 0 0 1 0 0
 Innenzehner: 7
 weiteste: 1760 (34), 1039 (9), 920 (33)
 beste Teiler 29.7 (3.) 92.3 (10.) 124.7 (40.)
 Trefferlage 0.59 mm links, 0.25 mm tief
 Streuwert 4.09, horizontal: 5.07, vertikal: 2.80




Serie 1:
 8.6 ↖ 9.2 ↖ 10.8 * 8.7 → 8.8 →
 7.6 ↗ 10.2 * 10.2 * 6.8 ← 10.6 *
 beste Teiler 29.7 (3.) 92.3 (10.) 179.2 (8.)
 Trefferlage 1.44 mm links, 0.76 mm tief
 Streuwert 3.88, horizontal: 5.08, vertikal: 2.08



Serie 2:
 8.5 ↖ 8.2 ↗ 9.0 → 9.0 ↓ 9.8 ↗
 10.4 * 9.1 ← 10.1 ↓ 9.0 ↖ 9.9 ↘
 beste Teiler 138.2 (16.) 205.7 (18.) 271.9 (20.)
 Trefferlage 0.20 mm links, 0.16 mm hoch
 Streuwert 3.34, horizontal: 3.69, vertikal: 2.95





Serie 3:
 8.5 ← 10.3 * 9.9 ↘ 8.2 → 8.2 ↓
 9.9 ↑ 8.9 ↘ 9.6 ← 9.7 ↑ 9.3 →
 beste Teiler 165.3 (22.) 254.8 (23.) 268.8 (26.)
 Trefferlage 0.57 mm rechts, 0.43 mm hoch
 Streuwert 3.39, horizontal: 3.62, vertikal: 3.14




Serie 4:
 9.6 ↖ 10.1 ↖ 7.3 ← 3.9 ← 8.8 ↘
 9.7 ↘ 8.0 ↘ 8.7 ↗ 7.6 ↗ 10.5 *
 beste Teiler 124.7 (40.) 220.5 (32.) 308.6 (36.)
 Trefferlage 1.31 mm links, 0.84 mm tief
 Streuwert 5.71, horizontal: 7.45, vertikal: 3.10

Unterschrift des Schützen


Ergebnis: **362** (377.4)
 Serien: 86 89 95 92
 Zähler: 16 13 8 3 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 876 (11), 836 (9), 781 (6)
 beste Teiler 127.6 (27.) 135.2 (38.) 156.4 (1.)
 Trefferlage 0.89 mm links, 0.56 mm hoch
 Streuwert 3.01, horizontal: 3.63, vertikal: 2.22




Serie 1:
 10.3 * 8.3 ← 10.2 * 9.7 ↑ 8.4 ←
 7.8 ← 10.1 ↗ 9.2 ← 7.6 ← 8.6 ←
 beste Teiler 156.4 (1.) 192.8 (3.) 213.8 (7.)
 Trefferlage 3.95 mm links, 1.03 mm hoch
 Streuwert 2.63, horizontal: 3.40, vertikal: 1.53



Serie 2:
 7.4 ↘ 10.0 ↘ 9.2 → 9.8 ← 8.7 ↘
 10.0 ↓ 8.1 → 9.7 ↑ 9.1 ↘ 10.3 *
 beste Teiler 172.1 (20.) 231.3 (16.) 247.0 (12.)
 Trefferlage 0.69 mm links, 1.81 mm hoch
 Streuwert 3.31, horizontal: 4.06, vertikal: 2.33



Serie 3:
 10.0 ↗ 8.3 → 8.8 ↘ 10.1 ↗ 10.2 *
 10.3 * 10.4 * 10.3 * 9.3 ↓ 10.1 →
 beste Teiler 127.6 (27.) 161.7 (28.) 175.1 (26.)
 Trefferlage 1.38 mm rechts, 0.06 mm hoch
 Streuwert 2.29, horizontal: 2.54, vertikal: 2.00





Serie 4:
 9.5 → 10.2 * 9.6 ↘ 9.6 ↑ 10.2 *
 9.8 ↙ 8.9 ← 10.4 * 9.8 ← 9.1 ↓
 beste Teiler 135.2 (38.) 181.0 (35.) 194.6 (32.)
 Trefferlage 0.31 mm links, 0.65 mm tief
 Streuwert 2.41, horizontal: 2.43, vertikal: 2.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 376 (393.0)
Serien: 94 94 96 92
Zähler: 18 20 2 0 0 0 0 0 0 0
Innenzehner: 14
weiteste: 607 (36), 511 (3), 477 (31)
beste Teiler 11.7 (10.) 59.2 (37.) 74.3 (6.)
Trefferlage 0.23 mm rechts, 0.17 mm hoch
Streuwert 2.24, horizontal: 2.54, vertikal: 1.90




Serie 1:
 9.6 ↗ 9.9 ↗ 8.9 ↓ 9.2 ← 9.7 ←
 10.7 * 10.1 ↘ 10.4 * 10.3 * 10.9 *
beste Teiler 11.7 (10.) 74.3 (6.) 146.3 (8.)
Trefferlage 0.05 mm rechts, 0.90 mm tief
Streuwert 2.06, horizontal: 2.29, vertikal: 1.81



Serie 2:
 9.2 ↗ 10.4 * 10.2 * 9.5 ↓ 9.2 ←
 10.2 * 9.7 ↗ 10.4 * 9.7 ↗ 9.6 ↗
beste Teiler 135.9 (18.) 137.0 (12.) 186.3 (16.)
Trefferlage 0.08 mm rechts, 0.73 mm hoch
Streuwert 2.22, horizontal: 2.56, vertikal: 1.81



Serie 3:
 10.3 * 9.2 ↑ 9.4 ↓ 10.3 * 10.2 *
 10.2 * 10.0 ↘ 10.1 ↗ 9.8 ↗ 9.7 ↗
beste Teiler 172.6 (21.) 175.1 (24.) 185.5 (25.)
Trefferlage 0.19 mm rechts, 0.85 mm hoch
Streuwert 1.96, horizontal: 1.69, vertikal: 2.20





Serie 4:
 9.0 → 10.1 ↘ 9.7 → 10.4 * 9.8 →
 8.5 → 10.7 * 9.4 ← 9.3 ↗ 9.1 ←
beste Teiler 59.2 (37.) 135.6 (34.) 205.7 (32.)
Trefferlage 0.58 mm rechts, 0.01 mm hoch
Streuwert 2.74, horizontal: 3.61, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (401.5)^{QF}
 Serien: 98 96 97 94
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 464 (31), 404 (16), 397 (29)
 beste Teiler 39.2 (10.) 42.9 (27.) 68.1 (36.)
 Trefferlage 0.12 mm links, 0.57 mm tief
 Streuwert 1.74, horizontal: 1.86, vertikal: 1.62




Serie 1:
 10.1 → 10.2 * 10.5 * 10.3 * 10.3 *
 10.5 * 9.7 ← 10.1 → 9.7 ↘ 10.8 *
 beste Teiler 39.2 (10.) 106.5 (3.) 120.0 (6.)
 Trefferlage 0.11 mm links, 0.03 mm tief
 Streuwert 1.49, horizontal: 1.75, vertikal: 1.18



Serie 2:
 9.9 ↙ 10.0 ↘ 10.5 * 9.6 ↘ 10.3 *
 9.3 ↘ 10.4 * 10.0 ← 10.1 ↓ 9.4 ↘
 beste Teiler 123.3 (13.) 128.8 (17.) 167.4 (15.)
 Trefferlage 0.21 mm links, 0.59 mm tief
 Streuwert 1.93, horizontal: 1.88, vertikal: 1.99



Serie 3:
 10.4 * 10.1 ← 9.7 → 10.2 * 10.0 →
 10.4 * 10.8 * 10.1 ↘ 9.4 ← 9.6 ↓
 beste Teiler 42.9 (27.) 141.8 (21.) 150.3 (26.)
 Trefferlage 0.42 mm links, 0.35 mm tief
 Streuwert 1.78, horizontal: 2.15, vertikal: 1.32



Serie 4:
 9.1 ↙ 9.9 → 10.0 → 10.1 ↓ 10.4 *
 10.7 * 9.6 ↓ 9.7 → 9.7 ↘ 9.9 ↗
 beste Teiler 68.1 (36.) 145.4 (35.) 212.0 (34.)
 Trefferlage 0.27 mm rechts, 1.29 mm tief
 Streuwert 1.83, horizontal: 1.86, vertikal: 1.81



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.3)
 Serien: 93 96 91 93
 Zähler: 19 15 6 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 706 (25), 650 (28), 600 (4)
 beste Teiler 27.3 (6.) 102.8 (12.) 105.8 (11.)
 Trefferlage 0.06 mm rechts, 0.33 mm tief
 Streuwert 2.36, horizontal: 2.52, vertikal: 2.18




Serie 1:
 9.8 ↓ 9.7 ↑ 10.0 ↗ 8.6 → 9.4 ↑
 10.8 * 10.3 * 8.9 → 10.2 * 10.0 ↓
 beste Teiler 27.3 (6.) 168.1 (7.) 177.1 (9.)
 Trefferlage 1.27 mm rechts, 0.49 mm hoch
 Streuwert 2.29, horizontal: 2.31, vertikal: 2.27



Serie 2:
 10.5 * 10.5 * 10.3 * 10.5 * 9.7 ↓
 8.9 ↖ 10.4 * 10.3 * 10.0 ↓ 9.4 ↖
 beste Teiler 102.8 (12.) 105.8 (11.) 124.3 (14.)
 Trefferlage 0.26 mm links, 0.32 mm tief
 Streuwert 1.90, horizontal: 2.16, vertikal: 1.61





Serie 3:
 9.9 ↓ 9.6 ↓ 10.0 ← 10.2 * 8.1 ↖
 9.3 ↖ 9.9 → 8.4 ↓ 9.6 ↖ 10.3 *
 beste Teiler 161.4 (30.) 195.4 (24.) 246.2 (23.)
 Trefferlage 0.91 mm links, 0.97 mm tief
 Streuwert 2.80, horizontal: 2.97, vertikal: 2.61




Serie 4:
 9.9 ↗ 9.9 ↗ 10.4 * 10.0 ↖ 9.3 ↖
 9.5 ↖ 8.8 ↓ 9.5 ↓ 10.4 * 10.1 ↖
 beste Teiler 128.4 (39.) 139.2 (33.) 209.9 (40.)
 Trefferlage 0.16 mm rechts, 0.52 mm tief
 Streuwert 2.31, horizontal: 2.43, vertikal: 2.19

Unterschrift des Schützen


Ergebnis: **379** (395.3)
 Serien: 91 97 93 98
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 679 (22), 609 (6), 552 (10)
 beste Teiler 54.5 (11.) 69.4 (20.) 69.8 (14.)
 Trefferlage 0.21 mm links, 0.49 mm hoch
 Streuwert 2.16, horizontal: 2.43, vertikal: 1.84




Serie 1:
 9.0 ↘ 9.9 ↑ 10.1 ← 10.0 ↘ 9.7 ↗
 8.5 ↑ 10.6 * 9.8 ↙ 9.4 ← 8.7 →
 beste Teiler 93.7 (7.) 222.1 (3.) 238.5 (4.)
 Trefferlage 0.77 mm links, 1.32 mm hoch
 Streuwert 2.57, horizontal: 2.84, vertikal: 2.27



Serie 2:
 10.7 * 10.7 * 10.3 * 10.7 * 10.5 *
 9.9 ↘ 9.9 ↓ 10.4 * 9.2 ↘ 10.7 *
 beste Teiler 54.5 (11.) 69.4 (20.) 69.8 (14.)
 Trefferlage 0.22 mm links, 0.15 mm tief
 Streuwert 1.47, horizontal: 1.41, vertikal: 1.52





Serie 3:
 10.0 → 8.2 ↗ 9.7 ↓ 9.2 ← 9.2 ↘
 9.3 → 9.5 ↗ 10.2 * 10.0 ↘ 10.1 ↘
 beste Teiler 180.0 (28.) 225.6 (30.) 235.1 (21.)
 Trefferlage 0.78 mm rechts, 0.37 mm hoch
 Streuwert 2.75, horizontal: 3.31, vertikal: 2.05




Serie 4:
 10.2 * 10.1 ↑ 10.0 ← 10.5 * 9.7 ↘
 9.8 ← 10.1 ↘ 10.0 ↘ 10.3 * 10.5 *
 beste Teiler 118.2 (40.) 123.9 (34.) 167.3 (39.)
 Trefferlage 0.63 mm links, 0.41 mm hoch
 Streuwert 1.53, horizontal: 1.72, vertikal: 1.32

Unterschrift des Schützen


Ergebnis: **378** (396.6)
 Serien: 94 97 92 95
 Zähler: 18 22 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 433 (25), 400 (19), 397 (36)
 beste Teiler 47.0 (4.) 47.7 (12.) 92.7 (14.)
 Trefferlage 0.07 mm rechts, 0.36 mm hoch
 Streuwert 2.00, horizontal: 2.14, vertikal: 1.84




Serie 1:
 9.6 ↘ 9.9 ↘ 10.2 * 10.8 * 10.2 *
 10.0 ↙ 9.5 ← 9.5 ↘ 9.7 → 9.8 ↘
 beste Teiler 47.0 (4.) 178.5 (3.) 180.3 (5.)
 Trefferlage 0.25 mm links, 0.42 mm hoch
 Streuwert 2.02, horizontal: 2.21, vertikal: 1.82



Serie 2:
 10.2 * 10.8 * 10.4 * 10.6 * 10.2 *
 10.0 → 9.8 → 10.5 * 9.4 → 9.4 ↘
 beste Teiler 47.7 (12.) 92.7 (14.) 119.4 (18.)
 Trefferlage 0.52 mm rechts, 0.44 mm hoch
 Streuwert 1.72, horizontal: 2.16, vertikal: 1.12





Serie 3:
 9.6 → 9.7 ↓ 9.7 ↘ 9.5 ↗ 9.2 ↗
 9.8 ↑ 9.7 ↘ 9.4 ↙ 10.2 * 10.0 ↘
 beste Teiler 179.8 (29.) 249.5 (30.) 300.0 (26.)
 Trefferlage 0.14 mm links, 1.34 mm hoch
 Streuwert 2.22, horizontal: 2.24, vertikal: 2.20




Serie 4:
 10.5 * 10.1 ↘ 9.8 ↘ 10.1 → 9.6 ↓
 9.4 ↙ 9.9 ↙ 9.5 → 10.1 ← 10.3 *
 beste Teiler 125.0 (31.) 168.3 (40.) 206.3 (39.)
 Trefferlage 0.17 mm rechts, 0.76 mm tief
 Streuwert 1.95, horizontal: 2.21, vertikal: 1.67

Unterschrift des Schützen


Ergebnis: **329** (346.8)
 Serien: 81 83 84 81
 Zähler: 3 15 13 7 1 1 0 0 0 0
 Innenzehner: 1
 weiteste: 1426 (1), 1246 (33), 977 (14)
 beste Teiler 137.9 (38.) 223.8 (34.) 233.0 (7.)
 Trefferlage 2.23 mm links, 0.99 mm hoch
 Streuwert 4.18, horizontal: 4.49, vertikal: 3.85




Serie 1:
 5.2 ↗ 9.7 ↑ 8.7 ↙ 8.2 ← 7.5 ←
 8.2 ↘ 10.0 ↗ 9.2 ← 8.3 ↓ 9.6 →
 beste Teiler 233.0 (7.) 318.8 (2.) 327.8 (10.)
 Trefferlage 1.21 mm links, 1.47 mm hoch
 Streuwert 5.03, horizontal: 5.18, vertikal: 4.89



Serie 2:
 8.0 ↘ 9.5 ↓ 9.7 ↑ 7.0 ↑ 8.2 ↗
 8.2 ↙ 9.9 ← 9.6 ↙ 9.2 ↘ 7.9 ↘
 beste Teiler 265.9 (17.) 304.0 (13.) 337.5 (18.)
 Trefferlage 2.09 mm links, 1.44 mm hoch
 Streuwert 4.05, horizontal: 3.57, vertikal: 4.48



Serie 3:
 8.8 ↗ 9.8 ↘ 9.8 ↙ 8.8 ↘ 9.4 ←
 9.0 ↘ 9.5 ↓ 8.0 ← 8.9 ↗ 7.7 ↑
 beste Teiler 287.0 (22.) 295.1 (23.) 373.1 (27.)
 Trefferlage 1.55 mm links, 1.39 mm hoch
 Streuwert 3.56, horizontal: 3.41, vertikal: 3.70





Serie 4:
 9.7 ↙ 7.9 → 6.0 ← 10.1 ↓ 8.8 ←
 9.2 ↙ 7.6 ↘ 10.4 * 7.3 ← 8.3 ←
 beste Teiler 137.9 (38.) 223.8 (34.) 320.3 (31.)
 Trefferlage 4.05 mm links, 0.35 mm tief
 Streuwert 4.16, horizontal: 5.53, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (353.3)
 Serien: 86 87 78 85
 Zähler: 7 12 13 7 0 1 0 0 0 0
 Innenzehner: 3
 weiteste: 1498 (24), 948 (22), 939 (30)
 beste Teiler 92.3 (13.) 138.1 (15.) 157.2 (2.)
 Trefferlage 0.09 mm links, 1.33 mm tief
 Streuwert 4.20, horizontal: 5.21, vertikal: 2.86




Serie 1:
 8.9 ↘ 10.3 * 9.7 ↘ 10.0 ↑ 7.9 ←
 10.1 ↓ 7.9 ← 8.1 → 9.6 ↓ 8.4 ↓
 beste Teiler 157.2 (2.) 205.2 (6.) 239.5 (4.)
 Trefferlage 1.35 mm links, 0.92 mm tief
 Streuwert 3.66, horizontal: 4.39, vertikal: 2.74



Serie 2:
 8.1 ← 9.8 ↘ 10.6 * 8.0 ↗ 10.4 *
 8.3 ↗ 9.3 ↗ 9.5 ↗ 8.8 ↓ 8.1 →
 beste Teiler 92.3 (13.) 138.1 (15.) 283.3 (12.)
 Trefferlage 1.45 mm links, 2.53 mm tief
 Streuwert 3.21, horizontal: 4.32, vertikal: 1.38



Serie 3:
 7.9 ↘ 7.2 → 9.8 ↗ 5.0 ↘ 8.1 ↑
 9.5 ↗ 9.4 ↘ 8.9 ↗ 9.9 ↘ 7.2 ↘
 beste Teiler 267.5 (29.) 298.2 (23.) 353.5 (26.)
 Trefferlage 3.03 mm rechts, 1.71 mm tief
 Streuwert 5.07, horizontal: 6.08, vertikal: 3.81





Serie 4:
 10.0 ↗ 9.6 → 9.4 ↘ 10.0 ↘ 7.9 →
 8.4 ← 8.1 ↗ 8.6 ↘ 7.2 ← 9.4 ↑
 beste Teiler 234.0 (31.) 241.5 (34.) 343.2 (32.)
 Trefferlage 0.60 mm links, 0.15 mm tief
 Streuwert 4.22, horizontal: 5.26, vertikal: 2.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (384.7)
 Serien: 95 90 94 93
 Zähler: 17 19 3 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 833 (13), 744 (20), 700 (14)
 beste Teiler 23.4 (16.) 50.8 (18.) 99.3 (33.)
 Trefferlage 0.11 mm links, 0.73 mm hoch
 Streuwert 2.68, horizontal: 3.21, vertikal: 2.02




Serie 1:
 10.5 * 9.3 ↗ 10.0 ↑ 10.1 ↙ 10.2 *
 9.6 ↑ 9.0 ↘ 9.7 ↓ 10.0 → 9.6 ↘
 beste Teiler 112.0 (1.) 198.0 (5.) 217.2 (4.)
 Trefferlage 0.06 mm rechts, 0.84 mm hoch
 Streuwert 2.19, horizontal: 1.99, vertikal: 2.37



Serie 2:
 10.0 ← 9.3 ← 7.6 → 8.2 ↘ 9.6 →
 10.9 * 9.3 → 10.8 * 10.0 ← 8.0 →
 beste Teiler 23.4 (16.) 50.8 (18.) 239.7 (19.)
 Trefferlage 0.89 mm rechts, 0.56 mm hoch
 Streuwert 3.51, horizontal: 4.62, vertikal: 1.83



Serie 3:
 10.0 ↑ 9.5 ← 10.0 ↑ 10.1 ← 10.4 *
 9.3 ↘ 8.6 → 10.4 * 9.4 ↑ 9.4 ↘
 beste Teiler 140.7 (28.) 148.0 (25.) 218.3 (24.)
 Trefferlage 0.06 mm rechts, 0.93 mm hoch
 Streuwert 2.45, horizontal: 2.87, vertikal: 1.93





Serie 4:
 9.6 ← 9.1 → 10.6 * 10.3 * 9.0 ←
 9.1 ↑ 10.3 * 9.6 ← 9.1 ↘ 9.2 ←
 beste Teiler 99.3 (33.) 170.0 (37.) 172.4 (34.)
 Trefferlage 1.46 mm links, 0.61 mm hoch
 Streuwert 2.53, horizontal: 2.81, vertikal: 2.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (378.9)
 Serien: 88 89 90 89
 Zähler: 10 19 8 3 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 888 (32), 859 (8), 792 (10)
 beste Teiler 42.4 (23.) 80.1 (11.) 118.5 (18.)
 Trefferlage 0.87 mm rechts, 1.30 mm hoch
 Streuwert 2.80, horizontal: 3.53, vertikal: 1.81




Serie 1:
 9.6 ↘ 8.4 → 9.8 ↗ 10.3 * 9.6 ↘
 10.1 ↘ 9.4 ↘ 7.5 ↘ 10.4 * 7.8 →
 beste Teiler 130.2 (9.) 171.1 (4.) 220.6 (6.)
 Trefferlage 0.13 mm rechts, 1.67 mm hoch
 Streuwert 3.35, horizontal: 4.51, vertikal: 1.44



Serie 2:
 10.6 * 9.7 ↗ 8.6 → 9.8 ↗ 8.9 →
 9.8 ↘ 8.7 ↘ 10.5 * 9.9 ↖ 9.8 →
 beste Teiler 80.1 (11.) 118.5 (18.) 257.9 (19.)
 Trefferlage 1.15 mm rechts, 0.91 mm hoch
 Streuwert 2.52, horizontal: 3.11, vertikal: 1.74



Serie 3:
 9.6 ↓ 9.8 ↑ 10.8 * 10.2 * 9.9 ↑
 8.5 ↑ 9.7 ↖ 9.1 ↗ 9.7 ↑ 8.1 →
 beste Teiler 42.4 (23.) 193.0 (24.) 268.2 (25.)
 Trefferlage 0.78 mm rechts, 1.63 mm hoch
 Streuwert 2.65, horizontal: 2.85, vertikal: 2.44





Serie 4:
 9.5 ↑ 7.4 → 8.8 → 9.7 → 10.3 *
 9.6 ↘ 10.2 * 9.8 ↗ 8.9 ↖ 10.1 ↓
 beste Teiler 164.1 (35.) 180.2 (37.) 201.3 (40.)
 Trefferlage 1.41 mm rechts, 1.00 mm hoch
 Streuwert 2.94, horizontal: 3.84, vertikal: 1.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.6)
 Serien: 90 89 95 94
 Zähler: 17 14 9 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 647 (34), 620 (4), 586 (31)
 beste Teiler 41.6 (6.) 53.0 (27.) 75.1 (17.)
 Trefferlage 0.10 mm links, 0.70 mm tief
 Streuwert 2.64, horizontal: 2.73, vertikal: 2.55




Serie 1:
 9.0 ↙ 8.8 ↙ 10.6 * 8.5 → 9.3 ↓
 10.8 * 9.8 ↑ 8.8 ↓ 9.5 ↘ 10.6 *
 beste Teiler 41.6 (6.) 79.1 (10.) 85.7 (3.)
 Trefferlage 0.57 mm links, 1.08 mm tief
 Streuwert 2.84, horizontal: 2.87, vertikal: 2.80



Serie 2:
 9.0 ↖ 9.1 ← 9.3 ↖ 8.7 ↑ 10.1 ↑
 8.7 ↘ 10.7 * 8.9 → 9.2 ↘ 9.1 ↘
 beste Teiler 75.1 (17.) 224.9 (15.) 405.2 (13.)
 Trefferlage 0.45 mm rechts, 0.20 mm hoch
 Streuwert 3.29, horizontal: 3.57, vertikal: 2.98





Serie 3:
 8.7 ↘ 10.5 * 10.0 ↖ 9.8 ↖ 10.5 *
 9.0 ← 10.7 * 10.2 * 10.3 * 9.7 ←
 beste Teiler 53.0 (27.) 103.0 (22.) 106.0 (25.)
 Trefferlage 0.46 mm links, 0.13 mm tief
 Streuwert 2.16, horizontal: 2.46, vertikal: 1.80



Serie 4:
 8.6 ↓ 10.2 * 10.3 * 8.4 ↙ 10.4 *
 10.5 * 9.6 ↘ 10.0 ↘ 10.1 ↓ 9.6 ↓
 beste Teiler 119.9 (36.) 146.4 (35.) 169.2 (33.)
 Trefferlage 0.15 mm rechts, 1.80 mm tief
 Streuwert 2.20, horizontal: 2.08, vertikal: 2.31

Unterschrift des Schützen


Ergebnis: **145** (155.0)
 Serien: 80 65
 Zähler: 1 4 4 4 5 1 1 0 0 0
 Innenzehner: 1
 weiteste: 1688 (17), 1320 (20), 1164 (2)
 beste Teiler 26.1 (3.) 309.0 (6.) 360.4 (1.)
 Trefferlage 0.57 mm rechts, 4.49 mm hoch
 Streuwert 5.56, horizontal: 6.07, vertikal: 5.01



Serie 1:

9.5 ↘ 6.3 ↑ 10.8 * 7.3 ↗ 8.5 ↗
 9.7 ↘ 8.1 ↗ 9.4 ↘ 7.2 ↑ 7.3 ↖

beste Teiler 26.1 (3.) 309.0 (6.) 360.4 (1.)
 Trefferlage 0.05 mm rechts, 3.41 mm hoch
 Streuwert 4.74, horizontal: 4.67, vertikal: 4.80



Serie 2:



9.4 ↘ 6.8 ↘ 6.9 ↗ 6.7 → 8.9 ↗
 6.6 ↑ 4.2 ↘ 8.1 ↖ 7.6 ↗ 5.7 →

beste Teiler 400.3 (11.) 504.3 (15.) 710.4 (18.)
 Trefferlage 1.09 mm rechts, 5.56 mm hoch
 Streuwert 6.43, horizontal: 7.44, vertikal: 5.22


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **170** (177.6)
 Serien: 88 82
 Zähler: 3 7 8 1 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1052 (13), 922 (15), 746 (19)
 beste Teiler 151.8 (8.) 198.3 (17.) 227.2 (1.)
 Trefferlage 0.51 mm rechts, 1.13 mm hoch
 Streuwert 4.01, horizontal: 5.16, vertikal: 2.34





Serie 1:
 10.0 ↖ 8.5 ↗ 8.4 ↖ 9.5 ↖ 8.7 ↖
 9.5 ↗ 9.2 ↑ 10.3 * 8.6 → 9.2 ↖
 beste Teiler 151.8 (8.) 227.2 (1.) 358.6 (6.)
 Trefferlage 0.80 mm links, 1.29 mm hoch
 Streuwert 3.27, horizontal: 4.12, vertikal: 2.10




Serie 2:
 9.7 ↗ 8.2 ↗ 6.7 → 9.2 ↗ 7.3 →
 9.6 → 10.2 * 8.1 ↖ 8.0 ↖ 8.7 ↖
 beste Teiler 198.3 (17.) 309.5 (11.) 335.5 (16.)
 Trefferlage 1.83 mm rechts, 0.98 mm hoch
 Streuwert 4.61, horizontal: 5.95, vertikal: 2.67

Unterschrift des Schützen

Ergebnis: **161** (168.8)
 Serien: 82 79
 Zähler: 5 4 6 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3194 (19), 1068 (8), 909 (3)
 beste Teiler 83.1 (6.) 146.3 (18.) 171.7 (7.)
 Trefferlage 0.41 mm rechts, 1.54 mm tief
 Streuwert 6.52, horizontal: 4.32, vertikal: 8.14





Serie 1:
 8.2 ↖ 8.5 → 7.3 ↓ 9.3 ↗ 7.6 →
 10.6 * 10.3 * 6.7 ← 8.6 ↓ 9.5 →
 beste Teiler 83.1 (6.) 171.7 (7.) 363.8 (10.)
 Trefferlage 0.63 mm rechts, 0.66 mm tief
 Streuwert 4.78, horizontal: 5.24, vertikal: 4.27



Serie 2:
 10.1 → 9.2 ↑ 10.1 ↑ 7.9 ↖ 8.7 ↘
 8.4 ↓ 8.2 ← 10.4 * 0.0 ↓ 9.2 →
 beste Teiler 146.3 (18.) 201.7 (13.) 211.2 (11.)
 Trefferlage 0.18 mm rechts, 2.42 mm tief
 Streuwert 8.12, horizontal: 3.44, vertikal: 10.96


Unterschrift des Schützen

Ergebnis: 340 (359.4)
Serien: 86 83 84 87
Zähler: 7 16 10 5 1 1 0 0 0 0
Innenzehner: 4
weiteste: 1307 (17), 1137 (13), 958 (3)
beste Teiler 46.8 (15.) 160.8 (8.) 177.5 (19.)
Trefferlage 0.80 mm links, 0.52 mm hoch
Streuwert 3.93, horizontal: 4.66, vertikal: 3.03


Serie 1:


8.9 ↘ 9.6 ↘ 7.1 ↘ 9.1 ↗ 9.6 ↑
 9.0 ↗ 9.8 ↑ 10.3 * 8.8 ↗ 8.5 ↘

beste Teiler 160.8 (8.) 277.3 (7.) 336.8 (2.)
Trefferlage 0.07 mm rechts, 2.48 mm hoch
Streuwert 3.36, horizontal: 3.98, vertikal: 2.61


Serie 2:


9.2 ↘ 8.9 → 6.4 ← 9.6 ↗ 10.8 *
 8.8 ← 5.7 ↘ 10.1 ↘ 10.2 * 8.7 →

beste Teiler 46.8 (15.) 177.5 (19.) 214.1 (18.)
Trefferlage 0.24 mm rechts, 0.33 mm tief
Streuwert 4.85, horizontal: 6.07, vertikal: 3.17


Serie 3:

7.9 ← 9.1 → 9.9 ← 8.8 ✓ 7.9 ←
 9.4 ↓ 8.8 ↘ 9.7 → 9.3 → 9.5 ✓

beste Teiler 261.1 (23.) 325.0 (28.) 360.0 (30.)
Trefferlage 1.72 mm links, 0.66 mm tief
Streuwert 3.52, horizontal: 4.36, vertikal: 2.40




Serie 4:

10.2 * 10.1 ↗ 9.0 ↘ 7.6 ← 9.0 ↘
 10.1 ↑ 8.9 ← 9.6 → 7.5 ↘ 8.0 ↘

beste Teiler 177.6 (31.) 204.3 (36.) 217.2 (32.)
Trefferlage 1.79 mm links, 0.62 mm hoch
Streuwert 3.80, horizontal: 4.29, vertikal: 3.22

Unterschrift des Schützen


Ergebnis: **368** (383.7)
 Serien: 93 91 93 91
 Zähler: 17 16 5 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 817 (31), 783 (38), 610 (26)
 beste Teiler 57.2 (37.) 62.8 (39.) 82.1 (22.)
 Trefferlage 0.40 mm links, 0.29 mm tief
 Streuwert 2.74, horizontal: 2.99, vertikal: 2.46



Serie 1:

8.9 ↘ 10.2 * 10.0 ↓ 10.3 * 10.4 *
 9.3 → 10.3 * 9.6 ↑ 9.6 → 8.8 ↙


beste Teiler 129.4 (5.) 151.5 (7.) 165.0 (4.)
 Trefferlage 0.01 mm links, 0.75 mm hoch
 Streuwert 2.44, horizontal: 2.57, vertikal: 2.30



Serie 2:

9.4 ↙ 8.5 ← 10.0 ← 9.1 ← 10.1 ↓
 9.3 ↓ 9.6 ↙ 10.2 * 9.9 ← 8.8 ↙


beste Teiler 179.4 (18.) 213.1 (15.) 249.3 (13.)
 Trefferlage 2.27 mm links, 2.06 mm tief
 Streuwert 1.77, horizontal: 2.02, vertikal: 1.49



Serie 3:

10.1 ↓ 10.6 * 9.6 ↘ 9.1 ↘ 9.1 →
 8.5 ↘ 9.2 ↘ 10.1 ↓ 9.3 ↗ 10.1 ↘

beste Teiler 82.1 (22.) 210.2 (30.) 219.1 (28.)
 Trefferlage 0.58 mm rechts, 0.24 mm hoch
 Streuwert 2.77, horizontal: 3.19, vertikal: 2.28



Serie 4:



7.7 → 9.6 ← 10.1 ↘ 10.6 * 9.1 ↙
 10.0 ↘ 10.7 * 7.8 ↑ 10.7 * 9.4 ↙

beste Teiler 57.2 (37.) 62.8 (39.) 96.6 (34.)
 Trefferlage 0.08 mm rechts, 0.12 mm tief
 Streuwert 3.24, horizontal: 3.54, vertikal: 2.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 348 (368.3)
Serien: 84 89 88 87
Zähler: 9 18 6 6 1 0 0 0 0 0
Innenzehner: 8
weiteste: 1129 (3), 996 (33), 899 (36)
beste Teiler 28.8 (37.) 37.8 (8.) 90.1 (30.)
Trefferlage 2.10 mm links, 0.73 mm hoch
Streuwert 3.30, horizontal: 3.37, vertikal: 3.21




Serie 1:
 10.4 * 9.5 ← 6.4 ↘ 9.9 ← 9.7 ↗
 9.5 ↑ 8.8 ↑ 10.8 * 7.8 ← 7.4 ←
beste Teiler 37.8 (8.) 146.5 (1.) 269.0 (4.)
Trefferlage 2.78 mm links, 1.09 mm hoch
Streuwert 3.76, horizontal: 4.50, vertikal: 2.82



Serie 2:
 9.0 ↓ 9.5 ← 9.9 → 9.4 ↑ 10.3 *
 10.5 * 9.0 ↘ 8.3 ↑ 7.9 ← 9.8 ←
beste Teiler 120.4 (16.) 159.2 (15.) 259.3 (13.)
Trefferlage 1.27 mm links, 0.58 mm hoch
Streuwert 3.15, horizontal: 2.91, vertikal: 3.38





Serie 3:
 8.4 ↘ 9.8 ← 9.1 ↘ 8.7 → 7.6 ↓
 9.7 ← 9.0 ↗ 9.5 ↑ 10.1 ↘ 10.6 *
beste Teiler 90.1 (30.) 205.7 (29.) 281.4 (22.)
Trefferlage 1.42 mm links, 0.12 mm tief
Streuwert 3.35, horizontal: 3.05, vertikal: 3.62




Serie 4:
 9.8 ↙ 10.4 * 7.0 ↘ 9.4 ↘ 10.2 *
 7.4 ← 10.8 * 8.9 ↘ 9.3 ↘ 8.8 ←
beste Teiler 28.8 (37.) 131.6 (32.) 196.7 (35.)
Trefferlage 2.94 mm links, 1.40 mm hoch
Streuwert 3.12, horizontal: 2.95, vertikal: 3.29

Unterschrift des Schützen


Ergebnis: **386** (402.7)_{QF}
 Serien: 96 96 98 96
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 591 (38), 486 (11), 393 (17)
 beste Teiler 30.8 (24.) 47.6 (26.) 74.4 (33.)
 Trefferlage 0.20 mm links, 0.22 mm hoch
 Streuwert 1.78, horizontal: 1.90, vertikal: 1.65




Serie 1:
 10.2 * 10.6 * 9.4 ↓ 10.1 ↘ 10.3 *
 9.6 ← 10.1 ↘ 10.3 * 9.5 ← 9.6 →
 beste Teiler 79.6 (2.) 154.3 (8.) 155.5 (5.)
 Trefferlage 0.15 mm links, 0.43 mm tief
 Streuwert 1.94, horizontal: 2.26, vertikal: 1.56



Serie 2:
 9.0 ↑ 10.1 ↗ 10.3 * 10.2 * 10.1 ↘
 10.5 * 9.4 ↗ 9.8 ↓ 10.0 ← 9.9 ↗
 beste Teiler 114.0 (16.) 161.0 (13.) 195.8 (14.)
 Trefferlage 0.43 mm links, 0.15 mm hoch
 Streuwert 2.03, horizontal: 1.63, vertikal: 2.36



Serie 3:
 10.4 * 9.8 ← 10.0 ← 10.8 * 10.4 *
 10.8 * 9.9 ↘ 10.4 * 10.5 * 10.6 *
 beste Teiler 30.8 (24.) 47.6 (26.) 78.1 (30.)
 Trefferlage 0.72 mm links, 0.44 mm hoch
 Streuwert 1.11, horizontal: 1.45, vertikal: 0.59





Serie 4:
 10.0 ↓ 10.3 * 10.7 * 9.6 → 9.9 ↗
 10.0 ← 10.5 * 8.6 ↗ 10.0 ↘ 10.5 *
 beste Teiler 74.4 (33.) 108.9 (40.) 124.3 (37.)
 Trefferlage 0.48 mm rechts, 0.73 mm hoch
 Streuwert 1.95, horizontal: 2.23, vertikal: 1.63

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: 333 (350.2)
Serien: 83 84 87 79
Zähler: 8 13 9 7 2 0 0 1 0 0
Innenzehner: 4
weiteste: 1789 (36), 1219 (37), 1004 (8)
beste Teiler 115.1 (15.) 128.2 (32.) 169.8 (31.)
Trefferlage 1.91 mm links, 0.77 mm hoch
Streuwert 4.34, horizontal: 5.50, vertikal: 2.71




Serie 1:
7.9 ↘ 10.0 ↗ 9.1 ↘ 9.5 ↗ 10.2 *
7.6 → 10.1 ← 6.9 ↘ 8.6 ↘ 7.6 ↘
beste Teiler 190.3 (5.) 212.2 (7.) 246.7 (2.)
Trefferlage 2.41 mm links, 2.25 mm hoch
Streuwert 3.90, horizontal: 5.11, vertikal: 2.08



Serie 2:
8.3 ↗ 8.9 → 8.9 ↘ 9.2 → 10.5 *
7.9 ↙ 9.8 ← 9.3 ↘ 9.1 ← 7.7 →
beste Teiler 115.1 (15.) 284.5 (17.) 419.1 (18.)
Trefferlage 0.99 mm rechts, 0.23 mm tief
Streuwert 3.95, horizontal: 4.91, vertikal: 2.68



Serie 3:
9.0 → 9.3 → 8.2 ↗ 10.0 → 9.3 ↘
9.5 ← 8.7 ← 8.9 ↙ 8.4 ↘ 9.3 ←
beste Teiler 231.0 (24.) 373.0 (26.) 401.0 (30.)
Trefferlage 1.21 mm links, 0.33 mm hoch
Streuwert 3.53, horizontal: 4.40, vertikal: 2.36





Serie 4:
10.3 * 10.4 * 8.3 ↙ 7.5 ↑ 7.1 ←
3.8 ← 6.1 ← 10.1 ← 9.9 ↘ 9.0 ↘
beste Teiler 128.2 (32.) 169.8 (31.) 221.2 (38.)
Trefferlage 5.00 mm links, 0.75 mm hoch
Streuwert 5.09, horizontal: 6.38, vertikal: 3.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 345 (360.9)
Serien: 86 81 93 85
Zähler: 8 17 10 4 0 0 1 0 0 0
Innenzehner: 5
weiteste: 1665 (20), 827 (7), 811 (9)
beste Teiler 136.0 (6.) 138.2 (26.) 142.3 (28.)
Trefferlage 1.11 mm links, 0.51 mm tief
Streuwert 3.89, horizontal: 4.56, vertikal: 3.08




Serie 1:
 8.5 ↙ 10.0 ↘ 8.7 ↙ 10.0 ↓ 8.1 ↙
 10.4 * 7.6 ↙ 9.3 ↙ 7.7 ↘ 9.6 ↑
beste Teiler 136.0 (6.) 226.6 (2.) 247.3 (4.)
Trefferlage 2.10 mm links, 2.23 mm tief
Streuwert 3.37, horizontal: 4.00, vertikal: 2.59



Serie 2:
 8.8 ↓ 9.3 ↓ 9.3 → 9.5 ↘ 7.8 ↘
 9.2 ← 9.6 ↗ 8.0 ↙ 9.2 ↖ 4.3 ↖
beste Teiler 343.6 (17.) 369.2 (14.) 412.1 (13.)
Trefferlage 2.85 mm links, 0.72 mm tief
Streuwert 4.92, horizontal: 5.88, vertikal: 3.72





Serie 3:
 8.3 ↙ 9.4 → 9.5 ↖ 10.0 ↘ 9.4 ↓
 10.4 * 10.2 * 10.4 * 9.2 ↗ 9.7 →
beste Teiler 138.2 (26.) 142.3 (28.) 199.6 (27.)
Trefferlage 0.08 mm rechts, 0.34 mm tief
Streuwert 2.66, horizontal: 3.09, vertikal: 2.15




Serie 4:
 9.9 ↗ 7.8 ↖ 9.7 ↙ 10.2 * 8.1 →
 8.7 ↘ 8.2 ↙ 9.4 ↖ 9.5 ↖ 8.0 →
beste Teiler 200.8 (34.) 251.0 (31.) 310.2 (33.)
Trefferlage 0.40 mm rechts, 1.24 mm hoch
Streuwert 3.92, horizontal: 4.64, vertikal: 3.03

Unterschrift des Schützen


Ergebnis: **366** (383.4)
 Serien: 93 90 92 91
 Zähler: 14 18 8 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 725 (18), 673 (20), 648 (27)
 beste Teiler 60.1 (23.) 85.4 (24.) 101.4 (30.)
 Trefferlage 1.19 mm links, 1.19 mm tief
 Streuwert 2.50, horizontal: 2.61, vertikal: 2.38




Serie 1:
 9.3 ↙ 10.5 * 10.4 * 10.2 * 10.0 ↘
 9.0 ← 8.8 ↙ 9.8 ↓ 9.9 ↓ 9.6 ↘
 beste Teiler 111.0 (2.) 135.1 (3.) 176.8 (4.)
 Trefferlage 1.80 mm links, 0.81 mm tief
 Streuwert 1.99, horizontal: 2.06, vertikal: 1.93



Serie 2:
 9.3 ↓ 9.0 ↙ 9.0 ← 9.4 ← 8.6 ↓
 10.3 * 10.3 * 8.1 ↙ 10.3 * 8.3 ↓
 beste Teiler 154.1 (19.) 163.6 (17.) 167.8 (16.)
 Trefferlage 2.28 mm links, 2.69 mm tief
 Streuwert 2.28, horizontal: 2.31, vertikal: 2.26





Serie 3:
 9.0 ↓ 9.9 ↓ 10.7 * 10.6 * 9.8 ↘
 10.2 * 8.4 ↘ 8.4 ← 9.8 ↓ 10.5 *
 beste Teiler 60.1 (23.) 85.4 (24.) 101.4 (30.)
 Trefferlage 0.21 mm links, 1.46 mm tief
 Streuwert 2.52, horizontal: 3.09, vertikal: 1.76



Serie 4:
 9.9 ↙ 9.7 ↘ 8.8 ↗ 10.0 ↓ 9.8 ↘
 9.3 ↘ 9.3 ↓ 10.3 * 8.6 ↘ 10.3 *
 beste Teiler 165.4 (40.) 174.0 (38.) 232.1 (34.)
 Trefferlage 0.46 mm links, 0.18 mm hoch
 Streuwert 2.73, horizontal: 2.65, vertikal: 2.80


Unterschrift des Schützen

Ergebnis: 344 (364.4)
Serien: 85 85 91 83
Zähler: 6 17 14 1 2 0 0 0 0 0
Innenzehner: 5
weiteste: 1065 (34), 1062 (20), 898 (1)
beste Teiler 107.1 (14.) 140.8 (21.) 143.9 (37.)
Trefferlage 0.81 mm links, 0.20 mm tief
Streuwert 3.64, horizontal: 4.05, vertikal: 3.17


Serie 1:


7.4 ← 9.3 ↘ 9.6 ↙ 9.9 ↗ 8.3 ←
 8.8 → 10.1 ↓ 8.8 ↓ 9.3 ↓ 8.2 ←

beste Teiler 217.6 (7.) 253.3 (4.) 337.0 (3.)
Trefferlage 1.04 mm links, 1.17 mm tief
Streuwert 3.81, horizontal: 4.88, vertikal: 2.28


Serie 2:


9.6 ↓ 9.7 → 9.5 ↓ 10.5 * 9.3 ↖
 8.6 ← 9.6 ↗ 8.8 → 8.0 ↖ 6.7 ↖

beste Teiler 107.1 (14.) 306.5 (12.) 331.1 (17.)
Trefferlage 0.99 mm links, 0.89 mm hoch
Streuwert 3.92, horizontal: 4.09, vertikal: 3.74


Serie 3:

10.4 * 9.9 ↓ 9.9 ↙ 9.1 ← 8.8 →
 10.4 * 10.3 * 9.8 ← 8.9 → 9.1 ↗

beste Teiler 140.8 (21.) 146.3 (26.) 161.9 (27.)
Trefferlage 0.18 mm rechts, 0.34 mm hoch
Streuwert 2.61, horizontal: 3.10, vertikal: 2.01




Serie 4:

8.7 ↓ 9.7 ↓ 8.5 ↘ 6.7 ↖ 8.0 ←
 9.3 ← 10.4 * 8.9 ↓ 9.5 ↖ 8.1 ↘


beste Teiler 143.9 (37.) 311.0 (32.) 368.0 (39.)
Trefferlage 1.42 mm links, 0.88 mm tief
Streuwert 4.27, horizontal: 4.39, vertikal: 4.15

Unterschrift des Schützen


Ergebnis: **382** (399.0)^{QF}
 Serien: 98 94 94 96
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 677 (29), 489 (16), 481 (21)
 beste Teiler 23.3 (25.) 39.4 (38.) 48.5 (3.)
 Trefferlage 0.08 mm links, 0.41 mm hoch
 Streuwert 1.97, horizontal: 2.15, vertikal: 1.77




Serie 1:
 10.1 ↓ 10.3 * 10.8 * 10.5 * 9.4 ↖
 9.7 ↘ 10.3 * 10.3 * 10.2 * 10.4 *
 beste Teiler 48.5 (3.) 119.3 (4.) 127.4 (10.)
 Trefferlage 0.43 mm links, 0.54 mm hoch
 Streuwert 1.48, horizontal: 1.56, vertikal: 1.40



Serie 2:
 10.2 * 9.7 ↑ 9.7 ↘ 10.1 ↘ 10.0 ↘
 9.0 ← 10.7 * 9.8 ↙ 9.3 ↗ 9.6 ↗
 beste Teiler 66.4 (17.) 179.4 (11.) 214.7 (14.)
 Trefferlage 0.05 mm rechts, 0.93 mm hoch
 Streuwert 2.17, horizontal: 2.46, vertikal: 1.84



Serie 3:
 9.0 ↘ 9.3 ↘ 9.8 ↘ 10.3 * 10.9 *
 10.1 ↗ 9.9 ↘ 10.1 ↓ 8.2 ↖ 10.4 *
 beste Teiler 23.3 (25.) 150.3 (30.) 164.2 (24.)
 Trefferlage 0.58 mm links, 0.27 mm hoch
 Streuwert 2.49, horizontal: 2.80, vertikal: 2.13



Serie 4:
 10.6 * 10.0 → 9.7 ↗ 9.6 ↓ 10.1 →
 9.9 ↙ 10.5 * 10.8 * 9.7 ↗ 10.0 ↘
 beste Teiler 39.4 (38.) 77.1 (31.) 109.4 (37.)
 Trefferlage 0.61 mm rechts, 0.07 mm tief
 Streuwert 1.70, horizontal: 1.65, vertikal: 1.75



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 372 (389.2)
Serien: 92 93 95 92
Zähler: 16 20 4 0 0 0 0 0 0 0
Innenzehner: 12
weiteste: 618 (16), 570 (12), 549 (40)
beste Teiler 79.1 (13.) 83.0 (15.) 94.1 (39.)
Trefferlage 0.51 mm rechts, 0.71 mm hoch
Streuwert 2.35, horizontal: 2.61, vertikal: 2.06




Serie 1:
 10.0 ↗ 9.1 ↘ 9.3 ↗ 9.2 ↑ 10.6 *
 9.7 ↗ 9.4 ↖ 10.0 ↗ 9.5 ↗ 8.9 →
beste Teiler 96.6 (5.) 231.0 (8.) 234.6 (1.)
Trefferlage 1.65 mm rechts, 1.32 mm hoch
Streuwert 2.25, horizontal: 2.46, vertikal: 2.02



Serie 2:
 10.5 * 8.7 → 10.6 * 9.2 → 10.6 *
 8.5 ↖ 10.2 * 10.2 * 9.3 ↘ 9.8 ↑
beste Teiler 79.1 (13.) 83.0 (15.) 103.2 (11.)
Trefferlage 0.25 mm rechts, 0.74 mm hoch
Streuwert 2.56, horizontal: 3.23, vertikal: 1.64



Serie 3:
 10.4 * 10.0 ↑ 9.7 → 9.4 → 10.4 *
 9.5 ↑ 9.5 ↘ 10.1 ↓ 9.8 ↖ 10.5 *
beste Teiler 117.0 (30.) 131.9 (25.) 145.3 (21.)
Trefferlage 0.36 mm rechts, 0.29 mm hoch
Streuwert 1.99, horizontal: 2.24, vertikal: 1.70





Serie 4:
 9.7 ↖ 9.1 ↘ 9.2 ↑ 10.4 * 9.7 ↖
 9.0 ↑ 9.7 → 10.4 * 10.6 * 8.8 ↘
beste Teiler 94.1 (39.) 134.7 (38.) 136.5 (34.)
Trefferlage 0.21 mm links, 0.49 mm hoch
Streuwert 2.63, horizontal: 2.40, vertikal: 2.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (406.6)^{QF}
 Serien: 99 98 96 96
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 463 (36), 375 (34), 351 (12)
 beste Teiler 26.9 (32.) 56.0 (27.) 73.4 (11.)
 Trefferlage 0.28 mm links, 0.03 mm tief
 Streuwert 1.56, horizontal: 1.71, vertikal: 1.38




Serie 1:
 9.8 ↘ 10.6 * 10.1 ↙ 10.6 * 10.0 ↖
 10.4 * 10.0 ← 10.2 * 10.0 ↓ 10.5 *
 beste Teiler 86.0 (2.) 97.6 (4.) 108.5 (10.)
 Trefferlage 0.52 mm links, 0.42 mm tief
 Streuwert 1.37, horizontal: 1.24, vertikal: 1.50



Serie 2:
 10.7 * 9.5 ↖ 10.6 * 10.1 → 10.4 *
 10.6 * 10.3 * 9.9 ← 10.2 * 10.5 *
 beste Teiler 73.4 (11.) 80.6 (13.) 100.8 (16.)
 Trefferlage 0.27 mm links, 0.01 mm hoch
 Streuwert 1.39, horizontal: 1.74, vertikal: 0.93



Serie 3:
 9.6 → 9.9 ↙ 10.6 * 10.0 ↘ 9.7 ↖
 9.8 ↖ 10.7 * 10.5 * 10.3 * 10.0 ↙
 beste Teiler 56.0 (27.) 91.7 (23.) 125.2 (28.)
 Trefferlage 0.35 mm links, 0.08 mm hoch
 Streuwert 1.71, horizontal: 1.74, vertikal: 1.68





Serie 4:
 10.2 * 10.8 * 10.2 * 9.5 → 9.9 ↘
 9.1 ↖ 10.4 * 10.4 * 9.9 ← 10.1 ↘
 beste Teiler 26.9 (32.) 127.3 (38.) 135.5 (37.)
 Trefferlage 0.01 mm rechts, 0.17 mm hoch
 Streuwert 1.88, horizontal: 2.22, vertikal: 1.46

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: 381 (398.8)
Serien: 95 94 96 96
Zähler: 22 17 1 0 0 0 0 0 0
Innenzehner: 17
weiteste: 555 (30), 469 (24), 463 (1)
beste Teiler 46.0 (29.) 65.4 (16.) 90.1 (19.)
Trefferlage 0.22 mm rechts, 0.54 mm hoch
Streuwert 1.89, horizontal: 1.94, vertikal: 1.84




Serie 1:
 9.1 ↖ 9.6 ↖ 9.4 ↖ 10.2 * 10.5 *
 9.5 → 9.8 ↗ 10.2 * 10.4 * 10.5 *
beste Teiler 109.6 (10.) 119.7 (5.) 131.1 (9.)
Trefferlage 0.24 mm links, 0.92 mm hoch
Streuwert 1.99, horizontal: 2.33, vertikal: 1.59



Serie 2:
 9.4 ↗ 9.9 ← 9.8 ↖ 10.5 * 9.8 ↖
 10.7 * 9.5 ↗ 10.3 * 10.6 * 9.6 ↓
beste Teiler 65.4 (16.) 90.1 (19.) 119.5 (14.)
Trefferlage 0.21 mm links, 0.05 mm hoch
Streuwert 1.91, horizontal: 1.73, vertikal: 2.08



Serie 3:
 10.0 ↑ 10.1 ↖ 10.2 * 9.1 ↗ 10.2 *
 9.8 ↗ 10.3 * 10.1 ↓ 10.8 * 8.7 →
beste Teiler 46.0 (29.) 163.7 (27.) 176.0 (25.)
Trefferlage 1.09 mm rechts, 0.80 mm hoch
Streuwert 1.93, horizontal: 1.79, vertikal: 2.06





Serie 4:
 9.9 ↗ 9.8 ↖ 10.0 ↖ 10.5 * 10.0 ↖
 10.3 * 10.4 * 10.3 * 9.5 ↘ 9.5 ←
beste Teiler 125.5 (34.) 129.4 (37.) 160.0 (36.)
Trefferlage 0.26 mm rechts, 0.41 mm hoch
Streuwert 1.80, horizontal: 1.86, vertikal: 1.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.0)
 Serien: 94 95 95 95
 Zähler: 23 13 4 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 680 (2), 566 (28), 560 (17)
 beste Teiler 46.8 (39.) 61.0 (23.) 83.6 (26.)
 Trefferlage 0.46 mm rechts, 0.40 mm hoch
 Streuwert 2.05, horizontal: 2.47, vertikal: 1.51




Serie 1:
 9.5 ↖ 8.2 ← 10.3 * 9.7 ↘ 10.1 ↑
 10.2 * 9.5 → 9.8 → 10.5 * 10.2 *
 beste Teiler 109.8 (9.) 173.0 (3.) 184.3 (10.)
 Trefferlage 0.82 mm links, 0.37 mm hoch
 Streuwert 2.32, horizontal: 2.95, vertikal: 1.44



Serie 2:
 10.6 * 10.1 ↓ 9.8 ↘ 10.1 ↘ 10.4 *
 10.2 * 8.7 → 9.8 ↘ 10.2 * 9.9 ←
 beste Teiler 87.7 (11.) 135.0 (15.) 182.7 (19.)
 Trefferlage 0.22 mm rechts, 0.38 mm tief
 Streuwert 2.00, horizontal: 2.41, vertikal: 1.49



Serie 3:
 10.2 * 10.4 * 10.7 * 9.3 → 9.7 →
 10.6 * 9.3 ↗ 8.7 ↗ 10.3 * 10.3 *
 beste Teiler 61.0 (23.) 83.6 (26.) 143.2 (22.)
 Trefferlage 1.37 mm rechts, 1.26 mm hoch
 Streuwert 1.75, horizontal: 2.09, vertikal: 1.31





Serie 4:
 10.1 ↓ 8.7 → 10.1 ↓ 10.0 ↗ 9.8 →
 10.3 * 9.9 → 9.8 ↘ 10.8 * 10.2 *
 beste Teiler 46.8 (39.) 158.1 (36.) 185.7 (40.)
 Trefferlage 1.07 mm rechts, 0.37 mm hoch
 Streuwert 1.83, horizontal: 2.09, vertikal: 1.52

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 363 (383.0)
Serien: 87 92 93 91
Zähler: 12 21 5 2 0 0 0 0 0 0
Innenzehner: 11
weiteste: 776 (5), 764 (4), 677 (19)
beste Teiler 56.7 (22.) 59.7 (14.) 89.4 (9.)
Trefferlage 1.24 mm rechts, 0.08 mm tief
Streuwert 2.66, horizontal: 2.90, vertikal: 2.38


Serie 1:


9.9 ↙ 8.7 ↗ 9.3 ↙ 7.9 ↘ 7.8 ↘
 9.6 ← 9.9 ↑ 10.4 * 10.6 * 9.7 ↙

beste Teiler 89.4 (9.) 142.3 (8.) 266.7 (1.)
Trefferlage 0.66 mm rechts, 0.89 mm tief
Streuwert 3.29, horizontal: 3.64, vertikal: 2.89


Serie 2:


8.8 ↘ 10.1 ↗ 9.4 ↙ 10.7 * 9.8 ↘
 10.3 * 9.7 ↘ 10.5 * 8.2 → 9.3 →

beste Teiler 59.7 (14.) 109.0 (18.) 153.5 (16.)
Trefferlage 1.71 mm rechts, 0.09 mm tief
Streuwert 2.40, horizontal: 2.85, vertikal: 1.85


Serie 3:

9.7 ↘ 10.7 * 9.1 ↘ 9.1 ↘ 10.2 *
 9.5 ↘ 9.8 → 10.2 * 8.5 → 10.5 *

beste Teiler 56.7 (22.) 117.6 (30.) 187.4 (28.)
Trefferlage 0.81 mm rechts, 0.30 mm tief
Streuwert 2.51, horizontal: 2.77, vertikal: 2.22


Serie 4:



9.5 ↗ 8.4 → 9.8 ↗ 10.2 * 9.1 →
 9.1 ↘ 9.9 ↗ 10.6 * 9.2 ↓ 9.3 →

beste Teiler 96.4 (38.) 188.8 (34.) 265.1 (37.)
Trefferlage 1.78 mm rechts, 0.96 mm hoch
Streuwert 2.48, horizontal: 2.52, vertikal: 2.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 384 (401.4)^{QF}
Serien: 94 97 97 96
Zähler: 24 16 0 0 0 0 0 0 0 0
Innenzehner: 17
weiteste: 477 (23), 460 (28), 407 (36)
beste Teiler 33.9 (32.) 62.6 (39.) 76.0 (17.)
Trefferlage 0.11 mm rechts, 0.09 mm tief
Streuwert 1.81, horizontal: 2.07, vertikal: 1.49




Serie 1:
 9.8 ← 9.4 → 10.0 ↗ 10.3 * 9.9 ↑
 9.9 ↗ 10.6 * 9.7 ↗ 10.5 * 9.7 ←
beste Teiler 84.3 (7.) 103.4 (9.) 173.0 (4.)
Trefferlage 0.01 mm links, 0.50 mm hoch
Streuwert 1.87, horizontal: 2.22, vertikal: 1.45



Serie 2:
 10.1 ← 10.0 → 10.0 ↘ 10.3 * 10.4 *
 9.4 → 10.6 * 9.6 ↓ 10.5 * 9.9 ↓
beste Teiler 76.0 (17.) 112.6 (19.) 139.5 (15.)
Trefferlage 0.29 mm rechts, 0.23 mm tief
Streuwert 1.74, horizontal: 1.85, vertikal: 1.63



Serie 3:
 9.9 → 10.0 ← 9.0 ↘ 10.3 * 10.4 *
 10.3 * 10.5 * 9.1 ← 10.1 ↘ 10.2 *
beste Teiler 122.3 (27.) 131.5 (25.) 157.4 (26.)
Trefferlage 0.22 mm rechts, 0.43 mm tief
Streuwert 1.98, horizontal: 2.45, vertikal: 1.36





Serie 4:
 9.6 → 10.8 * 10.6 * 10.3 * 10.0 ↓
 9.3 ← 9.8 ← 9.7 ↓ 10.7 * 10.2 *
beste Teiler 33.9 (32.) 62.6 (39.) 91.9 (33.)
Trefferlage 0.02 mm links, 0.20 mm tief
Streuwert 1.82, horizontal: 2.04, vertikal: 1.57

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: 340 (361.0)
Serien: 85 86 86 83
Zähler: 6 16 11 6 1 0 0 0 0 0
Innenzehner: 5
weiteste: 1058 (31), 942 (36), 895 (12)
beste Teiler 38.4 (15.) 76.5 (25.) 130.0 (40.)
Trefferlage 0.32 mm links, 0.30 mm tief
Streuwert 3.86, horizontal: 4.16, vertikal: 3.54




Serie 1:
 10.4 * 9.9 ↗ 8.9 ↓ 9.7 ↗ 8.4 ↓
 7.9 ↗ 9.8 ↘ 8.9 ↓ 9.7 ↘ 8.6 ↑
beste Teiler 145.1 (1.) 275.4 (2.) 287.0 (7.)
Trefferlage 0.66 mm rechts, 0.03 mm tief
Streuwert 3.49, horizontal: 2.05, vertikal: 4.49



Serie 2:
 9.9 ↘ 7.4 ← 8.6 ↑ 8.0 ← 10.8 *
 8.2 ↘ 9.4 ↘ 9.2 ← 9.6 ← 9.1 →
beste Teiler 38.4 (15.) 270.7 (11.) 338.0 (19.)
Trefferlage 1.27 mm links, 0.19 mm hoch
Streuwert 3.90, horizontal: 4.58, vertikal: 3.07



Serie 3:
 10.2 * 9.9 → 8.9 ↘ 7.7 ↓ 10.6 *
 9.2 → 9.6 ↘ 9.1 → 7.9 ↓ 8.8 ↓
beste Teiler 76.5 (25.) 185.2 (21.) 272.1 (22.)
Trefferlage 0.32 mm rechts, 2.08 mm tief
Streuwert 3.33, horizontal: 2.88, vertikal: 3.72





Serie 4:
 6.7 ← 9.0 ↑ 9.9 ↑ 8.4 → 10.1 ↘
 7.2 → 7.8 ← 9.2 ↑ 8.0 ← 10.4 *
beste Teiler 130.0 (40.) 201.5 (35.) 262.4 (33.)
Trefferlage 1.01 mm links, 0.71 mm hoch
Streuwert 4.70, horizontal: 6.19, vertikal: 2.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (327.2)
 Serien: 80 85 73 75
 Zähler: 5 11 7 12 2 2 0 0 1 0
 Innenzehner: 1
 weiteste: 2246 (33), 1489 (8), 1401 (27)
 beste Teiler 200.5 (17.) 210.1 (21.) 227.8 (35.)
 Trefferlage 3.21 mm links, 0.33 mm tief
 Streuwert 5.24, horizontal: 6.09, vertikal: 4.22




Serie 1:
 7.7 ← 10.0 ↙ 7.7 ← 9.3 ← 9.0 ←
 9.3 ← 8.8 ← 5.0 → 7.0 ← 9.2 ↘
 beste Teiler 241.2 (2.) 416.1 (6.) 417.6 (4.)
 Trefferlage 3.08 mm links, 0.89 mm tief
 Streuwert 5.04, horizontal: 6.85, vertikal: 1.98



Serie 2:
 9.5 ← 10.0 ↙ 9.5 ↘ 8.6 ← 9.3 ↘
 9.0 ↘ 10.2 * 7.0 ↑ 7.3 ↓ 7.7 ←
 beste Teiler 200.5 (17.) 235.7 (12.) 359.7 (13.)
 Trefferlage 2.27 mm links, 0.38 mm hoch
 Streuwert 4.13, horizontal: 3.88, vertikal: 4.36





Serie 3:
 10.1 ↘ 8.6 ← 9.2 ↑ 7.3 → 6.8 ↙
 8.8 ← 5.3 ↘ 6.7 ← 7.7 ← 7.5 ↑
 beste Teiler 210.1 (21.) 429.3 (23.) 539.2 (26.)
 Trefferlage 3.39 mm links, 0.78 mm hoch
 Streuwert 5.81, horizontal: 6.27, vertikal: 5.30




Serie 4:
 7.6 ← 9.5 ↙ 2.0 ↘ 8.8 ↙ 10.0 ↑
 8.3 ↘ 8.4 ↘ 7.3 ← 9.1 ← 7.1 ↓
 beste Teiler 227.8 (35.) 374.7 (32.) 474.7 (39.)
 Trefferlage 4.09 mm links, 1.62 mm tief
 Streuwert 6.30, horizontal: 7.58, vertikal: 4.68

Unterschrift des Schützen


Ergebnis: **373** (394.8)
 Serien: 93 93 95 92
 Zähler: 16 21 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 724 (2), 682 (17), 545 (40)
 beste Teiler 36.8 (36.) 65.5 (16.) 66.8 (13.)
 Trefferlage 0.99 mm rechts, 0.13 mm tief
 Streuwert 2.09, horizontal: 2.55, vertikal: 1.49




Serie 1:
 9.7 → 8.1 → 9.9 → 10.5 * 9.7 →
 10.2 * 9.8 ↘ 10.4 * 10.1 ↖ 9.7 ↖
 beste Teiler 113.8 (4.) 141.5 (8.) 185.9 (6.)
 Trefferlage 1.47 mm rechts, 0.15 mm hoch
 Streuwert 2.20, horizontal: 2.87, vertikal: 1.21



Serie 2:
 10.2 * 9.7 → 10.7 * 9.9 ↘ 10.3 *
 10.7 * 8.2 → 9.8 → 9.7 ↘ 9.8 →
 beste Teiler 65.5 (16.) 66.8 (13.) 159.5 (15.)
 Trefferlage 1.74 mm rechts, 0.07 mm hoch
 Streuwert 1.92, horizontal: 2.44, vertikal: 1.20





Serie 3:
 9.9 ↘ 9.4 ↖ 10.3 * 9.5 → 10.6 *
 10.4 * 10.1 ← 9.8 ↘ 9.4 ↗ 10.3 *
 beste Teiler 99.6 (25.) 145.8 (26.) 153.3 (30.)
 Trefferlage 0.92 mm rechts, 0.01 mm tief
 Streuwert 1.86, horizontal: 2.21, vertikal: 1.43




Serie 4:
 9.8 ↘ 9.8 → 9.7 ↘ 9.4 ↖ 9.4 ←
 10.8 * 9.6 ↘ 10.2 * 10.5 * 8.8 ↙
 beste Teiler 36.8 (36.) 115.2 (39.) 200.2 (38.)
 Trefferlage 0.17 mm links, 0.76 mm tief
 Streuwert 2.33, horizontal: 2.61, vertikal: 2.01

Unterschrift des Schützen


Ergebnis: **376** (390.8)
 Serien: 94 94 92 96
 Zähler: 23 11 5 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 778 (20), 647 (6), 579 (25)
 beste Teiler 34.1 (33.) 46.0 (15.) 89.8 (2.)
 Trefferlage 0.19 mm links, 0.51 mm tief
 Streuwert 2.44, horizontal: 2.66, vertikal: 2.21




Serie 1:
 9.2 ↘ 10.6 * 10.3 * 10.1 ↖ 10.4 *
 8.4 ↓ 8.6 ↖ 10.0 ↖ 10.0 ↗ 9.0 →
 beste Teiler 89.8 (2.) 139.4 (5.) 173.2 (3.)
 Trefferlage 0.36 mm links, 1.16 mm tief
 Streuwert 2.64, horizontal: 2.80, vertikal: 2.47



Serie 2:
 10.1 ↖ 10.0 ← 10.1 ← 10.5 * 10.8 *
 9.3 ↗ 9.3 ↖ 10.4 * 9.3 ↖ 7.8 ↓
 beste Teiler 46.0 (15.) 113.0 (14.) 132.9 (18.)
 Trefferlage 0.69 mm links, 0.12 mm hoch
 Streuwert 2.66, horizontal: 2.01, vertikal: 3.17





Serie 3:
 10.5 * 9.9 ← 9.1 ↘ 10.4 * 8.6 ←
 10.2 * 10.1 ↖ 9.4 ← 8.7 ↖ 9.4 ↗
 beste Teiler 120.0 (21.) 128.2 (24.) 193.6 (26.)
 Trefferlage 0.93 mm links, 0.43 mm tief
 Streuwert 2.62, horizontal: 3.36, vertikal: 1.55




Serie 4:
 10.2 * 9.3 → 10.8 * 9.8 → 10.3 *
 10.2 * 8.9 ↘ 10.1 ↖ 10.4 * 10.3 *
 beste Teiler 34.1 (33.) 147.4 (39.) 151.9 (35.)
 Trefferlage 1.22 mm rechts, 0.56 mm tief
 Streuwert 1.72, horizontal: 2.06, vertikal: 1.30

Unterschrift des Schützen


Ergebnis: **342** (362.3)
 Serien: 80 86 87 89
 Zähler: 7 20 6 3 3 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1440 (18), 1137 (9), 1076 (5)
 beste Teiler 84.6 (6.) 89.1 (1.) 145.3 (21.)
 Trefferlage 1.76 mm rechts, 1.58 mm tief
 Streuwert 3.63, horizontal: 3.55, vertikal: 3.70




Serie 1:
 10.6 * 7.9 ↘ 7.8 ↓ 9.5 ↗ 6.6 ↘
 10.6 * 9.9 ↖ 9.4 ← 6.4 ↘ 7.8 ↘
 beste Teiler 84.6 (6.) 89.1 (1.) 267.2 (7.)
 Trefferlage 2.54 mm rechts, 2.31 mm tief
 Streuwert 4.38, horizontal: 4.55, vertikal: 4.22



Serie 2:
 9.8 ↗ 9.9 ← 9.6 ↗ 9.2 ↘ 9.1 ↓
 10.0 ↖ 9.8 → 5.2 ↓ 9.5 ↖ 8.5 →
 beste Teiler 229.1 (16.) 270.7 (12.) 291.2 (11.)
 Trefferlage 1.40 mm rechts, 1.51 mm tief
 Streuwert 4.06, horizontal: 2.93, vertikal: 4.94





Serie 3:
 10.4 * 6.7 ↘ 10.0 ↓ 9.7 ↗ 9.5 →
 8.9 ↓ 8.5 ↘ 9.9 ↓ 10.0 ↓ 8.0 ↖
 beste Teiler 145.3 (21.) 238.4 (29.) 240.6 (23.)
 Trefferlage 1.76 mm rechts, 1.90 mm tief
 Streuwert 3.37, horizontal: 4.06, vertikal: 2.49




Serie 4:
 9.2 → 9.2 ← 10.3 * 9.4 ↓ 9.2 ↗
 8.3 ↓ 9.7 ↓ 9.9 ↗ 9.8 → 8.6 ↗
 beste Teiler 162.0 (33.) 258.1 (38.) 278.1 (39.)
 Trefferlage 1.33 mm rechts, 0.59 mm tief
 Streuwert 2.93, horizontal: 2.81, vertikal: 3.05

Unterschrift des Schützen


Ergebnis: **357** (375.2)
 Serien: 91 85 92 89
 Zähler: 9 21 8 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 927 (38), 792 (24), 649 (8)
 beste Teiler 74.7 (27.) 110.0 (31.) 171.4 (10.)
 Trefferlage 1.01 mm rechts, 0.30 mm hoch
 Streuwert 3.00, horizontal: 3.43, vertikal: 2.48




Serie 1:
 9.6 → 9.0 ↗ 9.5 ← 9.4 ↘ 9.7 ↘
 9.5 ← 10.1 ↑ 8.4 ↖ 9.1 ↑ 10.3 *
 beste Teiler 171.4 (10.) 204.3 (7.) 302.4 (5.)
 Trefferlage 0.22 mm links, 0.96 mm hoch
 Streuwert 2.87, horizontal: 3.21, vertikal: 2.48



Serie 2:
 9.7 → 8.8 ← 9.6 ↓ 8.6 ↓ 9.7 ←
 8.4 ↓ 8.8 ↖ 9.5 ↑ 9.3 → 8.8 →
 beste Teiler 311.6 (11.) 321.2 (15.) 327.8 (13.)
 Trefferlage 0.56 mm rechts, 0.58 mm tief
 Streuwert 3.47, horizontal: 3.34, vertikal: 3.60





Serie 3:
 10.1 → 10.0 → 9.3 ↖ 7.8 → 9.1 →
 10.0 ↑ 10.7 * 8.9 ↓ 10.3 * 9.6 ↗
 beste Teiler 74.7 (27.) 175.8 (29.) 218.5 (21.)
 Trefferlage 1.42 mm rechts, 0.20 mm hoch
 Streuwert 2.77, horizontal: 3.32, vertikal: 2.08




Serie 4:
 10.5 * 10.2 * 9.2 ← 8.9 → 9.7 ↑
 9.1 → 9.9 ↑ 7.2 → 9.7 ↗ 9.2 →
 beste Teiler 110.0 (31.) 192.0 (32.) 265.3 (37.)
 Trefferlage 2.28 mm rechts, 0.64 mm hoch
 Streuwert 2.86, horizontal: 3.83, vertikal: 1.32

Unterschrift des Schützen


Ergebnis: **377** (396.6)
 Serien: 93 93 96 95
 Zähler: 21 15 4 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 642 (21), 529 (19), 525 (5)
 beste Teiler 24.3 (32.) 28.6 (29.) 35.4 (40.)
 Trefferlage 0.54 mm links, 0.10 mm hoch
 Streuwert 2.19, horizontal: 2.61, vertikal: 1.66




Serie 1:
 9.9 ↘ 10.5 * 9.2 ↗ 9.4 → 8.9 ←
 9.2 ← 9.8 ↓ 10.5 * 10.0 ↗ 10.1 ↘
 beste Teiler 106.4 (2.) 115.9 (8.) 223.4 (10.)
 Trefferlage 0.47 mm links, 0.33 mm tief
 Streuwert 2.45, horizontal: 2.78, vertikal: 2.07



Serie 2:
 10.0 ← 9.6 ↘ 9.2 ↖ 9.2 ← 9.0 →
 10.3 * 10.4 * 10.1 → 8.8 ← 9.1 ↖
 beste Teiler 129.6 (17.) 160.8 (16.) 222.1 (18.)
 Trefferlage 1.14 mm links, 0.09 mm hoch
 Streuwert 2.61, horizontal: 3.35, vertikal: 1.55



Serie 3:
 8.4 → 9.3 ↖ 10.8 * 9.8 ↗ 10.7 *
 10.6 * 10.3 * 10.7 * 10.8 * 10.7 *
 beste Teiler 28.6 (29.) 38.2 (23.) 58.4 (28.)
 Trefferlage 0.26 mm rechts, 0.12 mm hoch
 Streuwert 1.98, horizontal: 2.57, vertikal: 1.09





Serie 4:
 10.3 * 10.9 * 10.5 * 10.6 * 9.2 ↖
 9.9 ← 9.9 → 8.9 ↗ 10.3 * 10.8 *
 beste Teiler 24.3 (32.) 35.4 (40.) 85.0 (34.)
 Trefferlage 0.82 mm links, 0.50 mm hoch
 Streuwert 1.78, horizontal: 1.65, vertikal: 1.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 310 (329.0)
Serien: 76 78 83 73
Zähler: 3 11 9 10 4 3 0 0 0 0
Innenzehner: 2
weiteste: 1384 (32), 1322 (7), 1310 (9)
beste Teiler 94.6 (10.) 106.2 (2.) 235.3 (22.)
Trefferlage 0.07 mm links, 1.66 mm tief
Streuwert 5.31, horizontal: 6.06, vertikal: 4.42




Serie 1:
 9.5 ↘ 10.5 * 7.8 ↘ 6.9 ↘ 9.4 ↗
 8.5 → 5.7 ↓ 7.3 → 5.7 → 10.6 *
beste Teiler 94.6 (10.) 106.2 (2.) 366.3 (1.)
Trefferlage 3.50 mm rechts, 0.80 mm tief
Streuwert 5.43, horizontal: 5.24, vertikal: 5.61



Serie 2:
 9.7 → 8.4 ↘ 9.0 ↖ 7.6 ↖ 8.3 ↘
 7.9 ← 9.1 ↓ 7.2 → 6.1 ↖ 8.8 →
beste Teiler 304.9 (11.) 474.8 (17.) 500.6 (13.)
Trefferlage 0.96 mm links, 2.20 mm tief
Streuwert 5.12, horizontal: 6.40, vertikal: 3.39



Serie 3:
 8.0 ↑ 10.0 ↓ 9.8 ↖ 8.0 ↖ 8.2 ↖
 6.8 ↓ 7.6 ↖ 9.1 ↓ 9.9 ↖ 9.3 ↖
beste Teiler 235.3 (22.) 259.6 (29.) 300.7 (23.)
Trefferlage 2.29 mm links, 2.22 mm tief
Streuwert 4.03, horizontal: 3.26, vertikal: 4.67





Serie 4:
 7.1 ↘ 5.4 ↖ 6.4 ↘ 8.6 ↖ 9.8 ↗
 7.1 ← 8.9 ↖ 7.8 → 7.6 ↑ 9.6 ↖
beste Teiler 294.9 (35.) 328.8 (40.) 524.6 (37.)
Trefferlage 0.55 mm links, 1.42 mm tief
Streuwert 6.23, horizontal: 7.69, vertikal: 4.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.0)
 Serien: 87 91 91 96
 Zähler: 16 14 9 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 872 (8), 689 (1), 639 (7)
 beste Teiler 37.6 (39.) 70.7 (38.) 89.2 (30.)
 Trefferlage 0.85 mm rechts, 0.83 mm tief
 Streuwert 2.63, horizontal: 3.36, vertikal: 1.60




Serie 1:
 8.2 → 10.4 * 10.3 * 10.0 ↓ 9.8 →
 9.5 ↘ 8.4 ↘ 7.5 → 8.6 ↘ 8.8 →
 beste Teiler 131.6 (2.) 154.5 (3.) 234.1 (4.)
 Trefferlage 3.86 mm rechts, 1.34 mm tief
 Streuwert 2.24, horizontal: 2.81, vertikal: 1.47



Serie 2:
 8.8 → 9.3 → 8.8 ↘ 9.6 ↓ 10.4 *
 9.4 ↓ 9.4 ↙ 10.0 ← 9.9 ↖ 10.2 *
 beste Teiler 132.3 (15.) 187.0 (20.) 240.7 (18.)
 Trefferlage 0.80 mm rechts, 1.67 mm tief
 Streuwert 2.38, horizontal: 2.92, vertikal: 1.68



Serie 3:
 10.2 * 8.9 ← 9.7 ↖ 9.5 ↖ 8.7 →
 9.3 ↙ 9.9 ↙ 9.2 ← 10.1 ↘ 10.6 *
 beste Teiler 89.2 (30.) 182.8 (21.) 210.8 (29.)
 Trefferlage 1.12 mm links, 0.60 mm tief
 Streuwert 2.55, horizontal: 3.41, vertikal: 1.17





Serie 4:
 10.4 * 9.5 ↘ 9.5 ↘ 10.3 * 10.3 *
 8.9 → 10.2 * 10.7 * 10.8 * 10.0 ←
 beste Teiler 37.6 (39.) 70.7 (38.) 137.1 (31.)
 Trefferlage 0.09 mm links, 0.27 mm hoch
 Streuwert 1.96, horizontal: 2.33, vertikal: 1.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 380 (395.6)
Serien: 92 97 95 96
Zähler: 21 18 1 0 0 0 0 0 0 0
Innenzehner: 15
weiteste: 594 (30), 494 (16), 455 (2)
beste Teiler 52.4 (31.) 58.0 (40.) 78.7 (6.)
Trefferlage 0.47 mm links, 0.66 mm hoch
Streuwert 2.04, horizontal: 2.38, vertikal: 1.62




Serie 1:
 9.4 ← 9.1 → 9.8 ↑ 9.8 ↙ 9.7 ←
 10.6 * 9.7 ← 10.3 * 9.7 ↘ 9.5 ↘
beste Teiler 78.7 (6.) 164.5 (8.) 276.5 (4.)
Trefferlage 0.80 mm links, 0.29 mm hoch
Streuwert 2.23, horizontal: 2.71, vertikal: 1.61



Serie 2:
 10.2 * 10.2 * 10.0 ↗ 10.5 * 9.3 ↘
 9.0 ↙ 10.4 * 10.2 * 10.6 * 9.3 ↗
beste Teiler 94.7 (19.) 123.1 (14.) 134.6 (17.)
Trefferlage 0.49 mm links, 0.63 mm hoch
Streuwert 2.00, horizontal: 1.82, vertikal: 2.17



Serie 3:
 10.0 ↗ 10.0 ← 10.3 * 10.2 * 9.9 ←
 9.1 ↗ 10.1 ← 9.2 ↘ 10.1 ↙ 8.6 ←
beste Teiler 164.1 (23.) 200.0 (24.) 222.4 (27.)
Trefferlage 0.92 mm links, 0.85 mm hoch
Streuwert 2.28, horizontal: 2.73, vertikal: 1.72





Serie 4:
 10.7 * 9.5 → 9.4 ↘ 10.5 * 9.5 →
 10.4 * 10.6 * 9.5 ↘ 10.0 → 10.7 *
beste Teiler 52.4 (31.) 58.0 (40.) 96.2 (37.)
Trefferlage 0.32 mm rechts, 0.85 mm hoch
Streuwert 1.77, horizontal: 2.33, vertikal: 0.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 369 (387.1)
Serien: 91 94 91 93
Zähler: 14 21 5 0 0 0 0 0 0 0
Innenzehner: 11
weiteste: 655 (31), 626 (25), 613 (18)
beste Teiler 39.6 (39.) 79.4 (22.) 87.3 (13.)
Trefferlage 0.84 mm rechts, 0.29 mm hoch
Streuwert 2.44, horizontal: 2.51, vertikal: 2.38




Serie 1:
 9.0 ↗ 9.8 → 9.8 ↘ 10.3 * 9.7 ↘
 8.8 ↘ 9.3 ↘ 9.8 → 9.3 ← 10.5 *
beste Teiler 110.1 (10.) 169.4 (4.) 277.0 (3.)
Trefferlage 0.56 mm rechts, 0.04 mm tief
Streuwert 2.58, horizontal: 2.51, vertikal: 2.64



Serie 2:
 10.0 ↘ 10.2 * 10.6 * 9.9 ↑ 10.0 ↖
 9.4 ↙ 10.4 * 8.5 ↗ 9.0 ↘ 9.5 →
beste Teiler 87.3 (13.) 138.5 (17.) 188.0 (12.)
Trefferlage 0.54 mm rechts, 0.61 mm hoch
Streuwert 2.45, horizontal: 2.77, vertikal: 2.08



Serie 3:
 9.4 → 10.6 * 10.3 * 10.4 * 8.4 →
 9.2 → 9.4 ↘ 9.8 ↙ 8.9 → 9.6 ↑
beste Teiler 79.4 (22.) 144.2 (24.) 166.0 (23.)
Trefferlage 1.85 mm rechts, 0.52 mm hoch
Streuwert 2.41, horizontal: 2.88, vertikal: 1.80





Serie 4:
 8.3 ↗ 10.0 ↓ 9.4 ↑ 10.3 * 10.4 *
 9.3 ↙ 9.7 ↘ 9.8 ↑ 10.8 * 9.3 ↘
beste Teiler 39.6 (39.) 129.4 (35.) 162.8 (34.)
Trefferlage 0.42 mm rechts, 0.07 mm hoch
Streuwert 2.56, horizontal: 1.85, vertikal: 3.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (366.3)
 Serien: 86 85 86 88
 Zähler: 6 19 10 4 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1085 (26), 998 (4), 879 (19)
 beste Teiler 69.8 (17.) 97.4 (21.) 130.0 (5.)
 Trefferlage 0.91 mm rechts, 1.44 mm hoch
 Streuwert 3.42, horizontal: 4.07, vertikal: 2.61




Serie 1:
 9.7 ↑ 9.8 ↑ 8.9 ↘ 7.0 → 10.4 *
 10.3 * 7.5 ← 9.2 ↗ 8.4 → 9.4 →
 beste Teiler 130.0 (5.) 167.2 (6.) 297.0 (2.)
 Trefferlage 1.14 mm rechts, 1.21 mm hoch
 Streuwert 3.85, horizontal: 5.21, vertikal: 1.59



Serie 2:
 9.9 ↙ 7.9 ↑ 8.9 → 8.6 ← 9.5 ↘
 9.5 → 10.7 * 9.7 ↗ 7.4 → 9.4 ↘
 beste Teiler 69.8 (17.) 268.7 (11.) 315.0 (18.)
 Trefferlage 0.48 mm rechts, 2.08 mm hoch
 Streuwert 3.41, horizontal: 4.07, vertikal: 2.58





Serie 3:
 10.6 * 8.5 ↙ 9.0 ↗ 8.5 → 9.7 →
 6.6 ↘ 10.0 ↗ 9.2 ← 9.3 ↑ 8.7 ↘
 beste Teiler 97.4 (21.) 248.6 (27.) 325.7 (25.)
 Trefferlage 1.25 mm rechts, 0.58 mm hoch
 Streuwert 3.97, horizontal: 4.16, vertikal: 3.77




Serie 4:
 8.1 ↘ 9.9 ↑ 9.9 ↑ 9.3 ↘ 8.7 →
 9.8 ↑ 9.8 → 10.0 → 9.9 ↘ 8.7 →
 beste Teiler 248.3 (38.) 257.8 (33.) 269.9 (39.)
 Trefferlage 0.77 mm rechts, 1.87 mm hoch
 Streuwert 2.73, horizontal: 3.22, vertikal: 2.12

Unterschrift des Schützen


Ergebnis: **375** (395.1)
 Serien: 95 94 94 92
 Zähler: 19 17 4 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 593 (37), 563 (33), 514 (7)
 beste Teiler 27.8 (1.) 35.4 (16.) 57.2 (12.)
 Trefferlage 0.64 mm links, 0.49 mm hoch
 Streuwert 2.13, horizontal: 2.35, vertikal: 1.89




Serie 1:
 10.8 * 9.2 ↖ 9.6 ↓ 10.7 * 10.2 *
 10.1 ← 8.9 ↖ 9.0 ↖ 10.3 * 10.0 ↘
 beste Teiler 27.8 (1.) 63.5 (4.) 159.6 (9.)
 Trefferlage 1.20 mm links, 0.34 mm hoch
 Streuwert 2.14, horizontal: 2.38, vertikal: 1.87



Serie 2:
 9.6 ↖ 10.7 * 10.4 * 9.6 ↗ 9.4 ←
 10.8 * 10.0 → 9.7 ↘ 9.8 ↖ 9.8 ←
 beste Teiler 35.4 (16.) 57.2 (12.) 145.7 (13.)
 Trefferlage 0.53 mm links, 0.39 mm hoch
 Streuwert 1.96, horizontal: 2.45, vertikal: 1.28





Serie 3:
 10.7 * 10.3 * 10.5 * 9.1 ↘ 9.5 ↖
 9.4 ↓ 9.4 ↖ 10.0 ↖ 9.8 ↘ 9.8 ↓
 beste Teiler 65.7 (21.) 114.2 (23.) 167.9 (22.)
 Trefferlage 0.08 mm links, 0.43 mm tief
 Streuwert 2.20, horizontal: 2.55, vertikal: 1.80



Serie 4:
 10.6 * 10.6 * 8.7 ↖ 8.9 ↖ 9.6 →
 9.7 ↖ 8.6 ↖ 10.5 * 10.4 * 10.4 *
 beste Teiler 76.4 (31.) 83.8 (32.) 103.9 (38.)
 Trefferlage 0.75 mm links, 1.68 mm hoch
 Streuwert 2.19, horizontal: 2.24, vertikal: 2.14

Unterschrift des Schützen


Ergebnis: **174** (182.8)
 Serien: 88 86
 Zähler: 2 12 4 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 794 (18), 791 (14), 641 (10)
 beste Teiler 185.3 (16.) 243.7 (15.) 252.1 (9.)
 Trefferlage 0.86 mm links, 1.39 mm tief
 Streuwert 3.28, horizontal: 3.88, vertikal: 2.55



Serie 1:

9.3 ← 9.4 ↘ 9.5 ↗ 9.1 → 9.5 ↙
 9.3 ↙ 9.3 ↖ 8.5 ↘ 9.9 ↘ 8.4 ↖

beste Teiler 252.1 (9.) 359.4 (5.) 365.8 (3.)
 Trefferlage 0.84 mm links, 1.43 mm tief
 Streuwert 3.09, horizontal: 3.82, vertikal: 2.11



Serie 2:



8.6 ↘ 9.1 ↘ 8.9 ↓ 7.8 ↖ 10.0 ↘
 10.2 * 9.2 ↑ 7.8 ↖ 9.3 ↖ 9.7 →

beste Teiler 185.3 (16.) 243.7 (15.) 304.3 (20.)
 Trefferlage 0.88 mm links, 1.35 mm tief
 Streuwert 3.64, horizontal: 4.15, vertikal: 3.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 368 (388.0)
Serien: 89 90 95 94
Zähler: 16 18 4 2 0 0 0 0 0 0
Innenzehner: 12
weiteste: 835 (1), 754 (8), 615 (19)
beste Teiler 54.0 (25.) 70.8 (37.) 75.9 (22.)
Trefferlage 0.39 mm links, 0.01 mm hoch
Streuwert 2.58, horizontal: 3.09, vertikal: 1.93




Serie 1:
 7.6 ← 9.9 ↓ 9.8 ↗ 10.1 ↖ 10.3 *
 10.6 * 9.6 ↑ 7.9 ↖ 9.6 → 9.7 →
beste Teiler 98.7 (6.) 171.1 (5.) 212.2 (4.)
Trefferlage 0.86 mm links, 0.53 mm hoch
Streuwert 3.10, horizontal: 3.93, vertikal: 1.93



Serie 2:
 9.8 ↗ 9.8 ↖ 8.9 ↖ 10.6 * 10.1 ↓
 9.9 ↘ 9.4 ↑ 8.6 → 8.5 ↖ 10.3 *
beste Teiler 85.7 (14.) 153.4 (20.) 205.6 (15.)
Trefferlage 0.26 mm links, 0.19 mm tief
Streuwert 2.81, horizontal: 3.39, vertikal: 2.06





Serie 3:
 10.6 * 10.7 * 9.1 ↗ 9.6 ↘ 10.7 *
 9.3 ← 9.1 → 9.9 ↖ 10.0 ↗ 10.0 ←
beste Teiler 54.0 (25.) 75.9 (22.) 94.5 (21.)
Trefferlage 0.31 mm rechts, 0.16 mm tief
Streuwert 2.27, horizontal: 2.91, vertikal: 1.35




Serie 4:
 9.2 ↓ 9.4 ↙ 10.2 * 10.2 * 10.3 *
 10.3 * 10.7 * 8.8 ↖ 9.4 ← 9.5 ↑
beste Teiler 70.8 (37.) 155.1 (36.) 169.0 (35.)
Trefferlage 0.75 mm links, 0.09 mm tief
Streuwert 2.34, horizontal: 2.24, vertikal: 2.44

Unterschrift des Schützen


Ergebnis: 338 (358.6)
Serien: 82 88 84 84
Zähler: 2 20 12 6 0 0 0 0 0 0
Innenzehner: 1
weiteste: 887 (4), 871 (8), 821 (25)
beste Teiler 118.3 (6.) 245.5 (16.) 257.1 (9.)
Trefferlage 1.72 mm links, 0.27 mm hoch
Streuwert 3.63, horizontal: 3.86, vertikal: 3.38




Serie 1:
 8.2 ↘ 8.9 ↗ 9.3 ↗ 7.4 ↖ 9.4 ↑
 10.5 * 8.8 ↓ 7.5 ↓ 9.9 ↖ 7.8 ←
beste Teiler 118.3 (6.) 257.1 (9.) 391.0 (5.)
Trefferlage 1.92 mm links, 2.36 mm tief
Streuwert 3.83, horizontal: 3.92, vertikal: 3.74



Serie 2:
 9.3 ↖ 9.4 ↘ 9.5 ↖ 8.6 → 9.8 ↗
 10.0 ↖ 9.6 ← 9.8 ↖ 9.8 ↗ 7.8 ←
beste Teiler 245.5 (16.) 294.7 (15.) 300.0 (18.)
Trefferlage 1.46 mm links, 0.15 mm tief
Streuwert 3.03, horizontal: 3.86, vertikal: 1.86



Serie 3:
 9.4 ↗ 9.1 ↖ 8.0 → 9.7 ↓ 7.7 ↖
 8.0 ↖ 7.9 ↖ 9.7 ↖ 9.7 ← 9.4 →
beste Teiler 312.1 (28.) 316.5 (24.) 319.1 (29.)
Trefferlage 1.32 mm links, 0.39 mm hoch
Streuwert 4.07, horizontal: 4.83, vertikal: 3.13





Serie 4:
 9.4 ↖ 8.8 ← 9.3 ↖ 8.3 ↖ 9.4 ↗
 8.5 ↗ 8.1 ↑ 8.4 ↖ 9.7 ↖ 8.8 ←
beste Teiler 305.5 (39.) 378.2 (31.) 381.7 (35.)
Trefferlage 2.18 mm links, 3.22 mm hoch
Streuwert 2.75, horizontal: 3.24, vertikal: 2.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.7)
 Serien: 95 97 89 94
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 616 (35), 561 (21), 559 (7)
 beste Teiler 21.6 (27.) 33.2 (40.) 34.9 (34.)
 Trefferlage 0.22 mm links, 0.14 mm tief
 Streuwert 2.31, horizontal: 2.47, vertikal: 2.13




Serie 1:
 10.1 ↖ 10.2 * 9.8 ↘ 10.2 * 9.7 ←
 10.2 * 8.7 → 10.4 * 9.0 ↗ 10.2 *
 beste Teiler 141.5 (8.) 179.2 (2.) 180.0 (4.)
 Trefferlage 0.55 mm rechts, 0.21 mm hoch
 Streuwert 2.22, horizontal: 2.46, vertikal: 1.95



Serie 2:
 10.3 * 10.4 * 10.3 * 9.6 ↘ 10.6 *
 10.5 * 10.7 * 10.2 * 9.0 ↙ 9.7 ←
 beste Teiler 54.7 (17.) 100.2 (15.) 111.8 (16.)
 Trefferlage 0.61 mm links, 0.38 mm tief
 Streuwert 1.71, horizontal: 1.73, vertikal: 1.68



Serie 3:
 8.7 → 9.3 ↑ 9.5 ↙ 8.7 ↘ 9.7 ↓
 9.7 ↑ 10.9 * 9.0 ← 10.5 * 8.9 ↖
 beste Teiler 21.6 (27.) 106.1 (29.) 303.0 (26.)
 Trefferlage 0.12 mm links, 0.22 mm hoch
 Streuwert 3.03, horizontal: 3.10, vertikal: 2.97





Serie 4:
 9.6 ↙ 9.3 ↖ 10.3 * 10.8 * 8.5 ↙
 10.2 * 9.8 ↖ 9.2 ↘ 10.5 * 10.8 *
 beste Teiler 33.2 (40.) 34.9 (34.) 111.3 (39.)
 Trefferlage 0.72 mm links, 0.63 mm tief
 Streuwert 2.26, horizontal: 2.58, vertikal: 1.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396** (416.2)_{QF}
 Serien: 99 100 98 99
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 373 (4), 288 (24), 284 (33)
 beste Teiler 12.3 (36.) 20.8 (3.) 26.4 (18.)
 Trefferlage 0.19 mm links, 0.26 mm hoch
 Streuwert 1.14, horizontal: 1.32, vertikal: 0.93




Serie 1:
 10.1 → 10.5 * 10.9 * 9.5 ↖ 10.3 *
 10.6 * 10.7 * 10.7 * 10.0 ↖ 10.7 *
 beste Teiler 20.8 (3.) 54.8 (7.) 58.3 (10.)
 Trefferlage 0.35 mm links, 0.35 mm hoch
 Streuwert 1.25, horizontal: 1.42, vertikal: 1.04



Serie 2:
 10.0 ↖ 10.2 * 10.7 * 10.5 * 10.3 *
 10.4 * 10.3 * 10.8 * 10.8 * 10.0 ←
 beste Teiler 26.4 (18.) 43.9 (19.) 72.3 (13.)
 Trefferlage 0.01 mm links, 0.46 mm hoch
 Streuwert 1.13, horizontal: 1.33, vertikal: 0.89



Serie 3:
 10.1 ← 10.7 * 10.6 * 9.8 ↖ 10.4 *
 10.8 * 10.8 * 10.2 * 10.5 * 9.9 ←
 beste Teiler 39.9 (26.) 44.7 (27.) 61.8 (22.)
 Trefferlage 0.57 mm links, 0.11 mm tief
 Streuwert 1.18, horizontal: 1.51, vertikal: 0.71





Serie 4:
 10.7 * 10.2 * 9.8 ↑ 10.1 ↖ 10.7 *
 10.9 * 10.7 * 10.4 * 10.4 * 10.5 *
 beste Teiler 12.3 (36.) 59.2 (37.) 65.2 (35.)
 Trefferlage 0.17 mm rechts, 0.33 mm hoch
 Streuwert 1.07, horizontal: 1.08, vertikal: 1.07

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: **372** (388.9)
 Serien: 93 92 95 92
 Zähler: 14 24 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 653 (36), 502 (35), 483 (33)
 beste Teiler 33.0 (37.) 46.0 (40.) 171.4 (27.)
 Trefferlage 0.18 mm links, 0.20 mm hoch
 Streuwert 2.37, horizontal: 2.61, vertikal: 2.11




Serie 1:
 9.4 ↗ 9.3 ↘ 9.4 ↘ 10.2 * 9.1 ↘
 9.9 ↓ 9.1 ↖ 9.8 ↑ 10.0 ↖ 10.0 →
 beste Teiler 179.2 (4.) 231.1 (10.) 249.5 (9.)
 Trefferlage 0.57 mm rechts, 0.18 mm tief
 Streuwert 2.57, horizontal: 2.72, vertikal: 2.41



Serie 2:
 9.1 ↖ 9.6 ↑ 9.8 ↗ 9.7 ↗ 9.9 ↖
 9.9 ↖ 10.2 * 10.2 * 9.5 ↖ 9.5 ←
 beste Teiler 176.1 (17.) 192.0 (18.) 261.0 (16.)
 Trefferlage 1.49 mm links, 0.55 mm hoch
 Streuwert 2.01, horizontal: 2.11, vertikal: 1.91





Serie 3:
 9.4 ↘ 9.1 ← 9.9 ↗ 10.0 ↓ 9.6 ↑
 9.7 ↘ 10.3 * 10.0 ↖ 10.3 * 10.0 ↑
 beste Teiler 171.4 (27.) 172.9 (29.) 241.0 (28.)
 Trefferlage 0.27 mm links, 0.06 mm tief
 Streuwert 2.20, horizontal: 2.25, vertikal: 2.14




Serie 4:
 10.2 * 10.0 ↖ 9.0 ↖ 9.8 ↗ 8.9 ↖
 8.3 → 10.8 * 9.9 → 9.3 ↗ 10.8 *
 beste Teiler 33.0 (37.) 46.0 (40.) 197.0 (31.)
 Trefferlage 0.46 mm rechts, 0.53 mm hoch
 Streuwert 2.68, horizontal: 3.11, vertikal: 2.17

Unterschrift des Schützen

Ergebnis: **161** (171.3)
 Serien: 82 79
 Zähler: 3 7 4 3 1 1 1 0 0 0
 Innenzehner: 2
 weiteste: 1707 (1), 1408 (16), 1173 (12)
 beste Teiler 170.4 (8.) 192.0 (17.) 248.2 (13.)
 Trefferlage 0.42 mm links, 0.60 mm hoch
 Streuwert 5.24, horizontal: 5.70, vertikal: 4.75





Serie 1:
 4.1 ↓ 9.9 ↖ 7.9 ← 7.9 → 9.5 →
 9.6 → 9.5 ← 10.3 * 9.5 ↑ 9.7 ↘
 beste Teiler 170.4 (8.) 269.4 (2.) 308.8 (10.)
 Trefferlage 0.21 mm rechts, 1.24 mm tief
 Streuwert 5.07, horizontal: 4.19, vertikal: 5.81



Serie 2:
 8.6 ↗ 6.3 → 10.0 ↖ 9.9 ↘ 8.8 ↑
 5.3 ← 10.2 * 7.2 ↖ 8.2 ↖ 8.9 →
 beste Teiler 192.0 (17.) 248.2 (13.) 257.9 (14.)
 Trefferlage 1.06 mm links, 2.44 mm hoch
 Streuwert 5.30, horizontal: 7.07, vertikal: 2.49


Unterschrift des Schützen

Ergebnis: **173** (183.1)
 Serien: 87 86
 Zähler: 5 7 6 0 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1060 (19), 1004 (1), 700 (4)
 beste Teiler 187.9 (12.) 197.4 (5.) 198.5 (13.)
 Trefferlage 0.44 mm rechts, 1.24 mm hoch
 Streuwert 3.61, horizontal: 4.42, vertikal: 2.56


Serie 1:

6.9 → 9.8 ↘ 9.8 ↘ 8.2 → 10.2 *
 9.9 ↑ 10.1 ↗ 8.7 → 9.2 ↗ 9.5 ↑

beste Teiler 197.4 (5.) 206.4 (7.) 252.5 (6.)
 Trefferlage 3.13 mm rechts, 0.98 mm hoch
 Streuwert 2.75, horizontal: 3.41, vertikal: 1.86




Serie 2:

8.2 ← 10.2 * 10.2 * 9.7 ← 10.0 ↘
 8.9 ↘ 9.6 ↑ 8.7 ↘ 6.7 ↘ 8.6 ←


beste Teiler 187.9 (12.) 198.5 (13.) 239.7 (15.)
 Trefferlage 2.24 mm links, 1.50 mm hoch
 Streuwert 3.44, horizontal: 3.67, vertikal: 3.19

Unterschrift des Schützen

Ergebnis: **179** (189.1)
 Serien: 90 89
 Zähler: 3 13 4 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 637 (2), 620 (7), 614 (19)
 beste Teiler 128.8 (9.) 132.2 (6.) 185.0 (3.)
 Trefferlage 0.02 mm links, 0.71 mm hoch
 Streuwert 2.89, horizontal: 3.23, vertikal: 2.51





Serie 1:
 8.5 ↖ 8.4 ↖ 10.2 * 9.7 ↖ 9.9 →
 10.4 * 8.5 ↑ 9.1 ↗ 10.4 * 9.8 ↖
 beste Teiler 128.8 (9.) 132.2 (6.) 185.0 (3.)
 Trefferlage 0.53 mm links, 1.38 mm hoch
 Streuwert 2.87, horizontal: 2.92, vertikal: 2.82




Serie 2:
 9.3 ↙ 9.3 ↖ 9.6 ↗ 9.8 → 9.6 ↖
 9.4 ↗ 9.6 ↖ 9.3 → 8.5 ↗ 9.8 ↖
 beste Teiler 293.4 (20.) 296.0 (14.) 327.1 (15.)
 Trefferlage 0.48 mm rechts, 0.04 mm hoch
 Streuwert 2.94, horizontal: 3.60, vertikal: 2.07

Unterschrift des Schützen


Ergebnis: 365 (384.1)
Serien: 94 94 88 89
Zähler: 13 20 6 1 0 0 0 0 0 0
Innenzehner: 8
weiteste: 847 (31), 648 (28), 645 (40)
beste Teiler 41.1 (15.) 78.2 (5.) 86.3 (19.)
Trefferlage 0.07 mm links, 0.69 mm tief
Streuwert 2.70, horizontal: 3.35, vertikal: 1.84




Serie 1:
 9.9 → 10.1 ↙ 10.3 * 8.4 → 10.6 *
 10.1 ← 10.5 * 9.2 → 9.5 → 9.7 ↓
beste Teiler 78.2 (5.) 102.7 (7.) 159.1 (3.)
Trefferlage 1.12 mm rechts, 0.70 mm tief
Streuwert 2.19, horizontal: 2.91, vertikal: 1.06



Serie 2:
 9.4 ↓ 9.6 → 9.9 ↓ 9.1 → 10.8 *
 9.3 ↘ 10.2 * 10.1 ← 10.6 * 9.0 ←
beste Teiler 41.1 (15.) 86.3 (19.) 192.0 (17.)
Trefferlage 0.34 mm rechts, 1.46 mm tief
Streuwert 2.15, horizontal: 2.66, vertikal: 1.46





Serie 3:
 9.8 ↘ 9.7 ← 9.8 → 8.7 ↓ 9.2 ↓
 10.0 → 9.7 → 8.4 ← 8.9 ↖ 9.7 ↖
beste Teiler 226.6 (26.) 282.7 (21.) 296.0 (23.)
Trefferlage 0.82 mm links, 0.98 mm tief
Streuwert 2.95, horizontal: 3.40, vertikal: 2.41




Serie 4:
 7.6 ← 9.4 → 9.6 → 10.1 ↘ 9.5 →
 9.8 ↙ 10.4 * 10.5 * 8.6 ↖ 8.4 ←
beste Teiler 103.0 (38.) 135.9 (37.) 225.2 (34.)
Trefferlage 0.94 mm links, 0.36 mm hoch
Streuwert 3.29, horizontal: 4.26, vertikal: 1.87

Unterschrift des Schützen


Ergebnis: **371** (387.3)
 Serien: 91 97 89 94
 Zähler: 19 14 6 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 780 (25), 637 (8), 611 (14)
 beste Teiler 75.5 (29.) 88.5 (39.) 89.8 (20.)
 Trefferlage 0.49 mm rechts, 0.56 mm tief
 Streuwert 2.60, horizontal: 2.74, vertikal: 2.46




Serie 1:
 9.1 ↗ 9.8 ↘ 10.2 * 9.1 → 10.4 *
 10.4 * 8.9 → 8.4 ↙ 9.5 ↗ 9.0 →
 beste Teiler 132.0 (5.) 144.8 (6.) 176.7 (3.)
 Trefferlage 1.44 mm rechts, 0.26 mm tief
 Streuwert 2.82, horizontal: 2.94, vertikal: 2.69



Serie 2:
 10.2 * 10.1 ↘ 10.2 * 8.5 ↗ 10.0 ↑
 10.3 * 9.3 ↓ 10.5 * 10.6 * 10.6 *
 beste Teiler 89.8 (20.) 95.2 (19.) 108.9 (18.)
 Trefferlage 0.39 mm rechts, 0.24 mm hoch
 Streuwert 2.06, horizontal: 1.87, vertikal: 2.23



Serie 3:
 9.3 → 9.2 ↘ 9.2 ↘ 9.5 ↓ 7.8 ↙
 9.0 ↙ 10.3 * 9.1 → 10.7 * 8.8 ↘
 beste Teiler 75.5 (29.) 156.1 (27.) 353.9 (24.)
 Trefferlage 0.30 mm rechts, 1.48 mm tief
 Streuwert 3.19, horizontal: 3.49, vertikal: 2.87





Serie 4:
 9.2 ↓ 10.5 * 10.6 * 10.6 * 10.2 *
 8.7 ↘ 9.8 ↙ 8.7 ↘ 10.6 * 10.4 *
 beste Teiler 88.5 (39.) 90.2 (34.) 94.3 (33.)
 Trefferlage 0.18 mm links, 0.77 mm tief
 Streuwert 2.31, horizontal: 2.57, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.9)
 Serien: 93 91 95 96
 Zähler: 19 17 4 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 602 (10), 561 (32), 553 (17)
 beste Teiler 77.4 (34.) 80.7 (36.) 91.2 (31.)
 Trefferlage 0.31 mm links, 0.09 mm tief
 Streuwert 2.31, horizontal: 2.77, vertikal: 1.72




Serie 1:
 9.8 ↙ 10.4 * 10.2 * 9.3 ← 10.3 *
 9.2 ↗ 10.0 ↗ 9.1 ↘ 9.6 ↓ 8.5 →
 beste Teiler 143.1 (2.) 159.3 (5.) 185.0 (3.)
 Trefferlage 0.36 mm links, 0.05 mm tief
 Streuwert 2.63, horizontal: 3.17, vertikal: 1.95



Serie 2:
 10.5 * 9.8 ↘ 10.6 * 10.1 ↓ 9.9 ←
 8.8 ← 8.7 ↘ 9.4 ↙ 9.6 ↑ 9.9 →
 beste Teiler 98.7 (13.) 122.0 (11.) 211.0 (14.)
 Trefferlage 0.01 mm links, 0.56 mm tief
 Streuwert 2.48, horizontal: 3.00, vertikal: 1.82





Serie 3:
 9.0 → 10.5 * 9.1 ↗ 9.5 ↓ 9.5 ←
 10.4 * 10.1 ↗ 9.3 ← 10.3 * 10.4 *
 beste Teiler 121.7 (22.) 130.6 (26.) 136.3 (30.)
 Trefferlage 0.08 mm rechts, 0.11 mm hoch
 Streuwert 2.38, horizontal: 2.93, vertikal: 1.66




Serie 4:
 10.6 * 8.7 ← 10.1 ↘ 10.6 * 10.2 *
 10.6 * 10.2 * 9.5 ↘ 9.5 ↗ 10.1 ↙
 beste Teiler 77.4 (34.) 80.7 (36.) 91.2 (31.)
 Trefferlage 0.95 mm links, 0.11 mm hoch
 Streuwert 1.95, horizontal: 2.21, vertikal: 1.63

Unterschrift des Schützen


Ergebnis: **385** (405.3)^{QF}
 Serien: 93 96 99 97
 Zähler: 27 11 2 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 544 (6), 509 (7), 357 (3)
 beste Teiler 5.8 (9.) 42.4 (30.) 52.5 (5.)
 Trefferlage 0.08 mm rechts, 0.33 mm hoch
 Streuwert 1.65, horizontal: 1.88, vertikal: 1.37




Serie 1:
 9.9 ↑ 10.0 ↗ 9.5 ↘ 9.7 → 10.7 *
 8.8 ← 8.9 ↑ 10.2 * 10.9 * 10.5 *
 beste Teiler 5.8 (9.) 52.5 (5.) 109.5 (10.)
 Trefferlage 0.29 mm rechts, 0.54 mm hoch
 Streuwert 2.24, horizontal: 2.40, vertikal: 2.07



Serie 2:
 10.5 * 10.7 * 10.6 * 9.7 → 10.5 *
 9.7 ↙ 9.7 ← 9.9 ← 10.2 * 10.4 *
 beste Teiler 72.0 (12.) 91.3 (13.) 102.4 (11.)
 Trefferlage 0.16 mm links, 0.01 mm tief
 Streuwert 1.59, horizontal: 2.06, vertikal: 0.89



Serie 3:
 10.6 * 9.8 ↗ 10.3 * 10.1 ↘ 10.1 ↗
 10.1 ↘ 10.4 * 10.3 * 10.1 → 10.8 *
 beste Teiler 42.4 (30.) 100.8 (21.) 146.6 (27.)
 Trefferlage 0.03 mm rechts, 0.50 mm hoch
 Streuwert 1.34, horizontal: 1.59, vertikal: 1.02



Serie 4:
 9.7 ↗ 10.4 * 10.5 * 10.2 * 10.3 *
 10.0 ↘ 10.6 * 10.3 * 9.9 ↘ 9.8 ↘
 beste Teiler 99.2 (37.) 102.5 (33.) 126.5 (32.)
 Trefferlage 0.16 mm rechts, 0.30 mm hoch
 Streuwert 1.50, horizontal: 1.64, vertikal: 1.35



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 369 (385.9)
Serien: 94 92 94 89
Zähler: 14 21 5 0 0 0 0 0 0 0
Innenzehner: 7
weiteste: 713 (38), 681 (26), 657 (16)
beste Teiler 70.0 (6.) 116.7 (25.) 124.1 (39.)
Trefferlage 0.79 mm rechts, 0.08 mm tief
Streuwert 2.51, horizontal: 2.71, vertikal: 2.28




Serie 1:
 10.2 * 9.4 ↘ 10.1 → 9.9 ↗ 9.9 ↖
 10.7 * 9.7 → 9.6 ↖ 10.1 → 9.6 ↓
beste Teiler 70.0 (6.) 180.5 (1.) 201.5 (3.)
Trefferlage 0.82 mm rechts, 0.13 mm tief
Streuwert 1.92, horizontal: 1.93, vertikal: 1.92



Serie 2:
 10.0 ↗ 9.9 → 9.7 ↗ 10.3 * 10.0 ←
 8.3 ↘ 9.4 ↘ 9.6 ↖ 9.4 ↖ 9.4 ←
beste Teiler 163.1 (14.) 237.2 (15.) 248.6 (11.)
Trefferlage 0.83 mm links, 0.91 mm tief
Streuwert 2.52, horizontal: 2.62, vertikal: 2.41



Serie 3:
 9.1 → 9.6 ↓ 10.4 * 9.6 ↗ 10.5 *
 8.2 → 9.6 ↗ 10.4 * 10.1 ↖ 10.1 ↑
beste Teiler 116.7 (25.) 140.2 (28.) 150.6 (23.)
Trefferlage 1.00 mm rechts, 0.48 mm hoch
Streuwert 2.40, horizontal: 2.62, vertikal: 2.16





Serie 4:
 9.8 ↖ 9.6 → 8.8 ↘ 9.1 ↗ 9.0 ↖
 8.7 ↘ 9.4 → 8.1 → 10.5 * 10.1 ↗
beste Teiler 124.1 (39.) 204.0 (40.) 290.0 (31.)
Trefferlage 2.19 mm rechts, 0.22 mm hoch
Streuwert 2.86, horizontal: 3.03, vertikal: 2.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 374 (392.9)
Serien: 92 94 92 96
Zähler: 17 21 1 1 0 0 0 0 0 0
Innenzehner: 15
weiteste: 809 (32), 519 (3), 499 (10)
beste Teiler 68.9 (33.) 87.6 (37.) 91.3 (23.)
Trefferlage 0.68 mm links, 0.51 mm hoch
Streuwert 2.20, horizontal: 2.47, vertikal: 1.90




Serie 1:
 9.1 ↙ 9.6 ↘ 8.9 ↘ 10.3 * 10.5 *
 9.3 ← 10.5 * 9.2 ↑ 9.6 ← 9.0 ←
beste Teiler 102.4 (5.) 121.1 (7.) 159.5 (4.)
Trefferlage 2.56 mm links, 0.70 mm hoch
Streuwert 1.95, horizontal: 2.07, vertikal: 1.83



Serie 2:
 9.6 ↑ 9.8 ↑ 9.6 → 10.3 * 9.6 ↑
 10.2 * 10.5 * 9.8 ↘ 9.5 → 10.5 *
beste Teiler 101.4 (17.) 116.6 (20.) 174.7 (14.)
Trefferlage 0.72 mm rechts, 1.42 mm hoch
Streuwert 1.60, horizontal: 1.73, vertikal: 1.47



Serie 3:
 9.6 ↘ 10.3 * 10.6 * 9.5 ← 9.3 ↙
 9.7 → 9.6 ↑ 9.7 ↘ 9.9 ↓ 9.5 ↗
beste Teiler 91.3 (23.) 160.7 (22.) 266.9 (29.)
Trefferlage 0.09 mm links, 0.09 mm hoch
Streuwert 2.30, horizontal: 2.27, vertikal: 2.34





Serie 4:
 10.4 * 7.7 ← 10.7 * 10.1 ↘ 10.0 ↗
 10.2 * 10.6 * 9.6 ↓ 10.2 * 10.3 *
beste Teiler 68.9 (33.) 87.6 (37.) 130.2 (31.)
Trefferlage 0.79 mm links, 0.17 mm tief
Streuwert 2.28, horizontal: 2.72, vertikal: 1.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.4)
 Serien: 90 91 88 83
 Zähler: 11 14 13 1 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 1310 (16), 782 (38), 732 (37)
 beste Teiler 44.7 (20.) 73.7 (18.) 84.2 (3.)
 Trefferlage 0.33 mm rechts, 0.33 mm tief
 Streuwert 3.44, horizontal: 3.80, vertikal: 3.03




Serie 1:
 8.9 ↑ 10.3 * 10.6 * 9.0 ↘ 8.9 ↓
 9.7 ← 9.2 ← 8.7 ↑ 10.0 → 9.9 ↘
 beste Teiler 84.2 (3.) 170.1 (2.) 233.0 (9.)
 Trefferlage 0.70 mm rechts, 0.05 mm hoch
 Streuwert 2.87, horizontal: 2.61, vertikal: 3.12



Serie 2:
 10.0 ↗ 9.5 ↖ 10.1 ↖ 9.1 ↓ 9.5 ↓
 5.7 ← 9.5 ↗ 10.7 * 10.6 * 10.8 *
 beste Teiler 44.7 (20.) 73.7 (18.) 88.9 (19.)
 Trefferlage 1.13 mm links, 0.44 mm tief
 Streuwert 3.58, horizontal: 4.53, vertikal: 2.26





Serie 3:
 10.0 → 10.5 * 10.4 * 8.9 ↓ 8.4 ↑
 9.2 → 8.1 ↗ 8.9 ↘ 9.5 ↗ 8.5 ←
 beste Teiler 116.9 (22.) 149.3 (23.) 229.3 (21.)
 Trefferlage 1.56 mm rechts, 0.20 mm hoch
 Streuwert 3.32, horizontal: 3.35, vertikal: 3.29



Serie 4:
 9.8 ↖ 9.5 ↓ 9.8 ↖ 8.9 ↑ 9.1 ↖
 8.7 → 8.0 ↘ 7.8 ↖ 8.3 ↖ 8.4 ↘
 beste Teiler 278.9 (31.) 294.3 (33.) 371.9 (32.)
 Trefferlage 0.19 mm rechts, 1.17 mm tief
 Streuwert 4.04, horizontal: 4.46, vertikal: 3.57

Unterschrift des Schützen


Ergebnis: **349** (366.7)
 Serien: 90 88 82 89
 Zähler: 7 23 5 3 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1476 (21), 1098 (17), 900 (25)
 beste Teiler 65.2 (40.) 85.0 (13.) 191.1 (6.)
 Trefferlage 2.25 mm rechts, 0.06 mm tief
 Streuwert 3.34, horizontal: 4.04, vertikal: 2.44



Serie 1:

9.3 ➤ 10.0 ↖ 8.4 ➤ 9.6 ↖ 8.6 ➤
 10.2 * 9.3 ↘ 8.8 ➤ 9.3 ↗ 10.0 ↖


beste Teiler 191.1 (6.) 233.9 (2.) 243.6 (10.)
 Trefferlage 1.65 mm rechts, 0.53 mm tief
 Streuwert 2.89, horizontal: 3.61, vertikal: 1.91



Serie 2:

9.6 ➤ 9.6 ↓ 10.6 * 9.9 ➤ 9.3 ↗
 9.1 ↖ 6.6 ➤ 9.6 ↗ 9.4 ↗ 9.5 ↑


beste Teiler 85.0 (13.) 264.0 (14.) 333.0 (11.)
 Trefferlage 1.56 mm rechts, 0.15 mm hoch
 Streuwert 3.35, horizontal: 4.06, vertikal: 2.46



Serie 3:

5.0 ➤ 9.7 ➤ 8.3 ➤ 9.1 ↖ 7.4 ➤
 9.6 ↖ 10.2 * 9.5 ↗ 9.1 ➤ 7.9 ➤

beste Teiler 194.9 (27.) 324.5 (22.) 350.8 (26.)
 Trefferlage 4.21 mm rechts, 0.48 mm tief
 Streuwert 4.11, horizontal: 5.10, vertikal: 2.80





Serie 4:

9.4 ↖ 7.9 ↖ 10.0 ↖ 9.7 ↗ 9.6 ↓
 9.6 ↑ 9.3 ↖ 9.9 ➤ 8.1 ➤ 10.7 *

beste Teiler 65.2 (40.) 226.7 (33.) 256.8 (38.)
 Trefferlage 1.59 mm rechts, 0.61 mm hoch
 Streuwert 2.92, horizontal: 3.13, vertikal: 2.70


Unterschrift des Schützen

Ergebnis: 362 (377.9)
Serien: 87 93 93 89
Zähler: 14 16 8 2 0 0 0 0 0 0
Innenzehner: 10
weiteste: 999 (6), 914 (12), 735 (31)
beste Teiler 62.2 (15.) 77.0 (7.) 79.8 (9.)
Trefferlage 1.14 mm rechts, 0.99 mm tief
Streuwert 2.96, horizontal: 3.60, vertikal: 2.14


Serie 1:


9.1 ← 9.9 ← 8.5 ↘ 8.4 ↘ 10.1 ↘
 7.0 → 10.6 * 8.7 → 10.6 * 8.4 ↙

beste Teiler 77.0 (7.) 79.8 (9.) 217.2 (5.)
Trefferlage 0.90 mm rechts, 0.67 mm tief
Streuwert 3.92, horizontal: 5.04, vertikal: 2.31


Serie 2:


10.4 * 7.3 → 9.7 ↓ 9.0 ↙ 10.7 *
 10.1 ↙ 9.4 → 10.2 * 9.8 ↘ 10.1 ↙

beste Teiler 62.2 (15.) 134.4 (11.) 177.1 (18.)
Trefferlage 0.55 mm rechts, 1.52 mm tief
Streuwert 2.67, horizontal: 3.47, vertikal: 1.49


Serie 3:

9.4 ← 9.9 ↗ 10.3 * 10.5 * 10.1 ↓
 8.6 ↘ 10.3 * 8.6 ↘ 9.2 → 10.4 *

beste Teiler 104.7 (24.) 134.5 (30.) 152.1 (27.)
Trefferlage 1.19 mm rechts, 0.70 mm tief
Streuwert 2.38, horizontal: 2.48, vertikal: 2.28


Serie 4:



8.0 ↘ 9.4 ↓ 10.2 * 9.2 ↘ 8.2 →
 9.9 → 9.1 → 9.7 ← 9.9 ↘ 9.0 ↘

beste Teiler 188.0 (33.) 264.8 (36.) 266.4 (39.)
Trefferlage 1.94 mm rechts, 1.07 mm tief
Streuwert 3.01, horizontal: 3.38, vertikal: 2.58

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (356.6)
 Serien: 84 85 85 83
 Zähler: 6 16 11 4 2 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1258 (14), 1147 (35), 1003 (17)
 beste Teiler 67.9 (13.) 132.8 (36.) 163.3 (19.)
 Trefferlage 1.06 mm rechts, 1.24 mm hoch
 Streuwert 3.99, horizontal: 3.68, vertikal: 4.27



Serie 1:

8.3 ↗ 9.9 ↑ 10.2 * 8.8 ↘ 7.5 ↑
 8.3 ↓ 7.7 ↑ 9.9 ↗ 9.9 ↘ 9.5 ↓


beste Teiler 186.0 (3.) 261.9 (2.) 262.1 (8.)
 Trefferlage 0.79 mm rechts, 1.45 mm hoch
 Streuwert 3.82, horizontal: 1.97, vertikal: 5.04



Serie 2:

9.1 ↑ 9.0 ↑ 10.7 * 5.9 ↗ 8.6 ↑
 9.5 ↘ 6.9 ↑ 10.0 ↘ 10.3 * 9.8 ↘


beste Teiler 67.9 (13.) 163.3 (19.) 236.4 (18.)
 Trefferlage 1.17 mm rechts, 3.28 mm hoch
 Streuwert 3.70, horizontal: 2.52, vertikal: 4.59



Serie 3:

9.8 ↘ 7.7 ← 8.8 → 10.0 ↘ 8.1 →
 8.0 → 9.3 ↓ 9.6 ↗ 8.2 ↑ 9.5 ↗

beste Teiler 241.2 (24.) 296.9 (21.) 341.4 (28.)
 Trefferlage 0.83 mm rechts, 0.04 mm hoch
 Streuwert 4.07, horizontal: 4.86, vertikal: 3.10





Serie 4:

7.6 ↗ 9.4 ↘ 8.2 ↘ 8.8 ↘ 6.4 ↘
 10.4 * 9.4 → 8.1 ↓ 9.6 ↑ 9.9 ↗

beste Teiler 132.8 (36.) 259.7 (40.) 345.3 (39.)
 Trefferlage 1.43 mm rechts, 0.18 mm hoch
 Streuwert 4.47, horizontal: 4.97, vertikal: 3.91

Unterschrift des Schützen


Ergebnis: **133** (140.1)
 Serien: 63 70
 Zähler: 1 2 5 4 2 3 1 2 0 0
 Innenzehner: 0
 weiteste: 1924 (4), 1818 (13), 1690 (2)
 beste Teiler 247.6 (18.) 266.5 (16.) 435.5 (6.)
 Trefferlage 3.17 mm links, 2.81 mm tief
 Streuwert 7.34, horizontal: 9.08, vertikal: 5.03



Serie 1:

5.9 ↙ 4.2 → 7.1 ↘ 3.3 ← 6.2 ←
 9.2 ↓ 8.3 ↙ 8.1 ↖ 5.6 ↗ 8.1 ↙

beste Teiler 435.5 (6.) 652.7 (7.) 715.9 (8.)
 Trefferlage 4.46 mm links, 1.15 mm tief
 Streuwert 8.12, horizontal: 10.54, vertikal: 4.57



Serie 2:



7.2 ↙ 6.7 ↘ 3.7 ↙ 7.4 → 8.2 ↓
 9.9 ↖ 7.8 ← 10.0 → 5.0 ↘ 8.2 ↙

beste Teiler 247.6 (18.) 266.5 (16.) 682.7 (15.)
 Trefferlage 1.88 mm links, 4.47 mm tief
 Streuwert 6.55, horizontal: 7.70, vertikal: 5.14

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 317 (336.3)
Serien: 79 83 80 75
Zähler: 6 5 17 8 2 0 2 0 0 0
Innenzehner: 3
weiteste: 1575 (33), 1548 (7), 1166 (40)
beste Teiler 124.4 (16.) 187.4 (27.) 195.4 (10.)
Trefferlage 0.12 mm rechts, 1.79 mm hoch
Streuwert 4.98, horizontal: 6.05, vertikal: 3.61


Serie 1:


7.4 → 8.8 ↘ 9.4 ← 9.9 ↓ 8.8 ↙
 7.5 ↗ 4.8 → 8.3 ← 9.8 ↑ 10.2 *

beste Teiler 195.4 (10.) 262.2 (4.) 286.8 (9.)
Trefferlage 2.01 mm rechts, 0.45 mm tief
Streuwert 5.21, horizontal: 6.66, vertikal: 3.16


Serie 2:


8.7 ← 8.4 ↖ 8.5 → 8.8 ↖ 9.5 ↓
 10.5 * 10.1 ↘ 8.2 ↘ 8.8 → 6.5 ↖

beste Teiler 124.4 (16.) 207.7 (17.) 364.0 (15.)
Trefferlage 1.03 mm links, 1.95 mm hoch
Streuwert 4.12, horizontal: 4.39, vertikal: 3.83


Serie 3:

7.1 ↗ 10.1 ↓ 7.8 ↑ 7.5 ↗ 8.9 →
 8.2 ← 10.2 * 8.3 ↑ 8.1 ↖ 7.5 →

beste Teiler 187.4 (27.) 216.9 (22.) 510.5 (25.)
Trefferlage 2.38 mm rechts, 2.80 mm hoch
Streuwert 4.39, horizontal: 5.10, vertikal: 3.53




Serie 4:

8.2 ↑ 9.9 ↑ 4.7 ← 7.9 ↖ 8.2 ↗
 10.0 → 7.7 ← 8.7 → 8.1 ↑ 6.3 ↖

beste Teiler 231.6 (36.) 266.4 (32.) 553.1 (38.)
Trefferlage 2.88 mm links, 2.87 mm hoch
Streuwert 5.41, horizontal: 6.89, vertikal: 3.33


Unterschrift des Schützen

Ergebnis: 350 (371.6)
Serien: 85 82 90 93
Zähler: 7 24 4 3 1 1 0 0 0 0
Innenzehner: 6
weiteste: 1358 (14), 1004 (15), 913 (6)
beste Teiler 88.8 (29.) 102.0 (32.) 104.2 (9.)
Trefferlage 0.91 mm rechts, 0.81 mm tief
Streuwert 3.39, horizontal: 4.05, vertikal: 2.56


Serie 1:


9.8 ↙ 9.9 ↓ 9.6 ↗ 9.6 ↓ 9.5 →
 7.3 ↗ 7.7 → 8.4 ↘ 10.5 * 8.7 ↘

beste Teiler 104.2 (9.) 265.0 (2.) 300.9 (1.)
Trefferlage 1.49 mm rechts, 0.15 mm hoch
Streuwert 3.73, horizontal: 4.33, vertikal: 3.01


Serie 2:


9.8 ↓ 9.7 ↗ 9.6 ↘ 5.5 → 6.9 ↘
 9.2 ↙ 9.3 ↑ 9.7 ↘ 8.4 ↓ 9.7 ↓

beste Teiler 282.7 (11.) 315.2 (12.) 316.0 (20.)
Trefferlage 2.45 mm rechts, 1.33 mm tief
Streuwert 4.31, horizontal: 5.14, vertikal: 3.28


Serie 3:

8.5 → 9.8 ↓ 7.7 ↖ 9.1 ↘ 9.4 →
 10.1 ↖ 9.5 ↘ 9.5 ↗ 10.6 * 10.3 *

beste Teiler 88.8 (29.) 163.1 (30.) 209.3 (26.)
Trefferlage 0.47 mm links, 0.42 mm tief
Streuwert 3.15, horizontal: 3.92, vertikal: 2.13


Serie 4:



9.9 ↓ 10.5 * 9.6 ↖ 10.3 * 9.5 ↖
 9.4 ↗ 9.9 ↓ 9.2 ↘ 9.8 → 10.2 *

beste Teiler 102.0 (32.) 154.3 (34.) 195.0 (40.)
Trefferlage 0.18 mm rechts, 1.64 mm tief
Streuwert 1.83, horizontal: 2.23, vertikal: 1.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (394.8)
 Serien: 94 95 91 95
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 541 (26), 522 (12), 447 (9)
 beste Teiler 27.7 (1.) 33.3 (4.) 65.4 (7.)
 Trefferlage 0.20 mm links, 0.27 mm hoch
 Streuwert 2.10, horizontal: 2.27, vertikal: 1.93




Serie 1:
 10.8 * 9.4 ↑ 9.6 ↘ 10.8 * 9.9 ↙
 9.7 → 10.7 * 9.6 ↖ 9.2 ← 10.0 →
 beste Teiler 27.7 (1.) 33.3 (4.) 65.4 (7.)
 Trefferlage 0.57 mm links, 0.38 mm hoch
 Streuwert 2.05, horizontal: 2.35, vertikal: 1.69



Serie 2:
 9.7 ↘ 8.9 ↘ 9.9 ↘ 9.8 ↙ 10.1 ↗
 10.1 ↓ 10.0 ↑ 10.4 * 10.4 * 10.1 ←
 beste Teiler 130.2 (19.) 146.6 (18.) 203.7 (16.)
 Trefferlage 0.51 mm rechts, 0.78 mm tief
 Streuwert 1.93, horizontal: 2.22, vertikal: 1.60





Serie 3:
 9.7 ↗ 10.0 ↖ 9.2 ↗ 9.2 ↖ 9.8 ↖
 8.8 ↙ 9.5 ↙ 9.7 ↗ 9.8 ← 10.2 *
 beste Teiler 185.8 (30.) 234.0 (22.) 289.3 (25.)
 Trefferlage 0.53 mm links, 0.73 mm hoch
 Streuwert 2.56, horizontal: 2.68, vertikal: 2.43




Serie 4:
 10.4 * 9.7 ↗ 9.3 ↑ 10.5 * 9.9 ↘
 10.3 * 9.8 ↖ 10.1 ↖ 9.6 ↖ 10.2 *
 beste Teiler 105.4 (34.) 150.2 (31.) 158.2 (36.)
 Trefferlage 0.21 mm links, 0.75 mm hoch
 Streuwert 1.84, horizontal: 1.94, vertikal: 1.73

Unterschrift des Schützen


Ergebnis: 386 (402.4)^{QF}
Serien: 99 95 95 97
Zähler: 26 14 0 0 0 0 0 0 0 0
Innenzehner: 19
weiteste: 439 (13), 432 (34), 421 (29)
beste Teiler 43.5 (9.) 74.2 (21.) 81.3 (33.)
Trefferlage 0.22 mm links, 0.02 mm tief
Streuwert 1.73, horizontal: 2.05, vertikal: 1.33




Serie 1:
 10.2 * 9.8 ↗ 10.1 ↓ 10.2 * 10.4 *
 10.2 * 10.0 ↗ 10.4 * 10.8 * 10.1 →
beste Teiler 43.5 (9.) 130.0 (5.) 140.6 (8.)
Trefferlage 0.41 mm rechts, 0.13 mm hoch
Streuwert 1.37, horizontal: 1.45, vertikal: 1.29



Serie 2:
 9.6 ← 9.8 ↖ 9.2 ↘ 10.0 ↖ 10.4 *
 9.9 ← 10.5 * 9.8 ↖ 10.2 * 10.2 *
beste Teiler 105.0 (17.) 127.1 (15.) 188.1 (19.)
Trefferlage 1.01 mm links, 0.13 mm hoch
Streuwert 1.82, horizontal: 2.11, vertikal: 1.48



Serie 3:
 10.7 * 9.6 ← 10.1 ↓ 9.9 ↘ 10.2 *
 10.1 → 9.9 ← 10.6 * 9.3 ↖ 9.6 ↖
beste Teiler 74.2 (21.) 98.1 (28.) 182.2 (25.)
Trefferlage 0.74 mm links, 0.11 mm hoch
Streuwert 1.85, horizontal: 2.13, vertikal: 1.52



Serie 4:
 10.4 * 10.0 → 10.6 * 9.2 ↘ 10.5 *
 9.7 → 10.3 * 10.4 * 10.2 * 9.3 ↖
beste Teiler 81.3 (33.) 101.1 (35.) 134.5 (38.)
Trefferlage 0.44 mm rechts, 0.49 mm tief
Streuwert 1.79, horizontal: 2.29, vertikal: 1.10



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 361 (378.9)
Serien: 91 94 90 86
Zähler: 15 20 3 1 0 0 0 0 0 0
Innenzehner: 11
weiteste: 3487 (36), 754 (29), 628 (12)
beste Teiler 38.2 (35.) 73.4 (33.) 114.0 (18.)
Trefferlage 0.62 mm rechts, 0.47 mm hoch
Streuwert 4.61, horizontal: 6.16, vertikal: 2.13




Serie 1:
 10.2 * 8.7 ↘ 9.2 ↘ 9.9 ↘ 9.6 ←
 8.7 ↘ 10.4 * 10.2 * 9.6 ↗ 9.9 →
beste Teiler 129.3 (7.) 176.7 (1.) 180.9 (8.)
Trefferlage 0.24 mm links, 1.21 mm hoch
Streuwert 2.52, horizontal: 2.96, vertikal: 1.97



Serie 2:
 10.0 → 8.4 ↖ 9.3 ↘ 10.4 * 10.2 *
 9.9 ↖ 9.8 ↗ 10.5 * 10.1 ↘ 9.4 ←
beste Teiler 114.0 (18.) 130.4 (14.) 191.3 (15.)
Trefferlage 0.44 mm links, 0.84 mm tief
Streuwert 2.30, horizontal: 2.62, vertikal: 1.93



Serie 3:
 9.0 ← 9.4 ← 10.1 ↖ 10.0 → 9.7 ↘
 9.5 → 9.7 ↗ 9.4 → 7.9 ↘ 9.5 ↘
beste Teiler 222.0 (23.) 229.3 (24.) 314.5 (25.)
Trefferlage 0.46 mm links, 0.03 mm hoch
Streuwert 3.03, horizontal: 3.55, vertikal: 2.41





Serie 4:
 10.2 * 9.4 ↘ 10.7 * 9.5 ↗ 10.8 *
 0.0 → 10.2 * 10.3 * 9.8 ↗ 9.4 ↑
beste Teiler 38.2 (35.) 73.4 (33.) 156.7 (38.)
Trefferlage 3.67 mm rechts, 1.49 mm hoch
Streuwert 7.89, horizontal: 11.05, vertikal: 1.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.0)
 Serien: 86 93 92 90
 Zähler: 14 15 9 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 853 (40), 797 (3), 627 (8)
 beste Teiler 101.4 (19.) 103.7 (18.) 106.9 (28.)
 Trefferlage 0.23 mm rechts, 0.66 mm tief
 Streuwert 2.89, horizontal: 3.39, vertikal: 2.29




Serie 1:
 8.7 ↘ 8.6 ← 7.8 ↘ 9.6 ↗ 10.3 *
 10.3 * 9.4 ↘ 8.4 ↘ 8.5 → 9.6 ↙
 beste Teiler 154.4 (5.) 170.6 (6.) 330.1 (4.)
 Trefferlage 0.98 mm rechts, 1.07 mm tief
 Streuwert 3.59, horizontal: 4.56, vertikal: 2.24



Serie 2:
 9.7 ↓ 10.1 ↗ 8.8 ↗ 9.2 → 10.4 *
 9.7 ↘ 9.6 → 10.5 * 10.5 * 9.9 ↘
 beste Teiler 101.4 (19.) 103.7 (18.) 150.0 (15.)
 Trefferlage 0.74 mm rechts, 0.21 mm hoch
 Streuwert 2.23, horizontal: 2.25, vertikal: 2.22





Serie 3:
 8.5 → 10.0 ↖ 10.1 ← 10.1 ↓ 10.3 *
 8.9 ↗ 9.9 ↘ 10.5 * 8.9 ↗ 9.4 ↘
 beste Teiler 106.9 (28.) 174.3 (25.) 202.7 (24.)
 Trefferlage 0.07 mm links, 0.92 mm tief
 Streuwert 2.61, horizontal: 3.15, vertikal: 1.92




Serie 4:
 8.6 ↓ 9.3 ↗ 10.1 ↑ 9.4 ← 10.1 ↓
 9.7 → 9.1 → 10.4 * 9.6 ↙ 7.5 ↘
 beste Teiler 132.6 (38.) 204.3 (33.) 221.4 (35.)
 Trefferlage 0.72 mm links, 0.87 mm tief
 Streuwert 3.15, horizontal: 3.44, vertikal: 2.82

Unterschrift des Schützen


Ergebnis: **363** (385.9)
 Serien: 94 92 89 88
 Zähler: 11 24 3 1 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1002 (26), 777 (40), 571 (3)
 beste Teiler 55.9 (16.) 64.3 (39.) 68.7 (10.)
 Trefferlage 0.65 mm rechts, 0.39 mm tief
 Streuwert 2.65, horizontal: 3.11, vertikal: 2.08




Serie 1:
 10.5 * 10.7 * 8.7 ↖ 9.9 ↖ 10.1 ↑
 9.9 ↙ 10.5 * 9.0 → 9.9 ↘ 10.7 *
 beste Teiler 68.7 (10.) 73.7 (2.) 101.1 (7.)
 Trefferlage 0.46 mm links, 0.24 mm hoch
 Streuwert 2.14, horizontal: 2.65, vertikal: 1.45



Serie 2:
 10.5 * 9.8 ↗ 9.3 ↙ 9.9 → 9.9 →
 10.7 * 9.2 ↓ 9.7 ← 9.7 ↓ 9.5 →
 beste Teiler 55.9 (16.) 113.9 (11.) 262.3 (14.)
 Trefferlage 0.85 mm rechts, 1.04 mm tief
 Streuwert 2.04, horizontal: 2.17, vertikal: 1.89



Serie 3:
 9.0 ↗ 9.6 ↘ 10.0 ↙ 9.7 ↙ 9.6 ↗
 6.9 → 9.9 ↓ 10.5 * 9.9 ↓ 9.4 ↘
 beste Teiler 102.5 (28.) 232.3 (23.) 256.7 (27.)
 Trefferlage 1.70 mm rechts, 0.48 mm tief
 Streuwert 2.97, horizontal: 3.42, vertikal: 2.44





Serie 4:
 9.3 ↘ 9.5 ↙ 10.4 * 8.7 ↘ 9.6 ↖
 8.8 ← 9.2 ↘ 9.3 ↖ 10.7 * 7.8 →
 beste Teiler 64.3 (39.) 145.1 (33.) 341.9 (35.)
 Trefferlage 0.53 mm rechts, 0.30 mm tief
 Streuwert 3.31, horizontal: 3.97, vertikal: 2.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.4)
 Serien: 92 92 95 95
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 650 (1), 590 (17), 551 (16)
 beste Teiler 28.6 (27.) 38.2 (21.) 60.0 (9.)
 Trefferlage 0.41 mm links, 1.28 mm hoch
 Streuwert 2.11, horizontal: 2.44, vertikal: 1.72




Serie 1:
 8.4 ↘ 9.6 ↗ 9.4 ↖ 9.6 ↘ 10.2 *
 9.2 ↖ 9.9 ↘ 10.6 * 10.7 * 9.8 ↘
 beste Teiler 60.0 (9.) 77.1 (8.) 177.0 (5.)
 Trefferlage 1.68 mm links, 1.55 mm hoch
 Streuwert 1.91, horizontal: 2.19, vertikal: 1.59



Serie 2:
 9.9 → 9.4 ↗ 10.7 * 9.3 ↑ 10.0 →
 8.7 ↘ 8.6 → 10.7 * 9.8 ↑ 10.0 ↘
 beste Teiler 64.3 (18.) 69.4 (13.) 230.2 (15.)
 Trefferlage 0.39 mm rechts, 0.94 mm hoch
 Streuwert 2.51, horizontal: 2.89, vertikal: 2.06





Serie 3:
 10.8 * 9.6 ↑ 9.4 → 10.0 → 10.3 *
 10.2 * 10.8 * 8.9 ↘ 9.7 ↑ 10.3 *
 beste Teiler 28.6 (27.) 38.2 (21.) 153.0 (25.)
 Trefferlage 0.39 mm rechts, 1.21 mm hoch
 Streuwert 1.84, horizontal: 1.69, vertikal: 1.97



Serie 4:
 9.2 ↖ 10.4 * 10.2 * 9.9 ↘ 9.4 ↘
 10.4 * 9.1 ↑ 10.1 ↗ 9.0 → 10.2 *
 beste Teiler 136.5 (32.) 150.0 (36.) 179.0 (33.)
 Trefferlage 0.78 mm links, 1.43 mm hoch
 Streuwert 2.04, horizontal: 2.53, vertikal: 1.39

Unterschrift des Schützen


Ergebnis: **323** (345.1)
 Serien: 84 79 86 74
 Zähler: 2 15 10 10 3 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1114 (37), 1029 (32), 1006 (36)
 beste Teiler 109.6 (23.) 243.5 (2.) 251.7 (19.)
 Trefferlage 0.42 mm rechts, 0.86 mm tief
 Streuwert 4.50, horizontal: 4.41, vertikal: 4.58



Serie 1:

9.6 ↘ 10.0 ↑ 7.3 ↘ 8.9 ← 8.6 ↓
 9.9 → 8.7 ↙ 7.3 ← 9.0 ↑ 9.4 ←


beste Teiler 243.5 (2.) 260.5 (6.) 340.2 (1.)
 Trefferlage 1.37 mm links, 1.00 mm tief
 Streuwert 4.05, horizontal: 4.02, vertikal: 4.07



Serie 2:

9.0 ↙ 9.7 ↖ 7.1 ↘ 8.8 ↙ 7.3 ↑
 8.7 ↘ 7.8 ↘ 8.7 ↘ 9.9 → 7.7 ↘


beste Teiler 251.7 (19.) 314.0 (12.) 491.5 (11.)
 Trefferlage 0.40 mm links, 0.15 mm hoch
 Streuwert 4.92, horizontal: 4.76, vertikal: 5.08



Serie 3:

7.9 → 8.9 ↗ 10.5 * 9.9 ↘ 8.5 ↘
 9.4 ↓ 8.3 ↘ 9.7 ↙ 9.7 ↓ 9.1 ↖

beste Teiler 109.6 (23.) 251.9 (24.) 307.8 (29.)
 Trefferlage 1.75 mm rechts, 1.32 mm tief
 Streuwert 3.19, horizontal: 3.15, vertikal: 3.23





Serie 4:

7.8 ↘ 6.8 → 8.1 ↓ 9.3 ↗ 7.7 →
 6.9 ↑ 6.5 ↘ 9.1 ↙ 9.7 ↓ 7.9 ←

beste Teiler 325.3 (39.) 418.2 (34.) 458.9 (38.)
 Trefferlage 1.73 mm rechts, 1.27 mm tief
 Streuwert 5.65, horizontal: 5.22, vertikal: 6.05

Unterschrift des Schützen


Ergebnis: **336** (352.7)
 Serien: 86 83 79 88
 Zähler: 4 16 13 6 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1137 (21), 949 (24), 918 (14)
 beste Teiler 139.7 (31.) 147.0 (26.) 221.0 (6.)
 Trefferlage 0.38 mm links, 0.46 mm hoch
 Streuwert 4.17, horizontal: 5.18, vertikal: 2.82



Serie 1:

8.1 ↘ 7.8 → 8.7 → 9.0 ↑ 8.9 ↖
 10.1 ↗ 9.7 ↑ 9.0 ↘ 9.9 ↓ 9.7 →


beste Teiler 221.0 (6.) 258.0 (9.) 306.1 (10.)
 Trefferlage 1.43 mm rechts, 1.11 mm hoch
 Streuwert 3.46, horizontal: 3.85, vertikal: 3.02



Serie 2:

8.1 ↗ 9.6 ↘ 9.1 ↓ 7.3 ↖ 9.3 ↖
 8.1 → 7.4 ← 10.0 ↓ 8.9 → 8.0 ↖


beste Teiler 231.2 (18.) 336.6 (12.) 402.3 (15.)
 Trefferlage 1.72 mm links, 0.77 mm tief
 Streuwert 4.50, horizontal: 5.64, vertikal: 2.94



Serie 3:

6.4 ← 8.9 → 9.2 ↗ 7.2 ← 7.7 ↘
 10.4 * 8.5 ↘ 9.4 ← 8.3 ↖ 7.5 →

beste Teiler 147.0 (26.) 397.4 (28.) 431.4 (23.)
 Trefferlage 0.07 mm rechts, 0.50 mm hoch
 Streuwert 5.29, horizontal: 6.82, vertikal: 3.06





Serie 4:

10.4 * 8.3 ↗ 8.2 ↖ 9.9 ↗ 9.2 ←
 8.3 ↖ 9.8 ↖ 9.5 ↗ 9.6 ← 9.3 →


beste Teiler 139.7 (31.) 270.8 (34.) 280.8 (37.)
 Trefferlage 1.32 mm links, 1.02 mm hoch
 Streuwert 3.24, horizontal: 4.01, vertikal: 2.22

Unterschrift des Schützen


Ergebnis: **346** (363.8)
 Serien: 88 88 88 82
 Zähler: 9 11 17 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 930 (29), 921 (1), 787 (22)
 beste Teiler 35.5 (26.) 128.3 (10.) 163.6 (19.)
 Trefferlage 1.45 mm rechts, 1.59 mm tief
 Streuwert 3.35, horizontal: 3.57, vertikal: 3.12




Serie 1:
 7.3 ↘ 8.7 → 9.4 ↓ 9.6 ↓ 10.3 *
 10.2 * 8.3 → 9.2 ↘ 8.9 ↗ 10.4 *
 beste Teiler 128.3 (10.) 166.1 (5.) 191.9 (6.)
 Trefferlage 1.68 mm rechts, 2.62 mm tief
 Streuwert 2.85, horizontal: 3.11, vertikal: 2.57



Serie 2:
 9.5 ↗ 9.8 ↖ 8.0 ↗ 10.1 ↗ 8.7 ↘
 9.4 ↘ 8.2 ← 8.7 → 10.3 * 9.9 ↓
 beste Teiler 163.6 (19.) 213.7 (14.) 255.9 (20.)
 Trefferlage 0.77 mm rechts, 0.60 mm tief
 Streuwert 3.39, horizontal: 4.14, vertikal: 2.40





Serie 3:
 9.8 ↗ 7.8 ↖ 10.1 ↓ 9.2 ↘ 8.9 ↓
 10.8 * 10.1 ↗ 8.2 ↑ 7.2 ↓ 10.0 ↘
 beste Teiler 35.5 (26.) 201.2 (27.) 208.4 (23.)
 Trefferlage 0.70 mm rechts, 1.67 mm tief
 Streuwert 3.59, horizontal: 2.83, vertikal: 4.23




Serie 4:
 8.2 → 8.6 → 9.9 ↘ 8.1 ↓ 9.4 ↖
 8.1 ↓ 8.8 → 8.9 → 8.8 ↖ 8.0 →
 beste Teiler 270.4 (33.) 395.8 (35.) 506.0 (38.)
 Trefferlage 2.66 mm rechts, 1.48 mm tief
 Streuwert 3.70, horizontal: 4.20, vertikal: 3.11

Unterschrift des Schützen


Ergebnis: 376 (396.4)
Serien: 94 95 95 92
Zähler: 19 18 3 0 0 0 0 0 0 0
Innenzehner: 14
weiteste: 632 (32), 629 (29), 535 (37)
beste Teiler 9.2 (39.) 56.7 (15.) 57.3 (26.)
Trefferlage 0.14 mm rechts, 0.48 mm tief
Streuwert 2.09, horizontal: 2.36, vertikal: 1.78




Serie 1:
 9.7 → 9.6 → 9.9 ↘ 10.4 * 9.6 ↘
 9.5 ↓ 9.7 ↘ 10.1 ← 10.2 * 10.5 *
beste Teiler 109.5 (10.) 131.0 (4.) 199.0 (9.)
Trefferlage 0.34 mm rechts, 0.27 mm hoch
Streuwert 1.99, horizontal: 2.28, vertikal: 1.65



Serie 2:
 9.8 ↓ 10.0 ↗ 9.8 ↗ 10.3 * 10.7 *
 10.7 * 9.5 ↓ 9.7 ↗ 9.6 ↓ 10.5 *
beste Teiler 56.7 (15.) 73.1 (16.) 105.0 (20.)
Trefferlage 0.06 mm links, 1.11 mm tief
Streuwert 1.65, horizontal: 1.45, vertikal: 1.82



Serie 3:
 9.2 ← 9.9 ↗ 9.2 ↘ 10.0 ↓ 10.3 *
 10.7 * 10.3 * 10.5 * 8.4 ↘ 10.1 ↘
beste Teiler 57.3 (26.) 102.8 (28.) 161.7 (25.)
Trefferlage 0.43 mm rechts, 1.39 mm tief
Streuwert 2.12, horizontal: 2.68, vertikal: 1.34





Serie 4:
 10.1 ↘ 8.4 ↘ 9.6 → 9.8 ↘ 10.3 *
 9.7 ← 8.8 ↘ 9.9 ↘ 10.9 * 10.5 *
beste Teiler 9.2 (39.) 124.9 (40.) 152.6 (35.)
Trefferlage 0.12 mm links, 0.29 mm hoch
Streuwert 2.51, horizontal: 3.07, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 384 (401.8)_{QF}
Serien: 95 97 95 97
Zähler: 24 16 0 0 0 0 0 0 0
Innenzehner: 15
weiteste: 495 (3), 459 (26), 405 (2)
beste Teiler 58.6 (16.) 64.5 (21.) 74.3 (35.)
Trefferlage 0.11 mm rechts, 0.09 mm hoch
Streuwert 1.80, horizontal: 2.12, vertikal: 1.40




Serie 1:
 10.0 → 9.3 → 9.0 ↗ 9.5 ← 10.6 *
 9.7 ↙ 10.1 ↓ 9.6 ↗ 10.5 * 10.1 ↖
beste Teiler 81.0 (5.) 105.4 (9.) 201.0 (7.)
Trefferlage 0.47 mm rechts, 0.49 mm hoch
Streuwert 2.21, horizontal: 2.60, vertikal: 1.74



Serie 2:
 9.8 ↖ 10.3 * 10.0 ↙ 9.8 ↖ 9.6 →
 10.7 * 10.6 * 10.5 * 10.1 → 10.3 *
beste Teiler 58.6 (16.) 91.2 (17.) 108.8 (18.)
Trefferlage 0.10 mm rechts, 0.38 mm hoch
Streuwert 1.57, horizontal: 1.79, vertikal: 1.32



Serie 3:
 10.7 * 10.0 ↘ 10.6 * 10.2 * 9.8 →
 9.1 ↖ 10.1 ↙ 9.9 → 9.7 ↙ 9.9 →
beste Teiler 64.5 (21.) 99.4 (23.) 197.0 (24.)
Trefferlage 0.39 mm rechts, 0.17 mm tief
Streuwert 1.93, horizontal: 2.48, vertikal: 1.14





Serie 4:
 10.1 ← 10.0 ← 9.6 → 10.3 * 10.7 *
 10.4 * 10.5 * 9.9 ↖ 10.4 * 9.8 ↓
beste Teiler 74.3 (35.) 107.0 (37.) 137.5 (39.)
Trefferlage 0.50 mm links, 0.32 mm tief
Streuwert 1.52, horizontal: 1.66, vertikal: 1.36

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (409.0)^{QF}
 Serien: 96 97 98 98
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 482 (20), 361 (31), 341 (7)
 beste Teiler 64.1 (37.) 64.8 (30.) 77.2 (13.)
 Trefferlage 0.08 mm links, 0.28 mm hoch
 Streuwert 1.47, horizontal: 1.22, vertikal: 1.68




Serie 1:
 9.7 ↑ 9.6 ↘ 10.4 * 9.8 ↘ 10.5 *
 10.2 * 9.6 ↙ 10.5 * 10.5 * 10.5 *
 beste Teiler 104.9 (5.) 105.5 (9.) 111.0 (8.)
 Trefferlage 0.37 mm rechts, 0.79 mm tief
 Streuwert 1.55, horizontal: 1.29, vertikal: 1.77



Serie 2:
 10.2 * 9.9 ← 10.6 * 10.4 * 10.6 *
 10.5 * 10.4 * 9.8 ↗ 10.3 * 9.0 ↘
 beste Teiler 77.2 (13.) 97.9 (15.) 106.4 (16.)
 Trefferlage 0.64 mm links, 0.57 mm hoch
 Streuwert 1.56, horizontal: 1.54, vertikal: 1.59



Serie 3:
 10.2 * 10.4 * 10.4 * 10.1 ↓ 10.6 *
 9.6 ↗ 10.2 * 9.8 ↑ 10.5 * 10.7 *
 beste Teiler 64.8 (30.) 96.6 (25.) 108.7 (29.)
 Trefferlage 0.00 mm, 0.36 mm hoch
 Streuwert 1.43, horizontal: 1.18, vertikal: 1.64





Serie 4:
 9.5 ↑ 10.5 * 9.8 ↑ 10.3 * 10.6 *
 10.5 * 10.7 * 10.6 * 10.5 * 10.5 *
 beste Teiler 64.1 (37.) 93.4 (35.) 94.8 (38.)
 Trefferlage 0.06 mm links, 0.99 mm hoch
 Streuwert 1.08, horizontal: 0.63, vertikal: 1.39

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: **390** (409.2)^{QF}
 Serien: 99 97 98 96
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 443 (4), 406 (20), 357 (24)
 beste Teiler 30.8 (14.) 42.0 (12.) 47.0 (7.)
 Trefferlage 0.33 mm rechts, 0.53 mm hoch
 Streuwert 1.43, horizontal: 1.44, vertikal: 1.43




Serie 1:
 10.4 * 10.2 * 10.4 * 9.2 ↗ 10.0 ↖
 10.4 * 10.8 * 10.4 * 10.6 * 10.4 *
 beste Teiler 47.0 (7.) 79.3 (9.) 130.1 (6.)
 Trefferlage 0.05 mm links, 0.37 mm hoch
 Streuwert 1.46, horizontal: 1.47, vertikal: 1.45



Serie 2:
 9.8 ↖ 10.8 * 10.1 ↘ 10.8 * 10.6 *
 10.8 * 10.7 * 10.4 * 9.9 ↘ 9.3 ↗
 beste Teiler 30.8 (14.) 42.0 (12.) 49.7 (16.)
 Trefferlage 0.67 mm rechts, 0.45 mm hoch
 Streuwert 1.35, horizontal: 1.00, vertikal: 1.62



Serie 3:
 10.6 * 9.7 ↘ 10.7 * 9.5 ↗ 10.2 *
 10.1 ↗ 10.0 ↑ 10.2 * 10.1 ↖ 10.4 *
 beste Teiler 57.7 (23.) 99.0 (21.) 145.0 (30.)
 Trefferlage 0.34 mm rechts, 0.81 mm hoch
 Streuwert 1.50, horizontal: 1.44, vertikal: 1.57





Serie 4:
 9.7 ↗ 10.4 * 10.2 * 9.9 ↖ 10.8 *
 9.6 → 9.7 ↖ 10.6 * 10.4 * 10.4 *
 beste Teiler 48.0 (35.) 93.2 (38.) 133.4 (39.)
 Trefferlage 0.34 mm rechts, 0.48 mm hoch
 Streuwert 1.58, horizontal: 1.86, vertikal: 1.25

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: **369** (384.9)
 Serien: 94 91 92 92
 Zähler: 15 20 4 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 979 (17), 643 (28), 540 (14)
 beste Teiler 66.7 (7.) 94.4 (9.) 101.2 (16.)
 Trefferlage 0.86 mm rechts, 0.02 mm hoch
 Streuwert 2.59, horizontal: 3.18, vertikal: 1.81




Serie 1:
 9.7 ↗ 9.5 → 10.2 * 9.8 ↗ 9.7 ↗
 9.6 ↘ 10.7 * 10.1 ↗ 10.6 * 9.5 ↗
 beste Teiler 66.7 (7.) 94.4 (9.) 190.9 (3.)
 Trefferlage 1.43 mm rechts, 0.69 mm hoch
 Streuwert 1.67, horizontal: 1.65, vertikal: 1.70



Serie 2:
 9.3 ← 10.0 → 9.1 ↖ 8.8 ← 10.0 ↖
 10.5 * 7.0 → 10.0 ↖ 9.4 ↘ 9.8 →
 beste Teiler 101.2 (16.) 234.1 (15.) 249.8 (18.)
 Trefferlage 0.12 mm rechts, 0.27 mm tief
 Streuwert 3.37, horizontal: 4.45, vertikal: 1.72



Serie 3:
 9.2 ↘ 9.1 ← 8.9 ← 10.1 ↑ 10.2 *
 10.2 * 10.2 * 8.4 → 9.7 ↘ 9.1 ↑
 beste Teiler 179.1 (27.) 189.5 (26.) 191.0 (25.)
 Trefferlage 0.33 mm rechts, 0.24 mm hoch
 Streuwert 2.92, horizontal: 3.51, vertikal: 2.17





Serie 4:
 10.0 ↖ 9.4 ↘ 10.2 * 9.6 → 10.2 *
 9.7 → 9.4 ↘ 8.8 → 9.5 → 9.7 ←
 beste Teiler 177.0 (33.) 197.0 (35.) 245.6 (31.)
 Trefferlage 1.56 mm rechts, 0.55 mm tief
 Streuwert 2.21, horizontal: 2.66, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.3)
 Serien: 95 94 97 96
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 544 (11), 465 (9), 445 (26)
 beste Teiler 55.1 (39.) 85.4 (18.) 96.3 (25.)
 Trefferlage 0.06 mm links, 0.57 mm hoch
 Streuwert 1.88, horizontal: 2.06, vertikal: 1.68




Serie 1:
 9.7 ↙ 9.8 ↗ 9.8 ↖ 10.5 * 10.4 *
 9.7 → 10.2 * 10.0 ↘ 9.1 ↗ 10.1 →
 beste Teiler 124.4 (4.) 138.6 (5.) 182.7 (7.)
 Trefferlage 0.66 mm rechts, 0.02 mm hoch
 Streuwert 1.99, horizontal: 1.85, vertikal: 2.12



Serie 2:
 8.8 ↑ 9.4 ↖ 10.1 ↗ 10.2 * 9.9 ↑
 9.9 ↖ 10.4 * 10.6 * 10.1 ↘ 9.6 ←
 beste Teiler 85.4 (18.) 133.6 (17.) 177.2 (14.)
 Trefferlage 0.39 mm links, 1.32 mm hoch
 Streuwert 1.93, horizontal: 1.71, vertikal: 2.12



Serie 3:
 10.5 * 9.8 → 10.3 * 9.2 ↖ 10.6 *
 9.2 ↘ 10.2 * 10.5 * 10.6 * 10.2 *
 beste Teiler 96.3 (25.) 98.4 (29.) 110.9 (28.)
 Trefferlage 0.45 mm links, 0.68 mm hoch
 Streuwert 1.72, horizontal: 2.13, vertikal: 1.15





Serie 4:
 10.1 ↖ 9.8 ← 10.3 * 9.2 → 10.0 ↗
 10.3 * 9.5 ← 9.7 → 10.7 * 10.3 *
 beste Teiler 55.1 (39.) 152.8 (36.) 159.3 (40.)
 Trefferlage 0.07 mm links, 0.25 mm hoch
 Streuwert 1.93, horizontal: 2.57, vertikal: 0.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 381 (397.8)
Serien: 97 95 96 93
Zähler: 22 17 1 0 0 0 0 0 0 0
Innenzehner: 17
weiteste: 607 (28), 471 (33), 397 (4)
beste Teiler 102.5 (32.) 119.7 (9.) 120.1 (27.)
Trefferlage 0.17 mm links, 0.41 mm hoch
Streuwert 1.94, horizontal: 2.03, vertikal: 1.86




Serie 1:
 10.0 ↘ 10.0 ← 9.9 ↑ 9.4 ↘ 10.3 *
 9.6 ↘ 10.4 * 10.5 * 10.5 * 10.2 *
beste Teiler 119.7 (9.) 121.4 (8.) 141.1 (7.)
Trefferlage 0.64 mm links, 1.12 mm hoch
Streuwert 1.51, horizontal: 1.20, vertikal: 1.76



Serie 2:
 10.1 → 9.5 ↘ 10.3 * 10.0 ↗ 9.8 ↗
 10.2 * 9.7 → 9.7 ↑ 10.2 * 9.6 ↘
beste Teiler 157.8 (13.) 185.7 (19.) 193.1 (16.)
Trefferlage 0.73 mm rechts, 0.06 mm tief
Streuwert 1.91, horizontal: 1.62, vertikal: 2.17



Serie 3:
 10.4 * 9.7 ↘ 10.2 * 10.4 * 10.2 *
 9.4 ← 10.5 * 8.5 ← 10.1 ← 10.5 *
beste Teiler 120.1 (27.) 125.9 (30.) 129.4 (21.)
Trefferlage 1.37 mm links, 0.07 mm tief
Streuwert 1.86, horizontal: 2.33, vertikal: 1.23





Serie 4:
 10.2 * 10.5 * 9.1 ↗ 9.7 ↘ 9.6 ↗
 9.6 ↗ 9.5 ↗ 9.9 ↘ 10.2 * 9.7 →
beste Teiler 102.5 (32.) 177.5 (31.) 181.9 (39.)
Trefferlage 0.59 mm rechts, 0.68 mm hoch
Streuwert 2.17, horizontal: 2.21, vertikal: 2.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (390.6)
 Serien: 94 90 95 93
 Zähler: 17 19 3 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 776 (39), 612 (15), 587 (21)
 beste Teiler 24.1 (35.) 70.7 (1.) 104.9 (5.)
 Trefferlage 0.43 mm links, 0.02 mm hoch
 Streuwert 2.38, horizontal: 2.91, vertikal: 1.69




Serie 1:
 10.7 * 10.0 ↘ 10.0 ↙ 8.6 ← 10.5 *
 9.9 ↓ 9.6 ↙ 9.9 ↘ 10.3 * 9.3 ↑
 beste Teiler 70.7 (1.) 104.9 (5.) 162.8 (9.)
 Trefferlage 0.62 mm links, 0.31 mm tief
 Streuwert 2.19, horizontal: 2.25, vertikal: 2.13



Serie 2:
 10.4 * 9.6 ↘ 9.3 ← 9.8 ← 8.5 ↘
 9.9 ↗ 9.8 ↘ 9.2 ← 9.0 ↘ 9.8 ↗
 beste Teiler 129.2 (11.) 266.9 (16.) 292.2 (20.)
 Trefferlage 2.01 mm links, 1.41 mm hoch
 Streuwert 2.17, horizontal: 2.76, vertikal: 1.35



Serie 3:
 8.6 ↗ 10.2 * 10.4 * 10.1 ↓ 10.3 *
 9.3 ← 9.8 ↘ 9.9 ↘ 10.2 * 10.1 ↘
 beste Teiler 140.4 (23.) 168.6 (25.) 176.3 (22.)
 Trefferlage 0.06 mm links, 0.53 mm tief
 Streuwert 2.16, horizontal: 2.78, vertikal: 1.27





Serie 4:
 10.2 * 10.1 ↙ 10.1 ← 9.7 → 10.9 *
 9.8 ↙ 9.4 → 9.3 → 7.8 → 10.3 *
 beste Teiler 24.1 (35.) 156.2 (40.) 198.6 (31.)
 Trefferlage 0.96 mm rechts, 0.48 mm tief
 Streuwert 2.51, horizontal: 3.32, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 338 (353.0)
Serien: 85 86 86 81
Zähler: 6 17 10 4 2 1 0 0 0 0
Innenzehner: 3
weiteste: 1389 (33), 1070 (39), 1010 (4)
beste Teiler 142.7 (8.) 174.4 (7.) 179.2 (27.)
Trefferlage 1.06 mm links, 0.00 mm
Streuwert 4.21, horizontal: 5.04, vertikal: 3.16




Serie 1:
 10.0 ➔ 9.4 ← 9.4 ↘ 6.9 ← 7.5 ↘
 8.9 ↘ 10.3 * 10.4 * 7.8 ← 9.3 ↘
beste Teiler 142.7 (8.) 174.4 (7.) 236.9 (1.)
Trefferlage 1.56 mm links, 0.08 mm tief
Streuwert 4.07, horizontal: 4.68, vertikal: 3.35



Serie 2:
 9.2 ↑ 9.0 ↓ 9.7 ↙ 8.2 ↖ 8.6 ↙
 8.1 ← 8.5 ↘ 9.1 ↘ 9.7 ↗ 9.0 ↑
beste Teiler 320.7 (13.) 322.0 (19.) 426.9 (11.)
Trefferlage 1.85 mm links, 0.35 mm hoch
Streuwert 3.68, horizontal: 3.51, vertikal: 3.85





Serie 3:
 9.8 ↑ 8.5 ↘ 7.2 ➔ 8.9 ← 8.3 ↘
 9.5 ↗ 10.2 * 9.0 ➔ 9.0 ← 9.6 ↘
beste Teiler 179.2 (27.) 278.0 (21.) 327.9 (30.)
Trefferlage 0.66 mm rechts, 0.25 mm hoch
Streuwert 3.90, horizontal: 4.89, vertikal: 2.56




Serie 4:
 10.1 ↑ 7.2 ↘ 5.4 ← 8.6 ↘ 9.2 ←
 10.1 ← 9.3 ← 8.3 ← 6.7 ➔ 9.1 ↘
beste Teiler 217.0 (36.) 223.7 (31.) 416.1 (37.)
Trefferlage 1.49 mm links, 0.52 mm tief
Streuwert 5.36, horizontal: 6.88, vertikal: 3.20

Unterschrift des Schützen


Ergebnis: 365 (384.3)
Serien: 88 87 95 95
Zähler: 13 22 3 1 1 0 0 0 0 0
Innenzehner: 7
weiteste: 1035 (19), 915 (2), 580 (3)
beste Teiler 126.0 (21.) 159.6 (37.) 162.1 (13.)
Trefferlage 0.66 mm rechts, 0.11 mm tief
Streuwert 2.70, horizontal: 2.95, vertikal: 2.42




Serie 1:
 9.5 ➤ 7.3 ➤ 8.6 ↗ 9.8 ➤ 9.9 ➤
 10.3 * 9.7 ↑ 9.8 ↘ 9.5 ← 9.9 ↗
beste Teiler 174.4 (6.) 257.3 (5.) 270.1 (10.)
Trefferlage 1.93 mm rechts, 0.34 mm hoch
Streuwert 2.88, horizontal: 3.35, vertikal: 2.33



Serie 2:
 9.4 ↘ 10.3 * 10.3 * 8.7 ↑ 9.9 ↘
 9.8 ↘ 9.5 ↘ 8.8 ← 6.8 ➤ 9.2 ➤
beste Teiler 162.1 (13.) 174.8 (12.) 266.9 (15.)
Trefferlage 1.13 mm rechts, 0.42 mm tief
Streuwert 3.51, horizontal: 4.21, vertikal: 2.63





Serie 3:
 10.4 * 10.1 ↗ 9.7 ↓ 9.8 ↘ 10.0 ↘
 10.1 ↓ 9.6 ↘ 9.6 ↗ 10.2 * 9.6 ↑
beste Teiler 126.0 (21.) 178.7 (29.) 204.2 (22.)
Trefferlage 0.25 mm links, 0.47 mm hoch
Streuwert 1.96, horizontal: 1.27, vertikal: 2.46




Serie 4:
 10.0 ➤ 9.9 ↗ 10.0 ↘ 10.2 * 9.9 ↗
 9.3 ↘ 10.3 * 9.0 ↓ 10.1 ↓ 9.5 ↗
beste Teiler 159.6 (37.) 190.8 (34.) 206.4 (39.)
Trefferlage 0.16 mm links, 0.86 mm tief
Streuwert 2.12, horizontal: 1.84, vertikal: 2.37

Unterschrift des Schützen


Ergebnis: **364** (381.2)
 Serien: 88 94 91 91
 Zähler: 13 21 5 0 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 1357 (5), 697 (35), 568 (36)
 beste Teiler 94.4 (6.) 107.0 (3.) 115.1 (26.)
 Trefferlage 0.35 mm rechts, 0.90 mm hoch
 Streuwert 2.86, horizontal: 2.91, vertikal: 2.81




Serie 1:
 9.8 ↗ 9.2 ↑ 10.5 * 10.0 ↑ 5.5 ↘
 10.6 * 9.6 → 9.7 ↖ 9.1 ↗ 8.8 ↙
 beste Teiler 94.4 (6.) 107.0 (3.) 228.5 (4.)
 Trefferlage 0.62 mm links, 1.84 mm hoch
 Streuwert 3.73, horizontal: 3.55, vertikal: 3.90



Serie 2:
 9.5 ↘ 10.1 ↗ 9.2 ↗ 9.3 ↙ 9.7 ↗
 9.9 ↗ 10.3 * 10.2 * 9.1 ↓ 10.1 →
 beste Teiler 173.1 (17.) 178.8 (18.) 205.3 (12.)
 Trefferlage 0.42 mm rechts, 0.31 mm hoch
 Streuwert 2.33, horizontal: 2.20, vertikal: 2.45



Serie 3:
 10.4 * 9.2 ↗ 8.9 ↖ 9.8 ↖ 9.5 →
 10.5 * 9.4 ↘ 9.3 ↘ 10.1 ↓ 8.9 ↗
 beste Teiler 115.1 (26.) 129.0 (21.) 225.4 (29.)
 Trefferlage 0.45 mm rechts, 0.49 mm hoch
 Streuwert 2.65, horizontal: 2.82, vertikal: 2.47





Serie 4:
 9.4 ↗ 10.1 ↖ 9.6 → 9.9 → 8.2 →
 8.7 ↑ 10.0 ↖ 9.2 ↗ 9.8 ↖ 10.1 ↘
 beste Teiler 214.7 (32.) 216.8 (40.) 229.8 (37.)
 Trefferlage 1.16 mm rechts, 0.95 mm hoch
 Streuwert 2.73, horizontal: 3.07, vertikal: 2.33

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **155** (165.2)
 Serien: 71 84
 Zähler: 2 4 6 5 2 0 1 0 0 0
 Innenzehner: 2
 weiteste: 1574 (3), 1196 (9), 1059 (13)
 beste Teiler 171.8 (15.) 180.4 (5.) 284.0 (12.)
 Trefferlage 0.64 mm rechts, 0.97 mm hoch
 Streuwert 5.44, horizontal: 6.77, vertikal: 3.64



Serie 1:

8.9 ↗ 7.7 ↖ 4.7 → 7.0 ↙ 10.2 *
 7.4 → 7.6 ← 8.7 ↘ 6.2 ← 7.8 ↙

beste Teiler 180.4 (5.) 511.0 (1.) 554.1 (8.)
 Trefferlage 0.33 mm links, 0.20 mm hoch
 Streuwert 6.78, horizontal: 8.50, vertikal: 4.43





Serie 2:

8.3 ↗ 9.8 ↗ 6.7 → 8.6 ↖ 10.3 *
 8.2 ↗ 8.9 ← 9.4 → 9.8 ← 9.0 ↗


beste Teiler 171.8 (15.) 284.0 (12.) 285.1 (19.)
 Trefferlage 1.62 mm rechts, 1.74 mm hoch
 Streuwert 3.85, horizontal: 4.74, vertikal: 2.67

Unterschrift des Schützen

Ergebnis: **130** (138.6)
 Serien: 71 59
 Zähler: 1 2 5 4 2 1 3 1 1 0
 Innenzehner: 1
 weiteste: 2041 (14), 1829 (15), 1738 (11)
 beste Teiler 139.7 (5.) 338.1 (18.) 422.8 (16.)
 Trefferlage 2.86 mm links, 1.06 mm hoch
 Streuwert 7.91, horizontal: 8.44, vertikal: 7.35





Serie 1:
 7.1 ↘ 6.7 ↗ 8.4 ↑ 8.0 ↖ 10.4 *
 8.6 → 5.5 ← 8.5 ↙ 7.6 ↓ 4.9 ↗
 beste Teiler 139.7 (5.) 586.2 (6.) 618.7 (8.)
 Trefferlage 2.54 mm links, 2.42 mm hoch
 Streuwert 6.40, horizontal: 6.25, vertikal: 6.54




Serie 2:
 4.0 ↓ 6.2 ↙ 7.2 ↖ 2.8 ↗ 3.6 →
 9.3 → 4.1 ↖ 9.6 ↙ 7.9 ↘ 8.2 ↑
 beste Teiler 338.1 (18.) 422.8 (16.) 685.1 (20.)
 Trefferlage 3.19 mm links, 0.29 mm tief
 Streuwert 9.44, horizontal: 10.53, vertikal: 8.20

Unterschrift des Schützen


Ergebnis: 366 (386.9)
Serien: 92 93 90 91
Zähler: 14 20 4 2 0 0 0 0 0 0
Innenzehner: 8
weiteste: 799 (33), 789 (29), 615 (32)
beste Teiler 16.2 (5.) 73.8 (27.) 94.9 (14.)
Trefferlage 0.58 mm links, 0.15 mm hoch
Streuwert 2.55, horizontal: 2.95, vertikal: 2.08




Serie 1:
 9.4 ← 10.2 * 9.9 ↙ 10.2 * 10.9 *
 9.3 ↘ 9.9 ↓ 9.8 ↓ 9.6 ↗ 8.9 ↖
beste Teiler 16.2 (5.) 176.6 (2.) 191.8 (4.)
Trefferlage 1.49 mm links, 0.08 mm hoch
Streuwert 2.04, horizontal: 1.66, vertikal: 2.36



Serie 2:
 10.2 * 9.4 ↖ 9.6 ↖ 10.6 * 9.9 ↖
 9.6 ↘ 9.6 ← 9.8 ← 9.8 ↓ 10.1 →
beste Teiler 94.9 (14.) 185.4 (11.) 221.8 (20.)
Trefferlage 0.86 mm links, 0.55 mm hoch
Streuwert 1.97, horizontal: 2.05, vertikal: 1.88





Serie 3:
 9.9 ← 10.1 ↓ 10.1 ↓ 8.7 → 9.9 ↖
 10.0 ↘ 10.7 * 9.7 ↗ 7.8 ↗ 8.5 ↖
beste Teiler 73.8 (27.) 216.0 (23.) 225.2 (22.)
Trefferlage 1.33 mm rechts, 0.05 mm tief
Streuwert 2.91, horizontal: 3.48, vertikal: 2.20




Serie 4:
 10.1 → 8.5 → 7.8 ← 10.2 * 10.4 *
 10.1 ↖ 9.6 ↖ 9.3 ↖ 9.5 ↗ 9.3 ↓
beste Teiler 130.3 (35.) 190.6 (34.) 221.7 (31.)
Trefferlage 1.30 mm links, 0.03 mm hoch
Streuwert 2.96, horizontal: 3.59, vertikal: 2.14

Unterschrift des Schützen


Ergebnis: **365** (382.9)
 Serien: 93 90 90 92
 Zähler: 16 18 3 1 2 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1232 (14), 1092 (22), 831 (8)
 beste Teiler 31.8 (13.) 49.0 (39.) 50.0 (33.)
 Trefferlage 0.16 mm links, 0.52 mm hoch
 Streuwert 3.05, horizontal: 3.91, vertikal: 1.80




Serie 1:
 9.4 → 10.3 * 10.2 * 9.6 ↑ 10.2 *
 10.2 * 9.7 ↘ 7.6 → 10.5 * 9.1 ↖
 beste Teiler 110.8 (9.) 167.7 (2.) 183.1 (5.)
 Trefferlage 0.88 mm rechts, 0.63 mm hoch
 Streuwert 2.67, horizontal: 3.41, vertikal: 1.62



Serie 2:
 9.7 ↖ 10.3 * 10.8 * 6.0 ↖ 8.8 →
 9.4 ← 9.5 ↙ 9.2 → 10.4 * 10.2 *
 beste Teiler 31.8 (13.) 127.4 (19.) 163.2 (12.)
 Trefferlage 1.00 mm links, 0.53 mm hoch
 Streuwert 3.59, horizontal: 4.58, vertikal: 2.17



Serie 3:
 9.1 → 6.6 ← 9.0 → 9.4 ↘ 10.2 *
 9.8 ↑ 10.3 * 10.2 * 9.4 ↖ 9.8 ↗
 beste Teiler 162.7 (27.) 187.5 (28.) 192.7 (25.)
 Trefferlage 0.08 mm links, 0.47 mm hoch
 Streuwert 3.49, horizontal: 4.52, vertikal: 1.98





Serie 4:
 9.5 → 9.8 ← 10.8 * 8.1 ↖ 9.9 →
 8.6 ← 10.1 ↗ 10.6 * 10.8 * 9.8 →
 beste Teiler 49.0 (39.) 50.0 (33.) 86.4 (38.)
 Trefferlage 0.42 mm links, 0.45 mm hoch
 Streuwert 2.64, horizontal: 3.33, vertikal: 1.69

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (383.6)
 Serien: 90 90 92 94
 Zähler: 15 16 9 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 697 (25), 582 (2), 576 (17)
 beste Teiler 40.2 (34.) 46.0 (28.) 91.7 (35.)
 Trefferlage 0.31 mm rechts, 0.25 mm tief
 Streuwert 2.70, horizontal: 3.32, vertikal: 1.87



Serie 1:

9.5 → 8.6 ← 9.1 ↙ 9.6 ↓ 10.1 ↓
 8.9 ↘ 8.8 ← 10.0 ↑ 10.2 * 9.8 ↗


beste Teiler 180.3 (9.) 204.3 (5.) 244.2 (8.)
 Trefferlage 1.01 mm links, 0.08 mm tief
 Streuwert 2.86, horizontal: 3.27, vertikal: 2.38



Serie 2:

9.7 ↘ 8.9 ← 10.1 ↑ 10.0 → 8.8 →
 10.4 * 8.6 → 9.3 → 9.8 ↓ 9.0 ↘


beste Teiler 138.6 (16.) 221.9 (13.) 232.1 (14.)
 Trefferlage 1.81 mm rechts, 0.24 mm tief
 Streuwert 2.63, horizontal: 3.28, vertikal: 1.76



Serie 3:

9.2 ↘ 10.0 → 9.6 ↘ 8.6 ← 8.2 ←
 10.4 * 9.8 ↗ 10.8 * 10.3 * 9.9 ↓

beste Teiler 46.0 (28.) 149.1 (26.) 169.2 (29.)
 Trefferlage 0.66 mm links, 0.56 mm tief
 Streuwert 2.71, horizontal: 3.44, vertikal: 1.71



Serie 4:



10.4 * 9.3 ← 10.0 ↑ 10.8 * 10.6 *
 9.3 → 10.1 ↓ 9.4 ↘ 8.7 → 9.0 ↗

beste Teiler 40.2 (34.) 91.7 (35.) 130.1 (31.)
 Trefferlage 1.11 mm rechts, 0.11 mm tief
 Streuwert 2.42, horizontal: 2.90, vertikal: 1.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 313 (332.1)
Serien: 79 75 79 80
Zähler: 3 13 11 5 4 3 1 0 0 0
Innenzehner: 2
weiteste: 1691 (40), 1422 (17), 1300 (3)
beste Teiler 104.6 (34.) 162.4 (27.) 216.7 (6.)
Trefferlage 4.15 mm links, 0.20 mm hoch
Streuwert 4.50, horizontal: 4.98, vertikal: 3.96




Serie 1:
 8.7 ↘ 8.7 ↘ 5.8 ↙ 8.6 ↙ 9.3 ↘
 10.1 ↓ 9.6 ↙ 8.7 ↘ 6.2 ↘ 8.3 →
beste Teiler 216.7 (6.) 334.7 (7.) 424.8 (5.)
Trefferlage 2.91 mm links, 0.67 mm tief
Streuwert 4.87, horizontal: 5.26, vertikal: 4.45



Serie 2:
 8.4 ↘ 7.8 ← 9.4 ↑ 9.3 ↙ 8.2 ↙
 8.7 ↘ 5.3 ↙ 5.8 ↘ 7.1 ← 9.4 ↘
beste Teiler 378.0 (13.) 380.9 (20.) 423.3 (14.)
Trefferlage 5.29 mm links, 0.09 mm hoch
Streuwert 4.78, horizontal: 5.25, vertikal: 4.26



Serie 3:
 9.2 ↙ 7.8 ↑ 9.0 ↓ 9.1 ↑ 8.5 ↘
 6.4 ↘ 10.3 * 9.4 ↘ 6.6 ← 6.8 ←
beste Teiler 162.4 (27.) 380.5 (28.) 432.3 (21.)
Trefferlage 4.21 mm links, 1.52 mm hoch
Streuwert 4.31, horizontal: 4.39, vertikal: 4.22





Serie 4:
 8.7 ↘ 8.8 ↘ 9.2 ↓ 10.5 * 7.6 ↙
 7.9 ↙ 9.4 ↙ 9.6 ↑ 9.7 ↘ 4.2 ←
beste Teiler 104.6 (34.) 302.7 (39.) 332.7 (38.)
Trefferlage 4.21 mm links, 0.10 mm tief
Streuwert 4.44, horizontal: 5.48, vertikal: 3.06

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 286 (306.7)
Serien: 70 62 75 79
Zähler: 4 5 11 8 4 4 1 3 0 0
Innenzehner: 3
weiteste: 1913 (12), 1905 (15), 1811 (4)
beste Teiler 89.2 (2.) 146.9 (20.) 199.4 (9.)
Trefferlage 1.50 mm rechts, 3.24 mm hoch
Streuwert 6.29, horizontal: 6.14, vertikal: 6.44


Serie 1:


4.4 ↑ 10.6 * 5.0 → 3.7 ↑ 6.3 ↗
 7.5 ↗ 7.2 ↘ 9.7 ↗ 10.2 * 9.5 ↑

beste Teiler 89.2 (2.) 199.4 (9.) 309.0 (8.)
Trefferlage 1.68 mm rechts, 5.77 mm hoch
Streuwert 6.57, horizontal: 5.47, vertikal: 7.52


Serie 2:


5.8 ↑ 3.3 ↘ 8.5 → 8.9 ↗ 3.3 ↗
 5.7 ↗ 5.2 → 8.9 ↗ 7.7 ↑ 10.4 *

beste Teiler 146.9 (20.) 505.3 (18.) 524.1 (14.)
Trefferlage 0.28 mm rechts, 2.99 mm hoch
Streuwert 8.63, horizontal: 9.34, vertikal: 7.85


Serie 3:

6.7 ↘ 7.7 → 8.4 ↘ 9.9 ↑ 8.6 ↗
 7.8 ↗ 8.2 ↗ 8.2 → 6.9 ↑ 8.8 ↘

beste Teiler 270.0 (24.) 540.2 (30.) 586.8 (25.)
Trefferlage 1.74 mm rechts, 3.38 mm hoch
Streuwert 4.74, horizontal: 4.48, vertikal: 4.99


Serie 4:



9.6 ↑ 9.3 ↗ 7.5 ↑ 7.1 → 10.0 ↗
 8.7 ↗ 7.8 → 8.4 ← 8.4 → 6.9 ↓

beste Teiler 250.1 (35.) 335.2 (31.) 411.8 (32.)
Trefferlage 2.29 mm rechts, 0.83 mm hoch
Streuwert 4.85, horizontal: 4.89, vertikal: 4.81

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **307** (324.8)
 Serien: 66 82 84 75
 Zähler: 2 12 11 8 3 2 1 1 0 0
 Innenzehner: 1
 weiteste: 1925 (39), 1552 (2), 1329 (5)
 beste Teiler 113.5 (20.) 227.2 (11.) 265.7 (28.)
 Trefferlage 1.39 mm links, 1.96 mm hoch
 Streuwert 5.49, horizontal: 5.79, vertikal: 5.16



Serie 1:

7.6 ↘ 4.7 ↘ 7.6 ↘ 8.3 ↘ 5.6 ↘
 9.8 ↘ 8.6 ↑ 6.9 → 5.7 ↘ 7.3 →


beste Teiler 288.0 (6.) 598.2 (7.) 661.4 (4.)
 Trefferlage 3.44 mm links, 4.80 mm hoch
 Streuwert 6.05, horizontal: 7.53, vertikal: 4.05



Serie 2:

10.0 ↓ 8.4 ↗ 8.5 ↘ 8.1 ↓ 9.6 ↘
 8.1 → 7.4 ← 7.2 ↘ 7.2 ↗ 10.5 *


beste Teiler 113.5 (20.) 227.2 (11.) 326.6 (15.)
 Trefferlage 0.80 mm rechts, 0.96 mm hoch
 Streuwert 4.93, horizontal: 5.55, vertikal: 4.22



Serie 3:

9.3 ↓ 8.2 ↓ 8.4 ↘ 8.6 ← 9.2 ↑
 9.8 ↗ 6.1 ↘ 9.9 ↓ 9.2 ↘ 9.5 ↘

beste Teiler 265.7 (28.) 297.8 (26.) 364.1 (30.)
 Trefferlage 2.10 mm links, 0.48 mm hoch
 Streuwert 4.13, horizontal: 4.48, vertikal: 3.75





Serie 4:

6.9 ↗ 7.8 ↗ 7.2 ↘ 9.5 ↑ 9.5 ↓
 8.4 ← 8.3 ← 9.3 ↗ 3.3 ↑ 9.3 ↘


beste Teiler 368.8 (34.) 372.2 (35.) 404.5 (40.)
 Trefferlage 0.82 mm links, 1.59 mm hoch
 Streuwert 6.38, horizontal: 5.18, vertikal: 7.39

Unterschrift des Schützen


Ergebnis: **352** (369.9)
 Serien: 91 86 85 90
 Zähler: 8 20 9 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1021 (24), 882 (17), 760 (30)
 beste Teiler 20.2 (7.) 170.0 (37.) 183.3 (26.)
 Trefferlage 0.65 mm links, 1.83 mm tief
 Streuwert 3.10, horizontal: 3.75, vertikal: 2.26




Serie 1:
 9.9 ↘ 8.7 → 8.3 → 10.2 * 10.0 ↗
 9.1 ↙ 10.9 * 10.1 ↖ 9.5 ↑ 8.2 ↖
 beste Teiler 20.2 (7.) 200.8 (4.) 211.9 (8.)
 Trefferlage 0.66 mm rechts, 0.53 mm tief
 Streuwert 3.08, horizontal: 3.79, vertikal: 2.13



Serie 2:
 9.2 ↘ 8.8 ↖ 9.7 ↖ 9.8 ↖ 8.4 ↖
 8.2 ↙ 7.4 ← 9.1 ↖ 9.2 ↖ 10.2 *
 beste Teiler 200.1 (20.) 296.7 (14.) 316.1 (13.)
 Trefferlage 2.84 mm links, 2.32 mm tief
 Streuwert 2.77, horizontal: 3.49, vertikal: 1.78



Serie 3:
 10.1 ↖ 9.8 ↖ 8.5 ↖ 6.9 ↘ 8.0 ↘
 10.2 * 9.5 ↖ 9.5 ↘ 9.7 ↘ 7.9 ↓
 beste Teiler 183.3 (26.) 214.8 (21.) 286.4 (22.)
 Trefferlage 0.10 mm rechts, 2.11 mm tief
 Streuwert 3.81, horizontal: 4.56, vertikal: 2.88





Serie 4:
 9.6 ↖ 9.0 ↘ 9.5 ↖ 9.6 ↖ 9.4 ↖
 9.3 ↓ 10.3 * 9.4 ↓ 9.9 ↓ 8.9 ↓
 beste Teiler 170.0 (37.) 256.7 (39.) 328.6 (31.)
 Trefferlage 0.53 mm links, 2.35 mm tief
 Streuwert 2.17, horizontal: 2.41, vertikal: 1.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 371 (390.2)
Serien: 91 91 93 96
Zähler: 16 20 3 1 0 0 0 0 0 0
Innenzehner: 10
weiteste: 813 (14), 633 (24), 508 (6)
beste Teiler 9.8 (13.) 53.0 (32.) 74.6 (30.)
Trefferlage 0.24 mm links, 0.38 mm hoch
Streuwert 2.41, horizontal: 2.70, vertikal: 2.07




Serie 1:
 9.2 ➔ 10.1 ↘ 10.6 * 8.9 ↑ 10.2 *
 8.9 ← 9.7 ↘ 9.4 ↘ 9.9 ↙ 9.8 ➔
beste Teiler 98.2 (3.) 182.9 (5.) 202.5 (2.)
Trefferlage 0.31 mm rechts, 0.09 mm hoch
Streuwert 2.55, horizontal: 2.80, vertikal: 2.27



Serie 2:
 10.5 * 10.5 * 10.9 * 7.7 ← 9.6 ↘
 9.5 ↙ 9.0 ← 9.2 ← 9.5 ← 9.3 ↘
beste Teiler 9.8 (13.) 110.0 (11.) 110.6 (12.)
Trefferlage 2.24 mm links, 0.39 mm tief
Streuwert 2.52, horizontal: 3.15, vertikal: 1.67



Serie 3:
 10.0 ↘ 9.5 ↘ 9.7 ↑ 8.4 ↗ 10.5 *
 9.0 ↗ 9.7 ↑ 10.3 * 9.9 ↑ 10.7 *
beste Teiler 74.6 (30.) 102.9 (25.) 161.0 (28.)
Trefferlage 0.86 mm rechts, 2.09 mm hoch
Streuwert 1.86, horizontal: 2.18, vertikal: 1.48





Serie 4:
 9.6 ↙ 10.7 * 10.5 * 9.7 ➔ 9.8 ↑
 10.0 ↑ 10.1 ↙ 10.0 ↗ 10.0 ↙ 9.7 ↘
beste Teiler 53.0 (32.) 125.5 (33.) 202.4 (37.)
Trefferlage 0.06 mm rechts, 0.23 mm tief
Streuwert 1.85, horizontal: 1.72, vertikal: 1.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 393 (410.5)^{QF}
Serien: 96 99 98 100^{QF}
Zähler: 34 5 1 0 0 0 0 0 0 0
Innenzehner: 30
weiteste: 656 (2), 418 (8), 390 (7)
beste Teiler 51.0 (18.) 53.0 (14.) 55.4 (36.)
Trefferlage 0.11 mm links, 0.38 mm hoch
Streuwert 1.44, horizontal: 1.54, vertikal: 1.34




Serie 1:
 10.6 * 8.3 ↗ 10.6 * 10.3 * 10.3 *
 10.3 * 9.4 ↑ 9.3 ← 10.5 * 10.3 *
beste Teiler 78.0 (1.) 97.1 (3.) 113.0 (9.)
Trefferlage 0.29 mm rechts, 1.34 mm hoch
Streuwert 1.98, horizontal: 2.28, vertikal: 1.62



Serie 2:
 10.5 * 10.4 * 10.2 * 10.7 * 9.8 ↙
 10.6 * 10.2 * 10.7 * 10.4 * 10.4 *
beste Teiler 51.0 (18.) 53.0 (14.) 80.0 (16.)
Trefferlage 0.42 mm links, 0.24 mm tief
Streuwert 1.09, horizontal: 1.13, vertikal: 1.05



Serie 3:
 10.6 * 10.4 * 10.0 → 10.6 * 10.4 *
 10.6 * 9.8 ↘ 9.7 ↘ 10.4 * 10.1 ↙
beste Teiler 80.0 (21.) 83.3 (26.) 84.0 (24.)
Trefferlage 0.37 mm links, 0.46 mm hoch
Streuwert 1.32, horizontal: 1.39, vertikal: 1.24





Serie 4:
 10.2 * 10.5 * 10.1 ↘ 10.7 * 10.4 *
 10.7 * 10.1 → 10.5 * 10.3 * 10.6 *
beste Teiler 55.4 (36.) 72.4 (34.) 85.0 (40.)
Trefferlage 0.05 mm rechts, 0.02 mm tief
Streuwert 1.07, horizontal: 1.18, vertikal: 0.95

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: 369 (385.8)
Serien: 92 93 94 90
Zähler: 15 20 4 1 0 0 0 0 0 0
Innenzehner: 9
weiteste: 791 (35), 616 (1), 571 (32)
beste Teiler 53.7 (20.) 70.0 (12.) 82.9 (22.)
Trefferlage 0.40 mm rechts, 0.12 mm hoch
Streuwert 2.61, horizontal: 3.25, vertikal: 1.75




Serie 1:
8.5 ↗ 9.7 ↘ 10.1 ↖ 9.9 ↗ 10.3 *
9.6 ↙ 10.4 * 9.2 ↖ 9.6 ↓ 9.0 →
beste Teiler 130.1 (7.) 170.1 (5.) 212.4 (3.)
Trefferlage 0.60 mm rechts, 0.25 mm hoch
Streuwert 2.65, horizontal: 3.10, vertikal: 2.11



Serie 2:
10.0 ↓ 10.7 * 9.2 ↖ 9.4 ↗ 9.7 →
8.9 ↖ 9.5 ↑ 10.0 → 9.0 → 10.7 *
beste Teiler 53.7 (20.) 70.0 (12.) 247.6 (18.)
Trefferlage 0.56 mm rechts, 0.42 mm hoch
Streuwert 2.53, horizontal: 3.07, vertikal: 1.85



Serie 3:
8.9 ↘ 10.6 * 10.5 * 10.2 * 9.3 ←
9.2 → 10.0 ↓ 9.7 ↑ 9.0 → 10.6 *
beste Teiler 82.9 (22.) 90.1 (30.) 118.6 (23.)
Trefferlage 0.50 mm rechts, 0.17 mm tief
Streuwert 2.42, horizontal: 2.88, vertikal: 1.85





Serie 4:
9.3 ← 8.7 ← 9.8 → 10.0 ↘ 7.8 ←
10.0 ↓ 9.0 → 9.9 ↗ 10.2 * 9.7 →
beste Teiler 176.6 (39.) 235.3 (36.) 246.0 (34.)
Trefferlage 0.05 mm links, 0.00 mm
Streuwert 3.15, horizontal: 4.25, vertikal: 1.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	372	(391.7)							
Serien:	92	90	96	94					
Zähler:	18	17	4	1	0	0	0	0	0
Innenzehner:	15								
weiteste:	934 (20), 588 (10), 578 (29)								
beste Teiler	43.1 (25.) 49.7 (21.) 65.6 (28.)								
Trefferlage	1.23 mm links, 0.13 mm tief								
Streuwert	2.27, horizontal: 2.45, vertikal: 2.09								




Serie 1:	9.5 ↖	9.6 ←	9.9 ↓	9.2 ↙	9.8 ↘
	10.3 *	10.4 *	9.3 ↗	10.4 *	8.6 ↖
beste Teiler	132.0 (7.)	135.0 (9.)	162.2 (6.)		
Trefferlage	1.83 mm links, 0.27 mm hoch				
Streuwert	2.14, horizontal: 1.48, vertikal: 2.63				



Serie 2:				
8.8 ↓	10.3 *	9.8 ←	10.0 ↘	10.1 ↙
10.2 *	9.9 ↙	9.8 ←	8.8 ←	7.2 ←
beste Teiler	153.7 (12.)	195.4 (16.)	213.8 (15.)	
Trefferlage	2.15 mm links, 0.76 mm tief			
Streuwert	2.75, horizontal: 3.36, vertikal: 1.96			





Serie 3:				
10.8 *	10.3 *	10.4 *	9.7 ↑	10.8 *
9.7 ←	10.7 *	10.7 *	8.6 ↓	10.3 *
beste Teiler	43.1 (25.) 49.7 (21.) 65.6 (28.)			
Trefferlage	0.39 mm links, 0.45 mm tief			
Streuwert	1.80, horizontal: 1.32, vertikal: 2.17			



Serie 4:				
10.6 *	10.2 *	9.5 ↗	10.3 *	9.6 ↖
10.0 ↖	9.7 ↙	9.0 →	9.5 ↖	9.4 ↙
beste Teiler	79.3 (31.) 167.6 (34.) 194.6 (32.)			
Trefferlage	0.57 mm links, 0.42 mm hoch			
Streuwert	2.29, horizontal: 2.85, vertikal: 1.52			

Unterschrift des Schützen


Ergebnis: **290** (305.5)
 Serien: 76 74 72 68
 Zähler: 2 7 12 9 5 3 0 0 1 1
 Innenzehner: 1
 weiteste: 2309 (40), 2125 (29), 1411 (17)
 beste Teiler 135.9 (20.) 224.1 (24.) 391.0 (31.)
 Trefferlage 1.88 mm rechts, 0.92 mm hoch
 Streuwert 6.57, horizontal: 7.28, vertikal: 5.76



Serie 1:

6.6 ↗	7.7 ↓	8.8 ↘	9.3 ↗	9.1 ↑
8.4 ↘	7.2 ↑	8.2 ↓	7.4 ↗	7.2 ↓


beste Teiler 408.2 (4.) 453.7 (5.) 533.9 (3.)
 Trefferlage 2.37 mm rechts, 0.50 mm hoch
 Streuwert 5.46, horizontal: 4.09, vertikal: 6.55



Serie 2:

8.1 ↘	6.0 ↘	6.8 ↘	8.4 ↘	8.9 ↘
8.3 ↘	5.3 ↗	7.6 ↘	8.2 →	10.4 *


beste Teiler 135.9 (20.) 510.5 (15.) 642.6 (14.)
 Trefferlage 3.51 mm rechts, 1.28 mm hoch
 Streuwert 5.76, horizontal: 6.35, vertikal: 5.11



Serie 3:

9.0 ↓	8.4 ↘	5.3 ↙	10.1 ←	8.2 ↘
9.3 ↑	8.6 ←	5.4 →	2.5 ↘	8.2 ↘

beste Teiler 224.1 (24.) 424.2 (26.) 480.3 (21.)
 Trefferlage 3.66 mm links, 1.55 mm hoch
 Streuwert 7.07, horizontal: 7.84, vertikal: 6.20





Serie 4:

9.4 ↓	7.4 →	9.3 ↗	6.1 ↘	7.7 ↘
6.2 ↑	9.2 ↑	7.9 ↘	7.7 ↓	1.7 →


beste Teiler 391.0 (31.) 425.7 (33.) 433.6 (37.)
 Trefferlage 5.29 mm rechts, 0.34 mm hoch
 Streuwert 6.93, horizontal: 7.79, vertikal: 5.94

Unterschrift des Schützen


Ergebnis: 372 (391.9)
Serien: 93 95 91 93
Zähler: 16 20 4 0 0 0 0 0 0 0
Innenzehner: 15
weiteste: 671 (26), 620 (27), 605 (9)
beste Teiler 37.2 (8.) 42.4 (6.) 57.0 (30.)
Trefferlage 0.69 mm links, 0.51 mm tief
Streuwert 2.30, horizontal: 2.39, vertikal: 2.20




Serie 1:
 9.2 ↖ 10.4 * 9.4 ↖ 9.6 ↖ 9.6 ↓
 10.8 * 9.5 ↓ 10.8 * 8.5 ↖ 10.5 *
beste Teiler 37.2 (8.) 42.4 (6.) 114.2 (10.)
Trefferlage 1.85 mm links, 0.19 mm hoch
Streuwert 2.07, horizontal: 1.77, vertikal: 2.32



Serie 2:
 10.2 * 9.5 ↓ 10.4 * 10.2 * 10.3 *
 10.4 * 9.7 ↓ 9.9 ↘ 9.5 ↖ 9.2 ↖
beste Teiler 137.5 (13.) 138.1 (16.) 172.7 (15.)
Trefferlage 0.89 mm links, 0.73 mm tief
Streuwert 1.87, horizontal: 1.87, vertikal: 1.88





Serie 3:
 9.7 ↖ 8.7 ↘ 10.2 * 10.6 * 9.3 →
 8.3 ↖ 8.5 ↘ 10.0 ↘ 9.6 ↓ 10.7 *
beste Teiler 57.0 (30.) 90.2 (24.) 184.1 (23.)
Trefferlage 0.49 mm rechts, 0.83 mm tief
Streuwert 2.93, horizontal: 3.25, vertikal: 2.56



Serie 4:
 9.5 ↓ 10.6 * 9.9 ↖ 10.4 * 10.7 *
 9.8 ↘ 9.0 ↖ 9.9 ↖ 9.5 ↓ 9.4 ↖
beste Teiler 63.4 (35.) 94.1 (32.) 149.9 (34.)
Trefferlage 0.55 mm links, 0.66 mm tief
Streuwert 2.14, horizontal: 2.11, vertikal: 2.17

Unterschrift des Schützen


Ergebnis: **364** (381.5)
 Serien: 93 90 88 93
 Zähler: 15 18 5 1 0 1 0 0 0 0
 Innenzehner: 11
 weiteste: 1468 (30), 912 (15), 666 (11)
 beste Teiler 17.1 (39.) 92.0 (20.) 98.7 (14.)
 Trefferlage 0.52 mm links, 0.95 mm hoch
 Streuwert 3.05, horizontal: 3.36, vertikal: 2.70



Serie 1:

9.5 ↘ 9.1 → 10.5 * 10.5 * 10.0 ↗
 8.9 ↗ 9.1 ↘ 9.2 ↘ 9.2 ↘ 10.5 *


beste Teiler 110.1 (4.) 115.1 (10.) 123.6 (3.)
 Trefferlage 0.66 mm links, 1.45 mm hoch
 Streuwert 2.43, horizontal: 3.08, vertikal: 1.53



Serie 2:

8.3 ↘ 8.8 → 8.6 ↘ 10.6 * 7.3 ↗
 10.2 * 10.5 * 9.9 ↘ 10.1 ↘ 10.6 *


beste Teiler 92.0 (20.) 98.7 (14.) 107.0 (17.)
 Trefferlage 0.30 mm links, 0.33 mm hoch
 Streuwert 3.39, horizontal: 3.48, vertikal: 3.30



Serie 3:

10.4 * 10.5 * 8.4 ↗ 9.9 ↘ 9.4 ↗
 10.0 ↘ 9.3 ↗ 9.8 ↗ 9.3 ↘ 5.1 ↘

beste Teiler 101.5 (22.) 150.0 (21.) 233.4 (26.)
 Trefferlage 0.09 mm links, 1.05 mm hoch
 Streuwert 4.21, horizontal: 4.81, vertikal: 3.52





Serie 4:

9.0 ↘ 9.7 ↗ 10.1 ↘ 9.6 ↗ 10.5 *
 9.6 ↗ 9.6 ↗ 9.3 ↗ 10.9 * 9.7 ↘


beste Teiler 17.1 (39.) 117.0 (35.) 203.9 (33.)
 Trefferlage 1.02 mm links, 0.97 mm hoch
 Streuwert 2.11, horizontal: 1.92, vertikal: 2.29

Unterschrift des Schützen


Ergebnis: 368 (382.8)
Serien: 93 93 93 89
Zähler: 14 21 4 1 0 0 0 0 0 0
Innenzehner: 11
weiteste: 890 (17), 740 (10), 665 (38)
beste Teiler 103.4 (35.) 110.1 (5.) 157.4 (3.)
Trefferlage 0.00 mm , 0.87 mm tief
Streuwert 2.68, horizontal: 2.95, vertikal: 2.39




Serie 1:
 9.4 ↙ 9.7 ← 10.3 * 10.3 * 10.5 *
 10.2 * 9.5 ↘ 9.5 ← 9.4 ↑ 8.0 ↓
beste Teiler 110.1 (5.) 157.4 (3.) 167.7 (4.)
Trefferlage 0.86 mm links, 0.72 mm tief
Streuwert 2.55, horizontal: 2.06, vertikal: 2.96



Serie 2:
 10.0 ↘ 10.3 * 9.1 ↓ 10.2 * 10.0 ←
 9.6 ↘ 7.4 ← 9.4 ↗ 9.0 → 10.3 *
beste Teiler 165.7 (20.) 171.5 (12.) 195.4 (14.)
Trefferlage 0.18 mm links, 1.54 mm tief
Streuwert 2.86, horizontal: 3.60, vertikal: 1.84





Serie 3:
 9.5 ↗ 9.1 ↘ 9.6 ↘ 10.2 * 10.2 *
 9.9 ↓ 9.3 ↗ 9.3 ↗ 10.1 ↓ 9.3 ↗
beste Teiler 181.8 (25.) 186.2 (24.) 221.1 (29.)
Trefferlage 0.09 mm links, 1.31 mm tief
Streuwert 2.33, horizontal: 2.34, vertikal: 2.31




Serie 4:
 8.4 ← 9.7 ↗ 10.3 * 9.9 ↗ 10.5 *
 9.5 ↓ 9.6 ← 8.3 ↘ 8.7 ↗ 9.3 →
beste Teiler 103.4 (35.) 172.0 (33.) 260.7 (34.)
Trefferlage 1.14 mm rechts, 0.06 mm hoch
Streuwert 3.01, horizontal: 3.56, vertikal: 2.34

Unterschrift des Schützen


Ergebnis: **349** (369.3)
 Serien: 87 86 88 88
 Zähler: 7 19 10 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 845 (15), 827 (14), 783 (12)
 beste Teiler 88.7 (18.) 135.3 (20.) 142.3 (21.)
 Trefferlage 0.53 mm rechts, 0.12 mm hoch
 Streuwert 3.38, horizontal: 3.45, vertikal: 3.31




Serie 1:
 9.7 ↙ 8.4 ↑ 9.5 ↘ 9.6 ↓ 8.5 →
 8.6 ↘ 9.0 ↘ 9.9 ↘ 9.0 ↑ 9.7 ↘
 beste Teiler 272.2 (8.) 308.0 (1.) 311.2 (10.)
 Trefferlage 0.46 mm links, 1.19 mm hoch
 Streuwert 3.30, horizontal: 3.22, vertikal: 3.38



Serie 2:
 9.7 → 7.8 ↓ 9.7 ↘ 7.6 ↘ 7.6 →
 10.0 → 9.6 ↓ 10.6 * 8.7 ↗ 10.4 *
 beste Teiler 88.7 (18.) 135.3 (20.) 230.9 (16.)
 Trefferlage 2.41 mm rechts, 0.98 mm tief
 Streuwert 3.37, horizontal: 3.57, vertikal: 3.17





Serie 3:
 10.4 * 8.0 ↓ 9.7 ↘ 8.4 ↘ 9.6 ↓
 9.4 → 10.1 ↓ 9.4 ↗ 8.9 ↓ 8.8 ↘
 beste Teiler 142.3 (21.) 219.5 (27.) 316.2 (23.)
 Trefferlage 0.85 mm rechts, 1.22 mm tief
 Streuwert 3.23, horizontal: 3.02, vertikal: 3.43




Serie 4:
 9.9 ↘ 9.5 ↘ 9.7 → 9.6 ↘ 9.6 ↘
 10.0 ↓ 8.2 ↗ 7.8 ← 8.5 ↑ 10.2 *
 beste Teiler 193.9 (40.) 234.7 (36.) 255.7 (31.)
 Trefferlage 0.64 mm links, 1.51 mm hoch
 Streuwert 3.18, horizontal: 3.56, vertikal: 2.74

Unterschrift des Schützen


Ergebnis: **323** (340.0)
 Serien: 73 76 90 84
 Zähler: 6 12 10 5 5 2 0 0 0 0
 Innenzehner: 4
 weiteste: 1483 (2), 1253 (15), 1191 (35)
 beste Teiler 127.7 (21.) 140.8 (36.) 142.6 (16.)
 Trefferlage 2.30 mm links, 2.29 mm tief
 Streuwert 4.48, horizontal: 4.48, vertikal: 4.48




Serie 1:
 10.3 * 5.0 ↘ 9.0 ↗ 8.1 ↘ 8.6 ↘
 6.9 ← 6.6 ↘ 8.9 ↘ 7.0 ← 6.4 ↓
 beste Teiler 156.6 (1.) 476.1 (3.) 515.4 (8.)
 Trefferlage 1.54 mm links, 5.82 mm tief
 Streuwert 4.95, horizontal: 5.67, vertikal: 4.11



Serie 2:
 7.9 ↗ 8.2 ↘ 7.3 ↓ 10.0 ↑ 5.9 ↘
 10.4 * 8.4 ↘ 7.4 ↓ 6.2 ← 8.3 ↗
 beste Teiler 142.6 (16.) 243.8 (14.) 650.8 (17.)
 Trefferlage 2.93 mm links, 1.22 mm tief
 Streuwert 5.59, horizontal: 4.92, vertikal: 6.18





Serie 3:
 10.4 * 10.0 ↑ 9.6 ↘ 8.4 ↘ 9.6 ↓
 9.3 ↓ 9.6 → 9.4 ↘ 9.8 ↗ 8.2 ←
 beste Teiler 127.7 (21.) 229.3 (22.) 276.0 (29.)
 Trefferlage 1.18 mm links, 0.45 mm tief
 Streuwert 2.90, horizontal: 3.17, vertikal: 2.59



Serie 4:
 8.0 ↗ 9.3 ↗ 9.8 ↘ 8.7 ← 6.2 ←
 10.4 * 9.2 ↘ 9.8 ↓ 9.6 ↗ 7.9 ←
 beste Teiler 140.8 (36.) 287.0 (33.) 297.0 (38.)
 Trefferlage 3.56 mm links, 1.68 mm tief
 Streuwert 3.32, horizontal: 4.04, vertikal: 2.38

Unterschrift des Schützen


Ergebnis: **279** (298.8)
 Serien: 66 72 69 72
 Zähler: 2 8 13 5 3 2 2 4 0 0
 Innenzehner: 1
 weiteste: 2587 (3), 1863 (7), 1863 (27)
 beste Teiler 156.3 (2.) 236.9 (16.) 265.7 (25.)
 Trefferlage 4.34 mm rechts, 1.32 mm tief
 Streuwert 6.60, horizontal: 8.33, vertikal: 4.21



Serie 1:

8.7 ↗ 10.3 * 0.0 → 6.4 ↓ 8.3 →
 8.9 ← 3.5 → 8.4 ↖ 7.9 ↘ 8.2 ↘


beste Teiler 156.3 (2.) 508.5 (6.) 558.0 (1.)
 Trefferlage 5.72 mm rechts, 1.91 mm tief
 Streuwert 7.57, horizontal: 9.79, vertikal: 4.32



Serie 2:

8.1 ↗ 5.8 ↖ 9.3 ↖ 9.2 ↗ 3.9 →
 10.0 → 9.9 ↗ 8.3 → 3.7 → 8.9 ←


beste Teiler 236.9 (16.) 271.8 (17.) 412.1 (13.)
 Trefferlage 4.23 mm rechts, 1.74 mm hoch
 Streuwert 6.56, horizontal: 8.07, vertikal: 4.57



Serie 3:

5.5 ↗ 7.7 ↘ 7.9 ↘ 8.8 ↓ 9.9 ←
 9.0 ← 3.5 ↖ 8.6 → 9.8 ↖ 4.4 →

beste Teiler 265.7 (25.) 276.6 (29.) 485.0 (26.)
 Trefferlage 2.11 mm rechts, 1.27 mm tief
 Streuwert 7.31, horizontal: 9.51, vertikal: 4.05





Serie 4:

4.8 → 7.7 ↖ 9.7 ↓ 6.1 ↘ 8.1 ↓
 6.4 ↘ 7.9 ↘ 8.1 ↘ 8.0 ↘ 9.2 →


beste Teiler 304.8 (33.) 436.1 (40.) 706.3 (35.)
 Trefferlage 5.32 mm rechts, 3.84 mm tief
 Streuwert 4.67, horizontal: 6.36, vertikal: 1.77

Unterschrift des Schützen


Ergebnis: **357** (372.4)
 Serien: 93 89 92 83
 Zähler: 12 17 8 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1236 (37), 865 (31), 826 (27)
 beste Teiler 47.1 (5.) 127.2 (33.) 135.8 (9.)
 Trefferlage 1.17 mm rechts, 0.76 mm hoch
 Streuwert 3.26, horizontal: 3.97, vertikal: 2.35




Serie 1:
 10.0 ↘ 10.1 ↘ 8.9 ← 9.5 ← 10.8 *
 8.4 ↑ 9.4 → 10.0 ← 10.4 * 9.9 ↑
 beste Teiler 47.1 (5.) 135.8 (9.) 221.9 (2.)
 Trefferlage 0.58 mm links, 1.23 mm hoch
 Streuwert 2.41, horizontal: 2.68, vertikal: 2.10



Serie 2:
 10.3 * 8.2 → 9.5 ↑ 9.0 ← 9.0 →
 8.7 → 8.2 → 9.4 ↑ 9.4 → 10.2 *
 beste Teiler 173.0 (11.) 183.0 (20.) 360.8 (13.)
 Trefferlage 2.02 mm rechts, 0.92 mm hoch
 Streuwert 3.16, horizontal: 4.15, vertikal: 1.66



Serie 3:
 9.8 → 9.0 ↘ 10.0 ↘ 9.6 → 9.7 →
 10.3 * 7.6 → 10.1 ← 10.2 * 9.8 ←
 beste Teiler 160.4 (26.) 181.2 (29.) 209.5 (28.)
 Trefferlage 1.14 mm rechts, 0.87 mm hoch
 Streuwert 2.66, horizontal: 3.42, vertikal: 1.57





Serie 4:
 7.5 ↘ 9.6 ↗ 10.4 * 8.5 ↗ 9.4 ↘
 8.1 ↓ 6.0 → 9.4 ↘ 8.7 → 9.4 ↘
 beste Teiler 127.2 (33.) 349.4 (32.) 395.4 (40.)
 Trefferlage 2.11 mm rechts, 0.02 mm hoch
 Streuwert 4.50, horizontal: 5.20, vertikal: 3.67

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 369 (385.6)
Serien: 87 95 94 93
Zähler: 15 19 6 0 0 0 0 0 0 0
Innenzehner: 9
weiteste: 681 (2), 675 (10), 643 (21)
beste Teiler 24.7 (9.) 37.0 (18.) 64.8 (26.)
Trefferlage 0.06 mm rechts, 0.06 mm hoch
Streuwert 2.65, horizontal: 3.23, vertikal: 1.90


Serie 1:


9.6 ← 8.2 ↗ 8.9 ← 9.5 ← 9.3 ↖
 9.9 → 9.2 ↘ 8.8 ↖ 10.9 * 8.3 ←

beste Teiler 24.7 (9.) 262.0 (6.) 329.2 (1.)
Trefferlage 2.52 mm links, 0.88 mm tief
Streuwert 2.82, horizontal: 3.50, vertikal: 1.90


Serie 2:


10.0 ↘ 9.6 ↘ 10.1 ↓ 9.0 ↗ 10.1 →
 9.1 ← 9.8 ↗ 10.8 * 10.7 * 9.6 ↖

beste Teiler 37.0 (18.) 69.8 (19.) 203.3 (15.)
Trefferlage 0.55 mm rechts, 0.12 mm tief
Streuwert 2.23, horizontal: 2.31, vertikal: 2.15


Serie 3:

8.4 → 10.1 ↗ 10.6 * 9.8 ↓ 9.3 ↖
 10.7 * 10.2 * 9.1 → 10.2 * 9.6 ↑

beste Teiler 64.8 (26.) 93.4 (23.) 177.6 (29.)
Trefferlage 1.20 mm rechts, 0.80 mm hoch
Streuwert 2.23, horizontal: 2.71, vertikal: 1.63


Serie 4:



9.3 ↘ 10.0 ↗ 9.0 → 10.4 * 9.8 ←
 10.2 * 9.0 ↗ 9.8 ↘ 8.6 ↖ 10.1 ↑

beste Teiler 134.5 (34.) 200.0 (36.) 212.5 (40.)
Trefferlage 1.02 mm rechts, 0.48 mm hoch
Streuwert 2.56, horizontal: 3.19, vertikal: 1.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (399.2)^{QF}
 Serien: 97 98 94 95
 Zähler: 26 12 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 630 (30), 532 (40), 437 (35)
 beste Teiler 45.6 (34.) 55.8 (39.) 65.7 (20.)
 Trefferlage 0.20 mm rechts, 0.34 mm hoch
 Streuwert 1.92, horizontal: 1.93, vertikal: 1.92




Serie 1:
 10.4 * 10.0 ↘ 10.2 * 10.0 ↗ 9.6 ↑
 10.0 ↑ 9.7 ← 9.7 ← 10.0 ↓ 10.1 ↘
 beste Teiler 136.6 (1.) 176.9 (3.) 220.6 (10.)
 Trefferlage 0.25 mm links, 0.04 mm hoch
 Streuwert 1.87, horizontal: 1.76, vertikal: 1.96



Serie 2:
 10.3 * 10.1 ↘ 10.5 * 10.1 ↗ 10.2 *
 10.1 ↗ 9.6 ↘ 10.5 * 9.9 ↗ 10.7 *
 beste Teiler 65.7 (20.) 102.5 (18.) 117.6 (13.)
 Trefferlage 1.40 mm rechts, 0.07 mm hoch
 Streuwert 1.11, horizontal: 0.73, vertikal: 1.39



Serie 3:
 9.9 ↘ 10.0 ↙ 10.3 * 9.8 ↘ 10.2 *
 10.0 ↘ 10.6 * 9.5 ↑ 9.7 ↗ 8.4 ↘
 beste Teiler 91.3 (27.) 175.1 (23.) 181.2 (25.)
 Trefferlage 0.03 mm rechts, 0.70 mm hoch
 Streuwert 2.24, horizontal: 1.87, vertikal: 2.57



Serie 4:
 9.3 → 10.1 ↑ 9.4 ↘ 10.8 * 9.2 ↘
 10.2 * 10.2 * 10.4 * 10.7 * 8.8 ↘
 beste Teiler 45.6 (34.) 55.8 (39.) 149.3 (38.)
 Trefferlage 0.38 mm links, 0.55 mm hoch
 Streuwert 2.22, horizontal: 2.59, vertikal: 1.78



QF

– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.1)
 Serien: 88 83 90 93
 Zähler: 16 10 9 3 1 1 0 0 0 0
 Innenzehner: 10
 weiteste: 1313 (16), 1063 (14), 964 (24)
 beste Teiler 20.0 (25.) 21.9 (7.) 37.6 (35.)
 Trefferlage 1.44 mm rechts, 0.27 mm tief
 Streuwert 3.45, horizontal: 4.32, vertikal: 2.28



Serie 1:

8.8 ← 7.4 → 8.1 ↖ 8.7 ↗ 10.0 ↖
 10.5 * 10.9 * 9.4 ↓ 9.6 ↘ 9.2 ↑


beste Teiler 21.9 (7.) 106.1 (6.) 245.2 (5.)
 Trefferlage 0.40 mm rechts, 0.19 mm hoch
 Streuwert 3.67, horizontal: 4.49, vertikal: 2.58



Serie 2:

8.7 ↘ 10.1 ↓ 9.6 ↑ 6.7 → 9.3 →
 5.7 → 8.5 ↓ 10.1 ↘ 8.9 → 10.3 *


beste Teiler 158.0 (20.) 218.2 (12.) 219.1 (18.)
 Trefferlage 3.93 mm rechts, 1.14 mm tief
 Streuwert 3.76, horizontal: 4.61, vertikal: 2.65



Serie 3:

8.9 ← 10.3 * 9.4 ↗ 7.1 ↘ 10.9 *
 8.8 → 10.3 * 10.4 * 9.4 → 9.8 ↓

beste Teiler 20.0 (25.) 141.1 (28.) 153.1 (22.)
 Trefferlage 1.48 mm rechts, 0.54 mm tief
 Streuwert 3.09, horizontal: 3.84, vertikal: 2.08





Serie 4:

10.2 * 10.1 ↖ 9.8 ↓ 7.5 ← 10.8 *
 10.7 * 10.1 ↖ 9.7 ↗ 10.0 ↘ 8.4 →


beste Teiler 37.6 (35.) 56.9 (36.) 191.6 (31.)
 Trefferlage 0.04 mm links, 0.40 mm hoch
 Streuwert 2.91, horizontal: 3.76, vertikal: 1.67

Unterschrift des Schützen


Ergebnis: **371** (389.8)
 Serien: 94 90 94 93
 Zähler: 14 23 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 715 (18), 538 (6), 511 (36)
 beste Teiler 43.4 (22.) 83.4 (29.) 122.6 (3.)
 Trefferlage 0.18 mm links, 0.03 mm tief
 Streuwert 2.36, horizontal: 2.66, vertikal: 2.01




Serie 1:
 10.3 * 9.9 ↓ 10.5 * 9.4 ↓ 10.4 *
 8.8 → 9.6 ↗ 10.1 ← 9.6 ↘ 10.4 *
 beste Teiler 122.6 (3.) 127.4 (10.) 144.5 (5.)
 Trefferlage 0.21 mm rechts, 0.15 mm hoch
 Streuwert 2.19, horizontal: 2.28, vertikal: 2.10



Serie 2:
 9.0 → 9.5 ↑ 9.5 ↘ 9.6 ↘ 10.0 →
 9.6 ↘ 9.9 → 8.1 ↘ 9.3 → 9.9 ↘
 beste Teiler 239.7 (15.) 253.7 (17.) 263.6 (20.)
 Trefferlage 0.81 mm rechts, 1.26 mm hoch
 Streuwert 2.76, horizontal: 3.19, vertikal: 2.25



Serie 3:
 10.0 ← 10.8 * 10.1 ← 9.5 ← 9.4 ↘
 9.7 ↘ 9.0 ↘ 9.4 ← 10.6 * 9.7 ↘
 beste Teiler 43.4 (22.) 83.4 (29.) 221.2 (23.)
 Trefferlage 1.32 mm links, 0.67 mm tief
 Streuwert 2.05, horizontal: 2.47, vertikal: 1.51





Serie 4:
 10.2 * 10.4 * 9.7 → 9.7 ↗ 9.6 ↘
 8.9 ↗ 9.9 ← 10.3 * 9.5 ↘ 10.0 ←
 beste Teiler 150.2 (32.) 158.9 (38.) 185.5 (31.)
 Trefferlage 0.43 mm links, 0.86 mm tief
 Streuwert 2.11, horizontal: 2.52, vertikal: 1.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (399.4)
 Serien: 95 94 97 94
 Zähler: 21 18 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 518 (13), 500 (9), 471 (34)
 beste Teiler 14.0 (8.) 33.1 (14.) 46.0 (28.)
 Trefferlage 0.47 mm links, 0.20 mm tief
 Streuwert 1.97, horizontal: 2.21, vertikal: 1.71




Serie 1:
 10.7 * 10.6 * 9.3 ↗ 9.4 ↖ 9.3 ↖
 10.4 * 10.0 ↖ 10.9 * 9.0 ↗ 9.9 ↖
 beste Teiler 14.0 (8.) 52.4 (1.) 78.7 (2.)
 Trefferlage 1.34 mm links, 1.45 mm hoch
 Streuwert 1.67, horizontal: 1.68, vertikal: 1.67



Serie 2:
 9.8 ↘ 10.1 ↖ 8.9 ↖ 10.8 * 10.6 *
 10.3 * 9.8 ↗ 9.4 ↘ 10.4 * 9.5 →
 beste Teiler 33.1 (14.) 97.3 (15.) 134.6 (19.)
 Trefferlage 0.22 mm links, 1.07 mm tief
 Streuwert 1.98, horizontal: 2.62, vertikal: 1.01





Serie 3:
 10.0 → 10.5 * 10.5 * 10.6 * 9.8 ↑
 9.3 → 9.3 ↖ 10.8 * 10.0 ↖ 10.5 *
 beste Teiler 46.0 (28.) 100.1 (24.) 113.2 (22.)
 Trefferlage 0.06 mm rechts, 0.09 mm hoch
 Streuwert 1.81, horizontal: 2.29, vertikal: 1.15




Serie 4:
 9.4 ↗ 9.9 ↘ 10.7 * 9.1 ↗ 10.1 ↖
 10.2 * 10.4 * 9.8 ↖ 9.5 → 9.9 →
 beste Teiler 74.3 (33.) 129.9 (37.) 185.2 (36.)
 Trefferlage 0.40 mm links, 1.31 mm tief
 Streuwert 1.89, horizontal: 2.24, vertikal: 1.47

Unterschrift des Schützen


Ergebnis: 391 (410.0)_{QF}
Serien: 97 96 99 99
Zähler: 32 7 1 0 0 0 0 0 0
Innenzehner: 28
weiteste: 519 (2), 455 (11), 431 (24)
beste Teiler 15.8 (36.) 26.0 (25.) 29.4 (22.)
Trefferlage 0.78 mm rechts, 0.26 mm tief
Streuwert 1.43, horizontal: 1.63, vertikal: 1.20




Serie 1:
 10.1 → 8.9 → 9.5 → 10.6 * 10.0 ↖
 10.2 * 10.4 * 10.6 * 10.3 * 10.8 *
beste Teiler 32.0 (10.) 96.5 (8.) 97.9 (4.)
Trefferlage 1.22 mm rechts, 0.57 mm hoch
Streuwert 1.54, horizontal: 2.05, vertikal: 0.71



Serie 2:
 9.1 → 10.2 * 10.0 ↘ 10.8 * 10.5 *
 10.7 * 9.5 ↘ 9.7 ↓ 9.5 ↘ 10.2 *
beste Teiler 48.3 (14.) 56.7 (16.) 115.3 (15.)
Trefferlage 0.85 mm rechts, 0.79 mm tief
Streuwert 1.77, horizontal: 2.09, vertikal: 1.39



Serie 3:
 10.6 * 10.8 * 10.8 * 9.2 ↘ 10.8 *
 10.7 * 10.5 * 10.3 * 10.4 * 10.3 *
beste Teiler 26.0 (25.) 29.4 (22.) 35.6 (23.)
Trefferlage 0.53 mm rechts, 0.46 mm tief
Streuwert 1.14, horizontal: 1.36, vertikal: 0.88





Serie 4:
 10.8 * 10.2 * 10.4 * 9.9 ↓ 10.2 *
 10.9 * 10.3 * 10.1 → 10.5 * 10.7 *
beste Teiler 15.8 (36.) 48.2 (31.) 70.0 (40.)
Trefferlage 0.51 mm rechts, 0.36 mm tief
Streuwert 1.12, horizontal: 0.83, vertikal: 1.35

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396** (413.7)^{QF}
 Serien: 99 99 98 100^{QF}
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 418 (22), 327 (23), 297 (15)
 beste Teiler 27.2 (21.) 32.9 (1.) 36.2 (19.)
 Trefferlage 0.15 mm links, 0.33 mm hoch
 Streuwert 1.21, horizontal: 1.60, vertikal: 0.62




Serie 1:
 10.8 * 10.7 * 10.5 * 9.9 ← 10.6 *
 10.5 * 10.6 * 10.3 * 10.1 ↖ 10.4 *
 beste Teiler 32.9 (1.) 59.4 (2.) 78.1 (5.)
 Trefferlage 0.11 mm links, 0.31 mm hoch
 Streuwert 1.06, horizontal: 1.41, vertikal: 0.53



Serie 2:
 10.3 * 10.4 * 10.4 * 10.4 * 9.8 →
 10.0 ↘ 10.4 * 10.1 ↗ 10.8 * 10.5 *
 beste Teiler 36.2 (19.) 122.4 (20.) 128.0 (17.)
 Trefferlage 1.00 mm rechts, 0.27 mm hoch
 Streuwert 1.01, horizontal: 1.21, vertikal: 0.77



Serie 3:
 10.8 * 9.3 ← 9.6 ← 10.7 * 10.5 *
 10.0 ↖ 10.0 ← 10.4 * 10.3 * 10.6 *
 beste Teiler 27.2 (21.) 73.8 (24.) 87.2 (30.)
 Trefferlage 1.13 mm links, 0.29 mm hoch
 Streuwert 1.37, horizontal: 1.88, vertikal: 0.47





Serie 4:
 10.4 * 10.6 * 10.2 * 10.5 * 10.1 ↖
 10.2 * 10.3 * 10.7 * 10.6 * 10.4 *
 beste Teiler 61.7 (38.) 88.2 (32.) 89.3 (39.)
 Trefferlage 0.38 mm links, 0.43 mm hoch
 Streuwert 1.02, horizontal: 1.24, vertikal: 0.75

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: **385** (402.0)^{QF}
 Serien: 93 99 95 98
 Zähler: 27 11 2 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 543 (7), 542 (1), 489 (30)
 beste Teiler 26.0 (18.) 66.4 (12.) 66.4 (37.)
 Trefferlage 0.28 mm rechts, 0.10 mm hoch
 Streuwert 1.87, horizontal: 2.05, vertikal: 1.66




Serie 1:
 8.8 → 9.9 ↗ 10.1 ← 10.4 * 9.3 ↗
 10.5 * 8.8 ↘ 10.1 ← 10.1 ↑ 9.2 ↘
 beste Teiler 118.1 (6.) 147.3 (4.) 212.0 (8.)
 Trefferlage 0.73 mm rechts, 0.26 mm hoch
 Streuwert 2.51, horizontal: 2.80, vertikal: 2.19



Serie 2:
 9.5 → 10.7 * 10.4 * 10.2 * 10.6 *
 10.6 * 10.1 ↘ 10.8 * 10.2 * 10.4 *
 beste Teiler 26.0 (18.) 66.4 (12.) 79.6 (15.)
 Trefferlage 0.44 mm rechts, 0.41 mm tief
 Streuwert 1.22, horizontal: 1.46, vertikal: 0.92



Serie 3:
 9.5 ↗ 10.2 * 9.7 ↗ 10.5 * 10.3 *
 10.1 ↖ 9.5 ↓ 9.9 ↘ 10.1 ↘ 9.0 ↗
 beste Teiler 110.4 (24.) 171.8 (25.) 183.8 (22.)
 Trefferlage 0.65 mm rechts, 0.45 mm hoch
 Streuwert 2.06, horizontal: 2.09, vertikal: 2.04





Serie 4:
 10.2 * 9.7 ← 10.6 * 10.7 * 9.4 ↘
 10.1 → 10.7 * 10.4 * 10.4 * 10.3 *
 beste Teiler 66.4 (37.) 70.7 (34.) 88.8 (33.)
 Trefferlage 0.70 mm links, 0.10 mm hoch
 Streuwert 1.43, horizontal: 1.55, vertikal: 1.31

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: 379 (397.5)
Serien: 96 97 94 92
Zähler: 22 15 3 0 0 0 0 0 0 0
Innenzehner: 16
weiteste: 587 (24), 534 (30), 509 (35)
beste Teiler 24.5 (27.) 30.4 (9.) 63.3 (34.)
Trefferlage 0.57 mm rechts, 0.12 mm hoch
Streuwert 2.06, horizontal: 2.49, vertikal: 1.51




Serie 1:
 9.8 ↙ 9.8 ↑ 10.6 * 9.6 → 10.4 *
 10.1 ↘ 9.1 ← 10.1 ↙ 10.8 * 10.7 *
beste Teiler 30.4 (9.) 75.4 (10.) 79.3 (3.)
Trefferlage 0.50 mm links, 0.23 mm hoch
Streuwert 1.79, horizontal: 2.09, vertikal: 1.45



Serie 2:
 10.4 * 10.0 ↙ 9.0 → 10.3 * 9.9 ↘
 10.4 * 10.4 * 9.9 ↘ 10.0 ↓ 10.3 *
beste Teiler 135.0 (16.) 141.2 (17.) 146.5 (11.)
Trefferlage 0.51 mm rechts, 0.45 mm tief
Streuwert 1.76, horizontal: 2.17, vertikal: 1.23



Serie 3:
 10.3 * 10.3 * 10.5 * 8.6 ← 10.0 ↘
 9.4 ↘ 10.9 * 9.8 ↗ 10.2 * 8.8 →
beste Teiler 24.5 (27.) 103.2 (23.) 171.8 (21.)
Trefferlage 0.32 mm links, 0.80 mm hoch
Streuwert 2.31, horizontal: 2.94, vertikal: 1.42





Serie 4:
 10.1 → 9.1 ↗ 9.7 → 10.7 * 8.9 ↘
 10.7 * 9.2 → 9.5 ↗ 9.6 → 9.6 ↘
beste Teiler 63.3 (34.) 68.4 (36.) 211.2 (31.)
Trefferlage 2.60 mm rechts, 0.07 mm tief
Streuwert 1.67, horizontal: 1.51, vertikal: 1.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.9)
 Serien: 93 97 94 89
 Zähler: 20 14 5 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 773 (35), 691 (2), 659 (26)
 beste Teiler 34.0 (5.) 35.0 (18.) 47.2 (11.)
 Trefferlage 1.15 mm links, 0.01 mm tief
 Streuwert 2.28, horizontal: 2.72, vertikal: 1.74




Serie 1:
 10.2 * 8.2 ← 9.7 ↖ 10.7 * 10.8 *
 9.5 ↙ 10.1 ↓ 9.8 → 9.9 ↗ 9.5 ↘
 beste Teiler 34.0 (5.) 59.4 (4.) 196.4 (1.)
 Trefferlage 1.57 mm links, 0.24 mm tief
 Streuwert 2.14, horizontal: 2.77, vertikal: 1.24



Serie 2:
 10.8 * 10.1 ↖ 10.6 * 10.3 * 9.7 ↗
 10.6 * 10.1 ← 10.8 * 10.0 ← 8.6 ↘
 beste Teiler 35.0 (18.) 47.2 (11.) 79.8 (16.)
 Trefferlage 0.07 mm rechts, 0.17 mm tief
 Streuwert 1.87, horizontal: 2.29, vertikal: 1.32





Serie 3:
 10.5 * 10.3 * 10.2 * 10.5 * 10.4 *
 8.3 ↙ 9.9 ↓ 9.9 ↘ 9.6 ↖ 9.0 ↗
 beste Teiler 102.4 (21.) 108.4 (24.) 134.6 (25.)
 Trefferlage 0.48 mm links, 0.14 mm hoch
 Streuwert 2.36, horizontal: 2.56, vertikal: 2.14




Serie 4:
 10.1 ↓ 9.4 ↖ 9.4 ↗ 8.8 ← 7.9 ↖
 8.6 ← 9.4 ↓ 10.1 ↖ 9.9 ← 10.7 *
 beste Teiler 62.6 (40.) 211.6 (38.) 220.4 (31.)
 Trefferlage 2.64 mm links, 0.21 mm hoch
 Streuwert 2.53, horizontal: 2.76, vertikal: 2.27

Unterschrift des Schützen


Ergebnis: **380** (395.2)
 Serien: 94 96 95 95
 Zähler: 23 14 3 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 541 (33), 508 (32), 507 (26)
 beste Teiler 73.1 (30.) 76.4 (40.) 107.0 (7.)
 Trefferlage 0.00 mm , 0.78 mm hoch
 Streuwert 2.06, horizontal: 2.45, vertikal: 1.57




Serie 1:
 10.2 * 9.1 ↗ 9.3 ← 9.8 ↑ 10.1 ↗
 10.3 * 10.5 * 9.6 ← 9.7 ↑ 9.6 →
 beste Teiler 107.0 (7.) 159.3 (6.) 186.5 (1.)
 Trefferlage 0.02 mm links, 0.88 mm hoch
 Streuwert 2.15, horizontal: 2.53, vertikal: 1.68



Serie 2:
 10.0 ← 10.3 * 10.0 → 9.9 ↘ 10.5 *
 9.6 ↑ 9.3 ↘ 9.2 ↗ 10.2 * 10.2 *
 beste Teiler 119.6 (15.) 159.7 (12.) 191.0 (20.)
 Trefferlage 0.93 mm links, 0.73 mm hoch
 Streuwert 1.89, horizontal: 2.03, vertikal: 1.75



Serie 3:
 9.7 ↑ 10.0 ← 10.2 * 9.7 ↑ 10.0 ↑
 8.9 ← 10.4 * 9.1 → 10.2 * 10.7 *
 beste Teiler 73.1 (30.) 142.7 (27.) 186.2 (23.)
 Trefferlage 0.02 mm links, 0.98 mm hoch
 Streuwert 2.10, horizontal: 2.50, vertikal: 1.61





Serie 4:
 10.0 ↘ 8.9 → 8.8 → 10.4 * 9.1 ↗
 10.3 * 10.2 * 10.3 * 10.3 * 10.6 *
 beste Teiler 76.4 (40.) 142.3 (34.) 166.8 (36.)
 Trefferlage 0.98 mm rechts, 0.53 mm hoch
 Streuwert 2.15, horizontal: 2.67, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 333 (352.8)
Serien: 87 73 83 90
Zähler: 7 12 11 7 3 0 0 0 0 0
Innenzehner: 6
weiteste: 1164 (19), 1072 (20), 1014 (18)
beste Teiler 54.9 (38.) 74.4 (5.) 90.2 (10.)
Trefferlage 0.36 mm rechts, 1.45 mm hoch
Streuwert 4.19, horizontal: 4.97, vertikal: 3.22




Serie 1:
 8.7 ↘ 9.8 ↗ 8.9 ↘ 10.3 * 10.7 *
 7.9 ↗ 9.0 → 7.1 → 9.0 ↑ 10.6 *
beste Teiler 74.4 (5.) 90.2 (10.) 156.2 (4.)
Trefferlage 1.95 mm rechts, 2.02 mm hoch
Streuwert 3.29, horizontal: 3.72, vertikal: 2.80



Serie 2:
 8.6 ↙ 7.9 → 8.9 ↘ 10.3 * 7.7 ↙
 7.3 ↙ 8.6 → 6.9 ↘ 6.3 ↗ 6.7 ↙
beste Teiler 166.0 (14.) 503.5 (13.) 576.6 (11.)
Trefferlage 1.93 mm links, 2.94 mm hoch
Streuwert 5.45, horizontal: 7.00, vertikal: 3.25





Serie 3:
 7.0 ↘ 8.6 → 7.8 ↗ 9.7 ↑ 9.2 ↙
 8.2 ↘ 9.4 ↙ 8.6 ↘ 8.8 ↙ 10.2 *
beste Teiler 195.7 (30.) 318.9 (24.) 389.0 (27.)
Trefferlage 0.20 mm links, 1.49 mm hoch
Streuwert 4.27, horizontal: 4.86, vertikal: 3.59




Serie 4:
 8.6 ↘ 9.1 → 9.6 ↘ 9.0 ↙ 9.3 ↑
 9.5 ↗ 9.7 ↓ 10.7 * 8.6 → 10.0 ↘
beste Teiler 54.9 (38.) 245.8 (40.) 320.6 (37.)
Trefferlage 1.65 mm rechts, 0.65 mm tief
Streuwert 2.80, horizontal: 3.13, vertikal: 2.42

Unterschrift des Schützen


Ergebnis: 355 (371.6)
Serien: 83 93 91 88
Zähler: 11 19 6 2 2 0 0 0 0 0
Innenzehner: 6
weiteste: 1173 (7), 1049 (6), 989 (32)
beste Teiler 5.3 (38.) 130.1 (11.) 132.1 (19.)
Trefferlage 0.45 mm links, 0.77 mm hoch
Streuwert 3.45, horizontal: 4.27, vertikal: 2.37




Serie 1:
 9.6 ↘ 10.1 ↑ 9.9 ↘ 9.0 → 10.1 ↓
 6.8 ↘ 6.3 → 8.9 ← 8.1 ↘ 8.2 →
beste Teiler 210.0 (5.) 224.0 (2.) 273.5 (3.)
Trefferlage 0.01 mm rechts, 1.54 mm hoch
Streuwert 4.74, horizontal: 6.24, vertikal: 2.43



Serie 2:
 10.4 * 10.2 * 9.2 ↗ 9.8 ↘ 9.7 ↑
 8.7 ↗ 9.9 ↘ 10.2 * 10.4 * 9.1 ←
beste Teiler 130.1 (11.) 132.1 (19.) 192.7 (12.)
Trefferlage 0.26 mm rechts, 1.38 mm hoch
Streuwert 2.22, horizontal: 2.88, vertikal: 1.25



Serie 3:
 8.5 ↑ 10.0 ↗ 10.4 * 9.2 ↘ 10.1 ↓
 9.4 ↗ 7.3 ← 10.1 ← 9.7 ↑ 9.4 ↓
beste Teiler 144.0 (23.) 224.1 (25.) 225.2 (28.)
Trefferlage 0.76 mm links, 1.05 mm hoch
Streuwert 3.16, horizontal: 3.54, vertikal: 2.72





Serie 4:
 9.0 ↓ 7.0 ← 9.7 ↘ 9.3 ↓ 8.8 ←
 9.4 → 9.9 ↘ 10.9 * 9.0 ↗ 9.9 ↘
beste Teiler 5.3 (38.) 257.7 (37.) 265.7 (40.)
Trefferlage 1.35 mm links, 0.86 mm tief
Streuwert 3.37, horizontal: 4.17, vertikal: 2.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (355.1)
 Serien: 82 89 87 83
 Zähler: 10 10 14 3 3 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1219 (4), 1195 (3), 1008 (32)
 beste Teiler 138.7 (20.) 140.6 (29.) 158.6 (17.)
 Trefferlage 0.10 mm links, 0.85 mm hoch
 Streuwert 4.17, horizontal: 4.57, vertikal: 3.73




Serie 1:
 10.2 * 9.8 ↖ 6.2 ↗ 6.1 ← 9.7 ↘
 8.4 ↘ 8.0 ↗ 9.0 ↖ 8.6 ↑ 9.3 ←
 beste Teiler 193.3 (1.) 291.4 (2.) 318.2 (5.)
 Trefferlage 0.71 mm links, 1.84 mm hoch
 Streuwert 4.97, horizontal: 5.67, vertikal: 4.16



Serie 2:
 8.7 ↗ 7.4 ↖ 8.6 ↘ 9.0 ↑ 9.6 ↗
 10.2 * 10.3 * 8.9 ↗ 10.2 * 10.4 *
 beste Teiler 138.7 (20.) 158.6 (17.) 188.0 (16.)
 Trefferlage 0.01 mm links, 0.42 mm hoch
 Streuwert 3.48, horizontal: 3.73, vertikal: 3.21



Serie 3:
 8.7 ↘ 9.3 ↖ 9.4 ↖ 9.1 ← 8.2 →
 8.5 ↘ 10.1 ← 8.6 ↑ 10.4 * 8.4 ↗
 beste Teiler 140.6 (29.) 209.0 (27.) 386.3 (23.)
 Trefferlage 0.95 mm rechts, 0.86 mm hoch
 Streuwert 3.63, horizontal: 4.20, vertikal: 2.95





Serie 4:
 10.1 ↓ 6.9 ↗ 8.1 ↗ 9.2 ↘ 8.2 →
 10.1 ↓ 10.0 ↗ 8.0 ↖ 7.9 ↑ 7.3 ←
 beste Teiler 217.0 (36.) 220.2 (31.) 243.1 (37.)
 Trefferlage 0.66 mm links, 0.28 mm hoch
 Streuwert 4.85, horizontal: 4.98, vertikal: 4.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.6)
 Serien: 89 89 91 92
 Zähler: 15 13 10 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 890 (11), 838 (21), 675 (33)
 beste Teiler 32.5 (20.) 43.8 (34.) 51.0 (27.)
 Trefferlage 0.44 mm rechts, 0.94 mm hoch
 Streuwert 2.92, horizontal: 3.28, vertikal: 2.50




Serie 1:
 8.5 ← 9.7 ↓ 8.5 ↗ 10.2 * 9.6 ←
 10.1 ↖ 8.6 ↑ 8.6 → 10.1 ↗ 9.5 ↖
 beste Teiler 185.2 (4.) 204.2 (6.) 216.3 (9.)
 Trefferlage 0.11 mm links, 0.79 mm hoch
 Streuwert 3.21, horizontal: 3.80, vertikal: 2.50



Serie 2:
 7.4 ↖ 8.9 ↘ 9.6 ↓ 9.1 ↖ 9.7 ↖
 10.7 * 9.2 ↑ 9.0 ↘ 9.8 ← 10.8 *
 beste Teiler 32.5 (20.) 69.9 (16.) 297.9 (19.)
 Trefferlage 0.64 mm links, 0.66 mm hoch
 Streuwert 3.27, horizontal: 3.49, vertikal: 3.04



Serie 3:
 7.6 ↗ 10.0 ↗ 8.7 ↘ 9.0 ← 10.0 ↑
 10.1 ↓ 10.7 * 9.7 ↖ 10.0 ↑ 8.9 →
 beste Teiler 51.0 (27.) 216.0 (26.) 235.9 (25.)
 Trefferlage 1.35 mm rechts, 0.66 mm hoch
 Streuwert 2.99, horizontal: 3.46, vertikal: 2.44





Serie 4:
 8.8 → 8.6 ↑ 8.3 ↗ 10.8 * 10.6 *
 10.7 * 10.5 * 9.9 ↑ 10.2 * 9.9 ↗
 beste Teiler 43.8 (34.) 54.0 (36.) 78.7 (35.)
 Trefferlage 1.19 mm rechts, 1.66 mm hoch
 Streuwert 2.21, horizontal: 2.20, vertikal: 2.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (377.7)
 Serien: 87 89 93 88
 Zähler: 12 16 9 3 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 873 (7), 851 (15), 838 (36)
 beste Teiler 62.0 (32.) 86.6 (30.) 99.8 (17.)
 Trefferlage 0.69 mm links, 0.65 mm hoch
 Streuwert 3.05, horizontal: 3.66, vertikal: 2.27




Serie 1:
 8.6 ↘ 9.6 ← 9.1 ↑ 9.9 ↘ 10.1 ↘
 9.5 ↙ 7.5 → 9.5 ↖ 9.4 ↑ 8.4 →
 beste Teiler 204.7 (5.) 256.0 (4.) 350.8 (2.)
 Trefferlage 0.10 mm rechts, 0.86 mm hoch
 Streuwert 3.59, horizontal: 4.36, vertikal: 2.62



Serie 2:
 9.7 → 9.6 ↘ 8.0 ↘ 9.0 ↓ 7.5 ↖
 8.7 ← 10.6 * 9.9 ↙ 10.5 * 10.4 *
 beste Teiler 99.8 (17.) 109.7 (19.) 137.7 (20.)
 Trefferlage 1.77 mm links, 0.02 mm hoch
 Streuwert 3.22, horizontal: 3.92, vertikal: 2.33



Serie 3:
 10.2 * 9.7 ↘ 8.8 → 10.3 * 10.5 *
 8.9 ↑ 9.9 ← 10.3 * 9.8 ↘ 10.6 *
 beste Teiler 86.6 (30.) 113.8 (25.) 159.6 (24.)
 Trefferlage 0.66 mm rechts, 0.25 mm hoch
 Streuwert 2.16, horizontal: 2.38, vertikal: 1.91





Serie 4:
 10.1 ↑ 10.7 * 8.6 ↖ 10.3 * 9.4 ↖
 7.6 ↖ 9.2 ↓ 8.9 → 9.5 ↖ 8.9 ↖
 beste Teiler 62.0 (32.) 169.5 (34.) 211.9 (31.)
 Trefferlage 1.77 mm links, 1.48 mm hoch
 Streuwert 2.98, horizontal: 3.58, vertikal: 2.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (392.0)
 Serien: 96 93 91 95
 Zähler: 21 13 6 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 686 (35), 670 (6), 623 (31)
 beste Teiler 33.6 (7.) 58.2 (21.) 80.7 (28.)
 Trefferlage 0.95 mm links, 0.37 mm hoch
 Streuwert 2.31, horizontal: 2.59, vertikal: 1.99




Serie 1:
 10.1 ↓ 10.5 * 9.2 → 10.0 ↘ 9.3 ↘
 8.3 ↑ 10.8 * 10.4 * 10.1 ↓ 10.0 →
 beste Teiler 33.6 (7.) 122.0 (2.) 136.7 (8.)
 Trefferlage 0.96 mm rechts, 0.23 mm hoch
 Streuwert 2.28, horizontal: 1.93, vertikal: 2.59



Serie 2:
 10.6 * 9.3 ← 9.0 ↘ 9.9 ↘ 10.6 *
 10.5 * 9.3 ← 10.5 * 8.8 ↘ 9.9 ←
 beste Teiler 83.2 (15.) 97.7 (11.) 113.9 (18.)
 Trefferlage 1.21 mm links, 0.23 mm hoch
 Streuwert 2.22, horizontal: 2.54, vertikal: 1.86



Serie 3:
 10.7 * 9.8 ↘ 9.4 ↘ 8.7 ← 8.8 ←
 9.7 ↓ 10.5 * 10.6 * 9.2 ← 9.9 ↙
 beste Teiler 58.2 (21.) 80.7 (28.) 121.3 (27.)
 Trefferlage 2.25 mm links, 0.40 mm tief
 Streuwert 1.94, horizontal: 2.11, vertikal: 1.75





Serie 4:
 8.5 ↘ 10.4 * 10.3 * 10.3 * 8.2 ↘
 10.1 → 9.1 ↘ 10.2 * 10.3 * 10.2 *
 beste Teiler 140.7 (32.) 160.5 (34.) 169.0 (33.)
 Trefferlage 1.30 mm links, 1.43 mm hoch
 Streuwert 2.26, horizontal: 2.88, vertikal: 1.40

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312** (329.0)
 Serien: 85 73 73 81
 Zähler: 5 9 9 11 4 1 0 1 0 0
 Innenzehner: 5
 weiteste: 1762 (12), 1332 (30), 1190 (33)
 beste Teiler 122.4 (10.) 138.0 (7.) 148.6 (38.)
 Trefferlage 1.76 mm links, 0.72 mm hoch
 Streuwert 5.34, horizontal: 6.06, vertikal: 4.51



Serie 1:

8.3 ↘ 7.3 ↘ 9.3 → 7.6 ↑ 8.5 ↘
 7.4 ↘ 10.4 * 10.2 * 9.6 ↓ 10.5 *


beste Teiler 122.4 (10.) 138.0 (7.) 180.8 (8.)
 Trefferlage 0.21 mm links, 0.18 mm hoch
 Streuwert 4.42, horizontal: 3.25, vertikal: 5.34



Serie 2:

9.7 ↓ 3.9 ↖ 8.0 ↖ 7.8 ↙ 7.5 ←
 8.5 ↗ 6.7 ↖ 6.9 → 9.3 ← 10.2 *


beste Teiler 197.7 (20.) 309.6 (11.) 421.8 (19.)
 Trefferlage 3.64 mm links, 0.83 mm tief
 Streuwert 6.01, horizontal: 7.48, vertikal: 4.04



Serie 3:

9.5 ↘ 7.2 ↗ 7.7 ↗ 8.6 → 6.3 →
 8.2 ↖ 9.5 ↘ 7.2 ← 7.8 ↖ 5.6 ←

beste Teiler 351.6 (21.) 354.5 (27.) 593.2 (24.)
 Trefferlage 0.97 mm links, 0.79 mm hoch
 Streuwert 6.28, horizontal: 8.01, vertikal: 3.83





Serie 4:

9.5 ← 9.1 ↖ 6.2 ↘ 8.9 ↑ 7.1 →
 8.3 ↓ 9.2 ↘ 10.4 * 7.0 ↘ 8.1 ←


beste Teiler 148.6 (38.) 356.3 (31.) 441.4 (37.)
 Trefferlage 2.23 mm links, 2.75 mm hoch
 Streuwert 4.60, horizontal: 4.59, vertikal: 4.61

Unterschrift des Schützen


Ergebnis: 358 (376.2)
Serien: 93 87 88 90
Zähler: 12 17 8 3 0 0 0 0 0 0
Innenzehner: 9
weiteste: 993 (26), 809 (7), 764 (36)
beste Teiler 64.6 (2.) 90.1 (1.) 93.6 (8.)
Trefferlage 1.44 mm rechts, 0.04 mm tief
Streuwert 2.99, horizontal: 3.58, vertikal: 2.26




Serie 1:
 10.6 * 10.7 * 9.4 ↗ 10.0 ↖ 9.7 ↖
 10.4 * 7.7 → 10.6 * 9.9 ↖ 9.5 ↖
beste Teiler 64.6 (2.) 90.1 (1.) 93.6 (8.)
Trefferlage 0.20 mm rechts, 0.71 mm hoch
Streuwert 2.54, horizontal: 3.23, vertikal: 1.57



Serie 2:
 8.4 ↖ 10.1 ↖ 9.4 ↖ 8.4 ↗ 9.0 →
 9.1 ↖ 9.5 → 9.7 ↘ 8.8 ↘ 8.7 →
beste Teiler 223.1 (12.) 312.7 (18.) 366.3 (17.)
Trefferlage 1.08 mm rechts, 0.56 mm hoch
Streuwert 3.45, horizontal: 4.38, vertikal: 2.14



Serie 3:
 9.8 ↖ 9.6 ↖ 10.4 * 8.8 ↗ 10.2 *
 7.0 → 8.2 ↘ 9.6 ↗ 9.1 ↗ 9.0 ↗
beste Teiler 143.9 (23.) 194.6 (25.) 280.8 (21.)
Trefferlage 3.20 mm rechts, 0.07 mm tief
Streuwert 2.91, horizontal: 3.35, vertikal: 2.40





Serie 4:
 8.6 ↓ 9.4 ↓ 10.3 * 10.5 * 10.0 ↗
 7.9 → 8.8 → 9.3 ↓ 9.7 ↓ 10.4 *
beste Teiler 119.1 (34.) 144.1 (40.) 156.2 (33.)
Trefferlage 1.29 mm rechts, 1.37 mm tief
Streuwert 2.79, horizontal: 3.05, vertikal: 2.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.3)
 Serien: 97 96 95 93
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 666 (36), 652 (26), 471 (5)
 beste Teiler 32.5 (14.) 35.9 (19.) 58.7 (3.)
 Trefferlage 0.09 mm rechts, 0.16 mm hoch
 Streuwert 2.02, horizontal: 2.34, vertikal: 1.65




Serie 1:
 9.5 ↓ 9.8 → 10.7 * 10.5 * 9.1 ↗
 10.2 * 10.2 * 10.0 ↑ 10.1 ← 10.3 *
 beste Teiler 58.7 (3.) 104.6 (4.) 156.5 (10.)
 Trefferlage 1.00 mm rechts, 0.03 mm hoch
 Streuwert 1.74, horizontal: 1.79, vertikal: 1.69



Serie 2:
 9.9 ↓ 10.1 ↓ 9.6 ← 10.8 * 9.3 ←
 10.1 ↓ 10.2 * 9.9 ↑ 10.8 * 10.1 ↑
 beste Teiler 32.5 (14.) 35.9 (19.) 185.2 (17.)
 Trefferlage 0.78 mm links, 0.01 mm hoch
 Streuwert 1.71, horizontal: 1.61, vertikal: 1.81



Serie 3:
 10.3 * 10.6 * 9.7 ↗ 10.5 * 9.9 ↑
 8.3 ↗ 10.6 * 10.5 * 9.5 ↗ 10.2 *
 beste Teiler 84.5 (22.) 96.1 (27.) 102.9 (24.)
 Trefferlage 1.09 mm rechts, 0.73 mm hoch
 Streuwert 1.88, horizontal: 2.03, vertikal: 1.71





Serie 4:
 9.7 ↗ 10.0 ↘ 9.4 ← 9.7 ← 9.8 →
 8.3 ← 10.2 * 10.2 * 10.2 * 9.5 ↘
 beste Teiler 176.0 (37.) 191.7 (38.) 193.0 (39.)
 Trefferlage 0.91 mm links, 0.13 mm tief
 Streuwert 2.45, horizontal: 3.13, vertikal: 1.49

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (382.7)
 Serien: 95 91 91 90
 Zähler: 14 21 3 2 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 981 (35), 803 (20), 740 (29)
 beste Teiler 45.7 (9.) 66.7 (22.) 89.5 (37.)
 Trefferlage 0.07 mm links, 0.70 mm tief
 Streuwert 2.84, horizontal: 3.39, vertikal: 2.16



Serie 1:

9.1 ↗ 10.2 * 10.3 * 9.3 ↘ 9.3 ↘
 10.4 * 9.5 ↑ 10.1 ← 10.8 * 9.7 ↓


beste Teiler 45.7 (9.) 145.7 (6.) 154.6 (3.)
 Trefferlage 0.89 mm rechts, 0.38 mm tief
 Streuwert 2.13, horizontal: 2.19, vertikal: 2.06



Serie 2:

9.2 ↙ 9.8 ↓ 9.1 → 10.2 * 9.4 ↖
 9.2 ↘ 9.1 ↙ 10.4 * 10.5 * 7.7 →


beste Teiler 110.0 (19.) 140.0 (18.) 185.0 (14.)
 Trefferlage 0.15 mm links, 0.98 mm tief
 Streuwert 3.05, horizontal: 3.79, vertikal: 2.07



Serie 3:

9.8 ← 10.7 * 9.2 ↙ 9.0 ↖ 10.2 *
 9.4 ↖ 9.6 → 8.8 ↘ 8.0 ↘ 10.1 ↖

beste Teiler 66.7 (22.) 200.0 (25.) 215.8 (30.)
 Trefferlage 1.01 mm links, 0.41 mm tief
 Streuwert 2.97, horizontal: 3.37, vertikal: 2.51



Serie 4:



9.3 → 9.8 ↓ 10.5 * 9.9 ↓ 7.0 ←
 9.9 ↑ 10.6 * 10.3 * 8.3 ↘ 9.0 ↙

beste Teiler 89.5 (37.) 102.8 (33.) 175.7 (38.)
 Trefferlage 0.03 mm links, 1.02 mm tief
 Streuwert 3.32, horizontal: 4.14, vertikal: 2.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.6)
 Serien: 92 92 90 92
 Zähler: 15 16 9 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 689 (9), 652 (34), 609 (12)
 beste Teiler 73.0 (39.) 89.8 (20.) 93.2 (30.)
 Trefferlage 0.05 mm links, 0.54 mm hoch
 Streuwert 2.62, horizontal: 3.18, vertikal: 1.92




Serie 1:
 10.2 * 10.1 ↓ 10.2 * 8.8 ↙ 10.1 ↘
 9.7 → 9.5 ↗ 8.8 ↘ 8.2 ← 10.4 *
 beste Teiler 132.9 (10.) 189.0 (3.) 200.0 (1.)
 Trefferlage 1.71 mm links, 0.00 mm
 Streuwert 2.58, horizontal: 3.01, vertikal: 2.06



Serie 2:
 9.6 → 8.5 → 9.2 ↘ 9.4 ↘ 9.8 ↘
 10.4 * 9.6 → 9.6 ↗ 10.4 * 10.6 *
 beste Teiler 89.8 (20.) 136.9 (19.) 145.0 (16.)
 Trefferlage 1.19 mm rechts, 0.40 mm hoch
 Streuwert 2.39, horizontal: 2.83, vertikal: 1.84



Serie 3:
 9.1 ↑ 10.4 * 9.9 → 8.8 ↘ 10.5 *
 9.6 ↙ 8.8 → 8.9 → 9.4 ↘ 10.6 *
 beste Teiler 93.2 (30.) 102.7 (25.) 131.6 (22.)
 Trefferlage 0.40 mm rechts, 0.90 mm hoch
 Streuwert 2.72, horizontal: 3.23, vertikal: 2.08





Serie 4:
 10.0 ↗ 10.3 * 9.0 ↘ 8.3 ← 8.6 →
 10.1 ↓ 9.8 → 9.9 ↑ 10.7 * 9.8 ←
 beste Teiler 73.0 (39.) 168.1 (32.) 218.4 (36.)
 Trefferlage 0.09 mm links, 0.85 mm hoch
 Streuwert 2.70, horizontal: 3.35, vertikal: 1.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 367 (383.5)
Serien: 89 91 95 92
Zähler: 14 20 5 1 0 0 0 0 0 0
Innenzehner: 6
weiteste: 782 (17), 625 (7), 564 (2)
beste Teiler 102.1 (21.) 168.1 (18.) 169.2 (33.)
Trefferlage 0.93 mm rechts, 0.73 mm tief
Streuwert 2.52, horizontal: 2.87, vertikal: 2.11




Serie 1:
 10.0 ↗ 8.7 → 8.9 ↓ 9.9 → 9.2 ↗
 10.1 ↓ 8.5 ↘ 9.5 ↗ 9.4 → 9.5 ↓
beste Teiler 222.5 (6.) 241.1 (1.) 267.3 (4.)
Trefferlage 2.37 mm rechts, 0.44 mm tief
Streuwert 2.55, horizontal: 2.38, vertikal: 2.71



Serie 2:
 9.3 ↗ 8.8 ← 10.1 ↓ 9.0 ↘ 10.1 ←
 9.6 ↓ 7.8 ↘ 10.3 * 9.8 ↗ 10.3 *
beste Teiler 168.1 (18.) 170.2 (20.) 208.7 (13.)
Trefferlage 0.49 mm rechts, 1.36 mm tief
Streuwert 2.84, horizontal: 3.47, vertikal: 2.03



Serie 3:
 10.5 * 9.5 ↘ 9.7 ↗ 9.8 ↑ 9.7 ↓
 10.1 ↓ 10.2 * 10.1 ↘ 10.1 → 9.1 ↘
beste Teiler 102.1 (21.) 188.3 (27.) 205.5 (29.)
Trefferlage 1.13 mm rechts, 0.00 mm
Streuwert 1.93, horizontal: 1.87, vertikal: 1.99





Serie 4:
 9.6 ↓ 8.9 ← 10.3 * 9.6 → 9.1 ↓
 9.0 ↘ 9.6 ↗ 9.5 ← 10.2 * 10.1 ←
beste Teiler 169.2 (33.) 183.2 (39.) 202.7 (40.)
Trefferlage 0.26 mm links, 1.14 mm tief
Streuwert 2.53, horizontal: 3.20, vertikal: 1.62

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (379.5)
 Serien: 89 93 91 90
 Zähler: 11 23 4 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 830 (8), 816 (27), 655 (40)
 beste Teiler 113.8 (30.) 138.1 (14.) 143.1 (29.)
 Trefferlage 0.36 mm rechts, 0.75 mm hoch
 Streuwert 2.81, horizontal: 2.66, vertikal: 2.96



Serie 1:

9.1 ↘ 9.2 ↘ 10.3 * 9.2 ↘ 10.2 *
 9.7 ↗ 9.7 ↗ 7.6 ↘ 8.8 ← 9.5 ←


beste Teiler 158.8 (3.) 176.4 (5.) 311.7 (7.)
 Trefferlage 0.47 mm links, 1.14 mm hoch
 Streuwert 3.15, horizontal: 3.49, vertikal: 2.75



Serie 2:

9.1 ↘ 10.3 * 8.9 ↗ 10.4 * 9.7 ↗
 9.7 ↘ 9.4 ↘ 10.0 ↘ 9.1 ↗ 10.1 ↘


beste Teiler 138.1 (14.) 154.8 (12.) 204.8 (20.)
 Trefferlage 1.20 mm rechts, 0.19 mm hoch
 Streuwert 2.39, horizontal: 1.82, vertikal: 2.84



Serie 3:

9.0 ← 9.2 → 9.9 ↗ 9.0 ↘ 9.9 ↘
 10.2 * 7.7 ↘ 9.3 ↘ 10.4 * 10.5 *

beste Teiler 113.8 (30.) 143.1 (29.) 179.6 (26.)
 Trefferlage 0.14 mm links, 0.64 mm hoch
 Streuwert 3.05, horizontal: 3.24, vertikal: 2.86





Serie 4:

9.8 ↑ 9.8 ↘ 9.3 ↑ 10.0 → 9.0 ↓
 8.5 ↑ 9.7 ← 10.1 ↘ 9.9 ↘ 8.3 ↑


beste Teiler 205.4 (38.) 232.7 (34.) 260.3 (39.)
 Trefferlage 0.86 mm rechts, 1.04 mm hoch
 Streuwert 2.83, horizontal: 1.59, vertikal: 3.67

Unterschrift des Schützen


Ergebnis: **344** (361.6)
 Serien: 87 86 83 88
 Zähler: 4 22 9 4 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1179 (5), 981 (35), 969 (23)
 beste Teiler 182.4 (31.) 190.0 (27.) 214.4 (14.)
 Trefferlage 0.37 mm links, 2.41 mm tief
 Streuwert 3.42, horizontal: 3.45, vertikal: 3.39




Serie 1:
 9.8 ↓ 9.5 ↙ 9.0 ↖ 8.6 ↗ 6.2 ↓
 9.8 ↓ 9.8 ↘ 9.0 ↖ 10.1 ↗ 9.6 ↘
 beste Teiler 222.4 (9.) 280.7 (7.) 282.0 (6.)
 Trefferlage 1.47 mm links, 3.25 mm tief
 Streuwert 2.85, horizontal: 2.15, vertikal: 3.40



Serie 2:
 8.6 ↗ 9.6 ↙ 9.3 ↘ 10.1 ↘ 8.9 ↖
 9.1 ↘ 8.7 ↓ 9.6 ↘ 9.6 ↘ 7.2 ↘
 beste Teiler 214.4 (14.) 329.0 (12.) 329.6 (19.)
 Trefferlage 0.82 mm rechts, 3.33 mm tief
 Streuwert 2.80, horizontal: 3.50, vertikal: 1.85



Serie 3:
 8.2 ↓ 8.0 ↓ 7.1 ↘ 7.2 ↗ 8.6 ↖
 9.9 ↘ 10.2 * 8.4 ↖ 9.1 → 9.7 ↓
 beste Teiler 190.0 (27.) 254.0 (26.) 312.0 (30.)
 Trefferlage 1.18 mm links, 3.01 mm tief
 Streuwert 4.05, horizontal: 4.09, vertikal: 4.01





Serie 4:
 10.2 * 9.9 ↖ 9.1 ↖ 9.5 ↘ 7.0 ↘
 8.5 ↗ 9.8 ↘ 9.8 ↓ 9.9 ↗ 9.4 ↖
 beste Teiler 182.4 (31.) 260.2 (39.) 265.0 (32.)
 Trefferlage 0.32 mm rechts, 0.04 mm tief
 Streuwert 3.47, horizontal: 3.71, vertikal: 3.22

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 319 (337.5)
Serien: 86 79 74 80
Zähler: 6 10 10 7 5 2 0 0 0 0
Innenzehner: 4
weiteste: 1389 (19), 1290 (39), 1239 (37)
beste Teiler 97.9 (12.) 107.5 (10.) 179.2 (36.)
Trefferlage 0.48 mm rechts, 1.04 mm hoch
Streuwert 5.11, horizontal: 5.43, vertikal: 4.77


Serie 1:


10.1 ↗ 9.3 ↘ 7.0 ↘ 9.6 ↓ 9.7 ↘
 7.7 ↗ 8.3 ↘ 9.8 ↗ 8.3 ↗ 10.5 *

beste Teiler 107.5 (10.) 207.1 (1.) 288.1 (8.)
Trefferlage 0.88 mm rechts, 0.93 mm tief
Streuwert 3.96, horizontal: 3.95, vertikal: 3.98


Serie 2:


8.2 ↑ 10.6 * 10.0 ↗ 8.6 ↗ 7.8 →
 6.4 ↘ 7.4 ← 9.4 ↗ 5.4 ↘ 9.9 ↗

beste Teiler 97.9 (12.) 240.4 (13.) 261.6 (20.)
Trefferlage 0.49 mm links, 0.65 mm hoch
Streuwert 5.61, horizontal: 6.48, vertikal: 4.57


Serie 3:

6.1 ↘ 8.9 ↘ 9.1 ↑ 8.7 ↑ 7.8 ←
 8.1 ↗ 7.3 ↓ 8.8 ↘ 6.6 → 7.3 ↘

beste Teiler 470.8 (23.) 520.1 (22.) 543.0 (28.)
Trefferlage 0.54 mm links, 2.73 mm hoch
Streuwert 5.66, horizontal: 5.48, vertikal: 5.83




Serie 4:

9.7 ↗ 9.7 ↓ 10.2 * 8.7 ↗ 6.1 →
 10.2 * 6.0 ↘ 9.5 ↘ 5.8 → 8.9 ↘


beste Teiler 179.2 (36.) 194.0 (33.) 308.8 (32.)
Trefferlage 2.09 mm rechts, 1.71 mm hoch
Streuwert 5.24, horizontal: 5.91, vertikal: 4.46

Unterschrift des Schützen


Ergebnis: **355** (371.1)
 Serien: 91 87 87 90
 Zähler: 11 18 6 5 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 946 (19), 904 (5), 818 (27)
 beste Teiler 38.2 (15.) 66.3 (10.) 87.3 (21.)
 Trefferlage 0.25 mm rechts, 1.14 mm hoch
 Streuwert 3.32, horizontal: 3.43, vertikal: 3.22




Serie 1:
 10.4 * 9.1 → 10.4 * 8.2 ↖ 7.3 ↘
 10.4 * 10.3 * 8.4 ↗ 9.2 ↖ 10.7 *
 beste Teiler 66.3 (10.) 139.7 (1.) 141.6 (6.)
 Trefferlage 0.13 mm rechts, 0.21 mm hoch
 Streuwert 3.48, horizontal: 3.68, vertikal: 3.27



Serie 2:
 10.1 ↖ 7.9 ↖ 9.4 ↗ 9.1 ↘ 10.8 *
 9.0 ↑ 9.6 ↓ 9.2 ↖ 7.2 ↑ 8.5 ↗
 beste Teiler 38.2 (15.) 211.5 (11.) 327.9 (17.)
 Trefferlage 0.31 mm rechts, 2.29 mm hoch
 Streuwert 3.55, horizontal: 3.43, vertikal: 3.66





Serie 3:
 10.6 * 9.6 ← 8.7 ← 9.5 ↗ 7.8 ←
 9.2 ↑ 7.7 ↗ 10.2 * 9.7 ↘ 9.9 ↗
 beste Teiler 87.3 (21.) 179.0 (28.) 263.0 (30.)
 Trefferlage 0.60 mm links, 1.27 mm hoch
 Streuwert 3.36, horizontal: 3.85, vertikal: 2.78



Serie 4:
 9.1 ↘ 9.6 ↗ 10.3 * 9.7 ↖ 8.2 ↘
 9.1 ↗ 8.5 ↑ 10.0 ↗ 9.1 ↖ 9.4 ↖
 beste Teiler 157.1 (33.) 248.6 (38.) 319.6 (34.)
 Trefferlage 1.16 mm rechts, 0.80 mm hoch
 Streuwert 3.12, horizontal: 3.00, vertikal: 3.24

Unterschrift des Schützen


Ergebnis: **312** (331.7)
 Serien: 75 74 77 86
 Zähler: 4 10 11 7 6 1 1 0 0 0
 Innenzehner: 3
 weiteste: 1580 (11), 1321 (5), 1233 (25)
 beste Teiler 129.7 (32.) 159.8 (40.) 165.0 (35.)
 Trefferlage 1.98 mm rechts, 1.89 mm hoch
 Streuwert 5.00, horizontal: 5.72, vertikal: 4.17



Serie 1:

7.9 ↗ 8.0 ↖ 8.7 ↗ 6.6 ↗ 5.7 ↗
 8.5 ↖ 7.2 ↗ 8.6 ↖ 9.5 ↘ 9.0 ↘


beste Teiler 363.4 (9.) 487.5 (10.) 574.2 (3.)
 Trefferlage 2.13 mm rechts, 1.40 mm hoch
 Streuwert 5.63, horizontal: 6.80, vertikal: 4.14



Serie 2:

4.6 ↗ 6.7 ↘ 9.7 ↑ 6.3 ↗ 7.4 ↘
 10.1 ↑ 9.0 → 8.2 ↑ 7.7 ↗ 8.8 ↖


beste Teiler 220.4 (16.) 311.5 (13.) 500.9 (17.)
 Trefferlage 3.58 mm rechts, 2.41 mm hoch
 Streuwert 5.67, horizontal: 5.04, vertikal: 6.24



Serie 3:

9.1 ↗ 9.7 ↘ 9.5 ↗ 7.9 ↖ 6.0 ↗
 8.7 ↗ 8.8 ↗ 7.9 ↗ 8.8 ↘ 6.5 ↖

beste Teiler 304.2 (22.) 353.7 (23.) 474.4 (21.)
 Trefferlage 1.37 mm rechts, 2.28 mm hoch
 Streuwert 5.03, horizontal: 6.22, vertikal: 3.45



Serie 4:



8.9 ↖ 10.4 * 6.2 → 9.2 ↗ 10.3 *
 7.7 ↘ 9.8 ↘ 9.1 ↗ 8.7 → 10.3 *

beste Teiler 129.7 (32.) 159.8 (40.) 165.0 (35.)
 Trefferlage 0.84 mm rechts, 1.47 mm hoch
 Streuwert 4.05, horizontal: 5.15, vertikal: 2.52


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **173** (183.8)
 Serien: 84 89
 Zähler: 5 6 6 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 842 (9), 839 (5), 777 (19)
 beste Teiler 75.0 (18.) 80.7 (13.) 110.1 (8.)
 Trefferlage 2.29 mm rechts, 0.51 mm tief
 Streuwert 3.26, horizontal: 3.16, vertikal: 3.37





Serie 1:
 9.3 ↗ 10.0 ← 9.4 ↗ 8.7 ↘ 7.6 ↘
 8.4 ↘ 8.0 → 10.5 * 7.6 ↘ 8.4 →
 beste Teiler 110.1 (8.) 250.0 (2.) 381.4 (3.)
 Trefferlage 3.18 mm rechts, 1.27 mm tief
 Streuwert 3.57, horizontal: 3.06, vertikal: 4.01



Serie 2:
 9.9 ↘ 9.9 ← 10.6 * 9.8 ↘ 8.7 →
 10.4 * 8.4 ↗ 10.7 * 7.8 ↘ 9.7 ↑
 beste Teiler 75.0 (18.) 80.7 (13.) 132.8 (16.)
 Trefferlage 1.39 mm rechts, 0.24 mm hoch
 Streuwert 2.87, horizontal: 3.14, vertikal: 2.56

Unterschrift des Schützen


Ergebnis: **121** (131.0)
 Serien: 67 54
 Zähler: 0 2 2 6 2 5 0 2 1 0
 Innenzehner: 0
 weiteste: 2053 (15), 1845 (18), 1832 (17)
 beste Teiler 372.8 (7.) 462.5 (12.) 689.5 (1.)
 Trefferlage 2.15 mm links, 1.03 mm hoch
 Streuwert 8.44, horizontal: 10.52, vertikal: 5.66



Serie 1:

8.2 ← 5.9 ↙ 7.1 ↑ 7.5 ← 6.7 ↘
 5.3 ↘ 9.5 ↗ 7.5 → 5.6 ← 8.1 ↙

beste Teiler 372.8 (7.) 689.5 (1.) 701.5 (10.)
 Trefferlage 4.77 mm links, 1.14 mm hoch
 Streuwert 6.53, horizontal: 6.84, vertikal: 6.20



Serie 2:



6.8 ← 9.1 ← 7.7 ← 5.1 ← 2.7 →
 5.9 → 3.6 ↘ 3.6 → 7.3 ↘ 7.8 ↓

beste Teiler 462.5 (12.) 785.1 (20.) 810.8 (13.)
 Trefferlage 0.45 mm rechts, 0.91 mm hoch
 Streuwert 10.02, horizontal: 13.10, vertikal: 5.39

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **150** (157.7)
 Serien: 66 84
 Zähler: 4 4 5 2 1 1 0 3 0 0
 Innenzehner: 1
 weiteste: 1904 (18), 1847 (4), 1794 (5)
 beste Teiler 87.9 (19.) 211.2 (10.) 233.4 (15.)
 Trefferlage 2.37 mm links, 0.85 mm tief
 Streuwert 6.64, horizontal: 7.31, vertikal: 5.89



Serie 1:

5.5 ↙ 9.3 ↘ 8.1 → 3.6 ↖ 3.8 ←
 7.2 ↘ 6.1 ↖ 7.3 ↙ 8.6 ↖ 10.1 ↘

beste Teiler 211.2 (10.) 401.8 (2.) 594.3 (9.)
 Trefferlage 5.38 mm links, 0.75 mm tief
 Streuwert 7.39, horizontal: 9.09, vertikal: 5.16





Serie 2:

8.4 ↗ 9.8 ↙ 8.5 ↖ 9.2 ↗ 10.0 →
 10.0 → 8.6 ↗ 3.3 ↓ 10.6 * 9.7 ↙

beste Teiler 87.9 (19.) 233.4 (15.) 250.0 (16.)
 Trefferlage 0.62 mm rechts, 0.96 mm tief
 Streuwert 5.33, horizontal: 3.17, vertikal: 6.84

Unterschrift des Schützen


Ergebnis: **271** (288.8)
 Serien: 68 61 71 71
 Zähler: 1 3 11 10 5 6 4 0 0 0
 Innenzehner: 0
 weiteste: 1746 (23), 1738 (35), 1734 (18)
 beste Teiler 244.5 (30.) 253.7 (31.) 418.6 (5.)
 Trefferlage 1.98 mm rechts, 2.69 mm tief
 Streuwert 6.84, horizontal: 8.49, vertikal: 4.62



Serie 1:

8.7 ↙ 8.5 → 7.4 ↓ 5.9 → 9.3 ↗
 7.5 ↖ 7.6 ↖ 6.7 ↖ 7.1 ↘ 4.7 →


beste Teiler 418.6 (5.) 570.0 (1.) 614.6 (2.)
 Trefferlage 1.25 mm rechts, 2.25 mm tief
 Streuwert 6.88, horizontal: 8.90, vertikal: 3.93



Serie 2:

8.6 ↙ 6.7 ↘ 8.1 ← 7.7 ↘ 6.0 →
 7.9 ↘ 5.9 ↓ 4.0 → 5.5 ← 5.5 →


beste Teiler 591.8 (11.) 714.9 (13.) 764.4 (16.)
 Trefferlage 3.30 mm rechts, 4.01 mm tief
 Streuwert 7.61, horizontal: 9.73, vertikal: 4.59



Serie 3:

7.0 ↘ 8.2 ↖ 4.0 → 8.3 ↖ 7.7 ←
 5.8 ↖ 9.1 → 8.0 ↗ 5.4 → 10.0 ↗

beste Teiler 244.5 (30.) 458.4 (27.) 664.2 (24.)
 Trefferlage 1.09 mm rechts, 1.34 mm tief
 Streuwert 7.37, horizontal: 9.48, vertikal: 4.32





Serie 4:

9.9 ↖ 8.9 ↓ 7.9 → 8.6 → 4.0 ↘
 6.3 ↘ 7.4 ↓ 6.5 ↖ 8.3 ↘ 8.2 ↑


beste Teiler 253.7 (31.) 509.2 (32.) 598.3 (34.)
 Trefferlage 2.30 mm rechts, 3.16 mm tief
 Streuwert 6.27, horizontal: 6.74, vertikal: 5.75

Unterschrift des Schützen


Ergebnis: **231** (246.5)
 Serien: 50 59 73 49
 Zähler: 1 5 7 10 2 3 3 2 2 1
 Innenzehner: 1
 weiteste: 4667 (36), 2953 (38), 2950 (19)
 beste Teiler 168.6 (20.) 296.7 (39.) 305.7 (40.)
 Trefferlage 3.66 mm rechts, 3.06 mm hoch
 Streuwert 10.56, horizontal: 11.21, vertikal: 9.86




Serie 1:
 8.9 ↘ 0.0 ↗ 7.9 ↗ 9.5 ↓ 4.7 ↖
 3.1 ↗ 5.8 ↑ 1.0 ↗ 6.0 → 7.6 ↓
 beste Teiler 356.9 (4.) 505.6 (1.) 773.5 (3.)
 Trefferlage 5.79 mm rechts, 4.01 mm hoch
 Streuwert 10.31, horizontal: 10.55, vertikal: 10.07



Serie 2:
 4.4 ↘ 5.3 ↑ 8.1 ↑ 4.0 ↖ 8.8 ↗
 7.5 ↓ 6.2 ← 7.0 → 0.0 ↘ 10.3 *
 beste Teiler 168.6 (20.) 526.9 (15.) 718.7 (13.)
 Trefferlage 2.03 mm rechts, 1.17 mm tief
 Streuwert 10.50, horizontal: 9.60, vertikal: 11.32





Serie 3:
 9.4 ↖ 2.3 ↓ 7.3 ↑ 8.3 ↖ 7.4 ↖
 9.2 ↗ 8.9 ↑ 8.5 ↗ 8.5 ↖ 7.2 ↗
 beste Teiler 391.2 (21.) 429.9 (26.) 505.1 (27.)
 Trefferlage 0.93 mm links, 1.86 mm hoch
 Streuwert 6.89, horizontal: 5.47, vertikal: 8.06



Serie 4:
 3.7 ↑ 2.5 ↖ 7.2 → 7.3 → 7.3 ↑
 0.0 → 5.9 → 0.0 ↑ 9.8 ↑ 9.7 ↑
 beste Teiler 296.7 (39.) 305.7 (40.) 908.2 (35.)
 Trefferlage 7.78 mm rechts, 7.56 mm hoch
 Streuwert 13.09, horizontal: 16.15, vertikal: 9.04

Unterschrift des Schützen


Ergebnis: **357** (373.4)
 Serien: 83 90 91 93
 Zähler: 14 15 6 4 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1220 (1), 970 (28), 829 (2)
 beste Teiler 105.3 (38.) 105.6 (14.) 113.2 (5.)
 Trefferlage 1.21 mm rechts, 0.24 mm hoch
 Streuwert 3.28, horizontal: 3.78, vertikal: 2.68



Serie 1:

6.1 → 7.6 ↓ 9.8 ↘ 9.7 ↓ 10.5 *
 9.4 ← 8.7 ↖ 9.2 ↘ 7.8 → 9.6 →


beste Teiler 113.2 (5.) 293.4 (3.) 301.6 (4.)
 Trefferlage 2.04 mm rechts, 1.56 mm tief
 Streuwert 4.14, horizontal: 4.70, vertikal: 3.48



Serie 2:

9.0 ↑ 7.9 → 8.7 ← 10.5 * 10.0 →
 9.1 → 9.2 ↖ 9.3 ↗ 10.1 ↓ 9.0 ↗


beste Teiler 105.6 (14.) 210.7 (19.) 245.2 (15.)
 Trefferlage 1.43 mm rechts, 1.32 mm hoch
 Streuwert 3.04, horizontal: 3.61, vertikal: 2.35



Serie 3:

10.2 * 10.3 * 9.0 ↖ 10.1 ↓ 10.3 *
 9.8 ↓ 8.7 → 7.1 ↖ 8.6 → 10.4 *

beste Teiler 142.1 (30.) 153.5 (22.) 170.4 (25.)
 Trefferlage 0.05 mm rechts, 0.60 mm hoch
 Streuwert 3.36, horizontal: 4.09, vertikal: 2.43





Serie 4:

9.4 → 8.6 → 9.8 ↗ 9.8 ↗ 10.0 ←
 8.9 → 10.4 * 10.5 * 10.2 * 10.1 ↗

beste Teiler 105.3 (38.) 126.0 (37.) 195.5 (39.)
 Trefferlage 1.29 mm rechts, 0.62 mm hoch
 Streuwert 2.24, horizontal: 2.77, vertikal: 1.54

Unterschrift des Schützen


Ergebnis: **341** (358.7)
 Serien: 88 85 84 84
 Zähler: 6 17 10 6 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1147 (28), 930 (15), 829 (38)
 beste Teiler 133.4 (35.) 136.7 (27.) 204.9 (36.)
 Trefferlage 1.02 mm links, 0.38 mm hoch
 Streuwert 3.82, horizontal: 4.54, vertikal: 2.94



Serie 1:

9.3 ↘ 9.7 ↘ 9.1 ↖ 9.7 ← 9.7 ↗
 7.8 ← 8.8 ← 10.0 ← 9.6 → 9.3 ↘


beste Teiler 227.1 (8.) 305.9 (5.) 315.5 (4.)
 Trefferlage 1.50 mm links, 0.66 mm tief
 Streuwert 3.03, horizontal: 3.76, vertikal: 2.05



Serie 2:

8.9 ↘ 8.5 ↘ 9.3 ↖ 8.7 ← 7.2 ←
 8.6 ↘ 10.0 ↘ 9.5 ↑ 9.0 ↗ 9.5 ↘


beste Teiler 245.6 (17.) 356.5 (20.) 370.0 (18.)
 Trefferlage 0.15 mm links, 1.12 mm tief
 Streuwert 3.91, horizontal: 4.57, vertikal: 3.11



Serie 3:

9.6 ↑ 8.4 ↖ 10.0 ↘ 8.1 ← 7.8 ↘
 8.5 ← 10.4 * 6.4 ↘ 9.2 ↘ 9.8 ↑

beste Teiler 136.7 (27.) 237.9 (23.) 280.8 (30.)
 Trefferlage 1.82 mm links, 1.57 mm hoch
 Streuwert 4.16, horizontal: 5.05, vertikal: 3.03





Serie 4:

7.9 → 9.0 ← 8.8 ← 9.8 ↘ 10.4 *
 10.1 ↖ 7.7 ↘ 7.6 → 9.0 ↘ 8.0 ↖


beste Teiler 133.4 (35.) 204.9 (36.) 282.3 (34.)
 Trefferlage 0.62 mm links, 1.75 mm hoch
 Streuwert 4.10, horizontal: 5.16, vertikal: 2.63

Unterschrift des Schützen


Ergebnis: **367** (384.8)
 Serien: 94 92 93 88
 Zähler: 18 12 9 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 859 (37), 695 (32), 659 (38)
 beste Teiler 47.7 (14.) 89.4 (19.) 99.1 (30.)
 Trefferlage 1.42 mm links, 0.40 mm tief
 Streuwert 2.56, horizontal: 3.23, vertikal: 1.64




Serie 1:
 10.4 * 10.6 * 10.4 * 9.4 ↙ 9.9 ↘
 10.5 * 8.9 ↗ 10.3 * 9.4 ↘ 9.2 ←
 beste Teiler 100.3 (2.) 117.9 (6.) 138.7 (3.)
 Trefferlage 0.40 mm rechts, 0.34 mm tief
 Streuwert 2.24, horizontal: 2.62, vertikal: 1.77



Serie 2:
 8.6 ← 8.7 ↙ 9.8 ↗ 10.8 * 9.2 ↙
 10.0 ← 9.9 ↓ 9.6 ↘ 10.6 * 10.3 *
 beste Teiler 47.7 (14.) 89.4 (19.) 164.4 (20.)
 Trefferlage 1.02 mm links, 1.05 mm tief
 Streuwert 2.34, horizontal: 2.78, vertikal: 1.78



Serie 3:
 9.8 ↘ 10.4 * 10.1 ↑ 9.5 ↙ 10.3 *
 8.7 ← 10.0 ↘ 8.9 ↙ 9.1 ← 10.6 *
 beste Teiler 99.1 (30.) 143.0 (22.) 157.4 (25.)
 Trefferlage 1.89 mm links, 0.27 mm hoch
 Streuwert 2.12, horizontal: 2.56, vertikal: 1.57





Serie 4:
 8.8 ↘ 8.2 ← 10.2 * 10.1 ↘ 10.0 ↘
 9.4 ↙ 7.5 ← 8.3 ← 10.1 ↙ 8.3 ←
 beste Teiler 182.9 (33.) 207.3 (34.) 225.2 (39.)
 Trefferlage 3.18 mm links, 0.48 mm tief
 Streuwert 3.04, horizontal: 4.08, vertikal: 1.38

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **322** (338.2)
 Serien: 74 84 84 80
 Zähler: 5 11 10 10 3 1 0 0 0 0
 Innenzehner: 3
 weiteste: 1270 (6), 1214 (31), 1120 (9)
 beste Teiler 155.4 (17.) 161.0 (34.) 185.3 (25.)
 Trefferlage 2.93 mm links, 0.16 mm hoch
 Streuwert 4.48, horizontal: 5.06, vertikal: 3.82



Serie 1:

7.8 ↖ 7.9 ↖ 8.5 ← 9.4 ← 7.8 ↖
 5.9 ← 9.5 ← 9.5 ↑ 6.5 ← 7.5 ←


beste Teiler 351.4 (7.) 359.5 (8.) 398.8 (4.)
 Trefferlage 6.52 mm links, 1.30 mm hoch
 Streuwert 3.15, horizontal: 3.59, vertikal: 2.65



Serie 2:

8.0 ↗ 10.0 ↘ 7.6 ← 8.4 ↖ 8.7 ↘
 7.4 ↑ 10.3 * 8.4 ↖ 9.5 → 9.2 ↖


beste Teiler 155.4 (17.) 247.6 (12.) 360.1 (19.)
 Trefferlage 1.41 mm links, 0.97 mm hoch
 Streuwert 4.27, horizontal: 4.45, vertikal: 4.08



Serie 3:

9.4 ↖ 7.0 ↓ 9.9 ↓ 9.2 ↗ 10.2 *
 8.9 ↖ 8.1 ↖ 9.0 ↓ 7.1 ← 8.4 →

beste Teiler 185.3 (25.) 270.8 (23.) 399.1 (21.)
 Trefferlage 1.40 mm links, 0.31 mm tief
 Streuwert 4.44, horizontal: 4.52, vertikal: 4.35



Serie 4:



6.1 ↘ 7.1 ← 9.3 ↓ 10.3 * 8.2 ↖
 8.3 ← 10.1 ↖ 6.5 ← 9.4 ← 7.9 ↘

beste Teiler 161.0 (34.) 202.8 (37.) 381.9 (39.)
 Trefferlage 2.38 mm links, 1.30 mm tief
 Streuwert 5.18, horizontal: 6.16, vertikal: 3.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (379.8)
 Serien: 88 91 92 90
 Zähler: 8 27 3 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 907 (38), 770 (4), 686 (13)
 beste Teiler 79.6 (22.) 137.8 (30.) 187.5 (9.)
 Trefferlage 0.95 mm rechts, 0.00 mm
 Streuwert 2.78, horizontal: 3.14, vertikal: 2.37




Serie 1:
 9.4 ➤ 9.9 ↘ 9.3 ↘ 7.9 ➤ 8.6 ↗
 9.8 ↘ 9.2 ↘ 9.9 ➤ 10.2 * 9.6 ↘
 beste Teiler 187.5 (9.) 262.3 (2.) 267.8 (8.)
 Trefferlage 2.94 mm rechts, 1.26 mm tief
 Streuwert 2.12, horizontal: 1.72, vertikal: 2.46



Serie 2:
 9.6 ➤ 9.5 ↖ 8.2 ↖ 10.0 ↘ 10.0 ←
 9.2 ← 9.1 ↙ 9.5 ↗ 9.7 ↖ 9.0 ↘
 beste Teiler 234.0 (14.) 245.9 (15.) 310.6 (19.)
 Trefferlage 1.82 mm links, 0.28 mm tief
 Streuwert 2.78, horizontal: 3.27, vertikal: 2.17





Serie 3:
 9.7 ↗ 10.6 * 9.3 ➤ 9.7 ↑ 9.4 ↘
 9.8 ↖ 9.4 ↗ 9.7 ↘ 9.8 ➤ 10.4 *
 beste Teiler 79.6 (22.) 137.8 (30.) 286.8 (26.)
 Trefferlage 1.17 mm rechts, 0.61 mm hoch
 Streuwert 2.07, horizontal: 2.19, vertikal: 1.94




Serie 4:
 9.2 ➤ 10.2 * 9.7 ↖ 9.7 ↘ 10.2 *
 10.1 ↗ 8.6 ↘ 7.3 ➤ 9.7 ↗ 9.7 ↘
 beste Teiler 188.0 (32.) 191.6 (35.) 219.9 (36.)
 Trefferlage 1.54 mm rechts, 0.91 mm hoch
 Streuwert 2.94, horizontal: 3.28, vertikal: 2.56

Unterschrift des Schützen


Ergebnis: **359** (379.2)
 Serien: 92 88 89 90
 Zähler: 13 16 8 3 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 932 (13), 924 (19), 776 (21)
 beste Teiler 79.0 (18.) 129.0 (7.) 137.4 (17.)
 Trefferlage 1.64 mm rechts, 0.12 mm tief
 Streuwert 2.79, horizontal: 3.07, vertikal: 2.48




Serie 1:
 10.1 ↓ 8.6 ↘ 10.2 * 8.6 ↑ 10.2 *
 9.9 ↗ 10.4 * 9.1 ↘ 10.2 * 8.5 →
 beste Teiler 129.0 (7.) 181.0 (9.) 186.7 (5.)
 Trefferlage 0.34 mm rechts, 1.13 mm hoch
 Streuwert 2.77, horizontal: 2.86, vertikal: 2.68



Serie 2:
 9.3 → 9.7 ↘ 7.2 → 10.2 * 8.9 →
 9.1 → 10.4 * 10.6 * 7.3 → 9.6 ↑
 beste Teiler 79.0 (18.) 137.4 (17.) 194.2 (14.)
 Trefferlage 3.61 mm rechts, 0.71 mm tief
 Streuwert 2.67, horizontal: 3.16, vertikal: 2.08





Serie 3:
 7.8 → 10.2 * 8.9 ↗ 9.3 ↘ 9.9 ↘
 9.7 → 9.9 ↘ 9.9 ↗ 10.3 * 9.7 ↑
 beste Teiler 165.5 (29.) 180.8 (22.) 251.0 (25.)
 Trefferlage 1.71 mm rechts, 0.78 mm hoch
 Streuwert 2.53, horizontal: 2.76, vertikal: 2.27




Serie 4:
 9.4 ↓ 9.9 ← 10.4 * 8.8 ← 10.4 *
 9.2 ↓ 8.6 → 10.3 * 8.9 ↘ 9.6 ↓
 beste Teiler 137.5 (35.) 148.6 (33.) 158.3 (38.)
 Trefferlage 0.90 mm rechts, 1.72 mm tief
 Streuwert 2.48, horizontal: 2.88, vertikal: 2.01

Unterschrift des Schützen


Ergebnis: **387** (403.5)^{QF}
 Serien: 97 96 98 96
 Zähler: 28 11 1 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 578 (3), 416 (31), 409 (34)
 beste Teiler 48.3 (30.) 81.7 (8.) 103.2 (36.)
 Trefferlage 0.00 mm , 0.33 mm hoch
 Streuwert 1.70, horizontal: 1.74, vertikal: 1.65




Serie 1:
 10.4 * 10.2 * 8.6 ↙ 10.4 * 10.0 ↘
 10.1 ↑ 10.5 * 10.6 * 10.3 * 9.9 →
 beste Teiler 81.7 (8.) 123.0 (7.) 134.1 (4.)
 Trefferlage 0.45 mm links, 0.20 mm tief
 Streuwert 1.84, horizontal: 1.97, vertikal: 1.70



Serie 2:
 9.7 ↙ 10.2 * 10.3 * 10.3 * 10.1 ↓
 10.2 * 10.4 * 9.5 ↘ 9.9 ↘ 9.9 ↗
 beste Teiler 130.0 (17.) 167.2 (14.) 169.4 (13.)
 Trefferlage 0.70 mm links, 0.32 mm hoch
 Streuwert 1.68, horizontal: 1.26, vertikal: 2.01



Serie 3:
 10.3 * 10.3 * 10.1 ↘ 10.5 * 9.6 →
 10.3 * 9.8 ↘ 10.5 * 10.0 ↘ 10.8 *
 beste Teiler 48.3 (30.) 104.0 (24.) 123.7 (28.)
 Trefferlage 0.68 mm rechts, 0.04 mm tief
 Streuwert 1.42, horizontal: 1.51, vertikal: 1.31





Serie 4:
 9.3 ↗ 10.4 * 10.3 * 9.3 ↘ 10.0 →
 10.5 * 9.9 ↑ 10.1 → 10.1 ↑ 9.9 ↗
 beste Teiler 103.2 (36.) 127.5 (32.) 175.5 (33.)
 Trefferlage 0.49 mm rechts, 1.27 mm hoch
 Streuwert 1.66, horizontal: 1.96, vertikal: 1.31

QF

– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: **350** (365.9)
 Serien: 89 84 88 89
 Zähler: 8 19 8 5 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 928 (39), 841 (15), 815 (10)
 beste Teiler 93.4 (20.) 117.1 (4.) 170.0 (38.)
 Trefferlage 0.22 mm links, 0.22 mm hoch
 Streuwert 3.55, horizontal: 3.54, vertikal: 3.57



Serie 1:

9.2 ← 9.5 ↗ 10.2 * 10.5 * 9.8 ↓
 8.6 ↓ 9.1 ↘ 9.3 ↘ 9.5 ← 7.7 ↗


beste Teiler 117.1 (4.) 199.1 (3.) 287.2 (5.)
 Trefferlage 0.04 mm rechts, 0.63 mm tief
 Streuwert 3.27, horizontal: 3.06, vertikal: 3.47



Serie 2:

7.8 ↑ 10.2 * 8.8 ← 7.8 ↗ 7.6 ↖
 9.0 ↗ 8.3 ← 9.2 ↖ 9.0 ← 10.6 *


beste Teiler 93.4 (20.) 190.5 (12.) 449.4 (18.)
 Trefferlage 2.90 mm links, 1.46 mm hoch
 Streuwert 3.60, horizontal: 3.71, vertikal: 3.49



Serie 3:

8.6 ↑ 10.1 ↑ 9.3 ↗ 10.0 ↘ 8.7 ↑
 8.8 ↗ 9.9 ↑ 8.4 → 9.3 ↗ 9.3 ↘

beste Teiler 219.9 (22.) 237.1 (24.) 265.8 (27.)
 Trefferlage 0.45 mm rechts, 0.68 mm hoch
 Streuwert 3.32, horizontal: 2.94, vertikal: 3.67





Serie 4:

10.2 * 9.0 ↑ 9.1 ← 9.1 ↗ 8.0 →
 9.9 ↗ 9.8 ↑ 10.3 * 7.2 ↓ 9.2 →

beste Teiler 170.0 (38.) 183.3 (31.) 259.8 (36.)
 Trefferlage 1.48 mm rechts, 0.62 mm tief
 Streuwert 3.50, horizontal: 3.26, vertikal: 3.73

Unterschrift des Schützen


Ergebnis: **347** (364.0)
 Serien: 89 92 81 85
 Zähler: 10 16 10 0 3 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1435 (30), 1217 (40), 1172 (25)
 beste Teiler 63.5 (9.) 98.0 (15.) 137.7 (16.)
 Trefferlage 0.26 mm links, 0.36 mm tief
 Streuwert 3.97, horizontal: 4.41, vertikal: 3.47



Serie 1:

8.6 ↗ 9.9 ↘ 10.1 ↗ 8.5 ↓ 9.7 ↗
 9.9 ↘ 10.0 ↘ 8.6 ← 10.7 * 8.8 ←


beste Teiler 63.5 (9.) 219.7 (3.) 250.0 (7.)
 Trefferlage 0.34 mm links, 0.17 mm tief
 Streuwert 3.07, horizontal: 3.27, vertikal: 2.85



Serie 2:

9.7 ← 9.1 ↗ 10.0 ↘ 9.0 → 10.6 *
 10.4 * 9.5 ↑ 9.9 ↗ 9.3 ↗ 8.5 ↑


beste Teiler 98.0 (15.) 137.7 (16.) 246.6 (13.)
 Trefferlage 1.53 mm rechts, 1.63 mm hoch
 Streuwert 2.21, horizontal: 2.00, vertikal: 2.41



Serie 3:

8.3 ↘ 9.0 ↗ 10.1 ↘ 6.5 ↓ 6.3 ←
 9.4 → 10.1 ← 8.7 ← 10.1 ↘ 5.2 ←

beste Teiler 208.6 (29.) 219.6 (23.) 220.4 (27.)
 Trefferlage 1.83 mm links, 2.07 mm tief
 Streuwert 5.36, horizontal: 6.20, vertikal: 4.35



Serie 4:



9.9 ↗ 10.2 * 8.5 ← 8.4 ← 8.7 ↓
 9.8 ← 9.0 ↓ 9.7 ↑ 9.2 ← 6.1 →

beste Teiler 178.1 (32.) 270.1 (31.) 279.5 (36.)
 Trefferlage 0.42 mm links, 0.82 mm tief
 Streuwert 4.24, horizontal: 4.96, vertikal: 3.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.7)
 Serien: 94 93 89 88
 Zähler: 14 17 8 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 897 (31), 748 (39), 590 (8)
 beste Teiler 49.3 (30.) 66.0 (19.) 80.2 (37.)
 Trefferlage 1.06 mm links, 1.01 mm hoch
 Streuwert 2.57, horizontal: 2.74, vertikal: 2.40




Serie 1:
 9.9 ↘ 10.6 * 10.3 * 9.4 ↙ 10.0 →
 9.8 ↘ 10.1 ↑ 8.6 ↘ 9.5 ↘ 10.2 *
 beste Teiler 81.8 (2.) 151.4 (3.) 198.2 (10.)
 Trefferlage 0.20 mm links, 0.08 mm hoch
 Streuwert 2.30, horizontal: 2.48, vertikal: 2.11



Serie 2:
 9.3 ← 8.8 ↘ 9.9 ↑ 9.6 ↘ 10.0 ←
 10.1 ← 9.2 ↘ 9.2 ↘ 10.7 * 10.0 →
 beste Teiler 66.0 (19.) 213.0 (16.) 235.5 (15.)
 Trefferlage 2.22 mm links, 1.36 mm hoch
 Streuwert 1.68, horizontal: 1.62, vertikal: 1.74



Serie 3:
 8.9 ↗ 8.9 ↘ 9.6 ↘ 9.9 ↘ 8.8 ↗
 9.5 ← 9.9 ↘ 10.1 → 9.1 ↘ 10.8 *
 beste Teiler 49.3 (30.) 207.0 (28.) 259.8 (27.)
 Trefferlage 0.52 mm links, 1.24 mm hoch
 Streuwert 2.67, horizontal: 2.74, vertikal: 2.61





Serie 4:
 7.4 ↘ 9.5 → 9.8 ↑ 8.7 ↑ 9.3 ↘
 8.7 ↙ 10.6 * 10.4 * 8.0 ↘ 10.6 *
 beste Teiler 80.2 (37.) 90.0 (40.) 131.1 (38.)
 Trefferlage 1.29 mm links, 1.36 mm hoch
 Streuwert 3.38, horizontal: 3.68, vertikal: 3.05

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (401.9)^{QF}
 Serien: 96 95 97 96
 Zähler: 25 14 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 630 (19), 480 (30), 471 (2)
 beste Teiler 52.6 (34.) 59.3 (13.) 73.0 (14.)
 Trefferlage 0.58 mm rechts, 0.57 mm hoch
 Streuwert 1.73, horizontal: 2.09, vertikal: 1.26



Serie 1:

10.0 ↓ 9.1 ↗ 9.9 ↗ 9.4 ↖ 9.8 ↖
 10.3 * 10.0 ↗ 10.0 → 10.4 * 10.5 *


beste Teiler 109.6 (10.) 127.0 (9.) 171.7 (6.)
 Trefferlage 1.25 mm rechts, 0.43 mm hoch
 Streuwert 1.77, horizontal: 2.04, vertikal: 1.47



Serie 2:

9.9 ↑ 9.9 ↖ 10.7 * 10.7 * 10.3 *
 9.8 ↗ 10.5 * 10.5 * 8.4 → 10.0 ↖


beste Teiler 59.3 (13.) 73.0 (14.) 117.3 (18.)
 Trefferlage 0.40 mm rechts, 0.65 mm hoch
 Streuwert 1.93, horizontal: 2.47, vertikal: 1.16



Serie 3:

9.8 → 10.6 * 10.0 ↖ 10.4 * 9.6 ↗
 10.5 * 10.3 * 10.2 * 10.0 ↑ 9.0 →

beste Teiler 98.9 (22.) 123.3 (26.) 138.8 (24.)
 Trefferlage 0.88 mm rechts, 0.62 mm hoch
 Streuwert 1.71, horizontal: 1.93, vertikal: 1.45



Serie 4:

10.1 → 9.9 ↖ 10.4 * 10.7 * 10.4 *
 9.9 ↖ 9.7 ↗ 9.8 ↖ 10.2 * 10.3 *

beste Teiler 52.6 (34.) 139.1 (35.) 141.4 (33.)
 Trefferlage 0.19 mm links, 0.59 mm hoch
 Streuwert 1.57, horizontal: 1.92, vertikal: 1.10



QF

– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **279** (294.8)
 Serien: 76 61 68 74
 Zähler: 3 8 7 8 4 7 0 2 0 0
 Innenzehner: 1
 weiteste: 2742 (18), 1837 (12), 1769 (25)
 beste Teiler 86.8 (36.) 241.3 (10.) 242.6 (8.)
 Trefferlage 2.31 mm links, 1.37 mm tief
 Streuwert 7.20, horizontal: 7.59, vertikal: 6.77



Serie 1:

9.0 ↓ 5.4 ↙ 7.1 ↘ 8.7 ← 8.9 ↘
 5.9 ← 6.0 ↑ 10.0 ↘ 8.5 ← 10.0 ←


beste Teiler 241.3 (10.) 242.6 (8.) 496.2 (1.)
 Trefferlage 2.89 mm links, 0.75 mm tief
 Streuwert 5.95, horizontal: 6.40, vertikal: 5.46



Serie 2:

7.9 ↘ 3.6 ← 7.1 ↓ 9.2 ↘ 5.2 ↘
 9.9 ↘ 7.7 ↘ 0.0 ↗ 5.1 ↓ 9.3 ←


beste Teiler 252.6 (16.) 416.3 (20.) 431.3 (14.)
 Trefferlage 3.56 mm links, 1.56 mm hoch
 Streuwert 9.50, horizontal: 10.62, vertikal: 8.21



Serie 3:

8.2 ↓ 6.4 ↘ 7.0 ↘ 6.7 ↘ 3.9 ↘
 7.6 ↓ 8.3 ↓ 5.0 ↓ 9.6 ↙ 9.3 ↘

beste Teiler 330.6 (29.) 413.6 (30.) 663.1 (27.)
 Trefferlage 1.53 mm links, 2.95 mm tief
 Streuwert 7.27, horizontal: 7.97, vertikal: 6.50





Serie 4:

5.9 ↓ 9.3 ↓ 9.4 ↙ 7.9 ↘ 7.8 ↓
 10.6 * 6.0 ↓ 8.0 ↓ 5.3 ← 8.1 ↗


beste Teiler 86.8 (36.) 380.1 (33.) 412.5 (32.)
 Trefferlage 1.25 mm links, 3.36 mm tief
 Streuwert 5.95, horizontal: 5.35, vertikal: 6.49

Unterschrift des Schützen


Ergebnis: 366 (385.9)
Serien: 92 90 93 91
Zähler: 12 22 6 0 0 0 0 0 0 0
Innenzehner: 7
weiteste: 743 (31), 736 (16), 584 (32)
beste Teiler 22.2 (24.) 85.3 (39.) 90.2 (3.)
Trefferlage 0.91 mm rechts, 0.37 mm hoch
Streuwert 2.52, horizontal: 2.86, vertikal: 2.13




Serie 1:
 9.8 ↖ 9.9 ← 10.6 * 9.7 ↓ 8.6 →
 9.6 ↖ 9.6 → 10.1 → 10.4 * 9.9 →
beste Teiler 90.2 (3.) 149.2 (9.) 210.0 (8.)
Trefferlage 0.68 mm rechts, 0.30 mm hoch
Streuwert 2.25, horizontal: 2.63, vertikal: 1.79



Serie 2:
 9.4 → 9.7 ↑ 10.2 * 9.6 ↑ 9.9 ↘
 8.0 → 9.1 → 10.4 * 8.7 → 9.4 ↘
beste Teiler 142.0 (18.) 197.7 (13.) 254.7 (15.)
Trefferlage 2.46 mm rechts, 0.74 mm hoch
Streuwert 2.40, horizontal: 2.74, vertikal: 2.01





Serie 3:
 9.8 ↖ 9.2 ↖ 9.6 ↘ 10.9 * 10.0 →
 10.0 ← 10.1 ↙ 9.3 → 9.5 → 8.7 ↖
beste Teiler 22.2 (24.) 225.3 (27.) 239.0 (26.)
Trefferlage 0.13 mm links, 0.51 mm hoch
Streuwert 2.54, horizontal: 2.85, vertikal: 2.18



Serie 4:
 8.0 ↓ 8.6 ← 9.6 → 9.7 ↑ 9.5 →
 10.1 ↖ 10.6 * 9.8 → 10.6 * 9.7 →
beste Teiler 85.3 (39.) 93.4 (37.) 219.3 (36.)
Trefferlage 0.62 mm rechts, 0.07 mm tief
Streuwert 2.83, horizontal: 2.96, vertikal: 2.70


Unterschrift des Schützen

Ergebnis: 343 (361.3)
Serien: 89 86 83 85
Zähler: 9 11 15 4 1 0 0 0 0 0
Innenzehner: 4
weiteste: 1071 (7), 910 (21), 856 (33)
beste Teiler 128.0 (9.) 141.9 (30.) 150.2 (28.)
Trefferlage 0.73 mm rechts, 0.16 mm hoch
Streuwert 3.79, horizontal: 4.22, vertikal: 3.29


Serie 1:


9.4 ↙ 8.5 ↖ 8.6 ↑ 10.0 ↘ 10.2 *
 10.1 → 6.7 → 10.0 ← 10.4 * 8.5 ↓

beste Teiler 128.0 (9.) 200.3 (5.) 209.8 (6.)
Trefferlage 0.51 mm rechts, 0.63 mm hoch
Streuwert 3.78, horizontal: 3.84, vertikal: 3.70


Serie 2:


9.9 ↗ 8.2 ← 8.7 ↘ 8.5 ↖ 9.3 ↖
 9.4 ← 8.6 ↖ 10.1 ↓ 9.1 ↖ 8.6 ↖

beste Teiler 217.3 (18.) 258.1 (11.) 399.6 (16.)
Trefferlage 2.59 mm links, 1.16 mm hoch
Streuwert 3.11, horizontal: 3.71, vertikal: 2.37


Serie 3:

7.3 → 8.7 ↗ 8.6 ↖ 9.9 ↖ 8.2 →
 9.8 ↘ 7.9 → 10.4 * 7.9 ↓ 10.4 *

beste Teiler 141.9 (30.) 150.2 (28.) 252.4 (24.)
Trefferlage 2.80 mm rechts, 0.04 mm tief
Streuwert 3.75, horizontal: 4.26, vertikal: 3.16




Serie 4:

8.8 ↗ 8.2 ↘ 7.5 ↘ 9.9 ↗ 10.0 ←
 8.5 → 8.6 ↓ 9.0 ↓ 9.5 ← 9.4 ↑

beste Teiler 240.1 (35.) 273.4 (34.) 371.9 (39.)
Trefferlage 2.19 mm rechts, 1.10 mm tief
Streuwert 3.58, horizontal: 3.34, vertikal: 3.80

Unterschrift des Schützen


Ergebnis: **350** (365.1)
 Serien: 86 87 90 87
 Zähler: 9 15 13 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 987 (32), 896 (8), 778 (17)
 beste Teiler 78.4 (21.) 100.1 (9.) 165.4 (16.)
 Trefferlage 1.51 mm links, 1.02 mm hoch
 Streuwert 3.38, horizontal: 3.96, vertikal: 2.67



Serie 1:

8.1 ↗ 9.1 ↘ 10.2 * 9.7 ↙ 8.4 ←
 8.6 ↘ 8.3 ↘ 7.4 ↖ 10.6 * 9.4 ↙


beste Teiler 100.1 (9.) 187.3 (3.) 318.1 (4.)
 Trefferlage 2.77 mm links, 1.73 mm hoch
 Streuwert 3.32, horizontal: 3.56, vertikal: 3.05



Serie 2:

8.7 ↗ 8.0 ← 9.0 ↓ 8.2 ← 9.4 →
 10.3 * 7.8 ↘ 10.0 ↓ 8.8 ↘ 10.1 ↗


beste Teiler 165.4 (16.) 210.5 (20.) 246.8 (18.)
 Trefferlage 1.71 mm links, 0.93 mm hoch
 Streuwert 3.63, horizontal: 4.06, vertikal: 3.13



Serie 3:

10.6 * 10.3 * 8.6 → 9.4 ← 8.4 ↗
 8.2 ↙ 9.1 ↙ 9.2 ← 9.0 ← 10.1 ↘

beste Teiler 78.4 (21.) 173.2 (22.) 209.3 (30.)
 Trefferlage 1.33 mm links, 0.63 mm tief
 Streuwert 3.25, horizontal: 3.95, vertikal: 2.35





Serie 4:

8.9 → 7.0 ← 9.4 ↗ 9.7 ↘ 9.9 ↗
 10.0 ← 8.9 ↑ 9.6 ↗ 9.5 ↗ 9.2 ←


beste Teiler 238.6 (36.) 270.8 (35.) 310.2 (34.)
 Trefferlage 0.24 mm links, 2.07 mm hoch
 Streuwert 3.22, horizontal: 4.39, vertikal: 1.21

Unterschrift des Schützen


Ergebnis: **346** (365.7)
 Serien: 85 88 86 87
 Zähler: 6 22 7 3 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 1300 (3), 1134 (24), 815 (9)
 beste Teiler 119.2 (40.) 198.8 (2.) 219.0 (6.)
 Trefferlage 1.24 mm links, 0.55 mm hoch
 Streuwert 3.54, horizontal: 4.29, vertikal: 2.58




Serie 1:
 9.9 ↙ 10.2 * 5.8 → 9.3 ↙ 8.7 ←
 10.1 ↗ 9.5 ↘ 9.5 ← 7.7 ↖ 9.7 ↓
 beste Teiler 198.8 (2.) 219.0 (6.) 254.6 (1.)
 Trefferlage 0.73 mm links, 0.48 mm tief
 Streuwert 4.26, horizontal: 5.75, vertikal: 1.78



Serie 2:
 8.0 ↙ 9.7 ↖ 8.7 ↙ 9.6 ↓ 9.3 ↗
 9.6 ← 10.0 ↘ 10.0 ↖ 8.9 ↖ 8.3 ↙
 beste Teiler 230.7 (17.) 235.6 (18.) 318.2 (12.)
 Trefferlage 2.39 mm links, 0.49 mm tief
 Streuwert 2.95, horizontal: 2.66, vertikal: 3.22



Serie 3:
 9.4 ↖ 9.1 ↖ 9.8 ← 6.4 ← 9.7 ↑
 9.9 ↖ 9.6 ↙ 8.4 → 9.5 ↑ 9.4 ↖
 beste Teiler 258.8 (26.) 280.3 (23.) 314.0 (25.)
 Trefferlage 2.16 mm links, 1.12 mm hoch
 Streuwert 3.42, horizontal: 4.21, vertikal: 2.38





Serie 4:
 9.1 ↘ 8.9 ↖ 7.9 → 9.8 → 9.1 ↑
 9.7 → 9.1 ↖ 10.0 ↑ 7.9 ↖ 10.5 *
 beste Teiler 119.2 (40.) 245.0 (38.) 283.9 (34.)
 Trefferlage 0.31 mm rechts, 2.08 mm hoch
 Streuwert 3.23, horizontal: 4.08, vertikal: 2.04

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 341 (357.0)
Serien: 82 89 85 85
Zähler: 6 16 11 7 0 0 0 0 0 0
Innenzehner: 3
weiteste: 964 (36), 914 (9), 872 (10)
beste Teiler 97.8 (30.) 108.5 (27.) 113.2 (20.)
Trefferlage 0.20 mm rechts, 0.19 mm tief
Streuwert 3.96, horizontal: 4.46, vertikal: 3.39


Serie 1:


9.7 ↗ 7.5 ↘ 8.7 ↗ 9.3 ↘ 9.0 ↘
 9.5 ↘ 8.0 ↗ 9.7 ← 7.3 ↘ 7.5 ↗

beste Teiler 305.4 (1.) 321.8 (8.) 375.8 (6.)
Trefferlage 1.82 mm rechts, 0.83 mm hoch
Streuwert 4.42, horizontal: 4.23, vertikal: 4.61


Serie 2:


8.8 ↘ 9.8 ↘ 9.2 ↗ 9.0 ↑ 9.0 →
 9.3 ← 9.1 → 8.6 ↘ 9.5 ↘ 10.5 *

beste Teiler 113.2 (20.) 289.5 (12.) 370.6 (19.)
Trefferlage 0.38 mm links, 1.12 mm hoch
Streuwert 3.14, horizontal: 3.71, vertikal: 2.43


Serie 3:

10.0 ↗ 8.3 → 8.1 → 9.9 ↘ 7.9 →
 7.8 ↗ 10.5 * 8.2 ← 8.5 ↓ 10.6 *

beste Teiler 97.8 (30.) 108.5 (27.) 226.1 (21.)
Trefferlage 2.07 mm rechts, 1.52 mm tief
Streuwert 3.73, horizontal: 4.66, vertikal: 2.47


Serie 4:



8.6 ↓ 10.0 ↘ 10.0 ↗ 7.8 ← 9.2 ↗
 7.1 ← 8.6 ← 9.0 ← 9.3 ↓ 8.6 ↓

beste Teiler 228.7 (32.) 250.7 (33.) 411.1 (39.)
Trefferlage 2.69 mm links, 1.21 mm tief
Streuwert 3.65, horizontal: 4.03, vertikal: 3.24

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (336.2)
 Serien: 81 76 81 77
 Zähler: 6 10 12 6 2 3 0 0 0 0
 Innenzehner: 6
 weiteste: 2898 (28), 1432 (34), 1401 (31)
 beste Teiler 140.1 (5.) 142.8 (22.) 166.0 (30.)
 Trefferlage 0.05 mm rechts, 3.21 mm tief
 Streuwert 5.28, horizontal: 4.87, vertikal: 5.67



Serie 1:

6.9 ↙ 6.6 ↘ 8.8 ↙ 9.3 ↘ 10.4 *
 8.5 ↘ 9.0 ↓ 9.9 ↗ 9.6 ↓ 7.6 ↘


beste Teiler 140.1 (5.) 255.1 (8.) 334.6 (9.)
 Trefferlage 0.14 mm rechts, 2.94 mm tief
 Streuwert 4.28, horizontal: 5.47, vertikal: 2.60



Serie 2:

9.5 → 8.7 → 7.7 ↗ 8.8 → 5.8 ←
 7.0 ↙ 7.8 ↘ 8.5 ← 9.5 → 8.6 ↓


beste Teiler 358.7 (11.) 359.5 (19.) 533.9 (14.)
 Trefferlage 0.60 mm links, 1.00 mm tief
 Streuwert 5.42, horizontal: 6.61, vertikal: 3.89



Serie 3:

8.7 ↓ 10.4 * 10.2 * 10.2 * 8.7 ↘
 8.9 ↓ 8.7 ← 0.0 ↓ 9.6 → 10.3 *

beste Teiler 142.8 (22.) 166.0 (30.) 189.8 (23.)
 Trefferlage 0.00 mm, 4.55 mm tief
 Streuwert 6.57, horizontal: 2.72, vertikal: 8.89



Serie 4:



5.3 ↓ 8.1 ↘ 7.8 ↙ 5.2 ↓ 9.8 ↑
 7.8 ↙ 10.2 * 9.2 → 9.8 ↘ 8.8 →

beste Teiler 194.8 (37.) 280.4 (39.) 300.0 (35.)
 Trefferlage 0.69 mm rechts, 4.36 mm tief
 Streuwert 5.01, horizontal: 4.54, vertikal: 5.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 330 (347.3)
Serien: 72 89 85 84
Zähler: 6 17 9 1 4 2 1 0 0 0
Innenzehner: 3
weiteste: 1534 (39), 1443 (27), 1278 (9)
beste Teiler 113.1 (6.) 186.4 (23.) 197.3 (37.)
Trefferlage 0.10 mm links, 2.22 mm hoch
Streuwert 4.52, horizontal: 5.32, vertikal: 3.55




Serie 1:
 8.7 ↘ 8.0 ↑ 8.8 ↖ 6.9 → 6.2 ↑
 10.5 * 6.8 ↘ 6.7 ↗ 5.8 ← 9.5 ←
beste Teiler 113.1 (6.) 369.3 (10.) 532.3 (3.)
Trefferlage 0.38 mm links, 3.21 mm hoch
Streuwert 6.05, horizontal: 7.21, vertikal: 4.60



Serie 2:
 9.4 ↑ 9.6 → 9.3 ↖ 8.3 ↑ 10.0 ←
 9.3 → 9.5 → 8.4 → 9.1 ↘ 9.6 ←
beste Teiler 231.2 (15.) 337.1 (12.) 347.0 (20.)
Trefferlage 1.05 mm rechts, 1.42 mm hoch
Streuwert 3.04, horizontal: 3.43, vertikal: 2.58





Serie 3:
 8.0 → 8.2 ↗ 10.2 * 9.8 → 9.9 ↖
 9.1 ↘ 5.2 ↘ 9.9 ↗ 9.0 ↑ 9.9 ↑
beste Teiler 186.4 (23.) 264.7 (28.) 266.6 (30.)
Trefferlage 0.68 mm rechts, 2.78 mm hoch
Streuwert 4.15, horizontal: 4.08, vertikal: 4.21



Serie 4:
 10.0 ← 8.8 ↘ 7.9 → 9.5 → 9.1 ↖
 9.2 ↘ 10.2 * 10.0 ↘ 4.8 ← 8.2 ↖
beste Teiler 197.3 (37.) 241.3 (38.) 249.0 (31.)
Trefferlage 1.80 mm links, 1.48 mm hoch
Streuwert 4.64, horizontal: 6.07, vertikal: 2.51


Unterschrift des Schützen

Ergebnis: 162 (169.7)
Serien: 81 81
Zähler: 2 6 5 6 1 0 0 0 0 0
Innenzehner: 2
weiteste: 1065 (13), 986 (1), 973 (20)
beste Teiler 111.6 (4.) 118.9 (15.) 318.0 (10.)
Trefferlage 0.24 mm links, 0.86 mm tief
Streuwert 4.85, horizontal: 5.30, vertikal: 4.35


Serie 1:

7.0 → 9.0 ↗ 9.3 ↓ 10.5 * 7.2 ↖
 8.1 ↘ 8.7 ← 7.6 ← 7.6 ↘ 9.7 ↑

beste Teiler 111.6 (4.) 318.0 (10.) 414.5 (3.)
Trefferlage 1.74 mm links, 0.07 mm tief
Streuwert 4.88, horizontal: 5.67, vertikal: 3.93




Serie 2:

9.1 ↖ 8.3 → 6.7 → 9.1 ↖ 10.5 *
 8.2 ↘ 9.5 ← 8.8 ↓ 7.7 ↓ 7.1 ↓

beste Teiler 118.9 (15.) 370.9 (17.) 458.4 (11.)
Trefferlage 1.26 mm rechts, 1.65 mm tief
Streuwert 4.76, horizontal: 4.71, vertikal: 4.80

Unterschrift des Schützen


Ergebnis: **344** (365.5)
 Serien: 92 81 84 87
 Zähler: 5 20 11 2 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1074 (17), 1016 (27), 832 (15)
 beste Teiler 113.5 (40.) 122.5 (19.) 126.1 (2.)
 Trefferlage 0.63 mm links, 1.37 mm hoch
 Streuwert 3.46, horizontal: 4.29, vertikal: 2.34



Serie 1:

9.3 ↗ 10.4 * 9.3 ↘ 9.9 ↖ 9.1 ↖
 9.8 ↘ 9.8 ↘ 9.1 → 9.6 ↘ 10.4 *


beste Teiler 126.1 (2.) 143.9 (10.) 252.1 (4.)
 Trefferlage 0.25 mm links, 0.97 mm hoch
 Streuwert 2.40, horizontal: 2.93, vertikal: 1.70



Serie 2:

8.0 ↗ 8.9 ↘ 9.1 ↗ 8.8 ↑ 7.6 →
 8.9 ↘ 6.7 ← 8.6 ↘ 10.5 * 9.8 →


beste Teiler 122.5 (19.) 282.2 (20.) 456.2 (13.)
 Trefferlage 0.23 mm links, 3.02 mm hoch
 Streuwert 4.03, horizontal: 5.27, vertikal: 2.17



Serie 3:

8.6 ← 8.5 ↘ 9.8 ↘ 9.0 → 8.2 →
 8.3 ← 6.9 ↖ 9.8 ↘ 9.9 ↘ 10.0 ↑

beste Teiler 246.9 (30.) 262.1 (29.) 284.6 (28.)
 Trefferlage 2.03 mm links, 0.46 mm hoch
 Streuwert 3.91, horizontal: 4.96, vertikal: 2.43





Serie 4:

8.8 ← 9.3 ← 9.8 ↘ 8.4 ↗ 9.5 →
 9.9 → 7.8 ↘ 9.7 ↗ 9.2 ↑ 10.5 *

beste Teiler 113.5 (40.) 266.7 (36.) 284.4 (33.)
 Trefferlage 0.01 mm links, 1.02 mm hoch
 Streuwert 3.32, horizontal: 4.00, vertikal: 2.45

Unterschrift des Schützen


Ergebnis: **366** (386.0)
 Serien: 91 91 92 92
 Zähler: 13 20 7 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 725 (28), 601 (3), 586 (37)
 beste Teiler 40.8 (31.) 68.4 (24.) 97.1 (34.)
 Trefferlage 0.37 mm rechts, 0.83 mm tief
 Streuwert 2.48, horizontal: 2.57, vertikal: 2.39



Serie 1:

8.9 ↙ 9.8 ↓ 8.5 ↓ 10.0 ↘ 8.9 ↘
 10.0 ↓ 10.0 ↑ 9.5 ↘ 10.1 → 9.7 →


beste Teiler 222.0 (9.) 228.7 (7.) 231.4 (4.)
 Trefferlage 1.13 mm rechts, 0.93 mm tief
 Streuwert 2.60, horizontal: 2.79, vertikal: 2.39



Serie 2:

10.2 * 9.8 ↗ 9.3 ↘ 8.9 → 9.5 ↓
 9.9 ↘ 9.7 ↓ 9.4 ↘ 9.7 ← 10.3 *


beste Teiler 159.1 (20.) 189.1 (11.) 255.2 (16.)
 Trefferlage 0.27 mm rechts, 0.70 mm tief
 Streuwert 2.44, horizontal: 2.65, vertikal: 2.21



Serie 3:

9.5 ↓ 10.0 ↗ 8.9 ↘ 10.7 * 9.9 ↘
 10.0 ↗ 9.9 ↗ 8.1 ↓ 9.0 → 10.3 *

beste Teiler 68.4 (24.) 160.0 (30.) 226.4 (22.)
 Trefferlage 0.03 mm rechts, 1.20 mm tief
 Streuwert 2.68, horizontal: 2.66, vertikal: 2.71





Serie 4:

10.8 * 9.8 ↑ 9.9 → 10.6 * 9.7 ↓
 9.1 → 8.6 ↓ 9.1 ← 9.8 ↗ 10.2 *


beste Teiler 40.8 (31.) 97.1 (34.) 188.0 (40.)
 Trefferlage 0.04 mm rechts, 0.51 mm tief
 Streuwert 2.49, horizontal: 2.43, vertikal: 2.55

Unterschrift des Schützen


Ergebnis: 387 (406.4)^{QF}
Serien: 97 98 97 95
Zähler: 27 13 0 0 0 0 0 0 0
Innenzehner: 23
weiteste: 450 (35), 436 (3), 358 (31)
beste Teiler 36.2 (25.) 39.0 (6.) 71.1 (22.)
Trefferlage 0.07 mm links, 0.38 mm tief
Streuwert 1.56, horizontal: 1.86, vertikal: 1.21




Serie 1:
 10.0 ↖ 10.3 * 9.2 → 9.9 ↘ 10.5 *
 10.8 * 10.1 ↙ 10.2 * 10.4 * 9.8 ↗
beste Teiler 39.0 (6.) 103.9 (5.) 146.2 (9.)
Trefferlage 0.71 mm rechts, 0.36 mm tief
Streuwert 1.63, horizontal: 2.12, vertikal: 0.90



Serie 2:
 10.6 * 9.6 ↖ 9.9 → 10.3 * 10.4 *
 10.3 * 10.1 ← 10.6 * 10.6 * 10.2 *
beste Teiler 78.2 (11.) 83.8 (19.) 94.4 (18.)
Trefferlage 0.09 mm rechts, 0.34 mm hoch
Streuwert 1.39, horizontal: 1.66, vertikal: 1.06



Serie 3:
 9.9 ↓ 10.7 * 10.2 * 10.4 * 10.8 *
 9.8 ↖ 9.5 ↓ 10.6 * 10.6 * 10.4 *
beste Teiler 36.2 (25.) 71.1 (22.) 82.8 (28.)
Trefferlage 0.34 mm links, 0.76 mm tief
Streuwert 1.30, horizontal: 1.30, vertikal: 1.30



Serie 4:
 9.5 ← 9.9 ↖ 10.3 * 10.4 * 9.2 ←
 9.9 ↓ 10.3 * 10.0 ↖ 9.8 ↓ 10.4 *
beste Teiler 127.4 (40.) 138.2 (34.) 166.8 (37.)
Trefferlage 0.76 mm links, 0.74 mm tief
Streuwert 1.79, horizontal: 2.16, vertikal: 1.33



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.6)
 Serien: 94 89 95 92
 Zähler: 16 20 2 2 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 941 (18), 936 (17), 592 (16)
 beste Teiler 27.8 (25.) 77.9 (19.) 89.4 (6.)
 Trefferlage 0.56 mm links, 0.39 mm hoch
 Streuwert 2.51, horizontal: 2.79, vertikal: 2.20




Serie 1:
 9.7 ← 10.4 * 9.8 ↓ 10.3 * 10.3 *
 10.6 * 9.5 ↑ 9.9 ↑ 10.6 * 8.9 ←
 beste Teiler 89.4 (6.) 91.1 (9.) 144.3 (2.)
 Trefferlage 1.00 mm links, 0.73 mm hoch
 Streuwert 1.79, horizontal: 1.82, vertikal: 1.75



Serie 2:
 9.4 ← 9.2 ↖ 9.6 ← 10.2 * 10.2 *
 8.6 ↗ 7.2 ↖ 7.2 ↖ 10.6 * 10.2 *
 beste Teiler 77.9 (19.) 182.1 (14.) 195.1 (15.)
 Trefferlage 2.39 mm links, 1.48 mm hoch
 Streuwert 3.25, horizontal: 4.01, vertikal: 2.24





Serie 3:
 9.6 ↗ 10.2 * 10.4 * 9.8 ↓ 10.8 *
 9.5 ↓ 10.0 ← 9.8 ← 10.3 * 9.4 ↘
 beste Teiler 27.8 (25.) 150.6 (23.) 152.7 (29.)
 Trefferlage 0.64 mm rechts, 0.61 mm tief
 Streuwert 1.87, horizontal: 2.06, vertikal: 1.66




Serie 4:
 9.7 ↗ 10.0 ↘ 9.9 ↘ 9.3 ↑ 9.7 ↗
 10.2 * 9.9 ↑ 9.8 ↗ 9.3 ↓ 9.6 ←
 beste Teiler 181.1 (36.) 235.8 (32.) 271.0 (37.)
 Trefferlage 0.49 mm rechts, 0.03 mm tief
 Streuwert 2.31, horizontal: 1.84, vertikal: 2.71

Unterschrift des Schützen


Ergebnis: **380** (396.6)
 Serien: 97 95 95 93
 Zähler: 23 14 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 671 (27), 562 (14), 509 (34)
 beste Teiler 53.7 (8.) 92.4 (32.) 106.9 (30.)
 Trefferlage 0.62 mm links, 0.87 mm hoch
 Streuwert 1.97, horizontal: 1.76, vertikal: 2.16




Serie 1:
 10.5 * 9.8 ↗ 9.7 ↘ 10.4 * 10.0 ↘
 10.4 * 10.0 ↘ 10.7 * 10.3 * 9.9 ↑
 beste Teiler 53.7 (8.) 110.3 (1.) 136.5 (6.)
 Trefferlage 0.53 mm links, 0.54 mm hoch
 Streuwert 1.47, horizontal: 1.22, vertikal: 1.68



Serie 2:
 10.2 * 9.4 ← 9.2 ↘ 8.7 ↑ 10.4 *
 10.1 → 9.3 ↘ 10.0 ↓ 10.5 * 10.4 *
 beste Teiler 114.2 (19.) 141.9 (15.) 148.9 (20.)
 Trefferlage 0.67 mm links, 0.72 mm hoch
 Streuwert 2.28, horizontal: 2.13, vertikal: 2.43



Serie 3:
 10.0 ↘ 9.9 ↗ 10.3 * 10.1 ↑ 10.4 *
 9.7 ↗ 8.3 ↘ 9.5 ↘ 10.2 * 10.5 *
 beste Teiler 106.9 (30.) 127.0 (25.) 171.8 (23.)
 Trefferlage 0.20 mm links, 1.04 mm hoch
 Streuwert 2.15, horizontal: 1.79, vertikal: 2.45





Serie 4:
 10.5 * 10.6 * 9.4 ↘ 8.9 ↓ 10.1 ↑
 9.6 ↘ 9.8 ↗ 9.1 ↘ 10.1 ↘ 9.7 ↘
 beste Teiler 92.4 (32.) 125.5 (31.) 225.1 (35.)
 Trefferlage 1.09 mm links, 1.17 mm hoch
 Streuwert 2.11, horizontal: 1.94, vertikal: 2.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 370 (389.5)
Serien: 94 93 89 94
Zähler: 15 21 3 1 0 0 0 0 0 0
Innenzehner: 7
weiteste: 758 (29), 746 (17), 573 (15)
beste Teiler 12.0 (16.) 104.1 (14.) 114.5 (3.)
Trefferlage 0.30 mm links, 0.57 mm hoch
Streuwert 2.38, horizontal: 2.47, vertikal: 2.28




Serie 1:
 10.0 ↗ 10.1 ↖ 10.5 * 9.6 ↗ 9.8 ↓
 9.8 ↑ 9.8 ↖ 9.2 ↖ 10.0 ↖ 9.6 ↗
beste Teiler 114.5 (3.) 219.4 (2.) 238.7 (1.)
Trefferlage 0.42 mm links, 0.81 mm hoch
Streuwert 2.06, horizontal: 1.97, vertikal: 2.14



Serie 2:
 9.2 ↗ 10.5 * 10.0 ↖ 10.5 * 8.7 ↖
 10.9 * 8.0 ↘ 9.5 ↖ 10.2 * 9.5 ↖
beste Teiler 12.0 (16.) 104.1 (14.) 123.9 (12.)
Trefferlage 0.37 mm links, 0.53 mm hoch
Streuwert 2.80, horizontal: 2.93, vertikal: 2.66



Serie 3:
 9.9 → 8.8 ↖ 9.7 ↗ 9.5 ↖ 10.1 ↖
 9.9 ↗ 9.7 ↑ 9.7 ↖ 7.9 → 10.1 ↓
beste Teiler 215.4 (30.) 217.9 (25.) 255.0 (21.)
Trefferlage 0.34 mm rechts, 0.96 mm hoch
Streuwert 2.79, horizontal: 3.27, vertikal: 2.20





Serie 4:
 10.1 ↖ 10.1 ↓ 10.2 * 10.3 * 9.6 ↖
 9.8 ↖ 9.6 ↓ 9.7 ↖ 9.8 ↘ 9.6 ↖
beste Teiler 170.8 (34.) 197.0 (33.) 215.8 (32.)
Trefferlage 0.75 mm links, 0.02 mm tief
Streuwert 1.99, horizontal: 1.62, vertikal: 2.31

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.6)
 Serien: 91 91 89 84
 Zähler: 10 19 7 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 927 (27), 802 (11), 797 (33)
 beste Teiler 62.4 (10.) 104.0 (8.) 109.2 (29.)
 Trefferlage 0.29 mm rechts, 0.79 mm tief
 Streuwert 3.22, horizontal: 3.88, vertikal: 2.39



Serie 1:

9.9 ↘ 9.7 ↓ 8.9 → 9.1 ↙ 9.4 ↓
 9.9 ↗ 9.3 ↖ 10.5 * 9.1 → 10.7 *


beste Teiler 62.4 (10.) 104.0 (8.) 260.8 (1.)
 Trefferlage 0.53 mm rechts, 0.95 mm tief
 Streuwert 2.54, horizontal: 2.69, vertikal: 2.38



Serie 2:

7.7 → 8.3 ↘ 10.0 ↓ 9.6 ↙ 10.0 ↙
 10.5 * 10.2 * 9.7 ↗ 9.6 ↓ 9.7 ↗


beste Teiler 114.3 (16.) 196.0 (17.) 228.7 (13.)
 Trefferlage 1.14 mm rechts, 1.56 mm tief
 Streuwert 2.68, horizontal: 3.23, vertikal: 1.99



Serie 3:

10.0 ↓ 8.9 → 9.9 ↙ 10.1 ↓ 9.4 →
 8.1 → 7.2 ↖ 9.8 ↖ 10.5 * 9.1 ↗

beste Teiler 109.2 (29.) 218.2 (24.) 237.0 (21.)
 Trefferlage 0.51 mm rechts, 0.02 mm hoch
 Streuwert 3.53, horizontal: 4.50, vertikal: 2.15



Serie 4:



9.7 ↓ 9.1 ↘ 7.8 ↙ 9.4 → 7.9 ↖
 8.7 ↗ 10.5 * 9.5 ↗ 8.2 → 8.0 ↙

beste Teiler 119.9 (37.) 307.7 (31.) 366.8 (38.)
 Trefferlage 0.99 mm links, 0.70 mm tief
 Streuwert 4.10, horizontal: 4.94, vertikal: 3.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (397.8)^{QF}
 Serien: 96 94 96 95
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 555 (37), 501 (31), 497 (11)
 beste Teiler 39.5 (6.) 66.4 (38.) 79.3 (36.)
 Trefferlage 0.44 mm rechts, 0.73 mm hoch
 Streuwert 1.91, horizontal: 2.25, vertikal: 1.49




Serie 1:
 10.0 ↘ 10.2 * 9.9 ← 10.3 * 9.6 →
 10.8 * 9.9 ↘ 10.1 ← 10.0 ↗ 9.9 ←
 beste Teiler 39.5 (6.) 161.0 (4.) 179.4 (2.)
 Trefferlage 0.50 mm links, 0.18 mm hoch
 Streuwert 1.68, horizontal: 2.15, vertikal: 1.01



Serie 2:
 9.0 ↖ 9.5 ↗ 9.8 → 10.1 ↗ 9.7 ←
 9.2 → 10.5 * 9.3 ↘ 10.0 ← 10.6 *
 beste Teiler 100.4 (20.) 115.6 (17.) 224.2 (14.)
 Trefferlage 0.51 mm rechts, 0.55 mm hoch
 Streuwert 2.33, horizontal: 2.67, vertikal: 1.95



Serie 3:
 10.0 ← 9.6 ↗ 10.0 ↗ 10.3 * 9.4 ↑
 10.5 * 9.5 ↑ 9.5 ↘ 10.3 * 10.1 ↗
 beste Teiler 110.9 (26.) 171.2 (29.) 171.8 (24.)
 Trefferlage 0.40 mm rechts, 1.67 mm hoch
 Streuwert 1.62, horizontal: 1.90, vertikal: 1.28



Serie 4:
 8.9 → 10.0 ↗ 10.4 * 10.3 * 9.9 ↓
 10.6 * 8.7 → 10.7 * 10.1 ↗ 10.6 *
 beste Teiler 66.4 (38.) 79.3 (36.) 98.9 (40.)
 Trefferlage 1.35 mm rechts, 0.51 mm hoch
 Streuwert 1.80, horizontal: 2.16, vertikal: 1.34



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 304 (323.0)
Serien: 75 75 79 75
Zähler: 3 9 9 12 3 3 1 0 0 0
Innenzehner: 1
weiteste: 1693 (27), 1486 (13), 1317 (4)
beste Teiler 163.7 (14.) 246.1 (5.) 246.4 (28.)
Trefferlage 2.97 mm links, 1.93 mm tief
Streuwert 5.15, horizontal: 5.63, vertikal: 4.62




Serie 1:
 9.6 ↑ 9.4 ↙ 7.8 ↓ 5.7 ↙ 10.0 →
 5.8 ← 8.4 ↓ 7.4 → 9.0 ↓ 6.0 ↙
beste Teiler 246.1 (5.) 341.8 (1.) 391.1 (2.)
Trefferlage 2.81 mm links, 2.89 mm tief
Streuwert 5.62, horizontal: 6.60, vertikal: 4.42



Serie 2:
 9.1 → 8.6 ↙ 5.0 ↓ 10.3 * 7.5 ←
 7.4 ← 6.2 ↓ 8.1 ← 8.2 ↓ 7.6 ↙
beste Teiler 163.7 (14.) 469.2 (11.) 584.3 (12.)
Trefferlage 3.14 mm links, 3.94 mm tief
Streuwert 5.22, horizontal: 5.15, vertikal: 5.29





Serie 3:
 9.8 ↘ 9.1 ↗ 9.9 → 7.8 ↙ 7.9 ←
 8.7 ↘ 4.2 ↙ 10.0 ↙ 7.9 ← 9.7 ↗
beste Teiler 246.4 (28.) 253.9 (23.) 295.5 (21.)
Trefferlage 3.26 mm links, 0.21 mm hoch
Streuwert 4.97, horizontal: 6.14, vertikal: 3.42




Serie 4:
 6.9 ↙ 9.2 ↘ 8.2 ↑ 8.5 ↙ 7.8 ↘
 8.8 ↓ 7.8 → 7.5 ↙ 7.3 ↙ 8.9 ↑
beste Teiler 449.0 (32.) 507.8 (40.) 529.2 (36.)
Trefferlage 2.68 mm links, 1.13 mm tief
Streuwert 5.06, horizontal: 5.42, vertikal: 4.67

Unterschrift des Schützen


Ergebnis: 371 (390.4)
Serien: 93 92 90 96
Zähler: 15 21 4 0 0 0 0 0 0 0
Innenzehner: 10
weiteste: 634 (30), 629 (18), 550 (5)
beste Teiler 49.0 (34.) 53.9 (37.) 119.2 (10.)
Trefferlage 0.08 mm rechts, 0.21 mm hoch
Streuwert 2.33, horizontal: 2.97, vertikal: 1.44




Serie 1:
 9.7 ↙ 10.4 * 9.9 ↘ 9.7 → 8.8 ↗
 10.2 * 9.7 ↗ 10.4 * 9.7 ↘ 10.5 *
beste Teiler 119.2 (10.) 128.6 (2.) 146.2 (8.)
Trefferlage 0.74 mm rechts, 0.66 mm hoch
Streuwert 2.02, horizontal: 2.45, vertikal: 1.48



Serie 2:
 9.6 ↗ 9.7 → 9.9 ↘ 10.0 → 9.7 →
 9.6 ↙ 10.4 * 8.4 ← 9.4 ↘ 10.2 *
beste Teiler 145.0 (17.) 186.9 (20.) 246.9 (14.)
Trefferlage 0.35 mm rechts, 0.48 mm hoch
Streuwert 2.50, horizontal: 3.26, vertikal: 1.36



Serie 3:
 8.8 ← 9.3 → 10.0 → 9.4 ← 10.1 ↖
 9.2 → 9.7 ↘ 9.5 ↘ 9.5 ← 8.4 →
beste Teiler 223.6 (25.) 234.4 (23.) 303.9 (27.)
Trefferlage 0.27 mm links, 0.12 mm hoch
Streuwert 3.03, horizontal: 4.07, vertikal: 1.34





Serie 4:
 9.6 → 10.1 ↖ 9.6 ↘ 10.8 * 9.7 ↓
 10.2 * 10.7 * 10.1 ↘ 10.3 * 9.5 ↙
beste Teiler 49.0 (34.) 53.9 (37.) 152.6 (39.)
Trefferlage 0.48 mm links, 0.42 mm tief
Streuwert 1.76, horizontal: 1.97, vertikal: 1.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 365 (382.3)
Serien: 92 92 91 90
Zähler: 10 25 5 0 0 0 0 0 0 0
Innenzehner: 7
weiteste: 715 (2), 664 (29), 640 (25)
beste Teiler 22.2 (9.) 46.8 (12.) 58.5 (10.)
Trefferlage 0.94 mm rechts, 1.20 mm tief
Streuwert 2.54, horizontal: 3.15, vertikal: 1.71




Serie 1:
 9.6 ↗ 8.1 ↘ 8.4 → 10.4 * 9.5 ↘
 9.1 ↘ 10.2 * 9.7 ↓ 10.9 * 10.7 *
beste Teiler 22.2 (9.) 58.5 (10.) 128.0 (4.)
Trefferlage 2.24 mm rechts, 1.23 mm tief
Streuwert 2.19, horizontal: 2.49, vertikal: 1.82



Serie 2:
 9.6 ↘ 10.8 * 9.7 ↓ 9.4 → 9.1 →
 9.4 ← 9.0 ↘ 9.9 ↓ 10.4 * 9.5 ↘
beste Teiler 46.8 (12.) 148.4 (19.) 253.4 (18.)
Trefferlage 1.29 mm rechts, 1.43 mm tief
Streuwert 2.12, horizontal: 2.73, vertikal: 1.22



Serie 3:
 8.9 ← 9.0 ↙ 10.5 * 9.6 ↓ 8.4 ↘
 10.1 ↓ 9.6 ← 10.1 ↙ 8.3 → 10.1 ↙
beste Teiler 104.7 (23.) 216.6 (26.) 223.4 (28.)
Trefferlage 0.18 mm links, 1.78 mm tief
Streuwert 2.80, horizontal: 3.67, vertikal: 1.50





Serie 4:
 9.2 ↘ 9.2 ↘ 9.1 → 9.2 ↘ 9.1 →
 9.8 ← 9.6 ↙ 9.9 ↘ 9.5 ↙ 9.7 →
beste Teiler 258.8 (38.) 295.0 (36.) 317.6 (40.)
Trefferlage 0.40 mm rechts, 0.37 mm tief
Streuwert 2.88, horizontal: 3.47, vertikal: 2.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 367 (386.7)
Serien: 92 93 91 91
Zähler: 16 17 5 2 0 0 0 0 0 0
Innenzehner: 10
weiteste: 855 (30), 769 (36), 692 (5)
beste Teiler 30.4 (13.) 42.4 (4.) 69.5 (27.)
Trefferlage 0.40 mm rechts, 0.41 mm tief
Streuwert 2.66, horizontal: 3.26, vertikal: 1.88




Serie 1:
 9.9 ↙ 9.4 ↙ 10.0 → 10.8 * 8.2 →
 9.0 ↘ 9.7 ↘ 9.8 ↘ 9.9 ↓ 10.1 ↗
beste Teiler 42.4 (4.) 213.7 (10.) 230.2 (3.)
Trefferlage 1.50 mm rechts, 0.89 mm tief
Streuwert 2.36, horizontal: 2.85, vertikal: 1.74



Serie 2:
 8.8 ↖ 9.0 ↖ 10.8 * 9.2 ↘ 9.9 ↖
 10.4 * 9.4 ↖ 9.9 ↘ 10.1 ↑ 10.1 ↑
beste Teiler 30.4 (13.) 140.0 (16.) 201.6 (19.)
Trefferlage 0.22 mm links, 0.10 mm tief
Streuwert 2.52, horizontal: 2.81, vertikal: 2.18



Serie 3:
 8.2 ← 8.9 ↘ 10.2 * 10.3 * 10.1 ←
 9.8 ↘ 10.7 * 10.5 * 9.2 ← 7.5 →
beste Teiler 69.5 (27.) 117.6 (28.) 151.5 (24.)
Trefferlage 0.04 mm rechts, 0.50 mm tief
Streuwert 3.19, horizontal: 4.10, vertikal: 1.87





Serie 4:
 9.6 ↖ 10.3 * 8.9 ↖ 10.2 * 10.5 *
 7.9 → 9.7 ↓ 9.8 ↘ 9.9 → 10.1 ↗
beste Teiler 103.7 (35.) 161.1 (32.) 188.7 (34.)
Trefferlage 0.30 mm rechts, 0.15 mm tief
Streuwert 2.71, horizontal: 3.33, vertikal: 1.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 356 (373.6)
Serien: 89 86 90 91
Zähler: 9 19 11 1 0 0 0 0 0 0
Innenzehner: 6
weiteste: 851 (25), 661 (34), 656 (38)
beste Teiler 125.2 (39.) 141.0 (33.) 145.2 (29.)
Trefferlage 0.30 mm rechts, 1.01 mm tief
Streuwert 3.03, horizontal: 3.18, vertikal: 2.87




Serie 1:
 8.9 ↘ 8.8 ↓ 9.9 ↘ 8.5 ↘ 10.3 *
 10.0 ↓ 10.3 * 9.7 ↗ 8.8 ↓ 9.4 ↗
beste Teiler 161.4 (5.) 168.6 (7.) 229.1 (6.)
Trefferlage 1.53 mm rechts, 1.70 mm tief
Streuwert 2.49, horizontal: 2.00, vertikal: 2.91



Serie 2:
 9.3 ↗ 9.7 ↗ 9.2 ↘ 8.4 ← 9.3 →
 8.7 ↑ 9.2 ↗ 8.6 ↘ 8.9 ↘ 9.6 ↑
beste Teiler 315.2 (12.) 331.4 (20.) 412.4 (11.)
Trefferlage 0.47 mm links, 0.04 mm tief
Streuwert 3.53, horizontal: 3.42, vertikal: 3.63



Serie 3:
 9.2 ↗ 9.1 ↘ 10.0 ↘ 9.9 ↘ 7.5 ←
 8.7 → 9.4 ↘ 9.6 ← 10.4 * 10.0 ↓
beste Teiler 145.2 (29.) 228.6 (30.) 230.4 (23.)
Trefferlage 0.97 mm links, 0.53 mm tief
Streuwert 3.15, horizontal: 3.81, vertikal: 2.30





Serie 4:
 10.2 * 9.6 ↘ 10.4 * 8.3 ↓ 9.5 ↘
 9.3 ↓ 9.2 ↓ 8.3 → 10.5 * 9.0 →
beste Teiler 125.2 (39.) 141.0 (33.) 188.6 (31.)
Trefferlage 1.12 mm rechts, 1.76 mm tief
Streuwert 2.74, horizontal: 2.96, vertikal: 2.50

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **141** (149.6)
 Serien: 73 68
 Zähler: 1 4 6 1 3 4 0 0 1 0
 Innenzehner: 1
 weiteste: 2124 (8), 1335 (7), 1332 (12)
 beste Teiler 196.9 (1.) 334.8 (11.) 392.6 (4.)
 Trefferlage 0.92 mm links, 1.44 mm hoch
 Streuwert 6.99, horizontal: 8.37, vertikal: 5.25



Serie 1:

10.2 *

8.1 ↗

8.5 ↑

9.4 ↗

8.4 ←

9.0 →

5.6 ↘

2.5 →

5.7 ←

9.1 ↘

beste Teiler


196.9 (1.) 392.6 (4.) 462.9 (10.)

Trefferlage

0.55 mm rechts, 1.67 mm hoch

Streuwert

7.32, horizontal: 9.15, vertikal: 4.84



Serie 2:

9.6 ↘

5.6 ←

8.3 ↑

6.5 ↗

5.8 ←

8.3 ↑

7.6 ↘

6.5 ↘

6.5 ↘

8.4 ←

beste Teiler

334.8 (11.) 627.0 (20.) 656.1 (13.)

Trefferlage



2.40 mm links, 1.22 mm hoch

Streuwert


6.86, horizontal: 7.71, vertikal: 5.88

Unterschrift des Schützen


Ergebnis: 351 (368.7)
Serien: 88 89 87 87
Zähler: 10 16 11 1 2 0 0 0 0 0
Innenzehner: 6
weiteste: 1018 (21), 1001 (13), 794 (40)
beste Teiler 54.1 (25.) 64.8 (27.) 125.2 (37.)
Trefferlage 0.31 mm links, 0.40 mm hoch
Streuwert 3.46, horizontal: 4.13, vertikal: 2.64




Serie 1:
 10.0 ↙ 8.3 ← 9.6 ↙ 8.4 ↗ 10.0 ↘
 8.9 ← 9.8 ↑ 9.3 ↑ 9.2 ↘ 8.7 ↗
beste Teiler 236.9 (5.) 246.7 (1.) 284.2 (7.)
Trefferlage 0.58 mm links, 0.96 mm hoch
Streuwert 3.31, horizontal: 3.59, vertikal: 3.01



Serie 2:
 10.3 * 8.1 ↖ 6.9 → 9.6 ↙ 9.9 ↖
 9.5 ↑ 9.3 ↘ 9.1 ↙ 10.3 * 10.1 ↑
beste Teiler 168.7 (11.) 172.7 (19.) 209.4 (20.)
Trefferlage 0.91 mm links, 0.85 mm hoch
Streuwert 3.46, horizontal: 4.35, vertikal: 2.24





Serie 3:
 6.9 ↖ 9.1 ↖ 8.6 ↗ 8.9 ↘ 10.7 *
 8.7 ← 10.7 * 9.2 ← 10.3 * 9.4 ↓
beste Teiler 54.1 (25.) 64.8 (27.) 169.7 (29.)
Trefferlage 1.25 mm links, 0.07 mm hoch
Streuwert 3.62, horizontal: 4.29, vertikal: 2.79



Serie 4:
 9.1 ↘ 9.1 ↗ 8.6 ↙ 10.1 ↘ 8.5 ↖
 9.3 → 10.5 * 8.4 → 9.5 ↓ 7.8 →
beste Teiler 125.2 (37.) 203.0 (34.) 352.2 (39.)
Trefferlage 1.48 mm rechts, 0.29 mm tief
Streuwert 3.58, horizontal: 4.31, vertikal: 2.67


Unterschrift des Schützen

Ergebnis: 342 (362.8)
Serien: 84 84 88 86
Zähler: 5 16 16 2 1 0 0 0 0 0
Innenzehner: 5
weiteste: 1067 (21), 815 (9), 773 (17)
beste Teiler 45.3 (33.) 91.5 (16.) 101.0 (25.)
Trefferlage 0.01 mm rechts, 0.32 mm hoch
Streuwert 3.70, horizontal: 4.26, vertikal: 3.04


Serie 1:


8.9 ← 10.3 * 9.1 ↘ 8.2 ↘ 8.9 ↘
 8.3 ↘ 9.5 ↓ 9.4 ↑ 7.7 → 8.1 ←

beste Teiler 159.3 (2.) 351.0 (7.) 376.2 (8.)
Trefferlage 1.69 mm links, 0.80 mm hoch
Streuwert 3.92, horizontal: 4.89, vertikal: 2.61


Serie 2:


8.6 → 8.0 → 8.4 ↘ 8.9 ↘ 9.6 ↘
 10.6 * 7.9 ← 9.2 ↗ 8.9 ↗ 9.4 →

beste Teiler 91.5 (16.) 328.9 (15.) 377.9 (20.)
Trefferlage 0.40 mm rechts, 0.77 mm hoch
Streuwert 3.97, horizontal: 5.28, vertikal: 1.91


Serie 3:

6.7 ↘ 8.0 ↓ 9.0 ↘ 9.2 ↑ 10.5 *
 10.2 * 9.6 ↓ 9.8 ↘ 9.4 ↑ 9.8 ←

beste Teiler 101.0 (25.) 198.2 (26.) 283.1 (30.)
Trefferlage 0.23 mm rechts, 0.84 mm tief
Streuwert 3.75, horizontal: 3.57, vertikal: 3.93


Serie 4:



9.9 ↗ 9.4 ↘ 10.8 * 8.4 → 9.9 ↑
 8.8 ↘ 9.6 ↑ 8.5 ↑ 8.6 → 8.8 ↗

beste Teiler 45.3 (33.) 258.4 (31.) 261.7 (35.)
Trefferlage 1.09 mm rechts, 0.56 mm hoch
Streuwert 3.30, horizontal: 3.09, vertikal: 3.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 373 (390.5)
Serien: 89 96 97 91
Zähler: 18 17 5 0 0 0 0 0 0 0
Innenzehner: 15
weiteste: 702 (3), 680 (5), 608 (38)
beste Teiler 9.8 (2.) 77.4 (32.) 93.4 (13.)
Trefferlage 0.62 mm links, 0.85 mm tief
Streuwert 2.34, horizontal: 2.76, vertikal: 1.81




Serie 1:
 9.2 ← 10.9 * 8.1 ← 9.2 ← 8.2 ↙
 8.7 ↓ 9.7 ↓ 9.8 ↘ 10.4 * 9.9 ←
beste Teiler 9.8 (2.) 139.3 (9.) 259.3 (10.)
Trefferlage 2.16 mm links, 1.78 mm tief
Streuwert 2.49, horizontal: 2.98, vertikal: 1.87



Serie 2:
 9.7 ↓ 9.0 ↓ 10.6 * 9.6 ↑ 10.3 *
 10.2 * 9.7 → 10.5 * 10.1 ↗ 10.3 *
beste Teiler 93.4 (13.) 125.8 (18.) 153.7 (20.)
Trefferlage 0.37 mm rechts, 0.59 mm tief
Streuwert 1.89, horizontal: 1.37, vertikal: 2.30



Serie 3:
 10.3 * 10.3 * 10.5 * 9.0 ↖ 10.3 *
 10.5 * 9.9 ← 10.1 → 9.0 → 10.0 →
beste Teiler 118.0 (26.) 118.2 (23.) 153.4 (22.)
Trefferlage 0.61 mm rechts, 0.58 mm tief
Streuwert 1.96, horizontal: 2.55, vertikal: 1.08





Serie 4:
 9.8 → 10.6 * 9.1 ↘ 10.5 * 10.3 *
 9.4 ↓ 8.8 ← 8.5 ← 9.6 ← 9.9 →
beste Teiler 77.4 (32.) 116.2 (34.) 170.4 (35.)
Trefferlage 1.33 mm links, 0.44 mm tief
Streuwert 2.52, horizontal: 3.12, vertikal: 1.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (397.2)
 Serien: 97 93 95 93
 Zähler: 22 14 4 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 607 (13), 543 (40), 508 (18)
 beste Teiler 14.2 (37.) 14.3 (23.) 36.0 (4.)
 Trefferlage 0.07 mm rechts, 0.38 mm tief
 Streuwert 2.13, horizontal: 2.02, vertikal: 2.22




Serie 1:
 10.2 * 9.2 ← 10.4 * 10.8 * 9.7 ↑
 10.1 ↘ 9.5 ↑ 10.4 * 10.4 * 10.1 ←
 beste Teiler 36.0 (4.) 139.5 (3.) 140.4 (8.)
 Trefferlage 0.67 mm links, 0.76 mm hoch
 Streuwert 1.64, horizontal: 1.64, vertikal: 1.64



Serie 2:
 9.3 ↘ 10.7 * 8.5 ↘ 9.1 ↘ 10.7 *
 10.5 * 10.2 * 8.9 ↘ 9.4 → 10.0 ↓
 beste Teiler 55.8 (15.) 74.0 (12.) 116.9 (16.)
 Trefferlage 1.11 mm rechts, 1.59 mm tief
 Streuwert 2.25, horizontal: 1.78, vertikal: 2.64



Serie 3:
 10.2 * 9.7 ↘ 10.9 * 9.6 ↘ 8.9 ↘
 10.4 * 10.2 * 9.8 ← 10.2 * 10.5 *
 beste Teiler 14.3 (23.) 108.1 (30.) 148.0 (26.)
 Trefferlage 0.43 mm links, 0.01 mm tief
 Streuwert 1.93, horizontal: 1.71, vertikal: 2.13





Serie 4:
 9.6 ↘ 10.2 * 9.5 ← 9.1 → 10.6 *
 9.4 ↓ 10.9 * 9.9 → 10.7 * 8.8 ↘
 beste Teiler 14.2 (37.) 67.2 (39.) 86.4 (35.)
 Trefferlage 0.28 mm rechts, 0.70 mm tief
 Streuwert 2.31, horizontal: 2.61, vertikal: 1.96

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **124** (130.8)
 Serien: 61 63
 Zähler: 2 3 0 3 2 7 2 0 0 1
 Innenzehner: 1
 weiteste: 2442 (17), 1708 (10), 1508 (6)
 beste Teiler 140.6 (1.) 224.5 (14.) 377.3 (8.)
 Trefferlage 1.72 mm links, 3.75 mm tief
 Streuwert 8.43, horizontal: 8.41, vertikal: 8.46



Serie 1:

10.4 * 5.6 ↙ 7.8 → 6.3 ← 6.0 ↘
 4.9 ↓ 5.5 ← 9.4 ↗ 5.0 ↘ 4.1 ↓

beste Teiler 140.6 (1.) 377.3 (8.) 796.9 (3.)
 Trefferlage 0.03 mm rechts, 5.98 mm tief
 Streuwert 7.87, horizontal: 8.31, vertikal: 7.41





Serie 2:

5.2 ↓ 5.3 ↓ 5.6 ↙ 10.1 ↙ 5.9 ↗
 9.0 ↗ 1.2 ↘ 7.1 → 7.3 ← 9.1 ←


beste Teiler 224.5 (14.) 467.5 (20.) 485.2 (16.)
 Trefferlage 3.49 mm links, 1.52 mm tief
 Streuwert 8.90, horizontal: 8.57, vertikal: 9.22

Unterschrift des Schützen


Ergebnis: 269 (287.4)
Serien: 68 68 67 66
Zähler: 1 6 10 8 6 2 4 2 0 1
Innenzehner: 1
weiteste: 2305 (15), 1960 (33), 1753 (25)
beste Teiler 83.8 (16.) 333.3 (37.) 381.5 (35.)
Trefferlage 0.58 mm rechts, 3.25 mm tief
Streuwert 7.23, horizontal: 7.10, vertikal: 7.36




Serie 1:
4.2 ↓ 4.9 ↓ 6.7 ↓ 8.3 ↘ 9.3 ↗
8.8 ↙ 6.4 ↓ 8.0 ↑ 8.0 ↑ 7.2 →
beste Teiler 406.8 (5.) 526.9 (6.) 674.0 (4.)
Trefferlage 1.06 mm rechts, 3.82 mm tief
Streuwert 7.02, horizontal: 4.35, vertikal: 8.92



Serie 2:
8.4 ↓ 8.9 → 7.8 ↗ 5.8 ↙ 1.7 ↙
10.6 * 9.1 ↑ 8.6 ↓ 6.0 ↘ 6.6 ↓
beste Teiler 83.8 (16.) 458.0 (17.) 520.9 (12.)
Trefferlage 2.49 mm links, 2.53 mm tief
Streuwert 7.56, horizontal: 7.22, vertikal: 7.88



Serie 3:
6.5 ↘ 5.3 ↘ 9.0 ↖ 8.6 → 3.9 →
8.2 ↙ 4.3 ← 8.7 ↓ 9.3 ↑ 7.6 ↑
beste Teiler 414.4 (29.) 498.4 (23.) 569.0 (28.)
Trefferlage 2.25 mm rechts, 1.55 mm tief
Streuwert 7.67, horizontal: 9.17, vertikal: 5.79





Serie 4:
7.6 ↘ 7.6 ↘ 3.1 ↓ 6.1 ↘ 9.4 ↙
7.7 ↘ 9.6 → 7.9 ↓ 4.2 ↙ 7.5 →
beste Teiler 333.3 (37.) 381.5 (35.) 761.9 (38.)
Trefferlage 1.50 mm rechts, 5.09 mm tief
Streuwert 7.07, horizontal: 6.94, vertikal: 7.19

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 294 (314.1)
Serien: 78 70 74 72
Zähler: 2 9 9 6 11 2 0 1 0 0
Innenzehner: 2
weiteste: 1754 (32), 1391 (16), 1310 (28)
beste Teiler 101.0 (30.) 157.0 (38.) 256.1 (7.)
Trefferlage 1.20 mm links, 0.77 mm hoch
Streuwert 6.08, horizontal: 6.31, vertikal: 5.83


Serie 1:


9.7 ↘ 8.8 ↙ 8.1 ← 6.6 → 9.2 ↗
 7.1 ↑ 9.9 ↘ 7.8 ↗ 7.4 → 8.3 ↓

beste Teiler 256.1 (7.) 321.2 (1.) 428.4 (5.)
Trefferlage 1.28 mm rechts, 0.77 mm hoch
Streuwert 5.23, horizontal: 5.71, vertikal: 4.70


Serie 2:


8.9 ↘ 9.5 → 6.6 ↘ 6.4 ↑ 6.9 ↘
 5.4 ← 8.0 ← 6.7 ↘ 9.3 ← 7.6 ↗

beste Teiler 354.0 (12.) 413.4 (19.) 523.7 (11.)
Trefferlage 5.36 mm links, 2.77 mm hoch
Streuwert 5.15, horizontal: 5.07, vertikal: 5.23


Serie 3:

8.4 ↙ 6.2 → 7.8 ← 7.4 ↘ 6.0 ↓
 9.4 ↘ 8.9 → 5.7 ↘ 8.4 ↗ 10.5 *

beste Teiler 101.0 (30.) 376.9 (26.) 515.5 (27.)
Trefferlage 0.54 mm links, 2.63 mm tief
Streuwert 6.05, horizontal: 7.03, vertikal: 4.88




Serie 4:

6.9 ↗ 3.9 ↑ 9.0 ↗ 9.8 ↗ 9.7 ↑
 6.3 ↘ 6.8 → 10.3 * 8.1 → 6.4 ↗


beste Teiler 157.0 (38.) 277.7 (34.) 312.8 (35.)
Trefferlage 0.21 mm links, 2.17 mm hoch
Streuwert 6.77, horizontal: 6.11, vertikal: 7.37

Unterschrift des Schützen


Ergebnis:	363									(380.3)
Serien:	90		91		90		92			
Zähler:	12	19	9	0	0	0	0	0	0	0
Innenzehner:	6									
weiteste:	654 (25), 621 (29), 587 (8)									
beste Teiler	75.0 (36.) 144.2 (39.) 166.4 (7.)									
Trefferlage	0.21 mm rechts, 1.60 mm tief									
Streuwert	2.55, horizontal: 2.59, vertikal: 2.50									




Serie 1:				
9.0 ↘	8.9 ←	9.1 ↗	9.6 ↘	10.1 →
8.8 ↖	10.3 *	8.6 ↙	10.3 *	9.8 ↙
beste Teiler	166.4 (7.)	173.4 (9.)	221.7 (5.)	
Trefferlage	0.96 mm links, 0.87 mm tief			
Streuwert	2.86, horizontal: 2.51, vertikal: 3.18			



Serie 2:	9.3 ↖	9.3 ↓	9.4 ↓	10.1 ↓	8.8 ↘
	10.1 ↗	9.4 →	9.7 ↘	9.0 ←	9.9 →
beste Teiler	208.7 (16.)	220.6 (14.)	251.3 (20.)		
Trefferlage	0.67 mm rechts, 1.23 mm tief				
Streuwert	2.61, horizontal: 2.86, vertikal: 2.34				





Serie 3:	9.9 ↗	9.0 ↖	9.2 ↓	8.8 ↓	8.3 ↘
	10.1 ↙	10.1 ↗	9.6 ↓	8.5 ↓	10.2 *
beste Teiler	197.3 (30.)	215.9 (27.)	225.2 (26.)		
Trefferlage	0.64 mm rechts, 2.69 mm tief				
Streuwert	2.48, horizontal: 2.61, vertikal: 2.35				




Serie 4:	9.9 ↓	9.2 ↓	9.5 ↙	9.3 ←	10.1 →
	10.7 *	8.9 ↘	10.2 *	10.4 *	8.9 ↘
beste Teiler	75.0 (36.)	144.2 (39.)	176.7 (38.)		
Trefferlage	0.51 mm rechts, 1.63 mm tief				
Streuwert	2.21, horizontal: 2.39, vertikal: 2.01				

Unterschrift des Schützen


Ergebnis: **385** (401.9)^{QF}
 Serien: 99 96 95 95
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 705 (21), 394 (39), 377 (13)
 beste Teiler 36.7 (29.) 64.6 (14.) 66.4 (17.)
 Trefferlage 0.39 mm rechts, 0.95 mm hoch
 Streuwert 1.69, horizontal: 1.78, vertikal: 1.59




Serie 1:
 9.5 ↗ 10.0 ↗ 10.4 * 10.1 ← 10.4 *
 10.2 * 10.3 * 10.1 ↑ 10.3 * 10.4 *
 beste Teiler 131.4 (5.) 137.3 (10.) 150.5 (3.)
 Trefferlage 0.11 mm links, 1.06 mm hoch
 Streuwert 1.30, horizontal: 1.15, vertikal: 1.43



Serie 2:
 10.5 * 10.0 ↗ 9.4 ↗ 10.7 * 9.6 ↗
 9.5 → 10.7 * 10.0 ↓ 10.4 * 9.9 ↑
 beste Teiler 64.6 (14.) 66.4 (17.) 104.6 (11.)
 Trefferlage 1.11 mm rechts, 1.00 mm hoch
 Streuwert 1.49, horizontal: 1.41, vertikal: 1.57



Serie 3:
 8.1 ↘ 9.8 ↑ 9.7 ↗ 9.8 ↗ 10.6 *
 10.2 * 10.1 ← 10.2 * 10.8 * 10.3 *
 beste Teiler 36.7 (29.) 93.3 (25.) 163.2 (30.)
 Trefferlage 0.54 mm rechts, 0.94 mm hoch
 Streuwert 2.12, horizontal: 2.29, vertikal: 1.93



Serie 4:
 10.5 * 10.0 ↗ 9.8 ↗ 9.4 ← 9.9 ↗
 10.5 * 9.9 ↑ 10.3 * 9.4 ↘ 10.2 *
 beste Teiler 104.6 (36.) 106.7 (31.) 156.3 (38.)
 Trefferlage 0.02 mm rechts, 0.78 mm hoch
 Streuwert 1.83, horizontal: 2.03, vertikal: 1.62



QF

– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 361 (378.3)
Serien: 88 91 92 90
Zähler: 9 25 5 0 1 0 0 0 0 0
Innenzehner: 5
weiteste: 1142 (6), 692 (28), 590 (38)
beste Teiler 36.0 (33.) 90.1 (8.) 160.6 (30.)
Trefferlage 0.10 mm links, 0.52 mm tief
Streuwert 2.96, horizontal: 3.27, vertikal: 2.61


Serie 1:


9.6 ↑ 9.7 ↑ 9.8 ↗ 9.7 ↘ 9.2 ↘
 6.4 ↘ 10.1 ↑ 10.6 * 8.6 ↙ 9.6 ↘

beste Teiler 90.1 (8.) 225.8 (7.) 290.3 (3.)
Trefferlage 1.11 mm rechts, 0.11 mm tief
Streuwert 3.57, horizontal: 3.76, vertikal: 3.36


Serie 2:


9.6 ↙ 9.3 ↖ 9.4 ↘ 8.9 ↘ 9.1 ↓
 8.7 ↖ 10.0 ↑ 10.3 * 10.2 * 9.2 ←

beste Teiler 165.0 (18.) 177.3 (19.) 245.0 (17.)
Trefferlage 0.41 mm links, 0.86 mm tief
Streuwert 2.86, horizontal: 3.28, vertikal: 2.35


Serie 3:

9.4 ← 9.4 ↙ 9.2 ← 10.0 ↘ 9.7 →
 10.0 ↓ 9.8 ↗ 8.2 ↙ 9.1 → 10.3 *

beste Teiler 160.6 (30.) 227.4 (24.) 244.8 (26.)
Trefferlage 0.24 mm links, 0.80 mm tief
Streuwert 2.82, horizontal: 3.48, vertikal: 1.95




Serie 4:

9.7 ↙ 9.3 ← 10.8 * 9.4 ↘ 9.2 ↗
 9.3 ← 9.5 ↑ 8.6 ↓ 9.7 ↓ 9.7 →


beste Teiler 36.0 (33.) 302.3 (31.) 305.6 (40.)
Trefferlage 0.86 mm links, 0.31 mm tief
Streuwert 2.77, horizontal: 2.64, vertikal: 2.89

Unterschrift des Schützen


Ergebnis: 386 (404.3)^{QF}
Serien: 94 99 98 95
Zähler: 27 12 1 0 0 0 0 0 0 0
Innenzehner: 22
weiteste: 610 (10), 405 (5), 394 (31)
beste Teiler 14.0 (27.) 25.0 (23.) 39.5 (24.)
Trefferlage 0.17 mm links, 0.20 mm hoch
Streuwert 1.74, horizontal: 2.06, vertikal: 1.35




Serie 1:
 10.2 * 10.5 * 10.4 * 9.9 ↗ 9.3 ←
 10.0 ↘ 9.7 ↘ 9.9 → 10.2 * 8.5 →
beste Teiler 116.7 (2.) 146.8 (3.) 192.5 (9.)
Trefferlage 0.45 mm links, 0.17 mm hoch
Streuwert 2.27, horizontal: 2.96, vertikal: 1.24



Serie 2:
 10.6 * 10.3 * 10.0 ↘ 10.5 * 10.3 *
 10.2 * 9.5 → 10.0 ↑ 10.0 → 10.5 *
beste Teiler 80.8 (11.) 112.0 (14.) 114.1 (20.)
Trefferlage 0.53 mm rechts, 0.15 mm tief
Streuwert 1.48, horizontal: 1.72, vertikal: 1.20



Serie 3:
 10.2 * 10.6 * 10.9 * 10.8 * 9.9 ↗
 10.0 → 10.9 * 9.7 ↑ 10.2 * 10.6 *
beste Teiler 14.0 (27.) 25.0 (23.) 39.5 (24.)
Trefferlage 0.42 mm rechts, 0.05 mm hoch
Streuwert 1.29, horizontal: 1.37, vertikal: 1.21





Serie 4:
 9.4 ↘ 10.4 * 9.5 ↘ 10.7 * 9.6 ↗
 9.9 ↓ 10.2 * 10.4 * 9.5 ← 10.4 *
beste Teiler 73.8 (34.) 126.6 (32.) 141.6 (40.)
Trefferlage 1.21 mm links, 0.73 mm hoch
Streuwert 1.67, horizontal: 1.60, vertikal: 1.73

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: 391 (409.3)^{QF}
Serien: 97 99 99 96
Zähler: 31 9 0 0 0 0 0 0 0 0
Innenzehner: 27
weiteste: 408 (38), 367 (37), 356 (4)
beste Teiler 32.0 (30.) 39.6 (35.) 63.1 (40.)
Trefferlage 0.09 mm rechts, 0.34 mm tief
Streuwert 1.44, horizontal: 1.58, vertikal: 1.30




Serie 1:
 10.3 * 10.5 * 9.6 ↘ 9.5 ↗ 10.1 ↖
 10.3 * 10.6 * 9.7 ↓ 10.7 * 10.5 *
beste Teiler 70.0 (9.) 98.0 (7.) 109.6 (10.)
Trefferlage 0.73 mm links, 0.20 mm hoch
Streuwert 1.50, horizontal: 1.50, vertikal: 1.50



Serie 2:
 10.3 * 10.5 * 10.6 * 10.2 * 10.2 *
 10.3 * 10.6 * 10.5 * 9.8 → 10.4 *
beste Teiler 79.4 (13.) 93.0 (17.) 116.1 (12.)
Trefferlage 0.35 mm rechts, 0.11 mm tief
Streuwert 1.17, horizontal: 1.23, vertikal: 1.10



Serie 3:
 10.7 * 10.1 ↘ 9.7 ↘ 10.0 ↓ 10.2 *
 10.2 * 10.3 * 10.7 * 10.0 ← 10.8 *
beste Teiler 32.0 (30.) 67.2 (21.) 67.4 (28.)
Trefferlage 0.12 mm rechts, 0.76 mm tief
Streuwert 1.32, horizontal: 1.47, vertikal: 1.16





Serie 4:
 10.4 * 9.6 → 9.8 ↘ 10.4 * 10.8 *
 10.5 * 9.5 ↖ 9.3 ↘ 10.4 * 10.7 *
beste Teiler 39.6 (35.) 63.1 (40.) 106.1 (36.)
Trefferlage 0.62 mm rechts, 0.70 mm tief
Streuwert 1.65, horizontal: 1.92, vertikal: 1.34

QF


– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: 386 (402.6)_{QF}
Serien: 96 98 99 93
Zähler: 27 12 1 0 0 0 0 0 0
Innenzehner: 18
weiteste: 592 (34), 456 (6), 414 (4)
beste Teiler 37.1 (9.) 70.4 (25.) 74.0 (18.)
Trefferlage 0.57 mm rechts, 0.24 mm hoch
Streuwert 1.74, horizontal: 1.95, vertikal: 1.51




Serie 1:
 10.1 ↘ 10.0 ↖ 9.4 ↗ 9.3 ↖ 10.4 *
 9.1 → 9.9 → 10.1 ↓ 10.8 * 10.2 *
beste Teiler 37.1 (9.) 133.0 (5.) 183.3 (10.)
Trefferlage 0.72 mm rechts, 0.36 mm hoch
Streuwert 2.03, horizontal: 2.42, vertikal: 1.56



Serie 2:
 10.4 * 10.6 * 9.9 ↗ 9.4 → 10.0 ↘
 10.4 * 10.0 ↘ 10.7 * 10.3 * 10.1 ↘
beste Teiler 74.0 (18.) 86.9 (12.) 141.3 (16.)
Trefferlage 1.14 mm rechts, 0.15 mm tief
Streuwert 1.35, horizontal: 1.25, vertikal: 1.44



Serie 3:
 10.1 ↘ 10.6 * 10.4 * 10.5 * 10.7 *
 10.5 * 10.3 * 9.5 ↗ 10.3 * 10.3 *
beste Teiler 70.4 (25.) 77.1 (22.) 119.8 (24.)
Trefferlage 0.67 mm rechts, 0.25 mm hoch
Streuwert 1.20, horizontal: 1.18, vertikal: 1.21



Serie 4:
 9.8 ↖ 9.8 → 9.5 ↖ 8.6 ↖ 10.0 ↓
 10.7 * 10.1 ↗ 9.7 ↖ 10.2 * 9.9 ↗
beste Teiler 74.0 (36.) 192.0 (39.) 206.2 (37.)
Trefferlage 0.22 mm links, 0.52 mm hoch
Streuwert 2.25, horizontal: 2.56, vertikal: 1.90

QF

– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik