





Ergebnis: **253.9** (240)
 Serien: 85.6 88.2 80.1
 Zähler: 1 12 7 8 1 0 1 0 0 0
 Innenzehner: 0
 weiteste: 4923 (10), 3284 (23), 3011 (20)
 beste Teiler 731.6 (7.) 829.4 (18.) 945.6 (12.)
 Trefferlage 14.87 mm links, 6.11 mm tief
 Streuwert 10.64, horizontal: 12.49, vertikal: 8.39



Serie 1:
 8.7 ← 9.5 ← 9.0 ← 8.2 ↙ 8.4 ←
 9.7 ← 10.0 ↘ 7.8 ← 9.5 ↓ 4.8 ←
 beste Teiler 731.6 (7.) 1011.9 (6.) 1173.5 (9.)
 Trefferlage 16.39 mm links, 6.16 mm tief
 Streuwert 10.35, horizontal: 13.34, vertikal: 6.01





Serie 2:
 9.4 ↓ 9.8 ↙ 9.4 ↙ 7.3 ← 9.0 ↖
 7.9 ↙ 8.6 ↖ 9.9 ↘ 9.7 ↘ 7.2 ←
 beste Teiler 829.4 (18.) 945.6 (12.) 1000.8 (19.)
 Trefferlage 12.93 mm links, 2.88 mm tief
 Streuwert 9.87, horizontal: 10.74, vertikal: 8.91




Serie 3:
 7.6 ↙ 7.7 ← 6.8 ← 9.0 ↙ 7.3 ←
 7.7 ↙ 8.0 ← 8.6 ↓ 9.0 ← 8.4 ↓
 beste Teiler 1523.2 (24.) 1592.4 (29.) 1866.2 (28.)
 Trefferlage 15.30 mm links, 9.30 mm tief
 Streuwert 12.05, horizontal: 14.22, vertikal: 9.40

Unterschrift des Schützen


Ergebnis: **298.9** (285)
 Serien: 98.7 102.0 98.2
 Zähler: 18 9 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2037 (30), 1777 (4), 1733 (7)
 beste Teiler 203.7 (18.) 225.0 (25.) 256.0 (13.)
 Trefferlage 1.19 mm links, 1.01 mm tief
 Streuwert 6.57, horizontal: 7.35, vertikal: 5.70



Serie 1:
 9.8 ← 10.5 * 10.5 * 8.7 ↘ 10.1 ↖
 9.4 ← 8.8 ↖ 10.4 * 10.5 * 10.0 →
 beste Teiler 322.8 (2.) 383.2 (9.) 390.0 (3.)
 Trefferlage 2.71 mm links, 0.17 mm tief
 Streuwert 7.30, horizontal: 8.56, vertikal: 5.75



Serie 2:
 9.5 ↙ 10.4 * 10.6 * 10.6 * 10.0 ↓
 10.0 ↗ 9.7 ↓ 10.7 * 10.4 * 10.1 →
 beste Teiler 203.7 (18.) 256.0 (13.) 300.0 (14.)
 Trefferlage 0.72 mm rechts, 2.14 mm tief
 Streuwert 4.84, horizontal: 4.89, vertikal: 4.79





Serie 3:
 10.0 ↗ 9.9 ← 10.3 ← 9.4 ↘ 10.7 *
 9.8 ↓ 9.4 ← 9.9 → 10.4 * 8.4 ↖
 beste Teiler 225.0 (25.) 449.5 (29.) 534.0 (23.)
 Trefferlage 1.59 mm links, 0.71 mm tief
 Streuwert 7.62, horizontal: 8.35, vertikal: 6.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **277.8** (265)
 Serien: 91.9 92.7 93.2
 Zähler: 5 15 10 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2339 (8), 2260 (28), 2202 (15)
 beste Teiler 243.2 (21.) 464.5 (23.) 477.1 (11.)
 Trefferlage 0.70 mm rechts, 1.15 mm tief
 Streuwert 10.58, horizontal: 11.45, vertikal: 9.64



Serie 1:
 8.6 → 9.1 ↘ 9.5 ↘ 10.3 ↙ 9.2 ↘
 9.9 ↑ 9.5 ↖ 8.0 → 9.3 ↖ 8.5 →
 beste Teiler 552.0 (4.) 804.0 (6.) 1194.4 (3.)
 Trefferlage 6.21 mm rechts, 2.00 mm tief
 Streuwert 10.08, horizontal: 11.13, vertikal: 8.91



Serie 2:
 10.4 * 8.4 ↙ 9.5 ↙ 8.5 → 8.2 ↘
 9.7 → 9.9 → 9.6 → 9.3 ↖ 9.2 ↖
 beste Teiler 477.1 (11.) 828.7 (17.) 977.6 (16.)
 Trefferlage 2.60 mm rechts, 3.66 mm tief
 Streuwert 10.27, horizontal: 11.18, vertikal: 9.26





Serie 3:
 10.6 * 10.2 → 10.4 * 9.1 ← 9.7 ↖
 8.4 ↑ 9.6 ↙ 8.1 ↙ 8.5 ↖ 8.6 ↑
 beste Teiler 243.2 (21.) 464.5 (23.) 638.1 (22.)
 Trefferlage 6.70 mm links, 2.20 mm hoch
 Streuwert 9.71, horizontal: 8.64, vertikal: 10.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **286.3** (273)
 Serien: 97.5 98.1 90.7
 Zähler: 11 12 6 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2691 (29), 2199 (22), 2040 (26)
 beste Teiler 58.6 (14.) 115.2 (9.) 270.7 (18.)
 Trefferlage 1.85 mm rechts, 6.75 mm tief
 Streuwert 7.82, horizontal: 7.93, vertikal: 7.72



Serie 1:
 9.8 ↘ 8.6 ↓ 10.2 ← 9.0 ↘ 9.8 ↓
 10.1 ↖ 10.0 ↓ 9.5 ↗ 10.8 * 9.7 ↘
 beste Teiler 115.2 (9.) 623.8 (3.) 683.5 (6.)
 Trefferlage 0.83 mm rechts, 6.08 mm tief
 Streuwert 6.57, horizontal: 7.23, vertikal: 5.84





Serie 2:
 10.2 ↗ 10.0 ↘ 9.5 ↖ 10.9 * 9.4 ↗
 9.4 ↓ 9.1 ↖ 10.6 * 8.7 ↘ 10.3 *
 beste Teiler 58.6 (14.) 270.7 (18.) 484.7 (20.)
 Trefferlage 1.62 mm rechts, 1.94 mm tief
 Streuwert 7.68, horizontal: 8.39, vertikal: 6.90




Serie 3:
 10.1 ↓ 8.2 ↓ 9.6 ↓ 9.0 ↘ 10.4 *
 8.4 ↘ 9.8 ↖ 8.9 ↓ 7.6 ↓ 8.7 ↓
 beste Teiler 446.5 (25.) 700.4 (21.) 931.4 (27.)
 Trefferlage 3.10 mm rechts, 12.25 mm tief
 Streuwert 7.98, horizontal: 8.77, vertikal: 7.10

Unterschrift des Schützen


Ergebnis: **298.9** (286)
 Serien: 98.1 99.3 101.5
 Zähler: 19 8 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2013 (4), 1734 (6), 1665 (11)
 beste Teiler 136.9 (21.) 199.4 (25.) 282.0 (14.)
 Trefferlage 2.44 mm links, 1.15 mm hoch
 Streuwert 6.36, horizontal: 7.71, vertikal: 4.63



Serie 1:
 9.0 ↘ 10.4 * 10.4 * 8.4 ↘ 10.6 *
 8.8 ↘ 10.2 ↘ 10.1 ← 10.3 * 9.9 ←
 beste Teiler 295.0 (5.) 455.6 (2.) 479.2 (3.)
 Trefferlage 5.64 mm links, 2.79 mm hoch
 Streuwert 6.58, horizontal: 7.66, vertikal: 5.28





Serie 2:
 8.9 ← 10.5 * 9.3 ← 10.6 * 10.1 ←
 9.9 ↑ 9.9 ← 10.0 ← 10.0 ↑ 10.1 ↘
 beste Teiler 282.0 (14.) 348.3 (12.) 689.6 (20.)
 Trefferlage 4.98 mm links, 0.86 mm hoch
 Streuwert 5.64, horizontal: 6.53, vertikal: 4.58




Serie 3:
 10.8 * 10.1 ← 10.1 → 10.0 ↓ 10.7 *
 10.6 * 9.6 → 9.4 → 9.8 ↘ 10.4 *
 beste Teiler 136.9 (21.) 199.4 (25.) 286.5 (26.)
 Trefferlage 3.30 mm rechts, 0.20 mm tief
 Streuwert 4.99, horizontal: 5.90, vertikal: 3.88

Unterschrift des Schützen


Ergebnis: **294.5** (281)
 Serien: 97.5 99.4 97.6
 Zähler: 13 15 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2000 (27), 1680 (2), 1437 (28)
 beste Teiler 79.2 (29.) 104.2 (26.) 217.5 (9.)
 Trefferlage 0.83 mm links, 0.54 mm tief
 Streuwert 7.36, horizontal: 7.28, vertikal: 7.43



Serie 1:
 10.0 ↙ 8.9 ↘ 10.0 ↘ 9.3 ↑ 9.6 →
 10.6 * 9.7 ↙ 9.2 ↘ 10.7 * 9.5 ↗
 beste Teiler 217.5 (9.) 274.7 (6.) 751.9 (3.)
 Trefferlage 3.15 mm rechts, 2.04 mm tief
 Streuwert 7.43, horizontal: 7.50, vertikal: 7.36





Serie 2:
 10.4 * 10.2 ↖ 9.2 ← 10.0 ↘ 10.0 ↓
 10.2 ↙ 9.7 ↑ 9.3 ↙ 10.6 * 9.8 ↖
 beste Teiler 273.7 (19.) 427.5 (11.) 606.0 (12.)
 Trefferlage 3.62 mm links, 0.36 mm tief
 Streuwert 5.92, horizontal: 5.78, vertikal: 6.06




Serie 3:
 10.4 * 9.7 ↘ 9.9 ↗ 9.5 ↙ 9.3 ↖
 10.8 * 8.5 ↑ 9.2 ↓ 10.9 * 9.4 ←
 beste Teiler 79.2 (29.) 104.2 (26.) 464.1 (21.)
 Trefferlage 2.02 mm links, 0.78 mm hoch
 Streuwert 8.24, horizontal: 7.30, vertikal: 9.09

Unterschrift des Schützen


Ergebnis: **300.6** (286)
 Serien: 103.8 97.2 99.6
 Zähler: 18 10 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1959 (29), 1800 (13), 1458 (15)
 beste Teiler 160.2 (4.) 265.8 (23.) 273.7 (2.)
 Trefferlage 0.89 mm rechts, 1.92 mm tief
 Streuwert 6.02, horizontal: 6.96, vertikal: 4.90



Serie 1:
 10.5 * 10.6 * 10.2 ↓ 10.8 * 10.5 *
 9.7 ← 10.4 * 10.4 * 10.2 ↖ 10.5 *
 beste Teiler 160.2 (4.) 273.7 (2.) 325.2 (10.)
 Trefferlage 1.07 mm links, 0.28 mm tief
 Streuwert 3.68, horizontal: 4.18, vertikal: 3.11



Serie 2:
 9.9 → 10.0 ↘ 8.7 ← 9.9 → 9.1 ↘
 10.2 ↗ 9.9 → 9.5 ↘ 10.1 ← 9.9 →
 beste Teiler 618.4 (16.) 661.0 (19.) 757.3 (12.)
 Trefferlage 3.95 mm rechts, 2.51 mm tief
 Streuwert 6.95, horizontal: 8.74, vertikal: 4.49





Serie 3:
 9.8 → 10.4 * 10.6 * 10.2 → 9.6 ↓
 10.4 * 9.3 ← 10.4 * 8.5 ↓ 10.4 *
 beste Teiler 265.8 (23.) 416.7 (22.) 425.7 (28.)
 Trefferlage 0.19 mm links, 2.96 mm tief
 Streuwert 6.68, horizontal: 6.80, vertikal: 6.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.4** (280)
 Serien: 98.8 98.2 99.4
 Zähler: 11 18 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1708 (15), 1411 (14), 1378 (29)
 beste Teiler 190.3 (28.) 231.2 (10.) 244.0 (18.)
 Trefferlage 2.67 mm links, 0.56 mm tief
 Streuwert 6.47, horizontal: 7.25, vertikal: 5.58



Serie 1:
 10.3 * 9.6 ↙ 9.6 ↖ 9.3 ↘ 10.1 →
 10.0 ↖ 9.6 ← 9.9 ← 9.7 ↖ 10.7 *
 beste Teiler 231.2 (10.) 528.0 (1.) 715.8 (5.)
 Trefferlage 3.94 mm links, 1.58 mm tief
 Streuwert 6.02, horizontal: 6.64, vertikal: 5.33



Serie 2:
 9.9 ← 9.9 ↗ 10.3 * 9.2 ↖ 8.8 ←
 9.9 ← 9.9 ↘ 10.6 * 9.3 ↖ 10.4 *
 beste Teiler 244.0 (18.) 430.4 (20.) 510.1 (13.)
 Trefferlage 5.86 mm links, 1.41 mm hoch
 Streuwert 5.91, horizontal: 6.87, vertikal: 4.75





Serie 3:
 9.8 ↗ 9.5 → 10.5 * 10.3 * 10.5 *
 9.4 ↓ 9.9 ↗ 10.7 * 9.2 ↙ 9.6 ↘
 beste Teiler 190.3 (28.) 355.1 (23.) 385.0 (25.)
 Trefferlage 1.77 mm rechts, 1.53 mm tief
 Streuwert 6.54, horizontal: 6.54, vertikal: 6.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **307.5** (295)
 Serien: 102.2 103.7 101.6
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1047 (7), 1007 (24), 891 (14)
 beste Teiler 184.2 (20.) 198.1 (18.) 247.4 (6.)
 Trefferlage 1.56 mm rechts, 0.56 mm tief
 Streuwert 4.22, horizontal: 4.82, vertikal: 3.52



Serie 1:
 10.1 ↗ 9.9 ↗ 10.3 * 10.3 ← 9.9 ↙
 10.6 * 9.6 → 10.6 * 10.4 * 10.5 *
 beste Teiler 247.4 (6.) 310.6 (8.) 341.0 (10.)
 Trefferlage 1.77 mm rechts, 0.41 mm hoch
 Streuwert 4.52, horizontal: 4.88, vertikal: 4.12





Serie 2:
 10.6 * 10.5 * 10.0 ↘ 9.8 → 10.5 *
 10.2 ↘ 10.3 → 10.7 * 10.4 * 10.7 *
 beste Teiler 184.2 (20.) 198.1 (18.) 262.9 (11.)
 Trefferlage 1.49 mm rechts, 1.14 mm tief
 Streuwert 3.55, horizontal: 4.05, vertikal: 2.97




Serie 3:
 10.1 ↘ 10.2 ↘ 10.6 * 9.7 → 10.2 ↘
 10.1 ↙ 10.3 * 10.1 ← 10.1 ↗ 10.2 →
 beste Teiler 319.1 (23.) 511.4 (27.) 601.5 (22.)
 Trefferlage 1.43 mm rechts, 0.96 mm tief
 Streuwert 4.84, horizontal: 5.87, vertikal: 3.52

Unterschrift des Schützen


Ergebnis: **297.5** (283)
 Serien: 100.7 97.8 99.0
 Zähler: 15 13 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1784 (30), 1720 (17), 1338 (8)
 beste Teiler 190.2 (28.) 206.1 (2.) 294.8 (5.)
 Trefferlage 1.19 mm rechts, 4.68 mm hoch
 Streuwert 5.60, horizontal: 5.71, vertikal: 5.49



Serie 1:
 10.1 ↘ 10.7 * 9.8 ↗ 10.4 * 10.6 *
 9.7 ↗ 10.2 ↗ 9.3 → 9.8 → 10.1 ↖
 beste Teiler 206.1 (2.) 294.8 (5.) 442.3 (4.)
 Trefferlage 4.50 mm rechts, 2.43 mm hoch
 Streuwert 4.43, horizontal: 5.24, vertikal: 3.42





Serie 2:
 10.0 ↑ 9.4 ↑ 10.0 → 9.6 ↑ 9.7 ↗
 10.1 ↘ 8.8 ↘ 10.0 ← 9.7 ↑ 10.5 *
 beste Teiler 384.5 (20.) 656.7 (16.) 730.8 (13.)
 Trefferlage 0.70 mm rechts, 6.81 mm hoch
 Streuwert 5.56, horizontal: 5.27, vertikal: 5.84




Serie 3:
 10.3 ← 10.5 * 9.5 ← 9.9 ↑ 9.8 →
 9.8 ↑ 10.2 ↘ 10.7 * 9.6 ↑ 8.7 ↘
 beste Teiler 190.2 (28.) 353.0 (22.) 536.9 (21.)
 Trefferlage 1.62 mm links, 4.79 mm hoch
 Streuwert 5.89, horizontal: 5.35, vertikal: 6.38

Unterschrift des Schützen


Ergebnis: **310.9** (296)
 Serien: 103.2 104.7 103.0
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 1102 (27), 907 (23), 893 (14)
 beste Teiler 73.1 (12.) 91.0 (21.) 135.4 (9.)
 Trefferlage 0.61 mm links, 0.04 mm tief
 Streuwert 3.84, horizontal: 4.78, vertikal: 2.57



Serie 1:
 10.1 ← 10.7 * 10.0 ← 10.3 * 10.5 *
 10.2 ↘ 10.4 * 10.3 → 10.8 * 9.9 ↖
 beste Teiler 135.4 (9.) 195.1 (2.) 397.9 (5.)
 Trefferlage 1.62 mm links, 0.69 mm tief
 Streuwert 3.88, horizontal: 4.78, vertikal: 2.68





Serie 2:
 10.6 * 10.9 * 10.6 * 9.8 ← 10.3 *
 10.7 * 10.8 * 10.2 → 10.3 * 10.5 *
 beste Teiler 73.1 (12.) 140.8 (17.) 182.8 (16.)
 Trefferlage 1.38 mm links, 0.27 mm hoch
 Streuwert 3.18, horizontal: 4.34, vertikal: 1.16




Serie 3:
 10.8 * 10.7 * 9.8 → 10.5 * 10.6 *
 10.1 ↖ 9.6 ↘ 10.0 ↖ 10.6 * 10.3 *
 beste Teiler 91.0 (21.) 186.2 (22.) 253.6 (29.)
 Trefferlage 1.15 mm rechts, 0.28 mm hoch
 Streuwert 4.39, horizontal: 5.16, vertikal: 3.47

Unterschrift des Schützen


Ergebnis: **300.4** (288)
 Serien: 101.3 97.7 101.4
 Zähler: 18 12 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1419 (12), 1300 (16), 1224 (17)
 beste Teiler 56.8 (25.) 187.8 (10.) 330.9 (1.)
 Trefferlage 0.17 mm rechts, 0.76 mm hoch
 Streuwert 5.87, horizontal: 6.62, vertikal: 5.01



Serie 1:
 10.5 * 10.4 * 10.0 ↖ 10.1 ↖ 10.1 →
 10.0 ← 9.5 ← 10.3 * 9.7 ← 10.7 *
 beste Teiler 187.8 (10.) 330.9 (1.) 407.1 (2.)
 Trefferlage 2.69 mm links, 0.24 mm tief
 Streuwert 4.89, horizontal: 6.25, vertikal: 2.97



Serie 2:
 9.7 ↓ 9.2 ↘ 10.3 * 9.8 ↗ 10.3 ↖
 9.3 ← 9.4 ↖ 9.8 → 10.2 ↗ 9.7 →
 beste Teiler 505.6 (13.) 557.2 (15.) 630.2 (19.)
 Trefferlage 1.19 mm rechts, 1.31 mm hoch
 Streuwert 7.29, horizontal: 7.46, vertikal: 7.12





Serie 3:
 10.0 ↑ 9.8 ↗ 10.3 * 10.5 * 10.9 *
 10.5 * 10.2 ← 9.5 → 10.0 ↘ 9.7 →
 beste Teiler 56.8 (25.) 349.2 (26.) 374.6 (24.)
 Trefferlage 2.02 mm rechts, 1.21 mm hoch
 Streuwert 5.10, horizontal: 5.70, vertikal: 4.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **301.4** (290)
 Serien: 103.1 98.8 99.5
 Zähler: 20 10 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1469 (13), 1436 (23), 1434 (20)
 beste Teiler 131.5 (2.) 243.1 (29.) 326.9 (7.)
 Trefferlage 0.42 mm links, 0.34 mm hoch
 Streuwert 5.75, horizontal: 5.83, vertikal: 5.68



Serie 1:
 10.4 * 10.8 * 10.5 * 10.2 ↓ 10.5 *
 10.0 ↖ 10.5 * 10.1 → 9.6 ↓ 10.5 *
 beste Teiler 131.5 (2.) 326.9 (7.) 336.8 (5.)
 Trefferlage 0.11 mm rechts, 1.81 mm tief
 Streuwert 4.13, horizontal: 3.65, vertikal: 4.57





Serie 2:
 10.1 ↖ 10.0 ↖ 9.1 → 10.2 ↓ 10.0 ↑
 10.2 ↙ 9.8 ← 9.8 ↙ 10.4 * 9.2 ↗
 beste Teiler 459.2 (19.) 563.6 (14.) 595.4 (16.)
 Trefferlage 0.51 mm links, 1.58 mm hoch
 Streuwert 6.70, horizontal: 7.41, vertikal: 5.90




Serie 3:
 9.8 → 9.8 ↗ 9.2 ↑ 9.9 ↖ 9.5 ←
 10.2 ↓ 10.4 * 10.1 ↓ 10.6 * 10.0 ←
 beste Teiler 243.1 (29.) 473.9 (27.) 574.0 (26.)
 Trefferlage 0.88 mm links, 1.26 mm hoch
 Streuwert 6.37, horizontal: 6.37, vertikal: 6.37

Unterschrift des Schützen


Ergebnis: **296.6** (285)
 Serien: 96.7 100.6 99.3
 Zähler: 16 13 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1614 (29), 1505 (6), 1483 (3)
 beste Teiler 207.7 (22.) 253.3 (14.) 321.8 (28.)
 Trefferlage 0.86 mm links, 0.62 mm tief
 Streuwert 6.60, horizontal: 6.73, vertikal: 6.46



Serie 1:
 10.4 * 9.3 ↖ 9.1 ↙ 9.7 ↑ 10.2 ←
 9.1 ← 9.4 ↑ 9.4 → 10.2 ↑ 9.9 ↓
 beste Teiler 436.3 (1.) 579.3 (5.) 603.3 (9.)
 Trefferlage 2.94 mm links, 1.68 mm hoch
 Streuwert 7.66, horizontal: 8.26, vertikal: 7.01





Serie 2:
 9.3 ↖ 10.2 ↑ 10.0 ↖ 10.6 * 10.1 ↓
 10.1 ↙ 10.0 ↓ 10.5 * 10.0 ↖ 9.8 →
 beste Teiler 253.3 (14.) 349.0 (18.) 639.0 (12.)
 Trefferlage 2.49 mm links, 0.40 mm tief
 Streuwert 5.27, horizontal: 5.64, vertikal: 4.88




Serie 3:
 9.7 ↑ 10.7 * 9.5 ↓ 10.2 ↗ 10.1 ↓
 9.7 ↘ 9.9 ↘ 10.5 * 8.9 ↘ 10.1 ↓
 beste Teiler 207.7 (22.) 321.8 (28.) 607.9 (24.)
 Trefferlage 2.86 mm rechts, 3.15 mm tief
 Streuwert 5.96, horizontal: 4.76, vertikal: 6.95

 Unterschrift des Schützen


Ergebnis: **295.7** (281)
 Serien: 99.2 100.1 96.4
 Zähler: 14 13 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2003 (23), 1692 (30), 1681 (16)
 beste Teiler 148.6 (5.) 164.1 (6.) 207.7 (13.)
 Trefferlage 1.45 mm rechts, 0.04 mm tief
 Streuwert 7.07, horizontal: 8.78, vertikal: 4.78



Serie 1:
 9.8 ↗ 9.0 ↘ 9.8 ↗ 10.0 ← 10.8 *
 10.7 * 9.9 → 9.4 → 10.0 → 9.8 →
 beste Teiler 148.6 (5.) 164.1 (6.) 760.1 (4.)
 Trefferlage 3.55 mm rechts, 2.23 mm hoch
 Streuwert 6.10, horizontal: 7.70, vertikal: 3.89





Serie 2:
 9.5 ↘ 10.2 ↗ 10.7 * 10.4 * 9.5 ←
 8.8 ← 10.2 ↘ 10.2 ↘ 10.5 * 10.1 ↘
 beste Teiler 207.7 (13.) 392.8 (19.) 429.2 (14.)
 Trefferlage 2.47 mm links, 0.39 mm tief
 Streuwert 6.16, horizontal: 7.21, vertikal: 4.89




Serie 3:
 10.2 ↓ 10.6 * 8.4 → 10.5 * 9.3 →
 9.5 ↗ 9.9 ↘ 9.4 → 9.8 ↘ 8.8 ←
 beste Teiler 319.9 (22.) 400.1 (24.) 595.3 (21.)
 Trefferlage 3.27 mm rechts, 1.98 mm tief
 Streuwert 8.24, horizontal: 10.55, vertikal: 4.94

Unterschrift des Schützen


Ergebnis: **294.7** (283)
 Serien: 100.7 96.2 97.8
 Zähler: 16 11 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2193 (11), 1944 (22), 1686 (16)
 beste Teiler 70.1 (20.) 314.1 (7.) 333.1 (19.)
 Trefferlage 1.91 mm links, 0.08 mm tief
 Streuwert 7.20, horizontal: 7.82, vertikal: 6.51



Serie 1:
 9.8 ↑ 10.3 ↓ 10.3 * 10.1 ↘ 9.9 ↗
 9.3 ↖ 10.6 * 10.0 ← 10.3 * 10.1 ↗
 beste Teiler 314.1 (7.) 511.9 (9.) 527.0 (3.)
 Trefferlage 0.14 mm links, 2.30 mm hoch
 Streuwert 5.35, horizontal: 6.16, vertikal: 4.39





Serie 2:
 8.2 ↘ 9.7 ↘ 9.3 → 10.1 ↗ 9.3 ↖
 8.8 ↙ 9.6 ↖ 9.8 ← 10.5 * 10.9 *
 beste Teiler 70.1 (20.) 333.1 (19.) 714.3 (14.)
 Trefferlage 0.43 mm links, 5.26 mm tief
 Streuwert 8.14, horizontal: 9.00, vertikal: 7.19




Serie 3:
 9.0 ← 8.5 ↖ 10.2 ↑ 10.3 * 10.2 ↘
 10.2 ↘ 9.5 ← 10.1 → 9.8 ↑ 10.0 ↖
 beste Teiler 489.5 (24.) 561.0 (23.) 636.3 (26.)
 Trefferlage 5.17 mm links, 2.69 mm hoch
 Streuwert 6.38, horizontal: 7.77, vertikal: 4.58

Unterschrift des Schützen


Ergebnis: **304.5** (292)
 Serien: 100.8 101.9 101.8
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1236 (8), 1235 (17), 1062 (12)
 beste Teiler 94.1 (16.) 110.0 (11.) 216.1 (10.)
 Trefferlage 0.26 mm rechts, 0.25 mm tief
 Streuwert 5.04, horizontal: 5.50, vertikal: 4.54



Serie 1:
 10.2 ↘ 10.4 * 10.3 * 10.1 ↘ 10.0 ↓
 9.7 ↑ 10.1 ↓ 9.4 ← 9.9 ↗ 10.7 *
 beste Teiler 216.1 (10.) 409.0 (2.) 495.2 (3.)
 Trefferlage 1.20 mm rechts, 0.98 mm tief
 Streuwert 5.48, horizontal: 5.22, vertikal: 5.73



Serie 2:
 10.8 * 9.6 ← 9.8 ↗ 10.7 * 10.0 ↙
 10.8 * 9.4 ← 10.4 * 10.3 ← 10.1 →
 beste Teiler 94.1 (16.) 110.0 (11.) 234.5 (14.)
 Trefferlage 1.79 mm links, 0.25 mm hoch
 Streuwert 5.17, horizontal: 6.43, vertikal: 3.48





Serie 3:
 9.9 ↓ 10.3 ↘ 10.1 ↙ 10.4 * 10.2 →
 10.2 ↖ 10.5 * 10.1 → 9.7 ↗ 10.4 *
 beste Teiler 333.4 (27.) 433.7 (30.) 443.0 (24.)
 Trefferlage 1.39 mm rechts, 0.04 mm tief
 Streuwert 4.61, horizontal: 4.68, vertikal: 4.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **293.8** (280)
 Serien: 96.7 96.5 100.6
 Zähler: 12 16 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2053 (10), 1621 (3), 1544 (13)
 beste Teiler 136.5 (21.) 363.5 (29.) 379.1 (5.)
 Trefferlage 3.02 mm links, 2.77 mm hoch
 Streuwert 6.67, horizontal: 7.68, vertikal: 5.47



Serie 1:
 9.7 ↙ 9.7 ↘ 8.9 → 10.2 ← 10.5 *
 10.0 ← 9.7 ← 10.3 * 9.3 ← 8.4 ↘
 beste Teiler 379.1 (5.) 512.7 (8.) 599.0 (4.)
 Trefferlage 5.26 mm links, 1.25 mm hoch
 Streuwert 7.48, horizontal: 8.73, vertikal: 5.97



Serie 2:
 9.6 ↘ 9.3 ↘ 9.0 ↘ 9.6 ↙ 10.1 ↗
 9.6 ↘ 10.0 → 9.6 ↑ 9.6 ↘ 10.1 ↘
 beste Teiler 647.3 (20.) 699.2 (15.) 764.7 (17.)
 Trefferlage 2.14 mm links, 3.76 mm hoch
 Streuwert 7.36, horizontal: 8.26, vertikal: 6.33





Serie 3:
 10.8 * 9.8 ↘ 10.1 ↑ 10.4 * 9.8 ↑
 9.8 → 9.7 ← 10.2 ↘ 10.5 * 9.5 ↘
 beste Teiler 136.5 (21.) 363.5 (29.) 413.3 (24.)
 Trefferlage 1.67 mm links, 3.30 mm hoch
 Streuwert 5.19, horizontal: 6.10, vertikal: 4.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **264.6** (253)
 Serien: 92.8 80.5 91.3
 Zähler: 6 13 4 5 1 0 0 1 0 0
 Innenzehner: 2
 weiteste: 6358 (13), 3423 (20), 3068 (18)
 beste Teiler 186.3 (5.) 321.5 (27.) 537.5 (12.)
 Trefferlage 5.75 mm rechts, 2.78 mm hoch
 Streuwert 14.38, horizontal: 17.90, vertikal: 9.64



Serie 1:
 10.1 ↖ 9.5 ↘ 9.0 ← 9.1 ↙ 10.7 *
 7.4 → 8.5 ↑ 10.2 ↗ 9.9 ← 8.4 →
 beste Teiler 186.3 (5.) 631.9 (8.) 678.3 (1.)
 Trefferlage 1.90 mm rechts, 0.18 mm hoch
 Streuwert 11.44, horizontal: 14.08, vertikal: 7.98





Serie 2:
 10.1 ↙ 10.3 ← 3.0 → 7.2 ↘ 9.2 →
 9.4 ↘ 9.9 ↓ 7.1 ↗ 7.6 ↘ 6.7 →
 beste Teiler 537.5 (12.) 653.8 (11.) 834.7 (17.)
 Trefferlage 6.90 mm rechts, 4.37 mm hoch
 Streuwert 20.56, horizontal: 26.22, vertikal: 12.55




Serie 3:
 9.2 ↖ 8.1 → 9.8 ↑ 9.2 → 9.9 ↑
 7.8 → 10.5 * 9.0 ↘ 9.5 ↗ 8.3 ↑
 beste Teiler 321.5 (27.) 821.6 (25.) 940.8 (23.)
 Trefferlage 8.46 mm rechts, 3.79 mm hoch
 Streuwert 9.68, horizontal: 10.97, vertikal: 8.18

Unterschrift des Schützen


Ergebnis: **299.7** (284)
 Serien: 99.2 100.7 99.8
 Zähler: 18 10 1 0 1 0 0 0 0 0
 Innenzehner: 12
 weiteste: 3435 (2), 1862 (20), 1434 (25)
 beste Teiler 149.0 (8.) 162.0 (23.) 192.7 (11.)
 Trefferlage 0.29 mm links, 0.90 mm hoch
 Streuwert 7.09, horizontal: 9.10, vertikal: 4.23



Serie 1:
 10.0 ↖ 6.7 → 10.2 ↖ 9.9 ↖ 10.3 *
 9.8 ↘ 10.6 * 10.8 * 10.6 * 10.3 *
 beste Teiler 149.0 (8.) 299.9 (9.) 308.0 (7.)
 Trefferlage 2.21 mm rechts, 0.68 mm hoch
 Streuwert 8.99, horizontal: 12.14, vertikal: 3.81





Serie 2:
 10.7 * 10.5 * 10.3 ↖ 9.8 ↗ 10.5 *
 9.6 ↗ 9.9 ↘ 10.4 * 10.4 * 8.6 ↖
 beste Teiler 192.7 (11.) 360.7 (12.) 375.1 (15.)
 Trefferlage 2.82 mm links, 0.48 mm hoch
 Streuwert 5.96, horizontal: 6.64, vertikal: 5.18




Serie 3:
 10.3 ↖ 10.2 ← 10.7 * 9.9 ↖ 9.2 →
 9.6 ↘ 9.8 ↖ 10.3 * 9.8 ↖ 10.0 ↗
 beste Teiler 162.0 (23.) 498.9 (28.) 537.6 (21.)
 Trefferlage 0.26 mm links, 1.54 mm hoch
 Streuwert 6.20, horizontal: 7.83, vertikal: 3.93

Unterschrift des Schützen


Ergebnis: **301.0** (285)
 Serien: 100.7 101.0 99.3
 Zähler: 15 15 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1409 (27), 1351 (3), 1285 (28)
 beste Teiler 213.8 (24.) 245.5 (21.) 278.4 (14.)
 Trefferlage 2.07 mm links, 1.54 mm tief
 Streuwert 5.48, horizontal: 6.01, vertikal: 4.89



Serie 1:
 9.7 ↗ 10.4 * 9.3 ↗ 10.4 * 10.3 *
 9.8 → 9.9 ← 10.5 * 10.5 * 9.9 ←
 beste Teiler 327.4 (9.) 339.3 (8.) 453.3 (2.)
 Trefferlage 0.45 mm rechts, 0.48 mm tief
 Streuwert 5.75, horizontal: 6.01, vertikal: 5.47





Serie 2:
 10.6 * 9.7 ↘ 9.7 ↘ 10.6 * 10.2 ↓
 10.2 ↘ 10.5 * 9.7 ← 10.1 ↓ 9.7 ↓
 beste Teiler 278.4 (14.) 283.5 (11.) 395.2 (17.)
 Trefferlage 0.91 mm links, 3.34 mm tief
 Streuwert 4.81, horizontal: 5.43, vertikal: 4.10




Serie 3:
 10.6 * 9.8 ↘ 9.6 ← 10.7 * 9.7 ↓
 9.8 ↘ 9.2 ← 9.3 ↘ 10.4 * 10.2 ←
 beste Teiler 213.8 (24.) 245.5 (21.) 434.1 (29.)
 Trefferlage 5.76 mm links, 0.80 mm tief
 Streuwert 5.10, horizontal: 5.22, vertikal: 4.97

Unterschrift des Schützen


Ergebnis: **299.2** (286)
 Serien: 99.3 98.5 101.4
 Zähler: 17 12 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2046 (12), 1588 (4), 1371 (7)
 beste Teiler 148.0 (30.) 226.7 (29.) 291.7 (10.)
 Trefferlage 1.06 mm links, 2.98 mm hoch
 Streuwert 5.99, horizontal: 5.84, vertikal: 6.13



Serie 1:
 10.5 * 9.9 ← 9.9 ↘ 9.0 ↗ 10.3 *
 10.0 ↑ 9.2 ↑ 10.3 → 9.6 ↖ 10.6 *
 beste Teiler 291.7 (10.) 376.9 (1.) 509.5 (5.)
 Trefferlage 1.46 mm links, 3.48 mm hoch
 Streuwert 6.17, horizontal: 5.56, vertikal: 6.72



Serie 2:
 9.9 ← 8.4 ↖ 10.1 ↗ 10.4 * 10.0 ↖
 9.3 ↗ 10.4 * 9.9 ↘ 9.7 → 10.4 *
 beste Teiler 431.3 (20.) 441.7 (14.) 470.5 (17.)
 Trefferlage 1.05 mm links, 3.28 mm hoch
 Streuwert 6.94, horizontal: 8.33, vertikal: 5.19





Serie 3:
 9.4 ↗ 10.2 ↗ 9.8 ↗ 10.5 * 10.2 ←
 10.3 * 10.2 ↑ 9.3 ↓ 10.7 * 10.8 *
 beste Teiler 148.0 (30.) 226.7 (29.) 386.3 (24.)
 Trefferlage 0.67 mm links, 2.19 mm hoch
 Streuwert 5.36, horizontal: 3.07, vertikal: 6.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **303.5** (292)
 Serien: 99.8 102.3 101.4
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1299 (5), 1288 (11), 1228 (27)
 beste Teiler 92.9 (21.) 152.5 (2.) 255.3 (12.)
 Trefferlage 0.79 mm rechts, 1.74 mm tief
 Streuwert 5.18, horizontal: 5.26, vertikal: 5.10



Serie 1:
 10.3 * 10.8 * 10.0 ↘ 9.5 → 9.3 →
 9.5 ↙ 10.3 * 10.3 ↘ 9.5 ↓ 10.3 *
 beste Teiler 152.5 (2.) 496.1 (10.) 517.6 (1.)
 Trefferlage 1.68 mm rechts, 1.95 mm tief
 Streuwert 6.09, horizontal: 6.58, vertikal: 5.56





Serie 2:
 9.3 ↖ 10.6 * 10.4 * 10.3 ↑ 10.3 →
 10.3 ↘ 10.0 ↑ 10.6 * 10.3 * 10.2 →
 beste Teiler 255.3 (12.) 290.2 (18.) 474.9 (13.)
 Trefferlage 0.92 mm rechts, 0.88 mm hoch
 Streuwert 4.68, horizontal: 5.15, vertikal: 4.17




Serie 3:
 10.8 * 9.8 ↘ 10.0 ↘ 10.6 * 10.2 ↙
 10.3 * 9.4 ↓ 9.7 ↓ 10.2 ↖ 10.4 *
 beste Teiler 92.9 (21.) 281.3 (24.) 438.2 (30.)
 Trefferlage 0.21 mm links, 4.16 mm tief
 Streuwert 4.39, horizontal: 4.15, vertikal: 4.61

Unterschrift des Schützen


Ergebnis: **296.3** (282)
 Serien: 100.0 96.6 99.7
 Zähler: 14 14 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2139 (15), 1694 (18), 1454 (28)
 beste Teiler 40.4 (22.) 107.0 (6.) 193.3 (23.)
 Trefferlage 1.32 mm rechts, 2.08 mm tief
 Streuwert 6.91, horizontal: 7.01, vertikal: 6.80



Serie 1:
 9.8 ↘ 9.5 ↘ 10.0 ↘ 9.4 ↘ 10.4 *
 10.8 * 10.5 * 10.2 ↘ 10.3 ↗ 9.1 ←
 beste Teiler 107.0 (6.) 331.4 (7.) 445.6 (5.)
 Trefferlage 1.22 mm rechts, 1.13 mm tief
 Streuwert 6.26, horizontal: 7.59, vertikal: 4.57





Serie 2:
 10.5 * 9.7 ↓ 9.7 ↘ 10.3 * 8.3 ↙
 10.4 * 9.9 ↑ 8.8 ↗ 9.3 ↘ 9.7 ←
 beste Teiler 323.8 (11.) 458.3 (16.) 505.5 (14.)
 Trefferlage 0.83 mm rechts, 2.43 mm tief
 Streuwert 8.39, horizontal: 7.81, vertikal: 8.92




Serie 3:
 9.6 ↙ 10.9 * 10.7 * 9.2 ↓ 10.5 *
 9.8 → 10.0 ← 9.1 ↗ 9.3 ↘ 10.6 *
 beste Teiler 40.4 (22.) 193.3 (23.) 274.3 (30.)
 Trefferlage 1.92 mm rechts, 2.68 mm tief
 Streuwert 6.56, horizontal: 6.25, vertikal: 6.86

Unterschrift des Schützen


Ergebnis: **281.4** (269)
 Serien: 91.7 93.0 96.7
 Zähler: 9 13 6 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2747 (12), 2450 (1), 2188 (13)
 beste Teiler 475.7 (28.) 525.5 (3.) 536.1 (16.)
 Trefferlage 5.56 mm links, 5.60 mm hoch
 Streuwert 8.26, horizontal: 8.35, vertikal: 8.17



Serie 1:
 7.9 ↙ 9.0 ↑ 10.3 * 9.1 ↘ 10.0 ↖
 8.9 ↘ 8.5 ↑ 10.0 ← 9.3 → 8.7 ↘
 beste Teiler 525.5 (3.) 742.8 (5.) 754.5 (8.)
 Trefferlage 5.36 mm links, 5.66 mm hoch
 Streuwert 9.83, horizontal: 8.23, vertikal: 11.20





Serie 2:
 9.7 ← 7.5 ↘ 8.2 ↘ 9.7 ↑ 9.5 ↑
 10.3 ↑ 9.9 ↘ 8.3 ← 9.7 ← 10.2 ↘
 beste Teiler 536.1 (16.) 609.5 (20.) 813.1 (17.)
 Trefferlage 9.38 mm links, 7.66 mm hoch
 Streuwert 6.58, horizontal: 7.00, vertikal: 6.14




Serie 3:
 8.9 ↘ 9.8 ← 9.0 ← 9.0 → 9.7 ↑
 9.6 ↑ 10.1 ↘ 10.4 * 10.1 ↘ 10.1 ↘
 beste Teiler 475.7 (28.) 681.0 (30.) 685.5 (27.)
 Trefferlage 1.92 mm links, 3.48 mm hoch
 Streuwert 7.71, horizontal: 8.77, vertikal: 6.50

Unterschrift des Schützen


Ergebnis: **285.7** (273)
 Serien: 96.5 93.1 96.1
 Zähler: 9 15 6 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1970 (16), 1940 (13), 1824 (12)
 beste Teiler 165.8 (30.) 383.2 (3.) 486.8 (17.)
 Trefferlage 1.11 mm rechts, 3.81 mm hoch
 Streuwert 8.49, horizontal: 6.96, vertikal: 9.78



Serie 1:
 8.7 → 10.2 ↗ 10.5 * 9.2 ↖ 10.3 ↘
 10.2 ← 9.2 ↓ 10.0 ← 9.5 ↗ 8.7 ↑
 beste Teiler 383.2 (3.) 544.1 (5.) 578.6 (6.)
 Trefferlage 1.09 mm rechts, 1.39 mm hoch
 Streuwert 8.48, horizontal: 8.75, vertikal: 8.21





Serie 2:
 10.3 ↓ 8.7 ↘ 8.5 ↗ 9.3 ↑ 9.6 ↗
 8.5 ↑ 10.3 * 9.6 ↓ 9.1 ↖ 9.2 ↑
 beste Teiler 486.8 (17.) 546.2 (11.) 1078.3 (18.)
 Trefferlage 1.45 mm links, 5.09 mm hoch
 Streuwert 9.75, horizontal: 5.60, vertikal: 12.60




Serie 3:
 9.7 ↗ 9.9 ↓ 9.0 ↗ 9.1 ↑ 9.9 ↗
 10.2 ↗ 9.2 ↑ 9.5 ↖ 8.9 ↘ 10.7 *
 beste Teiler 165.8 (30.) 639.7 (26.) 814.8 (22.)
 Trefferlage 3.70 mm rechts, 4.95 mm hoch
 Streuwert 7.26, horizontal: 5.78, vertikal: 8.49

Unterschrift des Schützen


Ergebnis: **285.4** (275)
 Serien: 94.4 96.2 94.8
 Zähler: 12 12 5 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2485 (9), 2036 (29), 1883 (15)
 beste Teiler 459.2 (19.) 520.4 (1.) 529.5 (26.)
 Trefferlage 5.70 mm rechts, 5.38 mm tief
 Streuwert 7.03, horizontal: 7.19, vertikal: 6.87



Serie 1:
 10.3 * 10.1 ↘ 9.4 ↓ 9.3 → 9.1 ↓
 10.1 → 10.1 ↘ 9.0 → 7.8 ↘ 9.2 ↘
 beste Teiler 520.4 (1.) 658.9 (7.) 675.4 (2.)
 Trefferlage 6.76 mm rechts, 6.95 mm tief
 Streuwert 6.79, horizontal: 7.91, vertikal: 5.44



Serie 2:
 10.2 ↑ 8.9 ↘ 8.9 → 10.0 ↓ 8.6 ↘
 9.7 ↘ 10.0 → 10.1 ← 10.4 * 9.4 ↘
 beste Teiler 459.2 (19.) 586.0 (11.) 664.3 (18.)
 Trefferlage 4.85 mm rechts, 4.61 mm tief
 Streuwert 7.16, horizontal: 7.48, vertikal: 6.83





Serie 3:
 9.2 ↓ 10.1 ↓ 10.2 ↖ 9.5 → 9.2 ↓
 10.3 * 9.8 → 9.3 ↘ 8.4 ↘ 8.8 →
 beste Teiler 529.5 (26.) 621.4 (23.) 673.9 (22.)
 Trefferlage 5.50 mm rechts, 4.58 mm tief
 Streuwert 7.68, horizontal: 6.78, vertikal: 8.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **277.6** (263)
 Serien: 93.3 94.6 89.7
 Zähler: 7 11 11 0 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3215 (22), 2341 (24), 2100 (5)
 beste Teiler 242.5 (16.) 531.6 (7.) 580.3 (27.)
 Trefferlage 2.12 mm links, 4.35 mm tief
 Streuwert 10.15, horizontal: 11.97, vertikal: 7.92



Serie 1:
 8.8 ↖ 8.7 → 8.6 ↖ 9.8 ↙ 8.3 ↖
 9.5 ↓ 10.3 ↖ 9.4 ↙ 10.1 ↓ 9.8 ←
 beste Teiler 531.6 (7.) 645.1 (9.) 908.8 (4.)
 Trefferlage 5.57 mm links, 0.25 mm hoch
 Streuwert 9.51, horizontal: 10.26, vertikal: 8.70





Serie 2:
 9.7 → 9.3 ↘ 9.8 ↓ 8.7 → 9.8 ↖
 10.6 * 8.5 ↓ 8.8 ↙ 10.1 ↓ 9.3 ↓
 beste Teiler 242.5 (16.) 707.4 (19.) 927.7 (13.)
 Trefferlage 2.52 mm rechts, 6.04 mm tief
 Streuwert 8.31, horizontal: 9.31, vertikal: 7.17




Serie 3:
 10.0 ↙ 6.9 → 9.3 ↙ 8.0 ↙ 8.9 ↙
 9.0 ↖ 10.2 ↙ 8.5 → 10.0 ← 8.9 ↙
 beste Teiler 580.3 (27.) 779.3 (21.) 791.2 (29.)
 Trefferlage 3.33 mm links, 7.27 mm tief
 Streuwert 11.61, horizontal: 15.21, vertikal: 6.20

Unterschrift des Schützen


Ergebnis: **285.0** (275)
 Serien: 93.1 94.1 97.8
 Zähler: 12 11 7 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2333 (18), 2294 (10), 2241 (7)
 beste Teiler 292.8 (14.) 376.0 (6.) 456.0 (30.)
 Trefferlage 0.50 mm rechts, 3.77 mm hoch
 Streuwert 9.03, horizontal: 8.18, vertikal: 9.81



Serie 1:
 10.2 ↘ 10.2 ↑ 9.1 → 9.4 ↓ 8.9 →
 10.5 * 8.1 ↘ 9.2 ← 9.4 ↑ 8.1 ↘
 beste Teiler 376.0 (6.) 565.6 (2.) 602.6 (1.)
 Trefferlage 1.14 mm links, 4.77 mm hoch
 Streuwert 10.22, horizontal: 10.95, vertikal: 9.42



Serie 2:
 10.4 * 9.5 ↑ 9.8 ↘ 10.6 * 8.6 ↑
 10.0 ↑ 9.7 → 8.0 ↑ 9.0 ↘ 8.5 ↑
 beste Teiler 292.8 (14.) 457.9 (11.) 743.0 (16.)
 Trefferlage 0.56 mm links, 8.82 mm hoch
 Streuwert 7.99, horizontal: 4.77, vertikal: 10.24





Serie 3:
 10.1 ↘ 10.1 ↑ 8.3 → 9.1 ↘ 10.2 ↘
 9.6 ↓ 10.0 ↙ 10.2 ↗ 9.8 → 10.4 *
 beste Teiler 456.0 (30.) 603.6 (25.) 613.7 (28.)
 Trefferlage 3.22 mm rechts, 2.28 mm tief
 Streuwert 7.29, horizontal: 7.76, vertikal: 6.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312.7** (297)
 Serien: 104.3 104.4 104.0
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 1028 (5), 947 (25), 847 (16)
 beste Teiler 136.3 (17.) 140.4 (7.) 169.6 (6.)
 Trefferlage 0.67 mm rechts, 1.53 mm tief
 Streuwert 3.23, horizontal: 3.11, vertikal: 3.34



Serie 1:
 10.2 ← 10.5 * 10.6 * 10.4 * 9.7 ↓
 10.7 * 10.8 * 10.4 * 10.4 * 10.6 *
 beste Teiler 140.4 (7.) 169.6 (6.) 255.5 (10.)
 Trefferlage 0.24 mm rechts, 0.50 mm tief
 Streuwert 3.59, horizontal: 3.20, vertikal: 3.94





Serie 2:
 10.6 * 10.6 * 10.1 → 10.3 ↓ 10.4 *
 9.9 ↓ 10.8 * 10.4 * 10.7 * 10.6 *
 beste Teiler 136.3 (17.) 208.3 (19.) 253.3 (12.)
 Trefferlage 0.05 mm links, 1.80 mm tief
 Streuwert 3.22, horizontal: 3.19, vertikal: 3.24




Serie 3:
 10.3 ↘ 10.4 * 10.3 * 10.6 * 9.8 ↘
 10.6 * 10.5 * 10.7 * 10.4 * 10.4 *
 beste Teiler 188.3 (28.) 281.4 (26.) 295.4 (24.)
 Trefferlage 1.83 mm rechts, 2.28 mm tief
 Streuwert 2.87, horizontal: 2.90, vertikal: 2.85

Unterschrift des Schützen


Ergebnis: **302.3** (290)
 Serien: 101.8 100.2 100.3
 Zähler: 21 8 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1658 (23), 1358 (24), 1321 (5)
 beste Teiler 111.5 (26.) 146.2 (9.) 164.6 (21.)
 Trefferlage 0.53 mm links, 0.17 mm tief
 Streuwert 5.75, horizontal: 6.14, vertikal: 5.32



Serie 1:
 10.2 ↙ 10.0 ↙ 9.6 → 10.3 ↘ 9.3 ↑
 10.4 * 10.6 * 10.5 * 10.8 * 10.1 ↙
 beste Teiler 146.2 (9.) 296.2 (7.) 382.1 (8.)
 Trefferlage 0.44 mm links, 0.29 mm hoch
 Streuwert 5.33, horizontal: 5.19, vertikal: 5.45





Serie 2:
 10.7 * 10.6 * 10.2 ↗ 10.1 ↑ 9.7 ↙
 9.9 → 10.2 ↘ 10.0 ↓ 9.3 ↘ 9.5 →
 beste Teiler 230.4 (11.) 268.2 (12.) 609.6 (13.)
 Trefferlage 2.08 mm rechts, 0.82 mm tief
 Streuwert 5.78, horizontal: 5.32, vertikal: 6.21




Serie 3:
 10.7 * 9.8 ← 8.9 ← 9.3 ↙ 10.1 ↑
 10.8 * 10.4 * 10.0 ↗ 10.3 * 10.0 →
 beste Teiler 111.5 (26.) 164.6 (21.) 459.6 (27.)
 Trefferlage 3.23 mm links, 0.00 mm
 Streuwert 6.03, horizontal: 7.11, vertikal: 4.72

Unterschrift des Schützen

Ergebnis: **307.9** (296)
 Serien: 101.3 102.8 103.8
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1050 (10), 986 (7), 985 (11)
 beste Teiler 203.7 (24.) 222.4 (25.) 239.7 (18.)
 Trefferlage 1.95 mm rechts, 0.08 mm tief
 Streuwert 4.12, horizontal: 4.60, vertikal: 3.58



Serie 1:
 10.2 ↙ 10.2 ↖ 10.5 * 10.1 → 10.6 *
 10.0 → 9.7 ↑ 10.4 * 10.0 → 9.6 →
 beste Teiler 277.7 (5.) 355.5 (3.) 420.8 (8.)
 Trefferlage 2.99 mm rechts, 0.67 mm hoch
 Streuwert 4.60, horizontal: 5.01, vertikal: 4.15



Serie 2:
 9.7 → 10.2 ↘ 10.4 * 10.1 ← 10.6 *
 10.6 * 9.9 ↓ 10.7 * 10.3 → 10.3 →
 beste Teiler 239.7 (18.) 278.1 (16.) 317.7 (15.)
 Trefferlage 1.57 mm rechts, 0.72 mm tief
 Streuwert 4.28, horizontal: 4.77, vertikal: 3.72





Serie 3:
 10.6 * 10.0 → 10.5 * 10.7 * 10.7 *
 10.4 * 10.2 ↖ 10.6 * 10.1 ↑ 10.0 →
 beste Teiler 203.7 (24.) 222.4 (25.) 287.6 (28.)
 Trefferlage 1.28 mm rechts, 0.18 mm tief
 Streuwert 3.71, horizontal: 4.29, vertikal: 3.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **304.2** (291)
 Serien: 101.6 100.5 102.1
 Zähler: 21 9 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1242 (9), 1149 (19), 1144 (15)
 beste Teiler 104.7 (10.) 229.3 (5.) 235.1 (26.)
 Trefferlage 1.81 mm rechts, 1.63 mm hoch
 Streuwert 4.82, horizontal: 4.22, vertikal: 5.35



Serie 1:
 10.0 ↘ 9.9 ↓ 9.6 ↗ 10.3 * 10.7 *
 10.3 * 10.3 ↑ 10.3 ↖ 9.4 ↘ 10.8 *
 beste Teiler 104.7 (10.) 229.3 (5.) 494.1 (6.)
 Trefferlage 1.36 mm rechts, 0.01 mm tief
 Streuwert 5.20, horizontal: 3.49, vertikal: 6.47





Serie 2:
 10.2 ↗ 9.9 ↘ 10.1 ↖ 10.6 * 9.5 ↑
 10.1 ↗ 10.4 * 10.5 * 9.5 ↖ 9.7 ↑
 beste Teiler 257.4 (14.) 326.1 (18.) 427.4 (17.)
 Trefferlage 0.87 mm rechts, 4.33 mm hoch
 Streuwert 4.72, horizontal: 4.04, vertikal: 5.32




Serie 3:
 10.5 * 9.6 → 10.0 ← 10.1 → 10.3 *
 10.7 * 10.6 * 10.3 * 10.1 ↘ 9.9 →
 beste Teiler 235.1 (26.) 319.1 (27.) 363.7 (21.)
 Trefferlage 3.21 mm rechts, 0.58 mm hoch
 Streuwert 4.20, horizontal: 5.05, vertikal: 3.12

Unterschrift des Schützen


Ergebnis: **305.6** (293)
 Serien: 101.5 101.5 102.6
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1552 (11), 1290 (26), 1213 (16)
 beste Teiler 24.6 (13.) 97.2 (30.) 144.9 (29.)
 Trefferlage 0.05 mm links, 1.57 mm hoch
 Streuwert 4.97, horizontal: 6.11, vertikal: 3.49



Serie 1:
 10.5 * 10.5 * 10.5 * 9.8 ← 9.5 →
 10.4 * 9.9 ↖ 9.7 ↗ 10.1 ↖ 10.6 *
 beste Teiler 264.4 (10.) 326.0 (2.) 349.1 (1.)
 Trefferlage 2.62 mm links, 3.20 mm hoch
 Streuwert 4.28, horizontal: 5.60, vertikal: 2.31



Serie 2:
 9.0 → 10.2 ↗ 10.9 * 10.1 ↓ 10.4 *
 9.4 → 10.4 * 10.5 * 10.4 * 10.2 ↘
 beste Teiler 24.6 (13.) 373.8 (18.) 410.1 (17.)
 Trefferlage 3.20 mm rechts, 0.20 mm tief
 Streuwert 5.15, horizontal: 6.16, vertikal: 3.88





Serie 3:
 10.1 ← 10.5 * 10.0 ← 10.1 ↑ 10.6 *
 9.3 ↗ 10.1 ↘ 10.3 ← 10.8 * 10.8 *
 beste Teiler 97.2 (30.) 144.9 (29.) 287.6 (25.)
 Trefferlage 0.74 mm links, 1.72 mm hoch
 Streuwert 4.67, horizontal: 5.58, vertikal: 3.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **303.2** (291)
 Serien: 102.7 99.9 100.6
 Zähler: 22 7 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1671 (12), 1407 (15), 1235 (23)
 beste Teiler 134.1 (26.) 205.9 (7.) 213.4 (11.)
 Trefferlage 0.35 mm links, 0.04 mm hoch
 Streuwert 5.43, horizontal: 6.12, vertikal: 4.65



Serie 1:
 9.9 ↗ 10.5 * 10.2 ↘ 10.0 ↘ 10.2 ↗
 10.3 ↑ 10.7 * 10.6 * 10.1 ↑ 10.2 ←
 beste Teiler 205.9 (7.) 276.9 (8.) 321.7 (2.)
 Trefferlage 0.22 mm rechts, 2.34 mm hoch
 Streuwert 3.95, horizontal: 3.66, vertikal: 4.21





Serie 2:
 10.7 * 8.9 → 10.0 → 10.3 * 9.2 ←
 10.2 ↘ 10.0 ↓ 10.2 → 10.2 ↑ 10.2 ↑
 beste Teiler 213.4 (11.) 506.1 (14.) 586.7 (19.)
 Trefferlage 1.67 mm rechts, 0.54 mm hoch
 Streuwert 6.39, horizontal: 7.75, vertikal: 4.65




Serie 3:
 10.3 ↘ 9.8 ← 9.4 ↖ 9.8 ↖ 9.9 ↘
 10.8 * 9.7 ↘ 10.5 * 10.2 ↓ 10.2 ↘
 beste Teiler 134.1 (26.) 348.1 (28.) 550.1 (21.)
 Trefferlage 2.97 mm links, 2.74 mm tief
 Streuwert 5.00, horizontal: 5.87, vertikal: 3.93

Unterschrift des Schützen


Ergebnis: **298.8** (284)
 Serien: 99.8 96.7 102.3
 Zähler: 16 12 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1694 (11), 1678 (16), 1573 (14)
 beste Teiler 68.1 (27.) 116.7 (25.) 124.2 (7.)
 Trefferlage 3.44 mm rechts, 1.99 mm tief
 Streuwert 6.24, horizontal: 6.73, vertikal: 5.71



Serie 1:
 9.0 ↘ 10.4 * 9.7 ↗ 10.2 ↗ 10.6 *
 9.3 ↘ 10.8 * 10.4 * 10.4 * 9.0 ↓
 beste Teiler 124.2 (7.) 271.9 (5.) 443.3 (8.)
 Trefferlage 3.73 mm rechts, 1.28 mm tief
 Streuwert 6.21, horizontal: 5.44, vertikal: 6.89



Serie 2:
 8.8 ↘ 10.5 * 9.1 ↘ 9.0 ↘ 9.9 →
 8.9 → 9.9 ↗ 10.6 * 10.7 * 9.3 ←
 beste Teiler 230.4 (19.) 291.3 (18.) 348.1 (12.)
 Trefferlage 6.72 mm rechts, 2.86 mm tief
 Streuwert 6.90, horizontal: 8.19, vertikal: 5.30





Serie 3:
 9.9 ↙ 9.3 ↗ 10.6 * 10.3 ↓ 10.8 *
 9.6 ↙ 10.9 * 10.6 * 10.1 ↓ 10.2 →
 beste Teiler 68.1 (27.) 116.7 (25.) 249.5 (23.)
 Trefferlage 0.10 mm links, 1.82 mm tief
 Streuwert 5.05, horizontal: 4.81, vertikal: 5.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.0** (283)
 Serien: 100.1 98.2 97.7
 Zähler: 16 11 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1866 (22), 1847 (1), 1839 (25)
 beste Teiler 224.3 (10.) 228.0 (4.) 239.4 (29.)
 Trefferlage 0.56 mm links, 1.05 mm tief
 Streuwert 7.15, horizontal: 7.40, vertikal: 6.89



Serie 1:
 8.6 ↙ 9.2 ↗ 10.0 ↘ 10.7 * 10.6 *
 10.5 * 9.5 ↙ 10.3 ↑ 10.0 ↑ 10.7 *
 beste Teiler 224.3 (10.) 228.0 (4.) 282.0 (5.)
 Trefferlage 1.16 mm links, 1.01 mm hoch
 Streuwert 6.73, horizontal: 7.05, vertikal: 6.38





Serie 2:
 9.7 ↘ 9.8 ↓ 9.5 ↗ 9.9 ↘ 10.1 ↑
 9.3 ↘ 10.6 * 10.5 * 9.5 → 9.3 ↙
 beste Teiler 281.8 (17.) 390.5 (18.) 648.9 (15.)
 Trefferlage 2.08 mm rechts, 1.57 mm tief
 Streuwert 6.99, horizontal: 6.79, vertikal: 7.19




Serie 3:
 10.0 ↘ 8.6 ↙ 9.9 ↘ 9.0 ← 8.7 ↘
 10.2 ↘ 10.0 ↙ 10.0 → 10.7 * 10.6 *
 beste Teiler 239.4 (29.) 255.6 (30.) 600.4 (26.)
 Trefferlage 2.61 mm links, 2.61 mm tief
 Streuwert 7.76, horizontal: 8.24, vertikal: 7.25

Unterschrift des Schützen


Ergebnis: **300.9** (286)
 Serien: 100.0 101.6 99.3
 Zähler: 16 14 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1343 (24), 1331 (13), 1257 (3)
 beste Teiler 161.8 (18.) 247.0 (19.) 299.4 (5.)
 Trefferlage 2.33 mm rechts, 0.06 mm hoch
 Streuwert 5.62, horizontal: 6.25, vertikal: 4.91



Serie 1:
 9.8 ↙ 9.9 ↖ 9.4 ↘ 9.7 ↘ 10.6 *
 10.4 * 10.3 ↘ 10.2 ↓ 9.5 → 10.2 ↗
 beste Teiler 299.4 (5.) 429.8 (6.) 545.6 (7.)
 Trefferlage 2.49 mm rechts, 3.11 mm tief
 Streuwert 5.35, horizontal: 5.29, vertikal: 5.40





Serie 2:
 10.5 * 9.8 → 9.3 → 10.0 ← 10.3 ←
 10.2 ↖ 10.5 * 10.7 * 10.6 * 9.7 →
 beste Teiler 161.8 (18.) 247.0 (19.) 348.9 (17.)
 Trefferlage 1.69 mm rechts, 1.08 mm hoch
 Streuwert 5.26, horizontal: 7.26, vertikal: 1.66




Serie 3:
 10.6 * 9.8 ↗ 10.5 * 9.3 ↖ 9.5 →
 10.3 ↑ 9.8 ↑ 9.9 → 9.6 → 10.0 ↓
 beste Teiler 304.1 (21.) 323.8 (23.) 535.0 (26.)
 Trefferlage 2.80 mm rechts, 2.24 mm hoch
 Streuwert 6.03, horizontal: 6.67, vertikal: 5.31

Unterschrift des Schützen


Ergebnis: **271.1** (258)
 Serien: 90.9 93.1 87.1
 Zähler: 8 11 6 2 2 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4420 (6), 3407 (24), 3397 (16)
 beste Teiler 313.0 (11.) 342.6 (26.) 395.0 (28.)
 Trefferlage 9.18 mm rechts, 1.74 mm tief
 Streuwert 11.32, horizontal: 13.70, vertikal: 8.27



Serie 1:
 9.3 → 10.0 ↙ 9.6 ↘ 10.3 ↘ 8.6 ↘
 5.4 → 9.4 ↘ 9.3 ↘ 9.9 ↗ 9.1 →
 beste Teiler 532.9 (4.) 782.7 (2.) 827.0 (9.)
 Trefferlage 7.90 mm rechts, 0.18 mm hoch
 Streuwert 12.18, horizontal: 15.17, vertikal: 8.15





Serie 2:
 10.6 * 10.1 ↙ 8.8 ↘ 9.8 → 8.1 →
 6.7 ↘ 10.2 ← 10.2 ↑ 8.9 ↘ 9.7 ←
 beste Teiler 313.0 (11.) 568.8 (17.) 571.0 (18.)
 Trefferlage 6.40 mm rechts, 4.55 mm tief
 Streuwert 10.36, horizontal: 12.40, vertikal: 7.80




Serie 3:
 9.1 ↘ 8.6 ↗ 9.3 → 6.7 → 7.2 →
 10.5 * 7.5 → 10.5 * 9.2 ↘ 8.5 →
 beste Teiler 342.6 (26.) 395.0 (28.) 1286.9 (23.)
 Trefferlage 13.24 mm rechts, 0.86 mm tief
 Streuwert 11.65, horizontal: 13.86, vertikal: 8.89

Unterschrift des Schützen


Ergebnis: **297.7** (284)
 Serien: 99.5 97.6 100.6
 Zähler: 16 12 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1695 (20), 1677 (11), 1578 (13)
 beste Teiler 93.0 (10.) 278.6 (12.) 297.2 (2.)
 Trefferlage 0.93 mm rechts, 2.09 mm hoch
 Streuwert 6.41, horizontal: 6.83, vertikal: 5.97



Serie 1:
 9.8 ↑ 10.6 * 9.9 ← 9.4 ↗ 10.2 ↗
 9.7 ↑ 9.4 → 9.7 ↑ 10.0 ↖ 10.8 *
 beste Teiler 93.0 (10.) 297.2 (2.) 590.9 (5.)
 Trefferlage 0.28 mm links, 4.79 mm hoch
 Streuwert 5.36, horizontal: 5.87, vertikal: 4.80





Serie 2:
 8.9 ↘ 10.6 * 9.0 ↗ 9.7 → 10.3 *
 10.0 → 9.9 ↗ 10.0 ↑ 10.4 * 8.8 ↖
 beste Teiler 278.6 (12.) 479.2 (19.) 525.5 (15.)
 Trefferlage 1.70 mm rechts, 3.05 mm hoch
 Streuwert 7.62, horizontal: 8.92, vertikal: 6.05




Serie 3:
 10.5 * 10.4 * 10.0 ↖ 10.5 * 10.4 *
 10.4 * 9.6 ↓ 10.0 ← 9.2 ↘ 9.6 →
 beste Teiler 346.6 (24.) 371.0 (21.) 463.9 (25.)
 Trefferlage 1.39 mm rechts, 1.55 mm tief
 Streuwert 5.69, horizontal: 5.80, vertikal: 5.58

Unterschrift des Schützen


Ergebnis: **295.1** (279)
 Serien: 98.4 96.5 100.2
 Zähler: 11 17 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1816 (13), 1779 (5), 1535 (11)
 beste Teiler 42.0 (24.) 95.4 (20.) 235.2 (29.)
 Trefferlage 2.25 mm links, 2.48 mm tief
 Streuwert 6.80, horizontal: 6.97, vertikal: 6.64



Serie 1:
 9.4 ↖ 10.0 → 9.7 ← 10.5 * 8.7 ↖
 10.3 ↘ 9.8 ↓ 9.9 ↘ 9.7 ↓ 10.4 *
 beste Teiler 352.4 (4.) 476.6 (10.) 541.7 (6.)
 Trefferlage 3.67 mm links, 0.79 mm tief
 Streuwert 6.64, horizontal: 6.71, vertikal: 6.56



Serie 2:
 9.0 ↗ 10.5 * 8.7 ← 9.7 ↓ 9.7 ←
 10.2 ↓ 9.4 ↓ 9.3 ↓ 9.2 ← 10.8 *
 beste Teiler 95.4 (20.) 369.9 (12.) 586.6 (16.)
 Trefferlage 2.54 mm links, 5.60 mm tief
 Streuwert 7.38, horizontal: 9.35, vertikal: 4.64





Serie 3:
 9.6 ↗ 9.4 ↗ 10.3 * 10.9 * 9.6 ↓
 10.5 * 9.9 ↓ 9.5 ↓ 10.7 * 9.8 ←
 beste Teiler 42.0 (24.) 235.2 (29.) 380.0 (26.)
 Trefferlage 0.55 mm links, 1.06 mm tief
 Streuwert 6.31, horizontal: 4.30, vertikal: 7.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291.5** (278)
 Serien: 94.9 99.2 97.4
 Zähler: 16 6 8 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2140 (23), 2111 (14), 2062 (26)
 beste Teiler 229.8 (16.) 263.9 (22.) 330.3 (2.)
 Trefferlage 2.98 mm rechts, 2.23 mm hoch
 Streuwert 7.91, horizontal: 9.43, vertikal: 6.01



Serie 1:
 9.3 ↗ 10.5 * 8.6 ↑ 9.8 ← 10.3 *
 8.6 → 9.3 → 9.8 ↘ 10.2 ← 8.5 →
 beste Teiler 330.3 (2.) 514.1 (5.) 580.3 (9.)
 Trefferlage 5.87 mm rechts, 1.93 mm hoch
 Streuwert 8.38, horizontal: 9.29, vertikal: 7.35



Serie 2:
 8.9 ↗ 10.1 ↗ 10.5 * 8.3 ↗ 10.0 ↓
 10.7 * 10.1 ↙ 10.2 ↘ 9.9 → 10.5 *
 beste Teiler 229.8 (16.) 347.4 (20.) 396.4 (13.)
 Trefferlage 3.73 mm rechts, 1.17 mm hoch
 Streuwert 6.88, horizontal: 7.61, vertikal: 6.05





Serie 3:
 10.3 ↑ 10.6 * 8.3 ↖ 10.4 * 9.8 ↗
 8.4 ↖ 10.2 → 10.4 * 8.9 → 10.1 →
 beste Teiler 263.9 (22.) 437.7 (28.) 455.9 (24.)
 Trefferlage 0.64 mm links, 3.59 mm hoch
 Streuwert 8.37, horizontal: 10.85, vertikal: 4.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291.7** (281)
 Serien: 97.0 97.4 97.3
 Zähler: 16 9 5 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2148 (20), 1952 (2), 1921 (30)
 beste Teiler 94.1 (14.) 188.5 (12.) 364.0 (17.)
 Trefferlage 1.33 mm links, 1.87 mm tief
 Streuwert 7.93, horizontal: 9.01, vertikal: 6.68



Serie 1:
 10.1 ↗ 8.5 ← 10.1 ← 10.1 ↘ 9.5 ↖
 10.0 ↖ 10.1 ↓ 10.3 * 9.6 ↘ 8.7 ←
 beste Teiler 484.3 (8.) 657.1 (7.) 674.0 (4.)
 Trefferlage 6.27 mm links, 2.94 mm hoch
 Streuwert 6.44, horizontal: 7.12, vertikal: 5.69



Serie 2:
 9.4 ↘ 10.7 * 9.1 ↘ 10.8 * 9.1 ↗
 10.3 ↓ 10.5 * 10.0 ↘ 9.2 ↘ 8.3 ←
 beste Teiler 94.1 (14.) 188.5 (12.) 364.0 (17.)
 Trefferlage 0.27 mm rechts, 3.01 mm tief
 Streuwert 8.37, horizontal: 10.00, vertikal: 6.33





Serie 3:
 9.5 ↘ 8.8 ↓ 10.4 * 10.3 ↓ 9.5 ↓
 10.3 * 10.2 ↓ 9.6 ← 10.2 ↓ 8.5 →
 beste Teiler 445.2 (23.) 519.5 (26.) 549.2 (24.)
 Trefferlage 2.00 mm rechts, 5.54 mm tief
 Streuwert 6.99, horizontal: 8.28, vertikal: 5.40


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.1** (284)
 Serien: 98.3 99.0 98.8
 Zähler: 15 14 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1888 (14), 1487 (4), 1395 (5)
 beste Teiler 258.9 (13.) 260.0 (8.) 313.3 (9.)
 Trefferlage 1.75 mm rechts, 0.04 mm hoch
 Streuwert 6.77, horizontal: 5.73, vertikal: 7.67



Serie 1:
 10.1 ↘ 9.5 ↓ 9.7 ↓ 9.1 → 9.2 ↘
 10.0 → 10.2 ↓ 10.6 * 10.6 * 9.3 ↑
 beste Teiler 260.0 (8.) 313.3 (9.) 609.6 (7.)
 Trefferlage 3.07 mm rechts, 2.61 mm tief
 Streuwert 6.74, horizontal: 5.92, vertikal: 7.47



Serie 2:
 9.7 ↘ 10.5 * 10.6 * 8.6 ↘ 9.7 ↘
 10.4 * 9.5 ↑ 9.8 → 10.0 ↑ 10.2 ↘
 beste Teiler 258.9 (13.) 344.4 (12.) 404.4 (16.)
 Trefferlage 3.88 mm rechts, 1.08 mm tief
 Streuwert 6.55, horizontal: 4.32, vertikal: 8.19





Serie 3:
 10.3 * 10.3 ↖ 10.4 * 10.0 ↖ 9.3 ↘
 9.4 ↓ 10.2 ↗ 9.5 ↖ 9.7 ↑ 9.7 ↗
 beste Teiler 408.9 (23.) 515.4 (21.) 547.0 (22.)
 Trefferlage 1.71 mm links, 3.84 mm hoch
 Streuwert 6.04, horizontal: 5.64, vertikal: 6.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **300.3** (286)
 Serien: 97.9 100.9 101.5
 Zähler: 17 12 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1895 (7), 1202 (6), 1147 (8)
 beste Teiler 140.1 (4.) 339.3 (20.) 344.6 (29.)
 Trefferlage 0.99 mm rechts, 0.48 mm tief
 Streuwert 5.90, horizontal: 6.40, vertikal: 5.34



Serie 1:
 9.9 ↘ 10.0 ↙ 10.1 ↗ 10.8 * 10.4 *
 9.4 ↖ 8.6 ↘ 9.5 → 9.6 ↙ 9.6 ↓
 beste Teiler 140.1 (4.) 424.3 (5.) 657.5 (3.)
 Trefferlage 1.58 mm rechts, 2.83 mm tief
 Streuwert 7.27, horizontal: 7.65, vertikal: 6.86





Serie 2:
 10.2 ↖ 9.8 ↙ 9.8 ↗ 9.9 ↖ 10.1 ↖
 10.2 ↑ 10.5 * 10.3 → 9.6 → 10.5 *
 beste Teiler 339.3 (20.) 346.7 (17.) 548.0 (18.)
 Trefferlage 0.08 mm rechts, 2.48 mm hoch
 Streuwert 5.17, horizontal: 6.51, vertikal: 3.33




Serie 3:
 9.8 ↘ 10.2 ↗ 9.9 ↙ 10.4 * 10.5 *
 10.2 ↖ 9.6 → 10.2 ↙ 10.5 * 10.2 ↗
 beste Teiler 344.6 (29.) 352.0 (25.) 452.5 (24.)
 Trefferlage 1.31 mm rechts, 1.11 mm tief
 Streuwert 4.86, horizontal: 5.45, vertikal: 4.19

Unterschrift des Schützen


Ergebnis: **298.1** (283)
 Serien: 96.2 100.2 101.7
 Zähler: 15 13 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1919 (3), 1651 (8), 1360 (9)
 beste Teiler 152.0 (24.) 258.2 (26.) 294.1 (16.)
 Trefferlage 0.49 mm links, 0.44 mm hoch
 Streuwert 6.49, horizontal: 6.52, vertikal: 6.46



Serie 1:
 9.8 ↘ 10.2 ↗ 8.6 ← 9.4 ✓ 9.4 ↘
 10.1 ↑ 10.1 ↘ 8.9 ↘ 9.3 ↘ 10.4 *
 beste Teiler 411.1 (10.) 595.5 (2.) 657.3 (6.)
 Trefferlage 2.76 mm links, 1.95 mm hoch
 Streuwert 8.30, horizontal: 8.15, vertikal: 8.44





Serie 2:
 9.6 ↘ 9.8 ✓ 10.3 → 9.8 ↘ 9.4 ↗
 10.6 * 10.2 → 9.9 → 10.5 * 10.1 ↘
 beste Teiler 294.1 (16.) 328.1 (19.) 560.9 (13.)
 Trefferlage 2.51 mm rechts, 1.84 mm tief
 Streuwert 5.46, horizontal: 5.19, vertikal: 5.71




Serie 3:
 9.8 ↘ 10.5 * 9.9 ✓ 10.8 * 9.9 ↘
 10.6 * 9.8 ↘ 10.1 ↑ 10.0 → 10.3 ↘
 beste Teiler 152.0 (24.) 258.2 (26.) 350.4 (22.)
 Trefferlage 1.21 mm links, 1.23 mm hoch
 Streuwert 4.95, horizontal: 5.22, vertikal: 4.66

Unterschrift des Schützen


Ergebnis: **288.8** (276)
 Serien: 94.2 98.2 96.4
 Zähler: 9 18 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2288 (2), 1704 (30), 1614 (27)
 beste Teiler 138.2 (15.) 368.2 (19.) 403.1 (7.)
 Trefferlage 1.37 mm links, 3.68 mm hoch
 Streuwert 7.87, horizontal: 7.70, vertikal: 8.04



Serie 1:
 9.1 ↑ 8.1 ↘ 9.3 ↖ 9.2 ↘ 9.6 ↖
 9.4 ↖ 10.4 * 9.6 ↖ 10.2 ↘ 9.3 →
 beste Teiler 403.1 (7.) 607.3 (9.) 1096.4 (8.)
 Trefferlage 4.80 mm links, 6.37 mm hoch
 Streuwert 7.88, horizontal: 8.70, vertikal: 6.97





Serie 2:
 9.2 ↘ 9.3 ↓ 10.3 * 10.3 ↗ 10.8 *
 9.7 ↗ 9.3 ↘ 9.1 ↗ 10.5 * 9.7 ↖
 beste Teiler 138.2 (15.) 368.2 (19.) 500.2 (13.)
 Trefferlage 2.78 mm rechts, 1.86 mm tief
 Streuwert 7.06, horizontal: 6.96, vertikal: 7.15




Serie 3:
 9.8 ↖ 9.2 ↑ 9.2 ↗ 9.9 ↖ 10.3 *
 10.3 * 8.9 ↑ 10.2 ↖ 9.8 ↑ 8.8 ↘
 beste Teiler 497.0 (25.) 530.4 (26.) 603.2 (28.)
 Trefferlage 2.09 mm links, 6.54 mm hoch
 Streuwert 6.74, horizontal: 5.83, vertikal: 7.55

Unterschrift des Schützen


Ergebnis: **297.5** (284)
 Serien: 96.4 100.3 100.8
 Zähler: 17 10 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1867 (11), 1708 (10), 1614 (4)
 beste Teiler 219.1 (21.) 293.0 (13.) 301.4 (30.)
 Trefferlage 1.13 mm rechts, 1.94 mm tief
 Streuwert 6.63, horizontal: 6.75, vertikal: 6.50



Serie 1:
 9.3 ↘ 10.1 ↗ 10.0 ↓ 8.9 ↓ 9.3 ↘
 9.3 ↘ 10.5 * 9.9 ↖ 10.3 * 8.8 →
 beste Teiler 380.2 (7.) 530.4 (9.) 659.0 (2.)
 Trefferlage 3.79 mm rechts, 5.22 mm tief
 Streuwert 6.96, horizontal: 6.80, vertikal: 7.12





Serie 2:
 8.6 → 10.3 → 10.6 * 10.5 * 10.5 *
 9.7 ↖ 10.2 ↗ 10.0 ↑ 9.8 → 10.1 ↖
 beste Teiler 293.0 (13.) 365.8 (14.) 400.4 (15.)
 Trefferlage 1.89 mm rechts, 1.17 mm hoch
 Streuwert 6.20, horizontal: 7.43, vertikal: 4.66




Serie 3:
 10.7 * 9.8 ↖ 10.5 * 9.4 ↖ 10.3 ↗
 9.6 ↘ 10.3 ← 9.2 ↓ 10.4 * 10.6 *
 beste Teiler 219.1 (21.) 301.4 (30.) 328.4 (23.)
 Trefferlage 2.29 mm links, 1.79 mm tief
 Streuwert 5.70, horizontal: 4.88, vertikal: 6.41

Unterschrift des Schützen


Ergebnis: **290.8** (279)
 Serien: 96.6 96.9 97.3
 Zähler: 13 13 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2265 (8), 2067 (1), 1957 (20)
 beste Teiler 189.6 (9.) 320.5 (13.) 329.5 (18.)
 Trefferlage 1.25 mm rechts, 3.16 mm hoch
 Streuwert 7.85, horizontal: 8.65, vertikal: 6.96



Serie 1:
 8.4 → 9.4 ↗ 9.7 → 10.3 * 10.3 *
 9.9 ← 10.5 * 8.1 ↖ 10.7 * 9.3 ↘
 beste Teiler 189.6 (9.) 358.7 (7.) 497.4 (4.)
 Trefferlage 0.51 mm links, 4.10 mm hoch
 Streuwert 8.64, horizontal: 11.13, vertikal: 5.04





Serie 2:
 10.1 ← 9.4 ↖ 10.6 * 10.1 ↙ 9.0 ↘
 10.1 ← 9.8 ↑ 10.5 * 8.8 → 8.5 →
 beste Teiler 320.5 (13.) 329.5 (18.) 677.0 (14.)
 Trefferlage 1.62 mm rechts, 1.73 mm hoch
 Streuwert 8.45, horizontal: 9.54, vertikal: 7.20




Serie 3:
 9.6 ↑ 10.0 ↗ 9.9 → 10.1 → 9.4 ↑
 9.0 ↑ 10.0 ↙ 10.4 * 9.6 ↗ 9.3 ↓
 beste Teiler 419.3 (28.) 718.1 (24.) 730.8 (27.)
 Trefferlage 2.64 mm rechts, 3.65 mm hoch
 Streuwert 6.92, horizontal: 4.52, vertikal: 8.68

Unterschrift des Schützen


Ergebnis: **291.8** (280)
 Serien: 97.7 94.7 99.4
 Zähler: 12 16 2 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2376 (14), 1899 (11), 1449 (17)
 beste Teiler 173.8 (15.) 341.0 (30.) 345.8 (23.)
 Trefferlage 0.11 mm links, 0.74 mm hoch
 Streuwert 7.80, horizontal: 8.22, vertikal: 7.34



Serie 1:
 9.3 ↗ 10.0 ↙ 9.7 ↗ 9.9 ↗ 10.2 →
 9.3 ← 10.3 * 9.7 ↑ 10.1 ↓ 9.2 ↙
 beste Teiler 492.5 (7.) 608.5 (5.) 705.3 (9.)
 Trefferlage 1.51 mm links, 1.63 mm hoch
 Streuwert 7.20, horizontal: 7.14, vertikal: 7.26





Serie 2:
 8.6 ← 9.6 → 10.3 ↙ 8.0 ↘ 10.7 *
 9.2 ↑ 9.1 ↘ 9.5 ↑ 9.5 ↓ 10.2 ↖
 beste Teiler 173.8 (15.) 547.0 (13.) 612.4 (20.)
 Trefferlage 1.85 mm rechts, 0.26 mm tief
 Streuwert 9.86, horizontal: 11.08, vertikal: 8.48




Serie 3:
 9.8 ↑ 9.2 ↖ 10.5 * 9.7 ↓ 10.3 ↖
 9.7 ← 9.5 → 10.0 ↘ 10.2 ↙ 10.5 *
 beste Teiler 341.0 (30.) 345.8 (23.) 537.7 (25.)
 Trefferlage 0.67 mm links, 0.87 mm hoch
 Streuwert 6.50, horizontal: 6.11, vertikal: 6.86

Unterschrift des Schützen


Ergebnis: **288.9** (277)
 Serien: 97.9 94.4 96.6
 Zähler: 11 15 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2057 (13), 1909 (15), 1802 (16)
 beste Teiler 216.5 (7.) 322.0 (4.) 397.3 (9.)
 Trefferlage 1.14 mm rechts, 1.01 mm hoch
 Streuwert 8.33, horizontal: 8.87, vertikal: 7.75



Serie 1:
 9.6 → 10.2 ↓ 9.1 ↘ 10.5 * 9.5 ↑
 9.2 ↗ 10.7 * 9.6 ↙ 10.5 * 9.0 →
 beste Teiler 216.5 (7.) 322.0 (4.) 397.3 (9.)
 Trefferlage 4.43 mm rechts, 1.79 mm hoch
 Streuwert 6.89, horizontal: 7.20, vertikal: 6.57





Serie 2:
 8.9 ↖ 10.1 ↗ 8.4 ↘ 10.4 * 8.6 ↓
 8.7 ↙ 10.5 * 9.1 ← 9.6 ← 10.1 ↓
 beste Teiler 398.6 (17.) 415.0 (14.) 678.1 (20.)
 Trefferlage 2.56 mm links, 2.77 mm tief
 Streuwert 9.70, horizontal: 10.45, vertikal: 8.90




Serie 3:
 9.6 ↙ 9.3 → 9.0 ↑ 9.3 ↘ 9.2 →
 9.7 → 10.3 * 9.8 ↖ 10.0 ↗ 10.4 *
 beste Teiler 439.0 (30.) 495.3 (27.) 727.4 (29.)
 Trefferlage 1.57 mm rechts, 4.01 mm hoch
 Streuwert 7.41, horizontal: 8.07, vertikal: 6.69

Unterschrift des Schützen


Ergebnis: **290.5** (276)
 Serien: 94.5 99.8 96.2
 Zähler: 12 12 6 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2080 (8), 1844 (29), 1692 (1)
 beste Teiler 298.3 (14.) 352.4 (11.) 411.8 (30.)
 Trefferlage 3.15 mm links, 1.82 mm tief
 Streuwert 7.60, horizontal: 8.09, vertikal: 7.06



Serie 1:
 8.8 ↓ 10.1 ↖ 9.1 ← 8.9 ↗ 9.3 ↓
 9.8 ↓ 10.2 ← 8.4 ↗ 10.1 ↓ 9.8 ↗
 beste Teiler 618.9 (7.) 660.6 (9.) 702.4 (2.)
 Trefferlage 6.46 mm links, 1.72 mm tief
 Streuwert 8.28, horizontal: 6.70, vertikal: 9.60



Serie 2:
 10.5 * 9.7 ← 10.0 ↘ 10.6 * 10.1 ↘
 9.6 ↘ 10.3 * 9.7 → 9.9 ← 9.4 ↗
 beste Teiler 298.3 (14.) 352.4 (11.) 483.8 (17.)
 Trefferlage 0.21 mm links, 1.13 mm tief
 Streuwert 6.16, horizontal: 7.74, vertikal: 3.98





Serie 3:
 8.9 ↗ 10.4 * 9.3 ↘ 8.9 ↘ 10.1 ↖
 10.2 ↑ 9.8 ↘ 9.6 ↘ 8.6 ↘ 10.4 *
 beste Teiler 411.8 (30.) 439.4 (22.) 581.2 (26.)
 Trefferlage 2.77 mm links, 2.62 mm tief
 Streuwert 8.24, horizontal: 9.18, vertikal: 7.18


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **297.0** (282)
 Serien: 97.5 100.0 99.5
 Zähler: 13 16 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2002 (2), 1588 (26), 1363 (15)
 beste Teiler 295.4 (27.) 297.9 (25.) 313.5 (22.)
 Trefferlage 1.42 mm rechts, 1.71 mm hoch
 Streuwert 6.53, horizontal: 7.85, vertikal: 4.85



Serie 1:
 10.1 ↙ 8.4 → 9.6 ↖ 9.9 ↘ 10.4 *
 10.3 * 9.4 → 9.5 ← 9.7 → 10.2 ↘
 beste Teiler 479.5 (5.) 491.2 (6.) 598.8 (10.)
 Trefferlage 2.10 mm rechts, 1.19 mm hoch
 Streuwert 7.57, horizontal: 10.10, vertikal: 3.55





Serie 2:
 10.4 * 10.3 * 10.3 * 9.8 ↗ 9.2 ↑
 9.5 ↗ 10.5 * 10.5 * 9.9 ↘ 9.6 →
 beste Teiler 344.5 (17.) 383.5 (18.) 447.4 (11.)
 Trefferlage 2.70 mm rechts, 3.91 mm hoch
 Streuwert 5.05, horizontal: 5.00, vertikal: 5.10




Serie 3:
 9.6 ↙ 10.6 * 9.9 → 9.8 ↗ 10.6 *
 9.0 ↘ 10.6 * 10.2 ↙ 9.9 ← 9.3 ↘
 beste Teiler 295.4 (27.) 297.9 (25.) 313.5 (22.)
 Trefferlage 0.53 mm links, 0.02 mm hoch
 Streuwert 6.84, horizontal: 8.06, vertikal: 5.33

Unterschrift des Schützen


Ergebnis: **267.3** (252)
 Serien: 93.0 86.8 87.5
 Zähler: 8 5 11 4 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4259 (25), 3330 (20), 2693 (4)
 beste Teiler 142.7 (5.) 326.7 (1.) 453.2 (24.)
 Trefferlage 4.77 mm links, 0.13 mm tief
 Streuwert 13.08, horizontal: 14.86, vertikal: 11.02



Serie 1:
 10.5 * 9.8 ↗ 8.8 ↘ 7.6 ← 10.8 *
 8.9 ↓ 8.8 ↗ 9.9 → 7.8 ← 10.1 ↖
 beste Teiler 142.7 (5.) 326.7 (1.) 688.3 (10.)
 Trefferlage 5.17 mm links, 1.53 mm hoch
 Streuwert 10.87, horizontal: 12.43, vertikal: 9.04





Serie 2:
 10.0 ← 9.2 ↓ 8.5 ↘ 8.3 ↘ 7.7 ↗
 8.1 ↘ 10.3 * 9.1 ↘ 8.8 ↗ 6.8 ←
 beste Teiler 496.9 (17.) 743.0 (11.) 1397.1 (12.)
 Trefferlage 6.42 mm links, 2.82 mm hoch
 Streuwert 13.82, horizontal: 15.14, vertikal: 12.36




Serie 3:
 10.2 ← 7.9 → 8.7 → 10.4 * 5.6 ↗
 9.6 ← 8.7 ← 10.0 ← 8.1 ← 8.3 →
 beste Teiler 453.2 (24.) 625.4 (21.) 788.9 (28.)
 Trefferlage 2.72 mm links, 4.76 mm tief
 Streuwert 14.83, horizontal: 17.89, vertikal: 10.95

Unterschrift des Schützen


Ergebnis: **276.4** (262)
 Serien: 93.2 87.5 95.7
 Zähler: 7 12 10 0 0 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5396 (12), 2199 (10), 2140 (19)
 beste Teiler 499.9 (7.) 544.0 (5.) 573.1 (30.)
 Trefferlage 3.73 mm rechts, 7.38 mm hoch
 Streuwert 10.30, horizontal: 13.17, vertikal: 6.22



Serie 1:
 8.9 ↑ 8.9 ↑ 8.9 → 8.4 ↖ 10.3 →
 10.1 ↗ 10.3 * 9.1 ↑ 10.1 ← 8.2 →
 beste Teiler 499.9 (7.) 544.0 (5.) 643.3 (9.)
 Trefferlage 3.13 mm rechts, 7.32 mm hoch
 Streuwert 8.84, horizontal: 10.78, vertikal: 6.32





Serie 2:
 9.0 ↗ 4.2 → 9.9 → 9.3 ↗ 8.9 ↘
 9.9 ↖ 8.9 ↑ 10.2 ↑ 8.3 ↑ 8.9 →
 beste Teiler 598.6 (18.) 809.0 (16.) 867.9 (13.)
 Trefferlage 9.11 mm rechts, 10.00 mm hoch
 Streuwert 12.87, horizontal: 16.86, vertikal: 6.86




Serie 3:
 9.6 ← 9.7 ↖ 9.9 ↘ 9.4 ↑ 9.4 ↘
 10.2 ↗ 9.4 ↗ 9.3 ↗ 8.6 ↖ 10.2 ↗
 beste Teiler 573.1 (30.) 614.3 (26.) 879.9 (23.)
 Trefferlage 1.03 mm links, 4.82 mm hoch
 Streuwert 7.86, horizontal: 10.03, vertikal: 4.79

Unterschrift des Schützen


Ergebnis: **292.3** (276)
 Serien: 95.1 98.5 98.7
 Zähler: 13 12 3 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2810 (11), 2540 (7), 1921 (22)
 beste Teiler 106.4 (14.) 178.3 (15.) 201.9 (16.)
 Trefferlage 3.06 mm rechts, 1.95 mm hoch
 Streuwert 8.02, horizontal: 9.77, vertikal: 5.76



Serie 1:
 9.2 ↑ 9.9 ↗ 10.5 * 8.7 ↘ 9.6 ↑
 9.8 → 7.8 ← 10.7 * 10.2 ↗ 8.7 ↗
 beste Teiler 228.3 (8.) 400.2 (3.) 620.1 (9.)
 Trefferlage 2.79 mm rechts, 5.30 mm hoch
 Streuwert 9.05, horizontal: 11.54, vertikal: 5.53





Serie 2:
 7.4 → 9.9 ↑ 9.7 ↗ 10.8 * 10.7 *
 10.7 * 10.0 → 10.2 ↑ 9.4 → 9.7 ↙
 beste Teiler 106.4 (14.) 178.3 (15.) 201.9 (16.)
 Trefferlage 5.51 mm rechts, 0.99 mm hoch
 Streuwert 7.43, horizontal: 9.31, vertikal: 4.87




Serie 3:
 10.3 → 8.5 ↘ 9.9 ↙ 10.2 ↙ 9.6 ←
 9.6 → 9.3 ↘ 10.5 * 10.3 ← 10.5 *
 beste Teiler 353.8 (28.) 373.6 (30.) 544.1 (29.)
 Trefferlage 0.88 mm rechts, 0.44 mm tief
 Streuwert 7.36, horizontal: 8.70, vertikal: 5.71

Unterschrift des Schützen


Ergebnis: **280.7** (266)
 Serien: 92.8 93.0 94.9
 Zähler: 9 13 4 3 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3721 (29), 3085 (3), 2534 (2)
 beste Teiler 140.9 (8.) 156.6 (14.) 177.3 (21.)
 Trefferlage 4.88 mm links, 6.20 mm hoch
 Streuwert 9.41, horizontal: 10.83, vertikal: 7.73



Serie 1:
 10.2 ↘ 7.8 ↘ 7.1 ↖ 10.4 * 8.3 ↖
 9.8 ↑ 9.5 ↑ 10.8 * 9.9 ↗ 9.0 ↖
 beste Teiler 140.9 (8.) 454.5 (4.) 582.7 (1.)
 Trefferlage 5.66 mm links, 8.12 mm hoch
 Streuwert 9.56, horizontal: 11.32, vertikal: 7.39





Serie 2:
 9.2 ↗ 8.6 ↓ 9.8 ← 10.8 * 9.7 ↖
 10.1 ↘ 9.4 ↖ 9.2 ↑ 7.8 ← 8.4 ↖
 beste Teiler 156.6 (14.) 650.0 (16.) 931.8 (13.)
 Trefferlage 4.52 mm links, 3.38 mm hoch
 Streuwert 10.12, horizontal: 10.24, vertikal: 9.99




Serie 3:
 10.7 * 9.4 ↖ 8.9 ↖ 9.5 ↑ 10.3 *
 9.5 → 10.1 ↗ 9.9 ↖ 6.3 ↖ 10.3 *
 beste Teiler 177.3 (21.) 514.1 (25.) 528.9 (30.)
 Trefferlage 4.47 mm links, 7.11 mm hoch
 Streuwert 9.17, horizontal: 12.01, vertikal: 4.89

Unterschrift des Schützen


Ergebnis: **301.9** (288)
 Serien: 100.6 98.7 102.6
 Zähler: 19 10 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1927 (16), 1518 (6), 1459 (5)
 beste Teiler 137.0 (2.) 210.0 (3.) 216.3 (18.)
 Trefferlage 1.87 mm links, 0.83 mm hoch
 Streuwert 5.73, horizontal: 6.91, vertikal: 4.23



Serie 1:
 9.5 ↘ 10.8 * 10.7 * 10.3 * 9.1 ←
 9.1 → 10.2 ↓ 9.8 ↙ 10.5 * 10.6 *
 beste Teiler 137.0 (2.) 210.0 (3.) 281.0 (10.)
 Trefferlage 2.27 mm links, 0.22 mm tief
 Streuwert 6.22, horizontal: 7.91, vertikal: 3.84





Serie 2:
 9.8 → 9.8 ↖ 9.8 ↗ 10.4 * 9.5 ↑
 8.5 ← 9.8 ↙ 10.7 * 10.4 * 10.0 ↘
 beste Teiler 216.3 (18.) 407.2 (14.) 442.0 (19.)
 Trefferlage 3.23 mm links, 1.52 mm hoch
 Streuwert 6.62, horizontal: 7.55, vertikal: 5.55




Serie 3:
 10.1 → 10.2 ← 10.6 * 10.4 * 10.4 *
 9.6 ↗ 10.6 * 10.3 * 10.2 ↘ 10.2 →
 beste Teiler 274.3 (27.) 275.0 (23.) 454.4 (24.)
 Trefferlage 0.12 mm links, 1.19 mm hoch
 Streuwert 4.42, horizontal: 5.38, vertikal: 3.17

Unterschrift des Schützen


Ergebnis: **303.5** (289)
 Serien: 100.9 101.0 101.6
 Zähler: 19 11 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1588 (8), 1268 (14), 1260 (28)
 beste Teiler 80.4 (12.) 112.4 (24.) 163.6 (30.)
 Trefferlage 0.63 mm links, 1.33 mm hoch
 Streuwert 5.34, horizontal: 4.76, vertikal: 5.86



Serie 1:
 10.2 ← 10.4 * 9.6 ↙ 10.7 * 9.9 ↑
 10.4 * 10.3 ← 9.0 ↗ 10.5 * 9.9 ↙
 beste Teiler 211.8 (4.) 385.9 (9.) 424.4 (2.)
 Trefferlage 1.72 mm links, 0.07 mm tief
 Streuwert 5.76, horizontal: 4.17, vertikal: 7.00





Serie 2:
 10.1 ↘ 10.9 * 10.4 * 9.4 ↑ 10.5 *
 9.7 ↘ 9.7 ↙ 10.3 * 10.2 → 9.8 ↘
 beste Teiler 80.4 (12.) 325.8 (15.) 442.2 (13.)
 Trefferlage 1.50 mm rechts, 0.12 mm tief
 Streuwert 5.53, horizontal: 5.37, vertikal: 5.68




Serie 3:
 9.7 ← 10.5 * 10.1 ↗ 10.8 * 10.1 ↑
 10.4 * 9.9 ↑ 9.4 ↘ 10.0 ↑ 10.7 *
 beste Teiler 112.4 (24.) 163.6 (30.) 347.3 (22.)
 Trefferlage 1.68 mm links, 4.21 mm hoch
 Streuwert 4.16, horizontal: 4.37, vertikal: 3.94

Unterschrift des Schützen


Ergebnis: **272.0** (261)
 Serien: 88.8 95.2 88.0
 Zähler: 10 8 7 3 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3884 (27), 3256 (28), 2903 (8)
 beste Teiler 389.7 (20.) 418.9 (4.) 465.2 (15.)
 Trefferlage 3.96 mm links, 0.22 mm hoch
 Streuwert 12.28, horizontal: 13.38, vertikal: 11.08



Serie 1:
 9.5 ↘ 8.4 ↘ 8.7 ↘ 10.4 * 7.8 ←
 8.5 ← 10.0 ↓ 7.3 ← 10.1 ↓ 8.1 ↘
 beste Teiler 418.9 (4.) 712.8 (9.) 799.2 (7.)
 Trefferlage 12.44 mm links, 4.16 mm hoch
 Streuwert 9.63, horizontal: 10.84, vertikal: 8.23



Serie 2:
 7.8 ↗ 9.3 ↘ 10.1 ← 9.7 ↘ 10.4 *
 9.6 → 9.7 ↓ 8.1 ← 10.0 ↘ 10.5 *
 beste Teiler 389.7 (20.) 465.2 (15.) 658.8 (13.)
 Trefferlage 4.95 mm links, 3.55 mm hoch
 Streuwert 8.84, horizontal: 9.08, vertikal: 8.59



Serie 3:
 10.3 * 9.7 ↓ 9.0 → 10.0 ↓ 9.2 ↘
 10.0 ↓ 6.1 ↘ 6.9 ↘ 8.5 ↓ 8.3 ↘
 beste Teiler 497.6 (21.) 745.2 (26.) 762.7 (24.)
 Trefferlage 5.51 mm rechts, 7.06 mm tief
 Streuwert 13.43, horizontal: 13.99, vertikal: 12.85

Unterschrift des Schützen

Meyton Elektronik