





Ergebnis: **327** (343.1)
 Serien: 84 84 81 78
 Zähler: 6 10 13 7 4 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3986 (40), 3834 (15), 3496 (5)
 beste Teiler 258.0 (13.) 436.6 (12.) 520.4 (3.)
 Trefferlage 5.98 mm links, 6.23 mm tief
 Streuwert 13.85, horizontal: 13.52, vertikal: 14.16




Serie 1:
 8.5 ↓ 9.5 ↓ 10.3 ↓ 9.8 ↑ 6.6 ↓
 9.2 ↓ 8.0 ↙ 7.4 ← 8.7 ↘ 10.2 ←
 beste Teiler 520.4 (3.) 598.5 (10.) 905.1 (4.)
 Trefferlage 7.80 mm links, 7.62 mm tief
 Streuwert 12.05, horizontal: 10.38, vertikal: 13.51



Serie 2:
 8.7 ↓ 10.4 * 10.6 * 7.9 ↓ 6.2 ↙
 10.2 ↓ 7.9 ↘ 8.8 ↘ 10.1 ↓ 8.1 ↓
 beste Teiler 258.0 (13.) 436.6 (12.) 607.8 (16.)
 Trefferlage 8.28 mm links, 6.87 mm tief
 Streuwert 12.31, horizontal: 11.47, vertikal: 13.09



Serie 3:
 8.4 ↙ 8.7 ↓ 9.3 ↙ 7.3 ↙ 9.2 ↘
 7.2 ↗ 9.2 ↓ 8.1 ↘ 7.5 ↓ 9.3 ↘
 beste Teiler 1292.0 (23.) 1337.8 (30.) 1382.4 (27.)
 Trefferlage 3.96 mm links, 5.85 mm tief
 Streuwert 14.84, horizontal: 14.69, vertikal: 14.98





Serie 4:
 8.2 ↗ 9.4 ↗ 8.3 ↓ 9.2 ↙ 6.8 ↙
 8.5 ↘ 9.5 ↘ 8.8 ↗ 7.1 ↑ 6.0 ←
 beste Teiler 1194.8 (37.) 1225.4 (32.) 1419.9 (34.)
 Trefferlage 3.88 mm links, 4.58 mm tief
 Streuwert 17.36, horizontal: 17.83, vertikal: 16.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **281** (300.6)
 Serien: 69 73 71 68
 Zähler: 2 6 6 11 10 3 1 1 0 0
 Innenzehner: 1
 weiteste: 6308 (8), 5111 (33), 4738 (39)
 beste Teiler 433.5 (4.) 766.5 (1.) 929.7 (37.)
 Trefferlage 10.07 mm rechts, 11.16 mm hoch
 Streuwert 18.79, horizontal: 19.17, vertikal: 18.40




Serie 1:
 10.0 ↗ 7.6 ↘ 6.6 ↗ 10.4 * 6.8 ↘
 6.4 ↑ 8.9 → 3.1 ↗ 8.3 ↘ 5.6 ↑
 beste Teiler 433.5 (4.) 766.5 (1.) 1611.6 (7.)
 Trefferlage 3.52 mm rechts, 20.72 mm hoch
 Streuwert 19.02, horizontal: 20.77, vertikal: 17.10



Serie 2:
 6.7 ↘ 7.9 ↘ 9.4 ← 6.9 ↗ 7.7 ↘
 7.2 ↘ 9.5 ↗ 7.7 ↘ 7.1 → 8.4 ↗
 beste Teiler 1157.1 (17.) 1208.2 (13.) 2022.5 (20.)
 Trefferlage 11.08 mm rechts, 4.54 mm hoch
 Streuwert 17.12, horizontal: 17.13, vertikal: 17.11



Serie 3:
 9.6 ↗ 6.7 → 8.7 ↘ 7.2 ↑ 9.5 →
 6.0 → 7.9 ↗ 5.2 ↗ 8.5 → 6.6 ↘
 beste Teiler 1052.0 (21.) 1164.3 (25.) 1793.9 (23.)
 Trefferlage 14.40 mm rechts, 7.31 mm hoch
 Streuwert 18.18, horizontal: 19.52, vertikal: 16.73





Serie 4:
 9.0 ↗ 7.2 ↗ 4.6 ↗ 8.7 ↗ 6.5 →
 7.7 ← 9.8 → 7.4 ↗ 5.0 ↗ 6.6 ↗
 beste Teiler 929.7 (37.) 1542.1 (31.) 1770.3 (34.)
 Trefferlage 11.29 mm rechts, 12.07 mm hoch
 Streuwert 20.61, horizontal: 20.39, vertikal: 20.83

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (370.7)
 Serien: 90 86 90 90
 Zähler: 9 21 7 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3135 (11), 2884 (19), 2638 (26)
 beste Teiler 124.5 (27.) 447.6 (36.) 486.1 (14.)
 Trefferlage 0.02 mm rechts, 2.95 mm hoch
 Streuwert 10.62, horizontal: 10.55, vertikal: 10.68



Serie 1:

9.8 ↘ 9.6 ← 8.4 ↑ 9.9 ↑ 9.2 ↘
 9.3 ↗ 10.1 ← 10.2 → 9.7 ↓ 8.1 ↑


beste Teiler 629.9 (8.) 686.3 (7.) 849.0 (4.)
 Trefferlage 0.11 mm links, 6.87 mm hoch
 Streuwert 8.59, horizontal: 7.06, vertikal: 9.89



Serie 2:

7.0 ↘ 9.1 ↘ 10.1 ↗ 10.3 ↘ 8.1 ↑
 9.6 ↑ 9.5 ↗ 9.2 ↓ 7.3 ↘ 8.0 ↗


beste Teiler 486.1 (14.) 701.9 (13.) 1081.1 (16.)
 Trefferlage 3.27 mm links, 8.42 mm hoch
 Streuwert 12.52, horizontal: 13.25, vertikal: 11.76



Serie 3:

9.6 ↘ 9.1 → 9.5 → 10.2 ↗ 9.3 ↗
 7.7 ↗ 10.8 * 9.3 ← 10.0 ↓ 8.3 →

beste Teiler 124.5 (27.) 587.9 (24.) 780.2 (29.)
 Trefferlage 4.31 mm rechts, 0.18 mm hoch
 Streuwert 10.16, horizontal: 11.80, vertikal: 8.20



Serie 4:



9.6 ↘ 9.0 ↗ 9.6 ↘ 9.5 ↑ 9.0 ↓
 10.4 * 8.4 ↘ 10.2 ← 8.9 ← 9.8 ↘

beste Teiler 447.6 (36.) 574.6 (38.) 902.1 (40.)
 Trefferlage 0.84 mm links, 3.64 mm tief
 Streuwert 9.17, horizontal: 9.20, vertikal: 9.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.9)^{QF}
 Serien: 90 90 93 91
 Zähler: 12 20 8 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2290 (4), 2100 (14), 1965 (11)
 beste Teiler 119.6 (29.) 342.9 (37.) 504.0 (36.)
 Trefferlage 0.17 mm links, 0.36 mm hoch
 Streuwert 8.70, horizontal: 8.25, vertikal: 9.13




Serie 1:
 8.5 ↓ 9.7 ↘ 10.0 ↓ 8.1 ↘ 10.1 ↘
 10.0 ↖ 9.9 ↗ 10.3 ← 8.8 ↖ 8.6 ↑
 beste Teiler 553.0 (8.) 712.8 (5.) 751.9 (3.)
 Trefferlage 0.99 mm links, 1.91 mm tief
 Streuwert 10.21, horizontal: 6.99, vertikal: 12.63



Serie 2:
 8.5 ↖ 10.1 ← 9.6 ↖ 8.3 ↘ 9.7 ↘
 10.3 ↑ 9.2 ↘ 9.8 ↘ 9.7 → 9.4 ↖
 beste Teiler 531.8 (16.) 712.3 (12.) 931.1 (18.)
 Trefferlage 1.37 mm links, 1.92 mm tief
 Streuwert 9.45, horizontal: 10.47, vertikal: 8.31



Serie 3:
 9.1 ← 9.9 ↗ 9.7 ↑ 9.3 → 9.6 ←
 9.7 ↖ 10.2 ↘ 10.2 ↓ 10.8 * 9.0 ↗
 beste Teiler 119.6 (29.) 567.0 (28.) 603.7 (27.)
 Trefferlage 0.65 mm links, 2.78 mm hoch
 Streuwert 7.49, horizontal: 8.91, vertikal: 5.72





Serie 4:
 9.8 ↘ 9.6 ↗ 9.2 ↘ 8.9 ↗ 9.7 ↗
 10.3 ↖ 10.5 * 8.9 ↗ 9.6 ↖ 10.3 ↓
 beste Teiler 342.9 (37.) 504.0 (36.) 544.0 (40.)
 Trefferlage 2.32 mm rechts, 2.49 mm hoch
 Streuwert 7.88, horizontal: 6.90, vertikal: 8.74

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.0)
 Serien: 88 88 91 93
 Zähler: 14 14 10 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2904 (5), 2594 (17), 2249 (14)
 beste Teiler 240.6 (36.) 242.7 (18.) 393.8 (24.)
 Trefferlage 0.30 mm links, 1.15 mm hoch
 Streuwert 9.83, horizontal: 10.94, vertikal: 8.58



Serie 1:

10.0 ↙ 9.4 ↗ 9.1 → 9.8 ↘ 7.3 ↗
 10.4 * 9.6 ↘ 8.6 ↘ 9.7 ↖ 8.9 ↖


beste Teiler 472.6 (6.) 761.9 (1.) 881.4 (4.)
 Trefferlage 2.84 mm rechts, 0.98 mm hoch
 Streuwert 10.93, horizontal: 12.77, vertikal: 8.71



Serie 2:

10.0 ← 8.2 ↙ 8.6 ↗ 8.1 ↘ 8.2 ↗
 10.0 ↘ 7.7 ↙ 10.6 * 9.4 ↑ 10.4 *


beste Teiler 242.7 (18.) 454.4 (20.) 730.7 (11.)
 Trefferlage 4.23 mm links, 2.21 mm hoch
 Streuwert 11.88, horizontal: 11.38, vertikal: 12.36



Serie 3:

8.2 → 8.8 → 10.0 ↑ 10.5 * 10.1 ←
 10.4 * 9.3 ↙ 9.9 ↑ 9.2 ↘ 8.7 ↙

beste Teiler 393.8 (24.) 473.5 (26.) 717.4 (25.)
 Trefferlage 2.78 mm rechts, 2.26 mm tief
 Streuwert 9.26, horizontal: 11.02, vertikal: 7.07



Serie 4:



8.8 ← 10.1 → 9.8 ← 9.6 ↑ 9.5 ↖
 10.7 * 10.4 * 10.4 * 9.8 ↗ 9.8 ↑

beste Teiler 240.6 (36.) 438.1 (37.) 456.3 (38.)
 Trefferlage 2.59 mm links, 3.67 mm hoch
 Streuwert 6.29, horizontal: 7.76, vertikal: 4.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **322** (340.7)
 Serien: 82 75 84 81
 Zähler: 5 11 9 12 2 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4480 (20), 3522 (40), 3336 (18)
 beste Teiler 264.6 (21.) 275.5 (5.) 358.5 (35.)
 Trefferlage 2.09 mm links, 6.14 mm hoch
 Streuwert 14.80, horizontal: 15.06, vertikal: 14.53




Serie 1:
 7.8 ↙ 7.5 ← 9.6 ↓ 8.8 ↖ 10.6 *
 8.9 ↗ 9.3 → 8.0 ↗ 9.0 ↓ 7.5 ↗
 beste Teiler 275.5 (5.) 1074.8 (3.) 1359.1 (7.)
 Trefferlage 0.27 mm links, 1.91 mm hoch
 Streuwert 14.55, horizontal: 15.08, vertikal: 13.99



Serie 2:
 7.6 ↗ 7.7 → 8.3 ↙ 9.2 ↑ 7.6 ←
 9.6 ↓ 10.3 ↖ 6.8 ← 7.5 ↗ 5.4 ↑
 beste Teiler 483.3 (17.) 1050.8 (16.) 1408.0 (14.)
 Trefferlage 0.07 mm links, 7.28 mm hoch
 Streuwert 18.68, horizontal: 20.83, vertikal: 16.25





Serie 3:
 10.6 * 9.2 ↑ 9.6 ↓ 8.9 ↗ 8.3 ↖
 7.9 ↑ 7.3 ↑ 7.7 ↑ 9.0 ← 10.2 ←
 beste Teiler 264.6 (21.) 610.1 (30.) 1063.8 (23.)
 Trefferlage 3.33 mm links, 10.04 mm hoch
 Streuwert 11.47, horizontal: 8.70, vertikal: 13.68



Serie 4:
 7.1 ↖ 8.7 ↗ 9.1 ↙ 9.6 ↖ 10.5 *
 7.6 ↖ 9.0 ↑ 8.3 ↑ 8.6 ↖ 6.5 ←
 beste Teiler 358.5 (35.) 1100.2 (34.) 1482.1 (33.)
 Trefferlage 4.69 mm links, 5.33 mm hoch
 Streuwert 15.12, horizontal: 15.12, vertikal: 15.13

Unterschrift des Schützen


Ergebnis: **323** (341.7)
 Serien: 77 76 85 85
 Zähler: 3 14 12 6 4 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4018 (6), 3422 (16), 3333 (33)
 beste Teiler 545.4 (29.) 662.0 (40.) 760.7 (36.)
 Trefferlage 6.16 mm links, 1.21 mm hoch
 Streuwert 14.35, horizontal: 13.55, vertikal: 15.12



Serie 1:

9.6 ↙ 8.2 ↘ 9.5 ↗ 7.5 ← 9.3 ↘
 5.9 ↘ 8.8 ↑ 9.7 ↑ 7.2 ↙ 6.9 ↙


beste Teiler 991.6 (8.) 1081.6 (1.) 1181.7 (3.)
 Trefferlage 5.57 mm links, 1.25 mm tief
 Streuwert 17.19, horizontal: 18.43, vertikal: 15.85



Serie 2:

9.3 ↗ 9.9 ↖ 7.6 ↘ 7.7 ← 6.9 ↗
 6.7 ↘ 7.7 ↓ 8.5 ← 9.1 ↘ 8.4 ↗


beste Teiler 867.8 (12.) 1339.5 (11.) 1477.1 (19.)
 Trefferlage 3.76 mm links, 5.04 mm hoch
 Streuwert 16.92, horizontal: 18.03, vertikal: 15.74



Serie 3:

8.2 ← 9.8 ← 8.4 ↘ 9.7 ↑ 9.0 ↑
 9.1 ↙ 8.7 ← 7.7 ↑ 10.3 ↗ 8.4 ↘

beste Teiler 545.4 (29.) 954.4 (22.) 979.6 (24.)
 Trefferlage 7.15 mm links, 6.17 mm hoch
 Streuwert 10.84, horizontal: 8.67, vertikal: 12.65



Serie 4:



8.4 ↙ 8.3 ↙ 6.8 ↙ 8.6 ↑ 8.8 ↑
 10.0 ↙ 9.0 ↙ 9.0 ↘ 9.0 ↙ 10.1 ↘

beste Teiler 662.0 (40.) 760.7 (36.) 1523.5 (37.)
 Trefferlage 8.17 mm links, 5.08 mm tief
 Streuwert 11.83, horizontal: 6.55, vertikal: 15.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (370.5)
 Serien: 89 86 90 88
 Zähler: 12 15 9 2 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3819 (19), 3284 (9), 2821 (13)
 beste Teiler 150.4 (24.) 250.5 (40.) 259.3 (1.)
 Trefferlage 0.52 mm rechts, 3.40 mm hoch
 Streuwert 11.04, horizontal: 10.52, vertikal: 11.53




Serie 1:
 10.6 * 10.4 * 9.7 ↑ 9.1 ↑ 8.2 ↑
 10.0 ↓ 9.1 → 9.1 → 6.8 ↑ 9.6 ←
 beste Teiler 259.3 (1.) 438.7 (2.) 765.8 (6.)
 Trefferlage 1.06 mm rechts, 7.00 mm hoch
 Streuwert 10.65, horizontal: 8.96, vertikal: 12.11



Serie 2:
 9.3 ↖ 9.5 ↖ 7.4 ↑ 10.1 ↑ 10.3 ↖
 8.6 ↑ 9.4 ↖ 9.3 ↖ 6.2 ↓ 9.4 ↘
 beste Teiler 482.5 (15.) 696.6 (14.) 1142.6 (12.)
 Trefferlage 3.22 mm links, 0.95 mm hoch
 Streuwert 13.67, horizontal: 8.80, vertikal: 17.22



Serie 3:
 8.8 ↑ 8.9 ↗ 9.7 ↑ 10.8 * 10.4 *
 10.1 → 8.0 → 8.8 → 10.1 ↖ 9.5 ↖
 beste Teiler 150.4 (24.) 425.6 (25.) 650.1 (26.)
 Trefferlage 3.99 mm rechts, 6.31 mm hoch
 Streuwert 8.16, horizontal: 9.95, vertikal: 5.86





Serie 4:
 8.6 ↖ 10.3 ↘ 8.7 ↖ 8.8 → 10.2 ←
 9.5 ← 7.5 ↘ 9.8 ↖ 9.3 → 10.6 *
 beste Teiler 250.5 (40.) 504.5 (32.) 581.0 (35.)
 Trefferlage 0.23 mm rechts, 0.64 mm tief
 Streuwert 11.03, horizontal: 13.91, vertikal: 7.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (336.5)
 Serien: 80 81 80 79
 Zähler: 3 13 13 6 3 1 1 0 0 0
 Innenzehner: 0
 weiteste: 4843 (26), 4596 (30), 3844 (2)
 beste Teiler 522.5 (10.) 551.9 (28.) 568.0 (40.)
 Trefferlage 3.10 mm links, 2.54 mm tief
 Streuwert 15.97, horizontal: 13.38, vertikal: 18.19




Serie 1:
 7.1 ↙ 6.1 ↘ 8.5 ↘ 9.4 ↙ 9.3 ↘
 8.2 ↘ 8.0 ↙ 7.6 ↙ 8.4 ↘ 10.3 ↘
 beste Teiler 522.5 (10.) 1230.7 (4.) 1348.4 (5.)
 Trefferlage 7.50 mm links, 10.13 mm tief
 Streuwert 14.54, horizontal: 14.70, vertikal: 14.37



Serie 2:
 9.3 ↘ 8.4 ↑ 8.1 ↘ 9.1 ↘ 7.8 ↑
 8.6 ↗ 8.4 ↘ 8.9 ↘ 8.0 ↑ 8.8 ↙
 beste Teiler 1311.2 (11.) 1444.7 (14.) 1601.5 (18.)
 Trefferlage 1.76 mm links, 8.19 mm hoch
 Streuwert 13.11, horizontal: 9.66, vertikal: 15.83



Serie 3:
 8.2 ↘ 8.2 ↗ 9.6 ↗ 9.7 ↘ 9.2 →
 4.9 ↙ 9.2 ↙ 10.3 ↙ 9.0 ↗ 5.2 ↘
 beste Teiler 551.9 (28.) 1005.6 (24.) 1064.3 (23.)
 Trefferlage 0.60 mm links, 9.49 mm tief
 Streuwert 17.32, horizontal: 14.60, vertikal: 19.67





Serie 4:
 6.7 ↗ 7.9 ↘ 7.2 ↘ 6.7 ↘ 7.6 ↗
 9.6 ↙ 9.4 → 9.5 ↑ 9.9 ← 10.2 ↘
 beste Teiler 568.0 (40.) 852.9 (39.) 1092.2 (36.)
 Trefferlage 2.54 mm links, 1.23 mm hoch
 Streuwert 16.59, horizontal: 14.92, vertikal: 18.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (350.9)
 Serien: 73 82 86 90
 Zähler: 6 15 9 5 4 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4437 (3), 3875 (6), 3435 (4)
 beste Teiler 291.3 (34.) 310.3 (38.) 559.4 (24.)
 Trefferlage 1.68 mm rechts, 5.67 mm hoch
 Streuwert 13.81, horizontal: 11.65, vertikal: 15.67




Serie 1:
 6.7 ↑ 8.3 ↗ 5.4 ↗ 6.7 ↗ 6.9 ↗
 6.1 ↗ 8.7 ↑ 9.9 ↖ 10.2 ↗ 9.7 ↑
 beste Teiler 617.2 (9.) 844.9 (8.) 974.6 (10.)
 Trefferlage 5.35 mm rechts, 21.97 mm hoch
 Streuwert 12.26, horizontal: 11.96, vertikal: 12.54



Serie 2:
 9.6 ↘ 9.2 ↘ 8.1 ↖ 7.4 ↘ 8.6 ↗
 8.4 ↓ 7.6 ↗ 9.4 ↖ 8.7 ↗ 9.1 ↖
 beste Teiler 1069.4 (11.) 1257.3 (18.) 1372.5 (12.)
 Trefferlage 3.16 mm links, 2.20 mm hoch
 Streuwert 14.29, horizontal: 11.83, vertikal: 16.38



Serie 3:
 8.8 ↖ 9.1 ↖ 7.1 ↗ 10.3 ↖ 9.3 ↓
 9.8 ↖ 7.7 → 9.4 ↘ 10.1 → 8.1 ↘
 beste Teiler 559.4 (24.) 698.0 (29.) 910.7 (26.)
 Trefferlage 2.49 mm rechts, 0.58 mm hoch
 Streuwert 13.06, horizontal: 13.13, vertikal: 13.00





Serie 4:
 9.7 ↘ 9.7 ↗ 9.6 ↗ 10.6 * 9.9 ↘
 8.9 ↖ 10.0 ↖ 10.6 * 7.8 ↘ 9.7 ↖
 beste Teiler 291.3 (34.) 310.3 (38.) 789.9 (37.)
 Trefferlage 2.06 mm rechts, 2.07 mm tief
 Streuwert 8.84, horizontal: 9.52, vertikal: 8.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.3)^{QF}
 Serien: 91 91 90 92
 Zähler: 11 23 5 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2660 (34), 2282 (18), 2186 (17)
 beste Teiler 122.4 (25.) 148.5 (1.) 200.5 (24.)
 Trefferlage 2.49 mm links, 4.16 mm hoch
 Streuwert 8.17, horizontal: 8.70, vertikal: 7.60




Serie 1:
 10.8 * 9.9 ↘ 10.5 * 9.4 ↖ 9.7 ↘
 9.9 → 9.4 ↑ 9.2 ↙ 9.9 ↗ 8.9 ↖
 beste Teiler 148.5 (1.) 393.6 (3.) 839.4 (2.)
 Trefferlage 3.46 mm links, 2.19 mm hoch
 Streuwert 7.25, horizontal: 6.95, vertikal: 7.53



Serie 2:
 9.3 ↖ 9.3 ↖ 10.7 * 10.1 ↗ 9.9 ↖
 9.9 ↑ 8.2 ↑ 8.1 ↖ 10.3 ↙ 9.4 →
 beste Teiler 224.1 (13.) 533.7 (19.) 656.0 (14.)
 Trefferlage 2.78 mm links, 6.92 mm hoch
 Streuwert 8.05, horizontal: 9.24, vertikal: 6.64



Serie 3:
 9.4 ↗ 9.4 ↖ 9.1 ↗ 10.7 * 10.8 *
 8.9 ← 9.2 ↗ 9.0 ↘ 9.6 → 8.8 ↖
 beste Teiler 122.4 (25.) 200.5 (24.) 1097.3 (29.)
 Trefferlage 0.56 mm rechts, 3.08 mm hoch
 Streuwert 9.31, horizontal: 10.26, vertikal: 8.26





Serie 4:
 10.1 ↖ 9.2 ↑ 10.3 ↗ 7.6 ↖ 10.2 ↖
 10.6 * 9.3 ↙ 9.2 ↖ 9.4 ↑ 9.7 ↓
 beste Teiler 297.5 (36.) 493.4 (33.) 604.1 (35.)
 Trefferlage 4.29 mm links, 4.46 mm hoch
 Streuwert 8.39, horizontal: 8.59, vertikal: 8.19

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.6)
 Serien: 86 90 92 91
 Zähler: 12 15 13 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2204 (17), 2044 (1), 2037 (9)
 beste Teiler 302.8 (27.) 333.1 (18.) 352.8 (29.)
 Trefferlage 1.99 mm rechts, 2.59 mm tief
 Streuwert 9.28, horizontal: 8.89, vertikal: 9.67



Serie 1:

8.4 → 9.2 ↖ 8.9 ↗ 9.1 ↖ 9.8 ↓
 8.7 ↙ 9.7 ↖ 8.5 ↓ 8.4 ↓ 10.1 ↖


beste Teiler 678.1 (10.) 883.4 (5.) 1006.8 (7.)
 Trefferlage 0.67 mm links, 3.99 mm tief
 Streuwert 11.27, horizontal: 9.94, vertikal: 12.45



Serie 2:

9.6 ↓ 9.6 → 9.1 ↘ 9.2 ↘ 9.9 ↖
 8.8 ↘ 8.2 ↙ 10.5 * 9.5 ↓ 10.4 *


beste Teiler 333.1 (18.) 416.2 (20.) 820.8 (15.)
 Trefferlage 2.82 mm rechts, 6.83 mm tief
 Streuwert 7.80, horizontal: 8.23, vertikal: 7.35



Serie 3:

8.5 ↓ 10.5 * 9.4 ↘ 9.4 ↘ 10.1 ↖
 8.4 ↖ 10.6 * 8.9 ↗ 10.5 * 10.3 ↓

beste Teiler 302.8 (27.) 352.8 (29.) 370.6 (22.)
 Trefferlage 0.04 mm rechts, 0.21 mm hoch
 Streuwert 8.94, horizontal: 8.99, vertikal: 8.90



Serie 4:



8.7 → 10.3 ↗ 8.4 ↘ 8.6 ↗ 9.6 →
 10.2 ↖ 10.5 * 9.3 ↓ 9.4 ↗ 10.4 *

beste Teiler 370.6 (37.) 455.0 (40.) 518.6 (32.)
 Trefferlage 5.78 mm rechts, 0.23 mm hoch
 Streuwert 8.45, horizontal: 8.12, vertikal: 8.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **322** (342.3)
 Serien: 79 77 82 84
 Zähler: 6 13 6 11 2 1 0 1 0 0
 Innenzehner: 4
 weiteste: 5974 (16), 4354 (33), 3765 (27)
 beste Teiler 216.4 (23.) 276.5 (38.) 388.2 (17.)
 Trefferlage 1.07 mm links, 1.93 mm tief
 Streuwert 16.06, horizontal: 17.24, vertikal: 14.79




Serie 1:
 8.5 ↖ 7.0 ↖ 8.9 ↗ 7.7 ↗ 8.9 ↗
 10.5 * 7.9 ↖ 8.1 ↓ 7.5 ↓ 9.4 ↓
 beste Teiler 397.0 (6.) 1280.5 (10.) 1624.5 (3.)
 Trefferlage 9.92 mm links, 11.14 mm tief
 Streuwert 11.66, horizontal: 9.86, vertikal: 13.23



Serie 2:
 9.1 ↓ 9.7 ← 7.5 → 7.4 ↗ 8.6 ↘
 3.5 → 10.5 * 9.9 ↑ 7.6 ← 8.8 ↓
 beste Teiler 388.2 (17.) 818.8 (18.) 1000.8 (12.)
 Trefferlage 4.09 mm rechts, 6.66 mm tief
 Streuwert 18.71, horizontal: 25.08, vertikal: 8.40



Serie 3:
 9.7 ↓ 7.8 ← 10.7 * 7.7 ↓ 10.0 ↓
 9.6 ↑ 6.2 ← 9.4 ↗ 9.5 → 6.8 ↑
 beste Teiler 216.4 (23.) 794.8 (25.) 983.8 (21.)
 Trefferlage 3.03 mm links, 0.95 mm hoch
 Streuwert 15.51, horizontal: 15.81, vertikal: 15.21





Serie 4:
 9.5 ↖ 7.3 ↗ 5.5 ↗ 9.1 ↑ 9.4 ↗
 7.9 ↗ 9.3 ↘ 10.6 * 10.3 ↑ 9.0 ↖
 beste Teiler 276.5 (38.) 516.0 (39.) 1172.4 (31.)
 Trefferlage 4.57 mm rechts, 9.13 mm hoch
 Streuwert 13.46, horizontal: 12.47, vertikal: 14.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (368.5)
 Serien: 87 87 85 89
 Zähler: 8 19 7 5 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3241 (13), 2933 (26), 2889 (3)
 beste Teiler 149.4 (40.) 266.6 (36.) 275.9 (4.)
 Trefferlage 1.25 mm links, 3.49 mm hoch
 Streuwert 11.05, horizontal: 11.86, vertikal: 10.18




Serie 1:
 9.2 ↖ 10.0 ↖ 7.3 → 10.6 * 10.0 ↗
 9.5 ↘ 8.3 ↖ 9.4 ↑ 8.0 ↖ 7.9 ←
 beste Teiler 275.9 (4.) 741.0 (5.) 785.3 (2.)
 Trefferlage 2.62 mm links, 5.89 mm hoch
 Streuwert 12.00, horizontal: 15.19, vertikal: 7.56



Serie 2:
 10.2 ↖ 8.7 ↗ 6.9 ↘ 9.2 ↖ 9.2 ↓
 7.6 ↖ 10.0 ↖ 9.5 ← 9.6 ↘ 10.6 *
 beste Teiler 304.8 (20.) 592.7 (11.) 737.8 (17.)
 Trefferlage 0.16 mm links, 1.28 mm hoch
 Streuwert 12.49, horizontal: 11.41, vertikal: 13.48



Serie 3:
 7.9 ↖ 9.9 ↘ 9.9 ↑ 9.8 ↘ 9.7 ↓
 7.3 ↑ 9.9 ↖ 9.1 ↗ 9.8 → 8.3 ↖
 beste Teiler 848.7 (27.) 855.3 (22.) 870.4 (23.)
 Trefferlage 1.34 mm links, 5.78 mm hoch
 Streuwert 11.25, horizontal: 11.49, vertikal: 11.00





Serie 4:
 8.9 ← 9.5 ↑ 8.6 → 9.6 ↗ 9.8 ↗
 10.6 * 9.3 ↙ 9.5 ↘ 8.6 ← 10.8 *
 beste Teiler 149.4 (40.) 266.6 (36.) 913.4 (35.)
 Trefferlage 0.90 mm links, 1.02 mm hoch
 Streuwert 9.43, horizontal: 10.62, vertikal: 8.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (367.5)
 Serien: 87 91 87 84
 Zähler: 10 17 8 3 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4231 (17), 3359 (38), 2697 (24)
 beste Teiler 181.9 (26.) 272.0 (12.) 359.5 (15.)
 Trefferlage 7.52 mm links, 1.28 mm tief
 Streuwert 10.45, horizontal: 10.63, vertikal: 10.26




Serie 1:
 10.1 ↓ 9.4 ← 9.1 → 9.1 ← 9.2 ←
 9.6 ↑ 8.4 → 8.4 ↙ 8.6 ← 8.7 ↙
 beste Teiler 682.7 (1.) 1047.0 (6.) 1211.4 (2.)
 Trefferlage 5.35 mm links, 4.30 mm tief
 Streuwert 10.45, horizontal: 12.75, vertikal: 7.48



Serie 2:
 9.0 ↘ 10.6 * 10.3 ← 10.0 → 10.5 *
 9.7 ↑ 5.7 ↙ 9.5 ↑ 10.4 * 9.8 ↙
 beste Teiler 272.0 (12.) 359.5 (15.) 413.0 (19.)
 Trefferlage 5.98 mm links, 0.20 mm tief
 Streuwert 10.83, horizontal: 11.35, vertikal: 10.30



Serie 3:
 8.4 ↘ 10.2 ← 9.9 ↘ 7.6 ↙ 7.9 ↙
 10.7 * 8.2 ↘ 9.5 ↙ 10.0 ↑ 9.7 ↘
 beste Teiler 181.9 (26.) 619.3 (22.) 787.1 (29.)
 Trefferlage 9.03 mm links, 0.37 mm tief
 Streuwert 9.97, horizontal: 5.81, vertikal: 12.84





Serie 4:
 8.1 ↘ 9.2 ← 8.8 ↘ 9.7 ← 10.3 ↘
 9.4 ↙ 9.4 ↑ 6.8 ↙ 7.8 ← 9.8 ↑
 beste Teiler 545.9 (35.) 907.5 (40.) 1017.7 (34.)
 Trefferlage 9.74 mm links, 0.26 mm tief
 Streuwert 11.50, horizontal: 12.21, vertikal: 10.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (372.1)
 Serien: 89 90 87 84
 Zähler: 7 16 17 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2131 (39), 2120 (35), 2114 (30)
 beste Teiler 214.4 (36.) 272.0 (22.) 624.0 (2.)
 Trefferlage 0.00 mm , 4.38 mm hoch
 Streuwert 9.65, horizontal: 8.50, vertikal: 10.67




Serie 1:
 10.1 → 10.2 → 9.6 ↘ 8.5 ↗ 8.9 ↓
 8.8 ← 10.0 ↘ 9.8 → 8.8 ↓ 9.5 →
 beste Teiler 624.0 (2.) 677.9 (1.) 741.4 (7.)
 Trefferlage 2.24 mm rechts, 1.57 mm tief
 Streuwert 9.57, horizontal: 8.92, vertikal: 10.18



Serie 2:
 9.0 ↑ 8.8 ↗ 9.4 ↘ 8.4 ↓ 9.6 →
 9.2 ↘ 9.9 → 10.0 ← 9.9 ↗ 10.0 ↓
 beste Teiler 740.6 (18.) 766.7 (20.) 808.8 (19.)
 Trefferlage 1.90 mm rechts, 2.17 mm hoch
 Streuwert 9.41, horizontal: 9.03, vertikal: 9.77



Serie 3:
 9.8 ← 10.6 * 9.9 ← 8.9 ↑ 9.2 ↑
 9.4 ← 9.5 ← 8.8 ↗ 8.8 ↘ 8.3 ↘
 beste Teiler 272.0 (22.) 846.6 (23.) 934.0 (21.)
 Trefferlage 7.54 mm links, 4.60 mm hoch
 Streuwert 8.19, horizontal: 6.28, vertikal: 9.73





Serie 4:
 9.9 ↓ 8.7 ↗ 9.7 ↘ 8.6 ↑ 8.3 ↑
 10.7 * 8.5 ↑ 8.9 ↑ 8.3 ↑ 8.9 ↑
 beste Teiler 214.4 (36.) 831.1 (31.) 1009.4 (33.)
 Trefferlage 3.40 mm rechts, 12.34 mm hoch
 Streuwert 7.45, horizontal: 5.16, vertikal: 9.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311** (329.4)
 Serien: 78 83 73 77
 Zähler: 3 10 9 13 3 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4541 (24), 4426 (23), 3843 (26)
 beste Teiler 420.7 (19.) 470.7 (16.) 648.5 (28.)
 Trefferlage 8.12 mm links, 1.25 mm hoch
 Streuwert 16.03, horizontal: 14.52, vertikal: 17.40




Serie 1:
 8.7 ↑ 6.6 ↑ 7.7 ↙ 9.4 ↖ 7.1 ←
 7.7 ← 8.3 ↘ 9.8 ↘ 9.3 ↗ 8.9 ↘
 beste Teiler 931.6 (8.) 1257.5 (4.) 1332.4 (9.)
 Trefferlage 10.38 mm links, 5.75 mm hoch
 Streuwert 13.94, horizontal: 11.77, vertikal: 15.82



Serie 2:
 8.3 ↖ 6.9 ↗ 8.8 ↙ 9.0 ↑ 9.4 ↑
 10.4 * 7.3 ↑ 8.9 ↙ 10.4 * 8.6 ↑
 beste Teiler 420.7 (19.) 470.7 (16.) 1260.4 (15.)
 Trefferlage 1.45 mm links, 8.06 mm hoch
 Streuwert 12.97, horizontal: 10.49, vertikal: 15.05



Serie 3:
 7.9 ← 9.0 ← 5.4 ← 5.3 ↙ 7.6 ←
 6.1 ↙ 9.7 → 10.1 ↘ 8.8 ↗ 7.3 ↙
 beste Teiler 648.5 (28.) 998.8 (27.) 1543.9 (22.)
 Trefferlage 16.57 mm links, 7.48 mm tief
 Streuwert 16.76, horizontal: 17.62, vertikal: 15.86





Serie 4:
 8.7 ↑ 7.7 ↑ 9.4 ↗ 7.3 ↘ 7.2 ↘
 9.2 ↗ 7.0 ↙ 7.8 ↓ 9.1 ↓ 7.3 ←
 beste Teiler 1270.1 (33.) 1375.4 (36.) 1486.9 (39.)
 Trefferlage 4.11 mm links, 1.33 mm tief
 Streuwert 17.62, horizontal: 14.24, vertikal: 20.44

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (362.5)
 Serien: 85 88 87 85
 Zähler: 9 14 10 7 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3028 (39), 2955 (26), 2854 (36)
 beste Teiler 223.9 (14.) 232.8 (21.) 323.1 (18.)
 Trefferlage 2.40 mm rechts, 1.42 mm tief
 Streuwert 12.13, horizontal: 11.88, vertikal: 12.38



Serie 1:

9.9 ↗ 9.8 ↖ 8.5 ↓ 9.0 ↙ 9.3 ↘
 9.1 ↗ 9.0 ↙ 7.8 ↙ 8.3 ↘ 8.5 ↑


beste Teiler 809.9 (1.) 932.1 (2.) 1328.1 (5.)
 Trefferlage 3.40 mm links, 3.14 mm tief
 Streuwert 12.22, horizontal: 11.84, vertikal: 12.60



Serie 2:

9.5 ↑ 10.3 ↗ 8.6 ↖ 10.7 * 7.8 ↗
 7.5 ↗ 8.2 ↑ 10.5 * 10.5 * 9.0 ↗


beste Teiler 223.9 (14.) 323.1 (18.) 367.7 (19.)
 Trefferlage 5.75 mm rechts, 6.04 mm hoch
 Streuwert 10.49, horizontal: 12.21, vertikal: 8.42



Serie 3:

10.7 * 10.4 * 8.8 → 9.4 ↓ 8.5 ↙
 7.3 → 8.3 ↑ 8.2 ↓ 10.4 * 9.3 ↑

beste Teiler 232.8 (21.) 403.8 (29.) 453.1 (22.)
 Trefferlage 2.95 mm rechts, 0.52 mm tief
 Streuwert 12.45, horizontal: 12.58, vertikal: 12.33



Serie 4:



9.9 ↗ 10.0 ↓ 7.7 ↓ 8.9 ↘ 9.9 ↓
 7.4 ↘ 9.2 ↑ 9.1 → 7.2 ↓ 10.1 ←

beste Teiler 683.1 (40.) 739.8 (32.) 852.7 (31.)
 Trefferlage 4.31 mm rechts, 8.09 mm tief
 Streuwert 11.77, horizontal: 10.48, vertikal: 12.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.5)
 Serien: 82 88 80 90
 Zähler: 9 12 11 6 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3661 (4), 3303 (29), 3135 (24)
 beste Teiler 283.2 (21.) 332.9 (36.) 350.4 (10.)
 Trefferlage 3.99 mm links, 1.93 mm tief
 Streuwert 12.54, horizontal: 12.78, vertikal: 12.30




Serie 1:
 9.2 ↖ 8.4 ↓ 8.3 ↖ 6.4 ↗ 8.1 →
 8.9 ↓ 8.6 ↖ 8.7 ↖ 9.9 ↑ 10.5 *
 beste Teiler 350.4 (10.) 841.1 (9.) 1411.9 (1.)
 Trefferlage 6.46 mm links, 3.02 mm tief
 Streuwert 13.86, horizontal: 14.40, vertikal: 13.29



Serie 2:
 7.6 ↗ 7.8 ↖ 8.8 ↘ 10.3 ↓ 9.0 ↗
 9.6 ↘ 10.0 ↖ 9.3 ↖ 9.9 ↘ 10.1 ↗
 beste Teiler 544.4 (14.) 645.1 (20.) 731.2 (17.)
 Trefferlage 1.50 mm links, 2.24 mm tief
 Streuwert 11.29, horizontal: 11.62, vertikal: 10.95



Serie 3:
 10.6 * 9.2 ↓ 7.7 ↖ 7.0 ↑ 9.4 ↗
 8.4 ↖ 9.6 ↖ 8.4 ↖ 6.8 → 7.8 ↓
 beste Teiler 283.2 (21.) 1052.4 (27.) 1211.4 (25.)
 Trefferlage 6.10 mm links, 1.48 mm tief
 Streuwert 15.41, horizontal: 16.08, vertikal: 14.71





Serie 4:
 10.1 ↖ 7.1 ↓ 8.9 ↖ 8.9 ↖ 10.1 ↓
 10.5 * 9.6 ↘ 9.9 ↑ 9.1 ↗ 10.0 ↑
 beste Teiler 332.9 (36.) 670.4 (31.) 718.1 (35.)
 Trefferlage 1.93 mm links, 0.97 mm tief
 Streuwert 10.57, horizontal: 9.15, vertikal: 11.83

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.2)
 Serien: 89 90 90 85
 Zähler: 10 20 7 2 0 0 1 0 0 0
 Innenzehner: 3
 weiteste: 4899 (36), 2782 (22), 2516 (18)
 beste Teiler 351.1 (17.) 392.4 (11.) 471.0 (29.)
 Trefferlage 1.89 mm links, 0.36 mm hoch
 Streuwert 10.86, horizontal: 10.46, vertikal: 11.25



Serie 1:

9.7 ↙ 10.0 ↗ 9.1 ↘ 9.2 ↖ 9.4 ↗
 9.4 ↘ 8.7 ↙ 9.4 ↑ 9.8 ↑ 8.5 ↑


beste Teiler 759.3 (2.) 956.0 (9.) 981.7 (1.)
 Trefferlage 4.80 mm links, 5.02 mm hoch
 Streuwert 8.57, horizontal: 8.38, vertikal: 8.76



Serie 2:

10.5 * 9.9 ↖ 9.8 ↑ 9.1 → 9.9 ↗
 9.7 ↖ 10.5 * 7.8 ↘ 8.8 ↓ 10.0 ↖


beste Teiler 351.1 (17.) 392.4 (11.) 782.6 (20.)
 Trefferlage 1.49 mm links, 3.06 mm hoch
 Streuwert 9.01, horizontal: 7.57, vertikal: 10.25



Serie 3:

9.5 ↖ 7.5 ↗ 10.3 ↗ 9.8 → 9.9 ↓
 9.4 ↙ 9.8 ↖ 8.9 ↙ 10.4 * 10.0 ↘

beste Teiler 471.0 (29.) 488.7 (23.) 783.9 (30.)
 Trefferlage 1.10 mm links, 0.07 mm tief
 Streuwert 9.72, horizontal: 10.91, vertikal: 8.37



Serie 4:



9.3 ↘ 10.0 ↖ 9.7 ↘ 10.1 ↖ 10.1 →
 4.8 ↙ 8.8 ↘ 8.1 ↖ 9.1 ↑ 8.5 →

beste Teiler 678.5 (34.) 720.0 (35.) 781.9 (32.)
 Trefferlage 0.18 mm links, 6.56 mm tief
 Streuwert 14.56, horizontal: 14.62, vertikal: 14.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (360.0)
 Serien: 85 86 87 85
 Zähler: 7 17 11 3 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4626 (36), 3916 (32), 2992 (15)
 beste Teiler 142.7 (34.) 326.3 (38.) 397.5 (18.)
 Trefferlage 0.72 mm links, 0.49 mm hoch
 Streuwert 12.92, horizontal: 15.57, vertikal: 9.58




Serie 1:
 9.4 ← 9.7 ← 9.3 ← 9.0 ↓ 8.6 →
 8.8 ↑ 9.0 ↘ 9.9 ↑ 7.7 → 8.5 ←
 beste Teiler 879.2 (8.) 1028.8 (2.) 1230.4 (1.)
 Trefferlage 0.19 mm rechts, 0.22 mm hoch
 Streuwert 12.32, horizontal: 14.92, vertikal: 9.00



Serie 2:
 8.5 ↘ 9.2 → 8.2 ↙ 8.3 ↘ 7.2 ↓
 9.0 → 8.0 ↓ 10.5 * 10.3 ↗ 9.8 →
 beste Teiler 397.5 (18.) 542.9 (19.) 899.4 (20.)
 Trefferlage 0.76 mm rechts, 3.23 mm tief
 Streuwert 13.38, horizontal: 13.59, vertikal: 13.17



Serie 3:
 7.7 ← 9.5 ↘ 9.2 ← 10.1 ↑ 8.7 ↘
 9.3 ↑ 9.5 ↑ 9.5 ↗ 8.6 ← 9.9 ←
 beste Teiler 661.3 (24.) 836.3 (30.) 1123.2 (27.)
 Trefferlage 4.63 mm links, 3.92 mm hoch
 Streuwert 10.08, horizontal: 12.22, vertikal: 7.34





Serie 4:
 8.5 ↗ 6.1 ← 9.4 → 10.8 * 9.3 ↘
 5.2 → 10.4 * 10.5 * 10.2 ↘ 8.7 ↙
 beste Teiler 142.7 (34.) 326.3 (38.) 469.1 (37.)
 Trefferlage 0.76 mm rechts, 1.04 mm hoch
 Streuwert 16.29, horizontal: 21.69, vertikal: 7.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (334.3)
 Serien: 77 81 80 75
 Zähler: 3 13 8 9 4 3 0 0 0 0
 Innenzehner: 1
 weiteste: 4316 (39), 4153 (35), 4065 (30)
 beste Teiler 398.1 (27.) 544.0 (16.) 617.7 (38.)
 Trefferlage 2.25 mm links, 7.69 mm hoch
 Streuwert 15.63, horizontal: 13.88, vertikal: 17.20




Serie 1:
 7.5 ↙ 9.6 ↘ 8.6 ↓ 6.8 ↓ 7.9 ↓
 8.5 ↓ 7.3 ↗ 8.7 ↖ 9.3 → 8.6 ↘
 beste Teiler 1110.1 (2.) 1341.5 (9.) 1778.6 (8.)
 Trefferlage 0.02 mm links, 9.42 mm tief
 Streuwert 15.16, horizontal: 14.68, vertikal: 15.62



Serie 2:
 9.7 ↖ 7.6 ← 9.3 ↖ 9.5 ↑ 6.6 ↗
 10.3 ↖ 9.3 ← 9.4 ↗ 6.6 ↖ 7.1 ↑
 beste Teiler 544.0 (16.) 1025.0 (11.) 1187.5 (14.)
 Trefferlage 3.38 mm links, 10.56 mm hoch
 Streuwert 14.20, horizontal: 16.80, vertikal: 11.01



Serie 3:
 9.9 ↑ 7.8 ← 9.2 → 8.5 ← 8.5 ↖
 9.8 ↑ 10.5 * 7.9 ↑ 8.3 → 5.9 ↑
 beste Teiler 398.1 (27.) 868.3 (21.) 883.0 (26.)
 Trefferlage 2.36 mm links, 8.91 mm hoch
 Streuwert 14.08, horizontal: 14.13, vertikal: 14.03





Serie 4:
 7.7 ↗ 9.4 ↑ 9.2 ↗ 6.1 ↖ 5.8 ↖
 9.3 ↖ 8.8 → 10.2 ↖ 5.6 ↑ 7.7 ↑
 beste Teiler 617.7 (38.) 1224.6 (32.) 1316.2 (36.)
 Trefferlage 3.26 mm links, 20.70 mm hoch
 Streuwert 12.75, horizontal: 11.38, vertikal: 13.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (381.0)^{QF}
 Serien: 92 88 89 91
 Zähler: 11 20 8 0 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3563 (24), 2313 (37), 2099 (2)
 beste Teiler 89.0 (22.) 161.9 (7.) 291.2 (16.)
 Trefferlage 2.64 mm links, 0.20 mm hoch
 Streuwert 9.27, horizontal: 9.00, vertikal: 9.52




Serie 1:
 9.7 ↙ 8.3 ↗ 9.9 ↙ 9.4 ↓ 10.5 *
 9.6 ↓ 10.7 * 9.3 ↘ 9.6 ↘ 10.3 →
 beste Teiler 161.9 (7.) 332.0 (5.) 512.5 (10.)
 Trefferlage 2.58 mm links, 1.93 mm tief
 Streuwert 7.78, horizontal: 5.99, vertikal: 9.22



Serie 2:
 9.1 ↘ 8.7 ↗ 8.9 ↘ 10.4 * 9.0 ↘
 10.6 * 8.7 ↓ 9.6 ↓ 8.4 ↓ 9.7 ↑
 beste Teiler 291.2 (16.) 449.4 (14.) 1017.0 (20.)
 Trefferlage 0.97 mm rechts, 2.64 mm tief
 Streuwert 10.35, horizontal: 9.03, vertikal: 11.53



Serie 3:
 9.7 ↑ 10.8 * 9.4 ↘ 6.5 ↘ 10.4 *
 9.3 → 9.4 ↗ 10.3 ↑ 9.1 ↙ 8.7 ↙
 beste Teiler 89.0 (22.) 434.9 (25.) 506.0 (28.)
 Trefferlage 4.40 mm links, 2.95 mm hoch
 Streuwert 10.91, horizontal: 11.44, vertikal: 10.34





Serie 4:
 9.9 ↗ 9.8 ↘ 10.4 * 9.9 ↓ 10.6 *
 9.8 ↙ 8.1 ↙ 10.0 ↑ 9.9 ↓ 8.6 ↘
 beste Teiler 309.9 (35.) 436.6 (33.) 727.8 (38.)
 Trefferlage 4.55 mm links, 2.45 mm hoch
 Streuwert 7.76, horizontal: 8.98, vertikal: 6.32

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (359.7)
 Serien: 82 90 86 84
 Zähler: 5 20 10 2 3 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3975 (32), 3551 (25), 3516 (5)
 beste Teiler 244.4 (11.) 399.0 (15.) 645.3 (40.)
 Trefferlage 0.47 mm rechts, 0.70 mm tief
 Streuwert 12.65, horizontal: 13.02, vertikal: 12.28




Serie 1:
 7.8 → 9.2 ↘ 9.0 ← 9.2 ↓ 6.6 ↗
 8.7 ← 8.4 ↗ 8.8 → 8.6 ↑ 10.0 ↑
 beste Teiler 790.4 (10.) 1377.5 (4.) 1421.9 (2.)
 Trefferlage 7.52 mm rechts, 2.74 mm hoch
 Streuwert 13.57, horizontal: 16.32, vertikal: 10.09



Serie 2:
 10.6 * 9.5 ↑ 8.5 ↓ 9.9 ↓ 10.5 *
 9.8 ↑ 8.5 ↖ 9.7 ↑ 9.9 ↖ 9.2 ↓
 beste Teiler 244.4 (11.) 399.0 (15.) 816.0 (19.)
 Trefferlage 3.82 mm links, 0.24 mm tief
 Streuwert 8.44, horizontal: 6.36, vertikal: 10.10



Serie 3:
 9.4 ← 9.7 → 9.8 ↙ 9.9 → 6.5 ↗
 9.7 ↑ 9.5 ↑ 9.0 ↓ 9.8 ↘ 8.3 ↘
 beste Teiler 847.5 (24.) 885.8 (23.) 957.9 (29.)
 Trefferlage 1.29 mm links, 3.06 mm tief
 Streuwert 11.90, horizontal: 11.42, vertikal: 12.36





Serie 4:
 9.0 ↑ 6.0 ↖ 8.2 ↓ 10.0 ↘ 8.2 ↖
 9.0 ↓ 9.3 → 8.0 ↗ 7.9 ↑ 10.1 ↖
 beste Teiler 645.3 (40.) 794.7 (34.) 1325.9 (37.)
 Trefferlage 0.49 mm links, 2.26 mm tief
 Streuwert 15.67, horizontal: 14.72, vertikal: 16.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (379.2)
 Serien: 88 90 90 90
 Zähler: 12 17 8 3 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 3084 (12), 2685 (10), 2440 (6)
 beste Teiler 124.6 (35.) 133.7 (23.) 203.1 (7.)
 Trefferlage 5.02 mm links, 1.44 mm tief
 Streuwert 9.17, horizontal: 8.34, vertikal: 9.92




Serie 1:
 9.5 ← 9.6 ↗ 10.5 * 8.9 ↑ 10.0 ↑
 7.9 ↓ 10.7 * 9.8 ↘ 9.6 ↙ 7.6 ↘
 beste Teiler 203.1 (7.) 325.6 (3.) 725.4 (5.)
 Trefferlage 5.38 mm links, 1.77 mm hoch
 Streuwert 9.95, horizontal: 8.01, vertikal: 11.57



Serie 2:
 8.4 ↓ 7.1 ↗ 10.4 * 9.9 ↙ 9.0 ↘
 10.5 * 8.8 ← 9.6 ← 10.6 * 10.5 *
 beste Teiler 287.6 (19.) 371.3 (20.) 380.8 (16.)
 Trefferlage 7.48 mm links, 2.99 mm tief
 Streuwert 9.06, horizontal: 8.83, vertikal: 9.29



Serie 3:
 9.2 ↙ 8.8 ↗ 10.8 * 9.3 ↓ 9.5 ↓
 9.1 ↑ 9.4 ↙ 8.2 ↘ 10.3 ↙ 9.6 ↑
 beste Teiler 133.7 (23.) 548.2 (29.) 1098.8 (30.)
 Trefferlage 3.12 mm links, 0.02 mm hoch
 Streuwert 9.81, horizontal: 9.54, vertikal: 10.07





Serie 4:
 8.5 ↙ 9.6 ↓ 10.6 * 8.4 ↙ 10.8 *
 9.7 ↑ 10.4 * 9.4 ↓ 9.9 ↘ 8.8 ↙
 beste Teiler 124.6 (35.) 281.3 (33.) 453.2 (37.)
 Trefferlage 4.09 mm links, 4.59 mm tief
 Streuwert 8.19, horizontal: 7.52, vertikal: 8.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288** (307.8)
 Serien: 79 66 72 71
 Zähler: 1 6 12 10 5 4 2 0 0 0
 Innenzehner: 0
 weiteste: 4954 (21), 4836 (36), 4558 (31)
 beste Teiler 681.2 (6.) 843.7 (33.) 861.9 (16.)
 Trefferlage 6.65 mm links, 2.75 mm tief
 Streuwert 19.65, horizontal: 16.24, vertikal: 22.55




Serie 1:
 8.8 ← 6.2 ↗ 8.1 ← 8.2 ↘ 6.7 ↓
 10.1 ↓ 8.7 ↗ 7.9 ↓ 9.1 ↗ 9.0 ←
 beste Teiler 681.2 (6.) 1504.5 (9.) 1545.7 (10.)
 Trefferlage 9.77 mm links, 8.51 mm tief
 Streuwert 14.36, horizontal: 12.85, vertikal: 15.73



Serie 2:
 6.9 ↓ 6.6 ← 5.8 ← 7.5 ↑ 5.4 ↓
 9.9 ↓ 7.7 ↗ 7.1 ↘ 9.3 ← 5.7 ↘
 beste Teiler 861.9 (16.) 1306.4 (19.) 2606.3 (17.)
 Trefferlage 13.94 mm links, 2.98 mm hoch
 Streuwert 21.50, horizontal: 15.68, vertikal: 26.06



Serie 3:
 4.8 ↓ 7.1 ↘ 7.4 ↘ 8.7 ↘ 7.0 ↓
 8.5 ↑ 9.5 ↘ 7.9 ← 7.2 ↘ 8.6 →
 beste Teiler 1167.7 (27.) 1777.8 (24.) 1901.2 (30.)
 Trefferlage 3.41 mm links, 4.80 mm tief
 Streuwert 20.50, horizontal: 15.39, vertikal: 24.57





Serie 4:
 5.3 ↘ 8.5 ↗ 9.9 ↓ 8.0 ↘ 7.5 →
 4.9 ↑ 8.7 ↓ 8.5 ↓ 8.6 ↘ 6.5 ↓
 beste Teiler 843.7 (33.) 1783.9 (37.) 1856.4 (39.)
 Trefferlage 0.51 mm rechts, 0.68 mm tief
 Streuwert 21.76, horizontal: 18.87, vertikal: 24.31

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (367.5)
 Serien: 86 86 90 88
 Zähler: 8 17 12 3 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2819 (6), 2541 (38), 2536 (27)
 beste Teiler 497.1 (24.) 585.1 (33.) 590.6 (35.)
 Trefferlage 4.43 mm rechts, 2.18 mm tief
 Streuwert 10.47, horizontal: 9.94, vertikal: 10.97



Serie 1:

8.2 ↘ 8.9 → 8.4 ↘ 9.2 ↓ 9.5 →
 7.4 ↗ 10.1 ↑ 9.8 ↗ 9.3 ↗ 9.1 ↑


beste Teiler 673.4 (7.) 896.7 (8.) 1198.6 (5.)
 Trefferlage 5.07 mm rechts, 4.27 mm tief
 Streuwert 11.44, horizontal: 9.96, vertikal: 12.75



Serie 2:

9.8 ↓ 9.3 ↗ 8.0 ↗ 9.1 ↓ 9.8 ↘
 9.7 ↗ 8.8 ↘ 8.6 ↘ 9.9 ↘ 8.1 ↗


beste Teiler 841.0 (19.) 893.9 (11.) 910.2 (15.)
 Trefferlage 4.41 mm rechts, 1.30 mm tief
 Streuwert 11.14, horizontal: 8.63, vertikal: 13.18



Serie 3:

10.2 ↘ 10.0 ↗ 9.7 ↓ 10.3 ↘ 8.9 ↗
 9.7 ↑ 7.8 → 10.2 ↗ 9.8 ↘ 8.6 ↓

beste Teiler 497.1 (24.) 597.8 (28.) 614.0 (21.)
 Trefferlage 2.53 mm rechts, 2.28 mm tief
 Streuwert 9.33, horizontal: 9.41, vertikal: 9.25



Serie 4:



9.0 → 9.7 ↓ 10.2 ↘ 9.4 ↑ 10.2 ↘
 8.4 ↗ 8.4 → 7.8 ↘ 8.2 ↗ 10.0 ↓

beste Teiler 585.1 (33.) 590.6 (35.) 726.4 (40.)
 Trefferlage 5.72 mm rechts, 0.85 mm tief
 Streuwert 11.22, horizontal: 12.63, vertikal: 9.60

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (358.1)
 Serien: 78 86 87 88
 Zähler: 7 17 7 7 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4135 (6), 3779 (30), 2876 (34)
 beste Teiler 329.9 (18.) 361.0 (29.) 463.0 (23.)
 Trefferlage 0.17 mm links, 0.35 mm tief
 Streuwert 13.19, horizontal: 13.24, vertikal: 13.15



Serie 1:

9.8 ↙ 7.5 ↓ 7.6 ↗ 8.2 ↙ 8.5 ↓
 5.8 ↗ 9.8 ↘ 7.7 → 9.3 ↙ 9.5 ↙


beste Teiler 889.1 (1.) 900.4 (7.) 1179.0 (10.)
 Trefferlage 3.22 mm rechts, 4.58 mm tief
 Streuwert 16.39, horizontal: 17.34, vertikal: 15.39



Serie 2:

9.1 ↙ 8.8 ↑ 9.1 ↖ 7.5 ↙ 7.4 ↙
 9.3 ↖ 9.4 ↖ 10.5 * 9.2 ↖ 9.7 ↗


beste Teiler 329.9 (18.) 991.6 (20.) 1206.7 (17.)
 Trefferlage 9.99 mm links, 1.35 mm tief
 Streuwert 10.25, horizontal: 9.17, vertikal: 11.23



Serie 3:

8.8 ↑ 8.5 ↙ 10.4 * 9.6 ↘ 8.1 ↗
 10.0 ↖ 9.6 ↙ 9.6 ↗ 10.5 * 6.2 ↗

beste Teiler 361.0 (29.) 463.0 (23.) 790.2 (26.)
 Trefferlage 2.96 mm rechts, 4.08 mm hoch
 Streuwert 12.56, horizontal: 11.95, vertikal: 13.15



Serie 4:



9.8 → 10.2 ↓ 9.9 ↘ 7.4 ↙ 10.1 ↖
 9.9 ↓ 8.6 ↗ 10.3 ↑ 9.3 ↑ 7.6 ↗

beste Teiler 496.9 (38.) 619.9 (32.) 694.4 (35.)
 Trefferlage 3.12 mm rechts, 0.45 mm hoch
 Streuwert 11.37, horizontal: 9.44, vertikal: 13.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (352.4)
 Serien: 85 82 85 81
 Zähler: 4 14 15 5 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3665 (26), 3335 (36), 2800 (33)
 beste Teiler 288.7 (25.) 335.2 (20.) 693.9 (29.)
 Trefferlage 4.79 mm links, 6.78 mm tief
 Streuwert 11.97, horizontal: 10.95, vertikal: 12.91




Serie 1:
 8.8 ↘ 8.1 ↓ 8.1 ↗ 9.3 ↖ 7.7 ←
 10.0 ↘ 9.5 ↓ 9.7 ↓ 9.9 ↑ 8.7 ↓
 beste Teiler 799.7 (6.) 863.8 (9.) 994.6 (8.)
 Trefferlage 3.30 mm links, 8.79 mm tief
 Streuwert 10.54, horizontal: 10.14, vertikal: 10.93



Serie 2:
 8.4 ↗ 9.5 ↘ 7.8 ↓ 8.9 ↘ 8.0 ↗
 9.2 ↗ 7.8 ↗ 8.6 ↖ 8.6 ↗ 10.5 *
 beste Teiler 335.2 (20.) 1136.1 (12.) 1370.4 (16.)
 Trefferlage 3.47 mm links, 9.95 mm tief
 Streuwert 11.67, horizontal: 12.50, vertikal: 10.77



Serie 3:
 9.9 ← 9.1 ↗ 8.5 ↗ 9.4 ↖ 10.6 *
 6.4 ↗ 9.2 ↑ 8.9 ↗ 10.1 ← 7.8 ↓
 beste Teiler 288.7 (25.) 693.9 (29.) 805.3 (21.)
 Trefferlage 7.93 mm links, 3.79 mm tief
 Streuwert 11.86, horizontal: 10.16, vertikal: 13.35





Serie 4:
 8.2 ↓ 8.9 ↘ 7.5 ↖ 9.2 ↗ 8.9 ↑
 6.8 ↗ 8.1 ↘ 9.6 ↖ 9.0 ↗ 9.2 ←
 beste Teiler 1045.9 (38.) 1367.0 (34.) 1370.5 (40.)
 Trefferlage 4.44 mm links, 4.59 mm tief
 Streuwert 14.47, horizontal: 11.88, vertikal: 16.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (356.8)
 Serien: 85 83 78 92
 Zähler: 4 20 10 3 2 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4177 (25), 3561 (1), 3328 (30)
 beste Teiler 311.3 (13.) 324.0 (33.) 586.2 (6.)
 Trefferlage 1.23 mm rechts, 2.06 mm tief
 Streuwert 12.97, horizontal: 12.10, vertikal: 13.78




Serie 1:
 6.5 ↗ 9.9 ↗ 8.8 ↘ 9.2 ← 8.5 ←
 10.2 ↘ 8.0 ↘ 9.2 ↘ 9.0 ← 9.7 ↓
 beste Teiler 586.2 (6.) 834.1 (2.) 1017.0 (10.)
 Trefferlage 3.96 mm links, 3.01 mm hoch
 Streuwert 13.14, horizontal: 14.70, vertikal: 11.37



Serie 2:
 8.5 ↗ 9.6 ↘ 10.6 * 8.9 ↓ 9.3 ↑
 9.4 ↘ 7.8 → 8.5 ↓ 8.8 ↘ 7.6 ↓
 beste Teiler 311.3 (13.) 1109.5 (12.) 1271.5 (16.)
 Trefferlage 1.92 mm rechts, 6.69 mm tief
 Streuwert 12.27, horizontal: 10.17, vertikal: 14.07



Serie 3:
 7.3 ↘ 9.5 ← 9.4 ↑ 9.3 → 5.7 ↘
 8.6 ↘ 8.9 ↗ 8.2 ↑ 9.0 → 6.8 ↘
 beste Teiler 1154.9 (22.) 1261.2 (23.) 1329.4 (24.)
 Trefferlage 5.19 mm rechts, 2.26 mm tief
 Streuwert 16.99, horizontal: 14.20, vertikal: 19.38





Serie 4:
 9.1 ↑ 9.5 ← 10.5 * 10.0 ↓ 9.3 →
 9.6 ↘ 9.9 → 9.8 ↗ 9.1 ↘ 9.3 ↓
 beste Teiler 324.0 (33.) 785.4 (34.) 871.0 (37.)
 Trefferlage 1.78 mm rechts, 2.31 mm tief
 Streuwert 8.15, horizontal: 8.06, vertikal: 8.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **213** (230.1)
 Serien: 51 58 44 60
 Zähler: 0 3 4 6 10 5 4 1 3 2
 Innenzehner: 0
 weiteste: 10084 (21), 8313 (2), 7728 (29)
 beste Teiler 947.5 (7.) 1022.9 (16.) 1091.4 (14.)
 Trefferlage 14.42 mm rechts, 8.17 mm tief
 Streuwert 31.17, horizontal: 22.68, vertikal: 37.79




Serie 1:
 1.5 ↓ 0.0 ↓ 5.9 ↙ 6.6 ↓ 7.7 ↓
 4.0 ↗ 9.8 ↓ 6.9 ↗ 6.0 ↓ 7.6 →
 beste Teiler 947.5 (7.) 2585.6 (5.) 2661.1 (10.)
 Trefferlage 5.23 mm rechts, 24.71 mm tief
 Streuwert 30.08, horizontal: 22.22, vertikal: 36.27



Serie 2:
 7.8 ↓ 8.6 → 4.5 ↗ 9.6 ↘ 3.8 ↗
 9.7 ↗ 6.5 ↘ 5.7 ↘ 5.1 ↘ 2.7 →
 beste Teiler 1022.9 (16.) 1091.4 (14.) 1854.2 (12.)
 Trefferlage 22.51 mm rechts, 1.09 mm hoch
 Streuwert 25.47, horizontal: 20.21, vertikal: 29.82



Serie 3:
 0.0 ↗ 6.1 ↘ 7.0 ↘ 4.3 ↑ 7.1 ↘
 6.5 ↓ 2.8 ↓ 5.0 → 1.3 ↓ 6.2 ↗
 beste Teiler 3056.8 (25.) 3145.7 (23.) 3574.3 (26.)
 Trefferlage 18.00 mm rechts, 4.07 mm tief
 Streuwert 39.53, horizontal: 26.48, vertikal: 49.23





Serie 4:
 6.4 → 6.0 ↙ 8.5 ↓ 2.6 ↓ 6.4 ↘
 7.5 ↗ 8.6 ↘ 5.0 ↗ 8.7 ↘ 4.1 ↗
 beste Teiler 1806.9 (39.) 1856.1 (37.) 1943.7 (33.)
 Trefferlage 11.92 mm rechts, 4.98 mm tief
 Streuwert 28.01, horizontal: 20.94, vertikal: 33.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (329.9)
 Serien: 76 83 76 78
 Zähler: 5 11 10 6 3 4 1 0 0 0
 Innenzehner: 1
 weiteste: 5554 (8), 4630 (38), 4580 (25)
 beste Teiler 453.6 (3.) 507.4 (24.) 563.3 (26.)
 Trefferlage 3.63 mm rechts, 3.13 mm hoch
 Streuwert 17.58, horizontal: 15.56, vertikal: 19.40




Serie 1:
 7.5 ↙ 8.8 ↑ 10.4 * 9.1 ↖ 8.9 ↓
 6.9 ↑ 10.2 → 4.0 ↑ 7.9 ↘ 7.4 ↖
 beste Teiler 453.6 (3.) 577.0 (7.) 1464.2 (4.)
 Trefferlage 1.67 mm links, 5.58 mm hoch
 Streuwert 19.50, horizontal: 12.86, vertikal: 24.40



Serie 2:
 6.2 ↘ 9.0 ↘ 7.9 ↑ 9.1 ↖ 9.7 ↓
 7.8 → 9.6 ↓ 9.4 ↘ 10.2 ↖ 8.4 ↗
 beste Teiler 568.8 (19.) 1015.1 (15.) 1093.8 (17.)
 Trefferlage 1.19 mm rechts, 1.90 mm hoch
 Streuwert 14.75, horizontal: 14.20, vertikal: 15.27



Serie 3:
 8.3 ↘ 8.8 ← 5.9 ↓ 10.3 ↓ 5.2 ↗
 10.2 → 9.1 ↘ 8.5 ↗ 8.6 ↖ 5.5 ↑
 beste Teiler 507.4 (24.) 563.3 (26.) 1482.8 (27.)
 Trefferlage 9.03 mm rechts, 0.77 mm tief
 Streuwert 19.13, horizontal: 17.08, vertikal: 20.98





Serie 4:
 9.9 ↗ 8.4 ↑ 8.0 ↖ 9.1 ← 7.0 ↘
 9.9 ↙ 8.2 ↗ 5.2 ↑ 9.0 → 6.4 →
 beste Teiler 829.3 (31.) 865.4 (36.) 1480.0 (34.)
 Trefferlage 5.98 mm rechts, 5.81 mm hoch
 Streuwert 17.92, horizontal: 17.70, vertikal: 18.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (345.9)
 Serien: 82 78 85 84
 Zähler: 3 16 10 9 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3885 (13), 3552 (17), 2992 (14)
 beste Teiler 267.1 (34.) 716.2 (20.) 731.6 (5.)
 Trefferlage 4.11 mm links, 4.07 mm tief
 Streuwert 13.80, horizontal: 14.17, vertikal: 13.43




Serie 1:
 7.4 ↙ 8.2 ↘ 7.3 ↗ 9.5 ↓ 10.0 ↘
 7.7 ↗ 8.1 ↗ 9.4 ↙ 9.0 ↗ 8.3 ↗
 beste Teiler 731.6 (5.) 1127.4 (4.) 1265.5 (8.)
 Trefferlage 9.55 mm links, 5.95 mm tief
 Streuwert 13.08, horizontal: 10.61, vertikal: 15.15



Serie 2:
 9.1 → 8.9 ↘ 6.1 ↙ 7.2 ← 7.5 ↘
 9.5 → 6.5 ↑ 7.6 ↘ 9.8 → 10.1 ↘
 beste Teiler 716.2 (20.) 946.3 (19.) 1180.8 (16.)
 Trefferlage 1.97 mm rechts, 3.49 mm tief
 Streuwert 17.88, horizontal: 19.72, vertikal: 15.82



Serie 3:
 9.4 ← 7.5 ← 9.7 ↘ 9.2 ← 8.8 →
 9.7 ↗ 8.5 ← 9.6 ← 9.2 ↓ 8.9 ↘
 beste Teiler 1018.1 (23.) 1023.6 (26.) 1051.5 (28.)
 Trefferlage 5.99 mm links, 3.96 mm tief
 Streuwert 10.68, horizontal: 13.62, vertikal: 6.52





Serie 4:
 8.4 ↙ 8.4 ↗ 9.3 ↘ 10.6 * 7.7 ↗
 9.7 → 9.1 ↓ 7.8 ↑ 8.2 ↓ 9.0 ←
 beste Teiler 267.1 (34.) 979.6 (36.) 1286.0 (33.)
 Trefferlage 2.87 mm links, 2.88 mm tief
 Streuwert 13.35, horizontal: 10.18, vertikal: 15.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (345.4)
 Serien: 84 84 80 81
 Zähler: 5 10 16 7 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3325 (5), 3285 (36), 2977 (4)
 beste Teiler 188.4 (9.) 375.7 (38.) 434.2 (3.)
 Trefferlage 1.20 mm links, 0.55 mm hoch
 Streuwert 14.39, horizontal: 13.93, vertikal: 14.83




Serie 1:
 9.7 ↗ 9.4 ↘ 10.4 * 7.2 ↓ 6.8 ↓
 7.4 ↑ 10.1 ↗ 8.9 ↘ 10.7 * 8.1 ↖
 beste Teiler 188.4 (9.) 434.2 (3.) 656.0 (7.)
 Trefferlage 3.41 mm links, 2.53 mm tief
 Streuwert 14.46, horizontal: 9.41, vertikal: 18.15



Serie 2:
 9.8 ↘ 9.0 ↗ 8.1 ↑ 9.1 ↑ 8.1 ↖
 8.5 ↖ 9.5 ↓ 8.1 → 8.3 ↘ 8.4 ↓
 beste Teiler 927.0 (11.) 1163.1 (17.) 1516.6 (14.)
 Trefferlage 3.28 mm links, 2.84 mm hoch
 Streuwert 13.49, horizontal: 12.85, vertikal: 14.10



Serie 3:
 7.5 ← 10.0 ↖ 8.2 ← 8.7 ↗ 7.6 ↘
 9.3 ↗ 8.3 ↖ 7.4 ↗ 8.4 → 8.0 ↖
 beste Teiler 731.6 (22.) 1310.8 (26.) 1823.9 (24.)
 Trefferlage 6.52 mm links, 1.80 mm tief
 Streuwert 15.44, horizontal: 15.73, vertikal: 15.14





Serie 4:
 9.5 ↑ 7.7 → 9.2 ↗ 8.9 ↖ 8.3 →
 6.8 ↗ 7.9 ↘ 10.5 * 9.4 ↗ 8.2 ↘
 beste Teiler 375.7 (38.) 1180.6 (31.) 1202.3 (39.)
 Trefferlage 8.38 mm rechts, 3.70 mm hoch
 Streuwert 13.37, horizontal: 13.97, vertikal: 12.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (388.8)^{QF}
 Serien: 96 89 95 89
 Zähler: 16 18 5 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 776 (40), 623 (35), 594 (11)
 beste Teiler 44.6 (30.) 73.0 (2.) 96.2 (23.)
 Trefferlage 0.02 mm rechts, 0.40 mm tief
 Streuwert 2.50, horizontal: 3.11, vertikal: 1.66




Serie 1:
 9.3 ← 10.7 * 9.9 ↘ 9.5 ↘ 10.1 ↘
 10.1 ↙ 10.5 * 10.3 * 10.2 * 9.5 ←
 beste Teiler 73.0 (2.) 120.0 (7.) 156.2 (8.)
 Trefferlage 0.82 mm links, 0.17 mm tief
 Streuwert 1.84, horizontal: 2.21, vertikal: 1.38



Serie 2:
 8.6 ↘ 9.1 → 10.3 * 9.9 → 9.4 ↙
 9.8 ← 9.8 ← 9.2 → 9.5 ↖ 8.6 →
 beste Teiler 167.3 (13.) 266.9 (14.) 279.7 (17.)
 Trefferlage 1.03 mm rechts, 0.90 mm tief
 Streuwert 2.85, horizontal: 3.53, vertikal: 1.94



Serie 3:
 9.5 ↘ 10.4 * 10.6 * 9.6 ↖ 9.9 ↖
 10.0 ↙ 9.2 ← 10.4 * 9.8 ↖ 10.8 *
 beste Teiler 44.6 (30.) 96.2 (23.) 131.0 (28.)
 Trefferlage 0.77 mm links, 0.28 mm tief
 Streuwert 1.84, horizontal: 2.19, vertikal: 1.41



Serie 4:
 10.2 * 9.4 → 10.3 * 10.2 * 8.5 ↙
 8.9 ↖ 9.7 ← 10.5 * 8.8 → 7.8 ↘
 beste Teiler 104.4 (38.) 174.8 (33.) 179.7 (34.)
 Trefferlage 0.64 mm rechts, 0.24 mm tief
 Streuwert 3.22, horizontal: 4.10, vertikal: 1.99



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **273** (291.9)
 Serien: 72 70 60 71
 Zähler: 5 5 8 7 3 7 2 1 0 1
 Innenzehner: 1
 weiteste: 8731 (39), 7297 (12), 6190 (24)
 beste Teiler 308.7 (13.) 507.9 (20.) 530.0 (5.)
 Trefferlage 10.20 mm rechts, 1.65 mm tief
 Streuwert 23.70, horizontal: 21.74, vertikal: 25.50




Serie 1:
 8.7 ↘ 7.7 ↘ 7.3 ↘ 7.9 ↑ 10.3 ↓
 8.9 ↑ 7.5 ↘ 6.9 ↓ 7.3 ↑ 5.7 ↘
 beste Teiler 530.0 (5.) 1656.0 (6.) 1806.8 (1.)
 Trefferlage 0.30 mm links, 5.37 mm hoch
 Streuwert 19.60, horizontal: 16.77, vertikal: 22.07



Serie 2:
 7.4 ↘ 1.8 ↗ 10.6 * 5.3 ↗ 5.2 →
 9.6 ↘ 8.2 → 10.0 ↘ 5.7 → 10.3 ↓
 beste Teiler 308.7 (13.) 507.9 (20.) 761.0 (18.)
 Trefferlage 19.71 mm rechts, 6.65 mm hoch
 Streuwert 21.59, horizontal: 17.18, vertikal: 25.23



Serie 3:
 4.5 ↘ 4.9 ↓ 6.9 ↙ 3.2 → 8.1 ↗
 9.3 ↓ 8.3 ↘ 5.8 ↘ 5.1 ↓ 8.3 ↓
 beste Teiler 1288.8 (26.) 2128.8 (30.) 2151.3 (27.)
 Trefferlage 12.23 mm rechts, 21.11 mm tief
 Streuwert 23.01, horizontal: 25.37, vertikal: 20.38





Serie 4:
 8.2 ↑ 5.7 ↘ 8.6 ↓ 9.3 ↓ 9.5 ↘
 6.9 ↗ 10.0 ↘ 7.2 ↓ 0.0 ↗ 9.8 ↑
 beste Teiler 738.8 (37.) 952.6 (40.) 1190.5 (35.)
 Trefferlage 9.19 mm rechts, 2.47 mm hoch
 Streuwert 25.57, horizontal: 24.50, vertikal: 26.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (369.8)
 Serien: 84 88 89 89
 Zähler: 9 18 9 3 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4166 (8), 2792 (2), 2664 (7)
 beste Teiler 348.7 (6.) 486.0 (3.) 550.3 (21.)
 Trefferlage 3.74 mm rechts, 2.11 mm hoch
 Streuwert 10.74, horizontal: 8.33, vertikal: 12.71




Serie 1:
 8.7 ↓ 7.5 ↘ 10.3 ↙ 9.9 ↗ 10.1 ↓
 10.5 * 7.6 ↑ 5.7 ↑ 9.7 ↑ 9.8 ↘
 beste Teiler 348.7 (6.) 486.0 (3.) 691.7 (5.)
 Trefferlage 0.18 mm rechts, 5.44 mm hoch
 Streuwert 14.14, horizontal: 10.55, vertikal: 16.99



Serie 2:
 8.4 ↗ 8.7 ↑ 8.6 ↘ 9.5 ↗ 8.7 ↓
 9.7 ↓ 8.9 ↗ 10.1 ↘ 10.2 ↘ 10.0 ↗
 beste Teiler 613.8 (19.) 704.4 (18.) 778.5 (20.)
 Trefferlage 4.66 mm rechts, 2.63 mm hoch
 Streuwert 10.11, horizontal: 5.71, vertikal: 13.10



Serie 3:
 10.3 ↘ 9.1 → 9.4 ↘ 8.9 ↗ 8.7 ↙
 9.1 ↘ 9.9 ↗ 9.8 ↑ 9.6 ↙ 9.0 ↓
 beste Teiler 550.3 (21.) 874.2 (27.) 915.4 (28.)
 Trefferlage 2.72 mm rechts, 3.15 mm tief
 Streuwert 9.30, horizontal: 9.75, vertikal: 8.82





Serie 4:
 7.7 ↑ 9.8 → 9.3 → 9.6 ↗ 10.1 ↓
 8.6 ↗ 10.2 ↑ 9.3 → 9.1 ↘ 9.7 ↗
 beste Teiler 598.4 (37.) 719.2 (35.) 912.9 (32.)
 Trefferlage 7.39 mm rechts, 3.54 mm hoch
 Streuwert 8.56, horizontal: 5.55, vertikal: 10.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (351.9)
 Serien: 84 81 83 84
 Zähler: 6 13 15 2 2 1 1 0 0 0
 Innenzehner: 3
 weiteste: 4992 (16), 4188 (39), 3893 (25)
 beste Teiler 208.7 (34.) 292.0 (35.) 346.5 (14.)
 Trefferlage 0.76 mm rechts, 3.97 mm tief
 Streuwert 14.08, horizontal: 14.91, vertikal: 13.21




Serie 1:
 8.2 ↙ 8.4 ↗ 8.5 ↖ 9.5 ← 9.1 ←
 9.9 ↘ 7.8 ↘ 9.3 ↓ 8.6 ← 9.4 →
 beste Teiler 879.5 (6.) 1200.5 (4.) 1221.4 (10.)
 Trefferlage 5.99 mm links, 5.18 mm tief
 Streuwert 11.56, horizontal: 12.85, vertikal: 10.12



Serie 2:
 8.4 ↙ 9.4 → 10.0 ↘ 10.5 * 7.9 ↗
 4.7 ↗ 9.1 ← 8.6 ↘ 8.0 ↗ 8.4 ↙
 beste Teiler 346.5 (14.) 742.6 (13.) 1280.5 (12.)
 Trefferlage 3.60 mm rechts, 1.83 mm tief
 Streuwert 16.94, horizontal: 17.58, vertikal: 16.27



Serie 3:
 6.7 ← 9.8 ↙ 8.8 ↘ 10.3 ↗ 6.1 ↓
 8.7 ↗ 8.4 ↓ 9.9 ↘ 10.2 ↖ 9.9 ↓
 beste Teiler 556.2 (24.) 631.2 (29.) 808.5 (28.)
 Trefferlage 4.00 mm links, 11.55 mm tief
 Streuwert 11.80, horizontal: 12.38, vertikal: 11.20





Serie 4:
 8.9 ↘ 9.2 ↗ 9.9 ↓ 10.7 * 10.6 *
 8.7 ↗ 9.1 ↗ 8.4 ↘ 5.7 → 8.2 →
 beste Teiler 208.7 (34.) 292.0 (35.) 854.3 (33.)
 Trefferlage 9.44 mm rechts, 2.66 mm hoch
 Streuwert 12.47, horizontal: 12.94, vertikal: 11.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **318** (335.3)
 Serien: 80 80 78 80
 Zähler: 5 10 9 11 4 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4205 (30), 3885 (18), 3535 (40)
 beste Teiler 86.7 (1.) 349.7 (38.) 629.4 (21.)
 Trefferlage 0.99 mm links, 5.48 mm tief
 Streuwert 16.00, horizontal: 15.55, vertikal: 16.43




Serie 1:
 10.8 * 7.3 ↗ 8.1 ↘ 9.9 ↘ 7.0 ↘
 9.5 ↗ 8.9 → 6.6 ↗ 7.5 → 9.4 ↘
 beste Teiler 86.7 (1.) 803.8 (4.) 1200.9 (6.)
 Trefferlage 7.51 mm rechts, 0.33 mm hoch
 Streuwert 15.68, horizontal: 12.79, vertikal: 18.12



Serie 2:
 8.6 ↓ 7.6 ↗ 6.8 ↘ 9.5 ↘ 9.9 ↘
 7.2 ↙ 10.0 ← 6.1 ↘ 8.5 ↓ 10.1 ↘
 beste Teiler 704.0 (20.) 788.4 (17.) 826.5 (15.)
 Trefferlage 0.94 mm links, 1.68 mm tief
 Streuwert 17.07, horizontal: 17.60, vertikal: 16.53



Serie 3:
 10.2 ↗ 7.3 ↙ 7.1 ↓ 8.6 ↓ 9.5 ↘
 9.5 ↓ 7.5 ← 8.2 ↘ 8.3 ↙ 5.7 ←
 beste Teiler 629.4 (21.) 1189.2 (25.) 1197.3 (26.)
 Trefferlage 7.06 mm links, 9.95 mm tief
 Streuwert 15.74, horizontal: 19.89, vertikal: 9.98





Serie 4:
 8.3 ↓ 9.0 ↘ 9.7 ↑ 7.5 ↓ 7.3 ↘
 8.3 ↓ 9.4 ↘ 10.5 * 7.6 ↓ 6.5 ↓
 beste Teiler 349.7 (38.) 1003.9 (33.) 1217.4 (37.)
 Trefferlage 3.47 mm links, 10.62 mm tief
 Streuwert 14.40, horizontal: 7.13, vertikal: 19.08

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (361.9)
 Serien: 86 87 85 84
 Zähler: 6 17 11 5 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3221 (33), 3033 (30), 2955 (38)
 beste Teiler 288.1 (25.) 343.2 (3.) 429.3 (13.)
 Trefferlage 3.46 mm rechts, 0.49 mm tief
 Streuwert 11.91, horizontal: 12.21, vertikal: 11.60



Serie 1:

8.5 → 10.2 ↘ 10.5 * 9.8 ↗ 8.0 ↖
 8.2 ↑ 8.7 ← 9.6 ↘ 9.4 ↗ 7.9 →


beste Teiler 343.2 (3.) 625.2 (2.) 940.1 (4.)
 Trefferlage 3.02 mm rechts, 5.75 mm hoch
 Streuwert 11.47, horizontal: 13.44, vertikal: 9.07



Serie 2:

8.8 ↗ 9.2 ↑ 10.4 * 9.5 ↘ 9.0 ↘
 8.8 ↘ 7.8 ↘ 10.0 ↘ 8.4 ↘ 9.6 →


beste Teiler 429.3 (13.) 739.5 (18.) 1093.1 (20.)
 Trefferlage 6.45 mm rechts, 4.09 mm tief
 Streuwert 10.11, horizontal: 6.65, vertikal: 12.65



Serie 3:

9.9 ↖ 9.7 ↖ 9.0 ← 8.2 ↘ 10.6 *
 8.9 ↑ 9.8 ↗ 9.6 → 7.9 ↗ 7.2 ←

beste Teiler 288.1 (25.) 859.2 (21.) 945.6 (27.)
 Trefferlage 0.30 mm links, 1.30 mm hoch
 Streuwert 12.71, horizontal: 15.34, vertikal: 9.38



Serie 4:



10.1 ← 9.2 → 6.9 ↙ 8.5 → 9.4 →
 9.8 ↓ 8.7 ↑ 7.3 ↘ 9.9 ↑ 9.0 ↓

beste Teiler 665.4 (31.) 869.0 (39.) 947.1 (36.)
 Trefferlage 4.68 mm rechts, 4.95 mm tief
 Streuwert 12.79, horizontal: 12.59, vertikal: 12.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312** (329.4)
 Serien: 73 87 76 76
 Zähler: 7 6 13 6 4 2 2 0 0 0
 Innenzehner: 2
 weiteste: 4936 (24), 4845 (8), 4111 (35)
 beste Teiler 191.8 (32.) 380.7 (16.) 561.6 (5.)
 Trefferlage 8.90 mm links, 4.95 mm tief
 Streuwert 16.11, horizontal: 16.79, vertikal: 15.41




Serie 1:
 7.3 ← 6.9 ↙ 5.8 ↓ 6.2 ↘ 10.2 ↘
 10.0 ↘ 8.7 ← 4.9 ↗ 9.2 ← 8.1 ←
 beste Teiler 561.6 (5.) 741.4 (6.) 1390.3 (9.)
 Trefferlage 17.38 mm links, 6.84 mm tief
 Streuwert 16.65, horizontal: 13.02, vertikal: 19.62



Serie 2:
 8.9 ↙ 8.7 ↘ 7.2 ↗ 10.1 → 9.2 ↘
 10.5 * 10.2 ↘ 9.2 ↑ 9.0 ← 7.1 ↗
 beste Teiler 380.7 (16.) 636.8 (17.) 688.5 (14.)
 Trefferlage 7.06 mm links, 2.61 mm tief
 Streuwert 11.99, horizontal: 9.36, vertikal: 14.14



Serie 3:
 6.7 ↘ 10.1 ↓ 9.2 ↗ 4.8 ← 7.3 ↓
 8.3 ↗ 8.0 ↑ 8.6 ↓ 8.1 ← 8.9 ↘
 beste Teiler 708.4 (22.) 1427.9 (23.) 1674.4 (30.)
 Trefferlage 5.68 mm links, 2.35 mm tief
 Streuwert 18.90, horizontal: 21.76, vertikal: 15.52





Serie 4:
 8.0 ↙ 10.7 * 9.8 ↘ 6.8 ↗ 5.8 ←
 8.6 ↓ 7.6 ↓ 8.6 ← 7.6 ↓ 8.5 ↗
 beste Teiler 191.8 (32.) 913.2 (33.) 1901.8 (38.)
 Trefferlage 5.49 mm links, 8.00 mm tief
 Streuwert 16.69, horizontal: 19.55, vertikal: 13.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **154** (169.6)
 Serien: 47 52 46 9
 Zähler: 0 6 2 5 1 3 2 4 2 4
 Innenzehner: 0
 weiteste: 8523 (19), 8453 (15), 8405 (7)
 beste Teiler 810.5 (11.) 875.0 (23.) 894.3 (3.)
 Trefferlage 13.35 mm links, 10.97 mm tief
 Streuwert 34.78, horizontal: 31.43, vertikal: 37.84




Serie 1:
 1.5 ↙ 7.1 → 9.8 ↓ 8.2 ↓ 3.1 ↓
 9.4 ↘ 0.0 ↑ 1.8 ↙ 2.9 ↙ 7.2 ↓
 beste Teiler 894.3 (3.) 1203.0 (6.) 2208.3 (4.)
 Trefferlage 14.56 mm links, 17.65 mm tief
 Streuwert 36.20, horizontal: 30.94, vertikal: 40.77



Serie 2:
 9.9 ↘ 8.7 ↓ 7.9 ↘ 7.0 ↙ 0.0 ↙
 4.9 ↗ 6.9 → 2.8 ↑ 0.0 ↙ 9.6 ↙
 beste Teiler 810.5 (11.) 1093.6 (20.) 1817.3 (12.)
 Trefferlage 6.82 mm links, 7.03 mm tief
 Streuwert 35.89, horizontal: 34.89, vertikal: 36.87



Serie 3:
 9.0 ↘ 1.8 ↙ 9.9 ↘ 5.9 ↓ 3.0 ↙
 5.1 → 7.7 ↓ 1.0 ↙ 3.8 ↑ 3.9 ↘
 beste Teiler 875.0 (23.) 1539.1 (21.) 2576.0 (27.)
 Trefferlage 14.68 mm links, 11.21 mm tief
 Streuwert 36.10, horizontal: 32.95, vertikal: 39.00





Serie 4:
 4.8 ↘ 5.0 ↙
 beste Teiler 4758.6 (32.) 4959.3 (31.)
 Trefferlage 33.30 mm links, 3.95 mm hoch
 Streuwert 35.17, horizontal: 3.81, vertikal: 49.60

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (367.3)
 Serien: 93 89 86 83
 Zähler: 11 15 11 1 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4122 (17), 3386 (38), 2774 (40)
 beste Teiler 221.6 (6.) 454.0 (23.) 460.9 (30.)
 Trefferlage 5.42 mm links, 1.96 mm tief
 Streuwert 10.83, horizontal: 10.68, vertikal: 10.97



Serie 1:

8.5 ↙ 8.7 ↘ 10.3 ← 9.3 ↗ 10.0 ↘
 10.7 * 9.0 ↙ 10.1 ↘ 9.3 ← 10.3 ↗


beste Teiler 221.6 (6.) 517.4 (10.) 553.1 (3.)
 Trefferlage 4.87 mm links, 1.44 mm tief
 Streuwert 8.21, horizontal: 8.48, vertikal: 7.93



Serie 2:

9.0 ↗ 9.8 ↗ 9.0 ↙ 9.4 → 10.2 ↘
 10.0 ← 5.8 ↙ 9.6 ↘ 10.0 → 9.4 ↙


beste Teiler 640.3 (15.) 723.3 (19.) 729.5 (16.)
 Trefferlage 4.22 mm links, 0.39 mm tief
 Streuwert 12.18, horizontal: 12.73, vertikal: 11.60



Serie 3:

8.6 ↑ 8.6 ← 10.4 * 8.5 ↓ 8.5 →
 9.4 ↗ 8.5 ↑ 8.8 ← 9.6 ↘ 10.4 *

beste Teiler 454.0 (23.) 460.9 (30.) 1066.7 (29.)
 Trefferlage 1.23 mm links, 0.21 mm hoch
 Streuwert 11.72, horizontal: 11.12, vertikal: 12.30



Serie 4:



8.8 ← 10.0 ↑ 8.4 ↘ 9.8 ← 8.8 ↘
 9.3 ← 9.0 ↙ 6.7 ↙ 9.3 ↓ 7.5 ↙

beste Teiler 772.5 (32.) 884.0 (34.) 1294.8 (39.)
 Trefferlage 11.35 mm links, 6.23 mm tief
 Streuwert 10.49, horizontal: 8.71, vertikal: 12.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (343.9)
 Serien: 86 79 78 84
 Zähler: 4 12 15 7 1 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5224 (36), 3588 (14), 3133 (19)
 beste Teiler 461.3 (1.) 526.4 (32.) 672.2 (2.)
 Trefferlage 4.24 mm rechts, 6.30 mm tief
 Streuwert 13.93, horizontal: 17.53, vertikal: 9.01




Serie 1:
 10.4 * 10.1 ↑ 8.0 → 9.5 ↓ 9.1 ↑
 8.0 ↓ 8.8 ↘ 9.3 → 8.7 ↓ 7.4 ←
 beste Teiler 461.3 (1.) 672.2 (2.) 1153.0 (4.)
 Trefferlage 3.65 mm rechts, 6.11 mm tief
 Streuwert 12.05, horizontal: 12.71, vertikal: 11.35



Serie 2:
 8.0 ← 9.2 ↗ 8.3 ← 6.5 → 9.2 →
 7.6 ↓ 8.5 ↓ 9.2 → 7.0 ← 8.8 →
 beste Teiler 1364.2 (15.) 1390.1 (18.) 1433.0 (12.)
 Trefferlage 2.95 mm rechts, 6.48 mm tief
 Streuwert 16.16, horizontal: 20.10, vertikal: 10.88



Serie 3:
 7.4 → 8.2 → 8.4 ↓ 9.8 ↓ 8.6 ←
 8.2 ↘ 8.9 ↙ 7.2 → 8.8 ↙ 7.6 ↗
 beste Teiler 886.7 (24.) 1648.2 (27.) 1685.5 (29.)
 Trefferlage 7.12 mm rechts, 9.16 mm tief
 Streuwert 13.82, horizontal: 17.54, vertikal: 8.63





Serie 4:
 7.9 ← 10.3 ↓ 10.0 ↓ 9.8 ← 9.8 →
 4.4 → 8.9 → 9.1 ← 9.6 ← 9.4 →
 beste Teiler 526.4 (32.) 756.1 (33.) 895.1 (35.)
 Trefferlage 3.25 mm rechts, 3.47 mm tief
 Streuwert 15.11, horizontal: 21.09, vertikal: 3.40

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (356.7)
 Serien: 87 79 83 88
 Zähler: 6 14 13 5 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3880 (14), 3862 (26), 3003 (38)
 beste Teiler 374.4 (39.) 415.3 (10.) 452.0 (35.)
 Trefferlage 1.41 mm links, 6.63 mm hoch
 Streuwert 12.28, horizontal: 11.20, vertikal: 13.27



Serie 1:

9.9 ↙ 9.4 ↙ 7.6 ↗ 8.7 ↘ 9.3 →
 8.9 → 9.6 ↙ 8.6 → 10.0 ↑ 10.4 *


beste Teiler 415.3 (10.) 800.2 (9.) 879.7 (1.)
 Trefferlage 5.96 mm rechts, 0.09 mm hoch
 Streuwert 10.21, horizontal: 10.50, vertikal: 9.90



Serie 2:

7.2 ↘ 8.9 ↑ 8.4 ↘ 6.1 ↘ 8.6 ↗
 8.9 ↘ 9.8 ↘ 7.5 ↘ 9.7 → 9.3 ↙


beste Teiler 929.8 (17.) 967.9 (19.) 1296.5 (20.)
 Trefferlage 6.07 mm links, 8.96 mm hoch
 Streuwert 14.23, horizontal: 14.23, vertikal: 14.24



Serie 3:

8.5 ↑ 9.4 ↗ 8.7 ← 9.7 ↙ 8.6 ↑
 6.1 ↑ 8.0 ↑ 10.4 ↘ 8.8 ↙ 9.9 ↘

beste Teiler 478.9 (28.) 880.4 (30.) 1030.9 (24.)
 Trefferlage 4.16 mm links, 8.36 mm hoch
 Streuwert 12.69, horizontal: 7.45, vertikal: 16.33



Serie 4:



9.5 ↙ 10.2 ↘ 7.4 ↑ 9.3 ← 10.4 *
 9.2 ↑ 8.4 ↗ 7.2 ↘ 10.5 * 9.7 ↗

beste Teiler 374.4 (39.) 452.0 (35.) 608.8 (32.)
 Trefferlage 1.38 mm links, 9.12 mm hoch
 Streuwert 10.34, horizontal: 9.07, vertikal: 11.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (357.3)
 Serien: 79 81 90 88
 Zähler: 7 18 6 5 3 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4131 (2), 3469 (9), 3398 (8)
 beste Teiler 126.6 (23.) 455.7 (29.) 503.2 (4.)
 Trefferlage 0.59 mm rechts, 4.93 mm tief
 Streuwert 12.92, horizontal: 13.33, vertikal: 12.49




Serie 1:
 10.0 ← 5.8 → 9.3 ↑ 10.3 ↘ 7.5 →
 9.4 ↙ 9.4 ↘ 6.7 ↘ 6.6 ↙ 8.6 ↗
 beste Teiler 503.2 (4.) 762.2 (1.) 1253.0 (7.)
 Trefferlage 4.23 mm rechts, 0.46 mm hoch
 Streuwert 17.58, horizontal: 19.49, vertikal: 15.42



Serie 2:
 9.3 ↓ 10.2 ↗ 7.2 ↘ 7.4 ↙ 9.3 →
 6.7 ↓ 7.8 ↓ 8.6 ↓ 9.2 ↓ 9.9 ↓
 beste Teiler 574.9 (12.) 863.0 (20.) 1294.7 (11.)
 Trefferlage 0.38 mm links, 14.64 mm tief
 Streuwert 11.42, horizontal: 12.67, vertikal: 10.02



Serie 3:
 9.2 ↗ 9.3 ← 10.8 * 10.0 ↓ 8.8 ↓
 8.5 ↓ 9.9 ↓ 8.0 ↙ 10.4 * 9.7 ←
 beste Teiler 126.6 (23.) 455.7 (29.) 782.1 (24.)
 Trefferlage 3.92 mm links, 5.41 mm tief
 Streuwert 8.98, horizontal: 8.02, vertikal: 9.84





Serie 4:
 9.9 → 9.4 → 9.5 ← 10.0 ↓ 7.8 ↗
 9.5 ↙ 8.8 ↓ 9.3 ← 9.8 → 9.5 ↗
 beste Teiler 771.8 (34.) 856.2 (31.) 885.1 (39.)
 Trefferlage 2.45 mm rechts, 0.15 mm tief
 Streuwert 10.04, horizontal: 11.10, vertikal: 8.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **306** (323.8)
 Serien: 71 79 80 76
 Zähler: 3 9 12 9 3 3 0 1 0 0
 Innenzehner: 0
 weiteste: 5903 (2), 4506 (33), 4309 (7)
 beste Teiler 577.1 (25.) 582.2 (16.) 799.1 (34.)
 Trefferlage 0.52 mm links, 3.96 mm hoch
 Streuwert 18.15, horizontal: 18.42, vertikal: 17.88




Serie 1:
 7.9 ↙ 3.6 ↗ 9.1 → 6.0 ↙ 9.6 ↘
 9.1 ↘ 5.6 ↘ 8.0 ↗ 8.2 ↓ 7.6 ↑
 beste Teiler 1074.6 (5.) 1443.9 (6.) 1469.0 (3.)
 Trefferlage 0.13 mm links, 5.64 mm hoch
 Streuwert 22.92, horizontal: 25.74, vertikal: 19.71



Serie 2:
 8.2 ↘ 6.7 ↗ 8.8 ↘ 5.6 ↙ 9.8 ↓
 10.2 ↓ 9.7 ↙ 9.6 ↘ 8.0 ↓ 7.9 ↑
 beste Teiler 582.2 (16.) 956.1 (15.) 1025.2 (17.)
 Trefferlage 3.82 mm links, 0.14 mm hoch
 Streuwert 16.98, horizontal: 17.12, vertikal: 16.83



Serie 3:
 7.8 ↓ 9.8 ↗ 8.9 ↑ 8.2 ↘ 10.2 ↑
 7.4 ↑ 9.2 ↘ 6.6 ↓ 8.1 ↑ 8.8 ↙
 beste Teiler 577.1 (25.) 897.6 (22.) 1410.6 (27.)
 Trefferlage 0.70 mm rechts, 0.58 mm tief
 Streuwert 15.93, horizontal: 9.10, vertikal: 20.62





Serie 4:
 8.3 ↘ 7.9 ↑ 5.3 → 10.0 ↑ 7.5 ↗
 7.7 ↑ 9.2 ↙ 8.2 ↘ 7.1 ↙ 8.4 ↑
 beste Teiler 799.1 (34.) 1418.8 (37.) 2064.3 (40.)
 Trefferlage 1.15 mm rechts, 10.65 mm hoch
 Streuwert 17.47, horizontal: 20.36, vertikal: 14.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (380.4)
 Serien: 88 88 91 93
 Zähler: 14 15 8 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2761 (12), 2672 (38), 2611 (9)
 beste Teiler 238.8 (35.) 260.5 (37.) 289.9 (5.)
 Trefferlage 0.66 mm links, 0.78 mm hoch
 Streuwert 9.60, horizontal: 10.21, vertikal: 8.93




Serie 1:
 9.9 ↗ 9.7 ← 8.6 → 8.2 → 10.6 *
 10.4 → 8.5 ↘ 9.1 ← 7.7 ↙ 10.2 ↑
 beste Teiler 289.9 (5.) 477.2 (6.) 581.8 (10.)
 Trefferlage 1.87 mm rechts, 1.66 mm tief
 Streuwert 11.26, horizontal: 13.75, vertikal: 8.02



Serie 2:
 8.3 ↑ 7.5 ← 9.6 ↘ 8.9 ↙ 10.2 ↓
 9.6 → 10.1 ↙ 8.5 ↑ 9.5 ↙ 10.4 *
 beste Teiler 450.0 (20.) 604.9 (15.) 655.7 (17.)
 Trefferlage 3.30 mm links, 2.34 mm hoch
 Streuwert 10.99, horizontal: 11.58, vertikal: 10.37



Serie 3:
 10.5 * 9.9 ↘ 8.4 ↑ 10.3 ↘ 10.0 ↘
 9.7 ↙ 9.8 → 8.7 ↓ 9.8 ↙ 9.5 →
 beste Teiler 337.6 (21.) 508.4 (24.) 735.2 (25.)
 Trefferlage 1.45 mm rechts, 0.12 mm tief
 Streuwert 8.39, horizontal: 6.10, vertikal: 10.18





Serie 4:
 10.2 → 9.8 ↘ 9.5 ↗ 9.6 ← 10.7 *
 10.2 ↙ 10.6 * 7.6 ↘ 10.2 ← 9.9 ↓
 beste Teiler 238.8 (35.) 260.5 (37.) 595.4 (31.)
 Trefferlage 2.68 mm links, 2.56 mm hoch
 Streuwert 7.87, horizontal: 8.20, vertikal: 7.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (366.1)
 Serien: 91 87 82 87
 Zähler: 6 20 11 1 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3995 (28), 3843 (20), 2440 (25)
 beste Teiler 82.2 (13.) 257.2 (40.) 266.0 (6.)
 Trefferlage 1.77 mm links, 6.18 mm tief
 Streuwert 10.89, horizontal: 9.76, vertikal: 11.92




Serie 1:
 9.7 ↓ 9.5 ↓ 9.5 ↙ 10.5 * 9.3 ↘
 10.6 * 9.8 → 9.3 ↘ 9.1 ↗ 8.3 ↙
 beste Teiler 266.0 (6.) 399.2 (4.) 911.8 (7.)
 Trefferlage 1.36 mm links, 2.15 mm tief
 Streuwert 8.91, horizontal: 9.14, vertikal: 8.66



Serie 2:
 8.5 ↓ 9.4 ↘ 10.8 * 9.7 ↗ 9.2 ↙
 9.3 ↓ 9.5 ↙ 8.6 ↑ 10.3 ↓ 6.1 ↓
 beste Teiler 82.2 (13.) 506.7 (19.) 1018.2 (14.)
 Trefferlage 2.43 mm links, 7.57 mm tief
 Streuwert 11.39, horizontal: 4.96, vertikal: 15.32



Serie 3:
 8.8 ↙ 9.8 ↙ 9.9 ↙ 9.8 ↘ 7.9 ↓
 9.3 ↘ 8.1 ↙ 6.0 ↙ 8.8 → 9.7 ↘
 beste Teiler 870.2 (23.) 930.8 (24.) 932.7 (22.)
 Trefferlage 3.62 mm links, 12.48 mm tief
 Streuwert 10.93, horizontal: 13.29, vertikal: 7.90





Serie 4:
 8.2 ← 10.4 * 9.4 ↙ 8.3 ↓ 8.2 ↓
 8.7 ↗ 9.5 ↓ 8.2 ↗ 9.5 → 10.6 *
 beste Teiler 257.2 (40.) 424.9 (32.) 1139.4 (37.)
 Trefferlage 0.32 mm rechts, 2.52 mm tief
 Streuwert 11.90, horizontal: 10.91, vertikal: 12.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297** (313.6)
 Serien: 84 66 76 71
 Zähler: 4 8 7 8 9 3 1 0 0 0
 Innenzehner: 2
 weiteste: 4886 (25), 4496 (17), 4422 (23)
 beste Teiler 265.2 (22.) 353.6 (2.) 770.4 (29.)
 Trefferlage 12.57 mm links, 0.08 mm hoch
 Streuwert 17.58, horizontal: 18.97, vertikal: 16.08




Serie 1:
 9.3 ↑ 10.5 * 8.4 ↘ 9.1 ↘ 9.2 ↓
 9.2 ↘ 8.4 ↖ 9.3 ← 6.7 ← 7.8 →
 beste Teiler 353.6 (2.) 1334.9 (8.) 1341.1 (1.)
 Trefferlage 3.14 mm links, 2.29 mm tief
 Streuwert 13.94, horizontal: 17.20, vertikal: 9.64



Serie 2:
 5.8 ← 7.0 ↓ 9.8 ↘ 7.2 ↑ 6.2 ←
 7.8 → 5.3 ↖ 6.3 ↗ 7.1 ↖ 7.7 ↖
 beste Teiler 957.7 (13.) 2556.5 (16.) 2576.6 (20.)
 Trefferlage 17.59 mm links, 8.89 mm tief
 Streuwert 19.53, horizontal: 19.85, vertikal: 19.21



Serie 3:
 9.7 ↓ 10.6 * 5.4 ↘ 10.0 ↑ 4.8 ←
 6.7 ← 8.3 ← 6.7 ↗ 10.0 ↘ 8.3 ↗
 beste Teiler 265.2 (22.) 770.4 (29.) 783.5 (24.)
 Trefferlage 11.95 mm links, 0.02 mm tief
 Streuwert 18.71, horizontal: 21.94, vertikal: 14.78





Serie 4:
 7.8 ← 8.1 ↗ 8.1 ← 6.4 ↑ 6.8 ↘
 6.0 ← 7.2 ↑ 6.6 ↘ 8.9 ← 9.1 ↖
 beste Teiler 1482.5 (40.) 1672.3 (39.) 2247.8 (33.)
 Trefferlage 17.61 mm links, 11.55 mm hoch
 Streuwert 14.66, horizontal: 15.23, vertikal: 14.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (367.4)
 Serien: 89 82 89 88
 Zähler: 7 16 16 0 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3220 (13), 2306 (33), 2290 (25)
 beste Teiler 151.1 (5.) 351.1 (28.) 369.4 (26.)
 Trefferlage 2.02 mm rechts, 2.24 mm hoch
 Streuwert 11.02, horizontal: 8.90, vertikal: 12.79




Serie 1:
 9.8 → 8.5 ↑ 9.6 ↑ 9.3 ↘ 10.8 *
 9.4 ↘ 9.5 ↘ 9.9 ↗ 8.2 ↓ 9.1 ↗
 beste Teiler 151.1 (5.) 873.7 (8.) 948.6 (1.)
 Trefferlage 3.91 mm rechts, 2.28 mm hoch
 Streuwert 9.53, horizontal: 5.91, vertikal: 12.11



Serie 2:
 9.2 ↓ 8.5 ↙ 6.9 ↑ 9.9 ↑ 9.6 →
 8.6 ↓ 9.4 → 8.5 ↓ 8.8 ↑ 8.4 ↑
 beste Teiler 877.4 (14.) 1116.2 (15.) 1280.3 (17.)
 Trefferlage 3.58 mm rechts, 0.88 mm hoch
 Streuwert 13.58, horizontal: 7.11, vertikal: 17.85



Serie 3:
 9.9 ↗ 10.1 ↑ 8.5 → 9.0 ↙ 8.1 ↘
 10.5 * 8.5 ↙ 10.5 * 9.8 ↘ 8.6 ↗
 beste Teiler 351.1 (28.) 369.4 (26.) 698.6 (22.)
 Trefferlage 0.74 mm rechts, 1.36 mm hoch
 Streuwert 10.75, horizontal: 10.97, vertikal: 10.53





Serie 4:
 9.3 ↙ 8.7 ↗ 8.1 ↗ 10.2 ↘ 10.1 ↘
 9.7 ↙ 8.8 ↘ 8.2 ↑ 10.5 * 8.4 ↖
 beste Teiler 389.5 (39.) 579.3 (34.) 713.9 (35.)
 Trefferlage 0.15 mm links, 4.45 mm hoch
 Streuwert 11.12, horizontal: 11.12, vertikal: 11.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (377.1)
 Serien: 90 90 92 85
 Zähler: 14 13 9 4 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2907 (27), 2789 (35), 2744 (17)
 beste Teiler 91.0 (20.) 155.1 (23.) 172.4 (34.)
 Trefferlage 0.02 mm links, 2.84 mm hoch
 Streuwert 10.14, horizontal: 11.26, vertikal: 8.88




Serie 1:
 8.9 ↗ 10.4 * 9.7 ↘ 8.6 ↖ 10.3 ↗
 7.6 ↗ 8.7 ↗ 10.5 * 10.6 * 10.7 *
 beste Teiler 235.0 (10.) 243.5 (9.) 348.7 (8.)
 Trefferlage 1.25 mm rechts, 4.06 mm hoch
 Streuwert 9.53, horizontal: 11.21, vertikal: 7.48



Serie 2:
 9.5 ↖ 9.4 ↘ 9.6 ↖ 8.6 ↗ 9.3 ↘
 10.4 * 7.5 ↖ 10.5 * 9.0 → 10.8 *
 beste Teiler 91.0 (20.) 371.6 (18.) 416.0 (16.)
 Trefferlage 3.66 mm links, 1.52 mm hoch
 Streuwert 10.00, horizontal: 12.08, vertikal: 7.35



Serie 3:
 9.7 ↖ 10.3 ↗ 10.8 * 9.1 ↖ 10.2 →
 10.1 → 7.3 ↘ 9.4 ↖ 9.7 ↗ 9.4 ↖
 beste Teiler 155.1 (23.) 511.2 (22.) 615.0 (25.)
 Trefferlage 0.09 mm rechts, 1.64 mm hoch
 Streuwert 9.59, horizontal: 11.56, vertikal: 7.08





Serie 4:
 8.2 ↗ 8.8 ↖ 9.7 ↓ 10.7 * 7.5 ↗
 8.6 ↖ 8.9 ↗ 9.0 ↘ 8.7 ↖ 10.4 *
 beste Teiler 172.4 (34.) 451.1 (40.) 1023.7 (33.)
 Trefferlage 2.18 mm rechts, 4.14 mm hoch
 Streuwert 12.18, horizontal: 11.07, vertikal: 13.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (373.7)
 Serien: 88 84 93 94
 Zähler: 12 16 11 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3153 (1), 2392 (13), 2297 (20)
 beste Teiler 216.6 (38.) 344.9 (33.) 346.7 (29.)
 Trefferlage 0.76 mm links, 2.87 mm hoch
 Streuwert 10.18, horizontal: 9.78, vertikal: 10.57




Serie 1:
 7.0 ↗ 10.3 ↘ 9.0 ↗ 8.1 ↖ 10.5 *
 9.3 ↑ 10.5 * 9.6 → 8.8 ↘ 8.7 ↑
 beste Teiler 354.2 (7.) 385.2 (5.) 502.1 (2.)
 Trefferlage 1.66 mm links, 10.42 mm hoch
 Streuwert 9.38, horizontal: 10.11, vertikal: 8.58



Serie 2:
 9.3 ↖ 8.8 ↑ 8.0 ↙ 8.6 ↖ 9.4 ↙
 8.9 → 9.0 ↘ 8.2 ↘ 9.7 ↘ 8.1 ↘
 beste Teiler 1039.5 (19.) 1249.4 (15.) 1333.7 (11.)
 Trefferlage 4.05 mm links, 0.60 mm tief
 Streuwert 12.97, horizontal: 12.39, vertikal: 13.52



Serie 3:
 9.5 ↘ 10.5 * 9.5 → 8.4 ↙ 10.0 →
 9.3 → 10.0 ↑ 9.1 ↗ 10.5 * 9.4 ↗
 beste Teiler 346.7 (29.) 395.0 (22.) 751.8 (27.)
 Trefferlage 3.87 mm rechts, 0.11 mm tief
 Streuwert 8.23, horizontal: 8.73, vertikal: 7.71





Serie 4:
 9.4 → 9.0 ↖ 10.5 * 9.7 ↑ 10.1 ↙
 8.6 ↑ 9.2 ↑ 10.7 * 10.3 ↖ 10.2 ↘
 beste Teiler 216.6 (38.) 344.9 (33.) 529.5 (39.)
 Trefferlage 1.21 mm links, 1.80 mm hoch
 Streuwert 7.94, horizontal: 6.74, vertikal: 8.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **265** (287.4)
 Serien: 63 76 51 75
 Zähler: 3 8 3 10 6 3 1 2 4 0
 Innenzehner: 1
 weiteste: 7163 (1), 6945 (23), 6638 (30)
 beste Teiler 207.3 (33.) 647.6 (35.) 675.1 (20.)
 Trefferlage 7.02 mm links, 0.79 mm hoch
 Streuwert 24.79, horizontal: 26.77, vertikal: 22.64




Serie 1:
 2.0 ↖ 7.7 ↖ 7.7 ↗ 7.9 ↘ 6.2 ↗
 7.8 ↓ 3.7 ↖ 9.0 ↘ 8.8 ↖ 7.7 ↘
 beste Teiler 1594.4 (8.) 1740.9 (9.) 2425.0 (4.)
 Trefferlage 15.79 mm links, 2.31 mm tief
 Streuwert 24.90, horizontal: 30.01, vertikal: 18.42



Serie 2:
 6.3 ↖ 9.6 ↖ 8.9 ↑ 7.9 ↖ 9.5 ↗
 7.8 ↖ 2.7 ↗ 9.1 ↘ 9.4 ↑ 10.1 ↓
 beste Teiler 675.1 (20.) 1086.4 (12.) 1177.4 (15.)
 Trefferlage 4.36 mm links, 8.41 mm hoch
 Streuwert 19.88, horizontal: 21.77, vertikal: 17.79



Serie 3:
 6.4 ↖ 6.7 ↖ 2.3 → 4.5 ↘ 6.8 ↖
 5.5 → 9.0 ↓ 6.7 ↗ 5.8 ↘ 2.7 ↑
 beste Teiler 1569.5 (27.) 3329.3 (25.) 3375.4 (22.)
 Trefferlage 1.96 mm links, 0.72 mm hoch
 Streuwert 33.74, horizontal: 36.98, vertikal: 30.16





Serie 4:
 5.8 ↓ 9.6 ↖ 10.7 * 7.6 ↓ 10.1 ↗
 7.5 ↘ 3.8 ↖ 8.7 ↖ 9.6 ↖ 7.8 ↖
 beste Teiler 207.3 (33.) 647.6 (35.) 1082.7 (32.)
 Trefferlage 5.97 mm links, 3.63 mm tief
 Streuwert 20.00, horizontal: 15.51, vertikal: 23.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (356.1)
 Serien: 83 82 85 88
 Zähler: 8 14 9 6 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3934 (12), 3476 (29), 3354 (10)
 beste Teiler 54.2 (34.) 260.0 (33.) 393.2 (40.)
 Trefferlage 4.13 mm rechts, 3.88 mm hoch
 Streuwert 12.78, horizontal: 12.51, vertikal: 13.04




Serie 1:
 9.7 → 7.1 ↘ 8.5 ↘ 9.4 ↑ 9.4 ↓
 10.0 ↓ 9.5 → 8.3 ↑ 8.5 ← 6.8 ←
 beste Teiler 728.2 (6.) 1003.9 (1.) 1137.2 (7.)
 Trefferlage 1.36 mm rechts, 3.37 mm tief
 Streuwert 14.38, horizontal: 16.77, vertikal: 11.50



Serie 2:
 9.8 ↑ 6.0 ↗ 8.3 → 9.6 ↘ 9.7 ↑
 8.8 ↑ 8.6 ↘ 9.9 ↘ 9.3 ↑ 7.9 ↘
 beste Teiler 811.0 (18.) 916.9 (11.) 961.8 (15.)
 Trefferlage 8.19 mm rechts, 5.66 mm hoch
 Streuwert 12.37, horizontal: 13.61, vertikal: 10.99



Serie 3:
 7.5 ↗ 8.1 → 9.8 ↗ 10.0 ← 9.3 ↗
 7.7 ↑ 9.3 ↗ 10.1 ↓ 6.6 ↑ 10.0 →
 beste Teiler 682.5 (28.) 764.8 (24.) 783.0 (30.)
 Trefferlage 6.95 mm rechts, 9.48 mm hoch
 Streuwert 11.49, horizontal: 10.17, vertikal: 12.66





Serie 4:
 8.3 ↘ 9.0 ↑ 10.6 * 10.9 * 9.4 ↘
 10.0 ↓ 7.8 ↓ 8.3 ↑ 7.8 ↑ 10.5 *
 beste Teiler 54.2 (34.) 260.0 (33.) 393.2 (40.)
 Trefferlage 0.01 mm rechts, 3.76 mm hoch
 Streuwert 11.83, horizontal: 7.35, vertikal: 15.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291** (310.3)
 Serien: 70 69 74 78
 Zähler: 4 3 13 10 4 5 0 0 0 1
 Innenzehner: 1
 weiteste: 7219 (18), 4565 (1), 4448 (28)
 beste Teiler 440.1 (31.) 625.0 (17.) 650.9 (36.)
 Trefferlage 6.09 mm links, 3.94 mm tief
 Streuwert 19.85, horizontal: 18.64, vertikal: 20.99




Serie 1:
 5.2 ↙ 5.5 ↓ 7.5 ↙ 6.9 ↘ 8.5 ↙
 10.0 ↙ 7.5 ↓ 8.1 ↙ 6.8 ← 8.8 ←
 beste Teiler 730.7 (6.) 1710.6 (10.) 1983.1 (5.)
 Trefferlage 21.17 mm links, 10.94 mm tief
 Streuwert 13.54, horizontal: 10.70, vertikal: 15.88



Serie 2:
 8.5 ↓ 6.7 ↗ 9.1 ↖ 5.6 ↘ 7.8 ↑
 8.1 ← 10.2 ↖ 1.9 ↗ 7.5 ↖ 8.5 ↖
 beste Teiler 625.0 (17.) 1506.4 (13.) 1981.5 (20.)
 Trefferlage 4.21 mm links, 8.81 mm hoch
 Streuwert 23.86, horizontal: 24.77, vertikal: 22.91



Serie 3:
 8.5 ↑ 7.0 ↖ 8.9 ↘ 7.0 ↓ 6.9 ↘
 7.1 ↓ 9.6 ↘ 5.4 ↑ 8.1 ↘ 9.1 ↘
 beste Teiler 1045.7 (27.) 1441.8 (30.) 1619.6 (23.)
 Trefferlage 1.50 mm links, 4.06 mm tief
 Streuwert 20.16, horizontal: 13.55, vertikal: 25.08





Serie 4:
 10.4 * 8.5 ↘ 8.1 ← 8.8 ↘ 8.9 ↘
 10.1 → 5.8 ↘ 7.9 ↗ 7.9 ← 7.6 ↓
 beste Teiler 440.1 (31.) 650.9 (36.) 1667.9 (35.)
 Trefferlage 2.54 mm rechts, 9.58 mm tief
 Streuwert 15.22, horizontal: 15.19, vertikal: 15.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (368.4)
 Serien: 86 88 86 90
 Zähler: 8 19 8 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2758 (4), 2699 (18), 2523 (24)
 beste Teiler 268.4 (19.) 397.0 (33.) 496.8 (37.)
 Trefferlage 1.27 mm links, 1.10 mm hoch
 Streuwert 10.96, horizontal: 9.21, vertikal: 12.47




Serie 1:
 9.1 ↘ 10.0 ↙ 8.8 ← 7.5 ↓ 9.4 ↘
 9.4 ↘ 9.4 ↘ 9.4 ↗ 8.4 ↖ 8.9 →
 beste Teiler 770.7 (2.) 1207.9 (6.) 1236.0 (5.)
 Trefferlage 2.57 mm links, 5.83 mm tief
 Streuwert 11.15, horizontal: 11.02, vertikal: 11.28



Serie 2:
 9.3 ↘ 9.9 ↙ 10.1 ↖ 8.7 ↑ 9.6 ↑
 9.1 ↘ 9.7 ↘ 7.6 ↑ 10.6 * 8.1 ↑
 beste Teiler 268.4 (19.) 645.6 (13.) 823.0 (12.)
 Trefferlage 1.92 mm links, 9.84 mm hoch
 Streuwert 8.43, horizontal: 6.14, vertikal: 10.22



Serie 3:
 10.3 ↘ 7.9 ↖ 9.3 ↓ 7.8 ↑ 9.5 ↘
 8.3 → 8.8 ↘ 10.3 ← 9.1 ↘ 9.0 ↑
 beste Teiler 507.4 (28.) 543.8 (21.) 1175.3 (25.)
 Trefferlage 1.11 mm links, 1.85 mm hoch
 Streuwert 12.40, horizontal: 11.22, vertikal: 13.48





Serie 4:
 9.9 ↘ 9.2 ↑ 10.5 * 10.3 ↑ 9.5 →
 8.5 ↓ 10.3 ↘ 9.3 ↓ 9.7 ↗ 7.9 ↖
 beste Teiler 397.0 (33.) 496.8 (37.) 526.3 (34.)
 Trefferlage 0.49 mm rechts, 1.43 mm tief
 Streuwert 9.76, horizontal: 8.75, vertikal: 10.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **241** (256.6)
 Serien: 68 58 62 53
 Zähler: 3 4 4 7 10 2 4 2 0 2
 Innenzehner: 1
 weiteste: 8331 (21), 8211 (17), 7999 (28)
 beste Teiler 107.1 (33.) 527.9 (26.) 695.6 (27.)
 Trefferlage 5.59 mm rechts, 13.07 mm hoch
 Streuwert 28.01, horizontal: 30.09, vertikal: 25.75




Serie 1:
 8.3 ↓ 7.8 ↙ 8.6 ↙ 7.6 ↘ 8.4 ↘
 6.2 ↓ 4.7 ↑ 6.8 ↗ 8.4 ↓ 6.6 ↙
 beste Teiler 1900.4 (3.) 2034.9 (9.) 2038.8 (5.)
 Trefferlage 5.28 mm links, 1.63 mm tief
 Streuwert 22.28, horizontal: 15.81, vertikal: 27.26



Serie 2:
 9.3 ↑ 6.4 → 6.6 ↙ 7.6 ↑ 4.7 →
 6.1 ↑ 0.0 ↘ 5.6 ← 9.6 ↘ 6.3 →
 beste Teiler 1082.7 (19.) 1291.0 (11.) 2701.4 (14.)
 Trefferlage 0.24 mm rechts, 10.82 mm hoch
 Streuwert 30.13, horizontal: 37.10, vertikal: 20.96





Serie 3:
 0.0 ↗ 7.3 ← 7.9 ↘ 9.3 ↑ 6.3 ↘
 10.3 ↘ 10.1 ↗ 1.0 ↘ 7.0 ↓ 5.0 ↑
 beste Teiler 527.9 (26.) 695.6 (27.) 1343.0 (24.)
 Trefferlage 1.32 mm rechts, 19.04 mm hoch
 Streuwert 29.84, horizontal: 28.54, vertikal: 31.09




Serie 4:
 9.3 ↑ 4.5 → 10.8 * 1.6 → 7.0 ↑
 4.2 ↑ 6.8 ↑ 3.0 ↗ 6.6 → 3.0 ↗
 beste Teiler 107.1 (33.) 1297.3 (31.) 3128.1 (35.)
 Trefferlage 26.08 mm rechts, 24.06 mm hoch
 Streuwert 23.85, horizontal: 28.86, vertikal: 17.45

Unterschrift des Schützen


Ergebnis: **321** (338.0)
 Serien: 84 74 80 83
 Zähler: 4 12 13 7 3 0 0 0 1 0
 Innenzehner: 1
 weiteste: 6603 (19), 3672 (6), 3621 (20)
 beste Teiler 229.6 (11.) 521.0 (24.) 690.6 (37.)
 Trefferlage 2.08 mm rechts, 6.76 mm hoch
 Streuwert 15.63, horizontal: 14.96, vertikal: 16.28




Serie 1:
 9.7 ↑ 9.5 ↘ 9.1 ↘ 10.0 ↘ 8.4 ↑
 6.4 ↙ 9.3 → 9.7 → 7.5 ↑ 8.5 ↙
 beste Teiler 746.2 (4.) 961.1 (8.) 1024.3 (1.)
 Trefferlage 4.47 mm links, 5.20 mm hoch
 Streuwert 13.35, horizontal: 13.11, vertikal: 13.58



Serie 2:
 10.7 * 7.1 ↘ 8.5 → 9.7 ↘ 8.6 ↑
 7.1 → 8.4 ↑ 9.5 → 2.7 ↑ 6.4 ↗
 beste Teiler 229.6 (11.) 965.9 (14.) 1144.5 (18.)
 Trefferlage 3.20 mm rechts, 16.07 mm hoch
 Streuwert 18.64, horizontal: 18.12, vertikal: 19.14



Serie 3:
 9.2 ↘ 7.0 ↗ 6.9 ↑ 10.3 ↗ 8.9 ↑
 8.7 ↙ 9.0 ↙ 8.2 ↘ 8.4 → 7.7 ↑
 beste Teiler 521.0 (24.) 1415.0 (21.) 1528.2 (27.)
 Trefferlage 4.39 mm rechts, 7.66 mm hoch
 Streuwert 14.71, horizontal: 12.30, vertikal: 16.77





Serie 4:
 8.0 ↙ 9.4 ↗ 7.4 ↘ 9.2 ↗ 8.8 ↙
 7.2 → 10.1 ↙ 9.7 ↘ 8.5 ↘ 8.6 ↗
 beste Teiler 690.6 (37.) 1035.3 (38.) 1232.8 (32.)
 Trefferlage 5.22 mm rechts, 1.89 mm tief
 Streuwert 13.88, horizontal: 15.89, vertikal: 11.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **317** (334.5)
 Serien: 77 83 79 78
 Zähler: 3 11 14 6 4 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4737 (22), 4375 (9), 3944 (8)
 beste Teiler 352.1 (23.) 459.7 (2.) 536.1 (12.)
 Trefferlage 1.06 mm links, 3.08 mm tief
 Streuwert 16.41, horizontal: 17.01, vertikal: 15.78




Serie 1:
 8.1 ↑ 10.4 * 6.6 ↗ 6.8 ↓ 9.9 ↘
 9.0 → 9.3 ↘ 6.0 ↖ 5.5 ↗ 9.8 ↗
 beste Teiler 459.7 (2.) 849.7 (5.) 959.0 (10.)
 Trefferlage 6.04 mm rechts, 3.07 mm hoch
 Streuwert 18.93, horizontal: 20.91, vertikal: 16.72



Serie 2:
 8.4 ↘ 10.3 ↗ 8.8 ↓ 8.2 ↓ 9.0 ↘
 7.0 ↖ 8.7 ← 9.5 ↑ 8.1 ↘ 8.8 ↘
 beste Teiler 536.1 (12.) 1157.5 (18.) 1527.9 (15.)
 Trefferlage 5.95 mm links, 1.20 mm tief
 Streuwert 13.61, horizontal: 14.42, vertikal: 12.76



Serie 3:
 8.5 → 5.0 ↘ 10.5 * 7.1 ← 7.9 ↗
 8.1 ↖ 9.5 ← 8.8 ↘ 8.6 ↗ 9.8 ↖
 beste Teiler 352.1 (23.) 960.0 (30.) 1176.4 (27.)
 Trefferlage 3.49 mm links, 7.32 mm tief
 Streuwert 16.52, horizontal: 18.86, vertikal: 13.78





Serie 4:
 8.0 ↑ 7.5 ↖ 9.4 ↓ 8.3 ↓ 7.8 →
 8.5 ↗ 9.7 ↘ 6.9 ↘ 7.1 ↓ 9.3 ↗
 beste Teiler 977.4 (37.) 1275.4 (33.) 1328.2 (40.)
 Trefferlage 0.85 mm links, 6.88 mm tief
 Streuwert 16.26, horizontal: 12.80, vertikal: 19.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (349.1)
 Serien: 77 78 89 89
 Zähler: 7 14 10 5 2 2 0 0 0 0
 Innenzehner: 4
 weiteste: 4702 (7), 4543 (19), 3983 (6)
 beste Teiler 164.7 (23.) 228.9 (30.) 272.8 (9.)
 Trefferlage 2.23 mm links, 1.31 mm hoch
 Streuwert 14.82, horizontal: 16.27, vertikal: 13.22




Serie 1:
 9.4 ← 8.2 ← 8.7 ↙ 7.3 ↙ 10.4 *
 6.0 ← 5.1 ↓ 6.6 → 10.6 * 8.3 ↗
 beste Teiler 272.8 (9.) 437.3 (5.) 1262.0 (1.)
 Trefferlage 5.56 mm links, 7.76 mm tief
 Streuwert 18.89, horizontal: 21.51, vertikal: 15.84



Serie 2:
 9.2 → 8.5 → 9.1 ↘ 8.1 ↘ 8.8 →
 8.5 ← 7.8 → 7.6 ← 5.3 ↗ 9.8 ↖
 beste Teiler 904.3 (20.) 1416.2 (11.) 1451.6 (13.)
 Trefferlage 2.84 mm rechts, 5.65 mm hoch
 Streuwert 16.76, horizontal: 21.82, vertikal: 9.26



Serie 3:
 9.6 ↑ 8.8 ↗ 10.7 * 7.7 ↑ 9.3 ↓
 9.3 ↖ 9.8 ↓ 9.8 ↗ 9.3 ↓ 10.7 *
 beste Teiler 164.7 (23.) 228.9 (30.) 898.1 (28.)
 Trefferlage 0.89 mm rechts, 2.69 mm hoch
 Streuwert 9.72, horizontal: 6.97, vertikal: 11.84





Serie 4:
 9.2 ↑ 10.3 ↑ 8.4 ↙ 10.1 ↓ 9.0 ←
 9.0 ↖ 9.1 ↖ 8.4 ← 10.3 → 7.0 ↖
 beste Teiler 522.6 (39.) 545.9 (32.) 653.1 (34.)
 Trefferlage 7.13 mm links, 4.68 mm hoch
 Streuwert 10.81, horizontal: 8.97, vertikal: 12.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (356.0)
 Serien: 84 90 79 85
 Zähler: 5 14 15 6 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3137 (26), 3122 (27), 3043 (34)
 beste Teiler 121.0 (11.) 304.4 (19.) 328.6 (32.)
 Trefferlage 3.98 mm rechts, 2.08 mm hoch
 Streuwert 12.64, horizontal: 10.89, vertikal: 14.18




Serie 1:
 9.6 ↘ 9.5 → 8.7 ↗ 8.0 ↗ 9.2 ↗
 7.2 ↗ 8.1 ↑ 8.1 ↑ 8.7 ↗ 10.5 *
 beste Teiler 346.7 (10.) 1087.6 (1.) 1184.3 (2.)
 Trefferlage 8.29 mm rechts, 11.99 mm hoch
 Streuwert 8.92, horizontal: 6.88, vertikal: 10.58



Serie 2:
 10.8 * 8.7 ↗ 8.7 ↘ 9.4 ↑ 9.7 ←
 9.7 ↗ 9.9 ↑ 9.5 ↘ 10.6 * 9.4 ↘
 beste Teiler 121.0 (11.) 304.4 (19.) 853.2 (17.)
 Trefferlage 2.46 mm rechts, 0.37 mm hoch
 Streuwert 8.53, horizontal: 8.32, vertikal: 8.73



Serie 3:
 9.9 → 7.2 ↘ 8.2 ↑ 8.8 ↗ 9.7 ←
 7.0 ↗ 7.0 ← 8.0 ↗ 8.4 ← 8.3 ↓
 beste Teiler 819.2 (21.) 1004.9 (25.) 1747.0 (24.)
 Trefferlage 0.04 mm rechts, 1.77 mm hoch
 Streuwert 17.01, horizontal: 17.46, vertikal: 16.54





Serie 4:
 7.9 ↑ 10.5 * 8.5 ↓ 7.1 ↓ 10.2 ↗
 8.9 ↓ 9.2 ↘ 9.2 ↘ 9.5 → 8.5 →
 beste Teiler 328.6 (32.) 616.7 (35.) 1129.2 (39.)
 Trefferlage 5.10 mm rechts, 5.81 mm tief
 Streuwert 11.81, horizontal: 7.15, vertikal: 15.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (364.9)
 Serien: 85 88 89 84
 Zähler: 9 16 10 2 3 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3978 (10), 3336 (32), 3307 (7)
 beste Teiler 198.8 (15.) 305.3 (11.) 336.0 (30.)
 Trefferlage 2.22 mm links, 0.91 mm tief
 Streuwert 12.18, horizontal: 10.89, vertikal: 13.34




Serie 1:
 9.8 ↖ 8.4 ↖ 10.1 ↗ 9.4 ↖ 9.7 ↓
 10.5 * 6.8 ↙ 9.8 ↑ 9.6 → 6.0 ↓
 beste Teiler 371.2 (6.) 713.7 (3.) 883.6 (8.)
 Trefferlage 5.38 mm links, 3.67 mm tief
 Streuwert 13.45, horizontal: 12.15, vertikal: 14.63



Serie 2:
 10.6 * 8.1 ↗ 9.5 ↘ 8.9 ↙ 10.7 *
 8.4 ↑ 9.4 ↓ 9.4 ↘ 8.7 → 9.8 ←
 beste Teiler 198.8 (15.) 305.3 (11.) 913.3 (20.)
 Trefferlage 1.81 mm rechts, 0.12 mm hoch
 Streuwert 10.64, horizontal: 11.00, vertikal: 10.28



Serie 3:
 9.3 ↘ 9.9 ↘ 8.2 ↖ 9.6 ↖ 9.0 ↙
 10.4 * 9.9 ↑ 9.2 ↑ 7.6 ↖ 10.5 *
 beste Teiler 336.0 (30.) 461.8 (26.) 821.1 (22.)
 Trefferlage 3.77 mm links, 1.42 mm hoch
 Streuwert 10.41, horizontal: 10.95, vertikal: 9.85





Serie 4:
 10.1 ↘ 6.8 ↑ 10.3 ← 8.5 ↘ 8.8 →
 9.3 ↖ 8.2 ↙ 7.0 ↓ 10.1 ↘ 8.6 ↑
 beste Teiler 530.0 (33.) 671.0 (31.) 682.7 (39.)
 Trefferlage 1.56 mm links, 1.54 mm tief
 Streuwert 14.69, horizontal: 9.66, vertikal: 18.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (379.5)^{QF}
 Serien: 93 87 90 91
 Zähler: 9 25 4 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2663 (22), 2408 (31), 2331 (13)
 beste Teiler 110.0 (21.) 225.6 (25.) 343.4 (3.)
 Trefferlage 0.81 mm links, 2.56 mm hoch
 Streuwert 9.05, horizontal: 8.15, vertikal: 9.86




Serie 1:
 9.2 ↙ 9.3 ↙ 10.5 * 9.9 ↘ 9.7 ↘
 9.7 ↘ 9.8 ↘ 9.1 → 10.2 ↖ 10.2 →
 beste Teiler 343.4 (3.) 589.3 (10.) 622.1 (9.)
 Trefferlage 0.03 mm links, 0.43 mm hoch
 Streuwert 7.55, horizontal: 9.11, vertikal: 5.56



Serie 2:
 9.5 ↘ 9.3 ↑ 8.0 ↘ 9.4 → 8.6 ↑
 9.1 ↙ 9.5 ↘ 9.7 ↘ 9.7 ↑ 8.9 ↘
 beste Teiler 966.2 (18.) 986.7 (19.) 1133.1 (11.)
 Trefferlage 4.87 mm links, 8.31 mm hoch
 Streuwert 8.31, horizontal: 7.51, vertikal: 9.04



Serie 3:
 10.8 * 7.6 ↗ 9.3 ↑ 9.6 ↘ 10.7 *
 9.5 ↑ 9.0 ↘ 9.3 ↘ 9.4 ↑ 9.6 ↑
 beste Teiler 110.0 (21.) 225.6 (25.) 1044.1 (30.)
 Trefferlage 4.19 mm rechts, 5.02 mm hoch
 Streuwert 8.83, horizontal: 5.74, vertikal: 11.09





Serie 4:
 7.9 ↘ 9.4 ↙ 10.1 ← 9.9 ↙ 9.8 ↙
 10.1 → 10.2 ↙ 8.4 ↖ 9.5 ↓ 10.1 ←
 beste Teiler 629.8 (37.) 657.8 (40.) 684.9 (36.)
 Trefferlage 2.53 mm links, 3.50 mm tief
 Streuwert 8.98, horizontal: 8.07, vertikal: 9.81

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.2)
 Serien: 88 89 87 88
 Zähler: 11 15 10 3 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3342 (39), 3109 (23), 2504 (8)
 beste Teiler 169.8 (1.) 194.3 (20.) 250.3 (3.)
 Trefferlage 1.09 mm links, 4.54 mm tief
 Streuwert 10.52, horizontal: 7.14, vertikal: 13.06




Serie 1:
 10.7 * 8.3 ↘ 10.6 * 9.2 ↓ 9.0 ↙
 9.2 ↓ 7.8 ↓ 7.8 ↑ 10.5 * 9.0 ↓
 beste Teiler 169.8 (1.) 250.3 (3.) 328.6 (9.)
 Trefferlage 0.75 mm links, 6.03 mm tief
 Streuwert 11.03, horizontal: 7.39, vertikal: 13.74



Serie 2:
 8.8 ↑ 8.9 ← 8.7 ↙ 9.6 → 9.4 ↓
 9.1 ↓ 8.8 ↖ 10.4 * 10.0 ↙ 10.7 *
 beste Teiler 194.3 (20.) 472.4 (18.) 743.5 (19.)
 Trefferlage 3.69 mm links, 1.11 mm tief
 Streuwert 9.47, horizontal: 7.84, vertikal: 10.86



Serie 3:
 8.7 ↘ 8.0 ↓ 7.1 ↓ 9.5 ↗ 10.5 *
 8.5 ↓ 9.6 ↗ 9.5 ↓ 10.3 → 9.6 ↓
 beste Teiler 357.5 (25.) 550.3 (29.) 1067.0 (30.)
 Trefferlage 2.30 mm rechts, 8.80 mm tief
 Streuwert 10.41, horizontal: 7.05, vertikal: 12.92





Serie 4:
 8.2 ↙ 9.9 ↖ 10.3 ↙ 9.8 ↓ 10.4 *
 8.5 ↓ 9.6 ↙ 9.9 ↘ 6.8 ↑ 10.0 ↘
 beste Teiler 453.1 (35.) 541.4 (33.) 724.6 (40.)
 Trefferlage 2.22 mm links, 2.23 mm tief
 Streuwert 11.34, horizontal: 5.79, vertikal: 14.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (360.8)
 Serien: 91 82 89 78
 Zähler: 5 18 10 6 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3519 (40), 3092 (38), 2730 (18)
 beste Teiler 306.0 (8.) 360.9 (7.) 579.3 (19.)
 Trefferlage 1.14 mm links, 6.56 mm hoch
 Streuwert 11.45, horizontal: 13.14, vertikal: 9.46




Serie 1:
 10.0 ↘ 8.9 ↗ 8.3 ↘ 9.7 ↘ 9.7 ↘
 9.7 ↙ 10.5 * 10.6 * 9.9 ↓ 9.9 ↑
 beste Teiler 306.0 (8.) 360.9 (7.) 781.5 (1.)
 Trefferlage 1.56 mm links, 3.09 mm hoch
 Streuwert 7.86, horizontal: 8.78, vertikal: 6.81



Serie 2:
 9.3 ↗ 8.5 ↗ 7.9 → 8.3 → 9.6 ↖
 8.2 ↘ 8.9 ← 7.5 → 10.2 ↘ 8.1 ↖
 beste Teiler 579.3 (19.) 1062.3 (15.) 1357.6 (11.)
 Trefferlage 3.09 mm rechts, 7.23 mm hoch
 Streuwert 13.24, horizontal: 17.73, vertikal: 6.02



Serie 3:
 9.3 ↑ 9.5 ↖ 9.2 ↘ 8.0 ↗ 8.2 ↘
 9.7 ↗ 9.8 ↓ 10.0 ← 9.9 ← 9.4 ↘
 beste Teiler 786.0 (28.) 855.9 (29.) 892.0 (27.)
 Trefferlage 0.27 mm links, 4.85 mm hoch
 Streuwert 9.95, horizontal: 9.80, vertikal: 10.10





Serie 4:
 9.9 ↖ 7.7 ↖ 8.7 ↑ 7.6 → 9.5 ←
 7.9 ↑ 9.6 ↖ 7.1 ↘ 9.5 → 6.6 ↘
 beste Teiler 873.0 (31.) 1087.7 (37.) 1126.8 (39.)
 Trefferlage 5.82 mm links, 11.08 mm hoch
 Streuwert 13.77, horizontal: 14.68, vertikal: 12.79

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (368.4)
 Serien: 84 87 86 91
 Zähler: 8 18 8 6 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2827 (22), 2821 (23), 2755 (1)
 beste Teiler 139.7 (27.) 184.0 (30.) 236.8 (21.)
 Trefferlage 3.44 mm links, 0.48 mm tief
 Streuwert 11.03, horizontal: 12.12, vertikal: 9.83



Serie 1:

7.5 ↗ 8.7 ↑ 8.3 → 8.2 ← 8.7 ↗
 9.3 ↖ 9.4 ↙ 9.9 ↘ 9.4 ↓ 9.8 ↓


beste Teiler 855.5 (8.) 883.6 (10.) 1217.1 (9.)
 Trefferlage 0.08 mm rechts, 2.66 mm hoch
 Streuwert 12.71, horizontal: 13.49, vertikal: 11.89



Serie 2:

10.0 → 7.7 ← 10.5 * 9.6 ↘ 9.5 ↓
 9.4 ↘ 7.7 ↙ 9.2 ↘ 8.4 ↖ 9.6 ←


beste Teiler 344.2 (13.) 752.9 (11.) 1043.5 (14.)
 Trefferlage 8.00 mm links, 0.05 mm hoch
 Streuwert 10.31, horizontal: 11.64, vertikal: 8.78



Serie 3:

10.7 * 7.4 ↘ 7.4 ← 9.7 ↘ 9.4 ↑
 7.8 ↘ 10.8 * 8.7 ↙ 9.8 ↓ 10.7 *

beste Teiler 139.7 (27.) 184.0 (30.) 236.8 (21.)
 Trefferlage 2.96 mm links, 2.25 mm tief
 Streuwert 12.41, horizontal: 14.50, vertikal: 9.90



Serie 4:



9.1 → 9.7 ↘ 10.1 ↘ 8.4 ↘ 9.3 ↙
 10.0 ↙ 10.4 * 8.9 ↙ 9.8 ← 9.5 ↘

beste Teiler 430.5 (37.) 700.0 (33.) 743.6 (36.)
 Trefferlage 2.89 mm links, 2.40 mm tief
 Streuwert 8.78, horizontal: 8.43, vertikal: 9.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (382.2)^{QF}
 Serien: 92 91 92 92
 Zähler: 17 14 8 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2405 (27), 2394 (9), 2351 (29)
 beste Teiler 153.3 (16.) 193.2 (36.) 230.4 (17.)
 Trefferlage 2.90 mm links, 1.97 mm hoch
 Streuwert 8.84, horizontal: 7.49, vertikal: 10.02




Serie 1:
 10.1 ↓ 9.3 ↖ 10.3 ↗ 8.3 → 9.7 ↖
 10.4 * 9.9 ↓ 10.0 ↓ 8.0 ↑ 9.2 ←
 beste Teiler 441.3 (6.) 558.6 (3.) 663.2 (1.)
 Trefferlage 1.24 mm links, 2.03 mm hoch
 Streuwert 9.62, horizontal: 9.65, vertikal: 9.58



Serie 2:
 8.8 ↓ 9.0 ↙ 10.3 → 8.8 ↖ 8.9 ↑
 10.8 * 10.7 * 10.2 ↘ 10.1 ↖ 8.7 ↖
 beste Teiler 153.3 (16.) 230.4 (17.) 508.9 (13.)
 Trefferlage 0.88 mm links, 2.08 mm hoch
 Streuwert 9.02, horizontal: 5.00, vertikal: 11.73



Serie 3:
 10.0 ↖ 10.3 → 10.0 ↖ 9.9 ↖ 10.4 *
 9.0 ← 7.9 ↑ 10.1 ← 8.0 ↓ 9.0 ↖
 beste Teiler 422.9 (25.) 552.1 (22.) 695.4 (28.)
 Trefferlage 4.18 mm links, 1.51 mm hoch
 Streuwert 9.73, horizontal: 7.12, vertikal: 11.78





Serie 4:
 9.7 ← 9.4 ↖ 9.3 ↖ 10.2 ↗ 9.7 ↖
 10.7 * 9.8 ↖ 8.1 ↗ 9.0 ↑ 10.2 ↑
 beste Teiler 193.2 (36.) 580.6 (34.) 606.0 (40.)
 Trefferlage 5.30 mm links, 2.28 mm hoch
 Streuwert 7.88, horizontal: 7.63, vertikal: 8.13

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312** (331.4)
 Serien: 85 66 78 83
 Zähler: 3 13 9 8 4 1 2 0 0 0
 Innenzehner: 1
 weiteste: 5577 (14), 5328 (20), 4177 (36)
 beste Teiler 268.6 (37.) 510.3 (9.) 676.9 (38.)
 Trefferlage 6.88 mm rechts, 8.00 mm hoch
 Streuwert 15.84, horizontal: 16.69, vertikal: 14.94




Serie 1:
 8.7 ↖ 7.3 → 7.6 ↗ 9.3 → 9.8 ↑
 9.6 ↗ 9.3 ↗ 8.5 ↖ 10.3 ↑ 9.1 ↑
 beste Teiler 510.3 (9.) 898.1 (5.) 1055.3 (6.)
 Trefferlage 6.89 mm rechts, 7.01 mm hoch
 Streuwert 10.75, horizontal: 13.68, vertikal: 6.64



Serie 2:
 6.9 ↗ 7.3 ↓ 7.9 ↑ 4.0 ↗ 7.3 ↑
 9.5 ↖ 7.0 ← 8.9 ↖ 7.9 ← 4.3 ↑
 beste Teiler 1158.6 (16.) 1638.4 (18.) 2423.5 (13.)
 Trefferlage 0.50 mm rechts, 15.37 mm hoch
 Streuwert 22.33, horizontal: 22.14, vertikal: 22.52



Serie 3:
 6.7 ↖ 9.5 ↖ 6.8 ↗ 8.4 ↗ 6.7 ↑
 9.9 ↘ 9.1 ↗ 8.0 → 9.2 ↑ 8.1 →
 beste Teiler 861.5 (26.) 1152.4 (22.) 1431.7 (29.)
 Trefferlage 14.20 mm rechts, 5.74 mm hoch
 Streuwert 13.47, horizontal: 9.83, vertikal: 16.32





Serie 4:
 8.9 ← 9.5 ↖ 7.2 → 9.1 ↑ 8.9 →
 5.7 → 10.6 * 10.1 ← 8.7 ↑ 9.8 ←
 beste Teiler 268.6 (37.) 676.9 (38.) 913.1 (40.)
 Trefferlage 5.95 mm rechts, 3.89 mm hoch
 Streuwert 13.98, horizontal: 18.10, vertikal: 7.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (356.7)
 Serien: 83 80 89 89
 Zähler: 7 16 11 3 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3826 (15), 3444 (1), 3432 (16)
 beste Teiler 331.8 (6.) 399.9 (23.) 438.0 (31.)
 Trefferlage 0.10 mm links, 8.11 mm hoch
 Streuwert 11.90, horizontal: 9.70, vertikal: 13.75




Serie 1:
 6.6 ↑ 8.0 ↗ 9.1 ↗ 8.4 ↑ 8.1 ↘
 10.5 * 8.8 ↑ 9.1 ↗ 9.0 ↗ 8.4 ↗
 beste Teiler 331.8 (6.) 1453.5 (8.) 1483.2 (3.)
 Trefferlage 3.33 mm rechts, 16.22 mm hoch
 Streuwert 8.75, horizontal: 8.35, vertikal: 9.13



Serie 2:
 7.4 ↗ 9.3 ↑ 9.7 ↘ 8.9 ↓ 6.2 ↗
 6.7 ↗ 9.1 ↘ 10.2 ↗ 8.5 ↘ 8.6 ↘
 beste Teiler 596.4 (18.) 1000.0 (13.) 1327.9 (12.)
 Trefferlage 2.36 mm rechts, 9.82 mm hoch
 Streuwert 14.83, horizontal: 11.92, vertikal: 17.25



Serie 3:
 10.1 ← 8.4 ↘ 10.5 * 9.2 ↘ 9.2 ↘
 9.7 ↘ 8.0 ↑ 9.7 → 9.5 ↘ 8.9 ↘
 beste Teiler 399.9 (23.) 658.2 (21.) 969.5 (28.)
 Trefferlage 2.83 mm links, 0.08 mm hoch
 Streuwert 10.49, horizontal: 7.62, vertikal: 12.73





Serie 4:
 10.4 * 9.7 → 9.9 ← 7.0 ↘ 9.6 →
 9.4 ↑ 10.1 ← 9.2 ↘ 10.1 → 7.5 ↘
 beste Teiler 438.0 (31.) 692.5 (39.) 703.7 (37.)
 Trefferlage 3.27 mm links, 6.32 mm hoch
 Streuwert 10.56, horizontal: 9.92, vertikal: 11.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **318** (339.6)
 Serien: 81 83 77 77
 Zähler: 3 10 15 7 4 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4073 (37), 3488 (39), 3385 (40)
 beste Teiler 110.6 (30.) 763.0 (31.) 797.0 (13.)
 Trefferlage 2.83 mm rechts, 1.11 mm hoch
 Streuwert 15.42, horizontal: 15.32, vertikal: 15.52




Serie 1:
 8.0 ↘ 9.9 ↗ 8.5 ← 8.1 ← 8.9 ↘
 9.5 ↙ 9.6 ↘ 8.4 ↘ 7.1 ↘ 7.2 →
 beste Teiler 844.7 (2.) 1050.4 (7.) 1121.8 (6.)
 Trefferlage 1.30 mm links, 0.96 mm tief
 Streuwert 15.41, horizontal: 17.84, vertikal: 12.53



Serie 2:
 8.8 ↗ 7.6 → 10.0 ↓ 9.3 ↗ 7.7 ↓
 9.8 ↘ 8.8 ← 9.9 ↗ 8.1 ↗ 8.4 ↑
 beste Teiler 797.0 (13.) 853.2 (18.) 895.9 (16.)
 Trefferlage 4.77 mm rechts, 2.47 mm hoch
 Streuwert 12.96, horizontal: 13.35, vertikal: 12.55



Serie 3:
 7.8 ↘ 8.7 ↓ 8.9 ↘ 6.7 ↗ 8.4 ↓
 7.5 ↗ 8.1 ↗ 9.5 ← 6.9 ↙ 10.8 *
 beste Teiler 110.6 (30.) 1153.5 (28.) 1678.3 (23.)
 Trefferlage 3.37 mm rechts, 0.96 mm tief
 Streuwert 17.01, horizontal: 15.44, vertikal: 18.45





Serie 4:
 10.0 ← 9.8 ↙ 9.7 ↗ 8.7 ↘ 9.7 ↙
 8.2 → 5.9 ↗ 7.4 ↘ 6.6 ↑ 6.7 ↘
 beste Teiler 763.0 (31.) 906.3 (32.) 1006.4 (33.)
 Trefferlage 4.50 mm rechts, 3.91 mm hoch
 Streuwert 17.68, horizontal: 16.01, vertikal: 19.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.5)^{QF}
 Serien: 95 88 92 95
 Zähler: 15 21 3 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2754 (23), 1929 (20), 1826 (16)
 beste Teiler 198.8 (25.) 228.3 (7.) 229.3 (10.)
 Trefferlage 1.70 mm links, 1.57 mm tief
 Streuwert 7.89, horizontal: 8.01, vertikal: 7.76




Serie 1:
 9.8 ↗ 10.2 → 10.5 * 9.4 ↖ 9.9 ↑
 9.2 ↘ 10.7 * 9.4 ↗ 10.6 * 10.7 *
 beste Teiler 228.3 (7.) 229.3 (10.) 249.9 (9.)
 Trefferlage 1.26 mm rechts, 3.02 mm hoch
 Streuwert 5.87, horizontal: 6.10, vertikal: 5.63



Serie 2:
 8.8 ↘ 10.1 ↓ 9.1 ↘ 9.2 ← 9.8 →
 8.7 ↓ 9.8 ↘ 9.3 ↓ 9.1 ↗ 8.5 ↓
 beste Teiler 694.0 (12.) 896.5 (15.) 897.1 (17.)
 Trefferlage 0.23 mm links, 5.92 mm tief
 Streuwert 9.63, horizontal: 8.24, vertikal: 10.84



Serie 3:
 10.3 ↑ 9.7 ↓ 7.5 ← 10.4 * 10.7 *
 9.8 ↘ 9.1 ↖ 9.4 ↑ 10.0 ← 9.8 ↖
 beste Teiler 198.8 (25.) 403.3 (24.) 538.0 (21.)
 Trefferlage 4.17 mm links, 1.75 mm tief
 Streuwert 8.48, horizontal: 9.79, vertikal: 6.93



Serie 4:
 10.0 ← 9.8 ↘ 9.9 ↗ 10.1 ↘ 9.2 ←
 10.0 ← 9.3 ← 10.6 * 10.5 * 9.6 ↓
 beste Teiler 317.2 (38.) 378.3 (39.) 664.2 (34.)
 Trefferlage 3.69 mm links, 1.64 mm tief
 Streuwert 6.03, horizontal: 7.33, vertikal: 4.36



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.5)^{QF}
 Serien: 92 94 87 88
 Zähler: 12 18 9 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2521 (39), 2196 (11), 2153 (6)
 beste Teiler 162.7 (9.) 250.7 (8.) 256.4 (2.)
 Trefferlage 3.70 mm rechts, 4.23 mm tief
 Streuwert 8.36, horizontal: 7.59, vertikal: 9.06




Serie 1:
 10.0 ↑ 10.6 * 9.8 ↘ 8.8 ↘ 9.1 ↑
 8.3 ↙ 9.1 ↓ 10.6 * 10.7 * 9.8 ↓
 beste Teiler 162.7 (9.) 250.7 (8.) 256.4 (2.)
 Trefferlage 1.75 mm rechts, 3.45 mm tief
 Streuwert 8.55, horizontal: 6.24, vertikal: 10.36



Serie 2:
 8.2 ↗ 9.8 → 9.8 → 10.2 ↗ 9.4 ↘
 10.2 → 9.3 → 10.4 * 10.3 ↓ 10.2 ↘
 beste Teiler 407.5 (18.) 533.4 (19.) 571.2 (14.)
 Trefferlage 7.70 mm rechts, 0.21 mm tief
 Streuwert 5.42, horizontal: 5.07, vertikal: 5.75



Serie 3:
 9.9 ↙ 8.5 ↘ 9.8 ↘ 8.8 ↙ 8.5 →
 10.3 ↘ 9.8 → 9.9 ↑ 9.4 → 8.3 ↓
 beste Teiler 553.0 (26.) 813.5 (28.) 862.2 (21.)
 Trefferlage 5.42 mm rechts, 5.80 mm tief
 Streuwert 8.69, horizontal: 9.59, vertikal: 7.68





Serie 4:
 10.4 * 9.1 ↙ 9.2 ↑ 9.7 ↓ 8.6 ↓
 10.0 → 8.8 ↓ 9.8 ↙ 7.8 ↓ 9.3 ↓
 beste Teiler 460.8 (31.) 797.5 (36.) 947.7 (38.)
 Trefferlage 0.08 mm links, 7.46 mm tief
 Streuwert 9.37, horizontal: 7.19, vertikal: 11.13

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (368.0)
 Serien: 86 85 88 91
 Zähler: 9 15 13 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2803 (12), 2629 (17), 2415 (29)
 beste Teiler 234.6 (36.) 365.0 (8.) 447.2 (27.)
 Trefferlage 5.90 mm links, 0.39 mm hoch
 Streuwert 10.24, horizontal: 10.37, vertikal: 10.11



Serie 1:

9.1 ↗ 9.6 ↖ 9.0 ↖ 8.5 ↘ 9.1 →
 8.3 ↖ 8.5 ↘ 10.5 *


beste Teiler 365.0 (8.) 1080.7 (2.) 1447.9 (1.)
 Trefferlage 7.88 mm links, 5.02 mm tief
 Streuwert 10.58, horizontal: 10.03, vertikal: 11.09



Serie 2:

9.1 ↖ 7.4 ↖ 8.2 ↖ 8.7 ↑ 8.9 ↗
 10.3 ↘ 7.7 ↖ 9.1 ↖ 10.0 ↖ 9.2 ↖


beste Teiler 500.6 (16.) 770.6 (19.) 1373.0 (20.)
 Trefferlage 12.37 mm links, 2.34 mm hoch
 Streuwert 9.69, horizontal: 10.12, vertikal: 9.24



Serie 3:

9.3 ↖ 9.7 ↗ 10.2 ↓ 8.4 ↖ 9.8 ↗
 9.3 ↖ 10.4 * 9.9 ↘ 7.9 ↗ 8.9 ↖

beste Teiler 447.2 (27.) 566.8 (23.) 833.7 (28.)
 Trefferlage 7.25 mm links, 0.66 mm hoch
 Streuwert 8.78, horizontal: 6.54, vertikal: 10.55



Serie 4:



10.4 * 9.7 ↖ 9.9 ↑ 8.9 ↘ 8.1 ↗
 10.7 * 8.8 ↑ 10.2 ↘ 9.5 ↗ 10.1 ↓

beste Teiler 234.6 (36.) 460.0 (31.) 569.1 (38.)
 Trefferlage 3.89 mm rechts, 3.60 mm hoch
 Streuwert 8.22, horizontal: 7.76, vertikal: 8.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (364.7)
 Serien: 90 82 86 87
 Zähler: 5 20 10 5 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2832 (39), 2656 (14), 2631 (18)
 beste Teiler 265.6 (29.) 591.2 (36.) 692.3 (30.)
 Trefferlage 5.74 mm links, 3.63 mm hoch
 Streuwert 10.35, horizontal: 10.36, vertikal: 10.34




Serie 1:
 9.7 ← 9.3 ← 8.7 ↙ 9.1 ↑ 9.4 ↘
 9.4 ↑ 9.3 ↘ 9.5 ↑ 10.1 → 9.7 ↘
 beste Teiler 705.1 (9.) 970.4 (10.) 971.0 (1.)
 Trefferlage 3.39 mm links, 3.29 mm hoch
 Streuwert 8.79, horizontal: 7.98, vertikal: 9.54



Serie 2:
 9.1 ← 8.9 ↘ 9.8 ← 7.6 ↑ 9.4 ↘
 8.8 ↙ 8.8 → 7.7 ↙ 8.7 ↘ 9.4 ↘
 beste Teiler 936.9 (13.) 1209.4 (20.) 1217.5 (15.)
 Trefferlage 8.19 mm links, 2.24 mm hoch
 Streuwert 11.70, horizontal: 10.57, vertikal: 12.72



Serie 3:
 7.7 ← 9.9 ↑ 7.9 ↘ 8.0 ↑ 9.2 ↓
 10.0 ← 8.9 ↙ 8.4 ↘ 10.6 * 10.1 ↘
 beste Teiler 265.6 (29.) 692.3 (30.) 762.5 (26.)
 Trefferlage 8.12 mm links, 3.48 mm hoch
 Streuwert 10.77, horizontal: 11.07, vertikal: 10.46





Serie 4:
 9.7 ↑ 8.7 ↘ 8.0 ↙ 9.4 → 9.0 →
 10.2 ↘ 9.8 ↙ 9.9 ↘ 7.4 ↘ 9.5 ↑
 beste Teiler 591.2 (36.) 864.9 (38.) 902.0 (37.)
 Trefferlage 3.26 mm links, 5.50 mm hoch
 Streuwert 10.87, horizontal: 11.88, vertikal: 9.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.1)
 Serien: 88 91 92 87
 Zähler: 10 21 6 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2986 (33), 2540 (5), 2472 (22)
 beste Teiler 115.0 (36.) 117.9 (28.) 338.1 (27.)
 Trefferlage 1.44 mm links, 2.21 mm hoch
 Streuwert 9.91, horizontal: 10.05, vertikal: 9.76




Serie 1:
 8.7 ↖ 9.3 → 9.6 ↙ 9.2 ← 7.8 ↗
 10.0 ↖ 8.1 ↗ 9.9 ↘ 9.3 ↑ 10.0 ↗
 beste Teiler 727.7 (6.) 769.7 (10.) 837.9 (8.)
 Trefferlage 2.98 mm links, 7.44 mm hoch
 Streuwert 9.78, horizontal: 9.54, vertikal: 10.01



Serie 2:
 9.8 → 9.2 ↘ 9.0 → 9.8 ↑ 9.3 ↓
 10.5 * 8.8 ↘ 10.0 ↑ 9.2 ↘ 9.1 ←
 beste Teiler 349.4 (16.) 751.3 (18.) 886.2 (11.)
 Trefferlage 5.23 mm rechts, 1.91 mm tief
 Streuwert 8.36, horizontal: 9.18, vertikal: 7.46



Serie 3:
 9.7 ↘ 7.9 ↑ 8.9 ↘ 10.1 ↘ 10.2 ↓
 9.5 ↘ 10.5 * 10.8 * 9.1 ↓ 10.0 ↓
 beste Teiler 117.9 (28.) 338.1 (27.) 619.5 (25.)
 Trefferlage 0.81 mm links, 0.68 mm hoch
 Streuwert 8.98, horizontal: 5.65, vertikal: 11.37





Serie 4:
 8.6 ← 9.4 ← 7.2 ← 9.4 ↗ 9.6 ↘
 10.8 * 9.7 ↘ 8.2 ↘ 9.2 ↘ 9.7 ↗
 beste Teiler 115.0 (36.) 973.1 (40.) 986.1 (37.)
 Trefferlage 7.22 mm links, 2.66 mm hoch
 Streuwert 10.41, horizontal: 11.87, vertikal: 8.71

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **309** (327.1)
 Serien: 75 73 82 79
 Zähler: 6 9 8 7 6 3 1 0 0 0
 Innenzehner: 1
 weiteste: 5380 (4), 4711 (13), 4406 (22)
 beste Teiler 446.3 (18.) 481.6 (38.) 577.0 (24.)
 Trefferlage 11.85 mm rechts, 4.39 mm tief
 Streuwert 15.89, horizontal: 15.85, vertikal: 15.93



Serie 1:

8.3 ↘ 8.4 ↗ 7.2 ↘ 4.2 ↘ 9.9 ↘
 8.9 ↘ 9.2 ↓ 9.4 ← 7.7 ↘ 6.9 ↘


beste Teiler 872.5 (5.) 1245.0 (8.) 1420.5 (7.)
 Trefferlage 13.64 mm rechts, 12.72 mm tief
 Streuwert 14.20, horizontal: 15.54, vertikal: 12.73



Serie 2:

7.8 ↘ 7.8 → 5.1 → 6.9 ↘ 9.9 ↑
 8.6 ↓ 8.2 → 10.4 * 7.1 → 6.9 ↗


beste Teiler 446.3 (18.) 836.8 (15.) 1869.7 (16.)
 Trefferlage 18.96 mm rechts, 3.08 mm tief
 Streuwert 14.46, horizontal: 15.31, vertikal: 13.57



Serie 3:

10.1 ↓ 5.4 ↑ 7.3 ↘ 10.2 ← 8.0 ↑
 6.5 ↘ 9.6 ↓ 8.9 → 9.2 ↘ 10.0 ↑

beste Teiler 577.0 (24.) 645.7 (21.) 745.0 (30.)
 Trefferlage 3.94 mm rechts, 2.08 mm hoch
 Streuwert 16.90, horizontal: 11.73, vertikal: 20.82



Serie 4:



5.7 → 8.7 → 10.0 ↙ 6.1 → 9.0 ↘
 7.4 ↗ 9.4 ↑ 10.3 ↓ 6.6 ↓ 9.9 ←

beste Teiler 481.6 (38.) 756.0 (33.) 860.0 (40.)
 Trefferlage 10.86 mm rechts, 3.87 mm tief
 Streuwert 16.41, horizontal: 18.57, vertikal: 13.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **317** (333.2)
 Serien: 82 71 89 75
 Zähler: 7 8 10 7 6 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4593 (13), 4483 (1), 3510 (24)
 beste Teiler 444.9 (8.) 463.0 (31.) 677.4 (25.)
 Trefferlage 10.85 mm links, 1.36 mm tief
 Streuwert 15.07, horizontal: 15.07, vertikal: 15.07




Serie 1:
 5.3 ↙ 10.0 ← 7.4 ↘ 6.9 ↘ 8.6 ↘
 9.1 ↘ 9.3 ↘ 10.4 * 9.1 ↙ 9.8 ↗
 beste Teiler 444.9 (8.) 781.4 (2.) 935.5 (10.)
 Trefferlage 14.20 mm links, 2.21 mm hoch
 Streuwert 12.84, horizontal: 13.96, vertikal: 11.60



Serie 2:
 7.1 ↗ 7.4 ↗ 5.2 ↘ 8.1 ← 6.6 ↘
 6.7 ↘ 9.0 ↓ 8.7 ↓ 7.1 ← 8.3 →
 beste Teiler 1555.6 (17.) 1807.0 (18.) 2109.9 (20.)
 Trefferlage 7.66 mm links, 8.02 mm hoch
 Streuwert 20.42, horizontal: 22.30, vertikal: 18.35



Serie 3:
 8.7 ↘ 9.7 ↗ 9.5 ↓ 6.6 ← 10.1 ↘
 9.4 ↓ 8.3 ↓ 10.0 ↓ 10.0 ← 10.1 →
 beste Teiler 677.4 (25.) 678.9 (30.) 732.5 (29.)
 Trefferlage 7.00 mm links, 4.16 mm tief
 Streuwert 10.45, horizontal: 11.11, vertikal: 9.74





Serie 4:
 10.4 * 8.3 ↗ 8.7 ↗ 7.8 ↓ 8.7 ↓
 7.2 ↗ 6.6 ↗ 7.4 ← 6.7 ← 8.9 ↘
 beste Teiler 463.0 (31.) 1621.9 (40.) 1766.8 (33.)
 Trefferlage 14.52 mm links, 11.52 mm tief
 Streuwert 12.16, horizontal: 10.63, vertikal: 13.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **293** (312.9)
 Serien: 73 79 73 68
 Zähler: 4 6 12 7 5 3 2 0 0 1
 Innenzehner: 3
 weiteste: 7525 (36), 5336 (24), 4954 (39)
 beste Teiler 209.8 (28.) 363.2 (33.) 467.3 (19.)
 Trefferlage 8.43 mm links, 6.99 mm hoch
 Streuwert 19.40, horizontal: 16.31, vertikal: 22.06




Serie 1:
 6.6 ↘ 9.4 ↘ 8.4 ↑ 8.7 ↓ 7.3 ↘
 9.3 ↖ 7.7 ↖ 9.9 ↘ 5.5 ↖ 5.4 ↖
 beste Teiler 824.5 (8.) 1219.0 (2.) 1360.4 (6.)
 Trefferlage 16.07 mm links, 9.10 mm hoch
 Streuwert 15.56, horizontal: 17.33, vertikal: 13.55



Serie 2:
 7.7 ↖ 6.6 ↘ 8.5 ↑ 8.5 ↗ 8.6 ↗
 9.6 → 5.5 ↘ 10.0 ↑ 10.4 * 8.5 ↗
 beste Teiler 467.3 (19.) 756.5 (18.) 1045.4 (16.)
 Trefferlage 11.02 mm links, 5.48 mm hoch
 Streuwert 14.88, horizontal: 11.53, vertikal: 17.60



Serie 3:
 8.3 ↑ 8.4 ↗ 7.3 ↘ 4.3 ↑ 7.6 ↘
 8.9 ↗ 8.1 → 10.7 * 7.8 ↗ 6.2 ↗
 beste Teiler 209.8 (28.) 1606.8 (26.) 2039.5 (22.)
 Trefferlage 2.39 mm links, 6.86 mm hoch
 Streuwert 20.55, horizontal: 17.98, vertikal: 22.82





Serie 4:
 6.1 ↗ 9.9 ↑ 10.5 * 8.1 ↗ 6.2 ↑
 1.5 ↓ 8.7 ↑ 7.7 ↗ 4.8 ↘ 9.7 ↗
 beste Teiler 363.2 (33.) 868.2 (32.) 1035.1 (40.)
 Trefferlage 4.24 mm links, 6.51 mm hoch
 Streuwert 25.98, horizontal: 16.24, vertikal: 32.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **203** (218.5)
 Serien: 50 49 33 71
 Zähler: 1 2 6 6 4 4 4 5 3 4
 Innenzehner: 0
 weiteste: 8914 (19), 7937 (21), 7769 (27)
 beste Teiler 721.2 (32.) 1490.3 (35.) 1494.2 (2.)
 Trefferlage 0.27 mm rechts, 34.38 mm tief
 Streuwert 24.66, horizontal: 26.50, vertikal: 22.67




Serie 1:
 3.2 ↘ 9.1 ↓ 3.8 ↙ 1.4 ↘ 7.4 ↓
 8.0 ↓ 5.1 ↘ 2.9 ↘ 8.2 ↙ 4.8 ↓
 beste Teiler 1494.2 (2.) 2197.1 (9.) 2351.0 (6.)
 Trefferlage 12.47 mm rechts, 33.34 mm tief
 Streuwert 24.83, horizontal: 30.50, vertikal: 17.39



Serie 2:
 8.2 ↙ 5.4 ↓ 5.5 ↙ 6.3 ↙ 6.1 ↙
 8.6 ↙ 1.6 ↘ 6.6 ↙ 0.0 ↓ 4.2 ↙
 beste Teiler 1906.5 (16.) 2196.0 (11.) 3493.7 (18.)
 Trefferlage 17.22 mm links, 32.86 mm tief
 Streuwert 25.33, horizontal: 28.22, vertikal: 22.05



Serie 3:
 1.0 ↙ 7.7 ↘ 3.7 ↓ 3.0 ↓ 4.4 ↓
 3.7 ↓ 1.2 ↘ 7.9 ↓ 2.6 ↓ 2.4 ↓
 beste Teiler 2437.5 (28.) 2633.4 (22.) 5206.0 (25.)
 Trefferlage 5.29 mm rechts, 52.59 mm tief
 Streuwert 21.55, horizontal: 24.89, vertikal: 17.57





Serie 4:
 8.0 ↑ 10.0 ↑ 8.5 ↙ 5.9 ↓ 9.1 ↓
 4.5 ↓ 7.6 ↘ 7.0 ↙ 7.3 ↓ 6.6 ↓
 beste Teiler 721.2 (32.) 1490.3 (35.) 1939.9 (33.)
 Trefferlage 0.56 mm rechts, 18.72 mm tief
 Streuwert 18.00, horizontal: 12.79, vertikal: 22.00

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.9)
 Serien: 87 85 88 88
 Zähler: 8 20 8 2 1 0 1 0 0 0
 Innenzehner: 5
 weiteste: 5372 (9), 3681 (13), 2622 (28)
 beste Teiler 217.4 (7.) 257.4 (17.) 287.8 (15.)
 Trefferlage 2.45 mm rechts, 8.59 mm hoch
 Streuwert 10.81, horizontal: 9.62, vertikal: 11.88



Serie 1:

9.1 ↗ 9.2 ↖ 10.5 * 10.0 ↑ 10.2 ↘
 8.7 ↘ 10.7 * 9.3 ↑ 4.2 ↗ 8.9 ↑


beste Teiler 217.4 (7.) 332.7 (3.) 577.9 (5.)
 Trefferlage 2.29 mm rechts, 11.92 mm hoch
 Streuwert 12.22, horizontal: 9.94, vertikal: 14.13



Serie 2:

9.5 ↘ 9.0 ↑ 6.3 ↑ 7.9 ↗ 10.6 *
 9.0 ↖ 10.6 * 9.5 ↘ 8.8 ↑ 8.0 ↗


beste Teiler 257.4 (17.) 287.8 (15.) 1179.2 (18.)
 Trefferlage 3.45 mm rechts, 9.78 mm hoch
 Streuwert 11.89, horizontal: 9.73, vertikal: 13.71



Serie 3:

9.1 ↖ 9.2 → 9.3 ↑ 9.4 ↗ 8.0 →
 9.7 ↑ 10.0 ↘ 7.7 ↘ 9.1 ↘ 9.2 ↘

beste Teiler 736.0 (27.) 1015.2 (26.) 1243.9 (24.)
 Trefferlage 0.53 mm links, 7.23 mm hoch
 Streuwert 10.63, horizontal: 12.43, vertikal: 8.45





Serie 4:

9.7 ↗ 9.3 → 9.6 ↑ 9.2 ↑ 8.9 ↗
 9.5 ↓ 8.7 ↗ 10.5 * 9.8 ↘ 8.0 ↑


beste Teiler 388.5 (38.) 903.2 (39.) 1038.7 (31.)
 Trefferlage 4.58 mm rechts, 5.45 mm hoch
 Streuwert 9.01, horizontal: 6.09, vertikal: 11.20

Unterschrift des Schützen


Ergebnis: **363** (382.4)
 Serien: 90 94 92 87
 Zähler: 12 19 9 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2234 (36), 2221 (25), 1920 (34)
 beste Teiler 134.0 (39.) 296.6 (19.) 483.4 (16.)
 Trefferlage 4.57 mm links, 1.15 mm hoch
 Streuwert 8.10, horizontal: 9.05, vertikal: 7.02




Serie 1:
 9.2 ↗ 8.7 ↘ 8.8 ← 10.0 ← 10.1 ↗
 9.8 ↓ 9.9 ← 10.3 ↘ 9.9 ↓ 8.9 ↘
 beste Teiler 521.0 (8.) 644.5 (5.) 731.7 (4.)
 Trefferlage 4.31 mm links, 0.52 mm tief
 Streuwert 8.30, horizontal: 8.70, vertikal: 7.88



Serie 2:
 9.4 ↘ 9.2 ← 9.7 ↘ 10.2 ↗ 10.2 ↑
 10.3 ↓ 8.9 ↘ 9.4 ↘ 10.6 * 10.2 ↘
 beste Teiler 296.6 (19.) 483.4 (16.) 592.5 (20.)
 Trefferlage 5.32 mm links, 2.41 mm hoch
 Streuwert 6.11, horizontal: 6.95, vertikal: 5.12



Serie 3:
 9.6 ← 10.0 → 10.2 ← 9.0 ↓ 8.2 ←
 9.8 ← 9.7 ↑ 9.5 ← 9.8 ↗ 10.3 ↓
 beste Teiler 549.1 (30.) 609.0 (23.) 757.2 (22.)
 Trefferlage 4.12 mm links, 1.71 mm tief
 Streuwert 8.11, horizontal: 9.05, vertikal: 7.05





Serie 4:
 8.7 ↗ 9.5 ↘ 9.4 ↘ 8.6 → 9.8 ↑
 8.2 ↘ 9.3 ↘ 8.8 ← 10.8 * 9.5 ↘
 beste Teiler 134.0 (39.) 895.3 (35.) 1168.3 (40.)
 Trefferlage 4.52 mm links, 4.44 mm hoch
 Streuwert 9.92, horizontal: 12.16, vertikal: 7.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (392.8)^{QF}
 Serien: 91 95 92 97
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2366 (4), 2002 (29), 1949 (27)
 beste Teiler 65.4 (23.) 94.1 (5.) 117.0 (20.)
 Trefferlage 2.27 mm rechts, 0.07 mm tief
 Streuwert 7.46, horizontal: 6.06, vertikal: 8.64




Serie 1:
 8.9 ↗ 9.2 → 9.8 ↓ 8.0 ↑ 10.8 *
 9.2 ↓ 10.4 * 9.2 ↓ 9.5 ↗ 10.3 ↘
 beste Teiler 94.1 (5.) 419.6 (7.) 517.8 (10.)
 Trefferlage 2.77 mm rechts, 0.09 mm hoch
 Streuwert 9.52, horizontal: 6.89, vertikal: 11.57



Serie 2:
 10.2 ↑ 10.1 ↓ 10.0 ← 8.8 ↑ 9.0 ↗
 10.0 → 9.3 ↑ 9.8 ↘ 10.1 ↘ 10.8 *
 beste Teiler 117.0 (20.) 584.8 (11.) 656.0 (12.)
 Trefferlage 0.84 mm rechts, 4.41 mm hoch
 Streuwert 6.80, horizontal: 6.13, vertikal: 7.40



Serie 3:
 10.4 * 9.9 ↗ 10.9 * 10.3 ↓ 9.9 ↘
 10.3 ↗ 8.5 ↓ 9.4 → 8.4 ↘ 9.8 ↓
 beste Teiler 65.4 (23.) 410.6 (21.) 486.7 (24.)
 Trefferlage 1.81 mm rechts, 4.37 mm tief
 Streuwert 7.51, horizontal: 6.50, vertikal: 8.41





Serie 4:
 10.1 ↗ 9.2 ↗ 10.7 * 9.9 ↘ 10.6 *
 9.5 → 10.5 * 10.1 ↓ 10.3 → 10.7 *
 beste Teiler 176.5 (33.) 231.3 (40.) 288.5 (35.)
 Trefferlage 3.67 mm rechts, 0.42 mm tief
 Streuwert 4.89, horizontal: 5.16, vertikal: 4.60

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.7)^{QF}
 Serien: 90 91 94 93
 Zähler: 14 20 6 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2358 (18), 2067 (20), 2040 (7)
 beste Teiler 49.1 (32.) 61.0 (24.) 162.2 (28.)
 Trefferlage 3.83 mm links, 0.29 mm tief
 Streuwert 7.72, horizontal: 7.32, vertikal: 8.10




Serie 1:
 9.9 ↙ 8.8 ↘ 9.9 ↗ 10.3 ↖ 8.6 ↗
 10.6 * 8.4 ↙ 9.3 ↖ 10.0 ← 9.8 ↓
 beste Teiler 304.8 (6.) 522.6 (4.) 724.8 (9.)
 Trefferlage 6.08 mm links, 0.41 mm tief
 Streuwert 8.02, horizontal: 6.98, vertikal: 8.94



Serie 2:
 9.4 ↘ 9.2 ↙ 9.4 ← 10.5 * 10.4 *
 9.2 ↓ 10.4 * 8.0 ↗ 9.6 ← 8.4 ↓
 beste Teiler 352.8 (14.) 408.1 (15.) 467.5 (17.)
 Trefferlage 5.95 mm links, 4.37 mm tief
 Streuwert 8.57, horizontal: 6.81, vertikal: 10.02



Serie 3:
 9.4 ↙ 10.5 * 9.3 ↖ 10.9 * 9.5 ↖
 9.8 ↓ 9.8 ↓ 10.7 * 10.2 ← 9.8 ↗
 beste Teiler 61.0 (24.) 162.2 (28.) 382.6 (22.)
 Trefferlage 1.43 mm links, 1.84 mm tief
 Streuwert 6.26, horizontal: 6.97, vertikal: 5.46





Serie 4:
 9.7 → 10.9 * 10.1 ↖ 9.2 ↖ 9.4 ↖
 9.3 → 9.8 ↘ 10.3 ↖ 8.8 ↖ 10.2 ↗
 beste Teiler 49.1 (32.) 490.3 (38.) 581.3 (40.)
 Trefferlage 1.85 mm links, 5.45 mm hoch
 Streuwert 6.46, horizontal: 8.18, vertikal: 4.08

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (388.0)
 Serien: 89 93 93 91
 Zähler: 15 17 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2603 (32), 2293 (5), 1754 (14)
 beste Teiler 355.5 (10.) 359.7 (40.) 380.8 (16.)
 Trefferlage 0.13 mm links, 1.87 mm tief
 Streuwert 7.98, horizontal: 7.57, vertikal: 8.37




Serie 1:
 9.7 ↖ 8.8 ↓ 8.9 → 8.8 ↗ 8.1 →
 10.4 * 10.4 * 9.8 ↑ 9.8 ↗ 10.5 *
 beste Teiler 355.5 (10.) 416.2 (6.) 447.4 (7.)
 Trefferlage 5.17 mm rechts, 0.64 mm hoch
 Streuwert 8.86, horizontal: 9.33, vertikal: 8.35



Serie 2:
 10.1 ↖ 10.1 ↘ 9.9 ↓ 8.8 ↗ 9.7 ↖
 10.5 * 9.8 ↖ 9.4 ↑ 9.9 ↓ 10.1 ↖
 beste Teiler 380.8 (16.) 661.8 (11.) 677.1 (12.)
 Trefferlage 3.61 mm links, 1.57 mm tief
 Streuwert 6.62, horizontal: 5.85, vertikal: 7.30



Serie 3:
 9.9 ↗ 9.7 ↖ 10.3 ↖ 9.9 ↑ 9.1 ↓
 10.2 ↖ 10.4 ↗ 9.4 → 10.1 ↖ 8.9 ↓
 beste Teiler 476.9 (27.) 550.6 (23.) 632.3 (26.)
 Trefferlage 1.38 mm links, 0.33 mm hoch
 Streuwert 7.46, horizontal: 7.16, vertikal: 7.74





Serie 4:
 10.1 ↓ 7.7 ↓ 8.9 ↓ 9.8 ↓ 9.6 ↗
 10.4 * 10.0 ↓ 9.9 ↑ 9.7 → 10.5 *
 beste Teiler 359.7 (40.) 427.8 (36.) 677.0 (31.)
 Trefferlage 0.71 mm links, 6.89 mm tief
 Streuwert 7.37, horizontal: 5.39, vertikal: 8.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291** (310.4)
 Serien: 65 70 77 79
 Zähler: 3 6 11 9 6 3 0 1 1 0
 Innenzehner: 2
 weiteste: 6930 (7), 5951 (15), 4451 (5)
 beste Teiler 373.3 (30.) 417.6 (34.) 597.8 (14.)
 Trefferlage 2.34 mm rechts, 2.42 mm hoch
 Streuwert 20.55, horizontal: 17.98, vertikal: 22.83




Serie 1:
 9.3 ↗ 7.1 ↘ 6.8 ↓ 7.1 ↖ 5.4 ↗
 8.3 ↘ 2.3 ↖ 7.0 ↓ 6.6 ↓ 8.7 ↖
 beste Teiler 1330.7 (1.) 1796.7 (10.) 2103.3 (6.)
 Trefferlage 2.46 mm links, 1.11 mm tief
 Streuwert 26.77, horizontal: 26.23, vertikal: 27.30



Serie 2:
 6.8 ↗ 5.8 ↓ 8.5 ↖ 10.2 ↗ 3.5 ↗
 8.2 ↗ 7.7 ↓ 8.1 ↗ 6.7 ↗ 9.2 ↘
 beste Teiler 597.8 (14.) 1439.8 (20.) 1947.5 (13.)
 Trefferlage 6.68 mm rechts, 6.90 mm hoch
 Streuwert 22.21, horizontal: 16.58, vertikal: 26.68



Serie 3:
 6.4 ↗ 9.3 ↓ 9.5 ↖ 7.8 ↗ 9.1 ↗
 5.6 ↗ 8.1 ↖ 7.9 ↗ 7.7 ↘ 10.5 *
 beste Teiler 373.3 (30.) 1176.1 (23.) 1358.7 (22.)
 Trefferlage 3.57 mm rechts, 8.31 mm hoch
 Streuwert 17.21, horizontal: 14.35, vertikal: 19.66





Serie 4:
 6.6 ↘ 8.3 ↖ 9.5 ↗ 10.4 * 7.6 ↘
 8.8 ↗ 8.7 ↘ 8.9 ↘ 7.5 ↗ 8.9 ↗
 beste Teiler 417.6 (34.) 1185.6 (33.) 1656.0 (40.)
 Trefferlage 1.58 mm rechts, 4.41 mm tief
 Streuwert 15.35, horizontal: 13.52, vertikal: 16.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (360.9)
 Serien: 77 85 91 90
 Zähler: 11 13 9 4 1 2 0 0 0 0
 Innenzehner: 4
 weiteste: 4510 (6), 4137 (31), 3221 (5)
 beste Teiler 144.0 (32.) 219.3 (29.) 292.0 (35.)
 Trefferlage 5.11 mm links, 6.57 mm tief
 Streuwert 11.80, horizontal: 13.80, vertikal: 9.38




Serie 1:
 7.7 ← 9.1 ↙ 8.5 ↘ 8.4 ↘ 6.9 ↙
 5.3 ← 9.6 ↙ 7.5 ↘ 9.5 ↘ 9.4 ↗
 beste Teiler 1063.5 (7.) 1198.6 (9.) 1240.9 (10.)
 Trefferlage 11.47 mm links, 9.89 mm tief
 Streuwert 14.26, horizontal: 17.74, vertikal: 9.60



Serie 2:
 9.0 ← 8.7 ← 9.6 ↖ 8.2 ↓ 8.8 ↗
 10.6 * 8.3 ↓ 7.9 ↓ 8.2 ← 10.0 ↓
 beste Teiler 312.2 (16.) 793.1 (20.) 1092.1 (13.)
 Trefferlage 5.97 mm links, 9.19 mm tief
 Streuwert 10.05, horizontal: 10.62, vertikal: 9.46



Serie 3:
 9.9 ↓ 9.1 ↓ 10.2 ← 10.1 ↗ 7.1 ↖
 9.6 ↖ 8.8 ↘ 10.2 → 10.7 * 9.3 ↓
 beste Teiler 219.3 (29.) 588.2 (28.) 628.4 (23.)
 Trefferlage 1.24 mm links, 2.62 mm tief
 Streuwert 10.19, horizontal: 12.21, vertikal: 7.65





Serie 4:
 5.8 ↙ 10.8 * 10.1 ↑ 9.7 ↗ 10.6 *
 9.9 ↓ 10.3 ↗ 10.0 ↓ 9.4 ↘ 8.1 ↓
 beste Teiler 144.0 (32.) 292.0 (35.) 535.6 (37.)
 Trefferlage 1.75 mm links, 4.60 mm tief
 Streuwert 11.70, horizontal: 13.19, vertikal: 9.98

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285** (304.5)
 Serien: 80 66 70 69
 Zähler: 1 11 12 3 4 1 6 2 0 0
 Innenzehner: 1
 weiteste: 5637 (12), 5628 (21), 5389 (40)
 beste Teiler 369.7 (8.) 923.3 (37.) 991.3 (38.)
 Trefferlage 2.54 mm rechts, 12.34 mm hoch
 Streuwert 20.30, horizontal: 21.27, vertikal: 19.27



Serie 1:

8.7 ↘ 9.6 → 9.3 ↗ 7.0 ↙ 9.0 ↖
 8.1 ↑ 7.9 ← 10.5 * 8.5 ↖ 5.2 ↑


beste Teiler 369.7 (8.) 1059.3 (2.) 1356.9 (3.)
 Trefferlage 3.04 mm links, 5.02 mm hoch
 Streuwert 16.88, horizontal: 14.14, vertikal: 19.24



Serie 2:

6.5 ← 3.9 ↗ 8.8 ↘ 9.4 ↓ 6.8 ↗
 4.3 ↖ 8.6 ↑ 9.5 ↘ 4.3 ↗ 9.7 ↖


beste Teiler 1039.8 (20.) 1136.4 (18.) 1247.0 (14.)
 Trefferlage 4.60 mm links, 8.87 mm hoch
 Streuwert 24.87, horizontal: 26.46, vertikal: 23.18



Serie 3:

3.9 ↑ 6.7 ↗ 9.0 ↖ 7.9 ↑ 4.5 ↑
 8.5 ↖ 8.3 ↑ 8.7 → 8.4 ↗ 9.1 ↖

beste Teiler 1446.1 (30.) 1566.6 (23.) 1763.9 (28.)
 Trefferlage 5.25 mm rechts, 21.80 mm hoch
 Streuwert 16.02, horizontal: 13.75, vertikal: 18.01



Serie 4:



4.3 ↗ 8.1 ↑ 6.7 ↖ 8.7 ← 9.5 →
 4.4 ↗ 9.8 → 9.7 ↓ 8.5 ↗ 4.2 →

beste Teiler 923.3 (37.) 991.3 (38.) 1175.2 (35.)
 Trefferlage 12.54 mm rechts, 13.68 mm hoch
 Streuwert 20.79, horizontal: 25.72, vertikal: 14.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (370.7)
 Serien: 90 90 86 86
 Zähler: 7 20 12 0 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3432 (39), 2055 (26), 1914 (6)
 beste Teiler 370.9 (37.) 418.4 (34.) 459.6 (3.)
 Trefferlage 1.53 mm links, 2.83 mm hoch
 Streuwert 10.25, horizontal: 10.47, vertikal: 10.03




Serie 1:
 8.8 ↘ 9.5 ↘ 10.4 * 9.6 ↑ 9.1 ↘
 8.6 ← 10.1 → 9.0 → 9.0 ↑ 9.9 ↑
 beste Teiler 459.6 (3.) 709.2 (7.) 860.8 (10.)
 Trefferlage 2.41 mm links, 7.07 mm hoch
 Streuwert 8.28, horizontal: 9.69, vertikal: 6.58



Serie 2:
 9.5 ↗ 8.7 ← 9.5 ↘ 9.6 ↑ 9.5 ↘
 10.2 → 9.0 ↘ 9.2 ↓ 10.3 → 8.7 ↓
 beste Teiler 513.4 (19.) 616.0 (16.) 1086.0 (14.)
 Trefferlage 1.43 mm links, 0.81 mm tief
 Streuwert 9.63, horizontal: 8.81, vertikal: 10.39



Serie 3:
 9.5 ← 8.7 ↑ 8.7 ↘ 9.7 ↑ 9.5 ↘
 8.4 ↓ 8.8 ↙ 10.2 ← 8.6 ↘ 9.3 ↘
 beste Teiler 605.5 (28.) 1012.7 (24.) 1153.0 (21.)
 Trefferlage 6.59 mm links, 4.24 mm hoch
 Streuwert 9.60, horizontal: 7.02, vertikal: 11.61





Serie 4:
 8.6 ↑ 9.0 ← 9.5 ← 10.4 * 9.7 →
 8.8 ↘ 10.5 * 9.3 → 6.7 → 8.6 ↓
 beste Teiler 370.9 (37.) 418.4 (34.) 988.8 (35.)
 Trefferlage 4.30 mm rechts, 0.84 mm hoch
 Streuwert 12.15, horizontal: 13.67, vertikal: 10.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (353.9)
 Serien: 88 85 84 81
 Zähler: 8 11 15 4 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4460 (24), 3498 (18), 3104 (36)
 beste Teiler 366.0 (17.) 475.7 (10.) 580.1 (13.)
 Trefferlage 11.81 mm links, 2.24 mm tief
 Streuwert 10.51, horizontal: 10.23, vertikal: 10.78




Serie 1:
 8.5 ↙ 8.2 ↘ 9.4 ↘ 9.5 ↖ 8.8 ↖
 10.0 ↓ 8.6 ↖ 10.2 ↘ 8.6 ↖ 10.4 *
 beste Teiler 475.7 (10.) 633.8 (8.) 767.4 (6.)
 Trefferlage 10.60 mm links, 2.28 mm tief
 Streuwert 7.77, horizontal: 7.35, vertikal: 8.16



Serie 2:
 8.2 ↘ 8.3 ↘ 10.2 ↑ 9.9 ↗ 10.0 ↗
 8.2 ↑ 10.5 * 6.6 ↖ 7.9 ↖ 9.7 ↖
 beste Teiler 366.0 (17.) 580.1 (13.) 733.9 (15.)
 Trefferlage 9.44 mm links, 4.76 mm hoch
 Streuwert 11.46, horizontal: 10.62, vertikal: 12.24



Serie 3:
 8.1 ↖ 9.5 ↘ 8.8 ↘ 5.4 ↖ 10.0 ↓
 9.7 ↑ 9.0 ↖ 8.5 ↘ 9.8 ↖ 9.1 ↖
 beste Teiler 782.2 (25.) 919.9 (29.) 962.4 (26.)
 Trefferlage 11.23 mm links, 5.94 mm tief
 Streuwert 11.54, horizontal: 14.12, vertikal: 8.19





Serie 4:
 8.8 ↖ 10.1 ↘ 8.0 ↘ 9.3 ↖ 8.0 ↖
 7.1 ↘ 7.5 ↖ 9.8 ↖ 8.2 ↑ 7.5 ↘
 beste Teiler 643.6 (32.) 931.1 (38.) 1285.7 (34.)
 Trefferlage 15.95 mm links, 5.51 mm tief
 Streuwert 9.95, horizontal: 7.75, vertikal: 11.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (374.9)
 Serien: 86 90 85 92
 Zähler: 10 17 10 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3510 (30), 2524 (6), 2472 (16)
 beste Teiler 210.8 (11.) 296.5 (39.) 330.7 (31.)
 Trefferlage 1.35 mm links, 3.34 mm hoch
 Streuwert 10.01, horizontal: 9.71, vertikal: 10.30




Serie 1:
 8.5 → 9.1 ↙ 8.8 ↘ 8.5 → 9.9 ↑
 7.8 ↑ 9.1 ↑ 10.4 * 8.8 ← 10.2 ←
 beste Teiler 470.1 (8.) 594.7 (10.) 820.7 (5.)
 Trefferlage 0.83 mm links, 4.23 mm hoch
 Streuwert 11.50, horizontal: 11.97, vertikal: 11.02



Serie 2:
 10.7 * 9.9 → 8.7 ← 9.2 ↓ 9.8 ↖
 7.9 ← 9.8 ← 10.2 ↗ 10.1 ← 9.8 ↘
 beste Teiler 210.8 (11.) 562.7 (18.) 710.1 (19.)
 Trefferlage 5.71 mm links, 1.84 mm tief
 Streuwert 8.09, horizontal: 9.63, vertikal: 6.17



Serie 3:
 9.9 ↑ 8.6 → 9.1 ↗ 9.4 ↙ 9.6 ↖
 9.3 ↑ 8.9 ↑ 10.2 ↑ 8.6 ↑ 6.6 ↑
 beste Teiler 637.7 (28.) 807.0 (21.) 1059.2 (25.)
 Trefferlage 0.72 mm rechts, 10.62 mm hoch
 Streuwert 10.09, horizontal: 8.44, vertikal: 11.51





Serie 4:
 10.5 * 10.4 * 10.3 ← 9.5 ↘ 9.8 ↗
 9.4 ↗ 8.5 ↓ 9.9 ← 10.6 * 8.6 →
 beste Teiler 296.5 (39.) 330.7 (31.) 433.7 (32.)
 Trefferlage 0.41 mm rechts, 0.35 mm hoch
 Streuwert 8.35, horizontal: 8.45, vertikal: 8.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (363.1)
 Serien: 84 84 89 89
 Zähler: 6 20 9 4 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3755 (3), 2946 (20), 2936 (29)
 beste Teiler 62.0 (22.) 273.6 (33.) 385.7 (4.)
 Trefferlage 4.83 mm links, 1.71 mm tief
 Streuwert 11.50, horizontal: 11.68, vertikal: 11.31




Serie 1:
 9.3 ↘ 7.4 ↗ 6.3 ↗ 10.5 * 9.7 ↑
 9.5 ↘ 8.5 ↗ 9.2 ↘ 9.5 ← 8.9 ↘
 beste Teiler 385.7 (4.) 1004.9 (5.) 1129.2 (6.)
 Trefferlage 1.16 mm links, 2.00 mm tief
 Streuwert 14.10, horizontal: 15.21, vertikal: 12.89



Serie 2:
 8.8 ↗ 9.0 ↘ 8.7 ↘ 9.2 ← 9.7 ↘
 8.7 ↘ 9.0 ↘ 9.4 ↘ 8.1 ← 7.3 ↗
 beste Teiler 977.6 (15.) 1210.0 (18.) 1398.7 (14.)
 Trefferlage 10.95 mm links, 0.07 mm tief
 Streuwert 10.84, horizontal: 9.62, vertikal: 11.93



Serie 3:
 10.1 ← 10.9 * 9.3 ↘ 9.3 ↓ 9.3 ↓
 7.6 ↓ 9.5 ← 9.2 ↘ 7.3 ← 10.3 ↘
 beste Teiler 62.0 (22.) 537.1 (30.) 685.3 (21.)
 Trefferlage 7.01 mm links, 3.89 mm tief
 Streuwert 10.15, horizontal: 9.65, vertikal: 10.63





Serie 4:
 9.5 → 10.3 ↑ 10.6 * 8.3 ↗ 8.4 →
 9.7 ↗ 9.3 ↗ 9.0 ↓ 9.8 ↓ 8.7 ↓
 beste Teiler 273.6 (33.) 494.3 (32.) 915.5 (39.)
 Trefferlage 0.20 mm links, 0.87 mm tief
 Streuwert 10.29, horizontal: 9.40, vertikal: 11.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (369.0)
 Serien: 92 90 88 80
 Zähler: 7 19 11 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2663 (31), 2613 (37), 2479 (38)
 beste Teiler 323.5 (26.) 386.2 (1.) 403.6 (14.)
 Trefferlage 0.60 mm rechts, 6.58 mm tief
 Streuwert 9.76, horizontal: 9.60, vertikal: 9.91




Serie 1:
 10.5 * 9.6 ↘ 9.3 ↘ 9.9 ↗ 9.1 ↓
 9.2 ↙ 10.4 * 9.6 ↙ 8.2 ↗ 10.4 *
 beste Teiler 386.2 (1.) 435.3 (7.) 460.1 (10.)
 Trefferlage 1.27 mm links, 1.92 mm tief
 Streuwert 8.77, horizontal: 7.88, vertikal: 9.57



Serie 2:
 9.1 ↘ 8.3 ↘ 8.6 ↘ 10.4 * 10.0 ↓
 9.4 ↙ 9.8 → 9.8 ↙ 9.8 ↙ 9.7 ↙
 beste Teiler 403.6 (14.) 798.5 (15.) 894.1 (19.)
 Trefferlage 0.61 mm rechts, 6.22 mm tief
 Streuwert 8.15, horizontal: 10.14, vertikal: 5.50



Serie 3:
 9.4 ↙ 8.9 → 9.8 ↘ 8.8 ↘ 8.5 ↘
 10.5 * 9.3 ↘ 8.9 ↙ 10.0 ↗ 9.0 ↙
 beste Teiler 323.5 (26.) 746.6 (29.) 926.4 (23.)
 Trefferlage 0.17 mm rechts, 5.98 mm tief
 Streuwert 9.35, horizontal: 11.51, vertikal: 6.50





Serie 4:
 7.6 ↘ 8.2 ↙ 9.2 → 8.2 ↓ 8.5 ↘
 9.9 ↘ 7.7 ↗ 7.9 ↓ 8.4 ↓ 9.2 ↓
 beste Teiler 813.1 (36.) 1384.1 (33.) 1387.2 (40.)
 Trefferlage 2.88 mm rechts, 12.19 mm tief
 Streuwert 12.12, horizontal: 9.58, vertikal: 14.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.9)
 Serien: 84 85 82 89
 Zähler: 7 16 12 3 1 0 0 1 0 0
 Innenzehner: 2
 weiteste: 5618 (28), 3567 (10), 3035 (16)
 beste Teiler 219.6 (18.) 436.6 (7.) 504.9 (26.)
 Trefferlage 1.94 mm rechts, 7.18 mm hoch
 Streuwert 12.23, horizontal: 12.46, vertikal: 11.98




Serie 1:
 8.8 ↑ 8.1 ↑ 9.4 ↑ 10.1 → 8.6 ←
 9.6 ↘ 10.4 * 9.2 ↘ 7.9 ↑ 6.5 ↑
 beste Teiler 436.6 (7.) 652.8 (4.) 1107.7 (6.)
 Trefferlage 0.31 mm rechts, 11.61 mm hoch
 Streuwert 11.09, horizontal: 8.71, vertikal: 13.04



Serie 2:
 8.7 ↑ 9.7 ↑ 8.8 ↑ 9.5 ↘ 9.9 ↑
 7.2 ↗ 9.5 ← 10.7 * 9.6 ↓ 7.5 ↗
 beste Teiler 219.6 (18.) 872.9 (15.) 1033.4 (12.)
 Trefferlage 3.02 mm rechts, 7.17 mm hoch
 Streuwert 11.29, horizontal: 8.41, vertikal: 13.57



Serie 3:
 9.8 ← 8.4 ↘ 9.7 → 8.5 ↗ 8.8 ←
 10.3 ↓ 10.3 ← 3.9 → 9.5 → 8.3 ↑
 beste Teiler 504.9 (26.) 515.0 (27.) 909.3 (21.)
 Trefferlage 5.45 mm rechts, 5.55 mm hoch
 Streuwert 15.76, horizontal: 19.98, vertikal: 9.88





Serie 4:
 9.3 ← 9.1 ↘ 9.1 ↓ 9.7 ↘ 8.2 ↑
 10.3 ↘ 8.0 ↑ 8.4 ← 9.6 ↗ 10.0 ↑
 beste Teiler 535.8 (36.) 780.7 (40.) 1030.8 (34.)
 Trefferlage 1.00 mm links, 4.38 mm hoch
 Streuwert 10.88, horizontal: 9.98, vertikal: 11.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (357.2)
 Serien: 82 80 85 90
 Zähler: 5 15 13 6 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3533 (17), 2911 (16), 2555 (11)
 beste Teiler 178.2 (36.) 429.8 (20.) 564.8 (31.)
 Trefferlage 0.94 mm rechts, 0.67 mm hoch
 Streuwert 12.63, horizontal: 11.48, vertikal: 13.68




Serie 1:
 8.7 ↗ 8.2 ← 9.0 ↑ 7.9 ↗ 9.4 ↗
 9.6 ↘ 8.5 ↓ 9.9 ↘ 8.4 ↑ 7.8 ↘
 beste Teiler 855.0 (8.) 1090.2 (6.) 1215.7 (5.)
 Trefferlage 0.06 mm rechts, 8.50 mm hoch
 Streuwert 12.21, horizontal: 12.23, vertikal: 12.20



Serie 2:
 7.8 ↙ 9.5 ↙ 9.7 ↗ 9.9 ↗ 8.5 →
 7.3 ↓ 6.5 ↗ 7.9 ↓ 8.9 ↘ 10.4 *
 beste Teiler 429.8 (20.) 826.4 (14.) 990.0 (13.)
 Trefferlage 1.01 mm rechts, 2.40 mm tief
 Streuwert 15.35, horizontal: 13.63, vertikal: 16.89



Serie 3:
 9.0 ↘ 10.2 ↙ 8.6 ↑ 7.9 ↘ 9.6 ↓
 9.3 → 8.4 ↓ 9.1 ↘ 8.2 ↓ 8.3 →
 beste Teiler 597.6 (22.) 1093.3 (25.) 1353.0 (26.)
 Trefferlage 2.42 mm rechts, 3.50 mm tief
 Streuwert 12.72, horizontal: 11.91, vertikal: 13.49





Serie 4:
 10.2 → 8.6 ↓ 10.1 ↘ 9.4 ↘ 8.8 ↘
 10.7 * 9.2 ↘ 8.6 ↑ 9.5 ↘ 9.7 →
 beste Teiler 178.2 (36.) 564.8 (31.) 646.2 (33.)
 Trefferlage 0.27 mm rechts, 0.11 mm hoch
 Streuwert 9.66, horizontal: 9.48, vertikal: 9.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (381.2)
 Serien: 89 91 96 89
 Zähler: 15 18 5 1 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3377 (9), 2648 (40), 2015 (5)
 beste Teiler 218.2 (7.) 276.8 (34.) 282.5 (24.)
 Trefferlage 0.04 mm rechts, 0.96 mm tief
 Streuwert 9.35, horizontal: 9.28, vertikal: 9.42




Serie 1:
 10.3 → 9.5 ↘ 9.6 → 9.5 ↙ 8.4 →
 9.5 ↖ 10.7 * 10.3 ↙ 6.7 ↘ 9.1 ↗
 beste Teiler 218.2 (7.) 490.0 (1.) 526.7 (8.)
 Trefferlage 5.91 mm rechts, 3.30 mm tief
 Streuwert 10.30, horizontal: 12.05, vertikal: 8.18



Serie 2:
 9.9 → 10.1 ↓ 8.5 ↑ 10.0 ↘ 9.9 ↓
 9.4 ↓ 10.1 ↖ 9.8 → 8.8 ↖ 9.7 ↖
 beste Teiler 696.2 (17.) 706.0 (12.) 763.5 (14.)
 Trefferlage 0.72 mm links, 0.71 mm hoch
 Streuwert 8.41, horizontal: 7.16, vertikal: 9.49





Serie 3:
 10.3 ↓ 10.0 ↘ 9.4 ↗ 10.6 * 10.5 *
 10.2 ↗ 9.3 ↙ 9.8 ↖ 10.2 ↑ 9.3 ↓
 beste Teiler 282.5 (24.) 338.5 (25.) 541.4 (21.)
 Trefferlage 0.07 mm rechts, 0.43 mm tief
 Streuwert 6.59, horizontal: 4.18, vertikal: 8.34




Serie 4:
 9.0 ↖ 10.0 ↓ 9.3 ↑ 10.6 * 9.0 ←
 8.6 ← 9.3 ↓ 10.0 ↙ 8.4 ↗ 7.6 ↙
 beste Teiler 276.8 (34.) 724.1 (32.) 787.6 (38.)
 Trefferlage 5.09 mm links, 0.82 mm tief
 Streuwert 10.95, horizontal: 9.54, vertikal: 12.19

Unterschrift des Schützen


Ergebnis: **344** (363.8)
 Serien: 90 84 90 80
 Zähler: 8 17 8 5 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3681 (18), 3218 (31), 3050 (37)
 beste Teiler 112.2 (40.) 249.5 (6.) 308.8 (25.)
 Trefferlage 1.81 mm rechts, 3.01 mm hoch
 Streuwert 12.02, horizontal: 10.24, vertikal: 13.58




Serie 1:
 9.2 ↙ 10.5 * 8.5 ↘ 9.7 ↗ 9.8 ↘
 10.6 * 9.5 ↖ 9.0 ↖ 8.2 ↓ 9.1 ↑
 beste Teiler 249.5 (6.) 367.3 (2.) 955.3 (5.)
 Trefferlage 3.56 mm links, 0.05 mm hoch
 Streuwert 9.82, horizontal: 8.56, vertikal: 10.93



Serie 2:
 10.0 ↘ 9.6 ↘ 7.7 ↑ 7.6 ↑ 9.8 ↙
 10.3 ↘ 9.8 ↓ 6.3 ↑ 8.8 ↖ 9.6 ↘
 beste Teiler 516.7 (16.) 787.9 (11.) 950.2 (17.)
 Trefferlage 1.25 mm rechts, 5.11 mm hoch
 Streuwert 13.51, horizontal: 8.13, vertikal: 17.28



Serie 3:
 8.7 → 9.8 ↖ 9.0 ↘ 8.8 ↓ 10.6 *
 8.0 ↘ 10.4 * 9.1 ↘ 9.0 ↖ 10.1 ↖
 beste Teiler 308.8 (25.) 468.7 (27.) 685.9 (30.)
 Trefferlage 2.31 mm rechts, 5.73 mm tief
 Streuwert 9.55, horizontal: 11.61, vertikal: 6.89





Serie 4:
 6.9 ↑ 9.8 ↖ 7.6 ↗ 9.6 ↘ 8.7 ↑
 8.6 ↗ 7.1 ↗ 9.9 → 7.7 ↗ 10.8 *
 beste Teiler 112.2 (40.) 866.6 (38.) 922.5 (32.)
 Trefferlage 7.24 mm rechts, 12.63 mm hoch
 Streuwert 11.07, horizontal: 10.68, vertikal: 11.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **324** (340.5)
 Serien: 73 84 84 83
 Zähler: 7 12 10 5 3 2 0 1 0 0
 Innenzehner: 1
 weiteste: 6264 (9), 4528 (3), 4286 (21)
 beste Teiler 398.3 (14.) 486.4 (24.) 571.9 (32.)
 Trefferlage 1.87 mm links, 7.73 mm hoch
 Streuwert 15.71, horizontal: 17.42, vertikal: 13.80




Serie 1:
 7.3 ↑ 10.2 ↗ 5.3 ↗ 6.4 ↑ 8.9 ←
 7.3 ↗ 8.3 ↗ 10.2 ↘ 3.1 ↙ 9.6 ↘
 beste Teiler 623.7 (8.) 625.2 (2.) 1115.8 (10.)
 Trefferlage 2.56 mm rechts, 9.35 mm hoch
 Streuwert 22.33, horizontal: 24.09, vertikal: 20.42



Serie 2:
 9.4 ↓ 8.7 ↘ 7.3 ↘ 10.5 * 8.4 ←
 8.3 ↗ 6.8 ↘ 9.6 ↘ 10.0 ↑ 9.6 ↘
 beste Teiler 398.3 (14.) 798.8 (19.) 1055.4 (18.)
 Trefferlage 8.34 mm links, 5.49 mm hoch
 Streuwert 12.15, horizontal: 15.27, vertikal: 7.87



Serie 3:
 5.6 ↑ 8.7 ← 9.1 ↑ 10.3 ↑ 9.5 ↘
 8.3 ↗ 10.0 ↘ 7.1 ↘ 9.8 ↓ 9.7 ↑
 beste Teiler 486.4 (24.) 732.4 (27.) 891.4 (29.)
 Trefferlage 2.23 mm links, 12.39 mm hoch
 Streuwert 12.00, horizontal: 10.24, vertikal: 13.53





Serie 4:
 8.9 ↘ 10.2 ← 9.7 ↘ 6.0 ↗ 7.9 ↙
 9.5 ↘ 8.1 → 9.8 ← 8.0 ↘ 9.1 →
 beste Teiler 571.9 (32.) 885.4 (38.) 981.5 (33.)
 Trefferlage 0.50 mm rechts, 3.68 mm hoch
 Streuwert 14.73, horizontal: 17.92, vertikal: 10.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **280** (297.0)
 Serien: 56 73 78 73
 Zähler: 0 6 10 12 6 3 2 1 0 0
 Innenzehner: 0
 weiteste: 5878 (10), 5403 (7), 4835 (6)
 beste Teiler 935.7 (34.) 1025.4 (24.) 1124.4 (27.)
 Trefferlage 3.29 mm links, 2.42 mm tief
 Streuwert 21.73, horizontal: 21.72, vertikal: 21.75




Serie 1:
 7.2 ↑ 5.8 ↓ 8.7 ↙ 6.5 ↓ 6.2 ↓
 4.9 ↙ 4.2 → 6.3 ↙ 7.0 ↗ 3.6 →
 beste Teiler 1827.3 (3.) 3025.9 (1.) 3151.0 (9.)
 Trefferlage 3.94 mm rechts, 11.87 mm tief
 Streuwert 29.01, horizontal: 32.53, vertikal: 25.00



Serie 2:
 9.3 ↘ 7.2 ↙ 7.1 ↓ 6.5 ↘ 7.3 →
 8.5 ↓ 5.3 ↓ 7.2 ↓ 9.5 ↑ 8.4 ↙
 beste Teiler 1145.9 (19.) 1285.4 (11.) 1979.3 (16.)
 Trefferlage 3.19 mm rechts, 14.97 mm tief
 Streuwert 17.83, horizontal: 16.58, vertikal: 19.00



Serie 3:
 7.4 ↘ 7.6 ↗ 8.3 ↙ 9.7 ↘ 7.5 ↘
 8.8 ↘ 9.5 ↗ 8.5 ↘ 8.3 ↙ 7.8 ↑
 beste Teiler 1025.4 (24.) 1124.4 (27.) 1719.6 (26.)
 Trefferlage 6.43 mm links, 9.93 mm hoch
 Streuwert 13.62, horizontal: 12.24, vertikal: 14.86





Serie 4:
 9.0 ↙ 8.5 ↙ 7.2 ↑ 9.8 ↑ 5.2 ←
 8.5 ↘ 6.9 ↘ 7.1 ← 8.4 ↘ 6.3 ↘
 beste Teiler 935.7 (34.) 1579.5 (31.) 1971.7 (32.)
 Trefferlage 13.86 mm links, 7.21 mm hoch
 Streuwert 17.54, horizontal: 17.91, vertikal: 17.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.8)
 Serien: 87 89 91 87
 Zähler: 12 14 10 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3137 (1), 2967 (38), 2651 (22)
 beste Teiler 196.7 (5.) 301.0 (9.) 319.5 (27.)
 Trefferlage 0.85 mm links, 0.29 mm tief
 Streuwert 10.96, horizontal: 9.56, vertikal: 12.19




Serie 1:
 7.0 ↖ 8.9 ↓ 9.5 ↗ 10.3 ↘ 10.7 *
 7.7 ↙ 9.5 → 9.2 → 10.6 * 8.6 ↘
 beste Teiler 196.7 (5.) 301.0 (9.) 509.2 (4.)
 Trefferlage 0.57 mm rechts, 1.55 mm tief
 Streuwert 12.34, horizontal: 9.68, vertikal: 14.52



Serie 2:
 9.9 ↖ 9.5 ↗ 9.2 ↑ 10.5 * 8.2 ↖
 8.4 ↑ 9.5 ↓ 8.0 ↘ 9.9 → 10.5 *
 beste Teiler 348.8 (14.) 352.6 (20.) 813.2 (11.)
 Trefferlage 0.36 mm links, 5.10 mm hoch
 Streuwert 10.07, horizontal: 8.54, vertikal: 11.40



Serie 3:
 9.9 ↖ 7.6 ↗ 9.7 ↘ 10.0 ↑ 9.8 ↘
 10.0 → 10.6 * 10.5 * 9.0 ↓ 8.1 →
 beste Teiler 319.5 (27.) 386.0 (28.) 741.9 (26.)
 Trefferlage 2.16 mm rechts, 1.49 mm hoch
 Streuwert 10.03, horizontal: 10.97, vertikal: 9.00





Serie 4:
 9.5 ↖ 8.6 ↖ 8.5 ↓ 10.2 ↖ 9.1 ↘
 8.7 ↓ 8.9 ↖ 7.2 ↘ 10.3 ↗ 10.0 ↘
 beste Teiler 532.6 (39.) 596.7 (34.) 753.0 (40.)
 Trefferlage 5.78 mm links, 6.19 mm tief
 Streuwert 10.38, horizontal: 8.34, vertikal: 12.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **310** (329.8)
 Serien: 70 80 76 84
 Zähler: 3 10 14 7 3 1 0 2 0 0
 Innenzehner: 3
 weiteste: 5878 (5), 5694 (26), 4181 (1)
 beste Teiler 222.8 (19.) 269.2 (3.) 291.3 (20.)
 Trefferlage 12.01 mm links, 0.63 mm hoch
 Streuwert 15.54, horizontal: 16.95, vertikal: 13.98




Serie 1:
 5.7 → 8.0 ↑ 10.6 * 9.4 ↑ 3.6 ←
 7.1 ← 6.5 ← 9.2 ← 6.7 ← 7.9 ←
 beste Teiler 269.2 (3.) 1245.0 (4.) 1364.3 (8.)
 Trefferlage 14.13 mm links, 0.58 mm hoch
 Streuwert 21.22, horizontal: 26.64, vertikal: 13.82



Serie 2:
 8.8 ↖ 7.3 ← 9.6 ↖ 7.5 ↖ 6.4 ↖
 8.7 ← 8.7 ↙ 7.7 ↖ 10.7 * 10.6 *
 beste Teiler 222.8 (19.) 291.3 (20.) 1100.8 (13.)
 Trefferlage 12.90 mm links, 3.11 mm tief
 Streuwert 12.81, horizontal: 10.04, vertikal: 15.08



Serie 3:
 8.6 ↓ 8.4 ↘ 8.4 ↓ 8.6 ← 8.1 ↓
 3.8 ↖ 9.1 ↑ 7.9 ↘ 8.4 ↑ 9.4 ↑
 beste Teiler 1215.7 (30.) 1455.3 (27.) 1843.2 (24.)
 Trefferlage 11.92 mm links, 2.60 mm hoch
 Streuwert 16.93, horizontal: 16.64, vertikal: 17.23





Serie 4:
 9.3 ↗ 9.9 ← 9.2 ↙ 9.1 ↖ 7.5 ←
 8.7 ↘ 8.3 ← 8.4 ↘ 9.5 ↖ 8.5 ↘
 beste Teiler 870.2 (32.) 1157.5 (39.) 1295.5 (31.)
 Trefferlage 9.11 mm links, 2.47 mm hoch
 Streuwert 11.20, horizontal: 11.97, vertikal: 10.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (352.2)
 Serien: 86 81 85 85
 Zähler: 4 17 14 3 1 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4694 (14), 3823 (30), 3010 (13)
 beste Teiler 542.4 (12.) 613.5 (21.) 634.6 (22.)
 Trefferlage 0.01 mm rechts, 6.54 mm hoch
 Streuwert 12.87, horizontal: 13.84, vertikal: 11.82




Serie 1:
 10.0 ← 9.2 ↗ 9.7 → 8.1 ↖ 9.4 ↗
 8.6 ↗ 8.4 ↖ 8.7 → 9.2 ↖ 8.6 ↖
 beste Teiler 761.7 (1.) 972.1 (3.) 1251.3 (5.)
 Trefferlage 0.27 mm links, 7.37 mm hoch
 Streuwert 10.91, horizontal: 12.47, vertikal: 9.09



Serie 2:
 8.3 ↖ 10.3 ↘ 7.2 ↗ 5.1 ↖ 8.3 ↑
 9.2 ↗ 9.3 ↖ 7.5 ← 9.2 ↘ 9.1 ↖
 beste Teiler 542.4 (12.) 1337.5 (17.) 1430.6 (19.)
 Trefferlage 4.10 mm links, 0.76 mm hoch
 Streuwert 17.35, horizontal: 19.82, vertikal: 14.47



Serie 3:
 10.2 → 10.2 → 9.5 ↑ 8.9 ↗ 8.1 ↑
 8.6 ↖ 9.8 ↖ 8.8 ↖ 9.1 ↖ 6.2 ↗
 beste Teiler 613.5 (21.) 634.6 (22.) 911.5 (27.)
 Trefferlage 1.40 mm rechts, 8.26 mm hoch
 Streuwert 12.34, horizontal: 13.49, vertikal: 11.06





Serie 4:
 8.8 ↗ 8.5 ↑ 9.1 ↗ 9.5 ← 7.6 ↗
 9.2 ↘ 8.0 ↑ 9.3 ↑ 9.9 ↘ 9.5 ↖
 beste Teiler 824.7 (39.) 1169.6 (34.) 1173.4 (40.)
 Trefferlage 3.02 mm rechts, 9.75 mm hoch
 Streuwert 10.18, horizontal: 8.29, vertikal: 11.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296** (314.5)
 Serien: 76 71 70 79
 Zähler: 4 10 8 5 6 3 4 0 0 0
 Innenzehner: 1
 weiteste: 5531 (14), 5316 (27), 5116 (11)
 beste Teiler 466.0 (31.) 502.2 (4.) 668.4 (32.)
 Trefferlage 0.55 mm links, 1.94 mm tief
 Streuwert 20.24, horizontal: 21.36, vertikal: 19.06




Serie 1:
 7.9 ↖ 7.4 ↑ 8.5 ↘ 10.3 ↘ 6.8 ↖
 5.8 → 9.1 ↘ 9.0 ↓ 6.7 ↙ 9.4 ↓
 beste Teiler 502.2 (4.) 1279.2 (10.) 1463.7 (7.)
 Trefferlage 1.16 mm rechts, 0.50 mm tief
 Streuwert 18.83, horizontal: 18.60, vertikal: 19.06



Serie 2:
 4.6 ↙ 9.8 ↖ 8.7 ↙ 4.0 ↗ 7.6 →
 8.2 ↘ 8.4 ↖ 9.2 ↘ 8.0 → 6.8 ↘
 beste Teiler 959.0 (12.) 1395.9 (18.) 1815.9 (13.)
 Trefferlage 1.57 mm links, 11.61 mm tief
 Streuwert 21.38, horizontal: 25.51, vertikal: 16.23





Serie 3:
 6.9 ↖ 7.9 ↙ 9.3 ↗ 8.5 ↓ 6.5 ↖
 6.9 ↙ 4.3 ↘ 9.6 ↑ 10.0 ↖ 5.6 ↘
 beste Teiler 780.9 (29.) 1078.6 (28.) 1324.6 (23.)
 Trefferlage 5.08 mm links, 5.99 mm tief
 Streuwert 22.00, horizontal: 23.98, vertikal: 19.81




Serie 4:
 10.4 * 10.1 ↖ 9.0 → 9.3 ↘ 5.2 ↖
 7.2 ↖ 8.1 ↖ 8.9 ↖ 4.8 → 9.8 ↗
 beste Teiler 466.0 (31.) 668.4 (32.) 897.6 (40.)
 Trefferlage 3.28 mm rechts, 10.33 mm hoch
 Streuwert 17.65, horizontal: 18.99, vertikal: 16.20

Unterschrift des Schützen


Ergebnis: **307** (326.8)
 Serien: 80 81 70 76
 Zähler: 3 13 9 6 5 2 1 0 1 0
 Innenzehner: 1
 weiteste: 6705 (24), 5099 (40), 4452 (8)
 beste Teiler 366.4 (3.) 680.8 (33.) 681.1 (16.)
 Trefferlage 12.63 mm links, 4.78 mm hoch
 Streuwert 16.01, horizontal: 14.97, vertikal: 17.00




Serie 1:
 9.8 ↙ 9.6 ← 10.5 * 9.8 ↙ 8.6 ↙
 7.4 ← 9.3 ← 5.4 ↙ 6.9 ↘ 8.2 ←
 beste Teiler 366.4 (3.) 952.3 (1.) 957.5 (4.)
 Trefferlage 14.42 mm links, 2.33 mm tief
 Streuwert 13.07, horizontal: 8.76, vertikal: 16.29



Serie 2:
 9.0 ↘ 7.9 ↘ 6.9 ↘ 8.8 ↑ 9.7 ↘
 10.1 ↗ 8.2 ↘ 8.4 ↘ 7.4 ↙ 9.9 ↘
 beste Teiler 681.1 (16.) 863.2 (20.) 1026.5 (15.)
 Trefferlage 10.25 mm links, 7.93 mm hoch
 Streuwert 11.58, horizontal: 11.15, vertikal: 11.99



Serie 3:
 6.5 ↙ 9.9 ↘ 5.4 ↗ 2.6 ← 7.8 ↙
 9.2 ↙ 7.6 ↑ 8.7 ↙ 8.9 ↘ 9.7 ←
 beste Teiler 842.3 (22.) 974.9 (30.) 1374.9 (26.)
 Trefferlage 15.02 mm links, 3.76 mm hoch
 Streuwert 20.63, horizontal: 22.08, vertikal: 19.07





Serie 4:
 8.3 ↙ 9.4 ↙ 10.1 ↙ 7.4 ← 9.4 ↙
 9.3 ↗ 6.2 ↗ 6.0 ↑ 8.0 ← 4.6 ↘
 beste Teiler 680.8 (33.) 1210.5 (32.) 1265.9 (35.)
 Trefferlage 10.82 mm links, 9.79 mm hoch
 Streuwert 17.95, horizontal: 16.19, vertikal: 19.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **310** (330.9)
 Serien: 83 74 76 77
 Zähler: 3 11 13 7 1 4 0 0 1 0
 Innenzehner: 1
 weiteste: 7177 (15), 4596 (40), 4397 (9)
 beste Teiler 462.0 (16.) 576.4 (8.) 756.8 (34.)
 Trefferlage 10.58 mm links, 1.67 mm hoch
 Streuwert 16.17, horizontal: 17.24, vertikal: 15.04




Serie 1:
 8.3 ↘ 9.5 ↘ 9.3 ↗ 8.8 ← 9.7 ↓
 8.7 ↙ 8.7 ↑ 10.2 ↓ 5.5 ← 9.9 ↓
 beste Teiler 576.4 (8.) 839.7 (10.) 1016.9 (5.)
 Trefferlage 5.06 mm links, 0.60 mm tief
 Streuwert 14.12, horizontal: 17.13, vertikal: 10.25



Serie 2:
 9.5 ← 8.2 ← 8.7 ← 6.7 ← 2.0 ←
 10.4 * 5.8 ↙ 8.7 ↘ 9.0 ↗ 9.4 ↙
 beste Teiler 462.0 (16.) 1192.0 (11.) 1208.3 (20.)
 Trefferlage 16.95 mm links, 4.14 mm tief
 Streuwert 19.15, horizontal: 22.94, vertikal: 14.40



Serie 3:
 7.8 ↘ 7.9 ← 9.4 ↑ 8.9 ↗ 7.2 ↖
 7.4 ↙ 9.2 ↘ 5.9 ↘ 9.7 ↗ 8.9 ←
 beste Teiler 1028.0 (29.) 1243.6 (23.) 1384.2 (27.)
 Trefferlage 9.68 mm links, 9.63 mm hoch
 Streuwert 14.27, horizontal: 13.27, vertikal: 15.22





Serie 4:
 8.5 ↘ 7.8 ↑ 9.4 ↙ 10.0 ↖ 7.8 ↓
 8.7 ↙ 8.5 ← 7.7 ↑ 8.0 ↙ 5.2 ←
 beste Teiler 756.8 (34.) 1267.2 (33.) 1768.1 (36.)
 Trefferlage 10.64 mm links, 1.79 mm hoch
 Streuwert 16.34, horizontal: 14.56, vertikal: 17.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (364.0)
 Serien: 83 87 88 90
 Zähler: 8 19 9 2 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4253 (7), 3594 (19), 2726 (21)
 beste Teiler 265.4 (16.) 434.1 (1.) 638.4 (40.)
 Trefferlage 0.31 mm links, 4.36 mm hoch
 Streuwert 11.69, horizontal: 13.38, vertikal: 9.71




Serie 1:
 10.4 * 9.7 ↘ 9.0 ↖ 8.3 ↗ 9.7 →
 9.2 → 5.6 → 9.5 ↘ 8.0 ↑ 7.6 ↘
 beste Teiler 434.1 (1.) 993.2 (5.) 1036.7 (2.)
 Trefferlage 9.77 mm rechts, 4.05 mm hoch
 Streuwert 13.39, horizontal: 15.74, vertikal: 10.52



Serie 2:
 8.9 ↖ 8.5 ← 10.1 ↖ 8.5 ← 9.3 ←
 10.6 * 9.6 ↖ 10.1 ↗ 6.5 ↖ 9.5 ↖
 beste Teiler 265.4 (16.) 683.7 (18.) 697.4 (13.)
 Trefferlage 9.72 mm links, 7.11 mm hoch
 Streuwert 8.81, horizontal: 7.94, vertikal: 9.59



Serie 3:
 7.5 ↗ 8.4 ← 9.5 ↖ 9.1 ↑ 10.0 →
 9.8 ↘ 9.0 ↖ 9.4 ← 9.6 ↖ 9.7 ↓
 beste Teiler 771.0 (25.) 914.1 (26.) 1025.1 (30.)
 Trefferlage 2.84 mm links, 0.76 mm hoch
 Streuwert 11.03, horizontal: 13.13, vertikal: 8.42





Serie 4:
 9.2 ↑ 10.1 ↗ 8.6 ↑ 8.1 ↖ 8.8 ↗
 10.1 ↗ 9.4 ↗ 9.2 ↑ 9.7 ↑ 10.2 ↓
 beste Teiler 638.4 (40.) 703.7 (32.) 708.9 (36.)
 Trefferlage 1.53 mm rechts, 5.54 mm hoch
 Streuwert 9.52, horizontal: 8.40, vertikal: 10.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (376.1)
 Serien: 90 87 95 88
 Zähler: 13 16 9 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3155 (22), 2822 (39), 2377 (17)
 beste Teiler 139.8 (27.) 361.6 (18.) 477.2 (24.)
 Trefferlage 2.52 mm links, 0.80 mm hoch
 Streuwert 10.03, horizontal: 10.83, vertikal: 9.16




Serie 1:
 10.2 ↘ 9.1 ← 9.4 ↗ 9.5 → 9.6 ←
 9.7 ↙ 9.6 ↙ 8.8 ↗ 8.3 ↑ 10.2 →
 beste Teiler 572.2 (10.) 577.5 (1.) 962.4 (6.)
 Trefferlage 1.93 mm links, 0.09 mm tief
 Streuwert 9.47, horizontal: 10.08, vertikal: 8.82



Serie 2:
 8.3 ← 9.9 ↓ 8.9 ↘ 8.5 ← 9.7 ↑
 10.3 ↘ 8.0 ↙ 10.5 * 9.9 ↗ 8.1 →
 beste Teiler 361.6 (18.) 557.7 (16.) 814.8 (19.)
 Trefferlage 2.39 mm links, 0.62 mm hoch
 Streuwert 11.60, horizontal: 14.31, vertikal: 8.02



Serie 3:
 10.1 ← 7.0 ↗ 10.2 ↓ 10.4 ↘ 10.3 ↓
 10.0 ↙ 10.8 * 9.4 ↑ 9.4 ↑ 10.2 ↓
 beste Teiler 139.8 (27.) 477.2 (24.) 520.7 (25.)
 Trefferlage 1.41 mm rechts, 2.01 mm hoch
 Streuwert 9.05, horizontal: 6.83, vertikal: 10.82





Serie 4:
 9.0 ← 9.5 ↘ 10.2 ← 9.8 ↑ 10.0 ↓
 9.8 ↓ 9.3 ↘ 8.6 ↗ 7.4 ← 8.2 ↙
 beste Teiler 636.7 (33.) 798.6 (35.) 897.8 (34.)
 Trefferlage 7.18 mm links, 0.66 mm hoch
 Streuwert 10.36, horizontal: 10.65, vertikal: 10.07

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.0)
 Serien: 92 89 89 86
 Zähler: 12 16 9 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3205 (17), 2880 (38), 2594 (33)
 beste Teiler 182.3 (37.) 209.3 (22.) 239.4 (19.)
 Trefferlage 3.63 mm links, 3.44 mm hoch
 Streuwert 9.85, horizontal: 10.12, vertikal: 9.57



Serie 1:

10.6 * 9.7 ↗ 10.6 * 8.8 ↙ 9.4 ↙
 10.2 ↑ 10.3 ↘ 9.8 ↓ 8.5 ↙ 9.5 ↙


beste Teiler 268.3 (1.) 316.0 (3.) 502.5 (7.)
 Trefferlage 4.56 mm links, 3.68 mm tief
 Streuwert 7.00, horizontal: 6.96, vertikal: 7.05



Serie 2:

8.6 ↘ 10.1 ← 10.3 ↗ 8.4 ↘ 10.3 ↘
 8.8 ← 6.9 ↗ 9.5 ← 10.7 * 10.2 ↘


beste Teiler 239.4 (19.) 482.8 (13.) 517.0 (15.)
 Trefferlage 4.07 mm links, 3.98 mm hoch
 Streuwert 10.71, horizontal: 12.13, vertikal: 9.07



Serie 3:

10.2 ↗ 10.7 * 8.5 ↑ 9.4 ← 8.0 ↗
 8.2 ↘ 9.1 ↑ 9.3 ↗ 9.1 ↘ 9.8 →

beste Teiler 209.3 (22.) 626.2 (21.) 932.4 (30.)
 Trefferlage 0.21 mm links, 8.01 mm hoch
 Streuwert 9.59, horizontal: 11.92, vertikal: 6.47





Serie 4:

9.2 ← 8.8 ↑ 7.7 ↑ 9.6 ← 9.7 ↘
 9.3 ↗ 10.7 * 7.4 ↙ 9.8 ↑ 9.3 ↘


beste Teiler 182.3 (37.) 923.8 (39.) 1001.4 (35.)
 Trefferlage 5.67 mm links, 5.44 mm hoch
 Streuwert 10.63, horizontal: 9.34, vertikal: 11.78

Unterschrift des Schützen


Ergebnis: **307** (324.3)
 Serien: 82 75 77 73
 Zähler: 5 8 13 7 1 3 2 1 0 0
 Innenzehner: 3
 weiteste: 5648 (15), 5549 (38), 5451 (29)
 beste Teiler 210.4 (26.) 235.7 (34.) 441.7 (6.)
 Trefferlage 3.86 mm links, 6.90 mm hoch
 Streuwert 18.12, horizontal: 15.80, vertikal: 20.18




Serie 1:
 9.5 ↖ 9.6 ↑ 7.5 ↘ 8.3 ↖ 8.1 ↗
 10.4 * 6.5 ↑ 9.1 ↘ 8.3 ↓ 8.3 ←
 beste Teiler 441.7 (6.) 1067.5 (2.) 1199.0 (1.)
 Trefferlage 4.54 mm links, 5.59 mm hoch
 Streuwert 14.61, horizontal: 13.50, vertikal: 15.65



Serie 2:
 8.4 ↓ 9.6 ↖ 10.2 ↖ 7.8 ↑ 3.9 ↗
 5.6 ← 9.0 ↗ 8.2 ↓ 8.7 → 8.0 ↓
 beste Teiler 580.9 (13.) 1062.3 (12.) 1526.7 (17.)
 Trefferlage 2.92 mm links, 0.23 mm hoch
 Streuwert 20.72, horizontal: 21.38, vertikal: 20.03



Serie 3:
 10.3 ↖ 5.7 ↖ 8.8 ↗ 8.4 ↑ 7.3 ↖
 10.7 * 9.2 ↗ 7.8 ↑ 4.1 ↖ 9.2 ↑
 beste Teiler 210.4 (26.) 513.8 (21.) 1362.5 (27.)
 Trefferlage 6.01 mm links, 11.29 mm hoch
 Streuwert 17.78, horizontal: 17.00, vertikal: 18.54





Serie 4:
 8.8 ↖ 9.6 ↖ 5.4 ↑ 10.7 * 8.3 ↓
 7.2 ↖ 8.7 ↖ 4.0 ↑ 7.3 ↑ 7.8 ↓
 beste Teiler 235.7 (34.) 1042.0 (32.) 1754.9 (31.)
 Trefferlage 1.95 mm links, 10.48 mm hoch
 Streuwert 20.38, horizontal: 11.93, vertikal: 26.24

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (382.4)
 Serien: 89 93 89 94
 Zähler: 12 21 7 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2253 (30), 2223 (6), 1960 (17)
 beste Teiler 348.8 (35.) 433.9 (20.) 450.2 (39.)
 Trefferlage 1.68 mm rechts, 1.27 mm tief
 Streuwert 8.63, horizontal: 9.52, vertikal: 7.64



Serie 1:

9.7 ← 9.3 ↓ 8.5 ↘ 10.2 ✓ 9.6 →
 8.2 ← 8.6 ↘ 9.2 ↑ 10.0 ↓ 9.8 ↓


beste Teiler 621.4 (4.) 784.9 (9.) 887.5 (10.)
 Trefferlage 0.65 mm links, 1.32 mm tief
 Streuwert 10.52, horizontal: 11.55, vertikal: 9.37



Serie 2:

10.0 ↓ 10.1 ↑ 9.1 ↑ 10.3 ↑ 9.4 ←
 9.3 → 8.5 ↗ 9.5 ↙ 9.7 → 10.4 *


beste Teiler 433.9 (20.) 518.8 (14.) 703.3 (12.)
 Trefferlage 2.50 mm rechts, 2.67 mm hoch
 Streuwert 8.19, horizontal: 8.89, vertikal: 7.44



Serie 3:

9.5 ← 9.8 ↘ 9.9 ↘ 9.7 → 10.3 ↓
 9.1 ↘ 9.5 ✓ 8.9 ↓ 9.7 ← 8.1 →

beste Teiler 560.2 (25.) 868.0 (23.) 950.6 (22.)
 Trefferlage 2.43 mm rechts, 4.11 mm tief
 Streuwert 8.92, horizontal: 9.97, vertikal: 7.73



Serie 4:



10.1 → 10.0 ↘ 8.8 ↘ 9.4 ↘ 10.5 *
 10.4 ↓ 9.4 ← 9.9 ↘ 10.4 * 9.6 ←

beste Teiler 348.8 (35.) 450.2 (39.) 480.3 (36.)
 Trefferlage 2.46 mm rechts, 2.33 mm tief
 Streuwert 6.89, horizontal: 8.52, vertikal: 4.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (363.3)
 Serien: 89 88 85 84
 Zähler: 8 16 11 4 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3480 (23), 2891 (18), 2875 (33)
 beste Teiler 278.6 (29.) 325.3 (2.) 332.5 (15.)
 Trefferlage 8.00 mm rechts, 0.54 mm tief
 Streuwert 10.63, horizontal: 9.73, vertikal: 11.46




Serie 1:
 10.3 ↘ 10.5 * 8.8 ← 9.2 → 8.8 →
 9.9 ↘ 9.1 → 9.2 ↓ 9.5 ↗ 8.1 ↑
 beste Teiler 325.3 (2.) 552.6 (1.) 867.0 (6.)
 Trefferlage 3.99 mm rechts, 0.58 mm hoch
 Streuwert 9.97, horizontal: 10.19, vertikal: 9.76



Serie 2:
 10.3 ↘ 8.2 → 8.2 → 9.9 → 10.5 *
 9.5 → 9.7 ↗ 7.3 ↗ 10.3 ↑ 8.3 ↗
 beste Teiler 332.5 (15.) 508.1 (11.) 513.4 (19.)
 Trefferlage 9.57 mm rechts, 3.63 mm hoch
 Streuwert 9.33, horizontal: 10.31, vertikal: 8.23



Serie 3:
 10.0 ↘ 9.2 → 6.6 ↗ 8.4 ↘ 9.2 ↓
 9.3 ↓ 8.6 ↗ 9.2 ↗ 10.6 * 7.6 ↘
 beste Teiler 278.6 (29.) 781.6 (21.) 1321.8 (26.)
 Trefferlage 6.89 mm rechts, 3.64 mm tief
 Streuwert 12.71, horizontal: 10.22, vertikal: 14.78





Serie 4:
 9.1 ↘ 10.3 ↗ 7.4 → 8.9 ↓ 8.1 ↗
 8.8 → 7.4 ↘ 9.8 ↘ 9.7 ↗ 9.5 ↓
 beste Teiler 505.8 (32.) 914.8 (38.) 1020.4 (39.)
 Trefferlage 11.54 mm rechts, 2.73 mm tief
 Streuwert 10.27, horizontal: 7.74, vertikal: 12.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.9)
 Serien: 86 94 94 90
 Zähler: 12 21 6 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2562 (34), 2369 (9), 2162 (1)
 beste Teiler 166.0 (30.) 246.0 (26.) 257.2 (28.)
 Trefferlage 2.17 mm links, 2.66 mm hoch
 Streuwert 8.38, horizontal: 8.71, vertikal: 8.04




Serie 1:
 8.2 ↑ 9.8 ← 8.8 ↘ 8.6 → 9.1 →
 9.3 → 9.8 ↘ 9.3 ↘ 8.0 ↑ 9.8 →
 beste Teiler 920.4 (2.) 924.5 (10.) 925.7 (7.)
 Trefferlage 3.03 mm rechts, 5.58 mm hoch
 Streuwert 10.78, horizontal: 11.57, vertikal: 9.92



Serie 2:
 10.2 ↓ 9.3 ↓ 9.7 ↘ 9.5 ← 10.1 ↑
 9.5 ↘ 10.3 ↑ 9.7 ↗ 9.3 ↘ 10.3 →
 beste Teiler 486.4 (20.) 513.6 (17.) 565.3 (11.)
 Trefferlage 3.09 mm links, 1.90 mm hoch
 Streuwert 6.74, horizontal: 6.52, vertikal: 6.95



Serie 3:
 9.3 ← 9.4 ↘ 10.4 * 8.9 ← 10.0 ↑
 10.6 * 9.3 ↘ 10.6 * 9.9 ↘ 10.7 *
 beste Teiler 166.0 (30.) 246.0 (26.) 257.2 (28.)
 Trefferlage 6.08 mm links, 1.84 mm hoch
 Streuwert 5.38, horizontal: 5.96, vertikal: 4.73





Serie 4:
 9.7 ↓ 10.6 * 9.8 ↘ 7.7 ↗ 10.2 ↗
 9.4 → 9.7 ↘ 9.8 ↑ 8.7 ↑ 10.6 *
 beste Teiler 300.0 (32.) 307.4 (40.) 610.2 (35.)
 Trefferlage 2.56 mm links, 1.31 mm hoch
 Streuwert 9.13, horizontal: 8.30, vertikal: 9.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (349.2)
 Serien: 88 84 79 79
 Zähler: 11 10 7 6 3 2 1 0 0 0
 Innenzehner: 6
 weiteste: 4885 (29), 4622 (11), 4031 (34)
 beste Teiler 259.6 (37.) 276.2 (23.) 397.4 (31.)
 Trefferlage 8.70 mm links, 1.53 mm tief
 Streuwert 14.23, horizontal: 15.01, vertikal: 13.40




Serie 1:
 9.5 ↙ 10.0 ↓ 10.4 * 8.4 ← 9.4 ↘
 7.7 ↘ 10.4 * 10.2 ↗ 6.2 ← 9.6 ↘
 beste Teiler 403.9 (7.) 468.9 (3.) 631.1 (8.)
 Trefferlage 9.84 mm links, 1.07 mm hoch
 Streuwert 10.89, horizontal: 11.95, vertikal: 9.72



Serie 2:
 5.2 ↘ 8.0 ↙ 9.2 ↓ 9.9 ↓ 10.5 *
 9.7 ↓ 7.2 ↘ 9.6 ↘ 8.7 ← 10.1 ↙
 beste Teiler 398.6 (15.) 711.5 (20.) 805.0 (14.)
 Trefferlage 8.02 mm links, 1.84 mm tief
 Streuwert 14.51, horizontal: 14.01, vertikal: 15.00



Serie 3:
 7.4 ↘ 10.2 ↗ 10.6 * 8.8 ↗ 8.9 ←
 9.1 ↘ 6.2 ← 9.9 ↘ 4.8 ↗ 8.6 ↓
 beste Teiler 276.2 (23.) 596.8 (22.) 872.9 (28.)
 Trefferlage 15.29 mm links, 2.98 mm tief
 Streuwert 13.90, horizontal: 13.06, vertikal: 14.68





Serie 4:
 10.5 * 6.8 ↗ 10.1 ↘ 5.9 ↘ 9.3 ↗
 8.9 ↗ 10.6 * 7.9 ↗ 7.3 → 7.5 ↓
 beste Teiler 259.6 (37.) 397.4 (31.) 658.8 (33.)
 Trefferlage 1.67 mm links, 2.37 mm tief
 Streuwert 17.24, horizontal: 19.02, vertikal: 15.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (364.9)
 Serien: 81 86 86 90
 Zähler: 8 16 9 5 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3358 (25), 3277 (9), 2923 (29)
 beste Teiler 147.7 (15.) 306.0 (6.) 310.8 (27.)
 Trefferlage 0.25 mm links, 3.11 mm hoch
 Streuwert 11.92, horizontal: 12.00, vertikal: 11.84




Serie 1:
 8.4 ↑ 7.9 ↗ 9.9 ↘ 7.4 → 8.8 ↑
 10.6 * 9.9 ↘ 9.8 ↖ 6.9 ↘ 8.9 ↑
 beste Teiler 306.0 (6.) 802.4 (3.) 822.1 (7.)
 Trefferlage 2.75 mm rechts, 10.97 mm hoch
 Streuwert 11.59, horizontal: 13.57, vertikal: 9.19



Serie 2:
 8.1 → 9.8 ↙ 8.5 ↘ 8.2 ↓ 10.8 *
 7.9 ↓ 9.2 ↓ 10.2 ↙ 8.5 ↓ 9.9 ←
 beste Teiler 147.7 (15.) 581.5 (18.) 876.5 (20.)
 Trefferlage 1.05 mm rechts, 7.22 mm tief
 Streuwert 11.17, horizontal: 11.91, vertikal: 10.37



Serie 3:
 9.0 ↗ 9.7 ↗ 9.6 ↘ 9.7 ↗ 6.8 ↑
 10.2 ↘ 10.6 * 9.3 ↗ 7.3 ↘ 8.9 ↓
 beste Teiler 310.8 (27.) 616.6 (26.) 982.8 (22.)
 Trefferlage 4.19 mm rechts, 6.69 mm hoch
 Streuwert 11.58, horizontal: 10.24, vertikal: 12.79





Serie 4:
 9.5 ↘ 9.1 ↖ 10.0 ↙ 7.4 ← 9.9 ↙
 9.2 ↑ 8.9 ← 9.5 ↘ 10.5 * 10.2 ↙
 beste Teiler 398.2 (39.) 603.2 (40.) 775.8 (33.)
 Trefferlage 9.02 mm links, 2.00 mm hoch
 Streuwert 7.81, horizontal: 8.57, vertikal: 6.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **286** (303.9)
 Serien: 66 72 78 70
 Zähler: 3 6 11 9 3 4 2 1 1 0
 Innenzehner: 0
 weiteste: 6804 (9), 5801 (7), 5563 (34)
 beste Teiler 623.4 (16.) 777.7 (10.) 788.6 (8.)
 Trefferlage 8.51 mm links, 9.50 mm hoch
 Streuwert 19.94, horizontal: 21.98, vertikal: 17.67




Serie 1:
 8.4 ← 7.0 ↙ 7.2 ↘ 8.7 ↘ 4.8 ←
 7.6 ← 3.7 ↘ 10.0 ↗ 2.4 ↑ 10.0 ↑
 beste Teiler 777.7 (10.) 788.6 (8.) 1830.0 (4.)
 Trefferlage 16.72 mm links, 10.10 mm hoch
 Streuwert 23.67, horizontal: 23.84, vertikal: 23.50



Serie 2:
 8.5 ↑ 7.2 ← 8.9 ← 5.9 ← 7.6 ↖
 10.2 ↑ 8.6 ↘ 7.9 ← 6.1 ↑ 6.2 →
 beste Teiler 623.4 (16.) 1623.5 (13.) 1870.8 (17.)
 Trefferlage 8.03 mm links, 10.79 mm hoch
 Streuwert 18.30, horizontal: 22.23, vertikal: 13.23



Serie 3:
 8.2 ↘ 9.8 ↘ 9.3 ↑ 9.3 ↘ 5.7 ↑
 7.5 ← 8.4 ↑ 6.0 ↗ 9.2 ↓ 8.4 ↘
 beste Teiler 943.6 (22.) 1340.4 (24.) 1357.3 (23.)
 Trefferlage 5.23 mm links, 11.56 mm hoch
 Streuwert 15.63, horizontal: 16.14, vertikal: 15.11





Serie 4:
 9.9 ↗ 7.5 ↘ 8.9 ↓ 4.0 ↘ 5.5 ←
 8.9 ← 7.6 ↑ 5.2 ↗ 9.3 → 8.4 ↑
 beste Teiler 858.3 (31.) 1358.4 (39.) 1610.3 (33.)
 Trefferlage 4.07 mm links, 5.55 mm hoch
 Streuwert 22.75, horizontal: 25.73, vertikal: 19.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (360.3)
 Serien: 84 85 92 83
 Zähler: 8 17 8 6 0 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4610 (32), 2974 (36), 2858 (6)
 beste Teiler 177.9 (22.) 313.0 (27.) 513.7 (39.)
 Trefferlage 4.59 mm links, 2.91 mm hoch
 Streuwert 12.28, horizontal: 12.25, vertikal: 12.30




Serie 1:
 8.5 ↘ 9.2 ↘ 9.0 ↓ 7.5 ↙ 10.2 →
 7.4 ↙ 10.0 ↘ 7.8 ← 8.7 ↗ 9.6 ←
 beste Teiler 617.2 (5.) 760.5 (7.) 1083.0 (10.)
 Trefferlage 8.85 mm links, 1.63 mm tief
 Streuwert 12.47, horizontal: 12.74, vertikal: 12.21



Serie 2:
 9.9 ← 9.1 ↘ 9.1 ↗ 8.6 → 9.5 ←
 9.0 ↘ 7.5 ↘ 8.3 ← 9.7 ← 8.8 ↙
 beste Teiler 826.6 (11.) 1003.5 (19.) 1192.3 (15.)
 Trefferlage 8.27 mm links, 4.19 mm hoch
 Streuwert 10.61, horizontal: 12.12, vertikal: 8.84



Serie 3:
 9.3 ← 10.7 * 10.2 ↙ 7.5 → 9.9 ↑
 9.2 ↘ 10.6 * 9.8 ↘ 9.3 ↑ 10.2 ←
 beste Teiler 177.9 (22.) 313.0 (27.) 593.5 (30.)
 Trefferlage 0.76 mm links, 4.09 mm hoch
 Streuwert 8.74, horizontal: 10.02, vertikal: 7.23





Serie 4:
 8.9 → 5.2 ↑ 8.0 ↘ 9.2 → 10.3 ↓
 7.2 ↘ 9.2 ↙ 9.7 ↘ 10.3 ← 8.2 ↘
 beste Teiler 513.7 (39.) 550.8 (35.) 969.3 (38.)
 Trefferlage 0.50 mm links, 5.02 mm hoch
 Streuwert 16.06, horizontal: 13.08, vertikal: 18.56

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **152** (159.2)
 Serien: 76 76
 Zähler: 1 6 5 2 4 2 0 0 0 0
 Innenzehner: 1
 weiteste: 4715 (3), 4451 (15), 3981 (7)
 beste Teiler 274.6 (10.) 1251.9 (12.) 1339.9 (19.)
 Trefferlage 9.17 mm rechts, 3.50 mm tief
 Streuwert 18.10, horizontal: 19.23, vertikal: 16.89



Serie 1:

9.1 → 6.6 ↘ 5.1 → 9.3 ↖ 8.8 ↓
 8.6 ↗ 6.0 ↘ 8.2 ↖ 7.9 ↗ 10.6 *

beste Teiler 274.6 (10.) 1354.4 (4.) 1455.8 (1.)
 Trefferlage 14.21 mm rechts, 2.13 mm tief
 Streuwert 16.77, horizontal: 18.81, vertikal: 14.43





Serie 2:

9.0 ↙ 9.4 → 6.6 ↖ 8.5 ↗ 5.4 →
 8.8 ↗ 9.0 ↙ 7.0 ↓ 9.3 ← 6.0 ↘


beste Teiler 1251.9 (12.) 1339.9 (19.) 1533.4 (17.)
 Trefferlage 4.14 mm rechts, 4.88 mm tief
 Streuwert 19.50, horizontal: 19.25, vertikal: 19.74

Unterschrift des Schützen


Ergebnis: **330** (351.3)
 Serien: 78 86 84 82
 Zähler: 8 11 11 5 3 2 0 0 0 0
 Innenzehner: 3
 weiteste: 4060 (20), 4001 (4), 3714 (1)
 beste Teiler 237.3 (12.) 264.3 (19.) 385.1 (23.)
 Trefferlage 4.59 mm links, 0.67 mm tief
 Streuwert 14.09, horizontal: 15.05, vertikal: 13.07




Serie 1:
 6.3 ↘ 8.8 ← 9.0 ↓ 5.9 ↗ 9.9 ↘
 9.4 ↘ 7.4 ↓ 7.5 ↑ 9.6 ↘ 9.6 ↘
 beste Teiler 855.9 (5.) 1112.7 (10.) 1119.7 (9.)
 Trefferlage 1.98 mm links, 3.00 mm hoch
 Streuwert 17.38, horizontal: 15.57, vertikal: 19.01



Serie 2:
 9.0 ↘ 10.7 * 8.7 ↘ 9.7 ← 8.9 ↓
 8.8 ← 10.2 ← 9.0 ↑ 10.6 * 5.9 ←
 beste Teiler 237.3 (12.) 264.3 (19.) 594.5 (17.)
 Trefferlage 3.76 mm links, 2.12 mm tief
 Streuwert 12.92, horizontal: 16.28, vertikal: 8.30



Serie 3:
 7.3 ← 6.5 ← 10.5 * 7.4 ↓ 8.8 ↗
 9.8 ↗ 8.9 ↗ 10.2 ↗ 10.3 ← 9.4 ↘
 beste Teiler 385.1 (23.) 553.4 (29.) 613.1 (28.)
 Trefferlage 6.17 mm links, 2.93 mm tief
 Streuwert 13.64, horizontal: 15.13, vertikal: 11.96





Serie 4:
 8.9 ↗ 8.2 ↗ 10.3 ← 8.9 ↘ 9.2 ↑
 7.9 ← 10.3 ← 8.4 ↘ 8.3 ↘ 6.9 ←
 beste Teiler 506.9 (33.) 546.2 (37.) 1410.4 (35.)
 Trefferlage 6.46 mm links, 0.66 mm tief
 Streuwert 13.66, horizontal: 15.17, vertikal: 11.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 272 (289.8)
Serien: 57 73 74 68
Zähler: 3 5 7 9 5 6 3 2 0 0
Innenzehner: 1
weiteste: 5839 (32), 5829 (2), 5461 (17)
beste Teiler 399.2 (36.) 597.3 (34.) 710.8 (18.)
Trefferlage 13.74 mm links, 4.83 mm hoch
Streuwert 21.30, horizontal: 25.19, vertikal: 16.50




Serie 1:
 5.0 ↘ 3.7 ↗ 7.5 ↘ 8.6 ← 5.4 ←
 6.9 ↙ 6.9 ↖ 7.9 ↖ 4.7 ↖ 6.6 ↑
beste Teiler 1860.9 (4.) 2442.9 (8.) 2724.2 (3.)
Trefferlage 18.95 mm links, 9.95 mm hoch
Streuwert 24.22, horizontal: 26.76, vertikal: 21.38



Serie 2:
 9.1 ↘ 7.8 ↖ 7.2 ↘ 9.5 → 8.2 ↗
 7.0 ← 4.1 ← 10.1 → 5.2 ← 7.4 ↖
beste Teiler 710.8 (18.) 1145.0 (14.) 1457.4 (11.)
Trefferlage 18.07 mm links, 0.64 mm hoch
Streuwert 18.25, horizontal: 23.14, vertikal: 11.42





Serie 3:
 5.6 ↗ 7.6 ↖ 9.6 ↖ 8.3 ↖ 9.7 ↗
 8.0 ↓ 6.3 → 6.2 ← 7.9 ↖ 9.7 ↖
beste Teiler 988.9 (30.) 1014.4 (25.) 1082.8 (23.)
Trefferlage 3.35 mm links, 4.62 mm hoch
Streuwert 19.70, horizontal: 23.68, vertikal: 14.67




Serie 4:
 7.8 ↖ 3.7 ← 8.4 ↖ 10.2 ← 5.1 ↖
 10.5 * 8.1 ↓ 8.1 ↖ 4.7 ↗ 5.5 ↖
beste Teiler 399.2 (36.) 597.3 (34.) 2046.7 (33.)
Trefferlage 14.57 mm links, 4.13 mm hoch
Streuwert 23.39, horizontal: 27.67, vertikal: 18.12

Unterschrift des Schützen


Ergebnis: **262** (281.8)
 Serien: 77 61 54 70
 Zähler: 2 5 8 11 1 4 6 2 0 0
 Innenzehner: 2
 weiteste: 2776 (16), 1886 (14), 1850 (24)
 beste Teiler 185.1 (33.) 185.8 (22.) 284.0 (12.)
 Trefferlage 4.60 mm rechts, 3.67 mm tief
 Streuwert 6.82, horizontal: 8.21, vertikal: 5.07




Serie 1:
 8.6 ↘ 7.2 ↘ 9.2 ↘ 5.7 ↘ 8.0 →
 8.6 ↘ 7.8 ↑ 7.1 ← 9.5 → 9.7 →
 beste Teiler 311.6 (10.) 373.1 (9.) 448.6 (3.)
 Trefferlage 3.16 mm rechts, 2.01 mm tief
 Streuwert 4.95, horizontal: 5.48, vertikal: 4.37



Serie 2:
 7.5 ↓ 9.8 ↗ 7.6 ↓ 3.4 ↘ 7.7 ↓
 0.0 → 8.3 ↘ 8.4 ↓ 8.3 ↓ 4.5 ↘
 beste Teiler 284.0 (12.) 632.3 (18.) 653.3 (19.)
 Trefferlage 6.66 mm rechts, 6.37 mm tief
 Streuwert 6.98, horizontal: 9.32, vertikal: 3.27





Serie 3:
 4.3 → 10.2 * 6.3 ↘ 3.6 → 7.3 ↘
 5.9 ↓ 4.7 → 4.9 → 7.9 ↓ 4.8 →
 beste Teiler 185.8 (22.) 752.1 (29.) 917.0 (25.)
 Trefferlage 9.10 mm rechts, 2.25 mm tief
 Streuwert 7.03, horizontal: 8.08, vertikal: 5.80



Serie 4:
 5.4 ↓ 7.9 ↑ 10.2 * 7.0 ↓ 5.6 →
 9.5 ↓ 4.6 ← 8.7 ↗ 7.2 ↓ 8.9 ↓
 beste Teiler 185.1 (33.) 360.1 (36.) 513.9 (40.)
 Trefferlage 0.50 mm links, 4.06 mm tief
 Streuwert 6.55, horizontal: 7.16, vertikal: 5.87

Unterschrift des Schützen


Ergebnis: **378** (396.5)_{QF}
 Serien: 94 97 95 92
 Zähler: 19 20 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 555 (38), 464 (21), 423 (2)
 beste Teiler 55.3 (3.) 119.8 (25.) 136.8 (29.)
 Trefferlage 0.21 mm links, 0.47 mm hoch
 Streuwert 1.95, horizontal: 2.26, vertikal: 1.58



Serie 1:

9.6 ↘	9.3 ↘	10.7 *	9.6 ↗	10.1 ↓
10.4 *	9.9 ↘	9.7 ↙	9.8 ↑	10.1 ←


beste Teiler 55.3 (3.) 139.4 (6.) 205.2 (10.)
 Trefferlage 0.34 mm links, 0.21 mm hoch
 Streuwert 2.02, horizontal: 2.24, vertikal: 1.77



Serie 2:

10.2 *	9.5 ←	10.0 ↘	10.2 *	10.0 ↙
10.2 *	9.8 →	9.9 ↑	10.3 *	10.2 *


beste Teiler 167.0 (19.) 176.2 (16.) 178.8 (11.)
 Trefferlage 0.13 mm links, 0.12 mm hoch
 Streuwert 1.77, horizontal: 2.04, vertikal: 1.45



Serie 3:

9.1 ↘	9.8 ↘	9.5 →	10.2 *	10.5 *
10.2 *	9.7 ↘	10.2 *	10.4 *	9.9 ↗

beste Teiler 119.8 (25.) 136.8 (29.) 180.9 (26.)
 Trefferlage 0.73 mm links, 0.87 mm hoch
 Streuwert 1.82, horizontal: 2.33, vertikal: 1.09



Serie 4:

9.8 ↗	9.9 ↘	9.3 ↗	10.1 ↙	10.3 *
9.7 ↙	10.4 *	8.7 →	9.5 ↘	9.8 ↗

beste Teiler 138.6 (37.) 164.1 (35.) 224.0 (34.)
 Trefferlage 0.34 mm rechts, 0.69 mm hoch
 Streuwert 2.32, horizontal: 2.61, vertikal: 2.00



QF

– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 372 (389.5)_{QF}
Serien: 92 91 96 93
Zähler: 18 16 6 0 0 0 0 0 0 0
Innenzehner: 12
weiteste: 688 (7), 657 (17), 619 (6)
beste Teiler 78.4 (30.) 102.9 (32.) 106.2 (21.)
Trefferlage 0.06 mm rechts, 0.12 mm tief
Streuwert 2.46, horizontal: 3.04, vertikal: 1.67


Serie 1:


9.9 ↙ 10.0 → 10.3 * 9.7 ↘ 10.0 ↘
 8.5 ← 8.2 ← 10.5 * 10.2 * 8.9 ↘

beste Teiler 114.2 (8.) 169.9 (3.) 184.0 (9.)
Trefferlage 0.44 mm links, 0.58 mm tief
Streuwert 2.82, horizontal: 3.65, vertikal: 1.61


Serie 2:


10.3 * 9.7 ↗ 10.3 * 9.6 ↘ 9.5 →
 9.3 ↘ 8.3 → 9.6 ↓ 9.2 ↗ 9.9 ←

beste Teiler 157.8 (13.) 158.6 (11.) 271.0 (20.)
Trefferlage 1.14 mm rechts, 0.04 mm tief
Streuwert 2.65, horizontal: 3.21, vertikal: 1.93


Serie 3:

10.5 * 10.1 → 9.6 ← 10.5 * 10.5 *
 9.2 ↘ 9.7 ← 9.8 ↓ 10.4 * 10.6 *

beste Teiler 78.4 (30.) 106.2 (21.) 109.2 (25.)
Trefferlage 0.29 mm links, 0.29 mm tief
Streuwert 1.76, horizontal: 1.90, vertikal: 1.60


Serie 4:

9.5 ↗ 10.5 * 10.0 ↘ 9.6 ↗ 8.5 ←
 10.0 ← 10.1 ← 9.6 → 8.7 → 10.2 *

beste Teiler 102.9 (32.) 178.8 (40.) 213.4 (37.)
Trefferlage 0.16 mm links, 0.43 mm hoch
Streuwert 2.63, horizontal: 3.34, vertikal: 1.63



QF

– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (380.6)
 Serien: 84 92 92 94
 Zähler: 12 20 6 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 909 (5), 769 (1), 744 (18)
 beste Teiler 22.0 (22.) 30.8 (8.) 80.3 (13.)
 Trefferlage 1.38 mm links, 0.04 mm tief
 Streuwert 2.77, horizontal: 3.06, vertikal: 2.44



Serie 1:

7.9 ↖ 8.9 ↓ 9.1 ↖ 8.3 ↖ 7.3 ↖
 9.3 ↖ 8.8 ↓ 10.8 * 9.7 ↖ 9.0 ↖


beste Teiler 30.8 (8.) 305.0 (9.) 421.0 (6.)
 Trefferlage 4.13 mm links, 0.35 mm tief
 Streuwert 2.78, horizontal: 2.70, vertikal: 2.86



Serie 2:

10.2 * 10.5 * 10.6 * 9.5 ↓ 9.6 ↖
 9.6 ↖ 9.9 ↖ 8.0 ↖ 9.3 ↖ 9.1 ↖


beste Teiler 80.3 (13.) 104.6 (12.) 193.7 (11.)
 Trefferlage 2.34 mm links, 0.70 mm hoch
 Streuwert 2.13, horizontal: 2.49, vertikal: 1.69



Serie 3:

9.0 ↗ 10.9 * 9.2 ↑ 10.0 → 9.8 ↗
 10.5 * 9.7 ↓ 9.4 ↖ 8.9 ↓ 9.3 ↓

beste Teiler 22.0 (22.) 110.9 (26.) 249.7 (24.)
 Trefferlage 0.58 mm rechts, 0.00 mm
 Streuwert 2.61, horizontal: 1.88, vertikal: 3.18



Serie 4:



10.4 * 10.5 * 10.4 * 9.2 ↘ 8.7 ↖
 9.9 ↘ 9.6 ↘ 9.4 ↑ 10.1 ↓ 10.3 *

beste Teiler 106.9 (32.) 131.5 (31.) 137.6 (33.)
 Trefferlage 0.36 mm rechts, 0.54 mm tief
 Streuwert 2.25, horizontal: 2.55, vertikal: 1.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 369 (384.3)_{QF}
Serien: 92 93 92 92
Zähler: 17 15 8 0 0 0 0 0 0 0
Innenzehner: 8
weiteste: 748 (33), 641 (20), 615 (21)
beste Teiler 45.2 (38.) 66.0 (15.) 172.2 (22.)
Trefferlage 0.76 mm links, 0.42 mm tief
Streuwert 2.62, horizontal: 2.80, vertikal: 2.42




Serie 1:
 9.6 ↘ 10.0 ↘ 10.1 ↘ 10.0 ← 8.6 ↘
 8.7 → 10.3 * 10.3 * 8.9 ← 9.1 ↘
beste Teiler 172.8 (8.) 174.6 (7.) 219.9 (3.)
Trefferlage 0.25 mm links, 0.01 mm tief
Streuwert 2.85, horizontal: 3.61, vertikal: 1.80



Serie 2:
 10.2 * 10.2 * 10.0 ↘ 9.2 ↘ 10.7 *
 9.6 ↘ 9.2 ↘ 9.4 ↘ 9.7 ↘ 8.4 ↘
beste Teiler 66.0 (15.) 176.4 (11.) 195.1 (12.)
Trefferlage 0.24 mm links, 0.01 mm tief
Streuwert 2.68, horizontal: 2.77, vertikal: 2.58



Serie 3:
 8.5 ↘ 10.3 * 10.0 ↓ 8.6 ← 9.2 ↘
 10.0 ↘ 10.1 ↘ 9.6 ↘ 9.9 ↘ 9.4 ↘
beste Teiler 172.2 (22.) 216.6 (27.) 238.4 (23.)
Trefferlage 1.05 mm links, 0.79 mm tief
Streuwert 2.66, horizontal: 2.94, vertikal: 2.35



Serie 4:
 10.1 ↘ 10.2 * 8.0 ↓ 8.9 ← 9.4 ↘
 9.5 ↓ 9.9 ← 10.8 * 9.6 ↘ 10.1 ↗
beste Teiler 45.2 (38.) 184.2 (32.) 210.7 (31.)
Trefferlage 1.50 mm links, 0.86 mm tief
Streuwert 2.50, horizontal: 1.82, vertikal: 3.04



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.5)^{QF}
 Serien: 95 95 93 94
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 692 (21), 542 (24), 495 (3)
 beste Teiler 24.0 (6.) 28.6 (34.) 69.3 (16.)
 Trefferlage 0.38 mm links, 0.57 mm hoch
 Streuwert 2.07, horizontal: 2.26, vertikal: 1.86




Serie 1:
 9.6 ↓ 9.0 ↙ 9.0 → 10.6 * 9.6 ↑
 10.9 * 10.4 * 9.3 ← 10.4 * 10.1 ↘
 beste Teiler 24.0 (6.) 88.9 (4.) 140.6 (9.)
 Trefferlage 0.36 mm links, 0.03 mm hoch
 Streuwert 2.32, horizontal: 2.49, vertikal: 2.12



Serie 2:
 10.0 → 10.4 * 10.1 ↙ 9.9 ↘ 9.6 ↘
 10.7 * 9.6 ↗ 10.3 * 9.9 ↗ 9.7 ↗
 beste Teiler 69.3 (16.) 126.8 (12.) 157.4 (18.)
 Trefferlage 0.57 mm rechts, 0.97 mm hoch
 Streuwert 1.64, horizontal: 2.07, vertikal: 1.06



Serie 3:
 8.2 ↖ 10.6 * 10.1 → 8.8 ↗ 10.5 *
 9.9 ↑ 10.1 ↗ 10.1 ↓ 9.8 ↙ 9.9 ↙
 beste Teiler 95.1 (22.) 123.3 (25.) 204.1 (28.)
 Trefferlage 0.75 mm links, 0.62 mm hoch
 Streuwert 2.45, horizontal: 2.61, vertikal: 2.27



Serie 4:
 10.1 ↘ 9.4 ← 9.6 ↘ 10.8 * 10.5 *
 9.8 ↓ 9.6 ↘ 10.1 ↑ 9.9 ↖ 9.6 ↑
 beste Teiler 28.6 (34.) 115.1 (35.) 215.6 (38.)
 Trefferlage 1.00 mm links, 0.65 mm hoch
 Streuwert 1.87, horizontal: 1.79, vertikal: 1.94



QF

– Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.6)
 Serien: 87 90 90 95
 Zähler: 13 17 9 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 988 (1), 697 (3), 674 (29)
 beste Teiler 76.1 (38.) 89.4 (37.) 90.7 (18.)
 Trefferlage 0.05 mm rechts, 1.26 mm hoch
 Streuwert 2.86, horizontal: 3.62, vertikal: 1.80



Serie 1:

7.0 ← 9.6 ↗ 8.2 ↘ 9.6 ↘ 8.6 ↘
 9.9 ↘ 9.3 ↖ 10.2 * 9.0 ↘ 9.5 ↘


beste Teiler 186.7 (8.) 262.2 (6.) 333.3 (2.)
 Trefferlage 3.46 mm links, 1.87 mm hoch
 Streuwert 2.51, horizontal: 3.04, vertikal: 1.83



Serie 2:

9.1 ↗ 10.3 * 10.2 * 8.4 ↗ 8.7 ↗
 9.1 ↗ 8.8 → 10.6 * 10.1 ↘ 8.9 ↗


beste Teiler 90.7 (18.) 172.7 (12.) 191.9 (13.)
 Trefferlage 2.73 mm rechts, 2.11 mm hoch
 Streuwert 1.90, horizontal: 2.25, vertikal: 1.47



Serie 3:

10.4 * 9.4 ← 8.6 → 10.2 * 8.8 →
 9.2 ↗ 10.4 * 9.4 ↗ 8.3 → 9.4 ↘

beste Teiler 130.1 (21.) 147.5 (27.) 193.0 (24.)
 Trefferlage 1.68 mm rechts, 0.83 mm hoch
 Streuwert 2.84, horizontal: 3.64, vertikal: 1.70



Serie 4:



9.1 ← 10.5 * 10.6 * 9.8 ↘ 10.3 *
 9.9 ↓ 10.6 * 10.6 * 9.5 ↘ 9.5 ↘

beste Teiler 76.1 (38.) 89.4 (37.) 93.6 (33.)
 Trefferlage 0.73 mm links, 0.25 mm hoch
 Streuwert 1.86, horizontal: 1.95, vertikal: 1.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394** (411.4)_{QF}
 Serien: 98 100 98 98
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 389 (22), 321 (21), 316 (34)
 beste Teiler 31.2 (10.) 46.8 (2.) 49.6 (9.)
 Trefferlage 0.05 mm links, 0.18 mm hoch
 Streuwert 1.34, horizontal: 1.32, vertikal: 1.37




Serie 1:
 9.8 ↘ 10.8 * 10.6 * 10.5 * 10.1 ↗
 10.4 * 10.6 * 9.8 ← 10.8 * 10.8 *
 beste Teiler 31.2 (10.) 46.8 (2.) 49.6 (9.)
 Trefferlage 0.15 mm links, 0.48 mm tief
 Streuwert 1.14, horizontal: 1.37, vertikal: 0.84



Serie 2:
 10.0 ↘ 10.5 * 10.4 * 10.1 ↘ 10.1 ↗
 10.7 * 10.2 * 10.3 * 10.0 ↗ 10.6 *
 beste Teiler 66.7 (16.) 78.2 (20.) 114.6 (12.)
 Trefferlage 0.26 mm rechts, 0.32 mm hoch
 Streuwert 1.28, horizontal: 1.20, vertikal: 1.35



Serie 3:
 9.7 ↗ 9.4 ↗ 10.2 * 10.3 * 10.7 *
 10.7 * 10.7 * 10.4 * 10.0 ↘ 10.6 *
 beste Teiler 54.9 (25.) 59.4 (27.) 73.6 (26.)
 Trefferlage 0.40 mm rechts, 0.55 mm hoch
 Streuwert 1.44, horizontal: 1.23, vertikal: 1.62



Serie 4:
 10.1 ↘ 10.1 ↘ 10.5 * 9.7 ↑ 9.7 ↘
 10.3 * 10.3 * 10.4 * 10.3 * 10.2 *
 beste Teiler 119.5 (33.) 131.2 (38.) 153.7 (36.)
 Trefferlage 0.72 mm links, 0.33 mm hoch
 Streuwert 1.42, horizontal: 1.34, vertikal: 1.50



QF

– Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (356.8)
 Serien: 89 88 82 78
 Zähler: 2 26 8 1 0 2 0 0 1 0
 Innenzehner: 2
 weiteste: 2107 (34), 1388 (31), 1253 (23)
 beste Teiler 13.1 (11.) 171.0 (5.) 253.4 (40.)
 Trefferlage 1.07 mm links, 1.75 mm hoch
 Streuwert 4.21, horizontal: 4.93, vertikal: 3.35




Serie 1:
 9.8 ↑ 9.9 ↙ 9.6 ↘ 8.8 ↙ 10.3 *
 9.6 ↘ 9.7 ↘ 9.6 ↘ 8.3 ↘ 9.1 ↙
 beste Teiler 171.0 (5.) 255.2 (2.) 289.3 (1.)
 Trefferlage 2.02 mm links, 0.61 mm hoch
 Streuwert 2.48, horizontal: 1.64, vertikal: 3.10



Serie 2:
 10.9 * 8.8 ↑ 8.4 ↗ 9.4 ↘ 9.2 ↘
 9.4 ↘ 9.0 ↗ 9.7 ← 9.7 ← 8.7 ↘
 beste Teiler 13.1 (11.) 307.2 (18.) 314.0 (19.)
 Trefferlage 0.57 mm links, 1.80 mm hoch
 Streuwert 2.97, horizontal: 3.42, vertikal: 2.44



Serie 3:
 7.1 ↘ 8.3 ↘ 5.9 ← 9.2 ↑ 9.8 ↘
 8.8 ↘ 9.2 ← 9.2 ← 9.3 ↘ 9.2 →
 beste Teiler 285.7 (25.) 424.1 (29.) 439.6 (30.)
 Trefferlage 3.45 mm links, 1.37 mm hoch
 Streuwert 4.01, horizontal: 4.94, vertikal: 2.78





Serie 4:
 5.4 ↘ 9.1 ↘ 9.6 → 2.5 ↗ 9.2 ↘
 9.8 ↘ 9.3 → 9.8 ↘ 8.3 ↗ 9.9 ↑
 beste Teiler 253.4 (40.) 283.6 (38.) 291.2 (36.)
 Trefferlage 1.77 mm rechts, 3.22 mm hoch
 Streuwert 5.97, horizontal: 7.05, vertikal: 4.63

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **322** (338.8)
 Serien: 80 82 79 81
 Zähler: 5 12 10 8 3 2 0 0 0 0
 Innenzehner: 4
 weiteste: 1498 (32), 1375 (1), 1124 (10)
 beste Teiler 16.5 (35.) 144.2 (27.) 186.6 (3.)
 Trefferlage 1.30 mm links, 0.60 mm tief
 Streuwert 4.94, horizontal: 6.12, vertikal: 3.36



Serie 1:

5.5 → 9.2 ↑ 10.2 * 9.6 ↖ 8.3 ↗
 9.8 ↓ 8.3 ↘ 8.5 ↙ 8.5 ↘ 6.5 ←


beste Teiler 186.6 (3.) 278.8 (6.) 346.9 (4.)
 Trefferlage 0.04 mm links, 0.36 mm tief
 Streuwert 5.38, horizontal: 6.94, vertikal: 3.12



Serie 2:

9.4 ↘ 7.1 ← 9.4 ↖ 7.7 ↗ 6.7 ←
 10.2 * 8.8 ↙ 9.2 ↓ 8.9 ← 9.1 ↓


beste Teiler 191.3 (16.) 379.5 (13.) 387.2 (11.)
 Trefferlage 4.08 mm links, 1.48 mm tief
 Streuwert 3.43, horizontal: 3.80, vertikal: 3.01



Serie 3:

8.2 ↘ 7.1 ↖ 6.7 ↖ 8.6 ↘ 7.9 ←
 9.4 ↓ 10.4 * 7.8 ↘ 9.5 ↖ 8.9 ↘

beste Teiler 144.2 (27.) 366.4 (29.) 399.6 (26.)
 Trefferlage 0.45 mm links, 0.62 mm tief
 Streuwert 5.07, horizontal: 6.17, vertikal: 3.66





Serie 4:

7.0 ↗ 5.0 ← 9.0 ↗ 10.0 ↓ 10.9 *
 7.4 ↗ 8.7 ↘ 9.0 → 7.0 ↖ 9.4 ↗


beste Teiler 16.5 (35.) 231.6 (34.) 383.5 (40.)
 Trefferlage 0.66 mm links, 0.06 mm hoch
 Streuwert 5.73, horizontal: 7.09, vertikal: 3.92

Unterschrift des Schützen


Ergebnis: **381** (400.7)_{QF}
 Serien: 94 96 98 93
 Zähler: 24 13 3 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 590 (40), 584 (34), 548 (10)
 beste Teiler 36.7 (17.) 45.1 (5.) 50.4 (28.)
 Trefferlage 0.28 mm links, 0.27 mm hoch
 Streuwert 1.98, horizontal: 2.48, vertikal: 1.29




Serie 1:
 9.2 ↙ 10.4 * 9.0 ↖ 10.3 * 10.8 *
 9.9 ↘ 10.6 * 10.5 * 9.8 ↗ 8.8 →
 beste Teiler 45.1 (5.) 95.1 (7.) 121.5 (8.)
 Trefferlage 0.19 mm rechts, 0.42 mm hoch
 Streuwert 2.27, horizontal: 3.01, vertikal: 1.13



Serie 2:
 9.7 ↗ 10.7 * 10.1 → 9.5 ↖ 10.5 *
 10.6 * 10.8 * 9.4 ↙ 10.1 → 9.3 ←
 beste Teiler 36.7 (17.) 62.3 (12.) 99.6 (16.)
 Trefferlage 0.15 mm links, 0.30 mm hoch
 Streuwert 1.94, horizontal: 2.12, vertikal: 1.74



Serie 3:
 10.5 * 10.0 ↗ 9.8 ↙ 10.5 * 10.0 ↗
 9.9 ↗ 10.3 * 10.8 * 10.4 * 10.4 *
 beste Teiler 50.4 (28.) 117.7 (21.) 121.6 (24.)
 Trefferlage 0.41 mm rechts, 0.65 mm hoch
 Streuwert 1.29, horizontal: 1.32, vertikal: 1.26





Serie 4:
 9.9 ↙ 10.2 * 9.6 ← 8.6 ← 9.5 →
 10.3 * 10.5 * 10.7 * 10.2 * 8.6 ←
 beste Teiler 62.3 (38.) 114.1 (37.) 174.0 (36.)
 Trefferlage 1.58 mm links, 0.28 mm tief
 Streuwert 2.18, horizontal: 2.95, vertikal: 0.91

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 131 (136.9)
Serien: 69 62
Zähler: 2 4 1 5 1 3 1 2 0 1
Innenzehner: 1
weiteste: 2483 (20), 1871 (5), 1821 (15)
beste Teiler 187.9 (10.) 208.0 (17.) 348.0 (8.)
Trefferlage 3.06 mm links, 2.43 mm tief
Streuwert 8.19, horizontal: 10.01, vertikal: 5.82


Serie 1:

7.0 ↙ 7.0 ↓ 9.0 → 7.1 ↓ 3.5 ←
 4.1 ↓ 7.1 ↙ 9.6 ↑ 6.6 ↙ 10.2 *

beste Teiler 187.9 (10.) 348.0 (8.) 492.0 (3.)
Trefferlage 4.26 mm links, 5.50 mm tief
Streuwert 6.22, horizontal: 6.69, vertikal: 5.71




Serie 2:

9.2 ↘ 9.4 ↑ 8.3 ↙ 5.0 → 3.7 ↙
 5.7 ↙ 10.1 ↗ 5.8 ↙ 7.5 ↙ 1.0 →


beste Teiler 208.0 (17.) 397.6 (12.) 434.9 (11.)
Trefferlage 1.85 mm links, 0.63 mm hoch
Streuwert 9.53, horizontal: 12.79, vertikal: 4.24

Unterschrift des Schützen


Ergebnis: 330 (349.3)
Serien: 85 82 78 85
Zähler: 6 13 9 10 1 1 0 0 0 0
Innenzehner: 2
weiteste: 1277 (12), 1025 (11), 985 (36)
beste Teiler 107.2 (19.) 169.8 (15.) 202.4 (9.)
Trefferlage 0.14 mm rechts, 0.31 mm tief
Streuwert 4.43, horizontal: 5.19, vertikal: 3.49




Serie 1:
 8.1 ↖ 7.7 ↖ 7.4 ↖ 8.7 ↓ 8.3 ↘
 10.0 ↙ 9.3 → 9.4 ↘ 10.1 ↗ 9.3 ↖
beste Teiler 202.4 (9.) 241.9 (6.) 385.5 (8.)
Trefferlage 1.51 mm links, 0.86 mm tief
Streuwert 4.08, horizontal: 4.90, vertikal: 3.04



Serie 2:
 6.9 ↖ 5.8 ↘ 9.8 ↖ 9.7 ↘ 10.3 *
 8.8 → 8.5 ↘ 9.4 ↗ 10.5 * 8.4 ↖
beste Teiler 107.2 (19.) 169.8 (15.) 292.4 (13.)
Trefferlage 0.50 mm rechts, 0.90 mm tief
Streuwert 4.72, horizontal: 5.80, vertikal: 3.31





Serie 3:
 7.9 ↖ 7.8 → 9.2 ↙ 8.9 → 7.4 ↗
 8.1 ↘ 9.2 ↘ 7.7 → 9.9 ↙ 7.5 ↖
beste Teiler 255.4 (29.) 436.7 (27.) 439.6 (23.)
Trefferlage 1.60 mm rechts, 1.07 mm hoch
Streuwert 4.87, horizontal: 5.46, vertikal: 4.20




Serie 4:
 7.9 ↙ 9.6 ↖ 7.6 → 9.6 ↑ 9.9 →
 7.0 ← 8.4 ↓ 10.1 ↘ 10.1 ↑ 9.1 ↗
beste Teiler 204.0 (39.) 218.1 (38.) 253.8 (35.)
Trefferlage 0.01 mm links, 0.56 mm tief
Streuwert 4.23, horizontal: 4.87, vertikal: 3.48

Unterschrift des Schützen


Ergebnis: **359** (377.2)
 Serien: 91 89 86 93
 Zähler: 13 16 8 3 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2829 (6), 2603 (11), 2512 (25)
 beste Teiler 121.4 (13.) 190.1 (4.) 193.0 (33.)
 Trefferlage 1.18 mm rechts, 0.14 mm tief
 Streuwert 10.09, horizontal: 11.27, vertikal: 8.74




Serie 1:
 10.2 ↘ 9.9 ↘ 9.3 ↑ 10.7 * 10.6 *
 7.4 → 8.4 → 10.4 * 8.7 ↘ 10.4 *
 beste Teiler 190.1 (4.) 288.6 (5.) 407.0 (10.)
 Trefferlage 7.64 mm rechts, 0.31 mm tief
 Streuwert 8.43, horizontal: 10.09, vertikal: 6.36



Serie 2:
 7.7 ↗ 9.2 ← 10.8 * 9.5 ↓ 10.1 ←
 8.2 ↓ 9.6 ↗ 10.1 ← 8.0 → 9.1 ↘
 beste Teiler 121.4 (13.) 706.0 (18.) 713.3 (15.)
 Trefferlage 2.03 mm rechts, 0.88 mm hoch
 Streuwert 11.67, horizontal: 12.17, vertikal: 11.15



Serie 3:
 9.2 ↘ 8.9 ← 9.5 ↓ 8.5 ↗ 7.8 ↗
 10.0 ↓ 9.5 ↑ 9.6 ↘ 8.0 → 9.6 ↘
 beste Teiler 754.6 (26.) 1050.1 (28.) 1102.2 (30.)
 Trefferlage 4.54 mm links, 0.93 mm tief
 Streuwert 11.47, horizontal: 11.90, vertikal: 11.02





Serie 4:
 10.5 * 10.3 ↗ 10.7 * 9.1 → 9.6 ↘
 9.6 → 10.4 * 9.9 ← 8.9 ↓ 9.3 ↗
 beste Teiler 193.0 (33.) 399.9 (31.) 468.3 (37.)
 Trefferlage 0.39 mm links, 0.22 mm tief
 Streuwert 7.60, horizontal: 8.54, vertikal: 6.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (354.3)
 Serien: 90 84 85 80
 Zähler: 7 16 10 4 2 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4196 (39), 3951 (19), 3471 (33)
 beste Teiler 511.2 (6.) 555.5 (1.) 647.2 (4.)
 Trefferlage 0.77 mm links, 2.76 mm hoch
 Streuwert 13.41, horizontal: 12.59, vertikal: 14.18




Serie 1:
 10.3 ↘ 9.0 ↙ 8.6 → 10.1 ↓ 9.8 ↗
 10.3 → 9.1 ↑ 8.4 ↖ 9.3 → 8.1 ↑
 beste Teiler 511.2 (6.) 555.5 (1.) 647.2 (4.)
 Trefferlage 3.31 mm rechts, 3.06 mm hoch
 Streuwert 10.29, horizontal: 9.90, vertikal: 10.66



Serie 2:
 9.8 ↑ 9.8 ↘ 8.9 ↑ 9.8 ↗ 7.7 ↖
 9.5 ↙ 10.1 ↗ 8.7 → 6.0 ↑ 9.3 ↗
 beste Teiler 690.1 (17.) 895.3 (14.) 947.5 (11.)
 Trefferlage 2.45 mm rechts, 4.98 mm hoch
 Streuwert 13.17, horizontal: 10.09, vertikal: 15.66



Serie 3:
 9.3 ↖ 8.3 ↘ 8.7 ↗ 8.5 ↖ 9.0 ↗
 9.1 ↑ 9.2 ↙ 9.1 ↘ 7.5 ↑ 9.3 ↙
 beste Teiler 1322.3 (30.) 1339.0 (21.) 1417.9 (27.)
 Trefferlage 0.76 mm rechts, 2.30 mm hoch
 Streuwert 13.10, horizontal: 9.68, vertikal: 15.80





Serie 4:
 10.0 ↗ 8.2 ↑ 6.6 ↙ 10.1 ↗ 7.9 ↖
 8.0 ↘ 9.6 ↑ 10.1 ↖ 5.7 ← 7.5 ↖
 beste Teiler 694.1 (34.) 701.8 (38.) 744.0 (31.)
 Trefferlage 9.63 mm links, 0.68 mm hoch
 Streuwert 16.22, horizontal: 16.52, vertikal: 15.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (336.0)
 Serien: 87 73 81 79
 Zähler: 3 13 12 6 5 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4795 (12), 3748 (39), 3703 (16)
 beste Teiler 340.9 (1.) 523.4 (2.) 715.2 (3.)
 Trefferlage 0.66 mm links, 5.15 mm hoch
 Streuwert 15.77, horizontal: 16.20, vertikal: 15.33




Serie 1:
 10.5 * 10.3 ↘ 10.1 ← 7.6 ✓ 9.7 ↘
 9.3 ← 7.5 ↑ 8.9 ↘ 9.4 ✓ 8.2 ↑
 beste Teiler 340.9 (1.) 523.4 (2.) 715.2 (3.)
 Trefferlage 2.80 mm links, 0.84 mm hoch
 Streuwert 12.24, horizontal: 10.96, vertikal: 13.41



Serie 2:
 8.7 ✓ 5.0 ↗ 6.5 ← 9.6 ↘ 6.7 ↘
 6.3 ↘ 9.8 ↗ 9.1 ↘ 9.4 ↗ 6.6 ↑
 beste Teiler 925.7 (17.) 1057.9 (14.) 1211.1 (19.)
 Trefferlage 4.36 mm links, 7.40 mm hoch
 Streuwert 20.33, horizontal: 22.06, vertikal: 18.45



Serie 3:
 9.4 ↑ 7.9 ✓ 9.0 ✓ 8.2 ↑ 9.0 ↘
 8.1 → 8.9 ↑ 8.3 ↗ 7.9 ← 8.2 ✓
 beste Teiler 1223.2 (21.) 1565.5 (23.) 1585.8 (25.)
 Trefferlage 0.07 mm rechts, 0.02 mm hoch
 Streuwert 15.03, horizontal: 15.27, vertikal: 14.78





Serie 4:
 8.1 ↑ 9.3 → 7.5 ↗ 8.3 ↑ 8.5 →
 8.6 ↑ 9.3 ↑ 7.0 ↑ 6.3 ← 9.0 ↑
 beste Teiler 1315.5 (32.) 1340.4 (37.) 1525.1 (40.)
 Trefferlage 4.44 mm rechts, 12.34 mm hoch
 Streuwert 14.40, horizontal: 15.74, vertikal: 12.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (351.2)
 Serien: 80 80 91 84
 Zähler: 8 13 8 8 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3990 (4), 3566 (34), 3410 (12)
 beste Teiler 198.2 (37.) 393.6 (28.) 454.9 (21.)
 Trefferlage 3.79 mm rechts, 3.89 mm hoch
 Streuwert 13.67, horizontal: 12.88, vertikal: 14.43




Serie 1:
 7.5 ↘ 7.1 ↘ 9.6 ↑ 6.0 ↗ 9.3 ↓
 8.9 → 9.1 ↑ 7.0 → 9.9 ↓ 9.7 →
 beste Teiler 832.5 (9.) 1034.1 (10.) 1050.0 (3.)
 Trefferlage 11.26 mm rechts, 0.70 mm hoch
 Streuwert 14.85, horizontal: 11.33, vertikal: 17.68



Serie 2:
 7.6 ↗ 6.7 ↖ 9.2 ↓ 10.1 → 8.9 →
 9.0 → 7.7 ↖ 8.9 ↗ 8.7 ↑ 8.6 ↘
 beste Teiler 679.2 (14.) 1408.4 (13.) 1540.2 (16.)
 Trefferlage 4.73 mm rechts, 7.79 mm hoch
 Streuwert 13.86, horizontal: 12.10, vertikal: 15.43



Serie 3:
 10.4 * 7.1 ↘ 9.1 ↑ 10.0 ↑ 8.9 ↖
 10.0 ↗ 9.6 ↓ 10.5 * 9.0 ↘ 9.5 →
 beste Teiler 393.6 (28.) 454.9 (21.) 757.4 (24.)
 Trefferlage 1.85 mm rechts, 0.59 mm hoch
 Streuwert 10.68, horizontal: 11.06, vertikal: 10.29





Serie 4:
 8.9 ↘ 10.0 ↗ 7.4 ↑ 6.5 ↘ 7.7 ↖
 10.0 ← 10.7 * 8.0 ← 9.0 ↑ 9.4 ↖
 beste Teiler 198.2 (37.) 757.4 (32.) 758.3 (36.)
 Trefferlage 2.67 mm links, 6.46 mm hoch
 Streuwert 14.25, horizontal: 14.43, vertikal: 14.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (370.8)
 Serien: 90 89 89 86
 Zähler: 8 21 8 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3145 (30), 3068 (38), 2953 (33)
 beste Teiler 409.5 (4.) 496.4 (40.) 504.9 (20.)
 Trefferlage 4.72 mm links, 2.76 mm tief
 Streuwert 9.99, horizontal: 9.65, vertikal: 10.32




Serie 1:
 9.6 ↗ 9.2 ↓ 10.2 ↘ 10.4 * 8.0 ↘
 10.1 ↑ 8.9 ↙ 9.3 ↙ 9.8 ↙ 8.8 ↙
 beste Teiler 409.5 (4.) 594.9 (3.) 715.9 (6.)
 Trefferlage 4.68 mm links, 6.15 mm tief
 Streuwert 8.22, horizontal: 7.40, vertikal: 8.96



Serie 2:
 9.2 ↘ 9.8 ↓ 9.8 ↘ 10.1 ↘ 8.5 ↘
 9.9 ↗ 8.8 ← 9.7 ← 8.5 ↓ 10.3 →
 beste Teiler 504.9 (20.) 706.8 (14.) 810.0 (16.)
 Trefferlage 2.81 mm links, 4.00 mm tief
 Streuwert 8.80, horizontal: 8.91, vertikal: 8.69



Serie 3:
 9.0 ↙ 9.9 ↓ 9.3 ↙ 9.2 → 9.4 ↑
 10.2 ← 9.5 ← 9.9 ↑ 9.3 ↓ 7.0 ↘
 beste Teiler 629.7 (26.) 861.3 (28.) 869.6 (22.)
 Trefferlage 5.11 mm links, 1.18 mm tief
 Streuwert 10.49, horizontal: 11.12, vertikal: 9.81





Serie 4:
 9.7 ↙ 9.4 → 7.3 ↙ 8.4 ↗ 9.0 ←
 10.0 ↑ 9.3 ↘ 7.1 ↘ 8.7 ↙ 10.3 ↘
 beste Teiler 496.4 (40.) 800.9 (36.) 970.0 (31.)
 Trefferlage 6.27 mm links, 0.28 mm hoch
 Streuwert 12.66, horizontal: 11.78, vertikal: 13.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (357.5)
 Serien: 83 85 87 85
 Zähler: 7 12 18 1 1 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4103 (4), 3461 (32), 2521 (36)
 beste Teiler 234.7 (37.) 549.9 (39.) 595.8 (34.)
 Trefferlage 0.56 mm links, 6.44 mm hoch
 Streuwert 11.87, horizontal: 12.44, vertikal: 11.26




Serie 1:
 9.1 ↘ 9.5 ↘ 9.4 ↘ 5.8 ↙ 8.2 ↗
 8.3 ↙ 10.2 ↑ 9.8 ↘ 8.4 ↘ 8.5 ↗
 beste Teiler 634.2 (7.) 959.6 (8.) 1144.9 (2.)
 Trefferlage 8.63 mm links, 5.00 mm hoch
 Streuwert 13.05, horizontal: 11.94, vertikal: 14.07



Serie 2:
 8.1 ↙ 8.3 ↗ 8.1 ↗ 10.0 → 9.5 ↗
 9.8 ↑ 8.0 ↗ 9.5 ↘ 8.2 ↗ 8.8 ↙
 beste Teiler 783.5 (14.) 887.5 (16.) 1122.3 (15.)
 Trefferlage 3.02 mm rechts, 7.41 mm hoch
 Streuwert 11.91, horizontal: 11.74, vertikal: 12.07



Serie 3:
 10.0 ↘ 9.3 ↗ 8.5 ↑ 8.5 ↙ 10.0 ↗
 8.8 ↙ 9.3 ↘ 8.6 ↗ 9.5 ↑ 8.8 ↗
 beste Teiler 752.1 (25.) 771.1 (21.) 1143.4 (29.)
 Trefferlage 0.14 mm links, 6.04 mm hoch
 Streuwert 10.29, horizontal: 9.84, vertikal: 10.71





Serie 4:
 9.8 ↗ 6.6 ↗ 8.7 ↘ 10.2 ↗ 9.2 ↘
 7.8 ↗ 10.7 * 8.9 → 10.3 ↓ 8.5 ←
 beste Teiler 234.7 (37.) 549.9 (39.) 595.8 (34.)
 Trefferlage 3.49 mm rechts, 7.31 mm hoch
 Streuwert 11.74, horizontal: 13.73, vertikal: 9.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **302** (320.4)
 Serien: 81 70 79 72
 Zähler: 3 12 7 8 5 3 1 1 0 0
 Innenzehner: 2
 weiteste: 5933 (11), 5422 (40), 4585 (17)
 beste Teiler 457.9 (6.) 474.0 (24.) 479.0 (3.)
 Trefferlage 3.10 mm links, 3.24 mm tief
 Streuwert 19.12, horizontal: 19.36, vertikal: 18.87




Serie 1:
 7.1 ↑ 8.7 ↘ 10.4 ↘ 8.7 ↘ 9.1 →
 10.4 * 9.4 → 6.3 → 7.7 ↑ 7.7 ↖
 beste Teiler 457.9 (6.) 479.0 (3.) 1216.0 (7.)
 Trefferlage 7.56 mm rechts, 5.65 mm hoch
 Streuwert 14.61, horizontal: 14.78, vertikal: 14.44



Serie 2:
 3.5 ↑ 8.3 ↓ 9.6 ↙ 9.0 ↙ 8.1 ←
 8.3 → 5.2 ↙ 9.3 ← 6.5 ← 5.7 ↘
 beste Teiler 1104.2 (13.) 1287.7 (18.) 1547.3 (14.)
 Trefferlage 5.04 mm links, 3.76 mm tief
 Streuwert 23.76, horizontal: 24.14, vertikal: 23.39



Serie 3:
 9.3 ↘ 6.5 ↙ 8.2 ↗ 10.4 * 7.0 ↖
 5.8 ↙ 9.7 ↑ 9.5 ↓ 7.5 → 9.7 ↑
 beste Teiler 474.0 (24.) 964.4 (27.) 1020.0 (30.)
 Trefferlage 2.11 mm links, 2.81 mm tief
 Streuwert 17.73, horizontal: 20.15, vertikal: 14.93





Serie 4:
 6.7 ↙ 8.6 ↑ 7.5 ↓ 9.9 ↖ 6.3 ↙
 7.9 ↓ 7.7 ↙ 9.8 ↘ 9.2 ↖ 4.2 ↓
 beste Teiler 854.1 (34.) 946.1 (38.) 1435.6 (39.)
 Trefferlage 12.83 mm links, 12.04 mm tief
 Streuwert 16.89, horizontal: 13.41, vertikal: 19.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 342 (363.8)
Serien: 87 81 87 87
Zähler: 6 17 12 3 2 0 0 0 0 0
Innenzehner: 5
weiteste: 1138 (34), 1032 (11), 936 (33)
beste Teiler 93.6 (10.) 95.6 (1.) 161.6 (40.)
Trefferlage 1.18 mm links, 0.22 mm tief
Streuwert 3.66, horizontal: 4.06, vertikal: 3.21




Serie 1:
 10.6 * 9.9 ↑ 9.5 ↘ 9.5 ← 8.5 ←
 9.8 ↘ 8.9 ↑ 8.8 ← 7.9 ← 10.6 *
beste Teiler 93.6 (10.) 95.6 (1.) 273.1 (2.)
Trefferlage 2.08 mm links, 0.43 mm hoch
Streuwert 2.89, horizontal: 3.11, vertikal: 2.64



Serie 2:
 6.8 ↗ 8.9 ← 9.8 ↗ 8.8 ← 7.5 ↘
 8.6 ↘ 9.3 → 8.4 → 9.7 ← 9.3 ↗
beste Teiler 287.6 (13.) 309.8 (19.) 404.0 (17.)
Trefferlage 0.97 mm rechts, 0.20 mm tief
Streuwert 4.42, horizontal: 4.84, vertikal: 3.95



Serie 3:
 8.3 ← 9.6 ↘ 9.8 ← 9.2 ← 9.9 →
 8.1 ← 9.9 ↗ 8.7 → 10.2 * 8.9 ↘
beste Teiler 176.0 (29.) 261.5 (27.) 264.4 (25.)
Trefferlage 1.78 mm links, 0.63 mm hoch
Streuwert 3.11, horizontal: 3.99, vertikal: 1.84





Serie 4:
 9.5 ← 9.5 ↑ 7.2 ↓ 6.4 ← 9.3 ↘
 8.1 ← 10.2 * 9.5 ↑ 10.1 ↘ 10.3 *
beste Teiler 161.6 (40.) 190.7 (37.) 211.3 (39.)
Trefferlage 1.82 mm links, 1.74 mm tief
Streuwert 3.87, horizontal: 3.91, vertikal: 3.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (355.2)
 Serien: 87 89 85 76
 Zähler: 4 19 9 6 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3861 (31), 3598 (36), 3132 (1)
 beste Teiler 131.9 (3.) 314.4 (37.) 428.8 (12.)
 Trefferlage 2.19 mm rechts, 6.04 mm tief
 Streuwert 12.57, horizontal: 11.91, vertikal: 13.20




Serie 1:
 7.0 ↗ 9.5 → 10.8 * 9.1 ↓ 9.9 ↓
 8.3 ↖ 8.8 ↘ 9.1 → 9.0 ↗ 9.6 →
 beste Teiler 131.9 (3.) 855.7 (5.) 1065.2 (10.)
 Trefferlage 6.40 mm rechts, 0.57 mm tief
 Streuwert 11.38, horizontal: 10.06, vertikal: 12.55



Serie 2:
 9.4 ↓ 10.4 * 9.3 ↘ 9.3 ↑ 8.3 ↖
 9.2 ↘ 9.9 ↓ 9.6 ↓ 8.3 ↖ 9.8 ↖
 beste Teiler 428.8 (12.) 807.9 (17.) 930.3 (20.)
 Trefferlage 3.04 mm links, 5.79 mm tief
 Streuwert 9.03, horizontal: 9.33, vertikal: 8.73



Serie 3:
 8.7 ↗ 9.3 ↘ 9.2 ↖ 10.3 ↘ 8.2 ↖
 7.8 ↓ 8.8 ↖ 9.7 ↘ 8.6 ↘ 9.2 ↓
 beste Teiler 523.9 (24.) 1014.4 (28.) 1351.1 (22.)
 Trefferlage 1.62 mm rechts, 9.77 mm tief
 Streuwert 10.08, horizontal: 10.87, vertikal: 9.23





Serie 4:
 6.1 ↘ 9.5 ↖ 7.9 ↓ 7.4 ↖ 9.5 ↗
 6.5 ↘ 10.6 * 7.4 → 8.7 ↗ 7.2 ↓
 beste Teiler 314.4 (37.) 1130.7 (32.) 1173.1 (35.)
 Trefferlage 3.80 mm rechts, 8.03 mm tief
 Streuwert 17.87, horizontal: 15.97, vertikal: 19.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (369.9)
 Serien: 92 86 91 82
 Zähler: 9 18 8 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2878 (34), 2739 (35), 2668 (15)
 beste Teiler 267.0 (38.) 322.3 (6.) 365.6 (8.)
 Trefferlage 6.63 mm links, 1.74 mm hoch
 Streuwert 9.89, horizontal: 10.50, vertikal: 9.24




Serie 1:
 9.4 ← 9.9 ← 10.2 ↘ 9.6 ← 9.4 ↘
 10.5 * 9.5 ↘ 10.5 * 9.3 ← 8.1 ←
 beste Teiler 322.3 (6.) 365.6 (8.) 623.5 (3.)
 Trefferlage 7.07 mm links, 0.31 mm tief
 Streuwert 6.99, horizontal: 8.59, vertikal: 4.88



Serie 2:
 10.5 * 8.8 ← 9.2 ↗ 9.2 ↗ 7.6 ↗
 9.8 ↗ 8.3 ← 9.5 ↘ 10.0 → 7.8 ↘
 beste Teiler 384.7 (11.) 728.3 (19.) 890.0 (16.)
 Trefferlage 8.04 mm links, 2.59 mm tief
 Streuwert 10.70, horizontal: 10.63, vertikal: 10.77



Serie 3:
 9.1 ↗ 9.7 ← 8.1 ← 9.0 ← 9.8 ↘
 9.3 ↘ 9.3 ← 9.8 ↗ 10.3 ↗ 10.2 ↘
 beste Teiler 547.8 (29.) 574.7 (30.) 907.7 (28.)
 Trefferlage 4.93 mm links, 3.14 mm hoch
 Streuwert 8.67, horizontal: 11.22, vertikal: 4.96





Serie 4:
 8.8 ← 8.7 ↗ 8.8 ← 7.4 ↑ 7.5 ↗
 10.3 ↘ 9.8 ← 10.6 * 7.7 ↘ 8.6 ↑
 beste Teiler 267.0 (38.) 503.5 (36.) 899.6 (37.)
 Trefferlage 6.47 mm links, 6.73 mm hoch
 Streuwert 12.43, horizontal: 12.62, vertikal: 12.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312** (334.6)
 Serien: 77 81 79 75
 Zähler: 1 14 10 8 5 2 0 0 0 0
 Innenzehner: 1
 weiteste: 4094 (4), 4042 (37), 3877 (36)
 beste Teiler 67.9 (27.) 806.9 (26.) 828.8 (22.)
 Trefferlage 0.22 mm links, 5.91 mm tief
 Streuwert 15.95, horizontal: 13.65, vertikal: 17.96




Serie 1:
 9.3 ↓ 9.8 ↗ 6.5 ↘ 5.8 ↗ 8.6 ↖
 8.4 ↑ 9.8 ← 8.6 ↓ 6.1 ↓ 9.5 ←
 beste Teiler 895.9 (7.) 942.3 (2.) 1122.1 (10.)
 Trefferlage 2.16 mm links, 3.89 mm tief
 Streuwert 17.96, horizontal: 13.97, vertikal: 21.21



Serie 2:
 9.9 ↘ 8.0 → 9.4 ↗ 8.9 → 9.1 ↗
 7.6 ↗ 8.8 ← 7.9 ↗ 7.4 ↓ 9.1 ↗
 beste Teiler 851.9 (11.) 1264.3 (13.) 1510.6 (15.)
 Trefferlage 2.86 mm rechts, 5.19 mm tief
 Streuwert 14.18, horizontal: 15.74, vertikal: 12.41



Serie 3:
 8.1 → 9.9 ↗ 7.9 ↓ 6.1 ↓ 7.9 ↘
 9.9 ← 10.9 * 7.9 ← 9.5 → 7.8 ↗
 beste Teiler 67.9 (27.) 806.9 (26.) 828.8 (22.)
 Trefferlage 0.58 mm links, 11.48 mm tief
 Streuwert 13.64, horizontal: 13.58, vertikal: 13.70





Serie 4:
 8.7 ← 8.7 → 7.6 ↑ 9.1 ↘ 8.8 ↓
 6.1 ↓ 5.9 ↗ 9.3 ↗ 6.4 ↓ 9.6 ↗
 beste Teiler 1084.7 (40.) 1314.6 (38.) 1479.0 (34.)
 Trefferlage 1.02 mm links, 3.10 mm tief
 Streuwert 19.01, horizontal: 12.81, vertikal: 23.64

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (352.9)
 Serien: 86 84 85 80
 Zähler: 5 14 13 7 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3282 (27), 3197 (20), 3134 (37)
 beste Teiler 302.3 (22.) 370.7 (23.) 668.1 (32.)
 Trefferlage 2.60 mm links, 0.66 mm hoch
 Streuwert 13.32, horizontal: 13.54, vertikal: 13.11



Serie 1:

8.6 ↙ 9.3 ↙ 8.7 ↘ 9.9 ↗ 10.1 ↙
 8.3 ↘ 9.0 ↓ 8.0 ↘ 9.2 ↓ 8.8 ↘


beste Teiler 673.3 (5.) 875.6 (4.) 1305.9 (2.)
 Trefferlage 8.24 mm links, 1.33 mm hoch
 Streuwert 10.56, horizontal: 9.12, vertikal: 11.83



Serie 2:

7.2 ↙ 8.9 ↗ 8.0 ← 9.8 ↖ 9.2 ←
 9.7 ↘ 10.0 ↘ 9.2 ↓ 8.9 ↘ 7.0 →


beste Teiler 730.8 (17.) 894.2 (14.) 1018.1 (16.)
 Trefferlage 3.23 mm links, 0.09 mm hoch
 Streuwert 14.09, horizontal: 15.63, vertikal: 12.36



Serie 3:

8.2 ↑ 10.6 * 10.5 * 9.1 → 9.7 ↘
 8.7 ↓ 6.8 ↙ 9.4 ↓ 7.7 ↗ 9.8 ↘

beste Teiler 302.3 (22.) 370.7 (23.) 910.0 (30.)
 Trefferlage 1.33 mm links, 1.29 mm hoch
 Streuwert 13.09, horizontal: 12.74, vertikal: 13.44



Serie 4:



9.5 → 10.1 ↙ 7.4 → 7.9 ↘ 9.6 ↗
 8.2 ↗ 7.0 ↙ 8.9 ↑ 7.2 ↙ 8.8 ↖

beste Teiler 668.1 (32.) 1046.2 (35.) 1148.1 (31.)
 Trefferlage 2.38 mm rechts, 0.07 mm tief
 Streuwert 15.93, horizontal: 15.45, vertikal: 16.41

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (360.5)
 Serien: 87 82 85 87
 Zähler: 5 20 8 5 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3590 (15), 3237 (18), 3006 (27)
 beste Teiler 61.0 (21.) 205.8 (19.) 339.4 (38.)
 Trefferlage 2.76 mm rechts, 7.77 mm tief
 Streuwert 11.14, horizontal: 10.02, vertikal: 12.16



Serie 1:

9.7 → 7.3 ↘ 9.0 ↗ 9.9 ↙ 9.7 ↘
 9.8 ↑ 10.5 * 9.1 ↙ 7.9 ↘ 9.0 →


beste Teiler 352.0 (7.) 814.2 (4.) 960.8 (6.)
 Trefferlage 5.88 mm rechts, 5.77 mm tief
 Streuwert 10.06, horizontal: 8.95, vertikal: 11.06



Serie 2:

9.8 → 7.3 ↓ 9.5 ↗ 9.8 ↘ 6.5 ↘
 9.1 ↓ 8.9 → 6.9 → 10.7 * 9.3 →


beste Teiler 205.8 (19.) 909.3 (14.) 931.8 (11.)
 Trefferlage 10.34 mm rechts, 7.69 mm tief
 Streuwert 11.79, horizontal: 10.17, vertikal: 13.20



Serie 3:

10.9 * 8.4 ↙ 8.7 ↓ 8.2 ↓ 9.5 ↓
 8.9 ↘ 7.2 ↙ 9.1 ↘ 9.2 ↘ 9.0 ↓

beste Teiler 61.0 (21.) 1198.2 (25.) 1417.8 (29.)
 Trefferlage 2.96 mm links, 11.71 mm tief
 Streuwert 9.87, horizontal: 8.45, vertikal: 11.11



Serie 4:



7.5 ↙ 10.3 ↓ 9.1 ↗ 9.2 ↓ 8.8 ↙
 9.7 ← 8.5 ↓ 10.5 * 9.8 ↓ 8.3 ↗

beste Teiler 339.4 (38.) 498.9 (32.) 906.4 (39.)
 Trefferlage 2.20 mm links, 5.91 mm tief
 Streuwert 10.88, horizontal: 6.43, vertikal: 13.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **317** (336.4)
 Serien: 81 82 78 76
 Zähler: 3 12 12 9 3 0 0 0 1 0
 Innenzehner: 2
 weiteste: 6588 (39), 3828 (30), 3395 (22)
 beste Teiler 191.0 (33.) 384.0 (23.) 792.6 (10.)
 Trefferlage 4.90 mm rechts, 7.43 mm hoch
 Streuwert 15.28, horizontal: 16.98, vertikal: 13.36




Serie 1:
 7.8 ↖ 8.6 ↓ 8.4 ↑ 7.6 ↗ 7.9 ↘
 9.0 ↘ 8.2 ↑ 9.8 ↓ 8.5 ↖ 10.0 ↑
 beste Teiler 792.6 (10.) 908.5 (8.) 1600.9 (6.)
 Trefferlage 2.91 mm links, 7.57 mm hoch
 Streuwert 13.64, horizontal: 12.97, vertikal: 14.28



Serie 2:
 8.3 ↗ 7.3 ↗ 9.0 ↓ 7.6 ← 9.4 ↓
 9.1 ↘ 9.9 ↗ 7.3 → 9.8 ← 8.9 ↑
 beste Teiler 833.5 (17.) 888.2 (19.) 1240.5 (15.)
 Trefferlage 3.59 mm rechts, 2.62 mm hoch
 Streuwert 14.29, horizontal: 15.54, vertikal: 12.93



Serie 3:
 9.4 ↗ 6.7 ↑ 10.5 * 8.2 ↗ 9.6 ↑
 8.4 ← 8.5 ↘ 6.9 → 8.8 ↖ 6.2 →
 beste Teiler 384.0 (23.) 1056.5 (25.) 1234.7 (21.)
 Trefferlage 7.85 mm rechts, 6.32 mm hoch
 Streuwert 15.79, horizontal: 18.30, vertikal: 12.79





Serie 4:
 9.1 ↗ 7.5 ↑ 10.7 * 9.0 ↑ 8.5 ↑
 8.9 → 9.6 ↓ 7.4 ↗ 2.7 ↗ 7.4 ↘
 beste Teiler 191.0 (33.) 1102.4 (37.) 1490.5 (31.)
 Trefferlage 11.09 mm rechts, 13.21 mm hoch
 Streuwert 16.70, horizontal: 19.57, vertikal: 13.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 328 (344.0)
Serien: 78 92 80 78
Zähler: 7 11 13 3 5 0 1 0 0 0
Innenzehner: 3
weiteste: 5421 (6), 3869 (25), 3865 (36)
beste Teiler 28.6 (20.) 273.3 (11.) 374.7 (13.)
Trefferlage 3.16 mm rechts, 1.58 mm hoch
Streuwert 15.52, horizontal: 14.10, vertikal: 16.82




Serie 1:
 6.5 ↙ 10.0 ↗ 9.6 ↘ 7.6 → 9.3 ↓
 4.2 ↑ 8.6 ↓ 8.9 ↘ 9.1 ↖ 8.2 ↓
beste Teiler 781.8 (2.) 1099.7 (3.) 1283.1 (5.)
Trefferlage 0.49 mm links, 0.48 mm hoch
Streuwert 19.17, horizontal: 16.11, vertikal: 21.81



Serie 2:
 10.6 * 8.8 ↘ 10.5 * 8.3 ✓ 10.1 →
 9.6 ↗ 10.2 ↖ 9.6 → 8.4 ↗ 10.9 *
beste Teiler 28.6 (20.) 273.3 (11.) 374.7 (13.)
Trefferlage 3.88 mm rechts, 0.28 mm hoch
Streuwert 8.62, horizontal: 8.92, vertikal: 8.32



Serie 3:
 9.1 ↗ 7.8 ↓ 9.5 ↓ 10.1 ↖ 6.1 →
 6.1 ↓ 9.6 ↓ 8.7 ↗ 8.1 ↖ 8.2 →
beste Teiler 711.0 (24.) 1103.9 (27.) 1158.2 (23.)
Trefferlage 7.56 mm rechts, 5.04 mm tief
Streuwert 16.12, horizontal: 14.88, vertikal: 17.27





Serie 4:
 9.1 ↘ 8.6 → 6.6 ↑ 9.7 → 7.8 ←
 6.1 ↖ 8.2 ↗ 8.0 ↑ 8.3 ↘ 9.3 ↖
beste Teiler 1032.9 (34.) 1297.0 (40.) 1498.0 (31.)
Trefferlage 1.69 mm rechts, 10.62 mm hoch
Streuwert 15.82, horizontal: 16.16, vertikal: 15.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (356.9)
 Serien: 91 78 82 89
 Zähler: 6 20 6 6 1 0 1 0 0 0
 Innenzehner: 3
 weiteste: 5081 (11), 3283 (14), 3161 (13)
 beste Teiler 299.2 (3.) 388.1 (1.) 443.2 (31.)
 Trefferlage 1.71 mm rechts, 0.03 mm hoch
 Streuwert 13.47, horizontal: 13.36, vertikal: 13.57




Serie 1:
 10.5 * 10.0 ↙ 10.6 * 8.4 ↓ 9.1 ←
 9.2 ↖ 9.2 ↗ 8.5 ↑ 9.7 ↘ 9.9 →
 beste Teiler 299.2 (3.) 388.1 (1.) 739.2 (2.)
 Trefferlage 0.60 mm links, 0.25 mm hoch
 Streuwert 9.63, horizontal: 8.70, vertikal: 10.47



Serie 2:
 4.6 ↙ 9.5 ↙ 7.0 ↗ 6.8 ↗ 9.2 ↘
 9.9 ↓ 7.8 ↗ 9.2 ↑ 9.7 ↘ 9.2 ↓
 beste Teiler 868.2 (16.) 967.9 (19.) 1137.6 (12.)
 Trefferlage 0.13 mm rechts, 3.50 mm hoch
 Streuwert 18.38, horizontal: 18.76, vertikal: 18.01



Serie 3:
 8.2 → 7.7 ↓ 7.5 ↗ 9.3 ↘ 8.1 ←
 9.7 ↗ 9.4 ↑ 10.2 ↖ 7.3 ↘ 8.4 ↗
 beste Teiler 619.0 (28.) 996.4 (26.) 1204.8 (27.)
 Trefferlage 7.84 mm rechts, 0.13 mm tief
 Streuwert 14.11, horizontal: 15.14, vertikal: 13.00



Serie 4:
 10.4 * 10.1 ↖ 9.0 ↙ 9.9 ↓ 7.3 ↘
 9.6 ↙ 8.8 ↙ 9.3 ↗ 9.0 ↑ 9.7 ↑
 beste Teiler 443.2 (31.) 676.9 (32.) 819.8 (34.)
 Trefferlage 0.53 mm links, 3.49 mm tief
 Streuwert 10.71, horizontal: 7.82, vertikal: 12.97

Unterschrift des Schützen

Meyton Elektronik