





Ergebnis: **302.8** (289)
 Serien: 101.4 100.0 101.4
 Zähler: 19 11 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1507 (3), 1497 (26), 1299 (5)
 beste Teiler 179.0 (28.) 204.0 (21.) 236.2 (8.)
 Trefferlage 0.92 mm links, 0.43 mm tief
 Streuwert 5.77, horizontal: 4.21, vertikal: 6.99



Serie 1:
 10.0 ↑ 10.4 * 9.1 ↙ 10.1 ↑ 9.3 ↗
 10.4 ↓ 10.6 * 10.7 * 10.6 * 10.2 ↘
 beste Teiler 236.2 (8.) 265.5 (7.) 299.1 (9.)
 Trefferlage 0.08 mm rechts, 0.29 mm hoch
 Streuwert 5.76, horizontal: 5.25, vertikal: 6.23





Serie 2:
 10.3 ↘ 9.7 ↑ 9.5 ↑ 10.5 * 9.3 ↓
 10.6 * 9.6 ↙ 10.5 * 9.7 ↑ 10.3 ↘
 beste Teiler 314.0 (16.) 327.1 (18.) 367.3 (14.)
 Trefferlage 1.30 mm links, 0.70 mm hoch
 Streuwert 6.20, horizontal: 3.38, vertikal: 8.08




Serie 3:
 10.7 * 9.4 ↘ 9.6 ↙ 10.7 * 10.5 *
 9.1 ↑ 9.8 ↓ 10.7 * 10.3 ↓ 10.6 *
 beste Teiler 179.0 (28.) 204.0 (21.) 240.6 (24.)
 Trefferlage 1.56 mm links, 2.31 mm tief
 Streuwert 5.65, horizontal: 4.04, vertikal: 6.89

Unterschrift des Schützen


Ergebnis: **301.5** (288)
 Serien: 100.4 101.7 99.4
 Zähler: 18 12 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1270 (27), 1257 (2), 1183 (29)
 beste Teiler 246.8 (3.) 310.8 (17.) 333.5 (23.)
 Trefferlage 1.99 mm rechts, 1.42 mm tief
 Streuwert 5.36, horizontal: 5.40, vertikal: 5.33



Serie 1:
 10.0 ↗ 9.4 ↘ 10.6 * 10.0 ↓ 10.2 ↓
 9.9 → 10.3 ← 10.4 * 9.7 ↗ 9.9 ↗
 beste Teiler 246.8 (3.) 453.2 (8.) 557.3 (7.)
 Trefferlage 1.25 mm rechts, 0.43 mm hoch
 Streuwert 5.74, horizontal: 5.17, vertikal: 6.26





Serie 2:
 10.4 * 10.5 * 10.2 → 9.7 ↘ 9.6 →
 10.3 ← 10.6 * 9.7 ↓ 10.5 * 10.2 ↓
 beste Teiler 310.8 (17.) 340.6 (12.) 392.6 (19.)
 Trefferlage 1.75 mm rechts, 2.06 mm tief
 Streuwert 4.69, horizontal: 5.24, vertikal: 4.07




Serie 3:
 9.9 → 10.0 ↗ 10.5 * 10.2 ↓ 9.7 →
 9.5 → 9.4 ↓ 10.3 → 9.5 ↓ 10.4 *
 beste Teiler 333.5 (23.) 415.0 (30.) 546.6 (28.)
 Trefferlage 2.98 mm rechts, 2.62 mm tief
 Streuwert 5.82, horizontal: 6.17, vertikal: 5.45

Unterschrift des Schützen


Ergebnis: **261.7** (247)
 Serien: 86.5 91.4 83.8
 Zähler: 4 9 11 4 1 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5347 (4), 3613 (30), 3089 (19)
 beste Teiler 145.7 (16.) 598.6 (15.) 624.0 (7.)
 Trefferlage 4.62 mm links, 0.32 mm hoch
 Streuwert 14.34, horizontal: 9.66, vertikal: 17.83



Serie 1:
 8.8 ← 9.8 ↘ 9.6 ↘ 4.3 ↑ 9.6 ↘
 8.9 ↘ 10.2 ↑ 7.6 ↓ 8.7 ↘ 9.0 ←
 beste Teiler 624.0 (7.) 946.8 (2.) 1087.3 (3.)
 Trefferlage 2.35 mm links, 2.64 mm hoch
 Streuwert 16.59, horizontal: 10.18, vertikal: 21.13





Serie 2:
 9.2 ↑ 9.6 ↘ 9.1 ↑ 8.5 ↑ 10.2 ↘
 10.8 * 8.9 ↙ 9.4 ← 7.1 ↙ 8.6 ↓
 beste Teiler 145.7 (16.) 598.6 (15.) 1056.9 (12.)
 Trefferlage 5.18 mm links, 0.41 mm hoch
 Streuwert 11.59, horizontal: 6.01, vertikal: 15.25




Serie 3:
 8.0 ↘ 8.6 ↑ 8.9 ↑ 7.9 ↙ 8.6 ↓
 9.4 ↗ 7.7 ↓ 10.0 ← 8.3 ↑ 6.4 ↙
 beste Teiler 759.4 (28.) 1260.1 (26.) 1679.4 (23.)
 Trefferlage 6.32 mm links, 2.09 mm tief
 Streuwert 15.56, horizontal: 12.31, vertikal: 18.24

Unterschrift des Schützen


Ergebnis: **295.2** (281)
 Serien: 98.8 96.7 99.7
 Zähler: 17 8 4 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2927 (5), 1969 (13), 1849 (29)
 beste Teiler 83.4 (7.) 189.4 (6.) 209.8 (17.)
 Trefferlage 1.26 mm links, 3.12 mm tief
 Streuwert 7.40, horizontal: 4.57, vertikal: 9.42



Serie 1:
 10.4 * 8.8 ↑ 10.2 ↓ 10.4 * 7.3 ↓
 10.7 * 10.8 * 10.5 * 9.5 ↘ 10.2 ↘
 beste Teiler 83.4 (7.) 189.4 (6.) 364.4 (8.)
 Trefferlage 0.03 mm rechts, 1.83 mm tief
 Streuwert 8.71, horizontal: 3.49, vertikal: 11.81





Serie 2:
 10.2 ↓ 10.1 ↙ 8.5 ↓ 10.4 * 8.9 ↓
 9.9 ↓ 10.7 * 9.3 ↙ 9.2 ↑ 9.5 ↓
 beste Teiler 209.8 (17.) 413.6 (14.) 620.0 (11.)
 Trefferlage 3.45 mm links, 5.85 mm tief
 Streuwert 7.04, horizontal: 3.76, vertikal: 9.22




Serie 3:
 9.8 ↑ 9.9 ↓ 9.9 ← 10.2 ↓ 10.1 ↑
 10.2 ↓ 10.4 * 10.3 ↓ 8.6 ↘ 10.3 ↑
 beste Teiler 444.7 (27.) 484.0 (28.) 529.4 (30.)
 Trefferlage 0.39 mm links, 1.69 mm tief
 Streuwert 6.39, horizontal: 5.73, vertikal: 6.98

Unterschrift des Schützen


Ergebnis: **306.5** (293)
 Serien: 102.3 101.0 103.2
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1525 (22), 1325 (4), 1272 (12)
 beste Teiler 94.6 (10.) 127.8 (7.) 170.2 (18.)
 Trefferlage 0.58 mm links, 0.65 mm hoch
 Streuwert 4.85, horizontal: 3.03, vertikal: 6.16



Serie 1:
 10.1 ↙ 10.3 ↗ 10.0 ↑ 9.3 ↘ 10.3 ↓
 10.5 * 10.8 * 10.3 ↖ 9.9 ↙ 10.8 *
 beste Teiler 94.6 (10.) 127.8 (7.) 359.8 (6.)
 Trefferlage 1.98 mm links, 1.54 mm tief
 Streuwert 4.55, horizontal: 3.10, vertikal: 5.64



Serie 2:
 10.5 * 9.4 ↖ 10.1 ↑ 10.5 * 9.7 ↖
 9.9 ↓ 10.1 ↑ 10.7 * 9.9 ↗ 10.2 ↗
 beste Teiler 170.2 (18.) 336.9 (11.) 377.6 (14.)
 Trefferlage 0.60 mm links, 4.15 mm hoch
 Streuwert 4.65, horizontal: 3.31, vertikal: 5.69





Serie 3:
 10.7 * 9.0 ↓ 10.6 * 10.5 * 10.4 *
 10.0 ↑ 10.2 → 10.6 * 10.6 * 10.6 *
 beste Teiler 190.0 (21.) 242.7 (29.) 245.5 (28.)
 Trefferlage 0.83 mm rechts, 0.63 mm tief
 Streuwert 4.57, horizontal: 2.13, vertikal: 6.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **273.3** (261)
 Serien: 85.7 94.1 93.5
 Zähler: 8 9 9 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2980 (4), 2863 (25), 2806 (2)
 beste Teiler 341.4 (27.) 409.7 (19.) 419.5 (18.)
 Trefferlage 5.17 mm rechts, 3.24 mm hoch
 Streuwert 11.24, horizontal: 6.52, vertikal: 14.49



Serie 1:
 8.0 ↗ 7.4 ↗ 8.5 ↓ 7.2 ↗ 10.2 ↑
 9.3 ↗ 8.3 ↗ 8.4 ↘ 9.1 → 9.3 →
 beste Teiler 603.4 (5.) 1351.8 (10.) 1352.1 (6.)
 Trefferlage 4.99 mm rechts, 11.54 mm hoch
 Streuwert 11.84, horizontal: 8.88, vertikal: 14.20



Serie 2:
 8.1 ↓ 7.9 ↘ 8.7 ↘ 9.7 ↘ 10.3 →
 9.4 ↓ 9.8 → 10.4 * 10.4 * 9.4 →
 beste Teiler 409.7 (19.) 419.5 (18.) 485.0 (15.)
 Trefferlage 5.82 mm rechts, 7.65 mm tief
 Streuwert 7.68, horizontal: 4.18, vertikal: 10.02





Serie 3:
 10.3 → 10.1 ↑ 8.8 ↑ 9.9 → 7.4 ↗
 10.4 * 10.5 * 8.7 ↓ 9.4 ↑ 8.0 ↗
 beste Teiler 341.4 (27.) 453.0 (26.) 531.5 (21.)
 Trefferlage 4.70 mm rechts, 5.85 mm hoch
 Streuwert 9.97, horizontal: 6.32, vertikal: 12.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **270.5** (257)
 Serien: 89.7 87.9 92.9
 Zähler: 5 11 11 2 1 0 0 0 0 0
 Innenzehner: 0
 weiteste: 3210 (7), 2488 (16), 2416 (21)
 beste Teiler 524.0 (29.) 580.9 (10.) 695.0 (28.)
 Trefferlage 0.63 mm rechts, 4.47 mm hoch
 Streuwert 11.65, horizontal: 10.79, vertikal: 12.46



Serie 1:
 10.0 ↑ 9.1 ↓ 9.8 ↙ 8.1 → 8.6 ↖
 9.8 ↑ 6.9 ↘ 8.6 ← 8.6 ↗ 10.2 ←
 beste Teiler 580.9 (10.) 784.7 (1.) 899.4 (6.)
 Trefferlage 1.30 mm links, 2.76 mm tief
 Streuwert 12.89, horizontal: 13.83, vertikal: 11.88



Serie 2:
 8.6 ↓ 9.2 → 8.2 ↑ 9.9 ↗ 9.6 ↖
 7.8 ↗ 8.2 ↘ 8.9 → 9.2 ↗ 8.3 ↗
 beste Teiler 815.3 (14.) 1085.7 (15.) 1393.9 (19.)
 Trefferlage 3.34 mm rechts, 10.25 mm hoch
 Streuwert 10.69, horizontal: 8.67, vertikal: 12.40





Serie 3:
 7.9 → 9.7 ↑ 8.5 ↑ 9.4 ↘ 8.2 ↑
 9.0 ↙ 10.1 ↗ 10.1 ↘ 10.3 ← 9.7 ↘
 beste Teiler 524.0 (29.) 695.0 (28.) 695.3 (27.)
 Trefferlage 0.11 mm links, 5.95 mm hoch
 Streuwert 10.08, horizontal: 9.79, vertikal: 10.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **279.2** (265)
 Serien: 92.2 93.7 93.3
 Zähler: 8 12 7 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2490 (9), 2428 (24), 2408 (5)
 beste Teiler 286.7 (28.) 336.2 (18.) 369.4 (3.)
 Trefferlage 1.18 mm rechts, 2.55 mm tief
 Streuwert 10.40, horizontal: 9.06, vertikal: 11.58



Serie 1:
 9.3 → 9.4 ↗ 10.5 * 10.3 ↖ 7.9 ↙
 9.8 → 8.1 ↘ 9.4 ↓ 7.8 ↑ 9.7 ↗
 beste Teiler 369.4 (3.) 489.3 (4.) 899.9 (6.)
 Trefferlage 1.78 mm rechts, 1.09 mm tief
 Streuwert 11.54, horizontal: 8.24, vertikal: 14.09



Serie 2:
 9.2 ↓ 10.0 ↓ 8.4 ↘ 8.2 ↖ 9.2 ↖
 9.6 ↗ 10.1 ↑ 10.5 * 8.5 ↘ 10.0 ↑
 beste Teiler 336.2 (18.) 647.1 (17.) 741.4 (20.)
 Trefferlage 1.39 mm links, 2.11 mm tief
 Streuwert 10.33, horizontal: 9.89, vertikal: 10.75





Serie 3:
 10.1 ↘ 8.3 → 9.7 ↘ 7.9 ↘ 8.7 ↖
 9.8 ↖ 9.9 ↓ 10.6 * 8.8 ↘ 9.5 ↘
 beste Teiler 286.7 (28.) 665.4 (21.) 871.2 (27.)
 Trefferlage 3.16 mm rechts, 4.45 mm tief
 Streuwert 9.96, horizontal: 9.32, vertikal: 10.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **264.8** (251)
 Serien: 86.7 90.3 87.8
 Zähler: 4 13 6 4 3 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3374 (4), 3335 (25), 3263 (10)
 beste Teiler 417.7 (13.) 490.6 (2.) 551.1 (26.)
 Trefferlage 3.22 mm rechts, 7.11 mm tief
 Streuwert 12.37, horizontal: 10.87, vertikal: 13.71



Serie 1:
 9.1 ↓ 10.3 ↑ 9.7 ↗ 6.7 ← 9.3 ↗
 9.6 ↘ 7.7 ↗ 7.6 ↓ 9.8 ↓ 6.9 ↘
 beste Teiler 490.6 (2.) 923.7 (9.) 995.2 (3.)
 Trefferlage 4.14 mm rechts, 3.29 mm tief
 Streuwert 14.98, horizontal: 15.72, vertikal: 14.21





Serie 2:
 10.2 ↘ 9.3 ↓ 10.4 * 9.3 ↓ 9.7 ↓
 9.1 ↘ 8.2 ↗ 8.5 ↓ 7.5 ↘ 8.1 ↓
 beste Teiler 417.7 (13.) 567.7 (11.) 1031.7 (15.)
 Trefferlage 3.04 mm rechts, 10.00 mm tief
 Streuwert 9.88, horizontal: 8.77, vertikal: 10.88




Serie 3:
 8.8 ↗ 7.8 ↘ 9.2 ↓ 9.6 ↗ 6.8 ↓
 10.3 ↗ 9.1 ↑ 9.1 ↘ 8.4 ↓ 8.7 ↓
 beste Teiler 551.1 (26.) 1059.4 (24.) 1386.5 (23.)
 Trefferlage 2.49 mm rechts, 8.05 mm tief
 Streuwert 12.52, horizontal: 7.41, vertikal: 16.09

Unterschrift des Schützen


Ergebnis: **284.9** (272)
 Serien: 100.1 95.0 89.8
 Zähler: 13 10 4 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3646 (25), 3083 (27), 2402 (29)
 beste Teiler 131.7 (1.) 238.0 (23.) 393.4 (26.)
 Trefferlage 0.72 mm rechts, 1.21 mm tief
 Streuwert 10.11, horizontal: 7.42, vertikal: 12.22



Serie 1:
 10.8 * 9.7 ↙ 10.3 ← 10.3 ↘ 10.4 *
 10.1 ↖ 9.4 ↓ 10.1 ↓ 8.8 ↓ 10.2 →
 beste Teiler 131.7 (1.) 440.5 (5.) 497.6 (3.)
 Trefferlage 1.96 mm links, 3.52 mm tief
 Streuwert 5.73, horizontal: 3.85, vertikal: 7.12



Serie 2:
 9.8 ↓ 9.3 ↑ 9.5 → 8.7 ↘ 9.6 ↖
 9.4 ↘ 10.1 → 9.6 ↓ 9.0 ↑ 10.0 →
 beste Teiler 716.4 (17.) 759.4 (20.) 951.9 (11.)
 Trefferlage 3.54 mm rechts, 0.40 mm hoch
 Streuwert 8.65, horizontal: 7.20, vertikal: 9.90





Serie 3:
 9.5 ↑ 8.9 ↑ 10.7 * 10.1 ← 6.4 ↗
 10.5 * 7.1 ↓ 8.5 ← 7.9 ↓ 10.2 →
 beste Teiler 238.0 (23.) 393.4 (26.) 626.6 (30.)
 Trefferlage 0.61 mm rechts, 0.51 mm tief
 Streuwert 14.44, horizontal: 9.70, vertikal: 17.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **290.1** (278)
 Serien: 91.1 99.1 99.9
 Zähler: 16 9 4 0 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 4115 (9), 2038 (25), 1905 (2)
 beste Teiler 257.6 (11.) 297.9 (26.) 340.8 (16.)
 Trefferlage 2.38 mm rechts, 0.82 mm hoch
 Streuwert 9.07, horizontal: 3.20, vertikal: 12.41



Serie 1:
 9.3 ↑ 8.6 ↓ 10.3 → 9.3 ↑ 8.9 ↓
 9.1 ↑ 9.2 ↑ 10.5 * 5.8 ↓ 10.1 ↘
 beste Teiler 351.5 (8.) 549.9 (3.) 659.8 (10.)
 Trefferlage 0.46 mm rechts, 1.23 mm tief
 Streuwert 13.24, horizontal: 3.55, vertikal: 18.38





Serie 2:
 10.6 * 10.2 → 8.6 ↓ 9.0 ↑ 9.8 ↗
 10.5 * 10.0 ↑ 10.1 → 10.3 ↘ 10.0 →
 beste Teiler 257.6 (11.) 340.8 (16.) 495.3 (19.)
 Trefferlage 3.26 mm rechts, 1.89 mm hoch
 Streuwert 6.58, horizontal: 3.00, vertikal: 8.80




Serie 3:
 10.5 * 10.5 * 9.5 ↗ 10.2 ↗ 8.4 ↑
 10.6 * 9.8 ↘ 9.7 ↓ 10.3 → 10.4 *
 beste Teiler 297.9 (26.) 340.8 (21.) 392.0 (22.)
 Trefferlage 3.44 mm rechts, 1.82 mm hoch
 Streuwert 6.30, horizontal: 2.30, vertikal: 8.61

Unterschrift des Schützen


Ergebnis: **282.2** (266)
 Serien: 89.4 96.7 96.1
 Zähler: 11 10 4 4 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3621 (13), 2913 (4), 2558 (28)
 beste Teiler 123.3 (9.) 197.3 (24.) 204.7 (29.)
 Trefferlage 0.91 mm rechts, 8.43 mm tief
 Streuwert 9.17, horizontal: 4.58, vertikal: 12.13



Serie 1:
 7.9 ↓ 9.6 ↘ 10.2 ↖ 7.3 ↑ 8.6 ↓
 9.3 ↘ 7.9 ↓ 9.7 ↓ 10.8 * 8.1 ↓
 beste Teiler 123.3 (9.) 617.1 (3.) 971.7 (8.)
 Trefferlage 0.43 mm links, 8.69 mm tief
 Streuwert 11.98, horizontal: 5.18, vertikal: 16.14



Serie 2:
 10.6 * 9.4 ↘ 6.4 ↓ 10.4 * 9.3 ↓
 10.6 * 10.2 ↓ 10.4 * 9.4 ↘ 10.0 ↓
 beste Teiler 289.5 (11.) 305.6 (16.) 430.8 (18.)
 Trefferlage 2.24 mm rechts, 8.29 mm tief
 Streuwert 8.23, horizontal: 4.46, vertikal: 10.75





Serie 3:
 9.9 ↓ 10.5 * 9.7 ↓ 10.7 * 9.8 ↓
 8.7 ↓ 8.5 ↘ 7.8 ↓ 10.7 * 9.8 ↗
 beste Teiler 197.3 (24.) 204.7 (29.) 322.7 (22.)
 Trefferlage 0.93 mm rechts, 8.32 mm tief
 Streuwert 7.58, horizontal: 4.13, vertikal: 9.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291.5** (277)
 Serien: 98.0 93.8 99.7
 Zähler: 13 12 4 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2410 (12), 2072 (14), 1820 (10)
 beste Teiler 212.0 (20.) 229.9 (26.) 314.2 (6.)
 Trefferlage 0.03 mm links, 2.65 mm hoch
 Streuwert 7.89, horizontal: 5.26, vertikal: 9.84



Serie 1:
 9.3 ↓ 9.6 ↙ 10.5 * 9.8 ← 9.6 ↘
 10.6 * 9.6 ↑ 10.0 → 10.3 ↓ 8.7 ↓
 beste Teiler 314.2 (6.) 328.3 (3.) 547.4 (9.)
 Trefferlage 0.06 mm links, 4.32 mm tief
 Streuwert 6.92, horizontal: 5.37, vertikal: 8.18



Serie 2:
 10.1 ↑ 7.9 ↑ 9.3 ↑ 8.4 ↑ 8.8 ↖
 9.6 ↗ 9.0 ↗ 9.9 ↗ 10.1 ↘ 10.7 *
 beste Teiler 212.0 (20.) 649.0 (11.) 695.8 (19.)
 Trefferlage 0.82 mm rechts, 10.39 mm hoch
 Streuwert 7.14, horizontal: 6.64, vertikal: 7.61





Serie 3:
 10.3 ↗ 9.7 ↑ 9.8 ↑ 10.1 ↘ 10.3 ↙
 10.7 * 10.3 ← 8.9 ↘ 10.3 → 9.3 ↓
 beste Teiler 229.9 (26.) 481.7 (29.) 484.6 (25.)
 Trefferlage 0.84 mm links, 1.90 mm hoch
 Streuwert 6.34, horizontal: 3.83, vertikal: 8.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **290.4** (276)
 Serien: 95.6 96.1 98.7
 Zähler: 11 15 3 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2468 (6), 2339 (16), 2253 (21)
 beste Teiler 268.7 (12.) 318.6 (23.) 326.6 (30.)
 Trefferlage 3.87 mm links, 1.16 mm tief
 Streuwert 7.96, horizontal: 7.05, vertikal: 8.78



Serie 1:
 9.5 ← 10.3 ↗ 10.0 ↑ 9.4 ← 9.9 ↑
 7.9 ↘ 9.7 ↓ 9.7 ← 9.3 ← 9.9 ↘
 beste Teiler 555.9 (2.) 761.1 (3.) 855.1 (10.)
 Trefferlage 7.16 mm links, 1.63 mm tief
 Streuwert 7.34, horizontal: 5.67, vertikal: 8.70





Serie 2:
 9.8 ↘ 10.6 * 9.8 ↓ 10.4 * 9.8 →
 8.0 ↘ 8.2 ↓ 9.4 ↖ 10.5 * 9.6 ↘
 beste Teiler 268.7 (12.) 351.0 (19.) 403.8 (14.)
 Trefferlage 1.27 mm links, 0.54 mm hoch
 Streuwert 9.36, horizontal: 6.92, vertikal: 11.28




Serie 3:
 8.1 ↗ 10.4 * 10.6 * 10.0 ↓ 9.6 ←
 10.4 * 9.5 ↑ 9.5 ↘ 10.1 ← 10.5 *
 beste Teiler 318.6 (23.) 326.6 (30.) 414.6 (22.)
 Trefferlage 3.16 mm links, 2.41 mm tief
 Streuwert 7.07, horizontal: 7.73, vertikal: 6.34

Unterschrift des Schützen


Ergebnis: **274.9** (256)
 Serien: 95.1 88.3 91.5
 Zähler: 3 15 8 3 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3519 (16), 2768 (23), 2443 (6)
 beste Teiler 117.1 (4.) 664.7 (24.) 699.0 (29.)
 Trefferlage 6.24 mm links, 3.86 mm hoch
 Streuwert 10.14, horizontal: 9.28, vertikal: 10.93



Serie 1:
 8.8 ↖ 9.2 ↘ 9.9 ↘ 10.8 * 9.4 →
 7.9 ↘ 9.9 ↗ 9.8 ← 9.5 ↑ 9.9 ↓
 beste Teiler 117.1 (4.) 802.7 (3.) 819.0 (10.)
 Trefferlage 3.83 mm links, 3.01 mm hoch
 Streuwert 8.90, horizontal: 9.22, vertikal: 8.56





Serie 2:
 7.9 ↖ 9.7 ↘ 8.9 ↘ 8.4 ↙ 8.9 ↖
 6.6 ↙ 9.7 ↑ 9.6 ↘ 9.8 ↓ 8.8 ↙
 beste Teiler 902.0 (19.) 1003.6 (12.) 1040.4 (17.)
 Trefferlage 9.35 mm links, 2.31 mm hoch
 Streuwert 11.93, horizontal: 7.75, vertikal: 14.98




Serie 3:
 9.5 ↖ 8.7 ↑ 7.5 ← 10.1 → 9.0 ↖
 9.6 ↓ 8.8 ← 9.3 ↖ 10.1 ← 8.9 ↗
 beste Teiler 664.7 (24.) 699.0 (29.) 1087.9 (26.)
 Trefferlage 5.54 mm links, 6.26 mm hoch
 Streuwert 9.80, horizontal: 10.72, vertikal: 8.78

Unterschrift des Schützen


Ergebnis: **262.6** (246)
 Serien: 87.7 91.2 83.7
 Zähler: 5 9 8 4 3 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4164 (14), 3849 (28), 3409 (8)
 beste Teiler 82.8 (9.) 417.9 (7.) 482.4 (20.)
 Trefferlage 2.61 mm links, 0.78 mm hoch
 Streuwert 14.58, horizontal: 14.39, vertikal: 14.77



Serie 1:
 9.9 ↖ 7.1 → 7.6 ↓ 6.8 ↙ 10.1 ↓
 8.6 ↗ 10.4 * 6.7 ↕ 10.8 * 9.7 ↘
 beste Teiler 82.8 (9.) 417.9 (7.) 641.3 (5.)
 Trefferlage 0.86 mm links, 1.68 mm hoch
 Streuwert 15.81, horizontal: 15.27, vertikal: 16.33



Serie 2:
 9.0 ↙ 10.1 ↓ 9.9 ↘ 5.7 ↙ 9.7 ↓
 9.9 ↗ 8.8 ← 8.2 ↑ 9.6 ↘ 10.3 ←
 beste Teiler 482.4 (20.) 680.8 (12.) 817.3 (16.)
 Trefferlage 5.25 mm links, 3.63 mm tief
 Streuwert 12.45, horizontal: 10.95, vertikal: 13.78





Serie 3:
 8.7 ← 7.9 ↓ 9.8 ↖ 9.3 ↖ 7.8 ↖
 8.3 ↑ 8.6 ↓ 6.1 → 8.4 ↗ 8.8 ↑
 beste Teiler 889.8 (23.) 1316.7 (24.) 1738.9 (30.)
 Trefferlage 1.73 mm links, 4.30 mm hoch
 Streuwert 16.01, horizontal: 17.39, vertikal: 14.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297.2** (284)
 Serien: 99.7 98.2 99.3
 Zähler: 17 10 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2117 (17), 1933 (26), 1677 (1)
 beste Teiler 124.4 (18.) 161.7 (25.) 191.6 (7.)
 Trefferlage 1.35 mm links, 1.57 mm tief
 Streuwert 6.80, horizontal: 4.94, vertikal: 8.24



Serie 1:
 8.9 ↓ 10.1 ↘ 9.7 ↑ 9.2 ↘ 10.4 *
 10.5 * 10.7 * 9.7 ↙ 10.0 ← 10.5 *
 beste Teiler 191.6 (7.) 360.0 (10.) 397.0 (6.)
 Trefferlage 0.17 mm rechts, 2.33 mm tief
 Streuwert 6.51, horizontal: 5.11, vertikal: 7.66





Serie 2:
 10.1 ↙ 9.9 ↖ 10.2 ↗ 9.7 ↗ 9.3 ↖
 10.1 ↓ 8.3 ↓ 10.8 * 9.9 ↓ 9.9 ↗
 beste Teiler 124.4 (18.) 589.6 (13.) 646.4 (11.)
 Trefferlage 0.33 mm links, 1.37 mm tief
 Streuwert 7.63, horizontal: 4.85, vertikal: 9.64




Serie 3:
 10.0 ↓ 9.4 ↖ 9.3 ← 10.0 ↑ 10.7 *
 8.5 ↓ 10.3 ↖ 10.5 * 10.6 * 10.0 ↙
 beste Teiler 161.7 (25.) 316.0 (29.) 355.6 (28.)
 Trefferlage 3.91 mm links, 1.01 mm tief
 Streuwert 6.49, horizontal: 4.25, vertikal: 8.14

Unterschrift des Schützen


Ergebnis: **289.4** (275)
 Serien: 96.2 96.0 97.2
 Zähler: 12 11 7 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2330 (12), 2230 (2), 1934 (9)
 beste Teiler 117.0 (7.) 199.0 (25.) 289.1 (15.)
 Trefferlage 0.03 mm links, 3.08 mm tief
 Streuwert 8.43, horizontal: 3.90, vertikal: 11.26



Serie 1:
 9.5 ↖ 8.2 ↓ 9.9 ↗ 9.9 ↑ 10.4 *
 9.6 ↗ 10.8 * 8.9 ↓ 8.5 ↓ 10.5 *
 beste Teiler 117.0 (7.) 387.3 (10.) 426.0 (5.)
 Trefferlage 0.73 mm links, 1.84 mm tief
 Streuwert 9.25, horizontal: 2.95, vertikal: 12.75



Serie 2:
 10.3 ↖ 8.0 ↓ 10.4 * 9.0 ↓ 10.6 *
 10.4 * 8.9 ↑ 9.1 ↖ 9.8 ↖ 9.5 ↙
 beste Teiler 289.1 (15.) 413.6 (16.) 457.9 (13.)
 Trefferlage 2.24 mm links, 2.92 mm tief
 Streuwert 8.97, horizontal: 4.19, vertikal: 11.98





Serie 3:
 10.0 ↓ 9.9 ↓ 9.3 ↑ 9.6 ↓ 10.7 *
 8.7 ↓ 10.0 ↗ 8.6 ↓ 10.1 ↘ 10.3 →
 beste Teiler 199.0 (25.) 500.7 (30.) 676.7 (29.)
 Trefferlage 2.88 mm rechts, 4.49 mm tief
 Streuwert 7.28, horizontal: 2.70, vertikal: 9.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297.2** (284)
 Serien: 100.0 99.7 97.5
 Zähler: 17 10 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1958 (27), 1808 (7), 1633 (13)
 beste Teiler 89.9 (6.) 111.1 (4.) 119.0 (14.)
 Trefferlage 0.86 mm rechts, 2.86 mm hoch
 Streuwert 6.72, horizontal: 3.60, vertikal: 8.80



Serie 1:
 9.0 ↖ 10.0 ↑ 10.1 ↑ 10.8 * 10.0 ↗
 10.8 * 8.7 ↗ 9.9 ↗ 10.3 ← 10.4 *
 beste Teiler 89.9 (6.) 111.1 (4.) 409.6 (10.)
 Trefferlage 0.69 mm rechts, 4.87 mm hoch
 Streuwert 5.76, horizontal: 4.60, vertikal: 6.73





Serie 2:
 9.8 ↘ 9.8 ↑ 8.9 ↑ 10.8 * 9.9 ↑
 10.0 ↘ 9.2 ↑ 10.7 * 10.5 * 10.1 ↓
 beste Teiler 119.0 (14.) 198.4 (18.) 389.4 (19.)
 Trefferlage 0.76 mm rechts, 2.02 mm hoch
 Streuwert 6.54, horizontal: 3.08, vertikal: 8.72




Serie 3:
 10.5 * 9.0 ↑ 9.4 ↓ 10.2 ↘ 10.3 ↗
 10.5 * 8.5 ↑ 10.3 ↓ 9.2 ↑ 9.6 ↘
 beste Teiler 331.1 (26.) 353.2 (21.) 495.7 (25.)
 Trefferlage 1.12 mm rechts, 1.71 mm hoch
 Streuwert 8.13, horizontal: 3.34, vertikal: 11.01

Unterschrift des Schützen


Ergebnis: **303.0** (290)
 Serien: 100.8 100.1 102.1
 Zähler: 20 10 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1451 (18), 1357 (13), 1008 (6)
 beste Teiler 228.4 (3.) 314.5 (2.) 324.8 (14.)
 Trefferlage 1.33 mm rechts, 1.47 mm tief
 Streuwert 5.16, horizontal: 4.51, vertikal: 5.74



Serie 1:
 10.0 ↗ 10.6 * 10.7 * 10.0 → 10.1 ↗
 9.7 ↑ 9.8 ↘ 10.0 → 9.9 ↗ 10.0 ↘
 beste Teiler 228.4 (3.) 314.5 (2.) 663.2 (5.)
 Trefferlage 2.82 mm rechts, 2.92 mm hoch
 Streuwert 4.76, horizontal: 3.95, vertikal: 5.45



Serie 2:
 10.4 * 9.9 ← 9.3 ↓ 10.5 * 10.5 *
 10.4 * 9.9 ↓ 9.1 ↘ 10.3 ↑ 9.8 ↘
 beste Teiler 324.8 (14.) 375.5 (15.) 440.2 (11.)
 Trefferlage 0.27 mm rechts, 4.44 mm tief
 Streuwert 5.37, horizontal: 4.78, vertikal: 5.89





Serie 3:
 10.3 ↓ 10.1 ↘ 9.9 ↘ 9.9 ↙ 10.4 *
 10.3 → 10.4 * 10.4 * 10.1 ↓ 10.3 ←
 beste Teiler 408.3 (28.) 436.3 (27.) 439.0 (25.)
 Trefferlage 0.90 mm rechts, 2.92 mm tief
 Streuwert 3.96, horizontal: 4.82, vertikal: 2.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **287.3** (271)
 Serien: 93.9 95.9 97.5
 Zähler: 5 21 4 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1938 (5), 1883 (1), 1704 (20)
 beste Teiler 326.4 (14.) 411.7 (15.) 647.3 (26.)
 Trefferlage 0.39 mm links, 0.07 mm tief
 Streuwert 8.31, horizontal: 8.78, vertikal: 7.80



Serie 1:
 8.6 ↑ 9.5 ↙ 9.0 → 9.9 ↓ 8.5 →
 9.4 ← 9.7 ↗ 9.8 ↘ 9.9 ↗ 9.6 ↘
 beste Teiler 807.4 (4.) 857.2 (9.) 887.3 (8.)
 Trefferlage 1.66 mm rechts, 2.48 mm hoch
 Streuwert 9.39, horizontal: 10.22, vertikal: 8.49





Serie 2:
 9.7 ↖ 9.6 ↗ 9.3 → 10.5 * 10.4 *
 9.8 ↘ 9.6 ← 9.2 ↙ 9.0 ↘ 8.8 ↘
 beste Teiler 326.4 (14.) 411.7 (15.) 912.0 (16.)
 Trefferlage 0.64 mm links, 0.93 mm tief
 Streuwert 8.54, horizontal: 9.52, vertikal: 7.43




Serie 3:
 9.6 ↘ 8.9 ↓ 9.7 ↘ 9.8 ↘ 10.1 ↙
 10.1 ↘ 9.9 → 9.6 ↙ 9.8 ← 10.0 ←
 beste Teiler 647.3 (26.) 677.3 (25.) 739.9 (30.)
 Trefferlage 2.20 mm links, 1.77 mm tief
 Streuwert 7.16, horizontal: 6.71, vertikal: 7.58

Unterschrift des Schützen


Ergebnis: **298.6** (284)
 Serien: 99.0 101.8 97.8
 Zähler: 16 12 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2090 (22), 1934 (28), 1343 (24)
 beste Teiler 124.2 (20.) 198.4 (23.) 233.5 (15.)
 Trefferlage 0.31 mm links, 1.24 mm tief
 Streuwert 6.64, horizontal: 6.35, vertikal: 6.91



Serie 1:
 10.2 ← 9.6 ← 10.3 ↓ 9.4 ↘ 10.4 *
 9.7 ↘ 10.4 * 10.0 ↓ 9.6 ↗ 9.4 ←
 beste Teiler 425.6 (5.) 426.9 (7.) 492.0 (3.)
 Trefferlage 3.32 mm links, 4.41 mm tief
 Streuwert 5.16, horizontal: 6.02, vertikal: 4.12





Serie 2:
 9.8 ← 10.6 * 9.4 → 9.3 ↓ 10.7 *
 10.5 * 10.5 * 9.8 ↑ 10.4 * 10.8 *
 beste Teiler 124.2 (20.) 233.5 (15.) 312.9 (12.)
 Trefferlage 0.38 mm rechts, 0.05 mm tief
 Streuwert 5.49, horizontal: 5.44, vertikal: 5.54




Serie 3:
 9.6 ↓ 8.3 → 10.7 * 9.3 ↓ 9.9 ↙
 10.5 * 10.4 → 8.5 ↑ 10.2 ↖ 10.4 *
 beste Teiler 198.4 (23.) 389.6 (26.) 454.5 (30.)
 Trefferlage 1.98 mm rechts, 0.74 mm hoch
 Streuwert 8.27, horizontal: 6.91, vertikal: 9.43

Unterschrift des Schützen


Ergebnis: **285.5** (274)
 Serien: 92.5 96.5 96.5
 Zähler: 11 13 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3075 (4), 2368 (3), 2035 (27)
 beste Teiler 94.0 (28.) 331.8 (25.) 345.5 (20.)
 Trefferlage 1.02 mm rechts, 6.09 mm tief
 Streuwert 8.34, horizontal: 8.71, vertikal: 7.95



Serie 1:
 9.8 ↘ 10.4 * 8.0 ↓ 7.1 ↘ 9.4 ←
 9.9 ↓ 9.5 ↓ 10.0 ↓ 9.1 ↓ 9.3 ↓
 beste Teiler 415.6 (2.) 747.7 (8.) 839.2 (6.)
 Trefferlage 2.50 mm rechts, 10.77 mm tief
 Streuwert 8.16, horizontal: 9.89, vertikal: 5.95



Serie 2:
 10.0 ↓ 9.5 ↙ 9.1 ↙ 9.5 ↘ 8.8 ↓
 8.5 ↗ 10.5 * 10.0 ↓ 10.1 ↙ 10.5 *
 beste Teiler 345.5 (20.) 381.9 (17.) 663.4 (19.)
 Trefferlage 0.03 mm links, 5.47 mm tief
 Streuwert 7.59, horizontal: 8.52, vertikal: 6.54





Serie 3:
 9.7 ↓ 10.3 ↗ 9.3 ↘ 9.2 → 10.5 *
 8.7 ↘ 8.4 ↓ 10.8 * 10.1 ↗ 9.5 ↓
 beste Teiler 94.0 (28.) 331.8 (25.) 548.7 (22.)
 Trefferlage 0.59 mm rechts, 2.03 mm tief
 Streuwert 8.73, horizontal: 8.38, vertikal: 9.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **298.5** (283)
 Serien: 100.8 98.1 99.6
 Zähler: 13 17 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1389 (20), 1344 (29), 1341 (18)
 beste Teiler 92.0 (16.) 97.6 (27.) 173.2 (3.)
 Trefferlage 1.40 mm links, 1.04 mm hoch
 Streuwert 6.42, horizontal: 3.87, vertikal: 8.21



Serie 1:
 9.6 ↑ 9.3 ↑ 10.7 * 10.7 * 10.7 *
 9.3 ↑ 10.2 ↕ 10.0 ↘ 9.6 ↑ 10.7 *
 beste Teiler 173.2 (3.) 176.3 (10.) 185.1 (4.)
 Trefferlage 0.16 mm links, 5.94 mm hoch
 Streuwert 4.36, horizontal: 2.10, vertikal: 5.80



Serie 2:
 9.9 ↑ 9.6 ↘ 9.8 ↑ 9.7 ↑ 9.7 ←
 10.8 * 9.5 ↙ 9.3 ↓ 10.6 * 9.2 ↓
 beste Teiler 92.0 (16.) 267.0 (19.) 832.3 (11.)
 Trefferlage 1.99 mm links, 0.25 mm tief
 Streuwert 7.23, horizontal: 3.84, vertikal: 9.49





Serie 3:
 10.3 ↙ 10.7 * 9.8 ↓ 9.5 ↘ 9.5 ↖
 9.3 ↓ 10.8 * 10.4 * 9.3 ↙ 10.0 ↘
 beste Teiler 97.6 (27.) 214.4 (22.) 444.8 (28.)
 Trefferlage 2.04 mm links, 2.56 mm tief
 Streuwert 6.21, horizontal: 5.16, vertikal: 7.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **293.3** (279)
 Serien: 98.0 95.8 99.5
 Zähler: 12 15 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2312 (19), 2021 (12), 1771 (2)
 beste Teiler 164.2 (16.) 178.5 (28.) 251.5 (23.)
 Trefferlage 1.61 mm links, 0.58 mm tief
 Streuwert 7.78, horizontal: 5.32, vertikal: 9.63



Serie 1:
 9.8 ↙ 8.7 ↖ 9.9 ↗ 9.5 ↖ 9.9 ↖
 10.5 * 10.3 ↗ 9.1 ↑ 9.9 → 10.4 *
 beste Teiler 351.8 (6.) 404.0 (10.) 497.7 (7.)
 Trefferlage 2.43 mm links, 4.91 mm hoch
 Streuwert 6.37, horizontal: 5.36, vertikal: 7.25



Serie 2:
 10.4 * 8.4 ↑ 9.0 ↘ 10.3 ↙ 10.6 *
 10.7 * 9.9 ↘ 9.0 ↙ 8.1 ↓ 9.4 ↙
 beste Teiler 164.2 (16.) 312.6 (15.) 430.1 (11.)
 Trefferlage 3.41 mm links, 2.80 mm tief
 Streuwert 9.20, horizontal: 5.87, vertikal: 11.60





Serie 3:
 9.3 ↓ 10.0 ↗ 10.6 * 9.9 ↘ 9.9 ↖
 9.0 ↓ 9.4 ↓ 10.7 * 10.6 * 10.1 ↓
 beste Teiler 178.5 (28.) 251.5 (23.) 279.8 (29.)
 Trefferlage 1.00 mm rechts, 3.87 mm tief
 Streuwert 6.19, horizontal: 4.01, vertikal: 7.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **306.7** (294)
 Serien: 100.4 103.2 103.1
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1263 (4), 1094 (3), 1072 (7)
 beste Teiler 109.2 (9.) 162.0 (29.) 170.0 (27.)
 Trefferlage 0.25 mm links, 1.64 mm tief
 Streuwert 4.51, horizontal: 3.21, vertikal: 5.51



Serie 1:
 10.0 ↓ 10.3 ↓ 9.6 ↓ 9.4 ↓ 10.1 ↘
 10.1 ↑ 9.6 ↑ 10.2 ↓ 10.8 * 10.3 ↙
 beste Teiler 109.2 (9.) 495.0 (10.) 536.3 (2.)
 Trefferlage 0.69 mm links, 2.49 mm tief
 Streuwert 5.60, horizontal: 2.58, vertikal: 7.49





Serie 2:
 10.2 ↓ 10.3 → 10.5 * 10.7 * 10.4 *
 10.1 → 10.4 * 10.7 * 10.0 ↓ 9.9 ↓
 beste Teiler 180.5 (18.) 184.0 (14.) 374.2 (13.)
 Trefferlage 1.17 mm rechts, 1.46 mm tief
 Streuwert 3.88, horizontal: 3.00, vertikal: 4.59




Serie 3:
 10.1 ↘ 10.3 ↙ 9.8 ↘ 10.1 ↑ 10.6 *
 10.7 * 10.7 * 9.9 ↙ 10.7 * 10.2 ↓
 beste Teiler 162.0 (29.) 170.0 (27.) 235.3 (26.)
 Trefferlage 1.24 mm links, 0.98 mm tief
 Streuwert 4.09, horizontal: 3.75, vertikal: 4.41

Unterschrift des Schützen


Ergebnis: **287.3** (272)
 Serien: 97.1 91.8 98.4
 Zähler: 8 19 1 1 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3374 (20), 2422 (11), 1674 (24)
 beste Teiler 410.7 (26.) 422.6 (4.) 518.0 (28.)
 Trefferlage 1.84 mm rechts, 1.00 mm hoch
 Streuwert 8.88, horizontal: 7.30, vertikal: 10.23



Serie 1:
 9.4 → 9.7 ↓ 9.8 ↙ 10.4 * 10.1 →
 9.6 → 9.8 ↑ 9.1 ↘ 10.2 ↖ 9.0 →
 beste Teiler 422.6 (4.) 610.9 (9.) 700.9 (5.)
 Trefferlage 2.52 mm rechts, 0.87 mm hoch
 Streuwert 7.68, horizontal: 9.14, vertikal: 5.86





Serie 2:
 7.9 ↓ 9.5 ↗ 9.5 ↘ 9.9 ↓ 9.7 →
 9.6 ↘ 9.7 ↘ 10.1 → 9.2 ← 6.7 ↑
 beste Teiler 642.4 (18.) 863.7 (14.) 987.8 (17.)
 Trefferlage 2.45 mm rechts, 1.48 mm tief
 Streuwert 11.88, horizontal: 6.58, vertikal: 15.46




Serie 3:
 9.9 ↙ 10.1 ↓ 10.3 → 8.9 ↗ 9.0 ↑
 10.4 * 9.9 ↗ 10.3 ↘ 9.8 ↑ 9.8 ↖
 beste Teiler 410.7 (26.) 518.0 (28.) 523.5 (23.)
 Trefferlage 0.56 mm rechts, 3.62 mm hoch
 Streuwert 6.75, horizontal: 6.49, vertikal: 7.00

Unterschrift des Schützen


Ergebnis: **295.7** (283)
 Serien: 99.3 96.4 100.0
 Zähler: 17 9 4 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2291 (4), 2083 (14), 1897 (1)
 beste Teiler 103.0 (6.) 138.1 (10.) 194.7 (30.)
 Trefferlage 2.11 mm links, 0.98 mm hoch
 Streuwert 7.26, horizontal: 5.54, vertikal: 8.65



Serie 1:
 8.6 ↘ 10.4 * 10.0 ↗ 8.1 ↑ 10.2 ↘
 10.8 * 10.4 ↙ 9.6 ↓ 10.4 * 10.8 *
 beste Teiler 103.0 (6.) 138.1 (10.) 427.1 (9.)
 Trefferlage 0.61 mm links, 1.33 mm tief
 Streuwert 7.94, horizontal: 4.26, vertikal: 10.38



Serie 2:
 9.6 ↙ 10.0 ↘ 9.9 ← 8.3 ↑ 8.7 ↑
 9.5 ← 10.4 * 9.7 ↖ 10.1 ↗ 10.2 ↘
 beste Teiler 419.6 (17.) 561.6 (20.) 658.4 (19.)
 Trefferlage 3.94 mm links, 2.59 mm hoch
 Streuwert 7.88, horizontal: 6.11, vertikal: 9.31





Serie 3:
 10.0 ↖ 10.0 ↑ 10.5 * 9.0 ← 10.2 ↑
 9.8 ↘ 9.7 ↗ 10.4 * 9.7 ↖ 10.7 *
 beste Teiler 194.7 (30.) 349.9 (23.) 427.6 (28.)
 Trefferlage 1.78 mm links, 1.70 mm hoch
 Streuwert 6.08, horizontal: 6.08, vertikal: 6.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285.5** (273)
 Serien: 95.4 91.7 98.4
 Zähler: 14 9 6 0 0 0 1 0 0 0
 Innenzehner: 6
 weiteste: 5277 (11), 2235 (8), 2097 (7)
 beste Teiler 182.9 (10.) 200.3 (25.) 271.4 (5.)
 Trefferlage 1.86 mm links, 0.60 mm hoch
 Streuwert 10.65, horizontal: 9.23, vertikal: 11.91



Serie 1:
 10.0 ↓ 9.3 ↑ 10.6 * 8.8 ↗ 10.6 *
 9.0 ↘ 8.3 ↓ 8.2 ↑ 9.9 ↑ 10.7 *
 beste Teiler 182.9 (10.) 271.4 (5.) 305.2 (3.)
 Trefferlage 0.93 mm links, 4.06 mm hoch
 Streuwert 9.48, horizontal: 4.98, vertikal: 12.45





Serie 2:
 4.4 ↙ 9.2 ↑ 9.9 ↓ 8.7 ↓ 10.3 ↗
 8.9 ↓ 10.1 ↘ 9.7 ↑ 10.4 * 10.1 ↓
 beste Teiler 474.5 (19.) 519.8 (15.) 671.1 (17.)
 Trefferlage 3.47 mm links, 5.39 mm tief
 Streuwert 13.88, horizontal: 15.15, vertikal: 12.48




Serie 3:
 9.3 ↘ 10.1 ↘ 10.5 * 10.0 ↙ 10.7 *
 9.7 ↑ 10.2 ↗ 8.5 ↓ 9.3 ↑ 10.1 ↑
 beste Teiler 200.3 (25.) 351.5 (23.) 579.1 (27.)
 Trefferlage 1.18 mm links, 3.13 mm hoch
 Streuwert 7.13, horizontal: 4.00, vertikal: 9.26

Unterschrift des Schützen


Ergebnis: **292.6** (275)
 Serien: 99.4 97.3 95.9
 Zähler: 7 21 2 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1875 (24), 1631 (29), 1510 (8)
 beste Teiler 165.8 (7.) 253.4 (6.) 272.4 (9.)
 Trefferlage 0.69 mm rechts, 1.82 mm tief
 Streuwert 7.28, horizontal: 7.19, vertikal: 7.37



Serie 1:
 9.9 ← 9.3 ↓ 9.9 ↘ 9.9 ↘ 9.6 ↘
 10.6 * 10.7 * 9.1 ↓ 10.6 * 9.8 ←
 beste Teiler 165.8 (7.) 253.4 (6.) 272.4 (9.)
 Trefferlage 0.45 mm rechts, 5.25 mm tief
 Streuwert 5.61, horizontal: 5.47, vertikal: 5.75



Serie 2:
 9.8 ↗ 10.0 ← 9.6 ↓ 9.9 ↗ 9.1 ←
 9.7 ↓ 9.9 ↙ 9.9 → 9.7 ↑ 9.7 ↗
 beste Teiler 787.0 (12.) 838.6 (14.) 845.8 (17.)
 Trefferlage 0.89 mm links, 1.40 mm tief
 Streuwert 7.33, horizontal: 7.30, vertikal: 7.35





Serie 3:
 9.9 → 9.5 ↘ 10.1 ↗ 8.6 ← 10.3 ↗
 9.3 ↘ 10.0 ↓ 9.9 ↗ 8.9 ↑ 9.4 ↗
 beste Teiler 537.5 (25.) 662.7 (23.) 768.6 (27.)
 Trefferlage 2.51 mm rechts, 1.16 mm hoch
 Streuwert 8.42, horizontal: 8.77, vertikal: 8.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.6** (282)
 Serien: 100.5 98.1 98.0
 Zähler: 15 13 1 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2406 (30), 2061 (10), 1413 (23)
 beste Teiler 120.0 (1.) 235.3 (5.) 236.1 (27.)
 Trefferlage 0.06 mm rechts, 0.50 mm hoch
 Streuwert 7.15, horizontal: 4.78, vertikal: 8.92



Serie 1:
 10.8 * 10.0 ↙ 10.5 * 9.6 ↙ 10.7 *
 9.7 ↑ 9.9 ↘ 10.5 * 10.4 * 8.4 ↑
 beste Teiler 120.0 (1.) 235.3 (5.) 343.1 (3.)
 Trefferlage 2.31 mm links, 2.44 mm hoch
 Streuwert 6.23, horizontal: 4.21, vertikal: 7.73





Serie 2:
 9.4 ↓ 9.4 ↓ 9.4 ↘ 10.2 ↘ 10.6 *
 9.7 → 10.1 ← 9.8 ↓ 9.3 ↑ 10.2 ↑
 beste Teiler 305.1 (15.) 575.0 (20.) 581.9 (14.)
 Trefferlage 1.59 mm rechts, 2.36 mm tief
 Streuwert 6.95, horizontal: 5.12, vertikal: 8.39




Serie 3:
 9.9 ↓ 9.6 ↗ 9.2 ↗ 10.2 ↖ 10.2 ↖
 10.0 ↖ 10.7 * 9.9 ↑ 10.4 * 7.9 ↓
 beste Teiler 236.1 (27.) 474.4 (29.) 634.2 (24.)
 Trefferlage 0.90 mm rechts, 1.44 mm hoch
 Streuwert 8.12, horizontal: 4.49, vertikal: 10.57

Unterschrift des Schützen


Ergebnis: **270.0** (257)
 Serien: 89.4 83.2 97.4
 Zähler: 7 9 9 4 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3359 (6), 3153 (18), 2968 (19)
 beste Teiler 22.4 (27.) 499.5 (30.) 613.2 (2.)
 Trefferlage 2.68 mm rechts, 0.12 mm tief
 Streuwert 12.54, horizontal: 9.00, vertikal: 15.29



Serie 1:
 8.7 ↙ 10.2 ↘ 7.8 ↗ 8.3 → 10.0 ↗
 6.8 ↗ 8.8 ↑ 9.0 ↑ 9.7 ↙ 10.1 →
 beste Teiler 613.2 (2.) 665.6 (10.) 757.0 (5.)
 Trefferlage 4.23 mm rechts, 7.03 mm hoch
 Streuwert 12.23, horizontal: 11.96, vertikal: 12.49



Serie 2:
 8.5 ↓ 8.6 ↓ 8.4 ↓ 9.2 ↘ 8.6 ←
 7.6 ↑ 9.5 ↘ 7.0 ↓ 7.2 ↓ 8.6 ↓
 beste Teiler 1139.1 (17.) 1397.7 (14.) 1873.7 (15.)
 Trefferlage 1.30 mm rechts, 11.73 mm tief
 Streuwert 13.82, horizontal: 9.16, vertikal: 17.26





Serie 3:
 8.8 ↑ 9.5 ↘ 10.1 ↗ 9.8 ↙ 9.7 ↑
 9.1 ↗ 10.9 * 9.1 ↑ 10.1 ↗ 10.3 ↙
 beste Teiler 22.4 (27.) 499.5 (30.) 644.8 (23.)
 Trefferlage 2.51 mm rechts, 4.33 mm hoch
 Streuwert 7.06, horizontal: 5.40, vertikal: 8.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297.9** (285)
 Serien: 98.1 100.0 99.8
 Zähler: 15 15 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1568 (6), 1427 (12), 1287 (29)
 beste Teiler 202.0 (22.) 287.0 (26.) 317.4 (14.)
 Trefferlage 1.47 mm links, 2.45 mm tief
 Streuwert 6.03, horizontal: 5.52, vertikal: 6.49



Serie 1:
 10.3 ↖ 10.0 ↘ 9.5 ← 9.6 ↓ 9.6 ↙
 9.0 ↑ 10.4 * 10.2 ↗ 9.7 ↖ 9.8 ↘
 beste Teiler 473.3 (7.) 534.2 (1.) 630.2 (8.)
 Trefferlage 3.49 mm links, 1.47 mm tief
 Streuwert 6.60, horizontal: 4.77, vertikal: 8.02





Serie 2:
 9.4 ↙ 9.2 → 10.3 ↗ 10.6 * 10.4 *
 9.9 ↓ 10.3 ← 10.0 ↓ 9.9 → 10.0 ↓
 beste Teiler 317.4 (14.) 436.7 (15.) 493.8 (17.)
 Trefferlage 0.35 mm rechts, 3.17 mm tief
 Streuwert 5.76, horizontal: 6.22, vertikal: 5.26




Serie 3:
 9.8 ↘ 10.7 * 9.6 ↘ 10.0 ↓ 10.2 ↖
 10.6 * 9.5 ← 9.7 ↓ 9.3 ↗ 10.4 *
 beste Teiler 202.0 (22.) 287.0 (26.) 463.6 (30.)
 Trefferlage 1.28 mm links, 2.71 mm tief
 Streuwert 5.94, horizontal: 5.34, vertikal: 6.48

Unterschrift des Schützen


Ergebnis: **272.6** (258)
 Serien: 91.5 95.3 85.8
 Zähler: 8 8 10 3 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4317 (29), 3072 (27), 3054 (3)
 beste Teiler 374.4 (4.) 397.8 (18.) 402.3 (11.)
 Trefferlage 0.67 mm links, 3.03 mm hoch
 Streuwert 12.36, horizontal: 11.12, vertikal: 13.49



Serie 1:
 10.3 ↖ 8.6 ↗ 7.1 ↘ 10.5 * 10.0 ↙
 8.4 ↑ 7.5 ↓ 8.4 ↗ 10.4 * 10.3 ↘
 beste Teiler 374.4 (4.) 417.1 (9.) 495.9 (10.)
 Trefferlage 2.06 mm links, 6.24 mm hoch
 Streuwert 12.02, horizontal: 9.01, vertikal: 14.41



Serie 2:
 10.4 * 8.9 ↘ 9.7 ↖ 9.8 ↑ 9.1 ↗
 8.6 ↗ 10.0 ← 10.5 * 9.8 ← 8.5 ↓
 beste Teiler 397.8 (18.) 402.3 (11.) 788.0 (17.)
 Trefferlage 0.63 mm rechts, 0.97 mm hoch
 Streuwert 9.40, horizontal: 8.91, vertikal: 9.86





Serie 3:
 9.5 ↗ 8.9 ↗ 9.2 ↗ 9.5 ✓ 8.9 ←
 8.8 ↗ 7.1 ↑ 8.8 ↓ 5.6 ✓ 9.5 ↘
 beste Teiler 1126.3 (24.) 1128.7 (21.) 1180.6 (30.)
 Trefferlage 0.59 mm links, 1.88 mm hoch
 Streuwert 15.78, horizontal: 15.28, vertikal: 16.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **294.9** (282)
 Serien: 98.5 100.1 96.3
 Zähler: 15 12 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2348 (27), 2286 (28), 2055 (7)
 beste Teiler 215.1 (12.) 243.3 (11.) 250.4 (3.)
 Trefferlage 0.03 mm links, 0.14 mm tief
 Streuwert 7.67, horizontal: 8.78, vertikal: 6.36



Serie 1:
 10.6 * 10.1 ↘ 10.6 * 9.7 ↖ 10.0 ↖
 10.5 * 8.4 ↖ 9.2 → 9.9 ↑ 9.5 ↑
 beste Teiler 250.4 (3.) 251.1 (1.) 374.4 (6.)
 Trefferlage 0.65 mm links, 4.27 mm hoch
 Streuwert 6.91, horizontal: 7.89, vertikal: 5.77



Serie 2:
 10.6 * 10.7 * 9.7 ↓ 10.4 * 10.1 ↖
 9.0 ↗ 10.4 * 10.3 ↗ 9.7 ↓ 9.2 ↘
 beste Teiler 215.1 (12.) 243.3 (11.) 449.0 (14.)
 Trefferlage 2.28 mm rechts, 1.32 mm tief
 Streuwert 6.19, horizontal: 5.85, vertikal: 6.52





Serie 3:
 10.6 * 10.1 ↘ 9.7 ↓ 9.7 ↙ 9.6 ←
 10.0 ↓ 8.0 ← 8.1 → 9.9 ↘ 10.6 *
 beste Teiler 275.8 (21.) 314.5 (30.) 663.7 (22.)
 Trefferlage 1.72 mm links, 3.39 mm tief
 Streuwert 9.00, horizontal: 11.93, vertikal: 4.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **294.3** (282)
 Serien: 99.4 98.5 96.4
 Zähler: 14 14 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1779 (16), 1695 (15), 1565 (24)
 beste Teiler 263.8 (23.) 265.6 (3.) 282.0 (8.)
 Trefferlage 1.32 mm links, 1.18 mm tief
 Streuwert 7.19, horizontal: 8.00, vertikal: 6.28



Serie 1:
 9.9 ← 9.0 ↘ 10.6 * 10.2 ↓ 9.5 ←
 9.6 ↖ 10.1 → 10.6 * 10.2 → 9.7 ↗
 beste Teiler 265.6 (3.) 282.0 (8.) 593.3 (4.)
 Trefferlage 0.75 mm rechts, 2.07 mm tief
 Streuwert 6.44, horizontal: 7.42, vertikal: 5.29



Serie 2:
 9.8 ← 9.8 ↑ 10.6 * 10.4 * 8.8 ←
 8.7 ↙ 10.5 * 10.0 ← 9.9 ← 10.0 ↓
 beste Teiler 284.2 (13.) 366.6 (17.) 455.9 (14.)
 Trefferlage 5.36 mm links, 2.36 mm tief
 Streuwert 6.04, horizontal: 5.81, vertikal: 6.27





Serie 3:
 9.6 ↖ 9.0 → 10.6 * 9.0 ↓ 10.0 ↗
 9.9 ↑ 10.2 ↑ 10.0 ↘ 9.0 → 9.1 ←
 beste Teiler 263.8 (23.) 596.0 (27.) 730.3 (28.)
 Trefferlage 0.61 mm rechts, 0.88 mm hoch
 Streuwert 8.45, horizontal: 9.50, vertikal: 7.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **290.4** (279)
 Serien: 93.7 100.9 95.8
 Zähler: 14 12 3 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2628 (7), 2222 (8), 2039 (25)
 beste Teiler 159.3 (20.) 350.6 (6.) 506.4 (18.)
 Trefferlage 2.61 mm links, 2.03 mm hoch
 Streuwert 8.04, horizontal: 8.73, vertikal: 7.28



Serie 1:
 9.4 → 8.8 ↗ 9.9 → 9.5 ↖ 9.9 ↖
 10.5 * 7.7 ← 8.2 ↙ 10.1 ↖ 9.7 ↖
 beste Teiler 350.6 (6.) 701.7 (9.) 821.9 (5.)
 Trefferlage 4.41 mm links, 3.14 mm hoch
 Streuwert 9.90, horizontal: 12.98, vertikal: 5.25



Serie 2:
 10.0 ↑ 10.0 ← 10.3 ↙ 10.0 → 9.1 ↖
 10.0 ↘ 10.2 ↘ 10.3 ↘ 10.2 ↘ 10.8 *
 beste Teiler 159.3 (20.) 506.4 (18.) 558.6 (13.)
 Trefferlage 1.87 mm links, 2.90 mm hoch
 Streuwert 5.08, horizontal: 4.33, vertikal: 5.74





Serie 3:
 10.1 ↖ 9.3 ↙ 10.3 ↙ 9.5 ↑ 8.4 ↖
 9.9 ↗ 9.7 ↗ 9.2 ↓ 10.3 ↓ 9.1 ↓
 beste Teiler 556.3 (23.) 560.6 (29.) 668.8 (21.)
 Trefferlage 1.55 mm links, 0.06 mm hoch
 Streuwert 8.85, horizontal: 7.27, vertikal: 10.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285.7** (272)
 Serien: 99.4 92.0 94.3
 Zähler: 8 16 6 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2197 (19), 2153 (9), 2064 (30)
 beste Teiler 152.0 (21.) 193.2 (5.) 257.2 (1.)
 Trefferlage 0.03 mm rechts, 4.93 mm hoch
 Streuwert 8.50, horizontal: 6.03, vertikal: 10.41



Serie 1:
 10.6 * 10.4 * 10.5 * 10.1 ↗ 10.7 *
 9.3 ↗ 9.9 ↘ 9.7 ↗ 8.3 ↑ 9.9 ↓
 beste Teiler 193.2 (5.) 257.2 (1.) 369.2 (3.)
 Trefferlage 2.36 mm rechts, 3.45 mm hoch
 Streuwert 6.57, horizontal: 4.35, vertikal: 8.21





Serie 2:
 9.2 ↑ 8.4 ↗ 10.3 ↗ 9.3 ↓ 8.7 ↑
 9.6 ↘ 10.1 ↓ 9.1 ↓ 8.2 ↘ 9.1 ↑
 beste Teiler 525.9 (13.) 695.1 (17.) 1075.4 (16.)
 Trefferlage 1.09 mm links, 6.02 mm hoch
 Streuwert 10.11, horizontal: 6.95, vertikal: 12.49




Serie 3:
 10.8 * 9.9 ↘ 9.1 ↖ 9.6 ↑ 9.3 ↘
 9.1 ↓ 8.7 ↑ 9.6 ↘ 9.8 ↑ 8.4 ↑
 beste Teiler 152.0 (21.) 829.0 (22.) 955.0 (29.)
 Trefferlage 1.17 mm links, 5.33 mm hoch
 Streuwert 9.01, horizontal: 6.39, vertikal: 11.02

Unterschrift des Schützen


Ergebnis: **283.9** (272)
 Serien: 94.1 94.4 95.4
 Zähler: 8 16 6 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2390 (18), 2329 (23), 2247 (8)
 beste Teiler 294.9 (20.) 324.8 (29.) 456.5 (3.)
 Trefferlage 0.91 mm links, 4.21 mm hoch
 Streuwert 9.07, horizontal: 5.13, vertikal: 11.76



Serie 1:
 8.3 ↑ 9.9 ↘ 10.4 * 8.3 ↑ 9.5 ↘
 9.7 ↗ 10.1 ↓ 8.1 ↑ 9.8 ↙ 10.0 ↑
 beste Teiler 456.5 (3.) 676.0 (7.) 781.2 (10.)
 Trefferlage 1.31 mm links, 6.98 mm hoch
 Streuwert 8.87, horizontal: 3.77, vertikal: 11.97





Serie 2:
 10.0 → 8.3 ↑ 9.1 ↑ 10.3 → 9.2 ↘
 9.8 ↑ 9.8 ↑ 8.0 ↑ 9.3 ↓ 10.6 *
 beste Teiler 294.9 (20.) 544.0 (14.) 784.0 (11.)
 Trefferlage 0.93 mm rechts, 7.01 mm hoch
 Streuwert 8.72, horizontal: 4.31, vertikal: 11.55



Serie 3:
 9.9 ↗ 9.2 ↘ 8.0 ↙ 9.7 ↗ 9.8 ↓
 9.1 ↙ 10.1 ↑ 9.8 ↑ 10.5 * 9.3 ↓
 beste Teiler 324.8 (29.) 708.3 (27.) 855.7 (21.)
 Trefferlage 2.37 mm links, 1.33 mm tief
 Streuwert 9.04, horizontal: 6.75, vertikal: 10.86


Unterschrift des Schützen

Ergebnis: **287.1** (274)
 Serien: 89.6 98.0 99.5
 Zähler: 11 13 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2791 (7), 2271 (2), 2266 (6)
 beste Teiler 306.9 (14.) 455.9 (5.) 458.0 (22.)
 Trefferlage 3.73 mm links, 3.45 mm tief
 Streuwert 8.43, horizontal: 8.40, vertikal: 8.46




Serie 1:
 10.1 ↖ 8.1 ← 8.3 ↙ 9.9 → 10.4 *
 8.1 ↙ 7.5 ↙ 8.5 ↙ 8.8 → 9.9 ↘

beste Teiler 455.9 (5.) 671.7 (1.) 860.5 (4.)
 Trefferlage 4.71 mm links, 5.95 mm tief
 Streuwert 11.98, horizontal: 13.37, vertikal: 10.41



Serie 2:
 9.7 ↓ 9.7 ↘ 9.4 ↙ 10.6 * 10.3 ↖
 9.8 ↙ 9.0 ← 10.4 * 9.7 ↙ 9.4 ↓

beste Teiler 306.9 (14.) 470.7 (18.) 516.3 (15.)
 Trefferlage 4.15 mm links, 4.92 mm tief
 Streuwert 5.70, horizontal: 5.81, vertikal: 5.58





Serie 3:
 10.4 * 10.4 * 9.7 ↖ 9.2 ↖ 9.3 ↓
 10.1 ↖ 10.3 ← 9.8 ↓ 10.1 ↓ 10.2 ↖

beste Teiler 458.0 (22.) 475.5 (21.) 551.1 (27.)
 Trefferlage 2.33 mm links, 0.50 mm hoch
 Streuwert 6.15, horizontal: 3.37, vertikal: 8.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288.7** (276)
 Serien: 98.1 94.6 96.0
 Zähler: 15 8 5 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2725 (20), 2487 (26), 2139 (1)
 beste Teiler 259.8 (14.) 317.4 (27.) 348.0 (9.)
 Trefferlage 0.34 mm rechts, 0.61 mm tief
 Streuwert 9.08, horizontal: 4.74, vertikal: 11.93



Serie 1:
 8.3 ↙ 10.3 ↙ 9.8 ↖ 10.1 ↑ 8.4 ↖
 10.3 ↑ 10.2 ↗ 9.8 ↘ 10.5 * 10.4 *
 beste Teiler 348.0 (9.) 420.7 (10.) 531.7 (2.)
 Trefferlage 3.22 mm links, 0.48 mm hoch
 Streuwert 7.86, horizontal: 4.48, vertikal: 10.17





Serie 2:
 10.2 ↗ 10.2 ↖ 9.2 ↓ 10.6 * 8.5 ↓
 10.3 ↑ 10.2 ↖ 8.7 ↗ 9.2 ↘ 7.5 ↘
 beste Teiler 259.8 (14.) 548.1 (16.) 566.7 (12.)
 Trefferlage 1.90 mm rechts, 3.16 mm tief
 Streuwert 10.18, horizontal: 5.27, vertikal: 13.40




Serie 3:
 8.8 ↓ 9.9 ↓ 9.8 ↓ 10.3 ↗ 9.1 ↑
 7.8 ↑ 10.6 * 10.1 ↘ 10.0 ↓ 9.6 ↑
 beste Teiler 317.4 (27.) 523.8 (24.) 703.1 (28.)
 Trefferlage 2.34 mm rechts, 0.83 mm hoch
 Streuwert 9.17, horizontal: 1.78, vertikal: 12.84

Unterschrift des Schützen


Ergebnis: **288.3** (276)
 Serien: 92.7 96.7 98.9
 Zähler: 12 15 2 0 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4622 (9), 2310 (6), 1665 (12)
 beste Teiler 136.1 (24.) 182.7 (3.) 200.7 (15.)
 Trefferlage 1.57 mm rechts, 2.98 mm tief
 Streuwert 9.45, horizontal: 10.35, vertikal: 8.46



Serie 1:
 10.5 * 9.6 ↘ 10.7 * 9.6 ↑ 10.4 *
 8.1 ↘ 9.7 ↘ 9.3 ↓ 5.2 → 9.6 ←
 beste Teiler 182.7 (3.) 366.1 (1.) 423.5 (5.)
 Trefferlage 5.58 mm rechts, 1.67 mm tief
 Streuwert 12.93, horizontal: 15.87, vertikal: 9.10



Serie 2:
 9.2 ↘ 8.9 ↘ 9.1 ← 9.8 ↑ 10.7 *
 10.1 ↘ 9.4 ↘ 9.0 ↓ 10.3 ↑ 10.2 ↘
 beste Teiler 200.7 (15.) 554.3 (19.) 628.7 (20.)
 Trefferlage 0.34 mm rechts, 2.55 mm tief
 Streuwert 8.26, horizontal: 7.46, vertikal: 9.00





Serie 3:
 10.1 ↙ 10.1 ↘ 9.8 ↑ 10.8 * 10.0 ↓
 9.3 ↓ 9.2 ↓ 9.8 ↓ 10.5 * 9.3 ↓
 beste Teiler 136.1 (24.) 391.5 (29.) 670.0 (22.)
 Trefferlage 1.19 mm links, 4.72 mm tief
 Streuwert 5.97, horizontal: 3.10, vertikal: 7.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **304.6** (289)
 Serien: 102.7 101.0 100.9
 Zähler: 21 7 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1960 (21), 1779 (11), 1401 (17)
 beste Teiler 70.2 (12.) 91.7 (3.) 104.6 (26.)
 Trefferlage 1.46 mm rechts, 1.50 mm hoch
 Streuwert 5.57, horizontal: 2.52, vertikal: 7.47



Serie 1:
 9.4 ↖ 10.8 * 10.8 * 9.7 ↘ 9.9 ↙
 10.2 → 10.4 ↗ 10.6 * 10.3 ↗ 10.6 *
 beste Teiler 91.7 (3.) 115.9 (2.) 245.2 (8.)
 Trefferlage 0.78 mm rechts, 0.51 mm hoch
 Streuwert 4.89, horizontal: 3.39, vertikal: 6.03





Serie 2:
 8.7 ↑ 10.9 * 10.3 ↗ 10.0 ↑ 9.9 ↑
 10.3 ↘ 9.2 ↑ 10.7 * 10.3 ↘ 10.7 *
 beste Teiler 70.2 (12.) 213.0 (18.) 233.2 (20.)
 Trefferlage 2.04 mm rechts, 4.62 mm hoch
 Streuwert 5.15, horizontal: 1.99, vertikal: 7.01




Serie 3:
 8.5 ↓ 10.4 * 10.2 ↘ 10.8 * 10.1 ↘
 10.8 * 9.4 ↑ 10.3 ↖ 9.8 ↑ 10.6 *
 beste Teiler 104.6 (26.) 146.2 (24.) 311.9 (30.)
 Trefferlage 1.55 mm rechts, 0.61 mm tief
 Streuwert 6.39, horizontal: 2.05, vertikal: 8.79

Unterschrift des Schützen


Ergebnis: **293.3** (281)
 Serien: 99.1 97.4 96.8
 Zähler: 13 15 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2379 (21), 1991 (12), 1498 (5)
 beste Teiler 202.6 (10.) 225.5 (6.) 357.8 (20.)
 Trefferlage 0.29 mm rechts, 2.18 mm tief
 Streuwert 7.54, horizontal: 4.28, vertikal: 9.76



Serie 1:
 10.5 * 9.9 ↑ 10.0 ↓ 9.6 ← 9.1 ↓
 10.7 * 10.1 ↙ 9.2 ↘ 9.3 ↘ 10.7 *
 beste Teiler 202.6 (10.) 225.5 (6.) 373.8 (1.)
 Trefferlage 0.05 mm rechts, 4.06 mm tief
 Streuwert 6.45, horizontal: 5.41, vertikal: 7.35



Serie 2:
 9.1 ↓ 8.5 ↓ 9.1 ↓ 10.2 ↓ 10.2 ←
 9.4 ↓ 9.9 ↑ 10.5 * 10.0 ↑ 10.5 *
 beste Teiler 357.8 (20.) 378.5 (18.) 616.2 (14.)
 Trefferlage 1.77 mm links, 4.78 mm tief
 Streuwert 7.29, horizontal: 2.86, vertikal: 9.91





Serie 3:
 8.0 ↓ 9.8 ↑ 10.4 * 10.2 → 9.5 ↗
 9.4 ↑ 9.8 ↘ 10.4 * 9.4 ↑ 9.9 ↗
 beste Teiler 430.2 (28.) 475.7 (23.) 582.3 (24.)
 Trefferlage 2.60 mm rechts, 2.30 mm hoch
 Streuwert 8.12, horizontal: 3.29, vertikal: 11.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284.4** (272)
 Serien: 95.8 94.3 94.3
 Zähler: 10 12 8 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2367 (22), 2316 (1), 2251 (15)
 beste Teiler 96.9 (2.) 185.0 (25.) 207.2 (12.)
 Trefferlage 0.08 mm links, 2.61 mm tief
 Streuwert 9.74, horizontal: 5.61, vertikal: 12.59



Serie 1:
 8.1 ↗ 10.8 * 10.3 ← 9.4 ↗ 9.3 ↑
 10.5 * 9.0 ↘ 8.2 ↓ 9.7 ↑ 10.5 *
 beste Teiler 96.9 (2.) 360.0 (6.) 368.5 (10.)
 Trefferlage 0.26 mm rechts, 4.30 mm hoch
 Streuwert 9.32, horizontal: 5.16, vertikal: 12.14



Serie 2:
 9.9 ↘ 10.7 * 9.7 ↓ 9.3 ↘ 8.1 ↓
 8.6 ↙ 8.4 ↑ 10.4 * 10.2 ↑ 9.0 ↙
 beste Teiler 207.2 (12.) 443.8 (18.) 618.1 (19.)
 Trefferlage 0.85 mm links, 2.95 mm tief
 Streuwert 10.11, horizontal: 5.44, vertikal: 13.22





Serie 3:
 8.7 ↙ 8.0 ↓ 8.3 ↓ 10.7 * 10.7 *
 10.5 * 9.4 → 9.8 ↓ 9.2 ↓ 9.0 ↘
 beste Teiler 185.0 (25.) 240.7 (24.) 353.4 (26.)
 Trefferlage 0.32 mm rechts, 9.20 mm tief
 Streuwert 8.10, horizontal: 6.67, vertikal: 9.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284.5** (269)
 Serien: 94.1 95.6 94.8
 Zähler: 10 11 8 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3618 (5), 2133 (26), 2123 (24)
 beste Teiler 97.3 (1.) 201.4 (3.) 343.4 (7.)
 Trefferlage 1.41 mm rechts, 1.89 mm tief
 Streuwert 9.82, horizontal: 9.01, vertikal: 10.56



Serie 1:
 10.8 * 9.3 ↘ 10.7 * 9.4 ↘ 6.4 ↙
 9.8 ↓ 10.5 * 9.7 ↓ 9.1 ↑ 8.4 →
 beste Teiler 97.3 (1.) 201.4 (3.) 343.4 (7.)
 Trefferlage 2.51 mm rechts, 4.08 mm tief
 Streuwert 11.15, horizontal: 9.57, vertikal: 12.54





Serie 2:
 10.3 ↘ 9.7 → 9.9 ↓ 10.3 ↖ 8.9 →
 10.5 * 9.2 ↑ 9.5 ← 8.6 ↑ 8.7 ↓
 beste Teiler 361.1 (16.) 524.2 (11.) 551.9 (14.)
 Trefferlage 1.11 mm rechts, 1.43 mm hoch
 Streuwert 8.97, horizontal: 8.10, vertikal: 9.76




Serie 3:
 8.9 → 8.8 ↗ 10.0 ↗ 8.3 ↙ 10.2 ↙
 8.3 ↓ 9.6 ↙ 9.7 ↘ 10.5 * 10.5 *
 beste Teiler 348.5 (29.) 387.1 (30.) 602.9 (25.)
 Trefferlage 0.60 mm rechts, 3.04 mm tief
 Streuwert 9.76, horizontal: 10.12, vertikal: 9.38

Unterschrift des Schützen


Ergebnis: **273.8** (258)
 Serien: 95.3 86.1 92.4
 Zähler: 4 14 9 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3320 (12), 2488 (15), 2405 (20)
 beste Teiler 174.0 (3.) 223.3 (1.) 229.0 (10.)
 Trefferlage 5.71 mm links, 1.11 mm tief
 Streuwert 10.98, horizontal: 11.03, vertikal: 10.93



Serie 1:
 10.7 * 9.4 ↓ 10.7 * 8.4 ↖ 8.2 ↙
 9.3 ← 9.3 ↑ 9.3 ↓ 9.3 ↓ 10.7 *
 beste Teiler 174.0 (3.) 223.3 (1.) 229.0 (10.)
 Trefferlage 4.65 mm links, 3.92 mm tief
 Streuwert 8.84, horizontal: 8.46, vertikal: 9.21



Serie 2:
 8.6 → 6.8 ↖ 9.6 → 8.7 ↙ 7.8 ↖
 9.0 → 10.0 ↗ 8.0 ← 9.7 ↗ 7.9 ↙
 beste Teiler 777.4 (17.) 1034.7 (19.) 1111.3 (13.)
 Trefferlage 3.13 mm links, 2.44 mm hoch
 Streuwert 14.74, horizontal: 14.23, vertikal: 15.24





Serie 3:
 8.8 ↙ 9.8 ↑ 9.8 ← 9.9 ↖ 9.7 ↙
 8.8 ← 9.8 ↘ 9.2 ← 8.6 ← 8.0 ←
 beste Teiler 873.3 (24.) 930.3 (23.) 938.3 (22.)
 Trefferlage 9.34 mm links, 1.87 mm tief
 Streuwert 8.33, horizontal: 9.73, vertikal: 6.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **275.0** (264)
 Serien: 87.4 95.7 91.9
 Zähler: 8 12 8 1 0 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4785 (4), 2911 (29), 2207 (24)
 beste Teiler 524.6 (17.) 606.8 (27.) 613.2 (20.)
 Trefferlage 0.33 mm rechts, 3.53 mm hoch
 Streuwert 11.69, horizontal: 6.55, vertikal: 15.18



Serie 1:
 8.7 ↓ 9.8 ↘ 8.7 ↓ 5.0 ↑ 10.2 ←
 8.7 ↓ 9.4 ↖ 9.6 → 8.9 ↑ 8.4 ↗
 beste Teiler 625.5 (5.) 920.7 (2.) 1041.9 (8.)
 Trefferlage 0.02 mm links, 2.79 mm hoch
 Streuwert 15.43, horizontal: 6.12, vertikal: 20.95





Serie 2:
 8.8 ↗ 8.2 ↗ 10.0 ↗ 9.2 ↘ 10.0 ↗
 10.0 ↑ 10.3 ↑ 9.9 ↘ 9.1 ↖ 10.2 ↖
 beste Teiler 524.6 (17.) 613.2 (20.) 743.9 (13.)
 Trefferlage 2.71 mm rechts, 5.97 mm hoch
 Streuwert 7.69, horizontal: 7.53, vertikal: 7.84




Serie 3:
 9.2 ↑ 9.1 ↙ 9.9 ↑ 8.2 ↗ 9.1 ↓
 10.0 ↓ 10.2 ↓ 9.5 ← 7.3 ↑ 9.4 ↓
 beste Teiler 606.8 (27.) 744.9 (26.) 818.1 (23.)
 Trefferlage 1.67 mm links, 1.83 mm hoch
 Streuwert 11.50, horizontal: 5.75, vertikal: 15.21

Unterschrift des Schützen


Ergebnis: **281.2** (266)
 Serien: 91.4 96.7 93.1
 Zähler: 5 18 5 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2783 (2), 2759 (29), 2194 (20)
 beste Teiler 223.8 (16.) 244.2 (24.) 326.1 (11.)
 Trefferlage 4.81 mm links, 1.65 mm tief
 Streuwert 9.52, horizontal: 7.27, vertikal: 11.33



Serie 1:
 9.3 ← 7.5 ↑ 8.4 ↘ 10.5 * 8.5 ↖
 9.6 ↓ 8.5 ↘ 9.9 ↙ 9.5 ↓ 9.7 ↑
 beste Teiler 349.0 (4.) 817.3 (8.) 1037.1 (10.)
 Trefferlage 6.79 mm links, 5.61 mm hoch
 Streuwert 10.02, horizontal: 5.24, vertikal: 13.17





Serie 2:
 10.5 * 9.3 ↓ 9.1 ↙ 10.1 ↘ 9.5 ↑
 10.7 * 9.7 ↗ 9.8 ↓ 9.8 ↑ 8.2 ↓
 beste Teiler 223.8 (16.) 326.1 (11.) 692.1 (14.)
 Trefferlage 0.60 mm rechts, 3.23 mm tief
 Streuwert 8.22, horizontal: 5.68, vertikal: 10.14




Serie 3:
 9.7 ↓ 9.3 ↖ 8.6 ↙ 10.6 * 9.6 ↘
 9.6 ↙ 9.9 ↙ 9.1 ↙ 7.5 ↙ 9.2 ↙
 beste Teiler 244.2 (24.) 836.0 (27.) 976.6 (21.)
 Trefferlage 8.25 mm links, 7.35 mm tief
 Streuwert 7.08, horizontal: 7.79, vertikal: 6.28

Unterschrift des Schützen


Ergebnis: **297.1** (280)
 Serien: 97.1 102.5 97.5
 Zähler: 16 9 4 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2575 (30), 1846 (27), 1796 (9)
 beste Teiler 161.6 (28.) 181.7 (6.) 222.6 (22.)
 Trefferlage 0.90 mm links, 3.97 mm tief
 Streuwert 6.70, horizontal: 3.19, vertikal: 8.92



Serie 1:
 8.8 ↓ 9.8 ↓ 10.3 ↓ 9.8 ↑ 9.6 ↙
 10.7 * 9.9 ↘ 9.4 ↓ 8.7 ↓ 10.1 ↘
 beste Teiler 181.7 (6.) 559.0 (3.) 646.5 (10.)
 Trefferlage 2.02 mm links, 7.22 mm tief
 Streuwert 6.09, horizontal: 3.09, vertikal: 8.04





Serie 2:
 10.5 * 9.7 ↙ 10.4 * 10.4 * 10.6 *
 10.6 * 10.4 * 10.2 ↑ 9.4 ↑ 10.3 ↙
 beste Teiler 245.6 (15.) 258.0 (16.) 341.8 (11.)
 Trefferlage 2.30 mm links, 1.24 mm hoch
 Streuwert 4.14, horizontal: 2.42, vertikal: 5.33




Serie 3:
 8.9 ↓ 10.7 * 10.4 * 10.2 ↑ 9.9 ↘
 9.8 ↘ 8.6 ↓ 10.7 * 10.6 * 7.7 ↓
 beste Teiler 161.6 (28.) 222.6 (22.) 309.5 (29.)
 Trefferlage 1.59 mm rechts, 5.95 mm tief
 Streuwert 7.86, horizontal: 2.63, vertikal: 10.80

Unterschrift des Schützen


Ergebnis: **271.4** (259)
 Serien: 92.1 85.7 93.6
 Zähler: 6 12 8 3 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3491 (5), 2746 (16), 2514 (19)
 beste Teiler 192.6 (10.) 354.0 (1.) 439.9 (21.)
 Trefferlage 3.56 mm rechts, 4.69 mm tief
 Streuwert 11.62, horizontal: 10.51, vertikal: 12.64



Serie 1:
 10.5 * 9.8 ↖ 8.2 ↓ 9.3 ↘ 6.6 ↓
 8.4 ↗ 9.1 ↘ 9.3 → 10.2 ↑ 10.7 *
 beste Teiler 192.6 (10.) 354.0 (1.) 600.0 (9.)
 Trefferlage 3.77 mm rechts, 4.63 mm tief
 Streuwert 11.72, horizontal: 5.96, vertikal: 15.47





Serie 2:
 9.1 ↓ 9.6 ↘ 9.2 ↑ 8.2 → 7.9 ↓
 7.5 ← 8.7 ↘ 8.0 ↖ 7.8 ↘ 9.7 →
 beste Teiler 1040.5 (20.) 1081.5 (12.) 1373.8 (13.)
 Trefferlage 1.93 mm rechts, 3.41 mm tief
 Streuwert 14.64, horizontal: 15.70, vertikal: 13.50




Serie 3:
 10.4 * 9.7 → 10.3 ↗ 9.1 ↓ 9.2 ↘
 10.4 * 8.3 ↘ 8.1 ↘ 8.6 ↓ 9.5 ↖
 beste Teiler 439.9 (21.) 473.0 (26.) 484.9 (23.)
 Trefferlage 4.99 mm rechts, 6.03 mm tief
 Streuwert 8.89, horizontal: 8.30, vertikal: 9.44

Unterschrift des Schützen


Ergebnis: **290.6** (277)
 Serien: 93.4 99.1 98.1
 Zähler: 11 15 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2201 (10), 1893 (30), 1770 (7)
 beste Teiler 114.5 (17.) 298.3 (23.) 346.3 (27.)
 Trefferlage 4.28 mm rechts, 3.71 mm hoch
 Streuwert 6.94, horizontal: 4.88, vertikal: 8.52



Serie 1:
 9.9 ↗ 9.3 ↗ 9.6 → 10.0 ↑ 9.6 ↑
 9.3 ↑ 8.7 ↗ 9.1 ↓ 9.7 ↘ 8.2 ↗
 beste Teiler 787.9 (4.) 826.6 (1.) 1024.5 (9.)
 Trefferlage 4.87 mm rechts, 5.17 mm hoch
 Streuwert 8.63, horizontal: 6.51, vertikal: 10.32



Serie 2:
 9.8 → 9.6 ↗ 10.1 ↘ 9.8 ↑ 9.8 ↗
 10.1 ↑ 10.8 * 9.4 ↑ 9.2 ↗ 10.5 *
 beste Teiler 114.5 (17.) 364.9 (20.) 657.9 (13.)
 Trefferlage 3.81 mm rechts, 5.67 mm hoch
 Streuwert 4.49, horizontal: 3.07, vertikal: 5.57





Serie 3:
 8.9 ↗ 10.0 ↓ 10.6 * 10.2 ↑ 9.5 →
 9.6 ↓ 10.5 * 10.0 ↓ 10.2 ↓ 8.6 ↗
 beste Teiler 298.3 (23.) 346.3 (27.) 608.4 (29.)
 Trefferlage 4.14 mm rechts, 0.29 mm hoch
 Streuwert 7.11, horizontal: 4.92, vertikal: 8.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285.0** (273)
 Serien: 92.9 95.0 97.1
 Zähler: 10 14 5 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2471 (17), 2360 (10), 2231 (9)
 beste Teiler 261.7 (25.) 285.9 (14.) 363.9 (24.)
 Trefferlage 2.13 mm rechts, 1.30 mm tief
 Streuwert 9.22, horizontal: 4.34, vertikal: 12.30



Serie 1:
 10.2 ↗ 8.6 ↑ 9.7 ↗ 9.3 ↘ 9.3 ↑
 9.1 ↘ 10.5 * 10.0 ↗ 8.2 ↑ 8.0 ↑
 beste Teiler 376.5 (7.) 600.5 (1.) 736.5 (8.)
 Trefferlage 3.59 mm rechts, 7.30 mm hoch
 Streuwert 9.16, horizontal: 2.96, vertikal: 12.61





Serie 2:
 9.3 ↑ 10.2 ↓ 9.7 → 10.6 * 9.9 ↓
 9.2 ↑ 7.9 ↓ 8.8 ↘ 9.3 ↓ 10.1 ↙
 beste Teiler 285.9 (14.) 564.3 (12.) 709.2 (20.)
 Trefferlage 1.92 mm rechts, 5.16 mm tief
 Streuwert 8.90, horizontal: 4.28, vertikal: 11.84




Serie 3:
 9.5 ↙ 10.0 ↗ 9.9 ↓ 10.5 * 10.6 *
 8.5 ↓ 9.8 ↘ 9.1 ↓ 9.2 ↓ 10.0 →
 beste Teiler 261.7 (25.) 363.9 (24.) 736.6 (22.)
 Trefferlage 0.89 mm rechts, 6.04 mm tief
 Streuwert 6.84, horizontal: 5.42, vertikal: 8.01

Unterschrift des Schützen


Ergebnis: **284.7** (272)
 Serien: 97.0 94.5 93.2
 Zähler: 9 15 5 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2503 (18), 2369 (30), 2037 (9)
 beste Teiler 143.5 (1.) 340.9 (3.) 436.9 (23.)
 Trefferlage 2.50 mm links, 2.50 mm tief
 Streuwert 9.06, horizontal: 6.69, vertikal: 10.93



Serie 1:
 10.8 * 9.8 ← 10.5 * 9.7 ← 8.4 ↓
 9.8 ↓ 10.3 ↘ 9.5 → 8.4 ↓ 9.8 ←
 beste Teiler 143.5 (1.) 340.9 (3.) 534.1 (7.)
 Trefferlage 2.56 mm links, 5.22 mm tief
 Streuwert 7.50, horizontal: 7.27, vertikal: 7.73



Serie 2:
 9.4 ↘ 10.0 ↑ 9.7 ↘ 9.0 ↓ 9.1 ↓
 9.9 ← 10.0 ↘ 7.8 ↑ 9.5 ↘ 10.1 ↑
 beste Teiler 670.2 (20.) 774.1 (17.) 787.8 (12.)
 Trefferlage 4.33 mm links, 4.16 mm hoch
 Streuwert 8.65, horizontal: 4.61, vertikal: 11.34





Serie 3:
 10.0 ↑ 8.5 ↓ 10.4 * 9.1 ← 9.7 →
 8.6 ↓ 9.3 ↓ 9.4 ← 10.2 ↘ 8.0 ↘
 beste Teiler 436.9 (23.) 593.2 (29.) 776.0 (21.)
 Trefferlage 0.60 mm links, 6.46 mm tief
 Streuwert 9.60, horizontal: 7.91, vertikal: 11.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **286.3** (275)
 Serien: 98.7 92.7 94.9
 Zähler: 13 12 3 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3591 (15), 2883 (29), 2368 (14)
 beste Teiler 103.4 (25.) 321.1 (8.) 386.0 (6.)
 Trefferlage 1.72 mm links, 2.76 mm hoch
 Streuwert 9.56, horizontal: 7.11, vertikal: 11.49



Serie 1:
 9.7 ↑ 10.1 ← 9.5 → 9.2 ↗ 10.0 ↑
 10.5 * 10.3 ↙ 10.5 * 8.5 ↑ 10.4 *
 beste Teiler 321.1 (8.) 386.0 (6.) 450.1 (10.)
 Trefferlage 0.47 mm rechts, 5.34 mm hoch
 Streuwert 6.26, horizontal: 6.39, vertikal: 6.13





Serie 2:
 10.1 ↘ 9.3 → 10.3 ↙ 8.0 ↓ 6.5 ↑
 9.4 ↙ 10.1 ↘ 9.4 ↙ 9.4 ← 10.2 ↗
 beste Teiler 515.5 (13.) 585.9 (20.) 705.7 (17.)
 Trefferlage 2.27 mm links, 0.63 mm tief
 Streuwert 12.02, horizontal: 8.23, vertikal: 14.87




Serie 3:
 10.0 ↗ 9.6 ↘ 9.9 ↑ 9.7 ↓ 10.8 *
 8.3 ↘ 10.4 * 9.8 ↙ 7.3 ↑ 9.1 ↙
 beste Teiler 103.4 (25.) 434.8 (27.) 763.4 (21.)
 Trefferlage 3.38 mm links, 3.58 mm hoch
 Streuwert 9.79, horizontal: 6.76, vertikal: 12.08

Unterschrift des Schützen


Ergebnis: **265.1** (252)
 Serien: 85.2 91.0 88.9
 Zähler: 4 13 7 4 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4171 (2), 3744 (4), 3180 (21)
 beste Teiler 289.6 (18.) 322.3 (22.) 397.2 (29.)
 Trefferlage 0.85 mm links, 2.16 mm tief
 Streuwert 13.94, horizontal: 8.37, vertikal: 17.84



Serie 1:
 8.1 ↑ 5.7 ↑ 10.1 ↘ 6.3 ↓ 9.4 ↓
 8.0 ↑ 9.0 ↓ 9.5 ↓ 9.8 ↑ 9.3 ↘
 beste Teiler 678.4 (3.) 944.0 (9.) 1184.2 (8.)
 Trefferlage 2.29 mm links, 3.64 mm hoch
 Streuwert 16.42, horizontal: 6.43, vertikal: 22.31



Serie 2:
 8.2 ↓ 8.6 ↗ 8.7 ↓ 7.6 ↗ 9.8 ↖
 9.6 ← 9.5 → 10.6 * 9.6 ↓ 8.8 →
 beste Teiler 289.6 (18.) 948.2 (15.) 1062.5 (16.)
 Trefferlage 4.83 mm rechts, 3.21 mm tief
 Streuwert 11.39, horizontal: 9.84, vertikal: 12.76





Serie 3:
 7.0 ↓ 10.5 * 7.5 ↓ 9.6 ↑ 8.7 ↑
 9.0 ← 9.7 ↓ 7.1 ↓ 10.5 * 9.3 ←
 beste Teiler 322.3 (22.) 397.2 (29.) 1007.0 (27.)
 Trefferlage 5.09 mm links, 6.94 mm tief
 Streuwert 12.86, horizontal: 5.43, vertikal: 17.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285.4** (272)
 Serien: 94.1 94.6 96.7
 Zähler: 8 18 3 0 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3485 (10), 2020 (13), 1702 (4)
 beste Teiler 206.0 (3.) 242.0 (8.) 424.1 (26.)
 Trefferlage 2.11 mm rechts, 2.37 mm tief
 Streuwert 9.09, horizontal: 4.75, vertikal: 11.94



Serie 1:
 9.5 ↘ 10.0 ↘ 10.7 * 8.8 ↘ 8.8 ↘
 10.0 → 9.5 ↗ 10.6 * 9.6 ↗ 6.6 ↓
 beste Teiler 206.0 (3.) 242.0 (8.) 784.8 (2.)
 Trefferlage 1.30 mm rechts, 6.16 mm tief
 Streuwert 10.32, horizontal: 4.54, vertikal: 13.87



Serie 2:
 9.9 ↗ 9.8 ↘ 8.4 ↘ 9.7 ↑ 9.1 ↘
 9.0 ↗ 9.1 ↑ 9.6 ↑ 10.1 ↘ 9.9 →
 beste Teiler 691.4 (19.) 835.6 (11.) 877.0 (20.)
 Trefferlage 3.07 mm rechts, 0.41 mm hoch
 Streuwert 9.07, horizontal: 5.82, vertikal: 11.42





Serie 3:
 9.1 ↑ 9.1 ↑ 10.2 ↓ 9.7 ↘ 10.3 ↘
 10.4 * 9.3 ↘ 9.6 ↘ 9.2 ↓ 9.8 →
 beste Teiler 424.1 (26.) 521.5 (25.) 594.0 (23.)
 Trefferlage 1.97 mm rechts, 1.36 mm tief
 Streuwert 7.97, horizontal: 4.05, vertikal: 10.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **266.4** (253)
 Serien: 90.9 91.6 83.9
 Zähler: 6 12 5 5 1 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5316 (21), 3526 (4), 3094 (14)
 beste Teiler 172.8 (17.) 581.6 (9.) 607.1 (16.)
 Trefferlage 6.80 mm links, 0.83 mm tief
 Streuwert 13.23, horizontal: 12.54, vertikal: 13.87



Serie 1:
 9.5 ↘ 10.2 ↗ 9.4 ↙ 6.5 ↓ 9.4 ↖
 7.6 ↓ 8.6 ← 10.1 ↑ 10.2 → 9.4 ↓
 beste Teiler 581.6 (9.) 632.5 (2.) 661.5 (8.)
 Trefferlage 4.29 mm links, 6.07 mm tief
 Streuwert 11.75, horizontal: 7.77, vertikal: 14.69



Serie 2:
 8.3 ↙ 9.5 ↖ 9.8 → 7.1 ↗ 7.6 ↘
 10.2 ← 10.7 * 9.2 ← 9.9 ↓ 9.3 ↓
 beste Teiler 172.8 (17.) 607.1 (16.) 869.4 (19.)
 Trefferlage 3.48 mm links, 1.17 mm hoch
 Streuwert 12.25, horizontal: 11.18, vertikal: 13.25





Serie 3:
 4.3 ← 9.5 ↘ 7.9 ↑ 7.8 ↙ 9.0 ↖
 8.1 ↖ 8.8 ↖ 9.4 ↖ 10.2 ↓ 8.9 ↘
 beste Teiler 622.2 (29.) 1134.1 (22.) 1273.5 (28.)
 Trefferlage 12.64 mm links, 2.37 mm hoch
 Streuwert 14.95, horizontal: 16.26, vertikal: 13.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291.4** (282)
 Serien: 97.9 97.0 96.5
 Zähler: 16 10 4 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2251 (5), 2084 (12), 1840 (27)
 beste Teiler 298.3 (7.) 318.6 (9.) 411.4 (14.)
 Trefferlage 2.70 mm links, 1.47 mm tief
 Streuwert 7.71, horizontal: 5.65, vertikal: 9.32



Serie 1:
 9.3 ↙ 10.0 ↘ 10.3 ↑ 9.5 ↘ 8.1 ↖
 10.2 ↓ 10.6 * 9.1 ↓ 10.6 * 10.2 ↓
 beste Teiler 298.3 (7.) 318.6 (9.) 531.1 (3.)
 Trefferlage 4.11 mm links, 0.91 mm tief
 Streuwert 7.59, horizontal: 4.35, vertikal: 9.82





Serie 2:
 10.1 ↙ 8.3 ↓ 9.7 → 10.4 * 10.1 ↖
 10.2 ↓ 9.7 ← 10.0 ↖ 9.0 ↓ 9.5 ↓
 beste Teiler 411.4 (14.) 600.6 (16.) 672.0 (11.)
 Trefferlage 2.58 mm links, 4.70 mm tief
 Streuwert 7.18, horizontal: 5.06, vertikal: 8.81




Serie 3:
 9.4 ↘ 9.3 ← 10.4 * 10.0 → 9.4 →
 10.1 ↘ 8.7 ↑ 8.8 ↓ 10.4 * 10.0 ↓
 beste Teiler 439.7 (29.) 470.3 (23.) 659.5 (26.)
 Trefferlage 1.41 mm links, 1.18 mm hoch
 Streuwert 8.38, horizontal: 7.37, vertikal: 9.29

Unterschrift des Schützen


Ergebnis: **278.3** (264)
 Serien: 92.0 95.1 91.2
 Zähler: 5 17 5 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3144 (7), 2732 (24), 2538 (26)
 beste Teiler 226.7 (3.) 516.8 (28.) 662.1 (25.)
 Trefferlage 2.98 mm rechts, 3.48 mm hoch
 Streuwert 10.29, horizontal: 9.26, vertikal: 11.23



Serie 1:
 8.4 ↓ 9.6 ↑ 10.7 * 9.0 ↖ 10.1 ↖
 9.2 ↑ 7.0 → 8.7 ↑ 9.2 ↓ 10.1 →
 beste Teiler 226.7 (3.) 702.3 (5.) 712.2 (10.)
 Trefferlage 1.94 mm rechts, 1.61 mm hoch
 Streuwert 11.86, horizontal: 11.70, vertikal: 12.03





Serie 2:
 9.5 → 9.9 ↘ 9.5 ← 9.5 ↓ 9.8 ↗
 9.8 ↖ 9.8 ↑ 9.1 ↘ 8.6 ↓ 9.6 ↗
 beste Teiler 830.7 (12.) 887.0 (17.) 910.6 (16.)
 Trefferlage 3.07 mm rechts, 0.96 mm tief
 Streuwert 8.59, horizontal: 8.07, vertikal: 9.08




Serie 3:
 9.9 ↑ 9.4 → 8.6 ↖ 7.5 ↑ 10.1 ↓
 7.8 ↑ 9.6 ↑ 10.3 ↗ 9.8 → 8.2 ↗
 beste Teiler 516.8 (28.) 662.1 (25.) 877.0 (21.)
 Trefferlage 3.92 mm rechts, 9.79 mm hoch
 Streuwert 9.52, horizontal: 8.51, vertikal: 10.43

Unterschrift des Schützen


Ergebnis: **296.8** (282)
 Serien: 99.1 99.2 98.5
 Zähler: 15 12 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1793 (7), 1694 (27), 1610 (19)
 beste Teiler 260.6 (6.) 323.9 (24.) 326.1 (9.)
 Trefferlage 0.91 mm rechts, 1.60 mm hoch
 Streuwert 6.64, horizontal: 4.70, vertikal: 8.13



Serie 1:
 9.2 ↗ 10.3 ↓ 9.8 ↓ 10.2 ← 9.8 ↗
 10.6 * 8.7 ↘ 9.8 ↓ 10.5 * 10.2 ←
 beste Teiler 260.6 (6.) 326.1 (9.) 544.4 (2.)
 Trefferlage 1.56 mm links, 1.25 mm hoch
 Streuwert 6.91, horizontal: 5.39, vertikal: 8.15



Serie 2:
 10.5 * 9.7 ↗ 10.4 * 10.0 ↗ 9.5 ↗
 10.5 * 10.0 ↓ 9.6 ↘ 8.9 ↑ 10.1 ↗
 beste Teiler 351.0 (16.) 388.7 (11.) 464.8 (13.)
 Trefferlage 3.00 mm rechts, 3.99 mm hoch
 Streuwert 5.66, horizontal: 3.38, vertikal: 7.26





Serie 3:
 10.0 ↘ 9.5 ↓ 9.4 ↘ 10.5 * 9.7 ↗
 10.3 ↘ 8.8 ↓ 9.9 ↗ 9.9 ↗ 10.5 *
 beste Teiler 323.9 (24.) 374.0 (30.) 547.5 (26.)
 Trefferlage 1.31 mm rechts, 0.42 mm tief
 Streuwert 7.13, horizontal: 4.34, vertikal: 9.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285.2** (272)
 Serien: 99.2 92.3 93.7
 Zähler: 12 9 8 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2437 (17), 2008 (13), 1991 (15)
 beste Teiler 197.7 (9.) 233.4 (6.) 253.0 (24.)
 Trefferlage 2.73 mm rechts, 5.63 mm tief
 Streuwert 8.29, horizontal: 7.89, vertikal: 8.67



Serie 1:
 9.5 ↑ 10.2 ↙ 8.8 ↓ 9.8 ↓ 9.5 ↓
 10.7 * 10.1 ← 9.9 ↓ 10.7 * 10.0 ←
 beste Teiler 197.7 (9.) 233.4 (6.) 605.0 (2.)
 Trefferlage 1.84 mm links, 4.13 mm tief
 Streuwert 6.14, horizontal: 3.38, vertikal: 8.00



Serie 2:
 9.2 ↓ 10.0 → 8.4 ↗ 8.6 ↓ 8.5 →
 10.1 ↘ 7.9 ↗ 10.4 ↓ 10.0 ↓ 9.2 ↘
 beste Teiler 476.2 (18.) 680.7 (16.) 735.6 (12.)
 Trefferlage 6.45 mm rechts, 3.14 mm tief
 Streuwert 10.06, horizontal: 9.54, vertikal: 10.56





Serie 3:
 9.6 ↘ 8.6 → 8.9 ↘ 10.6 * 9.0 ↘
 10.1 ↘ 9.1 ↗ 8.8 ↘ 10.4 * 8.6 ↓
 beste Teiler 253.0 (24.) 415.4 (29.) 716.4 (26.)
 Trefferlage 3.60 mm rechts, 9.61 mm tief
 Streuwert 7.03, horizontal: 7.67, vertikal: 6.33


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **299.8** (286)
 Serien: 98.0 100.2 101.6
 Zähler: 17 12 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1655 (5), 1539 (8), 1388 (30)
 beste Teiler 132.1 (1.) 206.9 (14.) 213.2 (21.)
 Trefferlage 0.28 mm links, 0.86 mm tief
 Streuwert 6.11, horizontal: 6.06, vertikal: 6.15



Serie 1:
 10.8 * 9.7 ↗ 10.1 ↑ 10.0 ↑ 8.9 →
 9.6 ← 10.4 * 9.0 ↓ 10.0 → 9.5 ↓
 beste Teiler 132.1 (1.) 405.4 (7.) 712.2 (3.)
 Trefferlage 1.63 mm rechts, 1.46 mm tief
 Streuwert 7.44, horizontal: 6.94, vertikal: 7.91



Serie 2:
 9.9 ← 9.7 ↘ 9.7 ↑ 10.7 * 10.4 *
 10.0 ↘ 9.7 ↘ 9.8 ↙ 10.6 * 9.7 ↓
 beste Teiler 206.9 (14.) 270.1 (19.) 444.6 (15.)
 Trefferlage 0.54 mm links, 1.86 mm tief
 Streuwert 5.81, horizontal: 5.63, vertikal: 5.98





Serie 3:
 10.7 * 9.8 ← 10.0 ↙ 10.4 * 10.1 ←
 10.5 * 10.1 ↘ 10.4 * 10.4 * 9.2 ↗
 beste Teiler 213.2 (21.) 367.9 (26.) 409.7 (29.)
 Trefferlage 1.94 mm links, 0.74 mm hoch
 Streuwert 5.02, horizontal: 5.59, vertikal: 4.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297.6** (285)
 Serien: 102.6 96.4 98.6
 Zähler: 19 8 2 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2805 (18), 2338 (21), 2232 (19)
 beste Teiler 205.7 (3.) 231.7 (13.) 255.5 (11.)
 Trefferlage 0.98 mm rechts, 0.50 mm tief
 Streuwert 7.41, horizontal: 3.60, vertikal: 9.84



Serie 1:
 10.4 * 10.5 * 10.7 * 10.5 * 10.0 ↗
 9.7 ↓ 10.6 * 9.9 ↓ 9.9 ↑ 10.4 *
 beste Teiler 205.7 (3.) 318.6 (7.) 375.5 (2.)
 Trefferlage 0.22 mm links, 0.43 mm tief
 Streuwert 4.57, horizontal: 2.74, vertikal: 5.86



Serie 2:
 10.6 * 9.6 ↓ 10.7 * 10.2 ↓ 9.9 ↘
 10.3 ↑ 10.0 ↘ 7.4 ↑ 8.2 ↓ 9.5 ↓
 beste Teiler 231.7 (13.) 255.5 (11.) 486.6 (16.)
 Trefferlage 0.57 mm rechts, 0.34 mm tief
 Streuwert 9.79, horizontal: 3.32, vertikal: 13.45





Serie 3:
 8.0 ↗ 10.0 ↓ 10.6 * 10.6 * 10.1 ↑
 10.5 * 9.3 ↓ 10.1 ↑ 10.1 ↘ 9.3 ↘
 beste Teiler 284.0 (23.) 297.0 (24.) 384.5 (26.)
 Trefferlage 2.60 mm rechts, 0.72 mm tief
 Streuwert 7.58, horizontal: 4.30, vertikal: 9.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **261.4** (245)
 Serien: 85.4 84.9 91.1
 Zähler: 5 11 5 4 3 2 0 0 0 0
 Innenzehner: 3
 weiteste: 4076 (8), 4034 (7), 3504 (4)
 beste Teiler 213.1 (26.) 225.4 (10.) 343.7 (22.)
 Trefferlage 0.66 mm links, 1.55 mm hoch
 Streuwert 15.00, horizontal: 13.02, vertikal: 16.76



Serie 1:
 9.6 ↗ 9.6 ↘ 9.1 ↗ 6.6 ↘ 9.7 ↘
 9.3 ↘ 5.9 ↑ 5.9 ↘ 9.0 ↑ 10.7 *
 beste Teiler 225.4 (10.) 990.3 (5.) 1059.4 (1.)
 Trefferlage 3.70 mm links, 13.12 mm hoch
 Streuwert 14.18, horizontal: 11.45, vertikal: 16.46





Serie 2:
 7.8 ↗ 9.8 ↘ 7.6 ↘ 7.9 ↘ 8.3 ↘
 7.7 → 8.7 ↘ 8.4 ↘ 8.5 → 10.2 ↑
 beste Teiler 611.1 (20.) 941.3 (12.) 1806.1 (17.)
 Trefferlage 1.20 mm rechts, 3.67 mm tief
 Streuwert 15.29, horizontal: 17.39, vertikal: 12.85




Serie 3:
 10.1 ← 10.5 * 9.4 → 6.9 ↘ 9.5 ↑
 10.7 * 9.2 ↓ 6.7 ↓ 9.8 ↘ 8.3 ↗
 beste Teiler 213.1 (26.) 343.7 (22.) 679.6 (21.)
 Trefferlage 0.49 mm rechts, 4.76 mm tief
 Streuwert 13.08, horizontal: 9.86, vertikal: 15.65

Unterschrift des Schützen


Ergebnis: **266.0** (251)
 Serien: 85.3 90.1 90.6
 Zähler: 4 14 7 2 1 1 1 0 0 0
 Innenzehner: 2
 weiteste: 4914 (12), 4001 (2), 3616 (24)
 beste Teiler 203.4 (27.) 251.3 (23.) 520.7 (25.)
 Trefferlage 4.29 mm links, 2.23 mm hoch
 Streuwert 13.84, horizontal: 7.04, vertikal: 18.25



Serie 1:
 7.6 ↖ 5.9 ↓ 9.7 ↙ 9.3 ↑ 8.1 ↘
 8.2 ↗ 9.1 ↓ 9.5 ↖ 8.0 ↓ 9.9 ↓
 beste Teiler 812.6 (10.) 1029.6 (3.) 1178.6 (8.)
 Trefferlage 5.55 mm links, 4.67 mm tief
 Streuwert 15.06, horizontal: 7.03, vertikal: 20.11





Serie 2:
 9.5 ↗ 4.8 ↖ 9.7 ↓ 9.9 ↖ 9.3 ↘
 9.7 ↓ 8.3 ↑ 9.9 ← 8.9 ↙ 10.1 →
 beste Teiler 681.6 (20.) 803.4 (14.) 818.3 (18.)
 Trefferlage 3.44 mm links, 3.66 mm hoch
 Streuwert 14.02, horizontal: 9.40, vertikal: 17.46




Serie 3:
 9.3 ↘ 7.7 ↑ 10.6 * 6.4 ↑ 10.3 ↓
 9.5 ↓ 10.7 * 8.0 ↑ 8.7 ↑ 9.4 ←
 beste Teiler 203.4 (27.) 251.3 (23.) 520.7 (25.)
 Trefferlage 3.87 mm links, 7.72 mm hoch
 Streuwert 12.15, horizontal: 4.41, vertikal: 16.61

Unterschrift des Schützen


Ergebnis: **295.9** (285)
 Serien: 97.6 101.2 97.1
 Zähler: 16 13 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1806 (28), 1382 (1), 1380 (23)
 beste Teiler 222.8 (14.) 321.7 (21.) 419.2 (17.)
 Trefferlage 2.45 mm links, 1.12 mm hoch
 Streuwert 6.55, horizontal: 6.86, vertikal: 6.23



Serie 1:
 9.2 ↙ 10.0 ↘ 9.4 ↑ 9.3 ← 9.8 ←
 10.4 * 9.5 → 10.1 ↑ 10.4 * 9.5 ←
 beste Teiler 434.4 (9.) 463.0 (6.) 708.6 (8.)
 Trefferlage 2.53 mm links, 1.27 mm hoch
 Streuwert 7.23, horizontal: 7.54, vertikal: 6.90





Serie 2:
 9.3 ← 9.7 ↘ 10.3 ↑ 10.7 * 10.0 ↘
 10.3 ↓ 10.4 * 10.0 ↑ 10.3 ↗ 10.2 ↙
 beste Teiler 222.8 (14.) 419.2 (17.) 486.1 (16.)
 Trefferlage 0.72 mm links, 0.80 mm hoch
 Streuwert 5.35, horizontal: 5.55, vertikal: 5.15




Serie 3:
 10.5 * 9.4 ← 9.2 ↘ 10.3 ← 9.9 ←
 10.1 ↙ 9.5 ↙ 8.7 ↗ 9.4 ↑ 10.1 ↙
 beste Teiler 321.7 (21.) 482.4 (24.) 690.9 (26.)
 Trefferlage 4.11 mm links, 1.30 mm hoch
 Streuwert 7.37, horizontal: 7.60, vertikal: 7.13

Unterschrift des Schützen


Ergebnis: **268.7** (255)
 Serien: 90.0 92.2 86.5
 Zähler: 3 15 6 6 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2831 (25), 2738 (28), 2571 (3)
 beste Teiler 509.0 (24.) 640.1 (4.) 796.0 (18.)
 Trefferlage 6.70 mm links, 2.39 mm hoch
 Streuwert 11.36, horizontal: 9.36, vertikal: 13.05



Serie 1:
 9.2 ↙ 9.5 ↓ 7.7 ← 10.2 ↘ 7.8 ↘
 9.5 ↘ 8.4 ↙ 9.8 → 9.0 ↓ 8.9 ↘
 beste Teiler 640.1 (4.) 956.7 (8.) 1147.0 (2.)
 Trefferlage 9.34 mm links, 3.79 mm tief
 Streuwert 9.99, horizontal: 9.88, vertikal: 10.11



Serie 2:
 9.2 ↑ 9.6 ↙ 9.1 ↗ 9.2 ↑ 8.2 ↘
 9.2 ← 9.4 ↘ 10.0 → 9.8 ↘ 8.5 ↑
 beste Teiler 796.0 (18.) 953.0 (19.) 1094.4 (12.)
 Trefferlage 3.58 mm links, 7.81 mm hoch
 Streuwert 8.81, horizontal: 8.17, vertikal: 9.41





Serie 3:
 7.9 ↑ 8.8 ↑ 9.6 ↘ 10.3 ↘ 7.4 ↘
 7.8 ← 8.2 ↑ 7.5 ↘ 9.2 ↑ 9.8 ↑
 beste Teiler 509.0 (24.) 954.1 (30.) 1087.0 (23.)
 Trefferlage 7.18 mm links, 3.15 mm hoch
 Streuwert 13.81, horizontal: 9.94, vertikal: 16.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **295.7** (282)
 Serien: 100.7 97.1 97.9
 Zähler: 16 11 2 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2586 (11), 1892 (29), 1723 (16)
 beste Teiler 97.6 (10.) 207.5 (21.) 218.0 (9.)
 Trefferlage 0.24 mm links, 2.84 mm tief
 Streuwert 7.35, horizontal: 4.58, vertikal: 9.33



Serie 1:
 9.8 ↑ 10.0 → 10.2 → 9.9 ↑ 9.4 ↙
 9.0 ↓ 10.7 * 10.2 ↘ 10.7 * 10.8 *
 beste Teiler 97.6 (10.) 218.0 (9.) 227.0 (7.)
 Trefferlage 0.67 mm rechts, 1.14 mm tief
 Streuwert 6.19, horizontal: 4.59, vertikal: 7.46





Serie 2:
 7.7 ↓ 10.6 * 9.0 ↓ 9.9 ↑ 10.6 *
 8.8 ↘ 10.0 ↖ 10.1 ↘ 9.8 ↑ 10.6 *
 beste Teiler 264.7 (20.) 296.4 (15.) 313.0 (12.)
 Trefferlage 0.34 mm links, 4.24 mm tief
 Streuwert 8.53, horizontal: 3.82, vertikal: 11.45




Serie 3:
 10.7 * 10.5 * 10.0 ↖ 10.0 ↙ 9.6 ↑
 9.9 ↑ 9.1 ↗ 9.0 ↓ 8.6 ↓ 10.5 *
 beste Teiler 207.5 (21.) 375.5 (30.) 399.9 (22.)
 Trefferlage 1.05 mm links, 3.15 mm tief
 Streuwert 7.71, horizontal: 5.50, vertikal: 9.41

Unterschrift des Schützen


Ergebnis: **263.5** (251)
 Serien: 84.6 93.2 85.7
 Zähler: 4 11 10 3 1 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4063 (28), 3918 (7), 2885 (25)
 beste Teiler 502.7 (22.) 589.6 (18.) 612.6 (14.)
 Trefferlage 7.03 mm links, 1.97 mm hoch
 Streuwert 13.10, horizontal: 11.33, vertikal: 14.65



Serie 1:
 7.8 ↑ 8.3 ↓ 9.4 ↖ 8.2 ← 8.3 ↙
 8.9 ↓ 6.1 ↙ 8.1 ↓ 9.7 ↗ 9.8 ↑
 beste Teiler 907.1 (10.) 979.2 (9.) 1261.2 (3.)
 Trefferlage 7.39 mm links, 5.54 mm tief
 Streuwert 14.65, horizontal: 9.48, vertikal: 18.42





Serie 2:
 9.3 ↑ 8.0 ↖ 8.4 ↑ 10.2 → 8.1 ←
 9.8 ← 9.5 ← 10.2 ↘ 9.7 ← 10.0 ↑
 beste Teiler 589.6 (18.) 612.6 (14.) 739.5 (20.)
 Trefferlage 4.88 mm links, 7.11 mm hoch
 Streuwert 8.78, horizontal: 9.37, vertikal: 8.15




Serie 3:
 9.8 → 10.3 ← 8.3 ← 9.4 ↙ 7.3 ↖
 9.1 ↖ 7.5 ← 5.9 ↖ 9.9 ↓ 8.2 ↘
 beste Teiler 502.7 (22.) 852.8 (29.) 916.8 (21.)
 Trefferlage 8.82 mm links, 4.34 mm hoch
 Streuwert 14.41, horizontal: 15.07, vertikal: 13.71

Unterschrift des Schützen


Ergebnis: **294.2** (279)
 Serien: 96.4 101.0 96.8
 Zähler: 15 10 4 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2452 (24), 2002 (8), 1930 (9)
 beste Teiler 126.5 (28.) 200.7 (20.) 207.0 (7.)
 Trefferlage 1.29 mm links, 5.03 mm hoch
 Streuwert 6.92, horizontal: 5.32, vertikal: 8.21



Serie 1:
 8.6 ↘ 10.3 ↘ 10.4 * 9.7 ↗ 10.0 →
 9.8 ↙ 10.7 * 8.4 ↘ 8.5 ↘ 10.0 ↓
 beste Teiler 207.0 (7.) 423.8 (3.) 486.5 (2.)
 Trefferlage 3.97 mm links, 4.41 mm hoch
 Streuwert 7.93, horizontal: 7.55, vertikal: 8.30





Serie 2:
 9.4 ↘ 10.0 ↑ 10.5 * 10.5 * 9.8 ↑
 9.9 ↗ 10.4 * 10.0 ↓ 9.8 ↑ 10.7 *
 beste Teiler 200.7 (20.) 370.3 (13.) 389.6 (14.)
 Trefferlage 0.73 mm links, 2.76 mm hoch
 Streuwert 5.16, horizontal: 3.80, vertikal: 6.23




Serie 3:
 8.6 ↑ 9.9 ↑ 10.3 ↗ 7.9 ↑ 9.7 ↘
 10.5 * 10.3 ↑ 10.8 * 9.8 ↑ 9.0 ↑
 beste Teiler 126.5 (28.) 348.0 (26.) 523.3 (23.)
 Trefferlage 0.80 mm rechts, 7.93 mm hoch
 Streuwert 7.09, horizontal: 2.52, vertikal: 9.70

Unterschrift des Schützen


Ergebnis: **279.1** (265)
 Serien: 92.8 97.3 89.0
 Zähler: 8 13 7 1 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4553 (23), 2933 (7), 2241 (9)
 beste Teiler 191.4 (4.) 195.7 (1.) 222.3 (13.)
 Trefferlage 3.85 mm rechts, 0.75 mm tief
 Streuwert 11.07, horizontal: 10.16, vertikal: 11.90



Serie 1:
 10.7 * 8.3 ↘ 8.4 ↗ 10.7 * 10.2 →
 9.8 ↙ 7.3 ↘ 10.3 ↖ 8.1 ↓ 9.0 ↗
 beste Teiler 191.4 (4.) 195.7 (1.) 490.6 (8.)
 Trefferlage 3.07 mm rechts, 2.95 mm tief
 Streuwert 11.61, horizontal: 5.81, vertikal: 15.36





Serie 2:
 9.7 ↗ 10.4 * 10.7 * 8.9 ↗ 9.3 ↗
 9.1 ↘ 10.2 ↑ 10.4 * 8.8 ↘ 9.8 ↗
 beste Teiler 222.3 (13.) 442.3 (12.) 459.7 (18.)
 Trefferlage 4.63 mm rechts, 1.30 mm hoch
 Streuwert 7.41, horizontal: 3.69, vertikal: 9.81




Serie 3:
 9.5 → 9.3 ↘ 5.3 ↙ 8.7 → 9.6 ↑
 9.7 ↘ 9.8 ↓ 9.4 ↗ 9.0 ↘ 8.7 →
 beste Teiler 891.7 (27.) 1011.8 (26.) 1112.4 (25.)
 Trefferlage 3.86 mm rechts, 0.60 mm tief
 Streuwert 14.12, horizontal: 16.86, vertikal: 10.70

Unterschrift des Schützen


Ergebnis: **262.4** (250)
 Serien: 87.0 94.3 81.1
 Zähler: 7 8 8 3 3 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4123 (2), 3807 (20), 3669 (10)
 beste Teiler 136.0 (17.) 195.2 (11.) 209.6 (8.)
 Trefferlage 3.07 mm links, 5.74 mm tief
 Streuwert 14.12, horizontal: 15.80, vertikal: 12.21



Serie 1:
 10.2 ↗ 5.8 ← 7.9 ↙ 9.2 ↗ 8.8 ←
 9.4 → 8.6 ← 10.7 * 10.0 → 6.4 ↓
 beste Teiler 209.6 (8.) 617.6 (1.) 781.4 (9.)
 Trefferlage 5.59 mm links, 5.21 mm tief
 Streuwert 15.27, horizontal: 16.79, vertikal: 13.59





Serie 2:
 10.7 * 10.4 * 9.7 ↘ 10.1 ↓ 8.6 ↙
 9.3 → 10.8 * 9.4 ↓ 9.1 ↓ 6.2 ←
 beste Teiler 136.0 (17.) 195.2 (11.) 427.9 (12.)
 Trefferlage 0.79 mm links, 5.71 mm tief
 Streuwert 10.98, horizontal: 14.38, vertikal: 5.87




Serie 3:
 8.1 ← 9.1 → 8.1 → 6.9 ↓ 9.1 ↙
 8.1 ↘ 7.6 ↗ 7.3 ↓ 8.8 ↙ 8.0 ←
 beste Teiler 1512.0 (25.) 1516.8 (22.) 1740.0 (29.)
 Trefferlage 2.82 mm links, 6.30 mm tief
 Streuwert 16.78, horizontal: 17.40, vertikal: 16.14

Unterschrift des Schützen


Ergebnis: **268.6** (253)
 Serien: 93.0 87.1 88.5
 Zähler: 4 11 10 4 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3367 (15), 2747 (23), 2644 (25)
 beste Teiler 77.6 (2.) 386.0 (16.) 493.1 (28.)
 Trefferlage 0.77 mm rechts, 8.42 mm hoch
 Streuwert 11.10, horizontal: 7.89, vertikal: 13.56



Serie 1:
 9.5 ← 10.9 * 8.1 ↓ 9.8 → 9.0 ↘
 8.8 ↑ 8.7 ↗ 9.4 ↘ 9.3 ↗ 9.5 ↓
 beste Teiler 77.6 (2.) 889.4 (4.) 1189.6 (1.)
 Trefferlage 1.08 mm links, 0.88 mm hoch
 Streuwert 10.66, horizontal: 7.97, vertikal: 12.79



Serie 2:
 8.8 ↑ 7.8 ↗ 9.3 ↑ 9.3 ↗ 6.7 ↑
 10.5 * 9.2 ↑ 8.9 ↘ 8.5 ↓ 8.1 ↑
 beste Teiler 386.0 (16.) 1285.7 (13.) 1352.8 (14.)
 Trefferlage 1.02 mm rechts, 12.89 mm hoch
 Streuwert 10.88, horizontal: 8.33, vertikal: 12.93





Serie 3:
 10.3 ↑ 7.9 ↑ 7.5 ↑ 8.9 ↘ 7.6 ↑
 9.6 ↗ 8.7 ↑ 10.3 ↑ 9.4 → 8.3 ↘
 beste Teiler 493.1 (28.) 531.0 (21.) 1067.0 (26.)
 Trefferlage 2.39 mm rechts, 11.48 mm hoch
 Streuwert 10.65, horizontal: 7.79, vertikal: 12.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **268.3** (253)
 Serien: 89.0 88.1 91.2
 Zähler: 5 12 5 7 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3468 (18), 3167 (13), 3057 (4)
 beste Teiler 154.3 (9.) 264.1 (26.) 448.9 (24.)
 Trefferlage 3.93 mm links, 4.07 mm hoch
 Streuwert 12.62, horizontal: 11.20, vertikal: 13.90



Serie 1:
 9.9 ↘ 8.2 ↙ 9.7 ↑ 7.1 ↘ 9.8 ↑
 9.1 ↑ 7.6 ↓ 9.2 ↓ 10.8 * 7.6 ↘
 beste Teiler 154.3 (9.) 879.5 (1.) 958.8 (5.)
 Trefferlage 4.82 mm links, 2.96 mm hoch
 Streuwert 13.28, horizontal: 7.24, vertikal: 17.33



Serie 2:
 7.5 ↘ 9.9 ← 7.0 ↑ 8.8 ↘ 9.8 ↘
 10.2 ← 10.0 ↓ 6.6 → 8.5 ← 9.8 ↓
 beste Teiler 593.3 (16.) 730.5 (17.) 872.9 (12.)
 Trefferlage 0.68 mm links, 0.70 mm hoch
 Streuwert 14.89, horizontal: 17.05, vertikal: 12.36



Serie 3:
 7.9 ↘ 8.4 ↑ 9.2 ↙ 10.4 * 9.5 ↗
 10.6 * 7.9 ↘ 9.8 ↑ 8.2 ↘ 9.3 ↘
 beste Teiler 264.1 (26.) 448.9 (24.) 934.2 (28.)
 Trefferlage 6.29 mm links, 8.53 mm hoch
 Streuwert 9.35, horizontal: 6.47, vertikal: 11.53

Unterschrift des Schützen

Meyton Elektronik