




Ergebnis:	<b>467</b>	(494.4)								
Serien:	75	83	81	76	80	72				
Zähler:	8	15	10	14	10	2	1	0	0	0
Innenzehner:	3									
weiteste:	16420 (13), 14474 (33), 13518 (57)									
beste Teiler	789.0 (5.) 884.9 (32.) 991.1 (17.)									
Trefferlage	19.93 mm links, 10.14 mm tief									
Streuwert	54.66, horizontal: 56.32, vertikal: 52.96									



Serie 1:

6.7 ↗	7.1 ←	9.9 ↓	7.9 ←	10.7 *
7.9 ↓	6.2 ↘	10.4 ↓	6.2 ↙	7.1 ↑


beste Teiler 789.0 (5.) 1660.8 (8.) 2845.9 (3.)  
 Trefferlage 26.99 mm links, 6.51 mm hoch  
 Streuwert 61.34, horizontal: 63.64, vertikal: 58.95



Serie 2:

7.6 ↑	9.8 ←	4.5 ↘	9.8 ↖	10.4 ↓
8.3 ↙	10.6 *	9.3 ↓	9.7 ←	8.7 ↑


beste Teiler 991.1 (17.) 1658.8 (15.) 3216.6 (12.)  
 Trefferlage 8.93 mm rechts, 1.60 mm tief  
 Streuwert 51.48, horizontal: 55.35, vertikal: 47.30



Serie 3:

9.2 ↘	9.8 ↙	7.4 ↗	7.0 ↖	9.6 ↙
6.5 ↑	9.7 ↓	9.2 ↙	7.6 ↖	9.4 ↙


beste Teiler 3170.2 (22.) 3377.0 (27.) 3714.4 (25.)  
 Trefferlage 13.72 mm links, 1.90 mm hoch  
 Streuwert 50.84, horizontal: 54.50, vertikal: 46.90



Serie 4:

8.2 ↙	10.6 *	5.3 ←	8.2 ↘	7.1 ↑
8.4 ↑	9.9 ↘	8.7 →	6.1 ←	7.8 ↙


beste Teiler 884.9 (32.) 2903.4 (37.) 5790.4 (38.)  
 Trefferlage 32.87 mm links, 15.48 mm hoch  
 Streuwert 57.00, horizontal: 63.96, vertikal: 49.07



Serie 5:

6.6 ↓	10.3 ↙	7.5 ↙	10.0 ←	9.7 ↙
9.1 ↙	10.0 ↗	7.4 ←	6.6 ←	6.8 ↙


beste Teiler 1941.7 (42.) 2649.0 (44.) 2755.8 (47.)  
 Trefferlage 35.22 mm links, 42.54 mm tief  
 Streuwert 38.93, horizontal: 40.01, vertikal: 37.83



Serie 6:

7.5 ←	8.0 ↘	8.0 ↙	6.9 ↘	6.6 ↓
8.1 ←	5.7 ↘	9.1 ↙	7.8 ↓	8.2 ↙

beste Teiler 4912.4 (58.) 7043.0 (60.) 7455.7 (56.)  
 Trefferlage 19.72 mm links, 40.62 mm tief  
 Streuwert 57.88, horizontal: 59.54, vertikal: 56.17



**50m Pist. 60** – Wertung – **Herren I**

**StartNr: 430**

StandNr: 7

24. Februar 2019 11:08

**Myciek, Marc** #35



5200 SSV Do–Scharnhorst e.V. 1 / SSV Do–Scharnhorst e.V. 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **501** (529.3)  
 Serien: 83 86 81 85 85 81  
 Zähler: 11 20 15 9 3 2 0 0 0 0  
 Innenzehner: 5  
 weiteste: 14011 (10), 13154 (59), 11280 (32)  
 beste Teiler 738.9 (38.) 872.8 (31.) 1128.4 (55.)  
 Trefferlage 7.62 mm links, 2.60 mm hoch  
 Streuwert 45.10, horizontal: 45.73, vertikal: 44.47




Serie 1:  
 7.9 ↓                      10.5 \*                      10.5 \*                      10.3 ↗                      8.7 ↓  
 10.1 ↗                      9.7 ←                      7.8 ↙                      7.4 ↘                      5.5 ↙  
 beste Teiler 1179.8 (3.) 1202.7 (2.) 1821.0 (4.)  
 Trefferlage 29.22 mm links, 30.05 mm tief  
 Streuwert 40.18, horizontal: 39.36, vertikal: 40.98




Serie 2:  
 8.5 ↑                      10.2 ↖                      9.6 ↗                      10.2 →                      6.6 ←  
 9.1 ↑                      8.4 ↗                      10.4 ↖                      8.0 →                      8.3 ↖  
 beste Teiler 1650.0 (18.) 2147.0 (14.) 2183.4 (12.)  
 Trefferlage 0.86 mm links, 24.64 mm hoch  
 Streuwert 41.44, horizontal: 53.30, vertikal: 24.37




Serie 3:  
 7.4 ↗                      9.3 ↑                      8.0 ←                      8.9 ↖                      8.7 ↗  
 9.6 ↑                      6.9 ↖                      9.3 →                      9.4 ↖                      8.8 ↓  
 beste Teiler 3688.0 (26.) 4101.5 (29.) 4290.7 (22.)  
 Trefferlage 13.39 mm links, 27.27 mm hoch  
 Streuwert 42.22, horizontal: 47.16, vertikal: 36.61



Serie 4:  
 10.6 \*                      6.6 →                      9.9 ←                      9.4 ↖                      9.6 ↙  
 8.7 ↓                      7.9 ↗                      10.7 \*                      8.6 ↙                      9.0 ↑  
 beste Teiler 738.9 (38.) 872.8 (31.) 2940.1 (33.)  
 Trefferlage 4.12 mm rechts, 0.52 mm tief  
 Streuwert 42.88, horizontal: 50.92, vertikal: 32.92



Serie 5:  
 9.3 →                      7.2 ↑                      8.4 ↖                      7.8 ↗                      9.2 ↖  
 9.5 ↗                      8.2 ←                      9.0 →                      10.0 ↙                      9.8 ↑  
 beste Teiler 2522.3 (49.) 3099.8 (50.) 3783.6 (46.)  
 Trefferlage 14.04 mm rechts, 22.78 mm hoch  
 Streuwert 39.65, horizontal: 38.66, vertikal: 40.62



Serie 6:  
 7.1 ↓                      7.3 ↙                      9.8 ↑                      9.8 ←                      10.5 \*  
 9.6 ←                      8.2 ↑                      8.6 ↓                      5.8 ↙                      9.2 ↓  
 beste Teiler 1128.4 (55.) 3152.2 (53.) 3203.6 (54.)  
 Trefferlage 20.40 mm links, 28.50 mm tief  
 Streuwert 45.93, horizontal: 39.28, vertikal: 51.73

**50m Pist. 60** – Wertung – **Herren I**

**StartNr: 431**

StandNr: 6

24. Februar 2019 11:12

**Sage, Lukas** #34



5200 SSV Do–Scharnhorst e.V. 1 / SSV Do–Scharnhorst e.V. 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>431</b>	(456.7)				
Serien:	69	57	84	71	75	75
Zähler:	3	11	22	8	4	5 1 5 1 0
Innenzehner:	2					
weiteste:	22047 (11), 19807 (3), 19007 (35)					
beste Teiler	1181.4 (28.) 1456.7 (5.) 2185.3 (49.)					
Trefferlage	10.01 mm links, 47.97 mm tief					
Streuwert	60.86, horizontal: 64.79, vertikal: 56.66					



Serie 1:

8.4 →	7.5 ↓	3.1 ↙	8.7 ↓	10.4 *
8.3 ↗	6.1 ↓	8.4 ↙	4.6 ↓	7.4 ↘


beste Teiler 1456.7 (5.) 5874.0 (4.) 6535.3 (8.)  
 Trefferlage 5.56 mm links, 64.47 mm tief  
 Streuwert 63.17, horizontal: 64.99, vertikal: 61.30



Serie 2:

2.2 →	9.0 →	3.9 ↙	3.7 ↙	8.4 ↓
7.4 ←	8.1 ↓	3.7 ↓	5.8 ↓	9.1 ←


beste Teiler 4908.9 (20.) 5187.6 (12.) 6632.8 (15.)  
 Trefferlage 17.52 mm links, 68.31 mm tief  
 Streuwert 87.85, horizontal: 98.55, vertikal: 75.66



Serie 3:

8.0 ←	8.8 ↓	8.0 ↓	8.6 ↘	7.6 ↙
9.3 →	9.2 ↘	10.5 *	8.6 ↘	9.3 ↙


beste Teiler 1181.4 (28.) 4354.9 (26.) 4377.3 (30.)  
 Trefferlage 0.03 mm rechts, 36.36 mm tief  
 Streuwert 35.47, horizontal: 40.58, vertikal: 29.47



Serie 4:

8.1 ↘	7.2 ↙	9.8 ↙	7.7 ↙	3.5 ↓
8.1 ←	6.6 ↘	6.5 ←	8.3 ↙	9.1 ↗


beste Teiler 3065.5 (33.) 4909.2 (40.) 6995.9 (39.)  
 Trefferlage 27.48 mm links, 44.30 mm tief  
 Streuwert 62.30, horizontal: 59.32, vertikal: 65.15



Serie 5:

5.7 ↗	8.7 ↓	8.7 →	6.4 ↙	8.0 ↓
8.9 ↘	8.3 ↓	9.9 ←	10.2 →	5.4 ↓


beste Teiler 2185.3 (49.) 2934.1 (48.) 5481.4 (46.)  
 Trefferlage 1.64 mm rechts, 30.49 mm tief  
 Streuwert 59.95, horizontal: 57.34, vertikal: 62.44



Serie 6:

9.1 ↙	9.2 ↘	5.9 ↘	5.2 ←	8.0 ↙
8.9 ↘	9.2 ↘	7.3 ↙	7.8 ↓	8.9 ↘

beste Teiler 4538.4 (52.) 4727.9 (57.) 4813.2 (51.)  
 Trefferlage 11.17 mm links, 43.88 mm tief  
 Streuwert 53.43, horizontal: 66.64, vertikal: 35.62



**50m Pist. 60** – Wertung – **Herren I**

**StartNr: 432**

StandNr: 5

24. Februar 2019 10:56



**Stamenitis, Stamatios #33** 5200 SSV Do–Scharnhorst e.V. 1 / SSV Do–Scharnhorst e.V. 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>496</b>						(522.5)
Serien:	82	82	86	73	89	84	
Zähler:	6	25	19	3	3	4	0 0 0 0
Innenzehner:	3						
weiteste:	14685 (57), 14661 (19), 13850 (35)						
beste Teiler	805.9 (49.) 1322.0 (59.) 1335.9 (6.)						
Trefferlage	18.52 mm links, 3.77 mm tief						
Streuwert	45.51, horizontal: 42.90, vertikal: 47.97						



Serie 1:

6.8 ↖	8.5 ↙	9.1 ↘	8.5 ↗	8.6 ↘
10.5 *	8.2 ←	9.3 →	6.3 ↙	10.2 ←


beste Teiler 1335.9 (6.) 2137.4 (10.) 4403.9 (8.)  
 Trefferlage 31.32 mm links, 3.72 mm tief  
 Streuwert 45.84, horizontal: 48.84, vertikal: 42.62



Serie 2:

8.2 ↙	9.4 ↗	9.1 ←	8.9 ←	6.8 ↙
9.2 ↑	9.2 ↘	10.1 ↘	5.2 ←	9.1 ↘


beste Teiler 2404.0 (18.) 4237.9 (12.) 4546.7 (17.)  
 Trefferlage 32.10 mm links, 14.34 mm tief  
 Streuwert 47.28, horizontal: 49.92, vertikal: 44.48



Serie 3:

9.6 →	8.8 ↓	9.4 ←	9.2 ←	8.9 ↙
8.4 ←	8.5 ↓	9.6 ↖	9.4 ↖	9.5 ←


beste Teiler 3566.9 (21.) 3687.5 (28.) 3985.1 (30.)  
 Trefferlage 24.79 mm links, 15.36 mm tief  
 Streuwert 29.82, horizontal: 28.95, vertikal: 30.67



Serie 4:

8.3 ↙	9.3 ↓	5.7 ↙	8.1 ↘	5.5 ↑
7.8 ↖	8.0 →	7.7 ↑	7.4 ↗	9.4 ↗


beste Teiler 4265.5 (40.) 4524.5 (32.) 6988.5 (31.)  
 Trefferlage 11.89 mm links, 23.53 mm hoch  
 Streuwert 63.25, horizontal: 57.28, vertikal: 68.71



Serie 5:

9.0 →	9.9 ↓	8.9 ↘	9.4 ↑	9.9 ←
9.3 ↘	9.2 ↙	8.6 ↙	10.7 *	9.8 →

beste Teiler 805.9 (49.) 2920.0 (42.) 3017.5 (45.)  
 Trefferlage 1.12 mm links, 4.02 mm tief  
 Streuwert 31.66, horizontal: 29.77, vertikal: 33.44



Serie 6:

8.7 ↑	9.8 ↖	8.4 ↗	10.0 →	9.6 ↘
8.1 ↙	5.2 ↓	9.0 ↘	10.5 *	8.8 ←

beste Teiler 1322.0 (59.) 2566.5 (54.) 3160.0 (52.)  
 Trefferlage 9.91 mm links, 8.73 mm tief  
 Streuwert 48.30, horizontal: 35.83, vertikal: 58.16

**50m Pist. 60** – Wertung – **Herren III**

StandNr: 13

**Pärmke, Rüdiger** #89

**StartNr: 434**

24. Februar 2019 11:20

5400 Diana Oelde I / Diana Oelde I



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **459** (484.9)  
 Serien: 74 78 72 79 72 84  
 Zähler: 8 17 13 4 10 4 2 2 0 0  
 Innenzehner: 3  
 weiteste: 18801 (49), 18155 (12), 16871 (23)  
 beste Teiler 657.5 (57.) 1002.6 (19.) 1448.7 (58.)  
 Trefferlage 24.16 mm rechts, 6.89 mm tief  
 Streuwert 59.51, horizontal: 61.92, vertikal: 56.99




Serie 1:  
 6.3 ←                      8.6 ↙                      9.2 →                      10.0 ↓                      8.0 →  
 6.9 ↘                      6.0 ↓                      8.8 ↓                      6.9 →                      7.3 ↑  
 beste Teiler 2712.4 (4.) 4572.5 (3.) 5586.7 (8.)  
 Trefferlage 9.49 mm rechts, 19.57 mm tief  
 Streuwert 63.05, horizontal: 68.11, vertikal: 57.55




Serie 2:  
 9.1 ↓                      3.8 ↗                      6.3 ↙                      6.7 ↗                      8.7 →  
 9.2 →                      8.4 ↘                      10.1 ↘                      10.6 \*                      9.5 ↑  
 beste Teiler 1002.6 (19.) 2264.5 (18.) 3924.2 (20.)  
 Trefferlage 28.81 mm rechts, 8.71 mm hoch  
 Streuwert 59.80, horizontal: 60.89, vertikal: 58.69




Serie 3:  
 8.0 ↗                      10.4 ↑                      4.3 ↗                      9.1 ↗                      10.2 ←  
 5.0 →                      5.0 ↑                      9.7 ↘                      8.6 ↘                      4.7 →  
 beste Teiler 1617.9 (22.) 2095.9 (25.) 3421.1 (28.)  
 Trefferlage 51.53 mm rechts, 46.60 mm hoch  
 Streuwert 60.35, horizontal: 75.78, vertikal: 39.27




Serie 4:  
 6.5 ↙                      9.2 ↗                      9.0 ↙                      6.9 ↓                      9.6 ↓  
 9.1 ↘                      8.8 →                      5.9 ↘                      9.5 ↑                      9.9 →  
 beste Teiler 2836.7 (40.) 3682.3 (35.) 3884.1 (39.)  
 Trefferlage 6.14 mm rechts, 20.33 mm tief  
 Streuwert 52.66, horizontal: 53.88, vertikal: 51.41



Serie 5:  
 9.5 →                      5.1 ↓                      8.3 ↓                      8.8 ↑                      7.8 ↘  
 7.2 →                      7.5 ↓                      10.3 ←                      3.5 →                      8.0 →  
 beste Teiler 1859.0 (48.) 3883.6 (41.) 5731.7 (44.)  
 Trefferlage 33.09 mm rechts, 24.28 mm tief  
 Streuwert 66.72, horizontal: 71.59, vertikal: 61.47



Serie 6:  
 9.8 →                      9.2 ↗                      6.3 ↓                      8.9 ↘                      8.8 ↓  
 6.5 ↘                      10.7 \*                      10.4 \*                      9.5 ↙                      9.0 ↙  
 beste Teiler 657.5 (57.) 1448.7 (58.) 3063.2 (51.)  
 Trefferlage 15.91 mm rechts, 32.49 mm tief  
 Streuwert 39.22, horizontal: 37.41, vertikal: 40.94



**50m Pist. 60** – Wertung – **Herren III**

StandNr: 8

**Wiegard, Berthold** #88

**StartNr: 435**

24. Februar 2019 11:20



5400 Diana Oelde I / Diana Oelde I

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>482</b>	(504.2)				
Serien:	83	75	80	83	84	77
Zähler:	7	18	15	14	2	4 0 0 0 0
Innenzehner:	0					
weiteste:	14540 (52), 14424 (1), 14050 (13)					
beste Teiler	1597.9 (3.) 1628.3 (60.) 1849.0 (28.)					
Trefferlage	16.31 mm links, 12.50 mm hoch					
Streuwert	50.24, horizontal: 48.78, vertikal: 51.65					



Serie 1:

5.3 →	10.1 →	10.4 ↑	9.5 ↓	9.6 ↓
8.5 ←	7.2 ↙	9.7 ↖	7.8 ↗	9.1 ↘


beste Teiler 1597.9 (3.) 2345.7 (2.) 3498.8 (8.)  
 Trefferlage 8.98 mm rechts, 6.18 mm tief  
 Streuwert 51.19, horizontal: 56.48, vertikal: 45.29



Serie 2:

5.6 →	9.0 ←	5.4 ↖	8.7 ↓	7.5 ↖
8.0 ←	9.8 ↓	8.2 ←	8.1 ↑	8.5 ←


beste Teiler 3102.6 (17.) 5102.6 (12.) 5992.1 (14.)  
 Trefferlage 28.57 mm links, 18.82 mm hoch  
 Streuwert 58.77, horizontal: 63.32, vertikal: 53.83



Serie 3:

7.4 ↘	8.2 ←	8.2 ↑	9.7 ↖	8.2 ↖
8.2 ↙	8.4 ←	10.3 ↓	7.9 ↖	7.8 ↖


beste Teiler 1849.0 (28.) 3504.1 (24.) 6533.1 (27.)  
 Trefferlage 45.91 mm links, 8.57 mm hoch  
 Streuwert 38.00, horizontal: 23.66, vertikal: 48.25



Serie 4:

9.0 ↖	9.1 ←	6.8 ↑	9.2 ↑	7.4 ↑
9.2 ↑	10.2 ↙	8.5 ↓	7.6 ↑	9.6 ↖


beste Teiler 2124.0 (37.) 3635.0 (40.) 4548.3 (34.)  
 Trefferlage 14.20 mm links, 31.37 mm hoch  
 Streuwert 41.29, horizontal: 23.53, vertikal: 53.44



Serie 5:

9.2 ↗	9.1 ↙	8.6 ↗	8.6 ↖	10.1 ↑
10.1 ↗	6.9 ↑	9.2 ↖	7.1 ←	8.5 ←


beste Teiler 2318.8 (45.) 2325.1 (46.) 4747.8 (41.)  
 Trefferlage 11.92 mm links, 18.31 mm hoch  
 Streuwert 44.18, horizontal: 48.02, vertikal: 39.97



Serie 6:

7.3 ←	5.2 ↓	9.0 →	9.2 ↑	7.0 ↑
7.5 →	7.8 ←	7.5 ↑	9.0 ↖	10.4 ↗

beste Teiler 1628.3 (60.) 4714.6 (54.) 5042.9 (53.)  
 Trefferlage 6.27 mm links, 4.14 mm hoch  
 Streuwert 62.40, horizontal: 54.68, vertikal: 69.26



**50m Pist. 60** – Wertung – **Herren IV**

**StartNr: 436**

StandNr: 9

24. Februar 2019 11:18

**Katschmarek, Jan** #32



5200 SSV Do–Scharnhorst e.V. 1 / SSV Do–Scharnhorst e.V. 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>505</b>	(534.3)				
Serien:	82	83	81	87	86	86
Zähler:	11	17	20	10	2	0 0 0 0 0
Innenzehner:	2					
weiteste:	11266 (25), 10428 (27), 10156 (42)					
beste Teiler	620.1 (35.) 682.1 (24.) 1591.8 (49.)					
Trefferlage	15.36 mm links, 10.67 mm tief					
Streuwert	40.25, horizontal: 43.45, vertikal: 36.76					



Serie 1:

9.4 ↙	9.5 ↙	9.6 ↖	9.6 ↖	7.6 ←
8.9 →	7.7 ↘	9.4 →	7.1 ←	8.6 ↑


beste Teiler 3636.6 (3.) 3773.5 (4.) 3881.2 (2.)  
 Trefferlage 11.30 mm links, 4.41 mm tief  
 Streuwert 45.29, horizontal: 51.92, vertikal: 37.51



Serie 2:

7.5 ↖	8.5 ↙	9.8 ↗	8.5 ↙	10.0 ↑
10.2 →	8.4 ↗	7.9 ↙	8.2 ←	8.9 ↓


beste Teiler 2010.2 (16.) 2585.5 (15.) 3203.2 (13.)  
 Trefferlage 16.83 mm links, 4.46 mm tief  
 Streuwert 43.62, horizontal: 41.99, vertikal: 45.19



Serie 3:

9.4 ↑	8.4 ↗	9.2 ←	10.7 *	6.6 ←
8.2 ←	6.9 ←	8.6 ↙	9.2 ↓	8.4 ↙


beste Teiler 682.1 (24.) 4253.8 (21.) 4541.7 (29.)  
 Trefferlage 37.20 mm links, 15.68 mm tief  
 Streuwert 41.50, horizontal: 45.76, vertikal: 36.74



Serie 4:

7.7 ↘	8.7 ↖	9.7 ↗	7.8 ↙	10.7 *
9.8 →	10.2 ↗	10.1 ↗	9.1 ←	8.5 ←


beste Teiler 620.1 (35.) 2091.3 (37.) 2357.3 (38.)  
 Trefferlage 5.83 mm links, 6.66 mm tief  
 Streuwert 37.71, horizontal: 41.18, vertikal: 33.90



Serie 5:

7.6 ↓	7.0 →	8.4 ↓	8.2 ↘	10.2 ←
9.2 ↖	9.1 ←	10.1 →	10.4 ↙	8.8 ↘

beste Teiler 1591.8 (49.) 2220.2 (45.) 2479.9 (48.)  
 Trefferlage 7.51 mm rechts, 27.14 mm tief  
 Streuwert 39.98, horizontal: 42.93, vertikal: 36.80



Serie 6:

7.6 ←	9.7 ↗	10.2 ↙	8.8 ↙	10.3 ↙
9.9 ←	8.6 ←	8.7 ↑	8.5 ↓	9.8 ←

beste Teiler 1928.8 (55.) 2075.7 (53.) 2852.9 (56.)  
 Trefferlage 28.52 mm links, 5.65 mm tief  
 Streuwert 31.30, horizontal: 29.36, vertikal: 33.13

**50m Pist. 60** – Wertung – **Herren I**

StandNr: 10

**Kimla, Olga** #40

**StartNr: 499**

24. Februar 2019 11:17



5200 PolSV Dortmund

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>481</b>	(510.2)				
Serien:	77	73	90	81	80	80
Zähler:	9	17	16	8	7	2 0 0 1 0
Innenzehner:	3					
weiteste:	21130 (11), 13483 (34), 12839 (35)					
beste Teiler	809.1 (29.) 1138.4 (14.) 1305.0 (37.)					
Trefferlage	4.02 mm links, 16.72 mm tief					
Streuwert	51.20, horizontal: 49.53, vertikal: 52.82					



Serie 1:

9.5 →	7.9 ↘	7.2 ↙	10.2 ←	9.4 ↘
6.8 ←	8.9 ↘	8.7 ↑	7.1 ↘	6.6 →


beste Teiler 2200.8 (4.) 3821.3 (1.) 4077.2 (5.)  
 Trefferlage 0.49 mm rechts, 9.94 mm tief  
 Streuwert 56.89, horizontal: 66.78, vertikal: 44.87



Serie 2:

2.6 ↓	8.0 ←	7.7 →	10.5 *	9.6 ↓
7.4 ↓	7.4 ↘	6.7 ←	8.9 ↘	9.8 →


beste Teiler 1138.4 (14.) 3276.5 (20.) 3650.8 (15.)  
 Trefferlage 4.56 mm links, 46.73 mm tief  
 Streuwert 62.08, horizontal: 61.32, vertikal: 62.83



Serie 3:

9.6 ↓	8.9 ↑	10.3 ↖	9.3 ←	8.2 ↘
9.8 ↘	10.0 ↓	9.6 ↑	10.7 *	8.8 ↙


beste Teiler 809.1 (29.) 1864.5 (23.) 2715.7 (27.)  
 Trefferlage 10.55 mm links, 3.73 mm hoch  
 Streuwert 30.30, horizontal: 26.53, vertikal: 33.64



Serie 4:

9.4 ↘	9.1 ↙	9.8 ↘	5.7 ↓	5.9 ↑
9.2 ↙	10.5 *	9.6 →	8.4 ←	8.3 →


beste Teiler 1305.0 (37.) 3218.8 (33.) 3560.2 (38.)  
 Trefferlage 3.26 mm rechts, 7.15 mm tief  
 Streuwert 53.68, horizontal: 41.69, vertikal: 63.45



Serie 5:

9.1 ↙	8.8 ↓	6.5 ↑	9.7 ↓	9.3 ↘
8.8 →	7.4 ↙	8.0 →	8.2 ↓	8.7 ↓

beste Teiler 3302.0 (44.) 4482.0 (45.) 4924.2 (41.)  
 Trefferlage 2.59 mm rechts, 24.25 mm tief  
 Streuwert 48.28, horizontal: 45.44, vertikal: 50.96



Serie 6:

6.6 ↘	6.6 ←	10.2 ↑	8.3 ↓	6.3 ↘
7.7 ↓	10.2 →	9.4 ↘	8.4 ↙	10.0 ↓

beste Teiler 1960.0 (57.) 2111.2 (53.) 2579.1 (60.)  
 Trefferlage 15.35 mm links, 16.00 mm tief  
 Streuwert 54.45, horizontal: 55.12, vertikal: 53.77

Meyton Elektronik

**50m Pist. 60** – Wertung – **Herren III**

StandNr: 11

**Kimla, Bogdan** #46

**StartNr: 503**

24. Februar 2019 11:26

5200 PolSV Dortmund

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **442** (472.7)

Serien: 72 76 74 81 71 68

Zähler: 7 20 4 12 5 6 2 1 2 1



Innenzehner: 3

weiteste: 25163 (10), 21153 (52), 20415 (18)

beste Teiler 442.4 (24.) 805.1 (9.) 1266.5 (44.)

Trefferlage 16.81 mm links, 13.05 mm tief

Streuwert 66.84, horizontal: 72.70, vertikal: 60.42




Serie 1:

10.3 ↗	9.4 ↘	8.0 ↙	6.4 ↖	8.1 ↖
5.3 ↙	5.8 ↙	10.3 ↑	10.7 *	1.0 ↘

beste Teiler 805.1 (9.) 1715.3 (1.) 1874.6 (8.)

Trefferlage 16.53 mm links, 8.09 mm hoch

Streuwert 83.56, horizontal: 93.48, vertikal: 72.30




Serie 2:

7.9 ←	9.3 ↓	9.1 ↓	8.4 ↘	9.2 ↙
10.0 ↙	9.1 ↑	2.9 ←	4.8 ↙	9.6 ↖

beste Teiler 2635.3 (16.) 3694.9 (20.) 4298.9 (12.)

Trefferlage 45.89 mm links, 23.71 mm tief

Streuwert 58.21, horizontal: 73.97, vertikal: 36.14




Serie 3:

4.6 ↓	9.3 ↙	7.8 ↙	10.8 *	9.4 ↘
7.7 ↖	9.5 ↙	7.5 ↓	3.6 ↙	9.0 ↘

beste Teiler 442.4 (24.) 3943.8 (27.) 4249.1 (25.)

Trefferlage 20.09 mm links, 47.40 mm tief

Streuwert 59.78, horizontal: 49.12, vertikal: 68.82




Serie 4:

9.4 ↙	9.3 ↘	9.9 ↙	7.4 ↙	7.8 ↘
10.1 ↘	9.7 ↖	5.6 ↘	9.5 ↙	7.9 ↑

beste Teiler 2290.5 (36.) 2843.9 (33.) 3402.4 (37.)

Trefferlage 4.18 mm rechts, 6.40 mm tief

Streuwert 51.28, horizontal: 50.01, vertikal: 52.52




Serie 5:

7.5 ↘	9.6 ↙	6.9 ←	10.5 *	6.9 →
6.7 ↙	5.8 ↖	5.8 ↑	8.3 ↓	9.8 ↖

beste Teiler 1266.5 (44.) 3174.7 (50.) 3605.7 (42.)

Trefferlage 15.58 mm links, 12.16 mm hoch

Streuwert 66.54, horizontal: 66.53, vertikal: 66.56




Serie 6:

7.6 ↗	2.6 ↙	9.9 ↖	5.4 →	7.0 ↓
9.9 ←	9.8 ↘	6.7 →	7.6 ←	7.0 ←

beste Teiler 3022.0 (56.) 3028.1 (53.) 3033.3 (57.)

Trefferlage 6.99 mm links, 21.09 mm tief

Streuwert 78.31, horizontal: 97.73, vertikal: 52.10



**50m Pist. 60** – Wertung – **Herren I**

**StartNr: 427**

StandNr: 5

24. Februar 2019 13:15

**Forwick, Marcel** #114



5500 SGes Hamm e.V. / SGes Hamm e.V.

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **468** (494.3)  
 Serien: 77 66 77 85 78 85  
 Zähler: 9 12 14 13 8 3 1 0 0 0  
 Innenzehner: 1  
 weiteste: 17643 (30), 14314 (48), 13419 (16)  
 beste Teiler 214.2 (56.) 1589.5 (55.) 1818.9 (28.)  
 Trefferlage 5.56 mm rechts, 22.55 mm tief  
 Streuwert 54.17, horizontal: 56.02, vertikal: 52.26




Serie 1:  
 9.1 ↘                      7.9 →                      6.8 ↓                      8.9 ↖                      8.3 ↘  
 8.3 →                      5.7 →                      9.5 ↑                      10.2 ↙                      7.7 ↘  
 beste Teiler 1991.9 (9.) 3884.5 (8.) 4800.4 (1.)  
 Trefferlage 29.67 mm rechts, 25.54 mm tief  
 Streuwert 49.40, horizontal: 54.40, vertikal: 43.85




Serie 2:  
 8.1 →                      7.4 ↓                      6.3 ↙                      6.2 ↓                      6.8 ↙  
 5.7 ↗                      8.7 ↑                      6.6 ↑                      6.4 ↗                      8.5 ←  
 beste Teiler 5799.1 (17.) 6451.5 (20.) 7471.4 (11.)  
 Trefferlage 1.27 mm links, 0.38 mm hoch  
 Streuwert 76.60, horizontal: 68.23, vertikal: 84.14




Serie 3:  
 8.7 ↓                      7.0 →                      7.0 ↙                      8.9 →                      9.6 ↘  
 9.7 ←                      8.0 →                      10.3 →                      7.8 ↓                      4.0 ↙  
 beste Teiler 1818.9 (28.) 3523.8 (26.) 3543.8 (25.)  
 Trefferlage 2.35 mm rechts, 24.70 mm tief  
 Streuwert 60.96, horizontal: 71.97, vertikal: 47.45




Serie 4:  
 7.0 →                      8.6 →                      10.0 ↓                      9.4 ↙                      9.3 ↓  
 9.0 ↓                      7.2 ↙                      8.8 ↓                      10.3 ↘                      8.0 →  
 beste Teiler 1826.6 (39.) 2660.7 (33.) 4114.9 (34.)  
 Trefferlage 17.73 mm rechts, 31.61 mm tief  
 Streuwert 38.84, horizontal: 48.84, vertikal: 25.15



Serie 5:  
 6.6 ↙                      9.6 ↗                      9.0 ↙                      7.6 ↘                      7.5 ↙  
 7.7 ←                      10.0 ↓                      5.3 ↙                      8.7 ↓                      10.3 ↓  
 beste Teiler 1895.1 (50.) 2767.9 (47.) 3655.5 (42.)  
 Trefferlage 22.64 mm links, 44.94 mm tief  
 Streuwert 46.57, horizontal: 50.14, vertikal: 42.70



Serie 6:  
 9.5 ↗                      10.0 ↖                      7.8 ↓                      7.8 ↓                      10.4 ↘  
 10.9 \*                      6.5 ↗                      8.7 ↙                      9.4 ↖                      9.3 ↓  
 beste Teiler 214.2 (56.) 1589.5 (55.) 2601.7 (52.)  
 Trefferlage 7.55 mm rechts, 8.90 mm tief  
 Streuwert 43.91, horizontal: 33.44, vertikal: 52.32



**50m Pist. 60** – Wertung – **Herren I**

StandNr: 4

**Sowade, Leander** #113

**StartNr: 428**

24. Februar 2019 12:58



5500 SGes Hamm e.V. / SGes Hamm e.V.

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **511** (536.9)  
 Serien: 81 87 84 85 87 87  
 Zähler: 10 25 17 3 4 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 13089 (35), 12718 (46), 12358 (6)  
 beste Teiler 953.8 (23.) 1703.5 (53.) 1800.1 (29.)  
 Trefferlage 11.52 mm rechts, 8.00 mm tief  
 Streuwert 41.34, horizontal: 43.64, vertikal: 38.89




Serie 1:  
 6.8 ↓                      9.1 ↗                      9.5 ↘                      9.8 ↘                      7.5 ↗  
 6.1 ↗                      9.2 ↘                      8.0 →                      8.0 ↓                      10.3 ↘  
 beste Teiler 1930.6 (10.) 3119.0 (4.) 4000.6 (3.)  
 Trefferlage 34.28 mm rechts, 3.18 mm tief  
 Streuwert 48.28, horizontal: 39.39, vertikal: 55.76




Serie 2:  
 9.5 ↓                      9.7 →                      8.9 ↖                      9.4 ←                      9.7 ↓  
 7.5 ↗                      10.2 ↓                      8.5 ↑                      9.2 →                      9.0 ↘  
 beste Teiler 2142.2 (17.) 3300.3 (12.) 3464.8 (15.)  
 Trefferlage 8.23 mm rechts, 7.96 mm hoch  
 Streuwert 36.81, horizontal: 31.53, vertikal: 41.41




Serie 3:  
 9.4 ↓                      8.6 ↓                      10.6 \*                      8.7 ←                      8.4 →  
 8.0 ←                      9.1 →                      8.1 ↗                      10.3 ↓                      6.9 ↘  
 beste Teiler 953.8 (23.) 1800.1 (29.) 4123.3 (21.)  
 Trefferlage 3.52 mm links, 13.16 mm tief  
 Streuwert 45.14, horizontal: 49.94, vertikal: 39.77



Serie 4:  
 10.1 →                      9.4 ←                      9.3 ↘                      9.8 ←                      5.8 ↘  
 9.7 ↘                      8.9 →                      9.6 ↓                      9.8 ←                      8.9 ←  
 beste Teiler 2255.4 (31.) 3079.6 (39.) 3274.0 (34.)  
 Trefferlage 5.62 mm rechts, 13.87 mm tief  
 Streuwert 40.58, horizontal: 53.04, vertikal: 21.91



Serie 5:  
 10.2 ↑                      8.0 ↘                      8.2 ↘                      8.6 ↘                      9.3 ↘  
 6.0 →                      10.2 ↘                      9.0 ↘                      10.2 ↘                      9.3 ↘  
 beste Teiler 1987.9 (49.) 2136.8 (47.) 2174.3 (41.)  
 Trefferlage 29.74 mm rechts, 21.47 mm tief  
 Streuwert 37.54, horizontal: 41.76, vertikal: 32.77



Serie 6:  
 10.2 ←                      8.6 ↘                      10.3 ↗                      9.4 ←                      9.9 →  
 9.5 ←                      8.9 ↘                      7.3 ↗                      8.9 ↓                      9.6 →  
 beste Teiler 1703.5 (53.) 2137.5 (51.) 2974.5 (55.)  
 Trefferlage 5.23 mm links, 4.29 mm tief  
 Streuwert 36.69, horizontal: 36.47, vertikal: 36.92

**50m Pist. 60** – Wertung –

**Herren I**

**StartNr: 520**

StandNr: 13

24. Februar 2019 13:29

**Neise, Klaus** #217



5700 SSV Bad Westernkotten / SSV Bad Westernkotten

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>497</b>						(525.4)				
Serien:	87	82	78	83	86	81					
Zähler:	10	18	18	8	5	1	0	0	0	0	
Innenzehner:	5										
weiteste:	13167 (27), 12457 (40), 11817 (34)										
beste Teiler	734.1 (46.) 1061.9 (15.) 1095.0 (18.)										
Trefferlage	2.52 mm links, 8.41 mm tief										
Streuwert	45.96, horizontal: 49.70, vertikal: 41.89										



Serie 1:

7.8 ↘	9.6 ↓	10.2 ↖	8.0 ↗	8.4 ↑
9.9 ↗	9.5 ↑	9.4 ←	9.3 ↗	9.1 ↖


beste Teiler 2095.9 (3.) 2910.6 (6.) 3559.0 (2.)  
 Trefferlage 1.42 mm rechts, 11.03 mm hoch  
 Streuwert 37.76, horizontal: 30.00, vertikal: 44.17



Serie 2:

10.1 ↖	8.6 ↖	6.5 ↖	8.1 →	10.6 *
6.4 ↖	8.6 ↖	10.6 *	8.7 →	8.9 ↘


beste Teiler 1061.9 (15.) 1095.0 (18.) 2322.4 (11.)  
 Trefferlage 11.28 mm links, 0.52 mm hoch  
 Streuwert 50.29, horizontal: 54.48, vertikal: 45.72



Serie 3:

8.8 ↓	7.2 →	9.4 ↘	10.1 ↘	7.1 ↓
7.8 ←	5.8 ↘	8.2 ↘	7.3 ↓	10.2 →


beste Teiler 2166.7 (30.) 2389.2 (24.) 4088.5 (23.)  
 Trefferlage 27.27 mm rechts, 41.26 mm tief  
 Streuwert 46.22, horizontal: 54.15, vertikal: 36.62



Serie 4:

9.7 →	9.7 ←	8.7 ↗	6.3 ↖	9.7 ↖
10.0 ↓	8.2 ↖	10.5 *	8.8 ↗	6.1 ←


beste Teiler 1246.7 (38.) 2589.8 (36.) 3306.0 (31.)  
 Trefferlage 23.24 mm links, 4.26 mm hoch  
 Streuwert 47.27, horizontal: 58.83, vertikal: 31.76



Serie 5:

8.4 ←	9.8 ←	9.2 ←	7.8 ←	8.4 ↗
10.7 *	8.5 ↖	9.4 ↖	8.9 ↓	10.5 *


beste Teiler 734.1 (46.) 1348.0 (50.) 3280.4 (42.)  
 Trefferlage 27.20 mm links, 11.26 mm tief  
 Streuwert 32.45, horizontal: 33.30, vertikal: 31.57



Serie 6:

9.2 ↑	9.6 →	7.5 ↖	8.8 →	6.8 ↓
7.4 →	8.6 ↓	9.0 →	9.2 →	9.8 ←

beste Teiler 3211.4 (60.) 3539.6 (52.) 4712.0 (51.)  
 Trefferlage 17.87 mm rechts, 13.76 mm tief  
 Streuwert 46.40, horizontal: 46.02, vertikal: 46.77



**50m Pist. 60** – Wertung –

**Herren I**

**StartNr: 521**

StandNr: 12

24. Februar 2019 13:20

**Rudi, Andrey** #216

5700 SSV Bad Westernkotten / SSV Bad Westernkotten



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **489** (521.3)  
 Serien: 87 79 84 79 81 79  
 Zähler: 5 24 13 12 5 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 12851 (37), 12274 (20), 11388 (57)  
 beste Teiler 615.5 (5.) 844.3 (22.) 1011.7 (30.)  
 Trefferlage 7.33 mm rechts, 2.32 mm tief  
 Streuwert 47.06, horizontal: 39.63, vertikal: 53.48




Serie 1:  
 9.8 ↑                      8.3 ↓                      9.4 ↑                      7.7 ↑                      10.7 \*  
 9.7 ←                      10.3 →                      9.2 ↗                      7.2 ↓                      9.2 →  
 beste Teiler 615.5 (5.) 1797.9 (7.) 3234.1 (1.)  
 Trefferlage 8.74 mm rechts, 4.54 mm hoch  
 Streuwert 40.24, horizontal: 24.35, vertikal: 51.43




Serie 2:  
 9.3 ↑                      7.4 ↘                      7.9 ↓                      9.6 ↖                      7.6 ↓  
 8.2 ↖                      9.6 ↑                      10.4 \*                      7.2 ↓                      6.2 ↗  
 beste Teiler 1489.4 (18.) 3663.6 (14.) 3686.5 (17.)  
 Trefferlage 0.03 mm links, 9.11 mm tief  
 Streuwert 55.83, horizontal: 39.29, vertikal: 68.48




Serie 3:  
 9.6 ↑                      10.6 \*                      7.2 ↑                      8.1 ↙                      6.6 ↗  
 7.9 →                      9.3 ↑                      9.9 ←                      9.4 ↘                      10.6 \*  
 beste Teiler 844.3 (22.) 1011.7 (30.) 2995.0 (28.)  
 Trefferlage 10.34 mm rechts, 18.80 mm hoch  
 Streuwert 43.94, horizontal: 39.20, vertikal: 48.22




Serie 4:  
 9.7 ↗                      7.5 ↓                      8.4 ↙                      9.8 ↗                      8.9 ↓  
 8.5 ↑                      5.9 ↓                      9.0 ↖                      8.8 ↖                      8.9 ←  
 beste Teiler 3094.3 (34.) 3310.7 (31.) 5031.3 (38.)  
 Trefferlage 3.23 mm links, 9.04 mm tief  
 Streuwert 50.33, horizontal: 36.98, vertikal: 60.81



Serie 5:  
 8.6 ↓                      8.2 ↑                      9.5 ↓                      7.7 →                      7.6 ↖  
 9.2 ↘                      9.8 ↖                      9.8 ↖                      9.9 ↓                      6.6 →  
 beste Teiler 3018.7 (49.) 3120.7 (48.) 3149.9 (47.)  
 Trefferlage 13.14 mm rechts, 1.28 mm hoch  
 Streuwert 47.51, horizontal: 49.60, vertikal: 45.33



Serie 6:  
 9.7 ↓                      8.4 ↗                      6.6 ↘                      9.6 ↑                      7.7 ←  
 8.9 ←                      6.5 ↓                      8.6 ↓                      9.7 →                      9.2 ↓  
 beste Teiler 3330.5 (51.) 3469.3 (59.) 3623.8 (54.)  
 Trefferlage 15.03 mm rechts, 20.41 mm tief  
 Streuwert 48.99, horizontal: 49.94, vertikal: 48.03



**50m Pist. 60** – Wertung –

**Herren I**

**StartNr: 522**

StandNr: 11

24. Februar 2019 13:15

**Schäfer, Alexander** #215



5700 SSV Bad Westernkotten / SSV Bad Westernkotten

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>485</b>	(511.7)				
Serien:	82	73	84	78	82	86
Zähler:	9	13	21	12	2	2 1 0 0 0
Innenzehner:	3					
weiteste:	17128 (46), 14224 (19), 13118 (13)					
beste Teiler	916.4 (60.) 1234.2 (9.) 1454.4 (57.)					
Trefferlage	9.11 mm links, 22.08 mm tief					
Streuwert	47.76, horizontal: 55.94, vertikal: 37.86					



Serie 1:

7.8 ←	7.6 ↙	8.0 ↘	8.1 ↘	9.3 ↘
6.9 ↓	9.1 ↓	10.3 ←	10.5 *	8.5 ↖


beste Teiler 1234.2 (9.) 1778.0 (8.) 4480.5 (5.)  
 Trefferlage 21.86 mm links, 32.72 mm tief  
 Streuwert 40.72, horizontal: 42.23, vertikal: 39.16



Serie 2:

9.9 ↘	7.0 ↙	5.8 ←	8.5 ↖	6.1 ←
9.6 ←	8.1 ←	7.8 ↑	5.4 ↙	9.2 ↗


beste Teiler 2897.9 (11.) 3680.6 (16.) 4726.0 (20.)  
 Trefferlage 60.06 mm links, 10.22 mm tief  
 Streuwert 51.21, horizontal: 51.76, vertikal: 50.66



Serie 3:

9.4 ←	7.0 ←	8.8 ↘	8.6 →	10.2 ↘
10.1 ↑	7.9 ↓	9.6 →	8.5 ↘	8.6 ↘


beste Teiler 2071.0 (25.) 2389.1 (26.) 3653.8 (28.)  
 Trefferlage 8.45 mm rechts, 19.20 mm tief  
 Streuwert 41.44, horizontal: 49.56, vertikal: 31.29



Serie 4:

8.6 ↘	8.6 ↖	8.9 ↗	8.2 ↓	8.0 ↘
8.4 →	7.6 ↘	7.4 ←	9.7 ↘	7.9 ←


beste Teiler 3296.5 (39.) 5331.3 (33.) 6073.8 (32.)  
 Trefferlage 3.00 mm rechts, 23.25 mm tief  
 Streuwert 49.26, horizontal: 58.53, vertikal: 37.77



Serie 5:

7.9 ←	10.3 →	8.8 ↘	7.0 ↘	9.0 ↘
4.2 →	9.1 ↘	10.1 →	9.7 ↖	9.9 ↘


beste Teiler 1785.8 (42.) 2259.4 (48.) 2884.7 (50.)  
 Trefferlage 8.47 mm rechts, 17.59 mm tief  
 Streuwert 54.27, horizontal: 65.23, vertikal: 40.44



Serie 6:

7.3 ↓	8.3 ↙	8.7 ↙	10.2 ↓	9.5 ↘
8.7 ↘	10.4 *	8.4 ↘	8.1 →	10.6 *

beste Teiler 916.4 (60.) 1454.4 (57.) 1980.0 (54.)  
 Trefferlage 7.32 mm rechts, 29.53 mm tief  
 Streuwert 35.90, horizontal: 41.24, vertikal: 29.62



**50m Pist. 60** – Wertung –

**Herren III**

**StartNr: 523**

StandNr: 8

24. Februar 2019 13:28

**Olschewski, Frank** #173



5700 KKS SV Geseke e.V. / KKS SV Geseke e.V.

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **529** (555.4)  
 Serien: 91 86 87 83 92 90  
 Zähler: 20 18 16 4 1 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 13607 (39), 11388 (35), 9480 (27)  
 beste Teiler 508.6 (29.) 584.8 (40.) 982.8 (44.)  
 Trefferlage 3.09 mm links, 1.36 mm tief  
 Streuwert 37.08, horizontal: 40.58, vertikal: 33.22




Serie 1:  
 9.7 ↗ 8.7 ↘ 8.2 ↑ 9.8 ← 9.4 ←  
 10.2 ↖ 9.8 ← 9.4 ↑ 10.0 ↑ 10.0 ↘  
 beste Teiler 1974.1 (6.) 2587.5 (9.) 2657.8 (10.)  
 Trefferlage 12.10 mm links, 11.87 mm hoch  
 Streuwert 28.17, horizontal: 22.72, vertikal: 32.72




Serie 2:  
 8.1 → 7.5 → 10.2 ← 9.3 ↙ 9.8 ↗  
 9.5 ↘ 8.3 → 9.0 ↓ 8.1 ↘ 9.8 ↘  
 beste Teiler 2077.9 (13.) 3063.8 (15.) 3111.2 (20.)  
 Trefferlage 28.64 mm rechts, 7.32 mm tief  
 Streuwert 35.87, horizontal: 42.07, vertikal: 28.35




Serie 3:  
 8.9 ↑ 10.1 ↓ 10.5 \* 8.5 ← 9.0 ←  
 8.0 ↗ 7.3 ← 8.9 ↑ 10.8 \* 9.4 ↖  
 beste Teiler 508.6 (29.) 1307.0 (23.) 2340.4 (22.)  
 Trefferlage 22.52 mm links, 15.82 mm hoch  
 Streuwert 34.93, horizontal: 37.49, vertikal: 32.16



Serie 4:  
 10.1 ↑ 8.7 ↘ 9.8 ← 7.5 ↗ 6.5 ↙  
 8.7 ↙ 10.5 \* 10.2 ↓ 5.6 ↖ 10.7 \*  
 beste Teiler 584.8 (40.) 1284.5 (37.) 2053.3 (38.)  
 Trefferlage 25.96 mm links, 8.91 mm tief  
 Streuwert 47.84, horizontal: 51.73, vertikal: 43.60



Serie 5:  
 8.9 ↗ 8.7 ↓ 8.8 → 10.6 \* 10.2 ↓  
 9.9 ↑ 10.5 \* 10.3 ↙ 9.3 ↗ 10.0 ↖  
 beste Teiler 982.8 (44.) 1254.6 (47.) 1742.4 (48.)  
 Trefferlage 10.55 mm rechts, 2.88 mm hoch  
 Streuwert 26.84, horizontal: 21.69, vertikal: 31.15



Serie 6:  
 10.2 ↓ 7.6 ← 9.5 ↘ 9.7 ↘ 8.4 ↓  
 10.0 ↙ 9.4 → 8.9 ↘ 10.0 ↓ 10.0 ←  
 beste Teiler 1949.0 (51.) 2507.9 (59.) 2621.9 (56.)  
 Trefferlage 2.84 mm rechts, 22.56 mm tief  
 Streuwert 30.04, horizontal: 38.70, vertikal: 17.52

**50m Pist. 60** – Wertung – **Herren III**

**StartNr: 524**

StandNr: 7

24. Februar 2019 12:57

**Risse, Ralf** #172



5700 KKSv Geseke e.V. / KKSv Geseke e.V.

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **435** (464.0)  
 Serien: 78 70 73 76 70 68  
 Zähler: 7 9 15 9 8 6 5 1 0 0  
 Innenzehner: 3  
 weiteste: 20091 (26), 17506 (11), 17164 (45)  
 beste Teiler 540.5 (60.) 1419.3 (33.) 1519.1 (35.)  
 Trefferlage 5.98 mm rechts, 12.92 mm hoch  
 Streuwert 66.92, horizontal: 63.05, vertikal: 70.58




Serie 1:  
 8.7 ↘                      9.7 ↘                      10.1 ←                      6.9 ↓                      8.8 ↙  
 8.6 ↘                      8.8 →                      9.7 ↗                      6.0 ↗                      6.3 ↖  
 beste Teiler 2256.2 (3.) 3420.4 (8.) 3470.4 (2.)  
 Trefferlage 3.01 mm links, 5.61 mm hoch  
 Streuwert 56.10, horizontal: 60.04, vertikal: 51.87




Serie 2:  
 4.1 ↗                      6.6 ↗                      9.4 ↙                      8.8 ↙                      8.6 ←  
 8.8 ↑                      5.0 ↘                      9.1 ↗                      7.7 ↘                      6.6 ↘  
 beste Teiler 4187.8 (13.) 4993.7 (18.) 5531.7 (14.)  
 Trefferlage 13.92 mm links, 51.95 mm hoch  
 Streuwert 62.78, horizontal: 67.14, vertikal: 58.10




Serie 3:  
 8.2 ←                      7.8 ↘                      9.6 →                      8.0 →                      10.2 ↘  
 3.0 ↓                      7.9 ↑                      5.7 ↓                      9.3 →                      7.4 ←  
 beste Teiler 1986.9 (25.) 3712.3 (23.) 4465.1 (29.)  
 Trefferlage 6.33 mm links, 16.32 mm tief  
 Streuwert 71.19, horizontal: 58.58, vertikal: 81.88



Serie 4:  
 5.0 →                      8.2 ↙                      10.4 \*                      6.6 →                      10.4 \*  
 7.9 ←                      7.6 ↗                      8.0 ↗                      8.6 ↑                      7.7 ↗  
 beste Teiler 1419.3 (33.) 1519.1 (35.) 6232.3 (39.)  
 Trefferlage 29.31 mm rechts, 22.72 mm hoch  
 Streuwert 56.68, horizontal: 67.79, vertikal: 42.78



Serie 5:  
 6.8 ↘                      4.6 ↑                      7.3 ↘                      9.0 →                      4.2 ↓  
 8.8 ↓                      5.8 ↓                      9.3 ↓                      8.1 ↘                      10.2 ↓  
 beste Teiler 2180.1 (50.) 4384.8 (48.) 5190.3 (44.)  
 Trefferlage 3.27 mm links, 15.36 mm tief  
 Streuwert 76.04, horizontal: 51.08, vertikal: 94.64



Serie 6:  
 4.9 →                      4.8 ↑                      5.4 →                      10.0 →                      7.4 ↘  
 6.7 ↓                      5.7 ↗                      9.5 ↘                      8.9 ↘                      10.8 \*  
 beste Teiler 540.5 (60.) 2667.8 (54.) 3938.4 (58.)  
 Trefferlage 33.16 mm rechts, 28.93 mm hoch  
 Streuwert 71.44, horizontal: 71.36, vertikal: 71.52

**50m Pist. 60** – Wertung – **Herren III**

StandNr: 10

**Müller, Rita** #192

**StartNr: 542**

24. Februar 2019 13:28

5700 SSC Soest–Süd e.V.



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>438</b>	(467.4)								
Serien:	80	66	69	72	79	72				
Zähler:	3	13	14	14	7	4	4	1	0	0
Innenzehner:	1									
weiteste:	17955 (12), 17385 (2), 16761 (24)									
beste Teiler	837.4 (45.) 1946.7 (10.) 2530.7 (43.)									
Trefferlage	1.56 mm rechts, 1.78 mm tief									
Streuwert	65.26, horizontal: 58.79, vertikal: 71.16									



Serie 1:

6.8 ↑	4.1 ↖	9.5 ↙	9.8 ↙	9.8 ↙
8.9 ↖	8.9 ↙	8.6 ↑	9.7 ↖	10.3 ↘


beste Teiler 1946.7 (10.) 3150.0 (5.) 3209.4 (4.)  
 Trefferlage 33.12 mm links, 15.57 mm hoch  
 Streuwert 48.97, horizontal: 47.62, vertikal: 50.28



Serie 2:

7.8 ↙	3.9 ↑	4.8 ↑	7.2 ↘	7.2 ↙
7.7 ↑	5.1 ↓	8.6 ↙	9.8 ↙	9.4 →


beste Teiler 3124.5 (19.) 4050.7 (20.) 6179.2 (18.)  
 Trefferlage 17.99 mm links, 3.14 mm hoch  
 Streuwert 79.39, horizontal: 44.14, vertikal: 103.23



Serie 3:

9.5 ↘	6.7 ←	9.1 ↑	4.4 ←	8.0 ↘
8.0 ↘	7.7 ↑	7.0 ↑	4.7 ↘	7.5 →


beste Teiler 4007.8 (21.) 4890.8 (23.) 7577.3 (26.)  
 Trefferlage 2.15 mm links, 8.50 mm hoch  
 Streuwert 76.59, horizontal: 81.81, vertikal: 70.99



Serie 4:

9.7 ↖	8.6 →	7.2 ↑	5.6 ↓	7.5 ↑
7.7 ↖	8.4 ↑	6.2 ↗	9.3 ↘	6.3 ↓


beste Teiler 3501.5 (31.) 4444.0 (39.) 6199.0 (32.)  
 Trefferlage 14.51 mm rechts, 8.40 mm hoch  
 Streuwert 66.66, horizontal: 44.67, vertikal: 83.02



Serie 5:

9.7 ↑	9.2 ↘	10.0 ↖	9.2 →	10.6 *
7.7 ↑	5.7 ↘	6.1 →	7.6 ↓	7.1 ↗


beste Teiler 837.4 (45.) 2530.7 (43.) 3483.5 (41.)  
 Trefferlage 39.83 mm rechts, 2.01 mm hoch  
 Streuwert 51.97, horizontal: 49.85, vertikal: 54.01



Serie 6:

8.3 →	8.2 ←	8.8 ↙	8.8 ↘	6.5 ↙
7.3 →	6.6 ↘	8.8 ↘	5.6 ↓	8.6 ↙

beste Teiler 5612.7 (54.) 5692.4 (53.) 5725.3 (58.)  
 Trefferlage 8.35 mm rechts, 48.35 mm tief  
 Streuwert 53.66, horizontal: 60.18, vertikal: 46.23



**50m Pist. 60** – Wertung – **Herren IV**

**StartNr: 543**

StandNr: 9

24. Februar 2019 12:57

**Brock, Franz-Dieter** #169



5700 KKSv Geseke e.V. / KKSv Geseke e.V.

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>427</b>	(453.0)								
Serien:	72	70	68	73	77	67				
Zähler:	4	12	9	16	7	8	2	1	1	0
Innenzehner:	1									
weiteste:	22144 (36), 19775 (24), 16899 (7)									
beste Teiler	873.4 (40.) 1925.2 (28.) 2621.1 (18.)									
Trefferlage	13.21 mm rechts, 16.25 mm tief									
Streuwert	68.29, horizontal: 64.51, vertikal: 71.88									



Serie 1:

7.4 ↘	7.4 ←	8.3 →	8.1 ←	9.2 ↓
5.1 ↙	4.3 →	9.4 ↙	7.7 ↑	8.0 ↓


beste Teiler 4261.0 (8.) 4739.9 (5.) 6909.2 (3.)  
 Trefferlage 5.71 mm rechts, 15.04 mm tief  
 Streuwert 71.51, horizontal: 84.10, vertikal: 56.16



Serie 2:

7.6 ↘	5.6 ↗	7.6 ↙	7.3 ↓	6.8 ↗
7.0 →	5.7 ↓	10.0 ↓	6.6 ↓	10.0 ↘


beste Teiler 2621.1 (18.) 2701.3 (20.) 8541.2 (13.)  
 Trefferlage 24.74 mm rechts, 20.52 mm tief  
 Streuwert 68.86, horizontal: 57.31, vertikal: 78.74



Serie 3:

6.7 ↓	7.6 ↓	6.9 ↓	3.2 →	6.9 ↓
6.7 ↗	9.5 →	10.3 ↓	7.2 ↓	8.6 ↓


beste Teiler 1925.2 (28.) 3809.4 (27.) 6183.5 (30.)  
 Trefferlage 29.16 mm rechts, 39.88 mm tief  
 Streuwert 67.49, horizontal: 66.53, vertikal: 68.43



Serie 4:

8.5 ↗	7.2 ↗	8.8 ↑	5.8 ↘	9.8 ↓
2.2 ↘	7.0 ↑	9.2 ↓	8.5 ↘	10.6 *


beste Teiler 873.4 (40.) 3057.9 (35.) 4608.1 (38.)  
 Trefferlage 29.44 mm rechts, 0.85 mm hoch  
 Streuwert 71.20, horizontal: 57.47, vertikal: 82.68



Serie 5:

7.2 ↓	9.3 ↑	9.2 →	8.0 ↙	8.7 →
7.7 ↓	4.8 ↑	9.9 ↓	9.8 →	7.4 ←

beste Teiler 2952.3 (48.) 3089.3 (49.) 4480.2 (42.)  
 Trefferlage 8.52 mm rechts, 8.12 mm tief  
 Streuwert 59.20, horizontal: 49.05, vertikal: 67.86



Serie 6:

7.3 ←	9.4 ←	5.5 ↓	5.2 ↓	9.2 ←
9.2 →	7.3 ↑	5.5 ↘	6.2 ←	5.9 ↓

beste Teiler 4271.5 (52.) 4542.4 (55.) 4600.8 (56.)  
 Trefferlage 18.29 mm links, 14.80 mm tief  
 Streuwert 78.18, horizontal: 69.83, vertikal: 85.71

Meyton Elektronik

**50m Pist. 60** – Wertung – **Herren I**

StandNr: 3

**Stehl, Dietmar** #245

**StartNr: 610**

24. Februar 2019 13:08

5500 SGes Hamm e.V. / SGes Hamm e.V.

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik