





Ergebnis:	<b>581</b>	(605.7)				
Serien:	98	96	100	95	98	94
Zähler:	42	17	1	0	0	0
Innenzehner:	21					
weiteste:	1628 (52), 1536 (19), 1304 (46)					
beste Teiler	64.1 (24.) 158.7 (7.) 180.6 (36.)					
Trefferlage	0.51 mm links, 1.20 mm hoch					
Streuwert	5.31, horizontal: 5.40, vertikal: 5.21					




Serie 1:	10.6 *	10.0 →	10.1 ←	10.6 *	9.8 ←
	10.0 ↘	10.8 *	10.5 *	10.5 *	9.9 ↗
beste Teiler	158.7 (7.) 244.1 (4.) 302.4 (1.)				
Trefferlage	0.62 mm links, 1.32 mm hoch				
Streuwert	4.21, horizontal: 5.32, vertikal: 2.67				




Serie 2:	10.3 *	10.4 *	10.6 *	9.7 ↑	10.0 →
	9.6 →	10.5 *	10.3 ↑	9.0 ↗	9.7 →
beste Teiler	288.2 (13.) 326.6 (17.) 456.9 (12.)				
Trefferlage	2.88 mm rechts, 1.76 mm hoch				
Streuwert	5.71, horizontal: 6.28, vertikal: 5.08				




Serie 3:	10.3 *	10.2 →	10.1 ↗	10.9 *	10.4 *
	10.0 ↑	10.1 ↗	10.2 ↘	10.3 *	10.4 *
beste Teiler	64.1 (24.) 448.7 (30.) 460.9 (25.)				
Trefferlage	0.79 mm rechts, 2.59 mm hoch				
Streuwert	3.68, horizontal: 3.75, vertikal: 3.62				



Serie 4:	9.7 ←	10.0 ↘	10.0 ←	9.7 →	10.5 *
	10.7 *	9.7 ↑	10.1 ←	9.8 ←	9.5 ↘
beste Teiler	180.6 (36.) 398.6 (35.) 651.0 (38.)				
Trefferlage	2.59 mm links, 0.29 mm hoch				
Streuwert	5.92, horizontal: 6.39, vertikal: 5.41				





Serie 5:	10.5 *	10.0 ↑	10.3 ↑	10.5 *	10.4 *
	9.3 ↘	10.3 ↑	9.6 ↘	10.0 →	10.0 ↑
beste Teiler	331.8 (44.) 373.3 (41.) 410.3 (45.)				
Trefferlage	1.75 mm links, 4.34 mm hoch				
Streuwert	4.30, horizontal: 4.07, vertikal: 4.52				




Serie 6:	10.2 ↘	8.9 ↙	9.7 ↙	9.9 ↘	10.3 *
	9.9 ↘	10.3 →	9.5 ↓	10.2 ↗	10.4 *
beste Teiler	433.6 (60.) 525.8 (55.) 549.3 (57.)				
Trefferlage	1.82 mm links, 3.09 mm tief				
Streuwert	6.16, horizontal: 5.34, vertikal: 6.89				

Meyton Elektronik


Ergebnis:	<b>566</b>	(591.1)					
Serien:	93	96	93	95	97	92	
Zähler:	31	24	5	0	0	0	0
Innenzehner:	15						
weiteste:	1933 (59), 1802 (3), 1753 (25)						
beste Teiler	71.1 (7.) 205.3 (20.) 221.1 (30.)						
Trefferlage	1.36 mm rechts, 0.12 mm tief						
Streuwert	6.99, horizontal: 6.35, vertikal: 7.58						




Serie 1:					
	10.0 ↗	9.7 ↓	8.7 ↘	10.2 ✓	10.4 *
	9.7 →	10.9 *	8.8 ↓	10.3 *	9.3 ↘
beste Teiler	71.1 (7.) 460.0 (5.) 509.3 (9.)				
Trefferlage	3.14 mm rechts, 5.04 mm tief				
Streuwert	6.62, horizontal: 5.65, vertikal: 7.47				




Serie 2:					
	9.7 ↓	10.3 *	10.6 *	10.1 ↘	9.3 ↘
	9.7 ↓	9.3 ↘	10.1 ↗	10.5 *	10.7 *
beste Teiler	205.3 (20.) 283.1 (13.) 387.0 (19.)				
Trefferlage	3.44 mm rechts, 3.30 mm tief				
Streuwert	5.20, horizontal: 4.97, vertikal: 5.42				




Serie 3:					
	9.7 →	10.1 ↗	8.8 ↑	9.6 →	8.8 ↑
	10.2 ↑	9.2 ↘	10.3 *	10.0 ↑	10.7 *
beste Teiler	221.1 (30.) 489.9 (28.) 637.5 (26.)				
Trefferlage	1.54 mm rechts, 7.11 mm hoch				
Streuwert	6.07, horizontal: 5.93, vertikal: 6.20				



Serie 4:					
	10.4 *	9.6 ↘	9.7 ✓	10.0 ↘	9.1 ←
	9.6 ↑	9.2 ↑	10.3 ✓	10.5 *	10.4 *
beste Teiler	350.4 (39.) 458.9 (31.) 473.0 (40.)				
Trefferlage	2.18 mm links, 1.42 mm hoch				
Streuwert	6.78, horizontal: 6.40, vertikal: 7.14				





Serie 5:					
	10.4 *	10.2 ✓	10.0 ↘	10.1 ✓	10.5 *
	10.1 ↗	9.7 ✓	9.0 ↗	10.1 ↓	9.6 ✓
beste Teiler	337.7 (45.) 466.8 (41.) 599.6 (42.)				
Trefferlage	1.51 mm links, 3.12 mm tief				
Streuwert	5.79, horizontal: 4.97, vertikal: 6.51				




Serie 6:					
	9.7 ↑	9.4 →	9.4 →	10.1 ✓	10.1 →
	10.6 *	9.9 →	9.8 ↘	8.5 ↘	9.4 ↗
beste Teiler	271.8 (56.) 685.5 (54.) 720.0 (55.)				
Trefferlage	3.75 mm rechts, 2.19 mm hoch				
Streuwert	7.55, horizontal: 8.32, vertikal: 6.70				

Meyton Elektronik


Ergebnis:	<b>577</b>	(602.9)				
Serien:	98	96	96	95	99	93
Zähler:	41	15	4	0	0	0
Innenzehner:	26					
weiteste:	2274 (55), 1825 (25), 1639 (20)					
beste Teiler	99.4 (17.) 137.4 (51.) 152.8 (60.)					
Trefferlage	1.78 mm links, 0.76 mm tief					
Streuwert	5.78, horizontal: 5.82, vertikal: 5.75					




Serie 1:	10.5 *	10.3 *	10.4 *	10.3 *	10.5 *
	9.4 ↓	10.1 ↖	9.1 ↖	10.2 ↑	10.1 ←
beste Teiler	343.6 (5.) 353.8 (1.) 478.5 (3.)				
Trefferlage	0.88 mm links, 0.17 mm tief				
Streuwert	5.74, horizontal: 5.89, vertikal: 5.58				




Serie 2:	10.3 *	10.5 *	10.4 *	10.0 ↖	9.8 ↗
	9.8 ↗	10.8 *	10.1 ↖	10.3 *	8.9 ↖
beste Teiler	99.4 (17.) 336.4 (12.) 409.8 (13.)				
Trefferlage	1.34 mm links, 2.51 mm hoch				
Streuwert	5.41, horizontal: 6.18, vertikal: 4.51				




Serie 3:	10.4 *	10.6 *	10.4 *	10.0 ↗	8.7 ↓
	10.4 *	9.7 ↓	9.7 ←	10.7 *	10.1 ↓
beste Teiler	172.2 (29.) 316.1 (22.) 440.6 (26.)				
Trefferlage	2.15 mm links, 2.15 mm tief				
Streuwert	5.89, horizontal: 3.39, vertikal: 7.60				



Serie 4:	9.8 ↓	9.5 ↘	10.3 *	10.3 *	10.3 *
	10.2 →	9.8 ←	9.9 ←	9.9 ←	10.6 *
beste Teiler	301.0 (40.) 499.0 (35.) 504.5 (33.)				
Trefferlage	2.12 mm links, 1.62 mm tief				
Streuwert	5.20, horizontal: 5.66, vertikal: 4.70				





Serie 5:	10.3 *	10.3 *	10.0 ↘	10.5 *	10.1 ↘
	9.7 ←	10.5 *	10.0 →	10.6 *	10.0 ↓
beste Teiler	288.2 (49.) 345.8 (44.) 391.4 (47.)				
Trefferlage	1.45 mm rechts, 2.03 mm tief				
Streuwert	4.44, horizontal: 5.42, vertikal: 3.16				




Serie 6:	10.8 *	10.1 ↖	9.9 ↑	9.6 ↓	8.1 ←
	8.9 ↗	9.5 ↖	10.1 ←	10.0 ↖	10.8 *
beste Teiler	137.4 (51.) 152.8 (60.) 685.4 (58.)				
Trefferlage	5.62 mm links, 1.12 mm tief				
Streuwert	7.24, horizontal: 6.81, vertikal: 7.64				

Meyton Elektronik


Ergebnis:	<b>569</b>	(597.1)
Serien:	94 95 93 96 96 95	
Zähler:	30 29 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	1703 (52), 1571 (36), 1444 (12)	
beste Teiler	84.7 (8.) 254.9 (26.) 268.7 (31.)	
Trefferlage	0.42 mm rechts, 0.99 mm hoch	
Streuwert	6.18, horizontal: 7.19, vertikal: 4.98	




Serie 1:	9.8 →	9.6 ↗	9.2 →	10.4 *	10.4 *
	10.3 *	9.9 ←	10.8 *	9.9 →	9.4 ↗
beste Teiler	84.7 (8.)	420.0 (4.)	432.5 (5.)		
Trefferlage	2.56 mm rechts, 1.89 mm hoch				
Streuwert	5.98, horizontal: 6.57, vertikal: 5.32				




Serie 2:	9.8 ↘	9.1 ←	10.2 →	10.4 *	10.3 *
	10.1 ↗	9.5 ↘	10.1 ←	9.4 ←	9.9 ←
beste Teiler	414.8 (14.)	518.8 (15.)	605.0 (13.)		
Trefferlage	5.26 mm links, 1.85 mm hoch				
Streuwert	5.21, horizontal: 6.03, vertikal: 4.22				




Serie 3:	9.9 →	9.8 →	9.9 ↓	10.3 ↘	9.7 ↘
	10.6 *	10.2 →	9.2 →	9.7 →	9.7 ←
beste Teiler	254.9 (26.)	531.6 (24.)	584.2 (27.)		
Trefferlage	2.47 mm rechts, 0.68 mm tief				
Streuwert	6.38, horizontal: 7.93, vertikal: 4.30				



Serie 4:	10.6 *	10.2 ↘	10.0 ↘	10.0 ↘	10.6 *
	9.0 ↖	9.8 →	10.6 *	9.5 →	9.8 ↓
beste Teiler	268.7 (31.)	278.7 (38.)	305.1 (35.)		
Trefferlage	0.26 mm rechts, 0.72 mm tief				
Streuwert	6.40, horizontal: 7.36, vertikal: 5.26				





Serie 5:	10.2 ↑	10.0 ↗	9.9 ←	10.3 *	10.6 *
	10.5 *	9.6 ↗	9.3 ↗	9.7 ↗	10.5 *
beste Teiler	287.9 (45.)	324.6 (50.)	393.3 (46.)		
Trefferlage	3.31 mm rechts, 4.47 mm hoch				
Streuwert	4.20, horizontal: 5.03, vertikal: 3.17				




Serie 6:	10.0 ↗	8.8 →	10.1 ←	9.6 ←	9.5 ↑
	10.1 ←	10.4 *	10.4 *	10.2 ←	9.8 ↓
beste Teiler	424.0 (57.)	478.4 (58.)	629.3 (59.)		
Trefferlage	0.79 mm links, 0.85 mm tief				
Streuwert	6.88, horizontal: 7.75, vertikal: 5.89				

Meyton Elektronik


Ergebnis:	<b>574</b>	(600.7)				
Serien:	94	96	96	98	97	93
Zähler:	35	24	1	0	0	0
Innenzehner:	15					
weiteste:	1616 (4), 1352 (47), 1262 (56)					
beste Teiler	141.4 (53.) 144.3 (16.) 174.8 (22.)					
Trefferlage	0.62 mm links, 0.46 mm tief					
Streuwert	5.85, horizontal: 6.12, vertikal: 5.57					




Serie 1:	9.5 ↓	10.1 →	9.8 ←	8.9 →	9.4 ↘
	9.8 ↓	10.2 ↗	10.5 *	10.1 ↖	10.6 *
beste Teiler	299.7 (10.) 386.1 (8.) 602.7 (7.)				
Trefferlage	0.84 mm links, 0.06 mm hoch				
Streuwert	6.98, horizontal: 7.82, vertikal: 6.02				




Serie 2:	10.4 *	9.9 ↗	9.8 →	9.6 ↗	10.1 →
	10.8 *	10.4 *	10.1 ↖	10.2 ↓	9.5 ↓
beste Teiler	144.3 (16.) 449.1 (17.) 462.5 (11.)				
Trefferlage	1.73 mm rechts, 0.66 mm hoch				
Streuwert	5.52, horizontal: 5.66, vertikal: 5.38				




Serie 3:	10.1 ↓	10.7 *	10.2 →	10.4 *	9.4 ↘
	10.2 ←	9.8 ↘	10.2 ←	9.7 ↓	9.9 ↓
beste Teiler	174.8 (22.) 457.5 (24.) 573.1 (26.)				
Trefferlage	0.49 mm links, 4.19 mm tief				
Streuwert	4.73, horizontal: 4.51, vertikal: 4.95				



Serie 4:	10.0 ↗	9.9 ←	9.7 ↖	10.3 *	10.6 *
	10.7 *	10.2 ↖	10.2 ←	10.2 ↖	10.4 *
beste Teiler	209.2 (36.) 258.1 (35.) 476.0 (40.)				
Trefferlage	3.01 mm links, 1.70 mm hoch				
Streuwert	3.87, horizontal: 4.17, vertikal: 3.54				





Serie 5:	10.1 ↓	10.3 *	10.2 ↘	10.2 ↖	10.2 ↑
	10.0 ←	9.3 →	10.6 *	9.5 ↗	9.7 ↗
beste Teiler	255.3 (48.) 528.9 (42.) 568.2 (44.)				
Trefferlage	1.19 mm rechts, 1.41 mm hoch				
Streuwert	5.96, horizontal: 6.84, vertikal: 4.94				



Serie 6:	10.4 *	9.8 ↗	10.8 *	9.5 ↗	9.7 →
	9.4 ←	9.5 ↖	10.0 ↓	9.5 ↓	9.5 ↓
beste Teiler	141.4 (53.) 458.3 (51.) 772.1 (58.)				
Trefferlage	2.35 mm links, 2.46 mm tief				
Streuwert	6.88, horizontal: 6.95, vertikal: 6.81				

Meyton Elektronik


Ergebnis:	<b>502</b>	(528.9)					
Serien:	80	85	89	81	84	83	
Zähler:	9	19	21	8	2	1	0 0 0 0
Innenzehner:	5						
weiteste:	4715 (36), 3672 (10), 3275 (50)						
beste Teiler	141.0 (27.) 198.2 (44.) 222.4 (25.)						
Trefferlage	3.89 mm links, 2.22 mm tief						
Streuwert	13.44, horizontal: 16.50, vertikal: 9.43						



Serie 1:

8.1 →	8.5 ↗	10.3 *	9.5 ↘	7.5 ↗
8.9 ←	9.6 ↘	7.8 →	8.0 ↗	6.4 ←


beste Teiler 525.8 (3.) 1053.0 (7.) 1193.9 (4.)  
 Trefferlage 6.75 mm rechts, 3.97 mm hoch  
 Streuwert 15.18, horizontal: 20.55, vertikal: 6.19



Serie 2:

9.9 ←	8.8 ←	8.1 ↘	9.0 ↗	8.8 ↘
8.0 ←	10.6 *	8.0 ←	9.0 →	8.0 ←


beste Teiler 293.5 (17.) 860.7 (11.) 1553.1 (14.)  
 Trefferlage 2.96 mm links, 0.87 mm tief  
 Streuwert 13.46, horizontal: 18.10, vertikal: 5.91



Serie 3:

10.0 ↑	9.1 ↘	7.7 ←	8.9 ←	10.7 *
9.9 ↘	10.8 *	9.8 ↓	8.1 ↘	9.4 ←


beste Teiler 141.0 (27.) 222.4 (25.) 793.4 (21.)  
 Trefferlage 7.60 mm links, 0.28 mm tief  
 Streuwert 9.08, horizontal: 9.80, vertikal: 8.31



Serie 4:

8.7 ←	10.1 ←	8.5 ←	8.8 ↘	7.1 ←
5.1 ←	10.0 ↘	9.8 ↘	8.7 ←	8.4 ↘


beste Teiler 654.5 (32.) 738.4 (37.) 882.2 (38.)  
 Trefferlage 11.04 mm links, 6.05 mm tief  
 Streuwert 13.98, horizontal: 17.14, vertikal: 9.85



Serie 5:

9.8 ↘	7.2 ←	9.0 ←	10.7 *	7.8 ↘
9.3 ↗	9.9 ↗	9.1 ←	9.6 ←	6.9 →

beste Teiler 198.2 (44.) 861.4 (47.) 958.2 (41.)  
 Trefferlage 3.81 mm links, 4.14 mm tief  
 Streuwert 13.41, horizontal: 17.56, vertikal: 7.15





Serie 6:

7.4 ↓	8.2 ←	9.5 ↗	7.4 ↓	8.9 ↗
10.2 →	8.9 ←	9.1 ↗	8.1 ↘	9.5 ↑

beste Teiler 633.4 (56.) 1138.9 (53.) 1178.9 (60.)  
 Trefferlage 4.71 mm links, 5.97 mm tief  
 Streuwert 13.11, horizontal: 11.68, vertikal: 14.40


Meyton Elektronik

Ergebnis:	<b>582</b>	(613.6)				
Serien:	98	97	98	95	98	96
Zähler:	43	16	1	0	0	0
Innenzehner:	29					
weiteste:	1903 (8), 1261 (11), 1196 (52)					
beste Teiler	68.0 (7.) 77.8 (2.) 94.7 (39.)					
Trefferlage	0.02 mm rechts, 0.89 mm tief					
Streuwert	4.75, horizontal: 5.26, vertikal: 4.17					




Serie 1:

10.3 *	10.9 *	10.6 *	10.1 ↙	10.6 *
10.4 *	10.9 *	8.6 ←	10.4 *	10.2 →
beste Teiler	68.0 (7.) 77.8 (2.) 248.2 (3.)			
Trefferlage	2.27 mm links, 0.03 mm tief			
Streuwert	5.16, horizontal: 7.08, vertikal: 1.76			




Serie 2:

9.4 →	10.2 ↗	10.2 ↘	10.2 →	10.5 *
10.3 *	10.7 *	10.2 ↘	9.8 ↘	9.9 ↑
beste Teiler	238.0 (17.) 348.9 (15.) 503.1 (16.)			
Trefferlage	3.03 mm rechts, 0.07 mm hoch			
Streuwert	4.79, horizontal: 4.78, vertikal: 4.81			




Serie 3:

10.3 ↘	10.3 *	10.4 *	10.8 *	9.9 →
10.4 *	10.2 ↓	10.6 *	9.9 ↑	10.5 *
beste Teiler	123.4 (24.) 276.4 (28.) 392.4 (30.)			
Trefferlage	0.85 mm rechts, 1.10 mm tief			
Streuwert	3.92, horizontal: 3.40, vertikal: 4.38			




Serie 4:

9.8 ↙	9.8 ↙	10.1 →	9.9 ↗	9.8 ↘
9.8 ↘	10.5 *	10.7 *	10.8 *	10.3 ↓
beste Teiler	94.7 (39.) 221.0 (38.) 334.1 (37.)			
Trefferlage	1.33 mm links, 2.40 mm tief			
Streuwert	4.77, horizontal: 4.94, vertikal: 4.59			



Serie 5:

10.7 *	10.3 *	10.4 *	10.2 ↘	10.4 *
10.4 *	9.9 →	10.5 *	9.9 ↓	10.2 ↑
beste Teiler	220.4 (41.) 358.9 (48.) 408.8 (45.)			
Trefferlage	1.25 mm rechts, 0.60 mm tief			
Streuwert	4.07, horizontal: 3.55, vertikal: 4.54			





Serie 6:

10.0 ↙	9.5 ←	10.8 *	10.0 ↙	10.5 *
10.7 *	9.8 ↘	9.5 ↗	10.8 *	9.9 ↘
beste Teiler	124.4 (59.) 142.0 (53.) 221.4 (56.)			
Trefferlage	1.36 mm links, 1.28 mm tief			
Streuwert	5.45, horizontal: 6.13, vertikal: 4.68			


Meyton Elektronik

Ergebnis:	<b>550</b>	(576.7)				
Serien:	93	94	90	92	89	92
Zähler:	18	35	6	1	0	0
Innenzehner:	7					
weiteste:	2591 (24), 2046 (48), 1973 (32)					
beste Teiler	300.1 (19.) 324.0 (36.) 364.6 (17.)					
Trefferlage	0.86 mm rechts, 1.81 mm tief					
Streuwert	8.20, horizontal: 9.14, vertikal: 7.15					




Serie 1:

9.1 ↙	9.4 ↓	9.4 ↙	9.1 ↓	10.5 *
9.6 ↓	9.9 ↖	10.3 *	10.1 ↓	9.0 ↗
beste Teiler	365.4 (5.) 488.4 (8.) 685.4 (9.)			
Trefferlage	1.35 mm links, 5.19 mm tief			
Streuwert	7.29, horizontal: 7.17, vertikal: 7.41			




Serie 2:

10.2 →	10.3 *	9.7 ↗	9.3 →	10.0 ↖
9.4 ↑	10.5 *	9.5 ↘	10.6 *	8.6 ↖
beste Teiler	300.1 (19.) 364.6 (17.) 508.0 (12.)			
Trefferlage	1.55 mm rechts, 2.71 mm hoch			
Streuwert	7.29, horizontal: 8.54, vertikal: 5.78			




Serie 3:

9.7 ↓	9.4 ↖	9.8 ↗	7.7 ←	9.8 ↙
10.0 →	9.3 ↙	9.9 ←	10.1 ↗	9.2 →
beste Teiler	650.0 (29.) 752.2 (26.) 835.0 (28.)			
Trefferlage	2.38 mm links, 0.10 mm tief			
Streuwert	9.40, horizontal: 11.34, vertikal: 6.94			




Serie 4:

9.9 ↘	8.5 →	9.9 ↖	9.8 ↘	9.0 ↖
10.5 *	9.4 ↓	10.2 →	9.0 →	10.0 ↘
beste Teiler	324.0 (36.) 600.9 (38.) 788.2 (40.)			
Trefferlage	3.33 mm rechts, 2.28 mm tief			
Streuwert	8.16, horizontal: 9.66, vertikal: 6.32			



Serie 5:

10.0 ↙	9.7 ↘	9.7 ↘	8.7 →	10.2 ↓
8.8 ↓	9.6 ↓	8.4 ↙	9.1 →	9.8 ↗
beste Teiler	592.1 (45.) 754.4 (41.) 923.7 (50.)			
Trefferlage	2.95 mm rechts, 4.76 mm tief			
Streuwert	8.91, horizontal: 10.44, vertikal: 7.06			



Serie 6:

9.0 ↗	9.9 ←	10.4 *	10.0 →	9.7 ↓
9.8 ↖	9.7 ↙	8.8 ↘	10.0 ↙	9.8 ↗
beste Teiler	430.1 (53.) 784.0 (59.) 799.4 (54.)			
Trefferlage	1.07 mm rechts, 1.25 mm tief			
Streuwert	7.83, horizontal: 7.90, vertikal: 7.77			

Meyton Elektronik



Ergebnis: **527** (556.0)

Serien: 89 85 90 88 84 91

Zähler: 13 28 13 5 1 0 0 0 0 0



Innenzehner: 4

weiteste: 3284 (49), 3082 (52), 2940 (17)

beste Teiler 298.8 (5.) 390.9 (55.) 477.8 (36.)

Trefferlage 2.23 mm links, 4.45 mm hoch

Streuwert 10.16, horizontal: 8.23, vertikal: 11.78




Serie 1:

10.3 *	8.7 ↙	9.2 ↘	9.2 ↑	10.6 *
8.8 ↑	9.9 ↗	8.9 ↘	9.5 ↑	9.9 ↑

beste Teiler 298.8 (5.) 489.4 (1.) 838.3 (7.)

Trefferlage 3.65 mm links, 7.90 mm hoch

Streuwert 6.82, horizontal: 5.60, vertikal: 7.85




Serie 2:

9.9 ←	9.6 ↑	8.7 ↑	7.7 ↓	9.6 ↘
9.0 ↘	7.3 ↑	10.2 ←	8.3 ↗	9.4 ↙

beste Teiler 602.1 (18.) 813.4 (11.) 1092.3 (12.)

Trefferlage 3.52 mm links, 5.14 mm hoch

Streuwert 12.13, horizontal: 8.42, vertikal: 14.95




Serie 3:

8.1 ↑	9.7 ↙	10.0 ↙	8.3 ↑	10.1 ↗
9.9 →	9.5 ↑	9.4 ↗	10.0 ↑	8.9 ↗

beste Teiler 686.9 (25.) 742.8 (29.) 751.0 (23.)

Trefferlage 2.48 mm rechts, 7.68 mm hoch

Streuwert 8.23, horizontal: 6.87, vertikal: 9.39




Serie 4:

9.4 ↓	9.2 ←	7.9 ↓	8.4 ↙	10.0 ↙
10.4 *	9.6 ←	9.8 ↘	8.9 ↘	9.8 ←

beste Teiler 477.8 (36.) 759.2 (35.) 930.1 (40.)

Trefferlage 7.42 mm links, 5.59 mm tief

Streuwert 7.92, horizontal: 6.10, vertikal: 9.39




Serie 5:

9.6 ↓	9.6 ↓	8.5 ↘	9.6 ↗	7.8 ↘
9.1 ↘	9.7 ↑	8.7 ↘	6.8 ↑	10.0 ↘

beste Teiler 764.5 (50.) 1029.3 (47.) 1067.1 (42.)

Trefferlage 5.42 mm links, 9.41 mm hoch

Streuwert 10.54, horizontal: 7.28, vertikal: 13.01



Serie 6:

10.2 ↗	7.1 ↗	9.8 ↙	10.2 ↘	10.5 *
9.2 ↗	8.9 ↘	10.1 ↓	9.1 ↓	9.5 ↘



beste Teiler 390.9 (55.) 565.3 (54.) 624.1 (51.)

Trefferlage 4.12 mm rechts, 2.19 mm hoch

Streuwert 9.95, horizontal: 9.43, vertikal: 10.45

Meyton Elektronik


Ergebnis:	<b>475</b>	(504.6)				
Serien:	83	76	82	79	78	77
Zähler:	4	20	13	15	6	2 0 0 0 0
Innenzehner:	1					
weiteste:	4566 (59), 4025 (53), 3287 (16)					
beste Teiler	115.4 (55.) 639.2 (21.) 646.6 (8.)					
Trefferlage	14.00 mm links, 5.09 mm hoch					
Streuwert	11.85, horizontal: 10.71, vertikal: 12.89					



Serie 1:

6.9 ↘	7.7 ↘	9.4 ↙	7.9 ↖	9.2 ↑
9.3 ↖	9.6 ↖	10.1 ←	8.4 ↖	9.3 ↘


beste Teiler 646.6 (8.) 1110.9 (7.) 1244.1 (3.)  
 Trefferlage 12.78 mm links, 8.89 mm hoch  
 Streuwert 8.20, horizontal: 7.38, vertikal: 8.94



Serie 2:

7.8 ↘	9.8 ↑	7.5 ↑	8.8 ↙	7.3 ←
6.8 ↑	7.0 ↖	8.7 ↖	9.3 ←	8.7 ←


beste Teiler 931.1 (12.) 1307.7 (19.) 1711.5 (14.)  
 Trefferlage 14.28 mm links, 9.94 mm hoch  
 Streuwert 11.79, horizontal: 10.02, vertikal: 13.32



Serie 3:

10.2 ↓	6.8 ←	9.5 ↑	9.8 ↘	10.0 ←
9.0 ↓	7.8 ↙	8.7 ↙	8.9 ↙	6.9 ↙


beste Teiler 639.2 (21.) 775.7 (25.) 919.2 (24.)  
 Trefferlage 12.01 mm links, 5.01 mm tief  
 Streuwert 11.10, horizontal: 12.37, vertikal: 9.66



Serie 4:

9.0 ↙	7.1 ↘	7.5 ←	9.2 ↙	7.9 ←
8.0 ↘	8.6 ↘	9.9 ←	7.7 ↘	8.2 ↘


beste Teiler 827.0 (38.) 1378.3 (34.) 1589.2 (31.)  
 Trefferlage 16.78 mm links, 5.89 mm hoch  
 Streuwert 9.86, horizontal: 7.77, vertikal: 11.58



Serie 5:

9.2 ↓	9.3 ↙	9.1 ↘	7.6 ←	9.4 ↑
7.4 ←	7.4 ←	8.6 ↘	6.9 ←	7.9 ↘

beste Teiler 1248.0 (45.) 1307.9 (42.) 1426.4 (41.)  
 Trefferlage 14.80 mm links, 0.79 mm hoch  
 Streuwert 12.80, horizontal: 14.17, vertikal: 11.26



Serie 6:

8.2 ↑	9.1 ←	5.9 ↘	8.1 ↖	10.8 *
8.0 ↘	6.9 ↙	9.6 ↑	5.2 ↑	9.8 ↑

beste Teiler 115.4 (55.) 905.0 (60.) 1051.2 (58.)  
 Trefferlage 13.37 mm links, 10.06 mm hoch  
 Streuwert 14.83, horizontal: 12.92, vertikal: 16.52

Meyton Elektronik

Ergebnis: **584** (610.7)

Serien: 95 98 97 97 99 98

Zähler: 44 16 0 0 0 0 0 0 0



Innenzehner: 28

weiteste: 1299 (5), 1282 (3), 1236 (29)

beste Teiler 99.3 (18.) 218.1 (46.) 241.5 (35.)

Trefferlage 0.28 mm links, 0.14 mm hoch

Streuwert 4.90, horizontal: 5.24, vertikal: 4.53




Serie 1:

9.5 ↘	9.6 ↗	9.3 ↑	10.0 ↗	9.3 ↘
10.3 *	10.6 *	10.3 *	10.3 *	9.8 ↖

beste Teiler 285.3 (7.) 485.2 (8.) 494.8 (6.)

Trefferlage 0.22 mm rechts, 2.70 mm hoch

Streuwert 6.35, horizontal: 6.18, vertikal: 6.52




Serie 2:

9.8 ↓	10.1 ↙	10.4 *	10.1 ←	9.7 ↗
10.4 *	10.2 ↗	10.8 *	10.4 *	10.2 ↘

beste Teiler 99.3 (18.) 432.4 (19.) 443.0 (16.)

Trefferlage 1.10 mm rechts, 0.37 mm tief

Streuwert 4.72, horizontal: 4.73, vertikal: 4.70




Serie 3:

10.3 *	10.5 *	10.2 ↗	10.3 →	10.6 *
10.5 *	10.2 ←	9.9 ↙	9.4 ↘	9.5 ←

beste Teiler 309.3 (25.) 355.1 (22.) 375.5 (26.)

Trefferlage 0.21 mm rechts, 0.15 mm hoch

Streuwert 5.39, horizontal: 6.22, vertikal: 4.41




Serie 4:

10.4 *	10.6 *	10.2 ←	10.6 *	10.6 *
9.6 →	9.6 ←	10.6 *	9.7 ↘	10.6 *

beste Teiler 241.5 (35.) 264.8 (34.) 272.8 (32.)

Trefferlage 0.43 mm rechts, 1.63 mm tief

Streuwert 4.75, horizontal: 5.84, vertikal: 3.33




Serie 5:

10.0 →	10.4 *	10.6 *	10.4 *	10.2 ↖
10.7 *	9.9 ↑	10.3 ↘	10.4 *	10.2 ←

beste Teiler 218.1 (46.) 286.1 (43.) 409.0 (49.)

Trefferlage 0.14 mm links, 0.44 mm hoch

Streuwert 4.01, horizontal: 4.35, vertikal: 3.65



Serie 6:

10.3 ←	10.4 *	10.4 *	10.6 *	10.6 *
10.4 *	9.9 ↙	10.3 ↓	9.6 ↖	10.1 ←



beste Teiler 254.4 (54.) 314.4 (55.) 412.8 (52.)

Trefferlage 3.55 mm links, 0.44 mm tief

Streuwert 3.71, horizontal: 3.58, vertikal: 3.83


Meyton Elektronik

Ergebnis:	<b>541</b>						(567.8)
Serien:	90	90	89	88	90	94	
Zähler:	16	31	11	2	0	0	
Innenzehner:	4						
weiteste:	2896 (19), 2463 (22), 2343 (50)						
beste Teiler	236.0 (39.) 425.2 (54.) 466.8 (2.)						
Trefferlage	0.19 mm rechts, 2.84 mm hoch						
Streuwert	9.10, horizontal: 8.44, vertikal: 9.72						




Serie 1:

10.0 →	10.4 *	8.4 →	9.3 ↘	9.9 ↖
9.9 ↘	9.5 ↘	9.5 ↗	9.4 ↗	8.7 →
beste Teiler	466.8 (2.) 759.7 (1.) 805.2 (6.)			
Trefferlage	5.44 mm rechts, 2.45 mm hoch			
Streuwert	8.23, horizontal: 9.32, vertikal: 6.98			




Serie 2:

9.3 ↘	9.6 ↘	9.0 ←	10.0 ↘	8.9 ↑
9.9 →	9.9 ↘	10.2 ←	7.3 ↑	10.2 ↘
beste Teiler	599.2 (18.) 627.2 (20.) 770.7 (14.)			
Trefferlage	2.62 mm rechts, 0.95 mm hoch			
Streuwert	10.03, horizontal: 7.23, vertikal: 12.21			




Serie 3:

10.3 *	7.9 ↑	8.8 ↑	10.1 ↘	9.3 ↑
10.1 ↘	8.1 ↑	9.1 ↑	9.1 ←	9.4 ←
beste Teiler	522.4 (21.) 660.6 (26.) 706.8 (24.)			
Trefferlage	1.52 mm links, 8.13 mm hoch			
Streuwert	9.41, horizontal: 6.59, vertikal: 11.56			




Serie 4:

8.8 ←	9.9 ↘	8.9 ←	9.6 ←	9.4 ↑
8.8 ↑	10.2 ↘	8.1 ↘	10.7 *	9.8 ↘
beste Teiler	236.0 (39.) 567.6 (37.) 877.6 (32.)			
Trefferlage	6.44 mm links, 4.72 mm hoch			
Streuwert	8.09, horizontal: 6.64, vertikal: 9.32			



Serie 5:

10.1 ←	9.6 ↘	8.8 ↑	9.7 →	9.0 ↑
9.6 ↘	10.2 ↑	9.3 ↓	9.9 ↘	8.0 →
beste Teiler	631.0 (47.) 684.9 (41.) 876.4 (49.)			
Trefferlage	0.81 mm rechts, 3.64 mm hoch			
Streuwert	9.47, horizontal: 9.48, vertikal: 9.47			





Serie 6:


9.3 ↗	10.0 ←	9.7 ↗	10.4 *	10.1 ↓
9.5 ↘	9.7 ↘	10.1 ←	9.9 →	9.2 ↘
beste Teiler	425.2 (54.) 685.9 (58.) 711.5 (55.)			
Trefferlage	0.26 mm rechts, 2.87 mm tief			
Streuwert	6.90, horizontal: 7.79, vertikal: 5.87			

Meyton Elektronik


Ergebnis:	<b>570</b>	(595.9)				
Serien:	91	94	93	96	97	99
Zähler:	33	24	3	0	0	0
Innenzehner:	15					
weiteste:	1851 (3), 1786 (1), 1710 (21)					
beste Teiler	147.6 (45.) 190.2 (37.) 229.7 (24.)					
Trefferlage	1.19 mm links, 0.97 mm tief					
Streuwert	6.42, horizontal: 6.25, vertikal: 6.58					




Serie 1:	8.7 ↙	9.6 ↘	8.6 ↘	9.9 ←	9.7 ↘
	10.2 ↗	9.2 ↙	10.5 *	9.6 ↑	10.5 *
beste Teiler	370.6 (8.) 390.6 (10.) 595.1 (6.)				
Trefferlage	2.86 mm links, 1.68 mm tief				
Streuwert	8.16, horizontal: 6.90, vertikal: 9.25				




Serie 2:	9.0 ←	9.4 ↓	9.6 ↖	9.6 ←	10.1 ↖
	10.0 ↓	10.0 ↙	9.6 ←	9.7 ↓	10.5 *
beste Teiler	347.5 (20.) 660.6 (15.) 725.6 (17.)				
Trefferlage	5.20 mm links, 1.55 mm tief				
Streuwert	6.47, horizontal: 6.07, vertikal: 6.85				




Serie 3:	8.8 ↑	9.9 ↓	9.6 →	10.7 *	10.5 *
	10.1 ↘	9.5 ↘	10.0 ←	9.8 ↓	9.2 ↓
beste Teiler	229.7 (24.) 379.7 (25.) 719.9 (26.)				
Trefferlage	1.93 mm rechts, 1.03 mm tief				
Streuwert	7.36, horizontal: 6.42, vertikal: 8.19				



Serie 4:	10.6 *	9.6 ↗	10.1 ↘	9.4 ↗	10.2 ↙
	9.8 ↖	10.7 *	10.1 ←	10.1 ↓	9.8 ↘
beste Teiler	190.2 (37.) 290.0 (31.) 632.9 (35.)				
Trefferlage	0.17 mm rechts, 1.60 mm hoch				
Streuwert	5.73, horizontal: 5.59, vertikal: 5.86				





Serie 5:	10.5 *	10.2 ↓	10.0 →	10.6 *	10.8 *
	9.3 ←	9.8 ↙	10.7 *	9.8 ↓	10.5 *
beste Teiler	147.6 (45.) 232.9 (48.) 300.0 (44.)				
Trefferlage	0.82 mm links, 2.36 mm tief				
Streuwert	4.94, horizontal: 5.48, vertikal: 4.34				



Serie 6:	10.2 ↓	10.3 *	10.0 →	10.1 ↓	9.5 ←
	10.5 *	10.1 ↑	10.4 *	10.0 ←	10.1 ↘
beste Teiler	392.6 (56.) 462.6 (58.) 510.4 (52.)				
Trefferlage	0.38 mm links, 0.83 mm tief				
Streuwert	5.24, horizontal: 5.86, vertikal: 4.53				


Meyton Elektronik

Ergebnis:	<b>566</b>	(594.7)				
Serien:	97	95	94	92	96	92
Zähler:	29	28	3	0	0	0
Innenzehner:	18					
weiteste:	2393 (30), 1908 (37), 1722 (38)					
beste Teiler	79.8 (11.) 124.4 (48.) 142.7 (26.)					
Trefferlage	1.66 mm links, 2.51 mm tief					
Streuwert	6.40, horizontal: 6.78, vertikal: 5.99					




Serie 1:

10.1 ↖	10.7 *	10.5 *	10.3 *	9.8 →	
10.4 *	10.5 *	10.0 ←	9.9 ↓	9.8 ←	
beste Teiler	234.4 (2.) 359.5 (3.) 367.8 (7.)				
Trefferlage	1.12 mm links, 1.20 mm tief				
Streuwert	4.68, horizontal: 5.37, vertikal: 3.88				




Serie 2:

10.9 *	10.1 ↖	9.7 ↖	9.9 ↙	9.7 ↓	
10.3 *	10.3 *	10.6 *	9.4 ↓	9.4 ↓	
beste Teiler	79.8 (11.) 277.5 (18.) 503.0 (17.)				
Trefferlage	0.71 mm links, 2.76 mm tief				
Streuwert	5.88, horizontal: 4.43, vertikal: 7.04				




Serie 3:

9.2 ↓	10.4 *	10.4 *	9.2 ↘	9.7 ↓	
10.8 *	9.9 ↙	10.2 ←	10.0 ←	8.0 ←	
beste Teiler	142.7 (26.) 424.2 (23.) 446.2 (22.)				
Trefferlage	3.73 mm links, 5.22 mm tief				
Streuwert	6.90, horizontal: 8.25, vertikal: 5.22				




Serie 4:

9.9 ↖	9.8 ↓	10.4 *	10.1 →	9.4 ←	
9.6 ↙	8.6 ↙	8.8 ↓	10.0 →	10.1 ↘	
beste Teiler	408.8 (33.) 664.6 (34.) 688.4 (40.)				
Trefferlage	1.86 mm links, 5.15 mm tief				
Streuwert	7.29, horizontal: 7.81, vertikal: 6.73				



Serie 5:

9.8 ↙	9.7 ↖	9.3 ↑	9.9 ↙	10.5 *	
10.2 →	10.3 *	10.8 *	10.2 ↖	10.1 ↓	
beste Teiler	124.4 (48.) 378.8 (45.) 512.6 (47.)				
Trefferlage	1.17 mm links, 0.01 mm tief				
Streuwert	5.59, horizontal: 4.93, vertikal: 6.18				





Serie 6:

9.3 ↙	9.1 ↖	9.9 →	9.9 ↓	9.1 ←	
10.4 *	9.7 →	9.3 ↖	9.8 →	10.6 *	
beste Teiler	299.5 (60.) 414.1 (56.) 812.4 (54.)				
Trefferlage	1.40 mm links, 0.72 mm tief				
Streuwert	7.89, horizontal: 9.66, vertikal: 5.60				


Meyton Elektronik

Ergebnis:	<b>553</b>	(581.1)				
Serien:	95	91	94	91	90	92
Zähler:	22	31	5	2	0	0
Innenzehner:	12					
weiteste:	2812 (8), 2710 (25), 2161 (42)					
beste Teiler	242.8 (43.) 288.0 (29.) 298.1 (4.)					
Trefferlage	0.54 mm rechts, 0.87 mm hoch					
Streuwert	8.28, horizontal: 7.87, vertikal: 8.66					




Serie 1:

10.1 ↘	10.0 ↖	10.5 *	10.6 *	10.3 ↘
10.2 ↘	9.9 ↓	7.4 ↘	9.0 ↓	10.4 *
beste Teiler	298.1 (4.) 337.7 (3.) 448.2 (10.)			
Trefferlage	0.89 mm rechts, 6.08 mm tief			
Streuwert	7.18, horizontal: 5.00, vertikal: 8.84			




Serie 2:

9.7 ←	9.5 ↑	9.7 ↑	9.6 ↗	9.6 ←
9.7 ←	10.3 ↓	9.3 ↑	9.4 ↗	9.2 ↓
beste Teiler	549.7 (17.) 964.2 (13.) 1019.9 (11.)			
Trefferlage	3.12 mm links, 3.65 mm hoch			
Streuwert	7.35, horizontal: 5.38, vertikal: 8.89			




Serie 3:

9.7 ↗	10.5 *	10.2 ↗	9.9 ↑	7.6 →
10.4 *	10.3 *	10.3 *	10.6 *	9.8 →
beste Teiler	288.0 (29.) 339.7 (22.) 466.7 (26.)			
Trefferlage	3.14 mm rechts, 0.66 mm hoch			
Streuwert	7.53, horizontal: 8.98, vertikal: 5.72			




Serie 4:

9.8 ↗	8.3 ↑	8.5 ↖	10.1 →	8.3 →
10.6 *	9.0 ↘	10.4 *	10.2 ↓	9.9 ↘
beste Teiler	320.3 (36.) 440.1 (38.) 614.7 (39.)			
Trefferlage	2.53 mm rechts, 0.43 mm hoch			
Streuwert	9.86, horizontal: 9.82, vertikal: 9.90			



Serie 5:

8.8 ↑	8.2 ↖	10.6 *	9.6 →	9.6 ↖
9.5 ←	10.5 *	9.4 ↗	9.5 ←	9.8 ↗
beste Teiler	242.8 (43.) 399.2 (47.) 919.7 (50.)			
Trefferlage	1.29 mm links, 5.89 mm hoch			
Streuwert	8.09, horizontal: 8.21, vertikal: 7.95			





Serie 6:


9.5 ←	9.2 ↘	9.9 ↗	9.5 ↖	9.0 →
9.6 ↘	10.3 ↑	9.8 ↑	10.1 ↓	9.9 ↖
beste Teiler	544.0 (57.) 652.0 (59.) 855.2 (53.)			
Trefferlage	1.13 mm rechts, 0.70 mm hoch			
Streuwert	7.95, horizontal: 8.74, vertikal: 7.07			

Meyton Elektronik


Ergebnis:	<b>523</b>	(550.2)				
Serien:	89	90	88	87	89	80
Zähler:	11	28	15	5	1	0 0 0 0 0
Innenzehner:	2					
weiteste:	3492 (58), 2934 (37), 2727 (10)					
beste Teiler	338.0 (48.) 453.3 (52.) 539.8 (2.)					
Trefferlage	2.16 mm rechts, 0.89 mm tief					
Streuwert	11.14, horizontal: 8.64, vertikal: 13.17					




Serie 1:	9.3 ↙	10.3 ➔	9.3 ↗	9.0 ↑	9.5 ↓
	10.1 ➔	9.8 ➔	8.8 ↗	9.8 ↙	7.5 ↘
beste Teiler	539.8 (2.) 707.3 (6.) 886.1 (9.)				
Trefferlage	4.11 mm rechts, 0.78 mm tief				
Streuwert	10.16, horizontal: 8.42, vertikal: 11.64				




Serie 2:	9.7 ↘	9.6 ↓	9.3 ←	9.2 ↓	9.8 ↗
	10.0 ↘	8.9 ↓	9.2 ↖	10.3 ↘	8.9 ↖
beste Teiler	544.8 (19.) 744.1 (16.) 925.2 (15.)				
Trefferlage	2.57 mm links, 3.72 mm tief				
Streuwert	8.45, horizontal: 8.35, vertikal: 8.54				




Serie 3:	9.8 ↙	10.1 ↖	9.0 ↑	9.2 ↑	8.5 ↘
	8.6 ↑	7.8 ↘	10.1 ↙	9.0 ↙	9.8 ↙
beste Teiler	690.9 (28.) 711.2 (22.) 901.5 (30.)				
Trefferlage	0.02 mm links, 1.47 mm tief				
Streuwert	11.36, horizontal: 7.42, vertikal: 14.24				



Serie 4:	8.6 ↘	9.4 ↗	9.9 ↙	9.1 ↓	10.1 ↑
	8.8 ↗	7.3 ↓	9.4 ↓	10.0 ➔	8.3 ↗
beste Teiler	664.5 (35.) 754.9 (39.) 875.0 (33.)				
Trefferlage	2.76 mm rechts, 3.67 mm tief				
Streuwert	11.66, horizontal: 8.82, vertikal: 13.94				





Serie 5:	9.8 ↗	9.8 ➔	9.5 ↓	8.8 ↘	9.9 ↘
	8.3 ↑	9.1 ↗	10.5 *	8.5 ↘	10.2 ↖
beste Teiler	338.0 (48.) 597.5 (50.) 862.8 (45.)				
Trefferlage	5.38 mm rechts, 0.85 mm tief				
Streuwert	9.10, horizontal: 6.59, vertikal: 11.05				




Serie 6:	9.7 ↑	10.4 *	8.1 ←	7.8 ↓	8.8 ➔
	8.7 ↑	7.6 ↗	6.6 ↑	8.0 ↓	9.0 ↑
beste Teiler	453.3 (52.) 991.2 (51.) 1556.3 (60.)				
Trefferlage	3.30 mm rechts, 5.17 mm hoch				
Streuwert	15.40, horizontal: 11.13, vertikal: 18.71				




Ergebnis:	<b>588</b>	(612.5)
Serien:	98 98 99 97 100 96	
Zähler:	49 10 1 0 0 0 0 0 0	
Innenzehner:	29	
weiteste:	1755 (54), 1438 (13), 1337 (59)	
beste Teiler	119.0 (50.) 140.8 (22.) 158.0 (6.)	
Trefferlage	0.17 mm links, 1.39 mm tief	
Streuwert	4.75, horizontal: 4.55, vertikal: 4.93	




Serie 1:	10.3 *	10.6 *	10.3 ↙	10.7 *	10.0 ↘
	10.8 *	9.5 ↓	10.5 *	10.2 ↗	9.6 ↘
beste Teiler	158.0 (6.) 193.1 (4.) 312.2 (2.)				
Trefferlage	0.53 mm rechts, 2.19 mm tief				
Streuwert	4.59, horizontal: 3.62, vertikal: 5.38				




Serie 2:	10.0 ↓	10.4 *	9.2 ↘	10.3 ↓	9.9 ↗
	10.3 *	10.3 *	10.6 *	10.7 *	10.6 *
beste Teiler	227.9 (19.) 278.2 (18.) 282.8 (20.)				
Trefferlage	2.12 mm rechts, 1.87 mm tief				
Streuwert	4.50, horizontal: 4.53, vertikal: 4.47				




Serie 3:	10.4 *	10.8 *	9.7 ↘	10.3 ↙	10.1 ↘
	10.3 *	10.0 ↘	10.4 *	10.3 *	10.1 ↘
beste Teiler	140.8 (22.) 456.8 (21.) 480.5 (28.)				
Trefferlage	3.03 mm links, 1.83 mm tief				
Streuwert	3.71, horizontal: 3.82, vertikal: 3.60				



Serie 4:	10.2 ↘	10.3 *	10.7 *	9.7 ↓	9.8 ↙
	10.1 ↑	10.4 *	9.9 ↘	10.2 ↘	10.0 ↙
beste Teiler	233.0 (33.) 471.8 (37.) 483.6 (32.)				
Trefferlage	1.80 mm links, 0.79 mm tief				
Streuwert	4.91, horizontal: 3.74, vertikal: 5.85				





Serie 5:	10.5 *	10.0 ↙	10.2 ↓	10.3 ↘	10.2 ↑
	10.4 *	10.3 ↘	10.1 →	10.7 *	10.8 *
beste Teiler	119.0 (50.) 164.4 (49.) 325.5 (41.)				
Trefferlage	0.50 mm rechts, 0.70 mm tief				
Streuwert	3.84, horizontal: 4.28, vertikal: 3.35				



Serie 6:	10.7 *	10.4 *	10.6 *	8.8 ↓	9.5 →
	10.4 *	10.4 *	10.0 ↑	9.3 ↘	10.4 *
beste Teiler	227.0 (51.) 256.3 (53.) 415.1 (56.)				
Trefferlage	0.61 mm rechts, 0.94 mm tief				
Streuwert	6.53, horizontal: 5.98, vertikal: 7.05				


Meyton Elektronik

Ergebnis:	<b>582</b>	(613.7)				
Serien:	96	96	97	98	96	99
Zähler:	42	18	0	0	0	0
Innenzehner:	30					
weiteste:	1310 (21), 1191 (3), 1160 (4)					
beste Teiler	154.6 (27.) 165.8 (58.) 185.2 (51.)					
Trefferlage	0.84 mm links, 2.19 mm hoch					
Streuwert	4.30, horizontal: 4.53, vertikal: 4.05					




Serie 1:

9.9 ↗	10.5 *	9.5 ↘	9.5 ←	9.6 ↗
10.5 *	10.0 ↘	10.2 ↓	10.6 *	10.3 *
beste Teiler	270.8 (9.) 385.1 (6.) 392.7 (2.)			
Trefferlage	0.56 mm links, 3.55 mm hoch			
Streuwert	5.26, horizontal: 5.98, vertikal: 4.42			




Serie 2:

10.3 ↗	10.6 *	9.6 ↗	10.5 *	10.5 *
9.8 ↗	9.8 →	9.9 ↑	10.5 *	10.5 *
beste Teiler	280.4 (12.) 360.3 (19.) 363.7 (15.)			
Trefferlage	1.44 mm rechts, 3.49 mm hoch			
Streuwert	4.10, horizontal: 4.55, vertikal: 3.60			




Serie 3:

9.3 ↘	10.6 *	10.0 ↑	10.6 *	9.9 ↘
10.3 *	10.8 *	10.0 ↖	10.2 ↑	9.9 ←
beste Teiler	154.6 (27.) 281.2 (24.) 313.1 (22.)			
Trefferlage	2.28 mm links, 3.33 mm hoch			
Streuwert	4.36, horizontal: 4.60, vertikal: 4.11			




Serie 4:

10.2 ↖	9.8 ↘	10.6 *	10.6 *	10.6 *
9.9 ←	10.4 *	10.2 ↑	10.2 ←	10.5 *
beste Teiler	279.6 (35.) 285.2 (34.) 306.4 (33.)			
Trefferlage	2.77 mm links, 0.71 mm hoch			
Streuwert	3.61, horizontal: 3.63, vertikal: 3.59			



Serie 5:

9.9 ↗	10.3 ↓	10.0 →	10.1 ↘	10.5 *
10.6 *	9.9 ↗	10.6 *	9.9 ↘	9.9 ↓
beste Teiler	274.7 (46.) 291.3 (48.) 364.7 (45.)			
Trefferlage	1.05 mm rechts, 1.22 mm hoch			
Streuwert	4.79, horizontal: 4.33, vertikal: 5.21			





Serie 6:

10.7 *	9.8 ←	10.4 *	10.5 *	10.6 *
10.7 *	10.5 *	10.7 *	10.5 *	10.4 *
beste Teiler	165.8 (58.) 185.2 (51.) 217.8 (56.)			
Trefferlage	1.97 mm links, 0.84 mm hoch			
Streuwert	2.69, horizontal: 2.70, vertikal: 2.68			


Meyton Elektronik

Ergebnis:	<b>518</b>	(545.0)				
Serien:	93	83	89	83	81	89
Zähler:	15	18	19	6	2	0 0 0 0 0
Innenzehner:	7					
weiteste:	3736 (13), 3357 (47), 3114 (32)					
beste Teiler	107.0 (56.) 135.9 (45.) 207.4 (41.)					
Trefferlage	3.13 mm links, 0.75 mm hoch					
Streuwert	12.03, horizontal: 11.51, vertikal: 12.53					




Serie 1:

9.6 ↘	8.5 ↑	10.0 →	10.4 *	10.0 ↑
9.4 ↖	10.0 ↖	10.1 →	9.5 ↙	8.2 ↑
beste Teiler	404.2 (4.) 697.0 (8.) 766.4 (5.)			
Trefferlage	0.26 mm rechts, 5.37 mm hoch			
Streuwert	8.21, horizontal: 5.84, vertikal: 10.04			




Serie 2:

8.4 ↑	9.9 ↖	6.3 ↖	9.6 ↖	8.0 ↑
7.7 ↘	8.2 ↓	9.5 ↗	10.1 ←	9.6 ↖
beste Teiler	663.2 (19.) 814.1 (12.) 1097.4 (14.)			
Trefferlage	1.98 mm links, 5.58 mm hoch			
Streuwert	14.36, horizontal: 11.93, vertikal: 16.43			




Serie 3:

9.3 ↓	10.0 →	10.0 →	9.8 ↓	8.5 ↖
9.6 ←	8.1 ↘	8.5 ↓	10.4 *	8.8 ↖
beste Teiler	472.9 (29.) 743.8 (22.) 753.9 (23.)			
Trefferlage	1.40 mm links, 3.47 mm tief			
Streuwert	10.52, horizontal: 11.81, vertikal: 9.05			




Serie 4:

7.8 ←	7.1 ↓	9.1 ↗	10.0 →	9.5 →
8.8 ↖	9.9 ↖	8.5 ↓	8.8 ↓	8.4 ←
beste Teiler	793.1 (34.) 871.4 (37.) 1123.8 (35.)			
Trefferlage	5.66 mm links, 3.70 mm tief			
Streuwert	12.96, horizontal: 13.10, vertikal: 12.81			



Serie 5:

10.7 *	8.7 ↖	10.6 *	8.9 ←	10.8 *
7.5 ↗	6.8 ↗	7.3 ↖	8.8 ↘	7.4 ←
beste Teiler	135.9 (45.) 207.4 (41.) 247.1 (43.)			
Trefferlage	7.27 mm links, 1.91 mm tief			
Streuwert	14.73, horizontal: 17.01, vertikal: 12.03			





Serie 6:

9.4 ↓	10.4 *	9.1 ←	9.1 ↓	9.7 ↙
10.8 *	8.8 ↑	9.8 ←	8.3 ↗	8.2 ↑
beste Teiler	107.0 (56.) 453.0 (52.) 937.8 (58.)			
Trefferlage	2.73 mm links, 2.62 mm hoch			
Streuwert	10.28, horizontal: 6.90, vertikal: 12.79			


Meyton Elektronik

Ergebnis:	<b>562</b>	(591.9)				
Serien:	97	92	92	92	93	96
Zähler:	28	27	4	1	0	0
Innenzehner:	16					
weiteste:	2495 (21), 1785 (40), 1780 (45)					
beste Teiler	74.3 (7.) 91.5 (12.) 98.4 (51.)					
Trefferlage	1.28 mm rechts, 0.00 mm					
Streuwert	7.09, horizontal: 6.97, vertikal: 7.21					




Serie 1:

10.1 →	10.4 *	10.0 →	10.2 ↘	10.3 ↓
10.4 *	10.9 *	9.5 ↖	9.9 ↓	9.6 ↓
beste Teiler	74.3 (7.) 426.7 (6.) 449.6 (2.)			
Trefferlage	0.73 mm rechts, 2.64 mm tief			
Streuwert	5.08, horizontal: 5.55, vertikal: 4.56			




Serie 2:

9.8 ↓	10.8 *	9.4 ↖	10.3 →	9.6 ↑
8.9 ↓	9.4 →	9.6 ←	9.6 ←	10.2 →
beste Teiler	91.5 (12.) 551.4 (14.) 613.0 (20.)			
Trefferlage	1.67 mm links, 1.71 mm tief			
Streuwert	7.57, horizontal: 7.83, vertikal: 7.29			




Serie 3:

7.8 ↘	9.6 ↗	10.6 *	9.2 →	9.5 →
10.7 *	10.0 ↗	9.8 ←	9.2 ↑	10.7 *
beste Teiler	177.5 (26.) 212.5 (30.) 274.1 (23.)			
Trefferlage	4.25 mm rechts, 0.88 mm hoch			
Streuwert	8.31, horizontal: 9.25, vertikal: 7.24			




Serie 4:

10.6 *	9.8 ↗	9.3 ↘	10.4 *	9.8 ↓
10.2 ↘	8.9 ↑	9.2 ↖	10.7 *	8.7 →
beste Teiler	230.8 (39.) 307.6 (31.) 442.9 (34.)			
Trefferlage	3.01 mm rechts, 1.22 mm hoch			
Streuwert	7.72, horizontal: 7.02, vertikal: 8.37			



Serie 5:

9.7 ↑	9.2 ↖	10.4 *	10.2 ↘	8.7 ↑
9.9 ↘	10.2 ↖	9.2 →	9.1 ←	10.4 *
beste Teiler	407.4 (50.) 450.1 (43.) 588.2 (47.)			
Trefferlage	0.71 mm rechts, 2.86 mm hoch			
Streuwert	7.91, horizontal: 7.58, vertikal: 8.23			





Serie 6:


10.8 *	9.7 ↓	10.0 ↗	10.7 *	10.6 *
9.6 ↓	9.7 ↓	10.5 *	10.3 ↑	9.4 ↖
beste Teiler	98.4 (51.) 187.4 (54.) 307.6 (55.)			
Trefferlage	0.68 mm rechts, 0.58 mm tief			
Streuwert	5.65, horizontal: 3.18, vertikal: 7.33			

Meyton Elektronik


Ergebnis:	<b>549</b>	(577.9)				
Serien:	93	92	92	89	91	92
Zähler:	18	34	7	1	0	0
Innenzehner:	11					
weiteste:	2888 (34), 2185 (20), 2018 (45)					
beste Teiler	37.6 (44.) 159.8 (36.) 163.3 (19.)					
Trefferlage	4.33 mm links, 1.33 mm hoch					
Streuwert	7.85, horizontal: 8.76, vertikal: 6.83					




Serie 1:	8.8 ↙	9.7 ↘	9.9 ↗	10.0 ←	9.6 ↙
	9.1 ←	10.6 *	10.3 →	9.3 ↖	10.3 ↘
beste Teiler	284.3 (7.) 544.2 (8.) 544.7 (10.)				
Trefferlage	5.01 mm links, 0.14 mm hoch				
Streuwert	7.00, horizontal: 7.79, vertikal: 6.11				




Serie 2:	8.9 ↘	9.4 ←	10.4 *	9.4 ↘	10.7 *
	9.3 ←	10.4 *	9.8 ↗	10.7 *	8.2 ←
beste Teiler	163.3 (19.) 199.6 (15.) 462.2 (13.)				
Trefferlage	4.84 mm links, 0.64 mm hoch				
Streuwert	7.94, horizontal: 9.44, vertikal: 6.08				




Serie 3:	8.8 →	9.8 ↘	9.5 ↘	9.3 ←	9.0 ↘
	9.7 ↙	9.1 ↙	10.0 ↘	10.6 *	10.1 →
beste Teiler	268.3 (29.) 647.7 (30.) 797.3 (28.)				
Trefferlage	3.46 mm links, 0.84 mm hoch				
Streuwert	8.29, horizontal: 10.19, vertikal: 5.81				



Serie 4:	8.6 ←	9.0 ↙	10.0 ←	7.3 ←	9.9 ↘
	10.8 *	9.6 ↘	9.7 ↙	9.5 ↓	9.2 ↘
beste Teiler	159.8 (36.) 758.9 (33.) 838.7 (35.)				
Trefferlage	9.23 mm links, 0.70 mm hoch				
Streuwert	8.35, horizontal: 9.11, vertikal: 7.50				





Serie 5:	9.3 ←	9.5 ↖	9.9 ↖	10.9 *	8.4 ↘
	8.6 ↘	9.6 →	10.2 →	9.2 ↓	10.4 *
beste Teiler	37.6 (44.) 430.2 (50.) 564.1 (48.)				
Trefferlage	3.78 mm links, 3.08 mm hoch				
Streuwert	8.43, horizontal: 8.11, vertikal: 8.74				




Serie 6:	9.4 ↓	9.6 ↘	9.5 ↘	10.6 *	9.9 ↘
	10.4 *	9.4 ↘	9.6 ↘	9.8 ↗	9.4 ↑
beste Teiler	292.7 (54.) 474.9 (56.) 834.3 (55.)				
Trefferlage	0.32 mm rechts, 2.56 mm hoch				
Streuwert	7.25, horizontal: 6.92, vertikal: 7.56				

Meyton Elektronik


Ergebnis:	<b>555</b>	(579.9)				
Serien:	91	97	91	91	93	92
Zähler:	24	30	4	1	1	0 0 0 0 0
Innenzehner:	13					
weiteste:	3407 (4), 2985 (22), 2102 (55)					
beste Teiler	77.8 (30.) 103.7 (14.) 193.8 (48.)					
Trefferlage	0.71 mm links, 3.47 mm hoch					
Streuwert	8.17, horizontal: 9.63, vertikal: 6.37					




Serie 1:	10.6 *	9.2 ↗	10.1 ↗	6.7 ↗	9.1 ↗
	9.6 →	10.6 *	9.7 ↘	10.1 →	9.9 ↘
beste Teiler	243.4 (1.) 318.7 (7.) 651.3 (9.)				
Trefferlage	5.63 mm rechts, 7.66 mm hoch				
Streuwert	7.73, horizontal: 9.09, vertikal: 6.07				




Serie 2:	9.5 ↗	9.3 ↗	10.4 *	10.8 *	10.0 ↘
	10.3 *	9.7 ←	10.2 ↘	10.3 *	10.0 ↘
beste Teiler	103.7 (14.) 448.0 (13.) 510.1 (16.)				
Trefferlage	0.87 mm links, 1.75 mm hoch				
Streuwert	5.76, horizontal: 4.79, vertikal: 6.59				




Serie 3:	10.3 *	7.2 ←	9.8 ←	9.0 ←	9.4 ←
	9.7 ↘	10.1 ↗	9.4 →	9.7 ↘	10.9 *
beste Teiler	77.8 (30.) 496.7 (21.) 646.1 (27.)				
Trefferlage	5.14 mm links, 0.37 mm tief				
Streuwert	9.15, horizontal: 11.72, vertikal: 5.47				



Serie 4:	9.6 ←	9.1 ↘	9.7 →	10.2 ↘	9.5 →
	9.9 →	10.4 *	9.2 ↘	8.4 ↗	9.6 ↗
beste Teiler	461.4 (37.) 568.4 (34.) 809.0 (36.)				
Trefferlage	0.53 mm rechts, 3.41 mm hoch				
Streuwert	8.48, horizontal: 10.06, vertikal: 6.53				





Serie 5:	10.0 →	10.5 *	10.5 *	9.2 ↘	10.3 →
	8.7 ↘	9.8 →	10.7 *	9.7 ↗	8.5 ←
beste Teiler	193.8 (48.) 382.7 (42.) 398.8 (43.)				
Trefferlage	1.50 mm links, 3.69 mm hoch				
Streuwert	7.60, horizontal: 9.32, vertikal: 5.36				



Serie 6:	9.0 ↘	9.2 ↘	10.0 ↗	9.1 ←	8.3 ←
	10.5 *	9.7 ↗	10.2 →	9.5 ↗	9.3 ←
beste Teiler	343.2 (56.) 616.4 (58.) 791.2 (53.)				
Trefferlage	2.92 mm links, 4.69 mm hoch				
Streuwert	8.55, horizontal: 10.12, vertikal: 6.63				


Meyton Elektronik

Ergebnis:	<b>576</b>	(604.3)				
Serien:	97	93	97	99	93	97
Zähler:	39	18	3	0	0	0
Innenzehner:	23					
weiteste:	2161 (51), 1699 (16), 1649 (13)					
beste Teiler	122.5 (39.) 161.2 (25.) 209.4 (52.)					
Trefferlage	1.07 mm rechts, 1.68 mm hoch					
Streuwert	5.59, horizontal: 5.20, vertikal: 5.95					




Serie 1:

10.6 *	10.4 *	10.2 ↘	9.9 ↘	10.2 ↘
10.1 ↗	9.5 ↘	10.3 *	10.6 *	9.7 ↘
beste Teiler	276.5 (1.) 311.6 (9.) 476.6 (2.)			
Trefferlage	2.10 mm rechts, 1.06 mm tief			
Streuwert	4.99, horizontal: 3.81, vertikal: 5.93			




Serie 2:

10.2 ↗	9.6 ↘	8.9 ↑	9.1 ←	10.1 ↗
8.8 ↘	10.3 *	9.8 ←	10.2 ←	10.4 *
beste Teiler	455.3 (20.) 513.6 (17.) 564.8 (19.)			
Trefferlage	3.08 mm links, 5.07 mm hoch			
Streuwert	6.62, horizontal: 6.44, vertikal: 6.80			




Serie 3:

10.5 *	10.3 ↗	10.6 *	10.4 *	10.7 *
9.9 ↘	10.0 →	10.7 *	9.9 ↙	9.9 →
beste Teiler	161.2 (25.) 231.3 (28.) 248.8 (23.)			
Trefferlage	1.49 mm rechts, 0.21 mm tief			
Streuwert	4.24, horizontal: 4.21, vertikal: 4.26			




Serie 4:

10.0 ↘	10.5 *	10.6 *	10.3 *	10.6 *
9.6 ←	10.5 *	10.3 *	10.8 *	10.2 ↘
beste Teiler	122.5 (39.) 285.2 (33.) 293.6 (35.)			
Trefferlage	1.03 mm links, 1.22 mm hoch			
Streuwert	3.90, horizontal: 4.34, vertikal: 3.41			



Serie 5:

9.7 →	9.7 →	9.8 ↗	10.6 *	9.9 →
9.7 ↓	9.4 →	9.6 ↗	10.1 →	10.6 *
beste Teiler	280.5 (50.) 306.3 (44.) 682.1 (49.)			
Trefferlage	5.61 mm rechts, 0.45 mm hoch			
Streuwert	5.07, horizontal: 4.91, vertikal: 5.23			





Serie 6:


8.2 ↗	10.7 *	10.6 *	10.0 ↗	10.1 ↗
10.2 ↗	10.5 *	9.4 ↘	10.1 ↗	10.2 ↙
beste Teiler	209.4 (52.) 294.4 (53.) 387.5 (57.)			
Trefferlage	1.34 mm rechts, 4.64 mm hoch			
Streuwert	5.87, horizontal: 3.51, vertikal: 7.52			

Meyton Elektronik


Ergebnis:	<b>567</b>						(595.0)
Serien:	95	93	96	95	92	96	
Zähler:	32	24	3	1	0	0	0
Innenzehner:	16						
weiteste:	2484 (46), 1904 (3), 1774 (16)						
beste Teiler	163.8 (32.) 169.5 (11.) 191.4 (6.)						
Trefferlage	0.21 mm links, 0.32 mm tief						
Streuwert	6.72, horizontal: 5.66, vertikal: 7.63						




Serie 1:	10.2 ↘	9.9 ↑	8.6 ↗	10.6 *	9.4 ↘
	10.7 *	9.8 ↘	10.0 ↘	10.2 ↘	10.0 ↘
beste Teiler	191.4 (6.) 263.8 (4.) 634.3 (1.)				
Trefferlage	1.09 mm rechts, 0.34 mm hoch				
Streuwert	6.89, horizontal: 5.17, vertikal: 8.26				




Serie 2:	10.7 *	9.0 ↘	10.0 →	9.4 →	8.8 ↘
	8.7 ↗	10.2 ↘	10.5 *	9.9 →	10.4 *
beste Teiler	169.5 (11.) 361.1 (18.) 413.3 (20.)				
Trefferlage	1.83 mm rechts, 2.16 mm tief				
Streuwert	7.94, horizontal: 7.40, vertikal: 8.44				




Serie 3:	10.4 *	10.3 *	9.9 ←	10.0 ↗	10.1 ↗
	9.3 ↗	9.9 ↑	9.7 ↓	10.2 ↓	10.2 ↑
beste Teiler	470.3 (21.) 515.8 (22.) 634.6 (30.)				
Trefferlage	0.85 mm links, 0.38 mm tief				
Streuwert	5.95, horizontal: 4.71, vertikal: 6.97				



Serie 4:	9.8 ↑	10.7 *	9.7 ↘	10.1 ↗	10.0 ↘
	9.9 ↘	10.5 *	9.2 ←	10.5 *	9.7 ↘
beste Teiler	163.8 (32.) 338.7 (37.) 360.0 (39.)				
Trefferlage	2.51 mm links, 0.68 mm hoch				
Streuwert	5.92, horizontal: 5.07, vertikal: 6.66				



Serie 5:	10.5 *	9.7 ↓	9.6 ↘	10.7 *	9.7 ↓
	7.8 ↗	10.3 *	10.1 ←	9.8 ↓	9.8 ←
beste Teiler	195.9 (44.) 363.3 (41.) 499.1 (47.)				
Trefferlage	0.78 mm links, 1.11 mm tief				
Streuwert	8.02, horizontal: 6.51, vertikal: 9.29				





Serie 6:	9.0 ↓	10.3 *	9.8 ↘	9.7 →	10.4 *
	10.2 ↗	10.2 ↓	9.6 ↘	10.3 ↗	10.4 *
beste Teiler	438.3 (55.) 462.3 (60.) 485.6 (52.)				
Trefferlage	0.06 mm links, 0.67 mm hoch				
Streuwert	6.36, horizontal: 4.97, vertikal: 7.50				


Meyton Elektronik




Ergebnis:	<b>573</b>						(595.7)
Serien:	96	94	93	97	96	97	
Zähler:	34	25	1	0	0	0	
Innenzehner:	13						
weiteste:	2083 (15), 1548 (59), 1460 (39)						
beste Teiler	149.8 (16.) 165.5 (35.) 175.8 (44.)						
Trefferlage	1.06 mm links, 2.57 mm hoch						
Streuwert	6.14, horizontal: 5.70, vertikal: 6.55						




Serie 1:	9.7 →	10.0 →	9.3 ←	10.1 ←	10.2 ←
	10.7 *	9.3 ↙	10.0 ↘	9.8 ↙	10.4 *
beste Teiler	227.4 (6.) 465.1 (10.) 562.0 (5.)				
Trefferlage	2.99 mm links, 2.18 mm tief				
Streuwert	5.95, horizontal: 7.11, vertikal: 4.50				




Serie 2:	9.7 ↑	9.6 ↓	10.1 ↓	9.9 ↘	8.3 ↑
	10.8 *	10.1 ↑	10.1 ←	9.2 ↘	10.4 *
beste Teiler	149.8 (16.) 402.1 (20.) 644.6 (17.)				
Trefferlage	1.20 mm links, 2.78 mm hoch				
Streuwert	7.32, horizontal: 4.26, vertikal: 9.44				




Serie 3:	10.6 *	9.4 ↗	9.8 ↑	10.2 ↘	10.0 ↑
	9.5 ←	9.4 ↘	9.9 ↘	9.3 ↑	9.8 ←
beste Teiler	290.7 (21.) 628.2 (24.) 760.4 (25.)				
Trefferlage	3.35 mm links, 4.91 mm hoch				
Streuwert	5.82, horizontal: 5.23, vertikal: 6.35				



Serie 4:	9.8 ↗	9.3 ↓	10.2 ↗	10.1 ↗	10.7 *
	10.0 ←	10.1 →	10.0 →	9.1 ↑	10.0 ↑
beste Teiler	165.5 (35.) 585.4 (33.) 649.1 (34.)				
Trefferlage	2.20 mm rechts, 2.72 mm hoch				
Streuwert	6.07, horizontal: 4.66, vertikal: 7.20				





Serie 5:	10.2 ↑	10.1 ↘	9.4 ←	10.7 *	9.9 ↘
	9.8 ↑	9.4 ↑	10.4 *	10.2 ↘	10.4 *
beste Teiler	175.8 (44.) 418.0 (50.) 444.4 (48.)				
Trefferlage	1.60 mm links, 4.24 mm hoch				
Streuwert	4.78, horizontal: 4.97, vertikal: 4.59				




Serie 6:	10.1 →	9.4 →	10.5 *	10.6 *	10.1 ←
	10.2 ←	10.5 *	9.5 ↗	9.0 ↑	10.4 *
beste Teiler	318.2 (54.) 373.0 (53.) 388.9 (57.)				
Trefferlage	0.52 mm rechts, 2.96 mm hoch				
Streuwert	5.90, horizontal: 6.74, vertikal: 4.93				

Meyton Elektronik


Ergebnis:	<b>565</b>	(590.0)				
Serien:	95	93	90	98	96	93
Zähler:	27	31	2	0	0	0
Innenzehner:	12					
weiteste:	1843 (22), 1611 (57), 1595 (16)					
beste Teiler	210.6 (32.) 283.6 (49.) 353.6 (46.)					
Trefferlage	1.45 mm links, 1.06 mm hoch					
Streuwert	6.82, horizontal: 6.25, vertikal: 7.33					




Serie 1:	10.2 ↖	10.2 →	9.8 ↗	9.9 ↑	10.0 ↘
	10.4 *	9.3 ↙	10.2 ↖	9.9 ↖	9.4 ←
beste Teiler	469.3 (6.) 583.0 (2.) 588.8 (1.)				
Trefferlage	3.30 mm links, 0.64 mm hoch				
Streuwert	5.97, horizontal: 5.86, vertikal: 6.08				




Serie 2:	9.5 ↘	9.3 ↙	9.4 ↓	9.5 ↓	9.4 ↓
	9.0 ↙	9.3 ↙	10.0 ↑	10.4 *	10.1 ←
beste Teiler	403.8 (19.) 703.4 (20.) 744.2 (18.)				
Trefferlage	2.87 mm links, 5.92 mm tief				
Streuwert	7.03, horizontal: 6.59, vertikal: 7.43				




Serie 3:	9.7 ↙	8.6 ↑	9.2 ↗	9.7 ↗	9.6 ↑
	10.3 *	9.5 ↙	9.8 ↖	9.5 ↑	9.1 ↗
beste Teiler	499.7 (26.) 914.5 (28.) 991.8 (24.)				
Trefferlage	1.19 mm rechts, 5.40 mm hoch				
Streuwert	7.96, horizontal: 6.69, vertikal: 9.05				



Serie 4:	9.3 ↑	10.7 *	10.5 *	10.4 *	10.2 ↘
	10.4 *	10.2 ←	10.1 ↖	10.0 ↙	9.5 ↖
beste Teiler	210.6 (32.) 388.4 (33.) 433.5 (36.)				
Trefferlage	3.01 mm links, 1.74 mm hoch				
Streuwert	4.87, horizontal: 3.99, vertikal: 5.61				





Serie 5:	10.2 ↖	9.1 ↖	10.3 *	10.1 ↘	9.8 ↗
	10.5 *	9.8 ↗	9.6 ↑	10.6 *	10.4 *
beste Teiler	283.6 (49.) 353.6 (46.) 438.0 (50.)				
Trefferlage	0.70 mm rechts, 3.50 mm hoch				
Streuwert	5.42, horizontal: 5.75, vertikal: 5.06				




Serie 6:	9.4 ←	10.1 ↖	9.9 ↖	10.5 *	10.2 →
	9.9 ↑	8.9 ↗	9.5 ←	9.7 ↙	10.0 →
beste Teiler	374.8 (54.) 593.2 (55.) 704.5 (52.)				
Trefferlage	1.42 mm links, 1.02 mm hoch				
Streuwert	7.14, horizontal: 7.95, vertikal: 6.22				

Meyton Elektronik


Ergebnis:	<b>565</b>	(594.5)				
Serien:	96	92	96	91	94	96
Zähler:	29	27	4	0	0	0
Innenzehner:	17					
weiteste:	2091 (41), 1648 (45), 1632 (34)					
beste Teiler	169.0 (28.) 188.9 (56.) 235.3 (8.)					
Trefferlage	0.38 mm links, 1.11 mm tief					
Streuwert	6.72, horizontal: 6.27, vertikal: 7.14					




Serie 1:	10.4 *	9.6 ↑	10.2 ↖	9.5 ←	10.6 *
	8.9 ↘	10.3 ↘	10.7 *	10.5 *	10.2 ↘
beste Teiler	235.3 (8.) 283.0 (5.) 342.3 (9.)				
Trefferlage	0.50 mm rechts, 1.56 mm tief				
Streuwert	5.86, horizontal: 6.06, vertikal: 5.64				




Serie 2:	9.9 ↘	10.6 *	10.6 *	9.4 ↑	9.9 ↗
	9.5 ↓	9.8 ↙	9.6 ↖	9.4 ←	9.9 ↙
beste Teiler	274.6 (12.) 280.4 (13.) 842.3 (20.)				
Trefferlage	2.05 mm links, 1.23 mm tief				
Streuwert	6.75, horizontal: 6.34, vertikal: 7.13				




Serie 3:	9.9 →	9.9 ↘	9.1 ↘	10.0 →	10.3 ↘
	9.7 ↘	10.4 *	10.7 *	10.6 *	10.5 *
beste Teiler	169.0 (28.) 308.9 (29.) 392.2 (30.)				
Trefferlage	4.48 mm rechts, 1.68 mm tief				
Streuwert	4.60, horizontal: 5.20, vertikal: 3.91				



Serie 4:	9.7 ↖	9.7 ↓	9.6 ↗	8.9 ↖	10.1 ↙
	10.3 ↑	9.5 ↖	9.0 ←	9.9 ↙	9.8 ←
beste Teiler	549.2 (36.) 703.9 (35.) 828.2 (39.)				
Trefferlage	5.14 mm links, 1.02 mm hoch				
Streuwert	7.20, horizontal: 5.92, vertikal: 8.29				





Serie 5:	8.3 ↙	10.0 ←	10.3 *	10.1 ↓	8.9 ↓
	9.3 ↓	9.3 ↓	10.5 *	10.1 ↗	10.5 *
beste Teiler	372.6 (48.) 383.9 (50.) 509.1 (43.)				
Trefferlage	1.02 mm links, 6.11 mm tief				
Streuwert	7.04, horizontal: 5.48, vertikal: 8.32				




Serie 6:	10.3 *	10.7 *	9.8 →	9.1 ↑	10.2 ↗
	10.7 *	9.1 ↖	10.1 ↗	9.5 ↘	10.6 *
beste Teiler	188.9 (56.) 235.4 (52.) 314.2 (60.)				
Trefferlage	0.94 mm rechts, 2.87 mm hoch				
Streuwert	6.24, horizontal: 5.57, vertikal: 6.84				

Meyton Elektronik


Ergebnis:	<b>562</b>	(589.2)				
Serien:	92	96	98	95	89	92
Zähler:	26	30	4	0	0	0
Innenzehner:	15					
weiteste:	1917 (3), 1787 (44), 1768 (50)					
beste Teiler	88.3 (11.) 149.6 (58.) 265.0 (29.)					
Trefferlage	1.54 mm links, 0.34 mm hoch					
Streuwert	7.09, horizontal: 7.10, vertikal: 7.08					




Serie 1:					
	9.2 ←	9.2 ←	8.6 ↑	10.3 *	9.5 ↑
	10.3 →	9.7 ↙	10.6 *	9.7 ↑	9.8 ↗
beste Teiler	317.9 (8.) 483.4 (4.) 556.9 (6.)				
Trefferlage	0.56 mm links, 3.64 mm hoch				
Streuwert	7.75, horizontal: 7.54, vertikal: 7.95				




Serie 2:					
	10.8 *	10.5 *	9.7 ↙	10.6 *	10.2 ←
	10.2 ↙	9.2 ←	9.9 ←	9.4 ↓	10.1 →
beste Teiler	88.3 (11.) 320.7 (14.) 388.6 (12.)				
Trefferlage	2.71 mm links, 2.11 mm tief				
Streuwert	5.51, horizontal: 5.93, vertikal: 5.05				




Serie 3:					
	9.7 ↘	10.0 ↘	10.5 *	10.4 *	10.0 ↘
	10.5 *	9.2 ↘	10.1 ↘	10.6 *	10.4 *
beste Teiler	265.0 (29.) 358.7 (26.) 381.7 (23.)				
Trefferlage	2.33 mm links, 1.78 mm hoch				
Streuwert	5.03, horizontal: 5.98, vertikal: 3.84				



Serie 4:					
	9.3 ←	10.4 *	9.3 ↙	9.6 ↘	10.6 *
	9.2 ←	10.1 ↑	10.3 ↑	9.3 ↘	10.0 ↑
beste Teiler	265.5 (35.) 446.1 (32.) 544.8 (38.)				
Trefferlage	2.10 mm links, 1.02 mm hoch				
Streuwert	7.23, horizontal: 8.21, vertikal: 6.10				





Serie 5:					
	8.9 ↘	9.9 ↙	9.9 ↘	8.7 ↓	9.3 ↑
	10.4 *	9.8 →	10.4 *	9.4 ↘	8.7 ↙
beste Teiler	443.2 (48.) 454.2 (46.) 816.0 (43.)				
Trefferlage	0.24 mm links, 3.33 mm tief				
Streuwert	8.75, horizontal: 8.49, vertikal: 9.01				




Serie 6:					
	9.7 →	9.8 ↑	9.1 ↑	9.1 ↘	9.3 ←
	9.4 ↘	9.9 ←	10.8 *	9.7 ↑	10.0 ↓
beste Teiler	149.6 (58.) 780.6 (60.) 805.4 (57.)				
Trefferlage	1.30 mm links, 1.08 mm hoch				
Streuwert	7.97, horizontal: 7.59, vertikal: 8.33				

Meyton Elektronik


Ergebnis:	<b>539</b>	(570.0)				
Serien:	91	88	89	92	87	92
Zähler:	18	25	15	2	0	0
Innenzehner:	11					
weiteste:	2860 (12), 2558 (47), 2299 (26)					
beste Teiler	132.2 (40.) 143.4 (9.) 165.5 (15.)					
Trefferlage	0.49 mm rechts, 0.74 mm tief					
Streuwert	9.50, horizontal: 9.57, vertikal: 9.43					




Serie 1:	9.7 ↙	9.0 ↙	8.7 ↘	9.7 ↗	8.6 ↘
	10.3 →	9.2 ←	10.2 ↓	10.8 *	9.9 ↖
beste Teiler	143.4 (9.) 534.6 (6.) 577.4 (8.)				
Trefferlage	0.54 mm links, 4.70 mm tief				
Streuwert	8.37, horizontal: 9.54, vertikal: 7.01				




Serie 2:	8.7 ↗	7.4 ↖	8.1 ↗	9.7 ↓	10.7 *
	8.3 ↘	9.2 ↘	10.2 →	10.7 *	9.9 ↗
beste Teiler	165.5 (15.) 240.7 (19.) 618.0 (18.)				
Trefferlage	4.16 mm rechts, 3.42 mm hoch				
Streuwert	11.12, horizontal: 6.78, vertikal: 14.19				




Serie 3:	10.7 *	10.0 ↓	9.8 →	9.2 ↘	10.5 *
	8.1 ↘	8.9 ↓	9.7 ↓	8.1 ↘	8.7 ↗
beste Teiler	211.5 (21.) 392.6 (25.) 789.0 (22.)				
Trefferlage	2.83 mm rechts, 9.52 mm tief				
Streuwert	7.79, horizontal: 8.42, vertikal: 7.09				



Serie 4:	8.6 ↗	9.3 ↗	9.0 ↗	9.2 ↑	9.8 →
	9.9 →	10.6 *	9.8 ↓	10.5 *	10.8 *
beste Teiler	132.2 (40.) 250.7 (37.) 356.8 (39.)				
Trefferlage	5.40 mm rechts, 3.18 mm hoch				
Streuwert	6.78, horizontal: 6.75, vertikal: 6.82				





Serie 5:	9.6 ↖	8.8 ↖	10.0 ↖	9.5 ↖	8.4 ←
	8.5 ↗	7.8 ←	8.8 ←	10.0 →	10.4 *
beste Teiler	474.5 (50.) 777.4 (43.) 800.3 (49.)				
Trefferlage	11.40 mm links, 1.57 mm hoch				
Streuwert	7.82, horizontal: 9.14, vertikal: 6.24				



Serie 6:	8.9 →	10.3 *	10.5 *	10.1 ↑	9.9 ↗
	9.9 ↖	9.8 →	9.5 ↖	9.3 ↗	9.8 →
beste Teiler	350.1 (53.) 519.5 (52.) 715.1 (54.)				
Trefferlage	2.49 mm rechts, 1.58 mm hoch				
Streuwert	7.02, horizontal: 7.28, vertikal: 6.75				


Meyton Elektronik

Ergebnis:	<b>572</b>						(598.4)
Serien:	95	95	96	95	96	95	
Zähler:	34	24	2	0	0	0	0
Innenzehner:	21						
weiteste:	2008 (28), 1894 (6), 1563 (42)						
beste Teiler	115.8 (11.)	127.2 (24.)	135.0 (38.)				
Trefferlage	1.55 mm links, 1.79 mm tief						
Streuwert	6.11, horizontal: 6.64, vertikal: 5.53						




Serie 1:

10.2 →	10.6 *	10.4 *	9.8 ↘	9.9 →
8.6 ←	10.1 ↗	9.6 ↘	10.6 *	10.0 ↓
beste Teiler	259.4 (2.)	312.0 (9.)	464.4 (3.)	
Trefferlage	2.38 mm rechts, 1.29 mm tief			
Streuwert	6.40, horizontal: 7.98, vertikal: 4.26			




Serie 2:

10.8 *	10.1 ←	9.7 ↓	9.5 ←	10.7 *
10.0 ↓	9.9 ↓	9.7 ↗	10.2 ↖	9.8 ↓
beste Teiler	115.8 (11.)	187.0 (15.)	601.5 (19.)	
Trefferlage	2.74 mm links, 3.55 mm tief			
Streuwert	4.91, horizontal: 4.60, vertikal: 5.20			




Serie 3:

9.7 →	10.4 *	10.0 ↖	10.8 *	10.3 *
10.5 *	9.2 ←	8.4 ↖	10.1 ↗	10.5 *
beste Teiler	127.2 (24.)	325.5 (26.)	387.6 (30.)	
Trefferlage	3.23 mm links, 1.48 mm hoch			
Streuwert	6.45, horizontal: 7.09, vertikal: 5.73			




Serie 4:

9.0 ↓	9.8 ↗	10.3 *	9.3 ↘	10.5 *
10.7 *	9.3 ↖	10.8 *	9.8 ↓	10.3 *
beste Teiler	135.0 (38.)	235.9 (36.)	337.3 (35.)	
Trefferlage	0.99 mm links, 4.19 mm tief			
Streuwert	5.96, horizontal: 5.72, vertikal: 6.19			



Serie 5:

9.4 ↑	9.0 ↖	10.6 *	10.4 *	10.7 *
10.0 →	10.0 ↗	9.9 ↓	9.3 →	10.5 *
beste Teiler	199.1 (45.)	274.2 (43.)	359.4 (50.)	
Trefferlage	0.51 mm links, 0.47 mm hoch			
Streuwert	6.61, horizontal: 7.72, vertikal: 5.26			





Serie 6:


10.3 *	10.1 ↑	9.5 ↗	9.6 ↘	10.0 ←
9.6 ↓	10.3 *	10.1 ↗	9.8 ↗	9.4 ←
beste Teiler	484.4 (57.)	511.8 (51.)	693.5 (52.)	
Trefferlage	4.25 mm links, 3.67 mm tief			
Streuwert	5.23, horizontal: 5.48, vertikal: 4.98			

Meyton Elektronik


Ergebnis:	<b>588</b>	(618.2)
Serien:	98 98 98 99 97 98	
Zähler:	48 12 0 0 0 0 0 0 0	
Innenzehner:	36	
weiteste:	1227 (20), 1160 (21), 1158 (16)	
beste Teiler	47.5 (19.) 94.0 (34.) 134.0 (54.)	
Trefferlage	0.08 mm links, 0.61 mm hoch	
Streuwert	4.30, horizontal: 4.35, vertikal: 4.24	




Serie 1:	10.5 *	10.5 *	10.6 *	9.7 ↗	10.6 *
	10.3 ↗	10.2 ←	10.5 *	10.7 *	9.8 ←
beste Teiler	181.0 (9.)	246.0 (5.)	251.0 (3.)		
Trefferlage	0.87 mm links, 1.17 mm hoch				
Streuwert	3.98, horizontal: 4.30, vertikal: 3.63				




Serie 2:	10.6 *	10.5 *	10.5 *	10.4 *	10.3 ↗
	9.5 →	10.0 ←	10.3 *	10.9 *	9.4 ↗
beste Teiler	47.5 (19.)	306.6 (11.)	355.3 (12.)		
Trefferlage	1.32 mm rechts, 1.62 mm hoch				
Streuwert	4.74, horizontal: 5.62, vertikal: 3.66				




Serie 3:	9.5 ↑	10.3 →	10.1 ↙	10.8 *	9.6 ↖
	10.4 *	10.5 *	10.3 ↙	10.4 *	10.2 ↖
beste Teiler	158.0 (24.)	396.5 (27.)	435.7 (29.)		
Trefferlage	1.42 mm links, 2.14 mm hoch				
Streuwert	4.58, horizontal: 4.29, vertikal: 4.85				



Serie 4:	10.3 *	9.6 ↙	10.3 *	10.8 *	10.5 *
	10.1 ↓	10.8 *	10.3 ↑	10.7 *	10.7 *
beste Teiler	94.0 (34.)	152.6 (37.)	199.2 (39.)		
Trefferlage	1.33 mm links, 1.54 mm tief				
Streuwert	3.59, horizontal: 3.79, vertikal: 3.37				





Serie 5:	10.8 *	10.1 ↓	10.5 *	10.5 *	10.7 *
	10.6 *	10.7 *	9.7 ↗	9.5 ↑	9.9 ↗
beste Teiler	152.5 (41.)	179.7 (47.)	194.5 (45.)		
Trefferlage	1.98 mm rechts, 0.59 mm hoch				
Streuwert	4.44, horizontal: 3.64, vertikal: 5.11				




Serie 6:	10.6 *	10.5 *	10.4 *	10.8 *	9.8 ↖
	10.0 ↙	10.3 *	10.6 *	10.4 *	9.8 ↓
beste Teiler	134.0 (54.)	269.8 (51.)	310.8 (58.)		
Trefferlage	0.19 mm links, 0.32 mm tief				
Streuwert	4.29, horizontal: 4.06, vertikal: 4.51				

Meyton Elektronik


Ergebnis:	<b>554</b>	(580.8)				
Serien:	89	90	95	97	88	95
Zähler:	25	24	11	0	0	0
Innenzehner:	11					
weiteste:	2334 (46), 2317 (6), 2228 (18)					
beste Teiler	151.6 (36.) 203.9 (11.) 246.5 (30.)					
Trefferlage	1.43 mm links, 3.50 mm tief					
Streuwert	7.73, horizontal: 6.96, vertikal: 8.42					




Serie 1:	9.2 ↖	9.2 ↙	10.3 *	8.8 ↓	8.5 ↓
	8.1 ↘	10.1 ↘	10.2 ↗	8.9 ↘	9.7 →
beste Teiler	487.2 (3.) 569.7 (8.) 655.4 (7.)				
Trefferlage	0.09 mm links, 3.94 mm tief				
Streuwert	10.31, horizontal: 8.86, vertikal: 11.58				




Serie 2:	10.7 *	9.3 ←	8.8 ↓	9.7 ↓	9.8 ↓
	9.6 ↓	10.3 *	8.2 ↓	9.6 ↓	9.7 ↓
beste Teiler	203.9 (11.) 524.8 (17.) 936.9 (15.)				
Trefferlage	3.05 mm links, 8.04 mm tief				
Streuwert	6.61, horizontal: 5.60, vertikal: 7.49				




Serie 3:	10.1 ↑	10.4 *	10.4 *	9.5 ↓	10.3 ↓
	9.8 ↓	9.4 ↓	9.5 ↓	9.4 ↘	10.6 *
beste Teiler	246.5 (30.) 454.2 (22.) 470.0 (23.)				
Trefferlage	0.18 mm rechts, 3.88 mm tief				
Streuwert	5.89, horizontal: 5.04, vertikal: 6.63				



Serie 4:	9.6 ↘	10.3 *	10.2 ↘	10.1 ←	10.5 *
	10.8 *	10.2 ↑	10.1 ↑	9.2 ↘	9.9 ↑
beste Teiler	151.6 (36.) 391.9 (35.) 517.0 (32.)				
Trefferlage	3.05 mm links, 4.59 mm hoch				
Streuwert	4.06, horizontal: 4.49, vertikal: 3.57				



Serie 5:	8.7 ↙	8.9 ↘	10.2 ↘	9.8 ↓	9.7 →
	8.0 ↓	9.2 ↙	9.4 ↓	8.6 ↘	10.4 *
beste Teiler	468.1 (50.) 597.4 (43.) 899.7 (44.)				
Trefferlage	0.96 mm links, 7.55 mm tief				
Streuwert	9.11, horizontal: 10.39, vertikal: 7.62				





Serie 6:	10.0 ↑	10.3 ↘	10.4 *	9.9 ↘	10.0 ↓
	10.2 ↙	9.7 ←	10.3 ←	9.3 →	8.8 ↓
beste Teiler	429.9 (53.) 546.3 (58.) 547.8 (52.)				
Trefferlage	1.63 mm links, 2.17 mm tief				
Streuwert	6.60, horizontal: 6.57, vertikal: 6.63				

Meyton Elektronik




Ergebnis:	<b>564</b>	(588.4)
Serien:	95 95 92 89 98 95	
Zähler:	33 20 6 0 1 0 0 0 0 0	
Innenzehner:	18	
weiteste:	3974 (33), 2322 (21), 2121 (38)	
beste Teiler	26.2 (14.) 58.4 (58.) 100.6 (34.)	
Trefferlage	0.74 mm links, 0.43 mm tief	
Streuwert	8.08, horizontal: 7.87, vertikal: 8.29	




Serie 1:

10.7 *	8.5 ←	9.7 ↖	9.0 ↑	10.7 *
10.3 ↑	10.4 *	10.3 →	9.5 ←	10.3 *
beste Teiler	229.9 (5.) 234.3 (1.) 470.1 (7.)			
Trefferlage	2.98 mm links, 3.32 mm hoch			
Streuwert	6.62, horizontal: 7.26, vertikal: 5.90			




Serie 2:

9.8 →	10.2 ↙	10.4 *	10.9 *	10.1 ↑
9.7 ↘	10.0 ↑	10.7 *	9.3 ↖	8.9 ↑
beste Teiler	26.2 (14.) 200.0 (18.) 467.0 (13.)			
Trefferlage	0.77 mm rechts, 2.13 mm hoch			
Streuwert	6.46, horizontal: 6.55, vertikal: 6.36			




Serie 3:

8.0 ↓	10.1 ←	8.9 ↘	9.3 ←	9.2 ↓
10.5 *	10.2 ↖	9.3 ↑	9.2 ↓	10.3 *
beste Teiler	355.3 (26.) 506.4 (30.) 638.7 (27.)			
Trefferlage	2.31 mm links, 4.69 mm tief			
Streuwert	8.78, horizontal: 6.59, vertikal: 10.53			




Serie 4:

9.6 ↖	10.1 ↓	6.0 ↙	10.8 *	9.3 ↑
10.5 *	9.1 →	8.3 ↖	9.1 ↘	9.4 ↖
beste Teiler	100.6 (34.) 395.1 (36.) 680.3 (32.)			
Trefferlage	3.44 mm links, 0.10 mm tief			
Streuwert	12.63, horizontal: 13.11, vertikal: 12.13			



Serie 5:



10.1 ↓	10.3 *	9.5 ←	10.7 *	10.0 →
10.8 *	10.1 ↑	9.6 ↙	10.6 *	10.2 ↓
beste Teiler	140.5 (46.) 192.6 (44.) 295.1 (49.)			
Trefferlage	0.26 mm rechts, 1.28 mm tief			
Streuwert	5.14, horizontal: 5.35, vertikal: 4.93			




Serie 6:

10.3 *	10.2 ↗	9.5 →	10.0 ↓	9.7 →
10.2 ↓	8.7 ↓	10.9 *	9.9 →	10.5 *
beste Teiler	58.4 (58.) 339.2 (60.) 490.0 (51.)			
Trefferlage	3.21 mm rechts, 1.98 mm tief			
Streuwert	6.12, horizontal: 5.38, vertikal: 6.78			


Ergebnis:	<b>545</b>	(573.1)				
Serien:	92	90	94	93	89	87
Zähler:	21	24	14	1	0	0
Innenzehner:	12					
weiteste:	2550 (52), 2201 (45), 2031 (16)					
beste Teiler	104.9 (27.) 218.8 (15.) 219.8 (35.)					
Trefferlage	0.03 mm rechts, 3.15 mm tief					
Streuwert	8.69, horizontal: 9.98, vertikal: 7.17					




Serie 1:	10.0 ↓	10.1 ↘	9.2 ←	10.0 ↓	9.9 ↘
	8.6 ↗	8.8 ↖	8.6 ↘	10.0 ↑	10.4 *
beste Teiler	453.8 (10.) 649.0 (2.) 721.2 (4.)				
Trefferlage	3.17 mm links, 3.01 mm tief				
Streuwert	8.57, horizontal: 8.77, vertikal: 8.37				




Serie 2:	10.4 *	9.2 ←	9.9 ↓	9.9 ↓	10.7 *
	8.4 ←	8.9 ↑	9.4 ↑	9.2 ↗	9.6 →
beste Teiler	218.8 (15.) 413.4 (11.) 801.4 (13.)				
Trefferlage	3.27 mm links, 0.36 mm hoch				
Streuwert	8.73, horizontal: 9.04, vertikal: 8.41				




Serie 3:	10.1 ↗	9.4 ↓	9.0 ↗	9.6 ↗	9.2 ↓
	10.5 *	10.8 *	8.8 →	10.6 *	10.0 ←
beste Teiler	104.9 (27.) 307.2 (29.) 374.9 (26.)				
Trefferlage	2.00 mm rechts, 3.30 mm tief				
Streuwert	7.39, horizontal: 7.53, vertikal: 7.25				



Serie 4:	9.0 ↗	10.3 →	10.3 ↗	9.2 ↗	10.7 *
	9.4 ↘	8.7 ←	10.6 *	10.5 *	8.8 →
beste Teiler	219.8 (35.) 279.5 (38.) 395.1 (39.)				
Trefferlage	0.42 mm rechts, 1.04 mm tief				
Streuwert	8.46, horizontal: 10.66, vertikal: 5.45				



Serie 5:	8.8 →	9.8 ←	9.9 →	10.6 *	8.2 ←
	10.0 ↓	8.9 ↘	9.2 →	8.8 ↗	10.6 *
beste Teiler	295.1 (44.) 307.5 (50.) 753.0 (46.)				
Trefferlage	0.89 mm rechts, 2.47 mm tief				
Streuwert	9.65, horizontal: 12.66, vertikal: 5.09				



Serie 6:	8.5 ↘	7.8 ↗	10.3 *	9.4 ↓	9.6 ↓
	9.3 →	9.7 ↗	8.9 →	9.1 ↓	9.0 ↘
beste Teiler	492.3 (53.) 1022.3 (57.) 1041.4 (55.)				
Trefferlage	3.30 mm rechts, 9.43 mm tief				
Streuwert	8.61, horizontal: 11.09, vertikal: 5.02				

Meyton Elektronik