





Ergebnis: **356** (371.3)  
 Serien: 93 89 88 86  
 Zähler: 16 12 6 4 2 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3957 (36), 3201 (14), 3002 (27)  
 beste Teiler 229.2 (7.) 262.7 (20.) 262.9 (28.)  
 Trefferlage 1.51 mm rechts, 5.20 mm hoch  
 Streuwert 10.91, horizontal: 11.95, vertikal: 9.76




Serie 1:  
 9.7 ↘                      9.2 ←                      8.8 →                      10.0 ↖                      10.1 ↓  
 9.8 ↗                      10.7 \*                      10.3 ↖                      9.5 ↗                      9.6 ↖  
 beste Teiler 229.2 (7.) 549.0 (8.) 667.1 (5.)  
 Trefferlage 0.51 mm links, 3.60 mm hoch  
 Streuwert 7.19, horizontal: 8.18, vertikal: 6.04



Serie 2:  
 10.3 ↖                      9.6 ↗                      8.4 ↑                      6.9 ↑                      9.2 ↖  
 10.0 ↗                      10.3 ↗                      10.4 \*                      7.2 →                      10.6 \*  
 beste Teiler 262.7 (20.) 445.4 (18.) 490.8 (11.)  
 Trefferlage 2.68 mm rechts, 9.46 mm hoch  
 Streuwert 10.02, horizontal: 9.94, vertikal: 10.10





Serie 3:  
 7.9 ↗                      10.6 \*                      9.1 ↖                      8.0 ←                      8.8 ↖  
 9.0 ←                      7.2 ↗                      10.6 \*                      10.1 ↖                      10.3 →  
 beste Teiler 262.9 (28.) 320.1 (22.) 482.1 (30.)  
 Trefferlage 5.43 mm links, 0.07 mm tief  
 Streuwert 12.08, horizontal: 11.78, vertikal: 12.38




Serie 4:  
 9.0 →                      8.3 ↗                      8.9 ↑                      10.2 ↖                      7.7 →  
 6.0 →                      9.2 ↖                      10.3 ↓                      10.3 →                      9.2 ↑  
 beste Teiler 516.7 (38.) 548.6 (39.) 615.1 (34.)  
 Trefferlage 9.33 mm rechts, 7.83 mm hoch  
 Streuwert 11.09, horizontal: 13.64, vertikal: 7.73

Unterschrift des Schützen


Ergebnis: **322** (342.0)  
 Serien: 82 81 79 80  
 Zähler: 3 12 14 7 3 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4744 (8), 3810 (14), 3415 (16)  
 beste Teiler 290.2 (2.) 358.9 (38.) 379.4 (9.)  
 Trefferlage 2.75 mm links, 2.17 mm tief  
 Streuwert 15.15, horizontal: 16.33, vertikal: 13.88




Serie 1:  
 8.5 ↘ 10.6 \* 9.0 ↗ 8.5 ↓ 8.5 ↑  
 7.1 ↗ 9.2 ↑ 5.0 ↙ 10.5 \* 8.6 →  
 beste Teiler 290.2 (2.) 379.4 (9.) 1419.9 (7.)  
 Trefferlage 1.46 mm links, 2.18 mm hoch  
 Streuwert 16.88, horizontal: 16.72, vertikal: 17.03



Serie 2:  
 9.4 ↑ 8.8 ↘ 9.8 ↓ 6.2 → 9.6 ↘  
 6.7 ← 8.5 ← 9.4 ↗ 9.6 ↙ 8.9 ←  
 beste Teiler 893.1 (13.) 1073.0 (15.) 1120.4 (19.)  
 Trefferlage 3.01 mm links, 1.00 mm tief  
 Streuwert 15.10, horizontal: 20.19, vertikal: 6.97



Serie 3:  
 8.3 ↘ 7.2 ↗ 8.3 ↓ 9.1 ↓ 9.7 ↑  
 6.8 ↗ 9.9 ↑ 8.5 ↘ 8.8 ↓ 7.4 ↙  
 beste Teiler 837.3 (27.) 1008.1 (25.) 1447.9 (24.)  
 Trefferlage 3.54 mm rechts, 2.17 mm tief  
 Streuwert 16.02, horizontal: 13.12, vertikal: 18.47





Serie 4:  
 9.5 ← 8.7 ↘ 8.8 ← 8.8 ↗ 7.5 ↙  
 9.1 ↘ 7.5 ← 10.5 \* 7.9 ↓ 7.3 ←  
 beste Teiler 358.9 (38.) 1165.2 (31.) 1443.2 (36.)  
 Trefferlage 10.09 mm links, 7.71 mm tief  
 Streuwert 12.00, horizontal: 13.77, vertikal: 9.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (361.0)  
 Serien: 91 87 86 82  
 Zähler: 12 10 12 4 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3717 (32), 3625 (36), 3104 (16)  
 beste Teiler 242.6 (18.) 246.9 (6.) 371.7 (8.)  
 Trefferlage 1.27 mm links, 3.88 mm tief  
 Streuwert 12.51, horizontal: 9.83, vertikal: 14.71




Serie 1:  
 8.6 ↑                      8.9 ←                      10.0 ↑                      8.4 ↓                      9.7 ↑  
 10.6 \*                      8.0 ↗                      10.5 \*                      10.0 ↓                      10.2 ↖  
 beste Teiler 246.9 (6.) 371.7 (8.) 575.5 (10.)  
 Trefferlage 3.94 mm links, 3.23 mm hoch  
 Streuwert 9.45, horizontal: 5.17, vertikal: 12.32



Serie 2:  
 8.3 ↘                      9.6 ↓                      8.2 ↓                      10.4 ↑                      8.3 ↘  
 7.1 ↑                      10.4 \*                      10.6 \*                      9.0 ↘                      8.0 ↓  
 beste Teiler 242.6 (18.) 448.1 (17.) 477.6 (14.)  
 Trefferlage 1.04 mm rechts, 3.41 mm tief  
 Streuwert 13.24, horizontal: 8.83, vertikal: 16.51



Serie 3:  
 8.3 ↓                      7.1 ↓                      9.7 ↑                      10.0 ↓                      10.2 ↖  
 7.4 ↗                      9.9 ↗                      10.0 ↖                      9.5 ↘                      7.5 ↓  
 beste Teiler 612.0 (25.) 742.1 (24.) 798.2 (28.)  
 Trefferlage 5.82 mm links, 10.23 mm tief  
 Streuwert 10.61, horizontal: 5.28, vertikal: 14.04





Serie 4:  
 8.5 ←                      6.3 ↘                      9.5 →                      8.8 ↓                      10.1 ↓  
 6.4 →                      9.3 ↘                      9.2 ↑                      8.8 ↓                      9.7 ↖  
 beste Teiler 648.5 (35.) 1040.0 (40.) 1170.4 (33.)  
 Trefferlage 3.60 mm rechts, 5.14 mm tief  
 Streuwert 14.75, horizontal: 14.91, vertikal: 14.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (350.5)  
 Serien: 85 87 79 82  
 Zähler: 6 11 14 8 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3395 (26), 3197 (25), 3039 (36)  
 beste Teiler 256.8 (18.) 399.2 (2.) 521.3 (33.)  
 Trefferlage 2.62 mm rechts, 3.20 mm tief  
 Streuwert 13.53, horizontal: 11.97, vertikal: 14.94




Serie 1:  
 8.6 ↗ 10.5 \* 9.5 ↘ 8.2 ↑ 8.5 ↗  
 7.7 ← 9.5 ↗ 8.8 ↗ 9.5 ↘ 9.5 ↓  
 beste Teiler 399.2 (2.) 1126.8 (3.) 1129.8 (10.)  
 Trefferlage 1.91 mm rechts, 4.79 mm hoch  
 Streuwert 11.61, horizontal: 11.98, vertikal: 11.22



Serie 2:  
 8.5 ↘ 8.5 ↓ 9.2 ↓ 8.7 → 8.4 ↓  
 9.9 ↓ 8.0 ← 10.6 \* 10.0 ↘ 9.5 ↘  
 beste Teiler 256.8 (18.) 767.8 (19.) 859.7 (16.)  
 Trefferlage 3.18 mm links, 4.90 mm tief  
 Streuwert 11.04, horizontal: 10.41, vertikal: 11.64





Serie 3:  
 7.2 ↓ 10.0 ↘ 8.9 ← 7.7 ↘ 7.0 ↑  
 6.7 ↗ 8.3 ↓ 9.1 → 8.2 ↘ 9.1 ↓  
 beste Teiler 742.2 (22.) 1457.9 (28.) 1469.9 (30.)  
 Trefferlage 5.21 mm rechts, 6.41 mm tief  
 Streuwert 16.29, horizontal: 11.04, vertikal: 20.22




Serie 4:  
 8.9 ↘ 9.6 ← 10.3 ↗ 10.2 ↑ 9.5 ↘  
 7.2 → 8.9 ↑ 7.5 → 7.4 ↓ 7.2 ↓  
 beste Teiler 521.3 (33.) 591.0 (34.) 1081.0 (32.)  
 Trefferlage 6.54 mm rechts, 6.29 mm tief  
 Streuwert 13.86, horizontal: 13.58, vertikal: 14.14

Unterschrift des Schützen


Ergebnis: **348** (365.9)  
 Serien: 88 89 87 84  
 Zähler: 8 17 10 5 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3046 (35), 2994 (7), 2700 (4)  
 beste Teiler 51.4 (32.) 365.7 (20.) 388.4 (24.)  
 Trefferlage 3.66 mm links, 1.46 mm tief  
 Streuwert 11.13, horizontal: 9.96, vertikal: 12.19




Serie 1:  
 10.3 ↗ 9.7 ↑ 9.0 ↘ 7.6 ↓ 9.5 ↓  
 9.3 ↘ 7.2 ↗ 9.6 ↑ 9.1 ↑ 10.2 ↖  
 beste Teiler 483.7 (1.) 612.8 (10.) 1009.9 (2.)  
 Trefferlage 3.20 mm rechts, 0.00 mm  
 Streuwert 12.00, horizontal: 8.52, vertikal: 14.68



Serie 2:  
 9.8 ← 8.7 ↓ 8.6 ↘ 9.2 ↗ 8.5 ↗  
 9.5 ↑ 10.2 ↖ 8.5 ↑ 10.0 ↓ 10.5 \*  
 beste Teiler 365.7 (20.) 636.3 (17.) 790.4 (19.)  
 Trefferlage 3.87 mm links, 3.48 mm tief  
 Streuwert 9.67, horizontal: 7.85, vertikal: 11.21





Serie 3:  
 7.8 ↖ 9.4 ↘ 8.9 ← 10.5 \* 8.8 ↘  
 9.2 ↑ 9.2 ← 9.3 ↗ 9.3 ↓ 9.2 ↑  
 beste Teiler 388.4 (24.) 1252.3 (22.) 1290.8 (28.)  
 Trefferlage 6.77 mm links, 0.47 mm tief  
 Streuwert 10.16, horizontal: 8.93, vertikal: 11.26




Serie 4:  
 8.1 ↑ 10.9 \* 8.8 ↗ 9.4 ↓ 7.1 ←  
 7.9 ↓ 10.3 ↘ 9.1 ↖ 8.9 ← 8.8 ←  
 beste Teiler 51.4 (32.) 483.9 (37.) 1208.0 (34.)  
 Trefferlage 7.19 mm links, 1.90 mm tief  
 Streuwert 12.38, horizontal: 11.77, vertikal: 12.97

Unterschrift des Schützen


Ergebnis: **316** (335.5)  
 Serien: 78 85 74 79  
 Zähler: 7 8 9 10 4 0 2 0 0 0  
 Innenzehner: 4  
 weiteste: 5562 (22), 4941 (33), 3846 (30)  
 beste Teiler 141.3 (32.) 211.6 (11.) 390.0 (13.)  
 Trefferlage 0.07 mm links, 10.12 mm hoch  
 Streuwert 15.61, horizontal: 18.17, vertikal: 12.53




Serie 1:  
 6.5 ↑                      7.8 ↙                      7.6 ↘                      6.8 →                      8.3 ↘  
 9.6 ←                      7.2 ↘                      10.4 \*                      10.3 ↖                      8.8 →  
 beste Teiler 456.6 (8.) 493.7 (9.) 1119.3 (6.)  
 Trefferlage 3.61 mm links, 8.28 mm hoch  
 Streuwert 16.21, horizontal: 18.61, vertikal: 13.40



Serie 2:  
 10.7 \*                      9.1 →                      10.5 \*                      8.4 ↑                      7.5 →  
 9.7 ←                      8.8 ←                      9.9 ↗                      8.2 ↑                      7.7 ↘  
 beste Teiler 211.6 (11.) 390.0 (13.) 852.9 (18.)  
 Trefferlage 1.70 mm rechts, 7.67 mm hoch  
 Streuwert 11.62, horizontal: 13.83, vertikal: 8.86



Serie 3:  
 7.3 →                      4.0 ↗                      8.1 ↗                      9.7 ↗                      9.5 →  
 8.4 ↘                      7.1 ↑                      7.4 ↗                      9.5 ↗                      6.1 ←  
 beste Teiler 987.3 (24.) 1143.0 (25.) 1163.4 (29.)  
 Trefferlage 7.56 mm rechts, 14.79 mm hoch  
 Streuwert 17.87, horizontal: 21.78, vertikal: 12.81





Serie 4:  
 8.2 ↘                      10.8 \*                      4.8 ↘                      7.7 ↗                      6.7 ↑  
 7.5 ↙                      9.6 ↘                      10.2 ←                      8.9 ↑                      10.2 ↑  
 beste Teiler 141.3 (32.) 598.1 (40.) 618.9 (38.)  
 Trefferlage 5.97 mm links, 9.73 mm hoch  
 Streuwert 16.14, horizontal: 17.27, vertikal: 14.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (355.7)  
 Serien: 79 86 84 87  
 Zähler: 4 16 13 6 1 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3480 (10), 3020 (9), 2968 (24)  
 beste Teiler 506.6 (23.) 510.1 (18.) 716.9 (35.)  
 Trefferlage 0.77 mm links, 0.64 mm tief  
 Streuwert 12.84, horizontal: 11.65, vertikal: 13.92




Serie 1:  
 9.2 ↓                      9.6 ↙                      8.4 ↘                      8.2 ↗                      8.2 ↘  
 8.5 ↘                      7.9 ↙                      9.7 ↖                      7.2 ↑                      6.6 ↗  
 beste Teiler 1034.8 (8.) 1070.0 (2.) 1375.9 (1.)  
 Trefferlage 3.55 mm links, 0.63 mm tief  
 Streuwert 16.32, horizontal: 13.17, vertikal: 18.96



Serie 2:  
 9.6 ↓                      9.6 →                      9.1 ↗                      8.2 →                      8.9 ↖  
 8.6 ↘                      9.6 ↑                      10.3 ↑                      8.4 ↑                      8.6 ↗  
 beste Teiler 510.1 (18.) 1056.3 (12.) 1079.6 (11.)  
 Trefferlage 4.06 mm rechts, 5.10 mm hoch  
 Streuwert 10.57, horizontal: 10.70, vertikal: 10.44



Serie 3:  
 8.9 ↘                      9.6 →                      10.3 ↖                      7.2 ↖                      7.8 ↓  
 9.0 ↙                      9.2 ↑                      8.7 ↓                      8.8 →                      9.6 ↖  
 beste Teiler 506.6 (23.) 1045.1 (22.) 1049.1 (30.)  
 Trefferlage 0.32 mm rechts, 2.13 mm tief  
 Streuwert 12.92, horizontal: 12.88, vertikal: 12.97





Serie 4:  
 10.0 ↙                      7.5 ↓                      8.9 ↓                      7.5 ↖                      10.1 ←  
 9.9 ↓                      9.9 →                      9.8 ↑                      9.0 ↘                      9.6 ↘  
 beste Teiler 716.9 (35.) 764.6 (31.) 804.9 (36.)  
 Trefferlage 3.96 mm links, 4.93 mm tief  
 Streuwert 10.74, horizontal: 9.32, vertikal: 11.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (373.1)  
 Serien: 93 88 93 85  
 Zähler: 16 11 9 4 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3008 (9), 2917 (37), 2900 (34)  
 beste Teiler 253.6 (33.) 265.0 (35.) 301.2 (12.)  
 Trefferlage 0.91 mm rechts, 1.14 mm tief  
 Streuwert 10.70, horizontal: 10.83, vertikal: 10.57




Serie 1:  
 10.3 ↑                      10.1 ↓                      10.0 ↙                      10.0 ↓                      9.3 ↘  
 9.3 ↘                      8.5 →                      10.1 ↘                      7.2 →                      10.2 ↖  
 beste Teiler 554.2 (1.) 588.5 (10.) 643.0 (8.)  
 Trefferlage 5.54 mm rechts, 3.19 mm tief  
 Streuwert 9.16, horizontal: 11.75, vertikal: 5.44



Serie 2:  
 8.6 ←                      10.6 \*                      8.8 ↙                      7.7 ↓                      9.5 ↓  
 8.7 ↘                      9.2 ↙                      10.2 ↘                      9.5 ↓                      10.0 ↘  
 beste Teiler 301.2 (12.) 606.6 (18.) 769.5 (20.)  
 Trefferlage 7.09 mm links, 4.39 mm tief  
 Streuwert 9.12, horizontal: 6.68, vertikal: 11.03



Serie 3:  
 10.3 ↗                      10.5 \*                      9.2 ↓                      9.3 →                      9.0 ↓  
 10.0 ↙                      9.6 ↘                      8.2 ↙                      9.4 →                      10.2 ←  
 beste Teiler 391.6 (22.) 533.9 (21.) 606.9 (30.)  
 Trefferlage 0.55 mm rechts, 4.83 mm tief  
 Streuwert 8.38, horizontal: 9.33, vertikal: 7.31





Serie 4:  
 9.3 ↗                      8.3 ↗                      10.6 \*                      7.3 →                      10.6 \*  
 10.2 ↖                      7.3 ↗                      8.5 ↓                      8.7 ↗                      8.8 ↖  
 beste Teiler 253.6 (33.) 265.0 (35.) 567.3 (36.)  
 Trefferlage 4.66 mm rechts, 7.85 mm hoch  
 Streuwert 11.95, horizontal: 11.28, vertikal: 12.58

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **317** (332.9)  
 Serien: 81 83 80 73  
 Zähler: 4 10 14 8 1 1 2 0 0 0  
 Innenzehner: 2  
 weiteste: 5569 (36), 4813 (39), 4081 (5)  
 beste Teiler 261.2 (16.) 434.8 (37.) 672.0 (24.)  
 Trefferlage 3.67 mm rechts, 3.47 mm tief  
 Streuwert 16.60, horizontal: 17.30, vertikal: 15.86




Serie 1:  
 7.1 ←                      7.7 ↘                      9.7 ↖                      9.3 ↓                      5.8 →  
 8.0 ↙                      10.0 ←                      9.2 ↗                      8.1 →                      9.9 ↗  
 beste Teiler 796.3 (7.) 844.8 (10.) 987.4 (3.)  
 Trefferlage 2.00 mm rechts, 4.54 mm tief  
 Streuwert 16.09, horizontal: 19.39, vertikal: 11.91



Serie 2:  
 8.5 ↘                      8.6 ↗                      7.8 ←                      8.7 ↙                      7.1 ↖  
 10.6 \*                      9.5 ↓                      9.1 ↙                      9.4 ↘                      8.8 ↑  
 beste Teiler 261.2 (16.) 1188.9 (17.) 1259.0 (19.)  
 Trefferlage 4.05 mm links, 2.11 mm tief  
 Streuwert 13.45, horizontal: 15.10, vertikal: 11.57



Serie 3:  
 8.8 ↓                      9.5 ↙                      8.3 ↘                      10.1 ↓                      9.5 ↓  
 7.9 ↓                      6.3 ↙                      9.1 →                      7.2 ↗                      7.7 ↖  
 beste Teiler 672.0 (24.) 1125.1 (22.) 1166.8 (25.)  
 Trefferlage 1.82 mm rechts, 5.91 mm tief  
 Streuwert 15.73, horizontal: 14.73, vertikal: 16.66





Serie 4:  
 8.0 ↘                      8.1 ↘                      8.0 ↙                      8.0 →                      8.3 ↑  
 4.0 ↘                      10.4 \*                      7.5 ↗                      4.9 ↗                      8.4 →  
 beste Teiler 434.8 (37.) 2033.2 (40.) 2104.4 (35.)  
 Trefferlage 14.94 mm rechts, 1.34 mm tief  
 Streuwert 19.79, horizontal: 16.17, vertikal: 22.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (373.3)  
 Serien: 92 91 85 89  
 Zähler: 13 16 7 3 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3266 (34), 2898 (30), 2523 (23)  
 beste Teiler 80.9 (35.) 470.0 (22.) 478.7 (27.)  
 Trefferlage 3.02 mm links, 3.18 mm tief  
 Streuwert 10.15, horizontal: 8.01, vertikal: 11.91




Serie 1:  
 8.1 ↖ 9.5 ↙ 9.7 ↘ 9.1 ↓ 8.3 ↗  
 10.1 ↗ 10.1 ↘ 10.0 ↖ 10.2 ↘ 9.2 ←  
 beste Teiler 640.0 (9.) 690.0 (7.) 709.8 (6.)  
 Trefferlage 2.84 mm links, 1.49 mm tief  
 Streuwert 9.74, horizontal: 8.50, vertikal: 10.84



Serie 2:  
 9.1 ↗ 8.4 ↘ 9.4 ↖ 9.8 ↓ 10.1 →  
 9.7 ↓ 10.2 ↗ 10.2 → 8.8 ↑ 9.0 ↖  
 beste Teiler 600.3 (18.) 615.2 (17.) 648.4 (15.)  
 Trefferlage 0.15 mm links, 1.20 mm hoch  
 Streuwert 9.49, horizontal: 6.79, vertikal: 11.59



Serie 3:  
 9.3 ↗ 10.4 \* 7.8 ↖ 9.6 ↓ 7.9 ↗  
 10.3 ↘ 10.4 ↖ 8.9 ↖ 8.4 ↓ 7.3 ↓  
 beste Teiler 470.0 (22.) 478.7 (27.) 531.6 (26.)  
 Trefferlage 7.44 mm links, 4.84 mm tief  
 Streuwert 11.48, horizontal: 8.85, vertikal: 13.60





Serie 4:  
 9.5 ↘ 9.5 ↖ 9.3 ↘ 6.9 ↓ 10.9 \*  
 9.2 ↓ 10.2 ↗ 10.0 ↖ 8.9 ↓ 9.6 ↗  
 beste Teiler 80.9 (35.) 593.7 (37.) 726.3 (38.)  
 Trefferlage 1.65 mm links, 7.62 mm tief  
 Streuwert 9.41, horizontal: 6.96, vertikal: 11.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (365.2)  
 Serien: 87 93 82 85  
 Zähler: 10 14 11 4 0 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4705 (29), 3190 (6), 2912 (2)  
 beste Teiler 114.8 (18.) 124.9 (15.) 413.0 (38.)  
 Trefferlage 1.94 mm rechts, 1.66 mm hoch  
 Streuwert 12.08, horizontal: 12.58, vertikal: 11.56




Serie 1:  
 10.3 ↓                    7.3 →                    8.3 ↘                    9.3 ↗                    9.7 ←  
                                  7.0 ↘                    9.8 ↗                    9.7 ↑                    10.3 ↖                    9.2 ↘  
 beste Teiler 496.6 (1.) 535.4 (9.) 904.7 (7.)  
 Trefferlage 8.47 mm rechts, 0.61 mm tief  
 Streuwert 11.33, horizontal: 12.44, vertikal: 10.10



Serie 2:  
 9.2 ↗                    9.0 ↗                    8.8 ↘                    10.0 ↖                    10.8 \*  
                                  9.7 ↗                    9.6 ←                    10.8 \*                    9.1 →                    10.1 ↗  
 beste Teiler 114.8 (18.) 124.9 (15.) 651.4 (20.)  
 Trefferlage 3.96 mm rechts, 2.45 mm hoch  
 Streuwert 7.62, horizontal: 8.81, vertikal: 6.20



Serie 3:  
 8.5 ↓                    7.9 ↖                    9.0 ↖                    10.2 ↖                    9.9 →  
                                  8.7 ↖                    8.9 ↗                    8.4 ↑                    5.1 ↗                    10.3 ↓  
 beste Teiler 525.7 (30.) 617.3 (24.) 831.1 (25.)  
 Trefferlage 0.09 mm links, 5.16 mm hoch  
 Streuwert 15.43, horizontal: 14.13, vertikal: 16.63





Serie 4:  
 9.2 →                    8.4 ↑                    8.6 ←                    8.8 ↓                    8.6 ↓  
                                  8.3 ↖                    7.9 ←                    10.4 \*                    10.4 \*                    9.7 ←  
 beste Teiler 413.0 (38.) 435.9 (39.) 973.2 (40.)  
 Trefferlage 4.55 mm links, 0.35 mm tief  
 Streuwert 11.98, horizontal: 12.24, vertikal: 11.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **319** (335.1)  
 Serien: 84 77 82 76  
 Zähler: 7 10 10 6 5 0 1 1 0 0  
 Innenzehner: 2  
 weiteste: 5840 (39), 4939 (12), 3890 (13)  
 beste Teiler 139.1 (10.) 271.6 (32.) 482.4 (38.)  
 Trefferlage 8.43 mm links, 3.41 mm hoch  
 Streuwert 15.96, horizontal: 14.62, vertikal: 17.19




Serie 1:  
 6.5 ↖ 9.4 ↘ 9.2 ↘ 7.7 ↖ 7.4 ↖  
 8.3 ↘ 10.0 ↑ 10.0 ↘ 8.1 ↖ 10.8 \*  
 beste Teiler 139.1 (10.) 724.4 (8.) 780.8 (7.)  
 Trefferlage 8.64 mm links, 11.41 mm hoch  
 Streuwert 10.86, horizontal: 9.05, vertikal: 12.41



Serie 2:  
 7.6 ↖ 4.8 ↘ 6.1 ↙ 8.1 ↗ 9.0 ↓  
 9.8 ↑ 9.2 ← 9.6 → 9.0 ↘ 7.5 ↘  
 beste Teiler 958.2 (16.) 1078.8 (18.) 1409.8 (17.)  
 Trefferlage 9.19 mm links, 7.99 mm hoch  
 Streuwert 17.24, horizontal: 16.81, vertikal: 17.67



Serie 3:  
 10.0 ← 10.1 ↑ 6.4 ↘ 8.8 ↙ 7.6 ↓  
 9.6 ↘ 8.2 ↓ 8.5 ← 7.5 ↓ 9.2 ↙  
 beste Teiler 669.6 (22.) 786.7 (21.) 1112.2 (26.)  
 Trefferlage 8.11 mm links, 8.51 mm tief  
 Streuwert 12.91, horizontal: 11.74, vertikal: 13.98





Serie 4:  
 6.5 ↑ 10.6 \* 8.2 ↖ 8.8 → 6.2 ↙  
 8.6 ↑ 9.5 ↙ 10.3 → 3.7 ← 8.7 ↙  
 beste Teiler 271.6 (32.) 482.4 (38.) 1198.5 (37.)  
 Trefferlage 7.79 mm links, 2.77 mm hoch  
 Streuwert 19.85, horizontal: 20.57, vertikal: 19.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (367.3)  
 Serien: 89 88 82 91  
 Zähler: 8 20 9 2 0 0 1 0 0 0  
 Innenzehner: 3  
 weiteste: 5407 (26), 2589 (18), 2502 (17)  
 beste Teiler 145.0 (19.) 330.5 (36.) 435.9 (38.)  
 Trefferlage 6.19 mm links, 2.03 mm hoch  
 Streuwert 10.90, horizontal: 8.74, vertikal: 12.70




Serie 1:  
 9.3 ←                      9.5 ↗                      10.2 →                      9.5 →                      10.3 ↘  
 8.3 ↖                      9.3 ↑                      8.4 ↕                      9.2 ↓                      8.4 ←  
 beste Teiler 509.8 (5.) 596.4 (3.) 1136.6 (2.)  
 Trefferlage 3.61 mm links, 2.26 mm hoch  
 Streuwert 10.57, horizontal: 10.73, vertikal: 10.40



Serie 2:  
 9.6 ↖                      9.7 ←                      10.1 ↙                      9.8 ↖                      9.3 ↙  
 9.9 ↙                      7.8 ↙                      7.7 ↖                      10.8 \*                      9.1 ↑  
 beste Teiler 145.0 (19.) 646.5 (13.) 860.9 (16.)  
 Trefferlage 8.75 mm links, 0.08 mm hoch  
 Streuwert 8.65, horizontal: 6.33, vertikal: 10.47



Serie 3:  
 9.5 ←                      9.6 ↖                      8.8 ↙                      10.0 ↑                      8.9 ↖  
 4.2 ↑                      8.1 ↖                      9.5 ↑                      8.9 ↓                      9.2 ↖  
 beste Teiler 746.8 (24.) 1095.5 (22.) 1150.1 (28.)  
 Trefferlage 6.05 mm links, 7.93 mm hoch  
 Streuwert 14.76, horizontal: 9.85, vertikal: 18.41





Serie 4:  
 9.4 ↖                      9.2 ↓                      10.2 ←                      8.9 ←                      9.1 ↖  
 10.5 \*                      9.4 ↓                      10.4 \*                      8.3 ↘                      9.0 ←  
 beste Teiler 330.5 (36.) 435.9 (38.) 578.4 (33.)  
 Trefferlage 6.37 mm links, 2.16 mm tief  
 Streuwert 8.47, horizontal: 7.98, vertikal: 8.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (339.3)  
 Serien: 84 80 79 77  
 Zähler: 3 13 10 10 3 1 0 0 0 0  
 Innenzehner: 0  
 weiteste: 4090 (22), 3648 (7), 3470 (26)  
 beste Teiler 724.2 (33.) 728.0 (3.) 786.3 (20.)  
 Trefferlage 0.47 mm rechts, 5.78 mm hoch  
 Streuwert 14.86, horizontal: 15.92, vertikal: 13.71




Serie 1:  
 8.2 ↗ 8.4 → 10.0 ↑ 9.1 ↖ 8.7 ↘  
 9.7 ↘ 6.4 → 8.2 ↑ 9.7 ↗ 9.5 ↘  
 beste Teiler 728.0 (3.) 974.4 (9.) 1022.8 (6.)  
 Trefferlage 3.53 mm rechts, 11.04 mm hoch  
 Streuwert 11.37, horizontal: 14.32, vertikal: 7.31



Serie 2:  
 9.6 ↗ 8.4 ↗ 7.0 ← 9.2 ↘ 7.8 →  
 8.9 ↗ 7.6 → 8.2 ↑ 7.7 ↘ 10.0 ←  
 beste Teiler 786.3 (20.) 1118.4 (11.) 1376.1 (14.)  
 Trefferlage 1.49 mm rechts, 9.07 mm hoch  
 Streuwert 14.40, horizontal: 18.13, vertikal: 9.29





Serie 3:  
 9.8 ← 5.8 ↙ 8.6 ← 9.0 ↘ 8.8 ↖  
 6.6 ↘ 9.4 ↘ 9.8 ↘ 7.8 ↘ 9.1 ←  
 beste Teiler 901.6 (21.) 934.0 (28.) 1242.4 (27.)  
 Trefferlage 6.10 mm links, 0.33 mm hoch  
 Streuwert 15.87, horizontal: 15.13, vertikal: 16.58




Serie 4:  
 7.9 ↘ 8.1 ↖ 10.0 ↘ 7.9 ↗ 9.5 →  
 9.6 → 7.8 ↖ 7.0 ↗ 7.6 ↗ 6.9 ↙  
 beste Teiler 724.2 (33.) 1078.5 (36.) 1123.8 (35.)  
 Trefferlage 2.95 mm rechts, 2.69 mm hoch  
 Streuwert 17.07, horizontal: 16.43, vertikal: 17.69

Unterschrift des Schützen


Ergebnis: **357** (372.5)  
 Serien: 90 92 86 89  
 Zähler: 11 16 12 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3077 (25), 2343 (33), 2103 (1)  
 beste Teiler 11.4 (39.) 133.6 (27.) 246.3 (7.)  
 Trefferlage 2.89 mm rechts, 1.30 mm hoch  
 Streuwert 10.23, horizontal: 11.58, vertikal: 8.67




Serie 1:  
 8.3 ↘                      9.0 →                      10.4 \*                      8.8 ↘                      10.4 \*  
 9.8 ↗                      10.6 \*                      9.1 ↗                      9.0 ←                      8.5 →  
 beste Teiler 246.3 (7.) 447.8 (3.) 472.2 (5.)  
 Trefferlage 1.53 mm rechts, 5.64 mm hoch  
 Streuwert 9.40, horizontal: 11.70, vertikal: 6.31



Serie 2:  
 8.6 ↗                      9.5 ↘                      10.3 ↑                      9.1 ↑                      9.4 ↗  
 10.1 ↘                      9.3 ↗                      10.3 ↖                      8.6 ↘                      10.3 ↘  
 beste Teiler 482.6 (13.) 485.0 (18.) 536.8 (20.)  
 Trefferlage 0.16 mm rechts, 3.99 mm hoch  
 Streuwert 8.71, horizontal: 8.68, vertikal: 8.74



Serie 3:  
 8.6 ←                      9.3 ↗                      9.2 ↘                      9.0 ↘                      7.1 →  
 9.0 ←                      10.8 \*                      8.7 →                      8.5 ↓                      9.6 ↓  
 beste Teiler 133.6 (27.) 1094.1 (30.) 1284.7 (22.)  
 Trefferlage 2.77 mm rechts, 1.40 mm tief  
 Streuwert 12.69, horizontal: 15.00, vertikal: 9.84





Serie 4:  
 8.6 →                      8.6 ↖                      8.0 →                      10.2 ↘                      9.1 ↘  
 9.3 ↘                      10.1 ↖                      9.6 ↘                      10.9 \*                      8.9 ↗  
 beste Teiler 11.4 (39.) 615.2 (34.) 713.3 (37.)  
 Trefferlage 7.10 mm rechts, 2.99 mm tief  
 Streuwert 9.20, horizontal: 10.66, vertikal: 7.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (367.6)  
 Serien: 92 80 89 87  
 Zähler: 10 16 9 4 0 0 1 0 0 0  
 Innenzehner: 5  
 weiteste: 4868 (18), 2713 (4), 2613 (38)  
 beste Teiler 246.1 (25.) 282.4 (22.) 363.7 (21.)  
 Trefferlage 2.13 mm links, 3.57 mm hoch  
 Streuwert 11.51, horizontal: 8.73, vertikal: 13.74




Serie 1:  
 8.2 ↙ 10.1 ↗ 9.7 ↘ 7.6 ↙ 9.9 ↓  
 10.5 \* 10.4 ↓ 10.3 ← 9.7 ↑ 10.3 ↑  
 beste Teiler 378.1 (6.) 476.8 (7.) 481.2 (10.)  
 Trefferlage 3.29 mm links, 3.19 mm tief  
 Streuwert 8.85, horizontal: 5.25, vertikal: 11.35



Serie 2:  
 8.7 ↖ 9.3 ↖ 9.2 ↑ 8.7 ← 7.9 ↗  
 9.9 ↑ 9.0 ↑ 4.9 ↑ 9.6 ↗ 8.9 ↑  
 beste Teiler 819.6 (16.) 1084.4 (19.) 1306.9 (12.)  
 Trefferlage 0.36 mm links, 14.37 mm hoch  
 Streuwert 12.02, horizontal: 9.74, vertikal: 13.94



Serie 3:  
 10.5 \* 10.6 \* 8.9 ↙ 9.7 ↑ 10.6 \*  
 8.2 → 9.0 ↖ 8.6 ↑ 8.0 ↓ 9.1 ←  
 beste Teiler 246.1 (25.) 282.4 (22.) 363.7 (21.)  
 Trefferlage 2.53 mm links, 0.81 mm tief  
 Streuwert 11.06, horizontal: 10.35, vertikal: 11.73





Serie 4:  
 10.4 \* 9.7 ↖ 10.0 → 7.8 ↑ 8.8 ↖  
 9.2 ↓ 9.5 ↘ 7.7 ↖ 9.3 ↑ 9.2 ↓  
 beste Teiler 460.4 (31.) 727.7 (33.) 975.9 (32.)  
 Trefferlage 2.33 mm links, 3.94 mm hoch  
 Streuwert 11.20, horizontal: 9.79, vertikal: 12.45

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **351** (369.1)  
 Serien: 88 88 90 85  
 Zähler: 12 13 10 4 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3702 (37), 2865 (13), 2500 (19)  
 beste Teiler 304.7 (30.) 323.5 (31.) 364.3 (24.)  
 Trefferlage 2.81 mm rechts, 3.08 mm hoch  
 Streuwert 11.02, horizontal: 11.25, vertikal: 10.77




Serie 1:  
 9.3 →                      8.6 ←                      8.7 ←                      10.4 \*                      10.3 ←  
 10.2 ↘                      9.1 →                      7.9 ↙                      8.5 →                      9.9 ↓  
 beste Teiler 406.5 (4.) 547.1 (5.) 630.4 (6.)  
 Trefferlage 0.03 mm rechts, 3.34 mm tief  
 Streuwert 10.86, horizontal: 13.81, vertikal: 6.73



Serie 2:  
 8.0 ↗                      10.4 \*                      7.4 ↘                      10.0 ←                      9.0 →  
 8.9 ↖                      9.9 →                      10.3 ↗                      7.8 ↗                      10.5 \*  
 beste Teiler 369.0 (20.) 414.9 (12.) 487.4 (18.)  
 Trefferlage 6.80 mm rechts, 4.37 mm hoch  
 Streuwert 10.64, horizontal: 9.53, vertikal: 11.66



Serie 3:  
 9.8 ↘                      8.8 ↑                      9.1 ↑                      10.5 \*                      9.4 ↖  
 8.4 ↓                      9.4 ↗                      8.9 ↗                      10.4 \*                      10.6 \*  
 beste Teiler 304.7 (30.) 364.3 (24.) 430.7 (29.)  
 Trefferlage 1.22 mm rechts, 3.98 mm hoch  
 Streuwert 8.94, horizontal: 6.75, vertikal: 10.69





Serie 4:  
 10.5 \*                      10.0 ↖                      8.2 ←                      9.2 ↖                      9.5 →  
 9.1 ↗                      6.3 ↑                      7.9 →                      9.4 ↖                      8.6 →  
 beste Teiler 323.5 (31.) 772.4 (32.) 1146.4 (35.)  
 Trefferlage 3.19 mm rechts, 7.31 mm hoch  
 Streuwert 12.87, horizontal: 13.88, vertikal: 11.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (364.3)  
 Serien: 85 91 84 85  
 Zähler: 7 17 11 4 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3637 (8), 2840 (31), 2565 (39)  
 beste Teiler 257.2 (2.) 296.8 (19.) 332.6 (11.)  
 Trefferlage 0.62 mm links, 8.94 mm hoch  
 Streuwert 9.96, horizontal: 8.57, vertikal: 11.19




Serie 1:  
 8.6 ↘ 10.6 \* 8.9 ↘ 9.2 ↑ 9.3 ↑  
 8.3 ↙ 9.4 ↘ 6.4 ↑ 9.2 → 9.4 ↑  
 beste Teiler 257.2 (2.) 1238.1 (7.) 1247.5 (10.)  
 Trefferlage 4.93 mm links, 8.21 mm hoch  
 Streuwert 11.48, horizontal: 9.42, vertikal: 13.23



Serie 2:  
 10.5 \* 9.9 ↑ 9.6 ↘ 9.6 ↗ 8.4 ↑  
 9.7 ↑ 10.0 ↗ 9.7 → 10.6 \* 8.8 ↑  
 beste Teiler 296.8 (19.) 332.6 (11.) 738.5 (17.)  
 Trefferlage 2.37 mm rechts, 6.28 mm hoch  
 Streuwert 6.75, horizontal: 5.12, vertikal: 8.05





Serie 3:  
 8.1 ↑ 7.9 ↑ 8.8 ↑ 10.0 ↑ 10.1 ↘  
 7.8 ↘ 9.7 ↑ 8.1 ↘ 8.8 ↗ 9.8 ↓  
 beste Teiler 670.4 (25.) 739.1 (24.) 939.6 (30.)  
 Trefferlage 0.07 mm rechts, 7.48 mm hoch  
 Streuwert 12.08, horizontal: 10.64, vertikal: 13.37




Serie 4:  
 7.4 ↑ 8.0 ↑ 9.0 ↑ 9.7 ↗ 9.7 ↘  
 10.5 \* 9.5 ↑ 9.2 ↘ 7.7 ↗ 8.4 ↑  
 beste Teiler 348.2 (36.) 970.4 (34.) 1039.1 (35.)  
 Trefferlage 0.02 mm links, 13.79 mm hoch  
 Streuwert 8.51, horizontal: 7.64, vertikal: 9.30

Unterschrift des Schützen


Ergebnis: **370** (385.5)  
 Serien: 94 91 94 91  
 Zähler: 15 20 5 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1984 (13), 1892 (16), 1820 (37)  
 beste Teiler 153.3 (21.) 223.6 (14.) 231.8 (8.)  
 Trefferlage 0.51 mm rechts, 2.68 mm tief  
 Streuwert 8.15, horizontal: 8.70, vertikal: 7.56




Serie 1:  
 10.2 ↗ 9.4 ↗ 9.5 → 9.8 ↓ 8.7 ↖  
 10.5 \* 10.6 \* 10.7 \* 10.2 ↖ 9.1 ↓  
 beste Teiler 231.8 (8.) 280.9 (7.) 330.6 (6.)  
 Trefferlage 0.27 mm rechts, 1.85 mm tief  
 Streuwert 7.32, horizontal: 7.52, vertikal: 7.11



Serie 2:  
 10.3 ↘ 9.7 ← 8.5 → 10.7 \* 9.9 ↓  
 8.6 ↓ 10.0 ↖ 9.9 ↓ 9.3 ↗ 9.0 ↗  
 beste Teiler 223.6 (14.) 520.6 (11.) 749.2 (17.)  
 Trefferlage 2.91 mm rechts, 3.13 mm tief  
 Streuwert 8.52, horizontal: 8.55, vertikal: 8.50



Serie 3:  
 10.8 \* 9.5 ↓ 9.3 ← 9.1 → 10.1 →  
 9.3 ← 10.3 ← 9.0 ↖ 9.0 ← 10.1 ↖  
 beste Teiler 153.3 (21.) 549.5 (27.) 695.7 (30.)  
 Trefferlage 5.00 mm links, 2.03 mm tief  
 Streuwert 7.58, horizontal: 9.38, vertikal: 5.18





Serie 4:  
 9.2 ↓ 9.2 → 8.9 ↑ 9.5 → 9.0 ↘  
 10.0 → 8.7 ↓ 10.4 \* 9.2 ↓ 10.3 →  
 beste Teiler 424.8 (38.) 516.7 (40.) 738.9 (36.)  
 Trefferlage 3.87 mm rechts, 3.72 mm tief  
 Streuwert 8.74, horizontal: 7.58, vertikal: 9.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (374.5)  
 Serien: 82 89 93 93  
 Zähler: 12 18 7 1 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3912 (4), 3775 (1), 2759 (29)  
 beste Teiler 211.4 (17.) 376.4 (28.) 397.3 (38.)  
 Trefferlage 2.78 mm links, 2.20 mm tief  
 Streuwert 10.56, horizontal: 11.62, vertikal: 9.39




Serie 1:  
 6.2 ←                      9.1 →                      8.9 ↙                      6.1 ↓                      9.2 ←  
 10.2 ↗                      9.7 ↘                      9.9 ↖                      8.3 ←                      8.6 ↘  
 beste Teiler 594.0 (6.) 865.6 (8.) 1038.1 (7.)  
 Trefferlage 3.96 mm links, 9.02 mm tief  
 Streuwert 14.30, horizontal: 16.34, vertikal: 11.92



Serie 2:  
 8.9 ↙                      9.8 ↓                      9.3 ↘                      9.1 ←                      8.3 ←  
 8.7 ↑                      10.7 \*                      9.0 ↘                      10.3 ↑                      9.9 →  
 beste Teiler 211.4 (17.) 517.3 (19.) 879.9 (20.)  
 Trefferlage 4.45 mm links, 0.70 mm tief  
 Streuwert 9.67, horizontal: 9.94, vertikal: 9.40



Serie 3:  
 10.3 ↓                      9.9 ↘                      10.2 ↗                      9.6 ↘                      9.4 ←  
 10.2 ↘                      9.6 ←                      10.5 \*                      7.5 →                      10.3 ↑  
 beste Teiler 376.4 (28.) 515.9 (21.) 526.7 (30.)  
 Trefferlage 0.43 mm links, 0.05 mm hoch  
 Streuwert 8.75, horizontal: 11.08, vertikal: 5.51





Serie 4:  
 9.1 ←                      9.2 ←                      10.3 ↗                      9.4 ↙                      9.2 →  
 8.7 ↑                      10.3 ↓                      10.5 \*                      9.7 ←                      10.4 \*  
 beste Teiler 397.3 (38.) 429.3 (40.) 537.9 (37.)  
 Trefferlage 2.28 mm links, 0.84 mm hoch  
 Streuwert 8.26, horizontal: 9.22, vertikal: 7.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (353.7)  
 Serien: 85 85 86 79  
 Zähler: 6 15 9 8 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3996 (33), 3621 (5), 3142 (28)  
 beste Teiler 237.0 (7.) 458.7 (21.) 528.4 (11.)  
 Trefferlage 2.27 mm links, 6.94 mm tief  
 Streuwert 12.76, horizontal: 11.66, vertikal: 13.77




Serie 1:  
 8.6 ↗ 8.8 → 8.7 ↖ 9.7 ↙ 6.4 ↓  
 9.8 ↘ 10.7 \* 9.2 ↘ 9.9 ↓ 9.6 ↙  
 beste Teiler 237.0 (7.) 847.8 (9.) 948.1 (6.)  
 Trefferlage 1.10 mm links, 3.00 mm tief  
 Streuwert 12.37, horizontal: 10.00, vertikal: 14.35



Serie 2:  
 10.3 ↖ 8.3 ↘ 8.1 → 9.8 → 7.8 ↙  
 10.0 ↓ 9.8 ↓ 8.2 ↘ 9.3 ↖ 7.0 ↓  
 beste Teiler 528.4 (11.) 751.1 (16.) 901.5 (17.)  
 Trefferlage 4.81 mm rechts, 6.88 mm tief  
 Streuwert 12.49, horizontal: 11.30, vertikal: 13.58



Serie 3:  
 10.4 \* 9.4 ↙ 10.1 ↖ 9.6 ↖ 9.0 ↙  
 9.4 ↖ 8.8 ↘ 7.0 ↙ 8.2 ↓ 7.8 ↓  
 beste Teiler 458.7 (21.) 678.8 (23.) 1099.4 (24.)  
 Trefferlage 7.89 mm links, 5.82 mm tief  
 Streuwert 11.06, horizontal: 6.75, vertikal: 14.11





Serie 4:  
 8.8 ↓ 9.2 ↖ 6.0 ↓ 9.6 → 7.2 ↙  
 7.3 ↘ 7.8 ↙ 9.9 ↓ 7.9 ↙ 10.3 ↗  
 beste Teiler 530.5 (40.) 871.4 (38.) 1062.5 (34.)  
 Trefferlage 4.92 mm links, 12.06 mm tief  
 Streuwert 14.14, horizontal: 14.69, vertikal: 13.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (344.0)  
 Serien: 89 80 81 77  
 Zähler: 5 14 7 11 3 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3811 (13), 3758 (18), 3443 (34)  
 beste Teiler 368.0 (19.) 377.6 (11.) 406.1 (1.)  
 Trefferlage 2.48 mm links, 7.93 mm tief  
 Streuwert 13.85, horizontal: 14.60, vertikal: 13.06




Serie 1:  
 10.4 \*                      10.0 →                      9.7 ←                      7.9 →                      10.3 ↖  
 7.2 ←                      9.1 ←                      9.3 ↙                      9.7 ↓                      9.6 ↓  
 beste Teiler 406.1 (1.) 528.7 (5.) 787.3 (2.)  
 Trefferlage 3.46 mm links, 3.24 mm tief  
 Streuwert 10.77, horizontal: 14.36, vertikal: 5.07



Serie 2:  
 10.5 \*                      7.3 ↓                      6.2 ↗                      7.5 ↖                      9.0 ↖  
 9.3 ↓                      7.7 →                      6.3 ↓                      10.5 \*                      9.0 ↓  
 beste Teiler 368.0 (19.) 377.6 (11.) 1302.9 (16.)  
 Trefferlage 2.74 mm rechts, 6.33 mm tief  
 Streuwert 17.28, horizontal: 16.23, vertikal: 18.27



Serie 3:  
 8.7 ↓                      8.7 ←                      8.6 →                      9.7 ↘                      8.4 ↓  
 7.4 ↙                      9.3 ↓                      8.8 ←                      7.7 ←                      9.0 ↓  
 beste Teiler 970.9 (24.) 1344.0 (27.) 1545.3 (30.)  
 Trefferlage 5.38 mm links, 9.51 mm tief  
 Streuwert 11.73, horizontal: 14.01, vertikal: 8.88





Serie 4:  
 9.7 →                      9.2 ↘                      9.8 ↓                      6.6 ↓                      7.0 ↗  
 7.0 ←                      7.5 ↙                      8.6 ↓                      7.4 ↓                      8.4 ↙  
 beste Teiler 887.9 (33.) 1016.9 (31.) 1384.3 (32.)  
 Trefferlage 3.82 mm links, 12.64 mm tief  
 Streuwert 15.19, horizontal: 14.67, vertikal: 15.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (366.8)  
 Serien: 87 85 90 88  
 Zähler: 9 18 9 3 0 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4673 (17), 3003 (12), 2626 (19)  
 beste Teiler 110.0 (13.) 234.9 (14.) 414.7 (38.)  
 Trefferlage 3.63 mm links, 0.82 mm hoch  
 Streuwert 11.53, horizontal: 11.19, vertikal: 11.86




Serie 1:  
 9.6 →                      9.6 ↗                      9.5 ↓                      9.2 ↘                      9.8 ↑  
 9.6 ↘                      8.1 ↖                      8.9 ↑                      9.0 ↖                      8.4 ↘  
 beste Teiler 934.1 (5.) 1051.5 (6.) 1114.7 (1.)  
 Trefferlage 1.72 mm links, 6.02 mm hoch  
 Streuwert 10.19, horizontal: 9.77, vertikal: 10.60



Serie 2:  
 8.9 ↑                      7.2 ↙                      10.8 \*                      10.7 \*                      10.3 ↘  
 10.0 ↓                      5.1 ←                      8.6 ↘                      7.7 ↖                      10.2 ↑  
 beste Teiler 110.0 (13.) 234.9 (14.) 526.6 (15.)  
 Trefferlage 10.58 mm links, 0.52 mm hoch  
 Streuwert 13.80, horizontal: 14.54, vertikal: 13.03



Serie 3:  
 9.3 ↓                      9.6 ↘                      9.1 ↗                      10.0 ↑                      9.2 ↓  
 9.2 ↑                      9.0 ↘                      10.0 ↘                      8.9 ↘                      8.4 ↗  
 beste Teiler 772.2 (24.) 798.4 (28.) 1044.2 (22.)  
 Trefferlage 5.39 mm rechts, 0.43 mm hoch  
 Streuwert 9.62, horizontal: 6.09, vertikal: 12.17





Serie 4:  
 8.7 ↙                      9.0 ←                      8.3 ↖                      9.6 ↙                      10.0 ↓  
 9.5 ↙                      9.8 ↑                      10.4 \*                      9.9 ↑                      7.7 ↓  
 beste Teiler 414.7 (38.) 752.8 (35.) 861.6 (39.)  
 Trefferlage 7.64 mm links, 3.66 mm tief  
 Streuwert 8.94, horizontal: 5.73, vertikal: 11.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (356.3)  
 Serien: 86 90 82 79  
 Zähler: 6 15 12 4 3 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3648 (26), 3455 (36), 3270 (15)  
 beste Teiler 213.4 (14.) 398.1 (13.) 408.3 (8.)  
 Trefferlage 1.92 mm rechts, 5.43 mm hoch  
 Streuwert 12.42, horizontal: 11.28, vertikal: 13.46




Serie 1:  
 8.7 ↗ 7.9 ↑ 9.2 ↑ 7.8 ↑ 9.5 ↘  
 9.6 ↖ 9.7 ↓ 10.4 \* 9.1 ↙ 9.8 ↘  
 beste Teiler 408.3 (8.) 904.0 (10.) 1014.5 (7.)  
 Trefferlage 1.24 mm links, 4.84 mm hoch  
 Streuwert 10.97, horizontal: 7.58, vertikal: 13.54



Serie 2:  
 9.7 ↙ 9.8 → 10.5 \* 10.7 \* 6.9 ↖  
 8.4 ← 10.3 ↑ 10.3 → 8.2 → 10.0 →  
 beste Teiler 213.4 (14.) 398.1 (13.) 496.3 (17.)  
 Trefferlage 1.08 mm links, 0.53 mm tief  
 Streuwert 11.24, horizontal: 14.43, vertikal: 6.67



Serie 3:  
 9.0 ← 8.7 ↗ 8.1 ↑ 8.7 → 9.6 →  
 6.4 ↑ 9.2 ↓ 8.5 ↑ 9.5 → 8.6 ↗  
 beste Teiler 1068.5 (25.) 1172.8 (29.) 1413.3 (27.)  
 Trefferlage 6.63 mm rechts, 8.11 mm hoch  
 Streuwert 12.51, horizontal: 8.73, vertikal: 15.39





Serie 4:  
 8.8 ↘ 7.6 ↗ 8.9 ↑ 9.1 ↙ 8.1 →  
 6.6 ↗ 8.4 ↖ 7.7 ↘ 9.2 ↗ 9.1 ↑  
 beste Teiler 1373.4 (39.) 1496.0 (40.) 1510.7 (34.)  
 Trefferlage 3.39 mm rechts, 9.32 mm hoch  
 Streuwert 14.45, horizontal: 12.70, vertikal: 16.00

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **317** (336.4)  
 Serien: 87 74 81 75  
 Zähler: 5 11 10 7 4 3 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4704 (32), 4267 (23), 4127 (33)  
 beste Teiler 386.4 (27.) 388.9 (10.) 548.4 (15.)  
 Trefferlage 3.69 mm links, 10.66 mm tief  
 Streuwert 14.54, horizontal: 15.05, vertikal: 14.00




Serie 1:  
 9.8 →                      9.8 ↑                      9.1 →                      9.7 ↑                      7.6 ↘  
 8.0 ↑                      9.8 ←                      8.1 ↙                      9.4 ↘                      10.5 \*  
 beste Teiler 388.9 (10.) 910.0 (2.) 916.6 (1.)  
 Trefferlage 3.03 mm rechts, 0.67 mm tief  
 Streuwert 11.61, horizontal: 9.39, vertikal: 13.48



Serie 2:  
 7.5 →                      7.8 ↙                      6.5 ↘                      8.4 ↘                      10.3 ↘  
 8.7 ↓                      7.5 ↓                      6.3 ↓                      8.0 ↙                      7.9 ↘  
 beste Teiler 548.4 (15.) 1834.5 (16.) 2014.8 (14.)  
 Trefferlage 2.74 mm links, 13.54 mm tief  
 Streuwert 16.31, horizontal: 17.54, vertikal: 14.99



Serie 3:  
 8.6 ←                      6.6 ↙                      5.6 ←                      7.4 ↘                      10.0 ↘  
 8.0 ↓                      10.5 \*                      8.8 ↓                      10.2 ↘                      9.2 ↘  
 beste Teiler 386.4 (27.) 603.7 (29.) 725.3 (25.)  
 Trefferlage 10.11 mm links, 11.37 mm tief  
 Streuwert 12.97, horizontal: 15.94, vertikal: 9.09





Serie 4:  
 6.6 ↘                      5.1 ↓                      5.8 ↙                      9.7 ↓                      8.8 ↘  
 9.1 ↗                      8.6 ↘                      9.8 ↓                      7.5 ↓                      9.8 ↓  
 beste Teiler 916.6 (38.) 937.4 (40.) 1018.2 (34.)  
 Trefferlage 4.96 mm links, 17.08 mm tief  
 Streuwert 14.61, horizontal: 15.27, vertikal: 13.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (350.9)  
 Serien: 85 85 82 81  
 Zähler: 6 12 15 3 4 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3844 (36), 3661 (12), 3399 (40)  
 beste Teiler 241.5 (13.) 251.1 (6.) 276.2 (7.)  
 Trefferlage 1.46 mm rechts, 3.28 mm hoch  
 Streuwert 13.88, horizontal: 14.31, vertikal: 13.45




Serie 1:  
 8.1 ↗ 8.4 ↖ 6.8 ↘ 8.8 → 9.4 ↓  
 10.6 \* 10.6 \* 9.4 ↘ 10.5 \* 7.1 ↓  
 beste Teiler 251.1 (6.) 276.2 (7.) 355.7 (9.)  
 Trefferlage 4.06 mm rechts, 1.52 mm tief  
 Streuwert 13.86, horizontal: 14.27, vertikal: 13.45



Serie 2:  
 9.2 ↑ 6.4 ↗ 10.6 \* 9.5 ↖ 9.9 ↖  
 8.1 ↘ 8.4 ↑ 9.7 ↖ 8.6 ↖ 9.3 ↑  
 beste Teiler 241.5 (13.) 815.3 (15.) 1037.4 (18.)  
 Trefferlage 2.47 mm rechts, 7.15 mm hoch  
 Streuwert 12.29, horizontal: 14.13, vertikal: 10.11





Serie 3:  
 8.5 ↑ 8.9 ↓ 8.1 → 10.5 \* 8.1 ↑  
 8.5 ↖ 9.0 ↙ 8.6 ↗ 7.6 ↖ 8.0 ↑  
 beste Teiler 373.5 (24.) 1558.5 (27.) 1675.9 (22.)  
 Trefferlage 1.22 mm links, 8.07 mm hoch  
 Streuwert 13.51, horizontal: 12.31, vertikal: 14.61




Serie 4:  
 9.2 ↑ 10.4 \* 8.7 ↖ 9.5 → 8.3 ↖  
 6.1 ↙ 9.0 ↖ 9.9 ↓ 7.9 ↑ 6.7 →  
 beste Teiler 452.0 (32.) 807.0 (38.) 1195.3 (34.)  
 Trefferlage 0.53 mm rechts, 0.55 mm tief  
 Streuwert 16.09, horizontal: 17.74, vertikal: 14.24

Unterschrift des Schützen


Ergebnis: **344** (365.5)  
 Serien: 85 86 83 90  
 Zähler: 4 22 10 2 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3450 (4), 3348 (24), 2634 (11)  
 beste Teiler 267.3 (6.) 387.1 (34.) 632.5 (22.)  
 Trefferlage 3.19 mm rechts, 3.08 mm tief  
 Streuwert 11.13, horizontal: 9.09, vertikal: 12.85




Serie 1:  
 9.0 ↑                      9.4 ↓                      10.1 →                      6.6 ↑                      8.3 →  
 10.6 \*                      9.4 ↘                      8.7 ↓                      9.4 ←                      7.9 ↗  
 beste Teiler 267.3 (6.) 662.2 (3.) 1203.2 (9.)  
 Trefferlage 5.09 mm rechts, 1.86 mm hoch  
 Streuwert 12.94, horizontal: 9.94, vertikal: 15.36



Serie 2:  
 7.7 ↙                      9.3 ↘                      9.6 ↘                      9.8 ↗                      8.0 →  
 9.8 ←                      9.7 ↗                      9.2 ←                      9.4 ↑                      8.7 ↗  
 beste Teiler 905.3 (14.) 941.6 (16.) 970.2 (17.)  
 Trefferlage 2.30 mm rechts, 0.10 mm tief  
 Streuwert 11.58, horizontal: 12.31, vertikal: 10.81





Serie 3:  
 9.8 ↑                      10.2 ↑                      9.8 ↓                      6.8 ↓                      9.8 ↓  
 8.3 ↙                      8.7 ↘                      8.8 ↑                      8.4 ↘                      8.6 ↓  
 beste Teiler 632.5 (22.) 924.8 (25.) 944.3 (21.)  
 Trefferlage 2.61 mm rechts, 8.21 mm tief  
 Streuwert 11.90, horizontal: 7.32, vertikal: 15.16




Serie 4:  
 9.9 ↘                      9.8 →                      9.1 ↗                      10.5 \*                      9.0 ↓  
 9.7 ↓                      8.9 ↓                      9.9 ↓                      9.3 →                      9.6 ↓  
 beste Teiler 387.1 (34.) 814.6 (38.) 821.1 (31.)  
 Trefferlage 2.78 mm rechts, 5.87 mm tief  
 Streuwert 7.29, horizontal: 6.97, vertikal: 7.59

Unterschrift des Schützen


Ergebnis: **340** (357.4)  
 Serien: 87 86 76 91  
 Zähler: 9 14 9 5 2 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4009 (21), 3390 (23), 3202 (13)  
 beste Teiler 102.8 (12.) 338.1 (8.) 451.4 (17.)  
 Trefferlage 1.92 mm links, 3.48 mm hoch  
 Streuwert 12.86, horizontal: 11.42, vertikal: 14.16




Serie 1:  
 7.8 ↑                      9.2 ↗                      8.4 ↓                      9.6 ←                      10.3 ←  
 9.0 →                      8.4 ↘                      10.5 \*                      8.0 ↑                      9.2 ←  
 beste Teiler 338.1 (8.) 527.7 (5.) 1084.8 (4.)  
 Trefferlage 2.77 mm links, 4.56 mm hoch  
 Streuwert 11.80, horizontal: 9.43, vertikal: 13.77



Serie 2:  
 9.2 ↓                      10.8 \*                      6.9 ↑                      8.4 ↘                      9.1 ←  
 9.2 ↑                      10.4 \*                      8.6 ←                      8.9 ↗                      9.8 ↘  
 beste Teiler 102.8 (12.) 451.4 (17.) 898.1 (20.)  
 Trefferlage 0.84 mm links, 1.76 mm tief  
 Streuwert 12.36, horizontal: 10.29, vertikal: 14.12



Serie 3:  
 5.9 ←                      7.2 ↓                      6.7 ↑                      7.6 ↘                      9.2 ↓  
 10.0 ↓                      9.8 ↑                      8.9 ↘                      7.6 ↑                      8.5 ↘  
 beste Teiler 755.7 (26.) 926.1 (27.) 1429.2 (25.)  
 Trefferlage 8.06 mm links, 5.19 mm hoch  
 Streuwert 16.92, horizontal: 14.36, vertikal: 19.15





Serie 4:  
 10.0 ↑                      10.1 ↑                      8.4 →                      7.9 ↑                      10.4 \*  
 10.4 \*                      9.1 ↗                      9.6 →                      9.3 ←                      9.1 ↗  
 beste Teiler 454.6 (36.) 461.6 (35.) 711.3 (32.)  
 Trefferlage 3.96 mm rechts, 5.93 mm hoch  
 Streuwert 8.74, horizontal: 9.03, vertikal: 8.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (345.3)  
 Serien: 86 80 83 78  
 Zähler: 5 10 16 7 1 0 1 0 0 0  
 Innenzehner: 1  
 weiteste: 5586 (38), 3473 (28), 3118 (4)  
 beste Teiler 278.8 (3.) 603.1 (15.) 627.9 (26.)  
 Trefferlage 1.35 mm links, 2.29 mm hoch  
 Streuwert 14.88, horizontal: 15.44, vertikal: 14.30




Serie 1:  
 10.0 ↗ 8.1 ↘ 10.6 \* 7.1 ↘ 9.0 ↑  
 9.7 ↙ 7.7 ↗ 9.7 ← 9.5 ↙ 8.5 ↗  
 beste Teiler 278.8 (3.) 779.4 (1.) 964.5 (8.)  
 Trefferlage 3.15 mm links, 6.65 mm hoch  
 Streuwert 12.20, horizontal: 14.05, vertikal: 10.01



Serie 2:  
 7.8 ↗ 9.6 ↖ 8.6 → 8.3 → 10.2 ↓  
 8.9 → 8.3 ↖ 7.4 ↗ 8.8 ↘ 7.1 ↙  
 beste Teiler 603.1 (15.) 1107.3 (12.) 1610.4 (16.)  
 Trefferlage 5.03 mm rechts, 0.05 mm hoch  
 Streuwert 15.13, horizontal: 17.01, vertikal: 12.97



Serie 3:  
 8.0 ↑ 8.1 ← 8.9 ← 9.1 ↙ 9.5 ↘  
 10.2 ↓ 8.8 ↙ 6.6 ↗ 9.4 ↙ 8.4 ↙  
 beste Teiler 627.9 (26.) 1194.4 (25.) 1223.3 (29.)  
 Trefferlage 6.51 mm links, 1.28 mm hoch  
 Streuwert 13.76, horizontal: 14.32, vertikal: 13.18





Serie 4:  
 8.2 ↙ 9.8 ← 8.7 ↘ 8.8 ↗ 7.9 →  
 8.8 ← 9.9 ← 4.0 ↑ 7.3 ↙ 10.0 ←  
 beste Teiler 784.9 (40.) 829.4 (37.) 939.4 (32.)  
 Trefferlage 0.77 mm links, 1.20 mm hoch  
 Streuwert 18.41, horizontal: 16.20, vertikal: 20.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **301** (318.8)  
 Serien: 74 71 77 79  
 Zähler: 3 8 9 12 4 3 1 0 0 0  
 Innenzehner: 1  
 weiteste: 5478 (23), 4274 (13), 4154 (36)  
 beste Teiler 136.0 (11.) 543.5 (40.) 608.4 (39.)  
 Trefferlage 8.12 mm links, 5.88 mm tief  
 Streuwert 17.42, horizontal: 17.14, vertikal: 17.70




Serie 1:  
 7.1 ↓                      8.5 ←                      9.5 ←                      6.7 ↓                      7.5 ↓  
 6.6 ↘                      7.3 ↙                      8.7 ↘                      7.8 ←                      9.2 ↘  
 beste Teiler 1140.4 (3.) 1396.9 (10.) 1798.7 (8.)  
 Trefferlage 9.29 mm links, 12.30 mm tief  
 Streuwert 15.25, horizontal: 11.09, vertikal: 18.50



Serie 2:  
 10.8 \*                      6.9 ↗                      5.6 ←                      5.9 ↙                      7.8 ←  
 7.7 →                      8.2 ↙                      9.3 ↙                      7.0 ←                      7.3 →  
 beste Teiler 136.0 (11.) 1333.5 (18.) 2201.1 (17.)  
 Trefferlage 7.48 mm links, 0.97 mm tief  
 Streuwert 20.81, horizontal: 25.30, vertikal: 15.02



Serie 3:  
 8.4 ←                      8.3 ←                      4.1 ↙                      6.7 ↗                      9.3 ↓  
 9.7 ↘                      8.5 ↘                      9.0 ↘                      8.6 →                      8.5 ←  
 beste Teiler 991.8 (26.) 1305.3 (25.) 1528.2 (28.)  
 Trefferlage 7.48 mm links, 1.26 mm tief  
 Streuwert 18.34, horizontal: 16.14, vertikal: 20.30





Serie 4:  
 8.3 ↙                      7.0 ←                      7.2 ↙                      7.8 ←                      7.0 ↓  
 5.8 ↓                      9.6 →                      9.1 ↗                      10.2 →                      10.3 →  
 beste Teiler 543.5 (40.) 608.4 (39.) 1051.4 (37.)  
 Trefferlage 8.21 mm links, 8.98 mm tief  
 Streuwert 16.08, horizontal: 15.69, vertikal: 16.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (366.3)  
 Serien: 91 85 84 88  
 Zähler: 7 17 13 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2887 (16), 2596 (26), 2539 (34)  
 beste Teiler 16.9 (14.) 81.8 (33.) 186.1 (32.)  
 Trefferlage 1.69 mm links, 5.25 mm tief  
 Streuwert 10.71, horizontal: 11.32, vertikal: 10.07




Serie 1:  
 9.4 ↘                      9.3 ↙                      10.3 →                      10.0 →                      9.7 ←  
 9.7 ↓                      10.4 \*                      8.8 ←                      9.2 ↓                      8.4 ↘  
 beste Teiler 425.9 (7.) 554.0 (3.) 800.4 (4.)  
 Trefferlage 1.23 mm links, 4.09 mm tief  
 Streuwert 8.57, horizontal: 9.62, vertikal: 7.37



Serie 2:  
 9.5 ↘                      8.0 ↘                      8.1 ↓                      10.9 \*                      9.5 ↘  
 7.3 ↙                      9.1 →                      8.1 ↘                      9.7 ←                      8.3 →  
 beste Teiler 16.9 (14.) 988.1 (19.) 1168.1 (15.)  
 Trefferlage 4.69 mm rechts, 9.76 mm tief  
 Streuwert 11.27, horizontal: 12.22, vertikal: 10.24





Serie 3:  
 9.0 ↖                      8.5 ↙                      9.2 ↑                      9.5 ↘                      9.8 ←  
 7.7 ↙                      8.5 ↖                      8.1 ←                      8.7 ↓                      9.2 ↘  
 beste Teiler 936.6 (25.) 1183.9 (24.) 1420.7 (23.)  
 Trefferlage 7.14 mm links, 4.40 mm tief  
 Streuwert 11.64, horizontal: 11.04, vertikal: 12.21




Serie 4:  
 8.9 ↓                      10.7 \*                      10.8 \*                      7.8 ←                      10.1 ↖  
 9.9 →                      9.4 ←                      8.6 ↗                      9.8 ←                      8.4 ↓  
 beste Teiler 81.8 (33.) 186.1 (32.) 696.7 (35.)  
 Trefferlage 3.10 mm links, 2.77 mm tief  
 Streuwert 10.24, horizontal: 10.52, vertikal: 9.96

Unterschrift des Schützen


Ergebnis: **355** (370.6)  
 Serien: 83 92 90 90  
 Zähler: 13 12 12 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3162 (8), 2786 (9), 2502 (4)  
 beste Teiler 153.0 (3.) 214.7 (6.) 232.6 (39.)  
 Trefferlage 1.23 mm rechts, 2.24 mm hoch  
 Streuwert 10.72, horizontal: 7.58, vertikal: 13.12




Serie 1:  
 8.6 ↗ 9.0 ↗ 10.8 \* 7.8 ↗ 9.4 ↗  
 10.7 \* 8.5 ↗ 7.0 ↗ 7.5 ↑ 8.8 ↘  
 beste Teiler 153.0 (3.) 214.7 (6.) 1203.0 (5.)  
 Trefferlage 4.85 mm rechts, 12.39 mm hoch  
 Streuwert 10.72, horizontal: 7.66, vertikal: 13.09



Serie 2:  
 9.3 ↓ 10.0 ↓ 10.1 ← 9.2 ↘ 8.3 ↗  
 9.1 ↓ 9.1 ↙ 8.8 ↗ 10.4 \* 10.0 ↓  
 beste Teiler 402.6 (19.) 684.2 (13.) 749.0 (12.)  
 Trefferlage 3.09 mm rechts, 3.79 mm tief  
 Streuwert 9.14, horizontal: 8.12, vertikal: 10.06



Serie 3:  
 9.3 ↓ 8.9 ↘ 8.8 ↗ 9.0 ↑ 8.3 ↗  
 9.4 ↘ 9.8 ↘ 10.0 ↘ 10.1 ↘ 10.0 →  
 beste Teiler 668.9 (29.) 770.6 (30.) 795.3 (28.)  
 Trefferlage 0.35 mm rechts, 3.02 mm hoch  
 Streuwert 9.81, horizontal: 6.55, vertikal: 12.22





Serie 4:  
 8.6 ↗ 10.0 ← 10.2 ↙ 10.5 \* 9.5 ↓  
 8.7 ↓ 8.3 ↓ 9.2 ← 10.7 \* 8.9 ↘  
 beste Teiler 232.6 (39.) 348.1 (34.) 565.8 (33.)  
 Trefferlage 3.35 mm links, 2.65 mm tief  
 Streuwert 9.52, horizontal: 6.27, vertikal: 11.91


Unterschrift des Schützen




Ergebnis: **352** (368.7)  
 Serien: 89 90 88 85  
 Zähler: 8 20 8 4 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3123 (36), 2895 (29), 2820 (21)  
 beste Teiler 327.5 (26.) 439.8 (25.) 553.4 (10.)  
 Trefferlage 2.25 mm links, 1.15 mm hoch  
 Streuwert 10.92, horizontal: 10.99, vertikal: 10.85




Serie 1:  
 7.9 ↑                      9.7 ↓                      9.3 ↖                      10.2 ↗                      9.2 ↘  
 9.5 ↑                      9.0 ↗                      9.3 →                      8.6 ↙                      10.3 →  
 beste Teiler 553.4 (10.) 568.2 (4.) 981.1 (2.)  
 Trefferlage 0.08 mm rechts, 4.20 mm hoch  
 Streuwert 10.23, horizontal: 9.85, vertikal: 10.60



Serie 2:  
 10.0 ↑                      10.2 ↗                      8.0 ←                      9.9 →                      9.6 ↘  
 8.3 ↖                      8.8 ←                      10.0 ↖                      8.9 ↖                      10.1 ←  
 beste Teiler 596.3 (12.) 645.9 (20.) 753.8 (18.)  
 Trefferlage 7.78 mm links, 3.26 mm hoch  
 Streuwert 8.42, horizontal: 10.70, vertikal: 5.22



Serie 3:  
 7.4 ↘                      9.5 →                      9.6 ↘                      9.5 ↙                      10.4 \*  
 10.5 \*                      9.1 ↘                      9.1 ↙                      7.3 ↖                      9.7 →  
 beste Teiler 327.5 (26.) 439.8 (25.) 1029.2 (30.)  
 Trefferlage 0.10 mm rechts, 2.97 mm tief  
 Streuwert 11.80, horizontal: 11.51, vertikal: 12.09





Serie 4:  
 8.4 ↑                      9.8 ↓                      9.6 ←                      8.8 ↙                      9.3 ↖  
 7.0 ↘                      8.1 ↖                      9.2 ↘                      9.7 ↗                      9.9 ↖  
 beste Teiler 824.5 (40.) 893.7 (32.) 994.5 (39.)  
 Trefferlage 1.42 mm links, 0.14 mm hoch  
 Streuwert 12.70, horizontal: 11.53, vertikal: 13.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288** (309.5)  
 Serien: 72 77 66 73  
 Zähler: 3 4 12 7 7 7 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4662 (22), 4592 (7), 4253 (40)  
 beste Teiler 353.7 (31.) 501.9 (15.) 665.1 (2.)  
 Trefferlage 6.85 mm rechts, 9.34 mm tief  
 Streuwert 18.50, horizontal: 18.60, vertikal: 18.40




Serie 1:  
 8.7 ↙                      10.1 ↘                      7.8 ↘                      8.8 ↘                      7.0 ←  
 6.7 ↘                      5.2 →                      5.9 →                      9.6 ↘                      7.1 ↘  
 beste Teiler 665.1 (2.) 1113.0 (9.) 1707.2 (4.)  
 Trefferlage 7.26 mm rechts, 4.32 mm tief  
 Streuwert 20.47, horizontal: 25.06, vertikal: 14.49



Serie 2:  
 8.3 ↗                      7.7 ↓                      6.9 ↘                      5.7 ↑                      10.3 ←  
 8.7 →                      8.5 ↘                      8.0 ↘                      9.9 →                      8.7 ↙  
 beste Teiler 501.9 (15.) 833.7 (19.) 1794.0 (20.)  
 Trefferlage 5.98 mm rechts, 3.99 mm tief  
 Streuwert 16.89, horizontal: 12.02, vertikal: 20.65



Serie 3:  
 6.3 ↘                      5.1 ↓                      7.3 →                      8.6 ↓                      6.3 ↗  
 6.6 ↓                      9.8 ←                      7.7 ↘                      7.5 ↓                      5.8 ↗  
 beste Teiler 919.0 (27.) 1900.7 (24.) 2635.3 (28.)  
 Trefferlage 13.35 mm rechts, 14.21 mm tief  
 Streuwert 19.43, horizontal: 15.81, vertikal: 22.47





Serie 4:  
 10.5 \*                      8.8 ↘                      8.9 ↘                      8.3 ↘                      6.5 →  
 6.9 →                      8.4 ←                      5.6 ↘                      9.4 ↓                      5.6 ↘  
 beste Teiler 353.7 (31.) 1202.5 (39.) 1620.7 (33.)  
 Trefferlage 0.79 mm rechts, 14.82 mm tief  
 Streuwert 17.23, horizontal: 19.69, vertikal: 14.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (345.9)  
 Serien: 82 83 82 79  
 Zähler: 6 12 11 6 3 2 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4416 (25), 4106 (24), 3460 (30)  
 beste Teiler 288.5 (39.) 324.3 (19.) 384.7 (27.)  
 Trefferlage 8.91 mm links, 5.87 mm tief  
 Streuwert 12.96, horizontal: 12.06, vertikal: 13.80




Serie 1:  
 8.7 ↙                      8.0 ←                      8.3 ↓                      9.1 ↘                      9.6 ↘  
 9.3 ↘                      8.7 ↓                      7.9 ↓                      7.7 ↙                      9.6 ↓  
 beste Teiler 1063.1 (5.) 1093.6 (10.) 1308.6 (6.)  
 Trefferlage 9.57 mm links, 7.11 mm tief  
 Streuwert 10.88, horizontal: 8.60, vertikal: 12.77



Serie 2:  
 8.4 ↘                      10.3 ↘                      8.1 ↙                      9.1 ↘                      8.5 ↓  
 8.0 ↓                      7.9 ↘                      7.8 ↓                      10.5 \*                      8.3 ↓  
 beste Teiler 324.3 (19.) 490.6 (12.) 1449.1 (14.)  
 Trefferlage 3.57 mm links, 6.78 mm tief  
 Streuwert 13.38, horizontal: 10.10, vertikal: 16.00



Serie 3:  
 9.9 ↙                      9.4 ↓                      9.9 ↗                      5.8 ↙                      5.4 ↙  
 10.4 \*                      10.5 \*                      10.1 ←                      9.7 ↗                      6.6 ↙  
 beste Teiler 384.7 (27.) 458.7 (26.) 667.4 (28.)  
 Trefferlage 10.14 mm links, 8.89 mm tief  
 Streuwert 13.95, horizontal: 12.51, vertikal: 15.25





Serie 4:  
 8.7 ↗                      8.0 ↘                      6.8 ←                      9.5 ↓                      6.8 ←  
 7.9 ↘                      9.0 ↓                      9.6 ↘                      10.6 \*                      7.5 ←  
 beste Teiler 288.5 (39.) 1100.5 (38.) 1133.5 (34.)  
 Trefferlage 12.37 mm links, 0.69 mm tief  
 Streuwert 13.81, horizontal: 15.83, vertikal: 11.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (343.4)  
 Serien: 79 88 74 84  
 Zähler: 7 12 9 7 2 2 1 0 0 0  
 Innenzehner: 1  
 weiteste: 5055 (25), 4712 (40), 4411 (28)  
 beste Teiler 297.6 (39.) 498.1 (34.) 589.1 (11.)  
 Trefferlage 1.29 mm rechts, 2.43 mm tief  
 Streuwert 15.72, horizontal: 16.46, vertikal: 14.95




Serie 1:  
 9.7 ↙                      8.4 ↖                      7.1 ↓                      8.5 →                      8.3 ↘  
 7.9 ↓                      9.7 →                      8.4 ↓                      8.6 ↖                      7.9 →  
 beste Teiler 978.5 (7.) 984.2 (1.) 1869.6 (9.)  
 Trefferlage 1.05 mm rechts, 6.70 mm tief  
 Streuwert 14.68, horizontal: 14.52, vertikal: 14.84



Serie 2:  
 10.2 ←                      7.4 ↗                      8.4 ↗                      9.8 ↓                      9.3 ↖  
 10.0 ↓                      10.1 ↖                      9.1 ↖                      7.8 ↑                      9.8 ↓  
 beste Teiler 589.1 (11.) 694.6 (17.) 743.0 (16.)  
 Trefferlage 0.08 mm rechts, 5.12 mm hoch  
 Streuwert 11.39, horizontal: 10.71, vertikal: 12.02



Serie 3:  
 8.3 →                      9.6 ↖                      9.0 ↘                      7.9 ↗                      4.6 ↘  
 9.1 ↑                      9.5 ↙                      5.4 ↓                      6.6 ↗                      8.7 ↙  
 beste Teiler 1055.2 (22.) 1198.7 (27.) 1455.7 (26.)  
 Trefferlage 8.11 mm rechts, 2.35 mm tief  
 Streuwert 19.83, horizontal: 18.75, vertikal: 20.86





Serie 4:  
 6.7 ←                      10.1 →                      9.2 ↓                      10.3 ↖                      8.6 ↖  
 7.6 ←                      10.2 ↙                      9.9 ↙                      10.6 \*                      5.1 →  
 beste Teiler 297.6 (39.) 498.1 (34.) 640.8 (37.)  
 Trefferlage 4.07 mm links, 5.80 mm tief  
 Streuwert 15.54, horizontal: 20.27, vertikal: 8.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **275** (291.9)  
 Serien: 57 69 74 75  
 Zähler: 3 2 12 8 8 2 3 1 1 0  
 Innenzehner: 0  
 weiteste: 6580 (10), 5815 (8), 5225 (27)  
 beste Teiler 495.0 (40.) 568.7 (30.) 735.2 (18.)  
 Trefferlage 7.85 mm rechts, 16.13 mm hoch  
 Streuwert 19.28, horizontal: 18.83, vertikal: 19.72




Serie 1:  
 8.5 ↘                      7.9 ←                      4.9 ↑                      6.8 ↑                      7.2 ↑  
 8.3 ↗                      5.2 ↗                      3.7 ↑                      7.5 →                      2.7 ↗  
 beste Teiler 1985.9 (1.) 2086.9 (6.) 2460.8 (2.)  
 Trefferlage 7.44 mm rechts, 28.61 mm hoch  
 Streuwert 20.55, horizontal: 21.07, vertikal: 20.02



Serie 2:  
 8.1 ↗                      7.2 ↗                      8.4 ↑                      4.8 ↑                      7.6 ↗  
 6.4 ↗                      6.3 ↗                      10.0 ↗                      6.4 →                      7.6 ↗  
 beste Teiler 735.2 (18.) 2061.5 (13.) 2265.7 (11.)  
 Trefferlage 16.71 mm rechts, 16.24 mm hoch  
 Streuwert 15.58, horizontal: 11.59, vertikal: 18.73



Serie 3:  
 8.2 ↗                      6.3 →                      5.1 ↑                      8.0 ↖                      9.7 ↗  
 8.2 ↗                      4.4 ↑                      8.9 ↗                      8.5 ↗                      10.2 ↑  
 beste Teiler 568.7 (30.) 1031.3 (25.) 1627.0 (28.)  
 Trefferlage 11.59 mm rechts, 14.80 mm hoch  
 Streuwert 16.78, horizontal: 14.87, vertikal: 18.50





Serie 4:  
 8.8 ↙                      6.4 ↖                      6.5 ←                      7.2 →                      8.2 →  
 7.3 ←                      8.9 ↗                      6.1 ↑                      9.2 ↑                      10.3 ←  
 beste Teiler 495.0 (40.) 1396.5 (39.) 1655.8 (37.)  
 Trefferlage 4.31 mm links, 4.86 mm hoch  
 Streuwert 19.30, horizontal: 21.67, vertikal: 16.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (364.4)  
 Serien: 90 88 84 85  
 Zähler: 11 11 13 4 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3749 (33), 2761 (22), 2579 (30)  
 beste Teiler 286.7 (12.) 296.5 (16.) 309.2 (9.)  
 Trefferlage 1.48 mm links, 1.55 mm hoch  
 Streuwert 11.89, horizontal: 11.63, vertikal: 12.15




Serie 1:  
 9.4 ↗ 9.3 ↑ 10.3 → 8.1 ↑ 8.1 ↘  
 10.0 ↗ 9.3 ↗ 7.9 ↘ 10.6 \* 10.2 →  
 beste Teiler 309.2 (9.) 529.7 (3.) 579.1 (10.)  
 Trefferlage 1.34 mm rechts, 10.74 mm hoch  
 Streuwert 7.73, horizontal: 7.29, vertikal: 8.15



Serie 2:  
 7.8 ↙ 10.6 \* 8.7 ↑ 8.2 ↘ 8.4 ↘  
 10.6 \* 8.3 ↗ 10.0 → 10.1 ↘ 9.9 ↓  
 beste Teiler 286.7 (12.) 296.5 (16.) 682.0 (19.)  
 Trefferlage 1.91 mm rechts, 0.12 mm hoch  
 Streuwert 11.66, horizontal: 8.21, vertikal: 14.30



Serie 3:  
 9.2 ↑ 7.5 ← 9.9 ↘ 9.5 ← 8.7 ←  
 10.5 \* 8.9 ← 8.9 ↘ 9.7 ↗ 7.7 ↗  
 beste Teiler 341.0 (26.) 842.0 (23.) 1023.3 (29.)  
 Trefferlage 3.96 mm links, 1.87 mm hoch  
 Streuwert 11.99, horizontal: 13.89, vertikal: 9.72





Serie 4:  
 9.2 ↓ 9.2 ↓ 6.3 ← 8.0 ↘ 9.2 ↓  
 8.7 → 8.6 ↓ 8.5 ↗ 10.4 \* 10.0 ↙  
 beste Teiler 473.2 (39.) 796.0 (40.) 1402.3 (35.)  
 Trefferlage 5.25 mm links, 6.51 mm tief  
 Streuwert 12.92, horizontal: 15.10, vertikal: 10.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.7)  
 Serien: 91 93 96 98  
 Zähler: 21 16 3 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 2274 (9), 2038 (14), 1756 (7)  
 beste Teiler 205.2 (34.) 209.9 (38.) 240.6 (28.)  
 Trefferlage 0.76 mm links, 0.02 mm hoch  
 Streuwert 6.94, horizontal: 6.51, vertikal: 7.35




Serie 1:  
 9.6 ↙ 10.5 \* 9.7 → 9.1 ← 10.4 \*  
 9.9 ← 8.8 → 10.2 ↘ 8.1 ↓ 9.8 ↙  
 beste Teiler 399.8 (2.) 451.8 (5.) 575.4 (8.)  
 Trefferlage 2.06 mm links, 1.98 mm tief  
 Streuwert 8.81, horizontal: 9.27, vertikal: 8.33



Serie 2:  
 9.8 ↙ 10.4 \* 9.9 ↙ 8.4 ↓ 10.6 \*  
 10.4 \* 9.5 ↙ 9.8 ↑ 10.0 ↓ 9.5 ←  
 beste Teiler 302.8 (15.) 442.9 (16.) 452.5 (12.)  
 Trefferlage 3.83 mm links, 3.14 mm tief  
 Streuwert 6.66, horizontal: 5.37, vertikal: 7.73





Serie 3:  
 10.1 ↗ 10.6 \* 9.8 ← 9.2 ↑ 10.4 \*  
 9.3 ↘ 9.0 ↑ 10.7 \* 10.0 → 10.5 \*  
 beste Teiler 240.6 (28.) 246.0 (22.) 322.0 (30.)  
 Trefferlage 1.64 mm rechts, 2.98 mm hoch  
 Streuwert 6.35, horizontal: 5.86, vertikal: 6.82




Serie 4:  
 10.6 \* 10.2 ↑ 10.5 \* 10.7 \* 9.9 →  
 10.2 ↗ 10.0 ↑ 10.7 \* 9.3 ↑ 10.6 \*  
 beste Teiler 205.2 (34.) 209.9 (38.) 269.8 (31.)  
 Trefferlage 1.18 mm rechts, 2.24 mm hoch  
 Streuwert 4.43, horizontal: 3.42, vertikal: 5.25

Unterschrift des Schützen


Ergebnis: **351** (366.9)  
 Serien: 86 88 90 87  
 Zähler: 9 16 12 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2936 (4), 2810 (20), 2513 (26)  
 beste Teiler 212.8 (15.) 380.2 (28.) 449.6 (24.)  
 Trefferlage 1.40 mm rechts, 4.65 mm hoch  
 Streuwert 10.74, horizontal: 9.95, vertikal: 11.47




Serie 1:  
 8.3 ↘                      8.7 ←                      10.3 ←                      7.3 ←                      9.1 ↗  
 9.4 ↑                      10.0 ↗                      9.5 →                      8.0 ↓                      8.2 ↗  
 beste Teiler 532.0 (3.) 779.5 (7.) 1136.2 (8.)  
 Trefferlage 0.73 mm rechts, 0.87 mm hoch  
 Streuwert 13.41, horizontal: 14.75, vertikal: 11.93



Serie 2:  
 9.5 ↘                      9.2 ↗                      8.9 ↘                      9.1 ←                      10.7 \*  
 9.2 →                      9.0 ↓                      9.6 ↓                      9.9 ↗                      7.4 ↑  
 beste Teiler 212.8 (15.) 864.3 (19.) 1068.5 (18.)  
 Trefferlage 1.47 mm rechts, 2.32 mm hoch  
 Streuwert 10.99, horizontal: 8.68, vertikal: 12.89



Serie 3:  
 8.6 ↘                      10.3 ↗                      10.0 ↘                      10.4 \*                      8.6 ↘  
 7.8 ↑                      9.9 ↑                      10.5 \*                      9.3 ↘                      9.6 ↘  
 beste Teiler 380.2 (28.) 449.6 (24.) 510.1 (22.)  
 Trefferlage 0.36 mm rechts, 3.11 mm hoch  
 Streuwert 9.82, horizontal: 8.72, vertikal: 10.81





Serie 4:  
 9.3 ↗                      8.5 ↑                      8.8 ↑                      10.2 ↗                      8.8 ↑  
 8.0 ↗                      9.0 ↗                      9.3 ↘                      8.4 ↑                      10.3 ↘  
 beste Teiler 549.1 (40.) 620.7 (34.) 1345.6 (31.)  
 Trefferlage 3.02 mm rechts, 12.31 mm hoch  
 Streuwert 7.45, horizontal: 7.44, vertikal: 7.46

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **333** (349.8)  
 Serien: 91 76 83 83  
 Zähler: 10 9 10 7 3 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4462 (39), 3528 (13), 3406 (34)  
 beste Teiler 193.3 (9.) 447.3 (38.) 507.4 (31.)  
 Trefferlage 4.19 mm links, 5.52 mm hoch  
 Streuwert 13.57, horizontal: 14.99, vertikal: 11.98




Serie 1:  
 10.1 ↘                      10.0 ←                      9.0 ↓                      10.2 ↑                      9.6 →  
 8.8 ↙                      9.2 ↖                      8.1 →                      10.7 \*                      8.6 ↘  
 beste Teiler 193.3 (9.) 619.1 (4.) 681.4 (1.)  
 Trefferlage 0.20 mm rechts, 2.33 mm tief  
 Streuwert 10.08, horizontal: 10.38, vertikal: 9.76



Serie 2:  
 7.7 ←                      8.4 ↗                      6.5 ←                      10.0 →                      7.8 ↗  
 8.7 ↘                      9.2 ↗                      8.4 ←                      6.9 ←                      7.7 ↘  
 beste Teiler 757.0 (14.) 1407.5 (17.) 1815.8 (16.)  
 Trefferlage 10.29 mm links, 6.66 mm hoch  
 Streuwert 15.24, horizontal: 19.17, vertikal: 9.84





Serie 3:  
 7.1 ↗                      8.1 ↘                      9.3 →                      10.2 ←                      8.3 ←  
 8.3 ↘                      7.8 ↑                      10.0 ↘                      7.8 ↗                      9.2 ↖  
 beste Teiler 615.1 (24.) 727.1 (28.) 1312.1 (23.)  
 Trefferlage 1.50 mm links, 11.11 mm hoch  
 Streuwert 12.66, horizontal: 13.85, vertikal: 11.35




Serie 4:  
 10.3 ↑                      9.2 ↓                      9.7 ↗                      6.7 ←                      9.8 →  
 8.7 →                      10.1 ←                      10.4 \*                      5.4 ↘                      7.8 ↖  
 beste Teiler 447.3 (38.) 507.4 (31.) 717.1 (37.)  
 Trefferlage 5.18 mm links, 6.65 mm hoch  
 Streuwert 14.66, horizontal: 15.32, vertikal: 13.96

Unterschrift des Schützen


Ergebnis: **370** (385.9)  
 Serien: 91 91 94 94  
 Zähler: 15 20 5 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2356 (17), 2146 (7), 2009 (14)  
 beste Teiler 216.2 (35.) 268.4 (9.) 279.0 (26.)  
 Trefferlage 1.14 mm links, 2.47 mm hoch  
 Streuwert 8.24, horizontal: 8.73, vertikal: 7.72




Serie 1:  
 9.3 ↖ 9.0 ↗ 9.0 ↘ 9.3 ↙ 10.4 \*  
 9.3 ↑ 8.3 ↗ 9.5 ← 10.6 \* 9.3 ↗  
 beste Teiler 268.4 (9.) 455.7 (5.) 1143.2 (8.)  
 Trefferlage 1.95 mm links, 8.68 mm hoch  
 Streuwert 7.52, horizontal: 8.71, vertikal: 6.11



Serie 2:  
 10.2 ↖ 10.4 \* 8.9 → 8.4 ↗ 10.4 \*  
 8.6 ← 8.0 ↑ 10.6 \* 10.4 \* 9.2 ↘  
 beste Teiler 306.9 (18.) 413.2 (19.) 424.2 (12.)  
 Trefferlage 0.87 mm rechts, 4.39 mm hoch  
 Streuwert 9.71, horizontal: 10.77, vertikal: 8.53





Serie 3:  
 9.9 ↘ 9.5 → 10.4 \* 9.1 ↘ 9.2 ←  
 10.6 \* 10.5 \* 10.4 \* 9.8 ↗ 9.2 ↗  
 beste Teiler 279.0 (26.) 335.3 (27.) 433.4 (28.)  
 Trefferlage 1.12 mm links, 4.00 mm tief  
 Streuwert 6.54, horizontal: 7.92, vertikal: 4.79




Serie 4:  
 9.7 → 9.7 ← 10.2 ↗ 10.3 ↘ 10.7 \*  
 9.4 ← 10.0 ↘ 9.2 ↘ 9.5 ↗ 9.5 ↗  
 beste Teiler 216.2 (35.) 491.3 (34.) 574.6 (33.)  
 Trefferlage 2.35 mm links, 0.84 mm hoch  
 Streuwert 6.99, horizontal: 8.31, vertikal: 5.34

Unterschrift des Schützen


Ergebnis: **328** (341.5)  
 Serien: 82 79 83 84  
 Zähler: 10 10 7 6 5 2 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4655 (22), 4450 (1), 3983 (9)  
 beste Teiler 423.1 (31.) 480.6 (10.) 550.8 (4.)  
 Trefferlage 4.82 mm rechts, 2.19 mm tief  
 Streuwert 15.80, horizontal: 17.31, vertikal: 14.14




Serie 1:  
 5.4 ↙ 10.1 ↗ 9.0 ↖ 10.3 ↘ 6.4 ↑  
 8.7 ↗ 10.0 ↗ 8.1 → 6.0 ↘ 10.4 ↘  
 beste Teiler 480.6 (10.) 550.8 (4.) 652.2 (2.)  
 Trefferlage 4.21 mm rechts, 2.26 mm hoch  
 Streuwert 18.12, horizontal: 17.66, vertikal: 18.57



Serie 2:  
 10.3 ↓ 7.9 ← 8.2 ↖ 7.1 ↘ 6.9 ←  
 9.3 ↓ 6.1 → 9.3 ↘ 9.2 ↓ 8.2 →  
 beste Teiler 555.7 (11.) 1281.5 (18.) 1285.5 (16.)  
 Trefferlage 2.76 mm rechts, 2.36 mm tief  
 Streuwert 17.44, horizontal: 22.04, vertikal: 11.08



Serie 3:  
 9.5 ↘ 5.1 ↓ 10.2 ↘ 7.5 → 9.7 ←  
 10.2 ↙ 9.1 ↖ 6.3 → 8.8 ↓ 10.0 ←  
 beste Teiler 583.6 (23.) 618.2 (26.) 762.1 (30.)  
 Trefferlage 5.77 mm rechts, 9.23 mm tief  
 Streuwert 14.97, horizontal: 16.33, vertikal: 13.48





Serie 4:  
 10.4 \* 8.6 → 9.4 ↗ 9.3 ↓ 10.2 →  
 7.3 → 7.5 ↑ 8.2 ↙ 9.6 ↖ 7.7 →  
 beste Teiler 423.1 (31.) 604.7 (35.) 1118.8 (39.)  
 Trefferlage 6.55 mm rechts, 0.54 mm hoch  
 Streuwert 13.35, horizontal: 14.99, vertikal: 11.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (344.1)  
 Serien: 85 82 81 78  
 Zähler: 8 9 12 7 2 0 2 0 0 0  
 Innenzehner: 4  
 weiteste: 5024 (37), 4967 (17), 3578 (31)  
 beste Teiler 247.9 (39.) 305.1 (33.) 336.0 (40.)  
 Trefferlage 4.58 mm rechts, 5.02 mm hoch  
 Streuwert 14.87, horizontal: 13.97, vertikal: 15.71




Serie 1:  
 10.0 ↑                      9.8 ↘                      8.5 ↖                      9.4 ↙                      7.8 ↗  
 10.0 ↖                      10.2 ↗                      8.5 ↗                      7.3 ↑                      7.8 ↓  
 beste Teiler 614.8 (7.) 753.4 (6.) 794.3 (1.)  
 Trefferlage 3.37 mm rechts, 3.71 mm hoch  
 Streuwert 12.97, horizontal: 11.60, vertikal: 14.22



Serie 2:  
 10.5 \*                      9.0 ↑                      8.4 ↗                      9.7 ↗                      8.0 ↗  
 8.0 ↗                      4.7 ↑                      10.0 ↑                      8.0 ↓                      8.1 ↓  
 beste Teiler 339.0 (11.) 766.0 (18.) 1029.1 (14.)  
 Trefferlage 5.37 mm rechts, 8.45 mm hoch  
 Streuwert 15.77, horizontal: 8.11, vertikal: 20.78



Serie 3:  
 7.9 →                      9.9 ↙                      7.5 ↗                      9.7 →                      8.2 ↖  
 9.3 ↑                      8.6 ↙                      8.7 ↓                      8.1 ↙                      8.4 →  
 beste Teiler 853.4 (22.) 994.7 (24.) 1350.2 (26.)  
 Trefferlage 2.26 mm rechts, 1.15 mm tief  
 Streuwert 14.47, horizontal: 16.58, vertikal: 11.98





Serie 4:  
 6.5 ↖                      9.4 ↗                      10.6 \*                      9.4 ↗                      6.7 ↗  
 7.9 ↗                      4.7 ↗                      7.8 ↗                      10.6 \*                      10.5 \*  
 beste Teiler 247.9 (39.) 305.1 (33.) 336.0 (40.)  
 Trefferlage 7.32 mm rechts, 9.07 mm hoch  
 Streuwert 16.89, horizontal: 18.80, vertikal: 14.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (363.8)  
 Serien: 89 87 86 84  
 Zähler: 8 16 12 2 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3943 (35), 3215 (28), 2534 (40)  
 beste Teiler 222.4 (7.) 282.5 (17.) 359.0 (21.)  
 Trefferlage 4.26 mm links, 2.05 mm tief  
 Streuwert 11.54, horizontal: 10.77, vertikal: 12.27




Serie 1:  
 9.3 ↓                      9.2 ←                      9.5 ↙                      8.7 ↑                      8.0 ←  
 9.5 ←                      10.7 \*                      9.7 ↘                      9.7 ↓                      9.5 ↑  
 beste Teiler 222.4 (7.) 1008.1 (9.) 1036.5 (8.)  
 Trefferlage 6.90 mm links, 0.05 mm hoch  
 Streuwert 8.82, horizontal: 8.06, vertikal: 9.53



Serie 2:  
 9.1 ↘                      10.0 ←                      9.4 ↘                      7.8 ↓                      8.6 ↘  
 8.3 ↘                      10.6 \*                      9.9 ↓                      8.3 ↑                      9.6 ↙  
 beste Teiler 282.5 (17.) 777.1 (12.) 837.6 (18.)  
 Trefferlage 7.20 mm links, 2.24 mm hoch  
 Streuwert 10.48, horizontal: 6.90, vertikal: 13.11



Serie 3:  
 10.5 \*                      10.1 ↑                      8.9 ↙                      8.4 ←                      8.2 ↓  
 9.1 →                      10.1 ↙                      6.9 ↓                      8.9 ↘                      9.3 ↘  
 beste Teiler 359.0 (21.) 647.3 (22.) 686.8 (27.)  
 Trefferlage 3.38 mm links, 3.45 mm tief  
 Streuwert 12.35, horizontal: 11.07, vertikal: 13.51





Serie 4:  
 10.0 →                      8.6 ↙                      9.7 ←                      10.0 ↘                      6.0 ↘  
 8.0 ↙                      8.7 ↓                      9.7 ←                      9.5 ←                      7.8 →  
 beste Teiler 750.4 (34.) 771.6 (31.) 975.6 (33.)  
 Trefferlage 0.44 mm rechts, 7.04 mm tief  
 Streuwert 13.72, horizontal: 15.00, vertikal: 12.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.1)  
 Serien: 85 87 84 84  
 Zähler: 5 15 15 5 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3057 (40), 2982 (28), 2852 (33)  
 beste Teiler 291.2 (2.) 311.3 (5.) 416.7 (38.)  
 Trefferlage 3.17 mm links, 7.64 mm hoch  
 Streuwert 10.98, horizontal: 10.76, vertikal: 11.19




Serie 1:  
 9.6 ↘ 10.6 \* 8.9 ↖ 7.7 ↗ 10.6 \*  
 8.6 ← 8.4 ↑ 9.2 ↑ 8.0 ↑ 8.9 ↘  
 beste Teiler 291.2 (2.) 311.3 (5.) 1062.7 (1.)  
 Trefferlage 4.07 mm links, 10.66 mm hoch  
 Streuwert 9.48, horizontal: 9.37, vertikal: 9.59



Serie 2:  
 9.4 ↗ 8.9 ↑ 10.0 ↘ 10.3 ↗ 9.8 ↑  
 9.8 ↑ 9.3 ↘ 8.4 ↙ 8.8 ↘ 7.9 ↘  
 beste Teiler 560.2 (14.) 746.9 (13.) 893.8 (15.)  
 Trefferlage 4.09 mm links, 5.50 mm hoch  
 Streuwert 9.66, horizontal: 10.75, vertikal: 8.44





Serie 3:  
 8.8 ↘ 8.4 → 9.6 ↘ 9.5 ← 9.0 ↑  
 8.7 ↙ 8.0 ↘ 7.2 ↑ 9.0 ↘ 9.4 ↑  
 beste Teiler 1046.5 (23.) 1122.0 (24.) 1213.7 (30.)  
 Trefferlage 2.48 mm links, 9.22 mm hoch  
 Streuwert 11.65, horizontal: 11.44, vertikal: 11.87




Serie 4:  
 9.2 ↗ 8.0 ← 7.4 ↑ 9.4 ↘ 9.0 →  
 9.5 ↘ 8.6 ↗ 10.4 \* 8.8 ↘ 7.1 ↙  
 beste Teiler 416.7 (38.) 1127.8 (36.) 1215.8 (34.)  
 Trefferlage 2.03 mm links, 5.16 mm hoch  
 Streuwert 13.75, horizontal: 12.79, vertikal: 14.63

Unterschrift des Schützen


Ergebnis: **333** (351.3)  
 Serien: 89 84 84 76  
 Zähler: 10 9 11 6 2 2 0 0 0 0  
 Innenzehner: 7  
 weiteste: 4436 (27), 4399 (31), 3599 (34)  
 beste Teiler 349.2 (8.) 351.0 (2.) 374.6 (10.)  
 Trefferlage 5.23 mm links, 3.52 mm tief  
 Streuwert 14.03, horizontal: 12.14, vertikal: 15.69




Serie 1:  
 7.8 ↙ 10.5 \* 7.0 ↗ 9.4 ↘ 9.0 →  
 8.5 ↓ 9.9 ↙ 10.5 \* 10.1 ↗ 10.5 \*  
 beste Teiler 349.2 (8.) 351.0 (2.) 374.6 (10.)  
 Trefferlage 2.48 mm links, 0.10 mm hoch  
 Streuwert 11.84, horizontal: 8.88, vertikal: 14.19



Serie 2:  
 8.2 ↙ 7.0 ↙ 10.2 ↑ 9.5 ↙ 8.5 ↓  
 8.0 ↓ 7.7 ↙ 8.6 ↙ 10.4 \* 9.6 ↗  
 beste Teiler 403.2 (19.) 615.3 (13.) 1112.7 (20.)  
 Trefferlage 6.67 mm links, 10.70 mm tief  
 Streuwert 11.02, horizontal: 8.72, vertikal: 12.91





Serie 3:  
 10.5 \* 9.9 ↑ 8.4 ↙ 9.2 → 10.3 ↑  
 6.9 ↗ 5.4 ↙ 10.4 \* 9.6 ↗ 8.9 ↙  
 beste Teiler 380.4 (21.) 423.0 (28.) 497.5 (25.)  
 Trefferlage 0.84 mm links, 1.22 mm tief  
 Streuwert 15.11, horizontal: 14.37, vertikal: 15.82




Serie 4:  
 5.5 ↙ 7.6 ↗ 9.5 ↑ 6.5 ↘ 8.1 ↘  
 8.4 ← 8.4 ← 7.7 ↓ 8.8 ↘ 10.4 \*  
 beste Teiler 408.4 (40.) 1175.1 (33.) 1721.4 (39.)  
 Trefferlage 10.95 mm links, 2.28 mm tief  
 Streuwert 16.98, horizontal: 14.43, vertikal: 19.20

Unterschrift des Schützen


Ergebnis: **314** (330.5)  
 Serien: 76 81 80 77  
 Zähler: 5 8 12 9 5 0 0 1 0 0  
 Innenzehner: 2  
 weiteste: 5898 (24), 3815 (4), 3761 (10)  
 beste Teiler 192.5 (26.) 240.4 (13.) 616.7 (6.)  
 Trefferlage 8.46 mm links, 0.10 mm hoch  
 Streuwert 16.17, horizontal: 15.96, vertikal: 16.37




Serie 1:  
 7.8 ↘                      8.0 →                      6.9 ↙                      6.2 ✓                      8.5 ↗  
 10.2 ←                      8.1 ↓                      7.8 ←                      10.1 ←                      6.2 ↗  
 beste Teiler 616.7 (6.) 693.0 (9.) 1993.0 (5.)  
 Trefferlage 8.28 mm links, 3.49 mm tief  
 Streuwert 18.13, horizontal: 16.85, vertikal: 19.33



Serie 2:  
 9.1 ↗                      7.8 ↑                      10.7 \*                      8.4 ↑                      8.4 ←  
 8.8 ↘                      7.4 ↓                      8.3 ✓                      9.2 ←                      7.2 ←  
 beste Teiler 240.4 (13.) 1384.1 (19.) 1460.0 (11.)  
 Trefferlage 8.18 mm links, 2.86 mm hoch  
 Streuwert 14.11, horizontal: 12.76, vertikal: 15.34



Serie 3:  
 9.0 ↑                      9.0 ←                      7.9 ↑                      3.6 ←                      8.3 ↓  
 10.7 \*                      9.3 ↘                      7.6 ←                      9.0 ↘                      9.6 ←  
 beste Teiler 192.5 (26.) 1101.9 (30.) 1313.3 (27.)  
 Trefferlage 11.41 mm links, 1.12 mm hoch  
 Streuwert 16.58, horizontal: 18.48, vertikal: 14.43





Serie 4:  
 6.5 ↑                      8.4 ↘                      8.0 ✓                      6.6 ✓                      8.6 →  
 8.1 ←                      10.2 →                      7.7 ←                      7.5 ↘                      9.8 ↓  
 beste Teiler 622.6 (37.) 958.4 (40.) 1895.8 (35.)  
 Trefferlage 5.97 mm links, 0.08 mm tief  
 Streuwert 17.60, horizontal: 17.30, vertikal: 17.89

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **357** (375.8)  
 Serien: 91 89 87 90  
 Zähler: 12 17 7 4 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2618 (19), 2487 (36), 2470 (35)  
 beste Teiler 216.5 (9.) 262.6 (33.) 346.4 (40.)  
 Trefferlage 3.08 mm links, 3.34 mm hoch  
 Streuwert 9.65, horizontal: 8.93, vertikal: 10.32




Serie 1:  
 9.5 ↑                      7.9 ←                      10.4 \*                      9.2 ↖                      10.1 →  
 9.3 ↗                      9.8 ↓                      9.4 →                      10.7 \*                      9.7 ↓  
 beste Teiler 216.5 (9.) 451.1 (3.) 676.8 (5.)  
 Trefferlage 1.77 mm links, 1.06 mm hoch  
 Streuwert 9.12, horizontal: 10.41, vertikal: 7.62



Serie 2:  
 9.3 ↑                      10.0 ↙                      8.5 ↘                      8.6 →                      9.6 ↖  
 9.9 ↑                      10.5 \*                      10.1 ↘                      7.7 ↓                      9.5 ←  
 beste Teiler 359.3 (17.) 712.3 (18.) 758.8 (12.)  
 Trefferlage 4.08 mm links, 3.05 mm hoch  
 Streuwert 9.87, horizontal: 8.80, vertikal: 10.83



Serie 3:  
 9.4 ↘                      9.1 ←                      8.0 ↑                      9.6 ↗                      9.4 →  
 8.8 ↗                      8.3 ↙                      9.6 ↖                      8.4 ↘                      10.4 \*  
 beste Teiler 475.9 (30.) 1064.8 (28.) 1089.6 (24.)  
 Trefferlage 3.56 mm links, 5.92 mm hoch  
 Streuwert 10.64, horizontal: 8.83, vertikal: 12.18





Serie 4:  
 10.4 \*                      10.5 \*                      10.6 \*                      8.6 ↑                      7.9 ↑  
 7.8 ↙                      10.1 →                      9.1 ←                      9.6 ↘                      10.5 \*  
 beste Teiler 262.6 (33.) 346.4 (40.) 350.3 (32.)  
 Trefferlage 2.91 mm links, 3.34 mm hoch  
 Streuwert 10.07, horizontal: 8.86, vertikal: 11.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (354.1)  
 Serien: 75 91 84 85  
 Zähler: 6 18 6 6 3 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4088 (1), 3781 (32), 3607 (28)  
 beste Teiler 258.9 (27.) 272.7 (23.) 487.7 (20.)  
 Trefferlage 5.78 mm links, 1.48 mm tief  
 Streuwert 13.31, horizontal: 11.59, vertikal: 14.83




Serie 1:  
 5.8 ↓                      7.5 ←                      9.8 ↖                      6.5 ↖                      8.2 ↘  
 7.5 ↓                      7.6 ↓                      9.9 ↑                      9.9 ↗                      8.2 ↘  
 beste Teiler 803.2 (8.) 855.6 (9.) 952.7 (3.)  
 Trefferlage 9.21 mm links, 6.33 mm tief  
 Streuwert 16.92, horizontal: 13.51, vertikal: 19.74



Serie 2:  
 9.8 ↗                      9.1 ↖                      9.9 ←                      9.3 ↖                      9.3 ↓  
 9.7 ↓                      9.6 ↓                      9.4 ↗                      9.0 ←                      10.3 ↑  
 beste Teiler 487.7 (20.) 812.0 (13.) 903.2 (11.)  
 Trefferlage 4.89 mm links, 1.80 mm tief  
 Streuwert 7.75, horizontal: 6.83, vertikal: 8.56



Serie 3:  
 9.9 ↑                      7.7 ↖                      10.6 \*                      8.9 ↓                      8.4 ↖  
 10.0 ↗                      10.6 \*                      6.4 ←                      7.6 ←                      9.1 ↘  
 beste Teiler 258.9 (27.) 272.7 (23.) 799.4 (26.)  
 Trefferlage 8.98 mm links, 2.22 mm hoch  
 Streuwert 12.64, horizontal: 14.15, vertikal: 10.92





Serie 4:  
 10.0 ↑                      6.2 ↓                      9.9 ↘                      9.8 ↑                      7.1 ↑  
 9.3 ↘                      10.0 ↑                      8.5 ↗                      8.6 ←                      9.2 ↗  
 beste Teiler 756.1 (31.) 792.7 (37.) 855.9 (33.)  
 Trefferlage 0.06 mm links, 0.01 mm tief  
 Streuwert 14.44, horizontal: 9.51, vertikal: 18.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311** (329.5)  
 Serien: 77 73 89 72  
 Zähler: 6 8 10 10 3 1 1 0 1 0  
 Innenzehner: 2  
 weiteste: 6491 (35), 5479 (14), 4238 (39)  
 beste Teiler 260.0 (22.) 369.7 (7.) 546.2 (29.)  
 Trefferlage 6.14 mm links, 4.49 mm hoch  
 Streuwert 17.45, horizontal: 16.47, vertikal: 18.38




Serie 1:  
 7.2 ↘                      7.1 ↑                      7.0 ↙                      8.8 ↖                      9.8 ↗  
 6.5 ↙                      10.5 \*                      7.3 →                      8.8 ↘                      8.8 ←  
 beste Teiler 369.7 (7.) 893.8 (5.) 1704.3 (4.)  
 Trefferlage 3.97 mm links, 3.09 mm hoch  
 Streuwert 17.77, horizontal: 17.71, vertikal: 17.83



Serie 2:  
 8.9 ↗                      6.0 ↘                      6.0 ↙                      4.1 ↑                      7.9 ↖  
 9.2 ←                      7.8 ↗                      10.0 ↑                      7.7 ↘                      9.5 ↗  
 beste Teiler 783.6 (18.) 1186.7 (20.) 1381.7 (16.)  
 Trefferlage 0.36 mm links, 12.41 mm hoch  
 Streuwert 20.01, horizontal: 17.19, vertikal: 22.47



Serie 3:  
 7.9 ↖                      10.6 \*                      9.0 ↙                      9.4 ↘                      8.4 ←  
 7.4 ↙                      10.2 ↑                      9.1 ←                      10.3 ↑                      10.2 ↙  
 beste Teiler 260.0 (22.) 546.2 (29.) 579.0 (27.)  
 Trefferlage 7.45 mm links, 0.72 mm hoch  
 Streuwert 10.46, horizontal: 8.38, vertikal: 12.19





Serie 4:  
 8.0 ←                      9.9 ↘                      8.2 ↙                      7.6 ↘                      2.8 ↙  
 9.6 ↙                      8.6 ↙                      8.9 →                      5.7 ↖                      8.8 ←  
 beste Teiler 855.8 (32.) 1117.7 (36.) 1605.3 (38.)  
 Trefferlage 12.78 mm links, 1.73 mm hoch  
 Streuwert 20.00, horizontal: 20.07, vertikal: 19.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (365.9)  
 Serien: 83 88 86 89  
 Zähler: 7 17 12 3 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3645 (7), 3063 (23), 2537 (10)  
 beste Teiler 343.7 (39.) 350.4 (3.) 617.0 (21.)  
 Trefferlage 1.45 mm rechts, 4.67 mm hoch  
 Streuwert 10.88, horizontal: 11.26, vertikal: 10.49




Serie 1:  
 9.8 ↑                      8.7 ↑                      10.5 \*                      9.3 ↙                      9.8 →  
 8.6 ↑                      6.4 →                      8.4 ↘                      9.5 ↑                      7.8 →  
 beste Teiler 350.4 (3.) 931.5 (5.) 953.1 (1.)  
 Trefferlage 3.97 mm rechts, 8.68 mm hoch  
 Streuwert 12.11, horizontal: 15.03, vertikal: 8.22



Serie 2:  
 9.8 ↑                      9.3 →                      10.0 ↘                      9.7 ↓                      8.8 ↗  
 9.4 ↙                      9.1 ↘                      8.9 ↘                      9.3 →                      8.6 ↗  
 beste Teiler 749.5 (13.) 928.8 (11.) 987.8 (14.)  
 Trefferlage 1.26 mm rechts, 5.64 mm hoch  
 Streuwert 9.27, horizontal: 10.12, vertikal: 8.35



Serie 3:  
 10.2 ↙                      10.0 ↙                      7.1 ↘                      8.4 ↑                      8.9 →  
 8.7 ↑                      9.8 ↙                      9.2 →                      8.8 ↘                      9.0 ↑  
 beste Teiler 617.0 (21.) 729.7 (22.) 924.0 (27.)  
 Trefferlage 0.84 mm links, 4.45 mm hoch  
 Streuwert 12.10, horizontal: 11.56, vertikal: 12.61





Serie 4:  
 8.6 ←                      9.0 ↘                      9.9 ↗                      7.8 ↓                      10.1 ↓  
 8.9 ↑                      9.5 ↗                      9.8 →                      10.5 \*                      10.0 ↑  
 beste Teiler 343.7 (39.) 690.7 (35.) 777.1 (40.)  
 Trefferlage 1.43 mm rechts, 0.08 mm tief  
 Streuwert 10.27, horizontal: 8.64, vertikal: 11.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (350.1)  
 Serien: 84 85 83 80  
 Zähler: 5 14 14 4 2 0 1 0 0 0  
 Innenzehner: 0  
 weiteste: 4873 (37), 3429 (40), 3249 (4)  
 beste Teiler 496.1 (35.) 623.8 (7.) 623.8 (36.)  
 Trefferlage 6.79 mm links, 7.99 mm hoch  
 Streuwert 12.01, horizontal: 10.32, vertikal: 13.48




Serie 1:  
 9.8 ↑                      9.4 ↖                      9.8 ↓                      6.9 ←                      8.8 ←  
 8.5 ↗                      10.2 ←                      9.4 ↖                      8.1 ↑                      8.7 ↘  
 beste Teiler 623.8 (7.) 913.5 (3.) 945.6 (1.)  
 Trefferlage 7.43 mm links, 5.06 mm hoch  
 Streuwert 11.30, horizontal: 11.43, vertikal: 11.17



Serie 2:  
 9.5 ↓                      7.2 ↗                      9.1 ↓                      8.1 ↑                      9.6 ←  
 9.4 ↘                      8.4 ←                      10.1 ↗                      8.5 ←                      8.3 ↑  
 beste Teiler 699.4 (18.) 1110.5 (15.) 1197.4 (11.)  
 Trefferlage 7.35 mm links, 0.16 mm tief  
 Streuwert 12.43, horizontal: 10.31, vertikal: 14.24



Serie 3:  
 10.1 ↘                      8.4 ↘                      7.8 ↑                      8.8 ↘                      8.1 ←  
 9.3 ↘                      7.8 ↘                      8.4 ↑                      9.7 ←                      9.0 ↑  
 beste Teiler 693.8 (21.) 994.2 (29.) 1310.4 (26.)  
 Trefferlage 7.74 mm links, 11.06 mm hoch  
 Streuwert 9.58, horizontal: 8.71, vertikal: 10.38





Serie 4:  
 9.6 ↑                      9.6 ↖                      9.8 ↗                      8.2 ↑                      10.3 ↘  
 10.2 ↘                      4.9 ↑                      7.1 ↘                      8.5 ↑                      6.7 ↘  
 beste Teiler 496.1 (35.) 623.8 (36.) 891.4 (33.)  
 Trefferlage 4.66 mm links, 15.99 mm hoch  
 Streuwert 12.84, horizontal: 11.92, vertikal: 13.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (353.3)  
 Serien: 86 83 81 81  
 Zähler: 4 12 18 4 1 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4401 (25), 3764 (36), 2735 (11)  
 beste Teiler 300.5 (2.) 535.0 (21.) 608.2 (12.)  
 Trefferlage 6.97 mm links, 4.46 mm tief  
 Streuwert 12.07, horizontal: 10.74, vertikal: 13.27




Serie 1:  
 8.7 ↑                      10.6 \*                      9.5 ↓                      8.7 ↘                      8.8 →  
 8.9 ↙                      9.9 ↘                      9.8 ←                      8.3 ↖                      9.7 →  
 beste Teiler 300.5 (2.) 844.8 (7.) 902.1 (8.)  
 Trefferlage 1.28 mm rechts, 0.98 mm tief  
 Streuwert 10.76, horizontal: 11.29, vertikal: 10.20



Serie 2:  
 7.5 ↙                      10.2 ↓                      9.2 ←                      8.8 ↖                      8.6 ↗  
 8.6 ↖                      8.6 ↖                      9.5 ↘                      8.0 ←                      8.8 ↗  
 beste Teiler 608.2 (12.) 1182.7 (18.) 1387.5 (13.)  
 Trefferlage 9.56 mm links, 1.26 mm hoch  
 Streuwert 11.53, horizontal: 11.20, vertikal: 11.84



Serie 3:  
 10.3 ↗                      8.4 ↖                      8.8 ←                      9.5 ↖                      5.4 ↓  
 8.8 ↙                      7.9 ←                      8.7 ↓                      10.0 ←                      8.4 ↓  
 beste Teiler 535.0 (21.) 766.3 (29.) 1170.1 (24.)  
 Trefferlage 10.38 mm links, 10.54 mm tief  
 Streuwert 11.41, horizontal: 8.32, vertikal: 13.83





Serie 4:  
 8.4 ←                      7.5 ↓                      7.9 ←                      9.4 ←                      9.3 ←  
 6.2 ↓                      8.8 ↖                      9.4 ↙                      9.9 →                      9.6 ↙  
 beste Teiler 812.7 (39.) 1103.3 (40.) 1248.0 (34.)  
 Trefferlage 9.23 mm links, 7.59 mm tief  
 Streuwert 12.28, horizontal: 8.71, vertikal: 15.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (352.5)  
 Serien: 83 84 88 81  
 Zähler: 5 17 14 0 2 1 1 0 0 0  
 Innenzehner: 2  
 weiteste: 4962 (37), 4659 (39), 3487 (3)  
 beste Teiler 324.8 (15.) 467.8 (30.) 578.0 (35.)  
 Trefferlage 2.50 mm links, 7.79 mm tief  
 Streuwert 12.83, horizontal: 12.99, vertikal: 12.67




Serie 1:  
 8.1 ↖ 9.3 ↓ 6.6 ↙ 8.6 ↓ 9.9 ↗  
 9.8 ← 9.2 ↖ 9.5 ↓ 8.5 ↙ 8.0 ↓  
 beste Teiler 811.2 (5.) 896.8 (6.) 1146.2 (8.)  
 Trefferlage 7.85 mm links, 9.11 mm tief  
 Streuwert 11.17, horizontal: 8.56, vertikal: 13.27



Serie 2:  
 8.3 ↙ 6.9 ↓ 9.0 ↓ 8.1 ↗ 10.5 \*  
 9.1 ↙ 9.3 → 9.6 ↙ 8.8 ↙ 8.7 ↓  
 beste Teiler 324.8 (15.) 1116.8 (18.) 1293.6 (17.)  
 Trefferlage 1.81 mm links, 10.17 mm tief  
 Streuwert 11.44, horizontal: 10.35, vertikal: 12.43



Serie 3:  
 8.6 ↓ 8.5 ↓ 8.6 ↗ 9.3 ↓ 9.7 ↑  
 8.0 ↓ 9.3 ← 10.1 ↖ 9.7 ← 10.4 \*  
 beste Teiler 467.8 (30.) 670.7 (28.) 979.6 (29.)  
 Trefferlage 1.23 mm links, 5.83 mm tief  
 Streuwert 10.29, horizontal: 7.07, vertikal: 12.73





Serie 4:  
 10.0 ↓ 9.3 ↖ 9.2 ↓ 9.7 ↘ 10.2 ←  
 9.2 ↗ 4.7 → 8.4 ↙ 5.1 ↙ 8.7 ↘  
 beste Teiler 578.0 (35.) 768.2 (31.) 994.0 (34.)  
 Trefferlage 0.90 mm rechts, 6.06 mm tief  
 Streuwert 17.90, horizontal: 21.30, vertikal: 13.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (343.7)  
 Serien: 82 78 87 84  
 Zähler: 9 8 15 4 3 0 0 1 0 0  
 Innenzehner: 2  
 weiteste: 5692 (15), 3983 (14), 3924 (4)  
 beste Teiler 374.5 (30.) 466.6 (21.) 482.9 (27.)  
 Trefferlage 3.28 mm links, 0.62 mm hoch  
 Streuwert 15.48, horizontal: 15.01, vertikal: 15.94




Serie 1:  
 8.4 ↘                      8.4 ↘                      9.1 ←                      6.0 ↘                      8.1 ←  
 8.7 ↘                      9.3 ↘                      9.5 →                      9.2 ↑                      8.6 ↗  
 beste Teiler 1183.2 (8.) 1308.3 (7.) 1436.0 (9.)  
 Trefferlage 6.15 mm links, 8.81 mm hoch  
 Streuwert 13.21, horizontal: 14.43, vertikal: 11.85



Serie 2:  
 10.2 ←                      8.0 ↙                      8.7 ↙                      6.0 →                      3.8 ↓  
 8.3 ↖                      8.4 ↙                      10.1 →                      7.4 ←                      10.2 →  
 beste Teiler 561.9 (20.) 562.6 (11.) 656.7 (18.)  
 Trefferlage 2.94 mm links, 8.79 mm tief  
 Streuwert 19.16, horizontal: 18.36, vertikal: 19.92



Serie 3:  
 10.4 \*                      7.8 ↙                      9.0 ↗                      6.5 ↖                      8.5 ↑  
 8.5 ↙                      10.3 ↖                      10.2 ↓                      9.4 ↗                      10.5 \*  
 beste Teiler 374.5 (30.) 466.6 (21.) 482.9 (27.)  
 Trefferlage 5.04 mm links, 2.55 mm hoch  
 Streuwert 12.66, horizontal: 11.86, vertikal: 13.41





Serie 4:  
 8.4 ←                      7.1 ←                      9.1 ↙                      10.1 ↗                      7.0 ↓  
 8.5 ↗                      10.2 →                      8.2 ↗                      9.1 →                      8.5 ↑  
 beste Teiler 631.3 (37.) 666.2 (34.) 1482.0 (39.)  
 Trefferlage 1.00 mm rechts, 0.07 mm tief  
 Streuwert 15.21, horizontal: 16.02, vertikal: 14.36

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **333** (348.7)  
 Serien: 80 77 89 87  
 Zähler: 7 14 12 4 1 0 1 1 0 0  
 Innenzehner: 1  
 weiteste: 6175 (13), 5105 (19), 3230 (10)  
 beste Teiler 418.9 (11.) 562.0 (27.) 575.1 (30.)  
 Trefferlage 1.16 mm links, 2.37 mm hoch  
 Streuwert 14.93, horizontal: 15.30, vertikal: 14.56




Serie 1:  
 7.8 ↗ 7.9 ↖ 10.1 ↓ 9.0 ↖ 9.1 ↘  
 8.3 → 8.2 ↓ 8.8 ↖ 8.1 ↓ 6.9 ↗  
 beste Teiler 657.6 (3.) 1507.2 (5.) 1572.6 (4.)  
 Trefferlage 0.96 mm rechts, 3.20 mm hoch  
 Streuwert 15.70, horizontal: 14.83, vertikal: 16.53



Serie 2:  
 10.4 \* 7.9 ↘ 3.2 ↗ 9.1 ↗ 8.9 →  
 9.6 ↖ 9.3 ↓ 8.3 ↘ 4.6 ↗ 10.1 →  
 beste Teiler 418.9 (11.) 707.0 (20.) 1109.0 (16.)  
 Trefferlage 12.91 mm rechts, 5.68 mm hoch  
 Streuwert 18.74, horizontal: 17.12, vertikal: 20.23



Serie 3:  
 9.8 ↖ 9.8 ↙ 9.3 ↗ 9.2 ← 8.5 ↖  
 9.1 ↖ 10.2 → 8.3 ↙ 8.4 ← 10.2 ←  
 beste Teiler 562.0 (27.) 575.1 (30.) 894.4 (21.)  
 Trefferlage 7.53 mm links, 0.89 mm hoch  
 Streuwert 9.09, horizontal: 9.37, vertikal: 8.81





Serie 4:  
 9.8 ↖ 9.2 ↑ 7.8 ↖ 8.0 ↙ 8.6 ↖  
 8.2 ↙ 10.0 ↖ 10.0 ↙ 9.4 ↓ 9.3 ↙  
 beste Teiler 750.2 (37.) 797.8 (38.) 905.7 (31.)  
 Trefferlage 11.01 mm links, 0.28 mm tief  
 Streuwert 9.23, horizontal: 5.96, vertikal: 11.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (336.4)  
 Serien: 78 85 75 82  
 Zähler: 3 14 11 7 3 1 1 0 0 0  
 Innenzehner: 1  
 weiteste: 4957 (4), 4281 (22), 3969 (29)  
 beste Teiler 229.9 (13.) 512.8 (16.) 659.0 (9.)  
 Trefferlage 0.12 mm rechts, 4.85 mm hoch  
 Streuwert 16.00, horizontal: 17.41, vertikal: 14.46




Serie 1:  
 9.0 ↑                      8.0 ←                      9.9 ↖                      4.8 ←                      6.5 →  
 8.9 ↘                      8.1 ←                      9.7 ↘                      10.1 →                      7.9 ↘  
 beste Teiler 659.0 (9.) 859.3 (3.) 968.2 (8.)  
 Trefferlage 6.05 mm links, 1.51 mm tief  
 Streuwert 17.87, horizontal: 23.17, vertikal: 10.08



Serie 2:  
 8.9 ↓                      7.3 ←                      10.7 \*                      9.3 ←                      7.1 →  
 10.3 ↑                      9.2 ↘                      9.0 ↑                      8.0 →                      8.9 ↗  
 beste Teiler 229.9 (13.) 512.8 (16.) 1283.1 (14.)  
 Trefferlage 2.81 mm rechts, 0.23 mm tief  
 Streuwert 13.76, horizontal: 15.94, vertikal: 11.16



Serie 3:  
 9.4 ↗                      5.6 ↘                      8.5 ↓                      7.2 ↗                      9.6 ↗  
 9.1 ↘                      6.4 ↑                      9.8 ↘                      6.0 ↑                      7.3 ↘  
 beste Teiler 911.2 (28.) 1053.8 (25.) 1245.6 (21.)  
 Trefferlage 5.52 mm rechts, 11.99 mm hoch  
 Streuwert 17.78, horizontal: 15.98, vertikal: 19.41





Serie 4:  
 8.4 ↗                      7.7 ↘                      9.6 ↗                      8.4 ←                      9.1 ↗  
 8.1 ↘                      9.4 ↓                      9.3 ←                      7.8 ↑                      8.1 ↗  
 beste Teiler 1112.3 (33.) 1258.1 (37.) 1351.7 (38.)  
 Trefferlage 1.78 mm links, 9.18 mm hoch  
 Streuwert 12.87, horizontal: 13.41, vertikal: 12.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (356.1)  
 Serien: 91 82 82 84  
 Zähler: 7 14 12 5 2 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3906 (14), 3394 (29), 3026 (16)  
 beste Teiler 260.4 (2.) 493.7 (32.) 567.0 (13.)  
 Trefferlage 2.29 mm links, 2.60 mm tief  
 Streuwert 12.89, horizontal: 12.84, vertikal: 12.93




Serie 1:  
 9.9 ↙ 10.6 \* 10.1 → 8.2 → 8.9 ↗  
 9.1 → 9.4 ← 10.1 → 9.4 ↓ 9.4 ↗  
 beste Teiler 260.4 (2.) 683.0 (8.) 707.0 (3.)  
 Trefferlage 4.98 mm rechts, 0.17 mm hoch  
 Streuwert 8.68, horizontal: 9.75, vertikal: 7.45



Serie 2:  
 8.7 ↓ 8.5 ↓ 10.2 ↖ 6.1 ↖ 9.5 ↖  
 7.2 ↘ 8.0 ↖ 9.4 ↗ 10.2 ↑ 7.4 ↘  
 beste Teiler 567.0 (13.) 618.0 (19.) 1172.6 (15.)  
 Trefferlage 8.45 mm links, 2.01 mm tief  
 Streuwert 15.08, horizontal: 11.35, vertikal: 18.05



Serie 3:  
 7.9 ← 9.3 ↘ 8.5 ↓ 8.6 ↖ 9.1 ↘  
 9.4 ↗ 7.5 ↗ 10.1 ↓ 6.7 ↖ 9.3 ↓  
 beste Teiler 671.4 (28.) 1267.8 (26.) 1306.1 (22.)  
 Trefferlage 6.62 mm links, 4.68 mm tief  
 Streuwert 13.63, horizontal: 15.00, vertikal: 12.12





Serie 4:  
 7.8 ↖ 10.3 ↘ 9.6 → 8.9 ↗ 9.1 ←  
 8.9 ↘ 8.9 ↘ 8.0 ↓ 8.0 ↑ 9.9 ↓  
 beste Teiler 493.7 (32.) 866.2 (40.) 1107.3 (33.)  
 Trefferlage 0.91 mm rechts, 3.91 mm tief  
 Streuwert 12.52, horizontal: 11.53, vertikal: 13.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297** (317.4)  
 Serien: 72 76 76 73  
 Zähler: 1 9 15 5 5 2 2 1 0 0  
 Innenzehner: 0  
 weiteste: 6108 (3), 5408 (22), 5100 (38)  
 beste Teiler 731.8 (36.) 852.4 (10.) 878.4 (9.)  
 Trefferlage 5.81 mm rechts, 10.78 mm hoch  
 Streuwert 17.49, horizontal: 16.98, vertikal: 18.00




Serie 1:  
 6.3 ↖                      8.6 ↗                      3.3 →                      8.0 ↘                      9.5 ↓  
 6.8 ↑                      8.1 →                      6.9 ↑                      9.9 ↑                      9.9 ↓  
 beste Teiler 852.4 (10.) 878.4 (9.) 1177.1 (5.)  
 Trefferlage 6.83 mm rechts, 15.02 mm hoch  
 Streuwert 18.66, horizontal: 20.70, vertikal: 16.36



Serie 2:  
 8.3 ↗                      8.8 →                      7.7 ↑                      9.3 ↘                      7.7 ↖  
 7.9 ↙                      8.3 ↑                      8.4 ↑                      8.9 ↘                      6.6 ↑  
 beste Teiler 1343.9 (14.) 1643.9 (19.) 1699.7 (12.)  
 Trefferlage 5.42 mm rechts, 5.54 mm hoch  
 Streuwert 15.97, horizontal: 14.12, vertikal: 17.64



Serie 3:  
 9.2 ↗                      4.2 ↘                      9.8 ↑                      9.8 ↑                      8.3 →  
 8.7 ↑                      9.8 ↑                      6.4 ↗                      7.0 →                      7.6 ↘  
 beste Teiler 883.9 (24.) 910.2 (27.) 927.5 (23.)  
 Trefferlage 6.92 mm rechts, 11.90 mm hoch  
 Streuwert 17.19, horizontal: 18.51, vertikal: 15.75





Serie 4:  
 8.7 ↖                      8.8 ↖                      8.3 ↑                      8.2 ↗                      5.5 ↗  
 10.0 ↓                      8.0 ↓                      4.6 ↑                      9.4 ↑                      5.9 ↗  
 beste Teiler 731.8 (36.) 1210.9 (39.) 1712.2 (32.)  
 Trefferlage 4.06 mm rechts, 10.66 mm hoch  
 Streuwert 19.96, horizontal: 16.50, vertikal: 22.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (365.6)  
 Serien: 83 92 85 87  
 Zähler: 8 15 13 4 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3043 (3), 2544 (10), 2508 (39)  
 beste Teiler 253.1 (34.) 253.4 (33.) 439.5 (26.)  
 Trefferlage 2.58 mm links, 1.64 mm tief  
 Streuwert 11.38, horizontal: 12.47, vertikal: 10.18




Serie 1:  
 9.4 ↙ 8.1 ↘ 7.1 ← 10.0 ↑ 8.3 ←  
 9.8 ← 8.2 ← 9.7 ↘ 8.1 ↘ 7.8 ←  
 beste Teiler 724.9 (4.) 951.7 (6.) 1024.0 (8.)  
 Trefferlage 13.77 mm links, 2.41 mm hoch  
 Streuwert 10.56, horizontal: 11.84, vertikal: 9.10



Serie 2:  
 9.3 ↖ 10.2 ↙ 8.1 ↘ 9.4 ↓ 9.8 ↖  
 8.7 ↓ 10.2 ← 10.0 ↖ 10.1 → 9.5 ↓  
 beste Teiler 592.4 (17.) 624.0 (12.) 666.0 (19.)  
 Trefferlage 4.88 mm links, 2.21 mm tief  
 Streuwert 8.48, horizontal: 7.10, vertikal: 9.66





Serie 3:  
 8.8 ↓ 9.8 ↗ 7.9 ↙ 9.6 ↗ 8.2 →  
 10.4 \* 9.7 ↘ 9.8 ↘ 8.6 ↙ 8.2 ↓  
 beste Teiler 439.5 (26.) 896.6 (28.) 914.3 (22.)  
 Trefferlage 2.24 mm rechts, 5.41 mm tief  
 Streuwert 11.21, horizontal: 11.44, vertikal: 10.97



Serie 4:  
 9.2 ↑ 8.8 ↓ 10.6 \* 10.6 \* 9.9 ↗  
 8.6 ↓ 9.3 ↑ 8.2 → 7.8 → 9.8 ↘  
 beste Teiler 253.1 (34.) 253.4 (33.) 870.2 (35.)  
 Trefferlage 6.06 mm rechts, 1.35 mm tief  
 Streuwert 10.41, horizontal: 9.94, vertikal: 10.86

Unterschrift des Schützen


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>360</b>                             | (378.0) |
| Serien:      | 90 88 92 90                            |         |
| Zähler:      | 9 22 9 0 0 0 0 0 0 0                   |         |
| Innenzehner: | 3                                      |         |
| weiteste:    | 2238 (4), 2046 (32), 1876 (14)         |         |
| beste Teiler | 206.2 (35.) 387.4 (22.) 454.1 (3.)     |         |
| Trefferlage  | 2.18 mm links, 1.99 mm tief            |         |
| Streuwert    | 9.08, horizontal: 9.30, vertikal: 8.87 |         |



Serie 1:

|        |       |        |        |       |
|--------|-------|--------|--------|-------|
| 10.2 ↖ | 9.6 ↘ | 10.4 * | 8.2 ↓  | 8.9 ↙ |
| 9.4 ↘  | 9.3 ↙ | 8.9 →  | 10.2 ↖ | 9.9 ↙ |


beste Teiler 454.1 (3.) 586.3 (9.) 610.5 (1.)  
 Trefferlage 0.63 mm links, 6.17 mm tief  
 Streuwert 8.36, horizontal: 8.94, vertikal: 7.74



Serie 2:

|       |       |       |       |       |
|-------|-------|-------|-------|-------|
| 9.2 ↗ | 8.9 ↘ | 9.0 ↑ | 8.6 ↗ | 9.0 ↙ |
| 9.1 ← | 9.4 ↙ | 9.9 ↓ | 9.3 ↙ | 9.8 ↙ |


beste Teiler 816.3 (18.) 888.1 (20.) 1238.5 (17.)  
 Trefferlage 4.81 mm links, 1.23 mm hoch  
 Streuwert 9.90, horizontal: 9.51, vertikal: 10.29



Serie 3:

|       |        |        |       |       |
|-------|--------|--------|-------|-------|
| 8.8 ↗ | 10.5 * | 10.2 ↘ | 9.0 ← | 9.6 ↙ |
| 9.6 ↗ | 9.4 ↓  | 10.1 ↘ | 9.9 ↗ | 9.2 ↙ |

beste Teiler 387.4 (22.) 626.1 (23.) 704.8 (28.)  
 Trefferlage 0.88 mm links, 0.75 mm tief  
 Streuwert 8.49, horizontal: 8.86, vertikal: 8.11



Serie 4:



|       |        |        |       |        |
|-------|--------|--------|-------|--------|
| 9.9 ↘ | 8.4 ↙  | 10.2 ↗ | 8.7 ↙ | 10.7 * |
| 9.2 ↗ | 10.3 ↘ | 8.6 ←  | 9.5 ← | 9.0 →  |

beste Teiler 206.2 (35.) 515.3 (37.) 563.9 (33.)  
 Trefferlage 2.41 mm links, 2.29 mm tief  
 Streuwert 9.74, horizontal: 10.66, vertikal: 8.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (365.0)  
 Serien: 91 89 82 85  
 Zähler: 10 13 11 6 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3073 (31), 3051 (26), 2674 (20)  
 beste Teiler 200.0 (18.) 227.4 (5.) 293.2 (11.)  
 Trefferlage 0.00 mm , 5.31 mm hoch  
 Streuwert 11.20, horizontal: 11.21, vertikal: 11.18




Serie 1:  
 10.2 ←                      9.4 ↑                      10.2 ←                      8.4 ←                      10.7 \*  
 9.5 ↘                      8.9 ↑                      8.9 ↘                      10.4 \*                      9.4 ←  
 beste Teiler 227.4 (5.) 429.2 (9.) 590.8 (3.)  
 Trefferlage 5.02 mm links, 4.34 mm hoch  
 Streuwert 7.61, horizontal: 7.46, vertikal: 7.76



Serie 2:  
 10.6 \*                      7.6 ↘                      9.1 ↘                      10.1 ↗                      10.4 \*  
 9.5 ↘                      9.1 ←                      10.7 \*                      8.6 ↑                      7.6 ↑  
 beste Teiler 200.0 (18.) 293.2 (11.) 475.7 (15.)  
 Trefferlage 2.61 mm links, 6.94 mm hoch  
 Streuwert 10.14, horizontal: 8.62, vertikal: 11.46



Serie 3:  
 9.2 →                      7.9 ↖                      9.4 →                      8.7 ↗                      8.2 →  
 7.1 ↙                      7.9 →                      8.3 ↘                      10.1 →                      9.7 →  
 beste Teiler 707.0 (29.) 1013.0 (30.) 1227.9 (23.)  
 Trefferlage 7.73 mm rechts, 0.35 mm hoch  
 Streuwert 13.47, horizontal: 15.38, vertikal: 11.25





Serie 4:  
 7.1 ↑                      8.8 ↗                      8.2 ↑                      10.1 ←                      8.2 ↖  
 9.7 ↑                      8.4 ↑                      9.8 ↙                      9.5 ↘                      9.4 ↓  
 beste Teiler 646.8 (34.) 901.1 (38.) 961.5 (36.)  
 Trefferlage 0.09 mm links, 9.62 mm hoch  
 Streuwert 11.12, horizontal: 8.71, vertikal: 13.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (364.4)  
 Serien: 81 87 90 88  
 Zähler: 5 21 11 2 0 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4197 (12), 2762 (5), 2689 (40)  
 beste Teiler 351.1 (35.) 649.9 (25.) 668.5 (17.)  
 Trefferlage 5.12 mm rechts, 3.21 mm hoch  
 Streuwert 10.87, horizontal: 10.95, vertikal: 10.78




Serie 1:  
 9.6 ↘                      8.7 ↗                      8.4 ↗                      8.4 →                      7.5 ↗  
 8.0 →                      8.5 ↑                      8.8 ↘                      9.1 ↘                      8.4 ↖  
 beste Teiler 1061.6 (1.) 1444.2 (9.) 1755.5 (8.)  
 Trefferlage 9.77 mm rechts, 3.37 mm hoch  
 Streuwert 12.56, horizontal: 12.10, vertikal: 13.00



Serie 2:  
 9.3 →                      5.7 ↗                      9.2 →                      9.4 ←                      9.7 ↖  
 9.1 →                      10.1 ↘                      8.6 ↑                      10.0 ↘                      9.7 →  
 beste Teiler 668.5 (17.) 766.6 (19.) 967.9 (20.)  
 Trefferlage 5.79 mm rechts, 6.20 mm hoch  
 Streuwert 11.58, horizontal: 11.38, vertikal: 11.79



Serie 3:  
 10.0 ↓                      9.2 ↓                      9.4 ↗                      9.9 ←                      10.1 →  
 8.5 ↓                      8.4 →                      9.9 ↓                      9.9 ↑                      9.0 ↖  
 beste Teiler 649.9 (25.) 790.8 (21.) 829.6 (28.)  
 Trefferlage 1.10 mm rechts, 1.94 mm tief  
 Streuwert 9.60, horizontal: 8.87, vertikal: 10.27





Serie 4:  
 9.5 ←                      9.5 →                      9.3 ↖                      9.9 ↑                      10.5 \*  
 9.6 →                      9.7 ↖                      9.7 ↘                      8.6 →                      7.6 ↗  
 beste Teiler 351.1 (35.) 846.9 (34.) 1007.8 (37.)  
 Trefferlage 3.80 mm rechts, 5.23 mm hoch  
 Streuwert 9.15, horizontal: 11.01, vertikal: 6.81

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **349** (366.2)  
 Serien: 84 84 90 91  
 Zähler: 10 18 6 4 1 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4588 (3), 3213 (16), 3177 (6)  
 beste Teiler 283.9 (39.) 342.9 (23.) 431.8 (31.)  
 Trefferlage 2.15 mm links, 2.99 mm tief  
 Streuwert 11.96, horizontal: 11.27, vertikal: 12.61




Serie 1:  
 9.1 ↗ 9.4 ↗ 5.2 ← 10.3 ↗ 9.6 ↙  
 7.0 ↓ 8.2 ↙ 9.6 ← 10.1 ↓ 8.2 →  
 beste Teiler 514.5 (4.) 679.2 (9.) 1073.0 (8.)  
 Trefferlage 3.90 mm links, 4.90 mm tief  
 Streuwert 15.57, horizontal: 18.86, vertikal: 11.34



Serie 2:  
 9.7 ↑ 10.4 \* 8.1 ↓ 10.2 ↗ 7.3 ↓  
 6.9 ↑ 7.9 ↓ 8.4 ↓ 10.1 ↑ 9.4 ↓  
 beste Teiler 473.3 (12.) 610.1 (14.) 705.6 (19.)  
 Trefferlage 2.62 mm links, 5.51 mm tief  
 Streuwert 13.75, horizontal: 4.94, vertikal: 18.81



Serie 3:  
 10.4 \* 7.3 ↙ 10.5 \* 8.7 ← 9.6 ↖  
 9.7 ↘ 9.7 ↑ 10.2 ↗ 9.3 ↓ 9.2 ↙  
 beste Teiler 342.9 (23.) 459.9 (21.) 582.8 (28.)  
 Trefferlage 3.81 mm links, 3.78 mm tief  
 Streuwert 9.55, horizontal: 8.77, vertikal: 10.27





Serie 4:  
 10.4 \* 9.8 → 9.6 ↗ 9.5 ↗ 9.5 ↓  
 9.3 ↘ 8.9 ↗ 9.5 ↖ 10.6 \* 9.4 ↖  
 beste Teiler 283.9 (39.) 431.8 (31.) 924.8 (32.)  
 Trefferlage 1.73 mm rechts, 2.23 mm hoch  
 Streuwert 8.00, horizontal: 8.34, vertikal: 7.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (374.3)  
 Serien: 87 90 87 91  
 Zähler: 10 19 7 4 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2853 (3), 2847 (38), 2720 (27)  
 beste Teiler 295.1 (19.) 324.1 (31.) 344.3 (4.)  
 Trefferlage 5.36 mm links, 1.15 mm tief  
 Streuwert 9.69, horizontal: 8.29, vertikal: 10.92




Serie 1:  
 8.5 ↗ 9.1 ↘ 7.4 ↙ 10.5 \* 9.8 →  
 10.1 ← 8.1 ↓ 9.0 ↘ 9.6 ↘ 8.5 ↓  
 beste Teiler 344.3 (4.) 715.5 (6.) 953.9 (5.)  
 Trefferlage 4.44 mm links, 1.45 mm tief  
 Streuwert 12.05, horizontal: 8.32, vertikal: 14.87



Serie 2:  
 9.4 → 9.4 ↓ 9.9 ↑ 10.5 \* 9.6 ↑  
 8.8 ↑ 8.7 ← 8.6 ← 10.6 \* 10.1 ←  
 beste Teiler 295.1 (19.) 347.7 (14.) 698.6 (20.)  
 Trefferlage 3.91 mm links, 2.56 mm hoch  
 Streuwert 8.54, horizontal: 8.94, vertikal: 8.13



Serie 3:  
 7.7 ↙ 10.3 ← 9.9 ↘ 9.6 ← 9.6 ←  
 9.8 ↗ 7.6 ↓ 9.3 ↘ 9.8 ↙ 9.7 ↘  
 beste Teiler 527.7 (22.) 849.2 (23.) 918.2 (26.)  
 Trefferlage 5.28 mm links, 2.94 mm tief  
 Streuwert 10.15, horizontal: 8.11, vertikal: 11.84





Serie 4:  
 10.5 \* 10.2 ← 10.3 ← 9.8 ← 10.2 ←  
 8.4 ↓ 9.8 ← 7.4 ← 9.1 ↙ 9.1 ↘  
 beste Teiler 324.1 (31.) 518.2 (33.) 609.3 (32.)  
 Trefferlage 7.81 mm links, 2.77 mm tief  
 Streuwert 8.37, horizontal: 8.55, vertikal: 8.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311** (329.2)  
 Serien: 82 73 80 76  
 Zähler: 4 9 16 3 4 2 1 1 0 0  
 Innenzehner: 3  
 weiteste: 6106 (20), 5086 (15), 4328 (21)  
 beste Teiler 252.7 (34.) 371.0 (3.) 454.1 (12.)  
 Trefferlage 1.26 mm links, 8.56 mm tief  
 Streuwert 16.90, horizontal: 17.10, vertikal: 16.71




Serie 1:  
 8.1 ↗ 8.3 ↘ 10.5 \* 7.4 → 9.0 ←  
 8.4 ↖ 8.6 ↓ 8.9 ↙ 7.0 ↘ 9.2 ↓  
 beste Teiler 371.0 (3.) 1435.6 (10.) 1542.4 (5.)  
 Trefferlage 4.46 mm rechts, 1.26 mm tief  
 Streuwert 14.96, horizontal: 15.49, vertikal: 14.42



Serie 2:  
 8.7 → 10.4 \* 9.7 ← 6.5 ↑ 4.6 ↙  
 9.5 ↘ 9.3 ↓ 7.4 ↖ 8.8 ↗ 3.3 →  
 beste Teiler 454.1 (12.) 979.1 (13.) 1132.1 (16.)  
 Trefferlage 2.08 mm rechts, 5.51 mm tief  
 Streuwert 22.43, horizontal: 23.31, vertikal: 21.51



Serie 3:  
 5.5 ↘ 8.9 ↖ 10.2 → 8.1 ← 9.6 ↗  
 9.3 ↓ 9.6 ↓ 8.0 ↓ 8.1 ↓ 6.7 ↓  
 beste Teiler 578.0 (23.) 1101.2 (25.) 1106.0 (27.)  
 Trefferlage 4.10 mm links, 14.00 mm tief  
 Streuwert 13.35, horizontal: 11.29, vertikal: 15.13





Serie 4:  
 9.7 ↖ 8.4 ↓ 8.9 ↘ 10.6 \* 5.6 ↖  
 6.7 ↘ 6.8 ↖ 8.7 ↖ 8.0 → 8.2 ↓  
 beste Teiler 252.7 (34.) 987.7 (31.) 1673.3 (33.)  
 Trefferlage 7.49 mm links, 13.46 mm tief  
 Streuwert 14.77, horizontal: 15.97, vertikal: 13.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (388.8)  
 Serien: 95 93 90 91  
 Zähler: 15 19 6 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2228 (21), 1981 (1), 1953 (9)  
 beste Teiler 14.4 (29.) 290.3 (2.) 312.9 (36.)  
 Trefferlage 0.72 mm links, 1.35 mm hoch  
 Streuwert 7.88, horizontal: 8.59, vertikal: 7.11




Serie 1:  
 8.5 ↘                      10.6 \*                      9.5 ↗                      10.1 ↓                      10.3 ↗  
 10.3 ↘                      10.1 ↖                      10.2 ↙                      8.5 ↗                      10.0 ↗  
 beste Teiler 290.3 (2.) 523.5 (5.) 556.3 (6.)  
 Trefferlage 3.82 mm rechts, 1.10 mm hoch  
 Streuwert 7.50, horizontal: 8.16, vertikal: 6.77



Serie 2:  
 9.9 →                      9.9 ↑                      10.5 \*                      9.3 ↖                      10.4 \*  
 9.8 ←                      9.9 ↗                      10.5 \*                      10.0 ↖                      8.8 ↖  
 beste Teiler 381.6 (18.) 384.8 (13.) 410.0 (15.)  
 Trefferlage 1.63 mm links, 3.99 mm hoch  
 Streuwert 6.11, horizontal: 7.05, vertikal: 4.99



Serie 3:  
 8.2 ↗                      9.1 ↖                      8.5 ↗                      9.6 ↘                      9.1 ↗  
 9.9 ↑                      9.5 ↖                      10.1 ↘                      10.9 \*                      9.5 ↗  
 beste Teiler 14.4 (29.) 677.0 (28.) 864.9 (26.)  
 Trefferlage 1.66 mm rechts, 3.02 mm hoch  
 Streuwert 9.66, horizontal: 10.58, vertikal: 8.64





Serie 4:  
 10.3 ↓                      8.6 ↙                      9.9 ↖                      9.3 ↖                      9.8 ↖  
 10.6 \*                      9.6 ↖                      9.7 ↙                      9.9 ↖                      9.6 ↖  
 beste Teiler 312.9 (36.) 549.2 (31.) 808.6 (39.)  
 Trefferlage 6.75 mm links, 2.70 mm tief  
 Streuwert 5.69, horizontal: 4.54, vertikal: 6.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **283** (299.7)  
 Serien: 72 65 76 70  
 Zähler: 2 8 13 4 7 2 0 1 2 0  
 Innenzehner: 1  
 weiteste: 8066 (16), 7184 (2), 7110 (15)  
 beste Teiler 370.7 (22.) 600.1 (14.) 865.6 (8.)  
 Trefferlage 10.42 mm rechts, 4.48 mm tief  
 Streuwert 21.94, horizontal: 16.48, vertikal: 26.30




Serie 1:  
 7.3 → 2.0 ↘ 7.5 → 9.2 ↙ 8.8 ↘  
 8.8 → 9.5 → 9.9 ↘ 5.6 ↓ 8.6 →  
 beste Teiler 865.6 (8.) 1123.2 (7.) 1431.1 (4.)  
 Trefferlage 14.71 mm rechts, 12.73 mm tief  
 Streuwert 18.45, horizontal: 14.01, vertikal: 22.01



Serie 2:  
 6.1 → 6.5 ↗ 8.5 ↘ 10.2 ↑ 2.1 ↑  
 0.0 ↓ 7.1 → 9.5 ↘ 9.0 ↘ 8.9 ↗  
 beste Teiler 600.1 (14.) 1161.9 (18.) 1537.3 (19.)  
 Trefferlage 13.55 mm rechts, 2.42 mm hoch  
 Streuwert 28.36, horizontal: 14.29, vertikal: 37.48



Serie 3:  
 7.7 ↓ 10.5 \* 9.0 ↙ 6.9 ↗ 5.2 →  
 8.3 ↙ 8.7 ↘ 8.7 ↓ 9.7 → 6.3 →  
 beste Teiler 370.7 (22.) 1040.3 (29.) 1599.5 (23.)  
 Trefferlage 7.13 mm rechts, 3.91 mm tief  
 Streuwert 18.46, horizontal: 20.35, vertikal: 16.37





Serie 4:  
 6.4 ↗ 8.2 → 8.5 ↘ 9.1 ← 3.8 ↘  
 8.3 → 6.6 ↗ 6.4 ↓ 8.0 ↓ 8.3 ↙  
 beste Teiler 1472.4 (34.) 1963.4 (33.) 2083.8 (40.)  
 Trefferlage 6.29 mm rechts, 3.71 mm tief  
 Streuwert 22.46, horizontal: 17.31, vertikal: 26.64

Unterschrift des Schützen

Meyton Elektronik


|              |   |         |
|--------------|---|---------|
| Ergebnis:    | <b>342</b>                                | (361.0) |
| Serien:      | 89 88 81 84                               |         |
| Zähler:      | 8 13 14 3 2 0 0 0 0 0                     |         |
| Innenzehner: | 3   |         |
| weiteste:    | 3762 (21), 3219 (23), 2599 (30)           |         |
| beste Teiler | 209.7 (15.) 315.1 (18.) 346.9 (25.)       |         |
| Trefferlage  | 1.93 mm links, 5.98 mm tief               |         |
| Streuwert    | 11.51, horizontal: 12.57, vertikal: 10.36 |         |



Serie 1:

|       |        |       |        |        |
|-------|--------|-------|--------|--------|
| 8.9 ↙ | 10.1 → | 9.3 → | 10.0 ↓ | 8.6 ↓  |
| 9.9 ↘ | 8.1 →  | 9.0 ↖ | 8.5 ↖  | 10.2 ↗ |


beste Teiler 586.1 (10.) 686.8 (2.) 791.4 (4.)  
 Trefferlage 0.12 mm rechts, 1.78 mm tief  
 Streuwert 10.87, horizontal: 12.70, vertikal: 8.67



Serie 2:

|       |        |        |       |        |
|-------|--------|--------|-------|--------|
| 8.8 ↖ | 9.9 ↓  | 8.2 ↖  | 8.6 ↙ | 10.7 * |
| 9.2 ↖ | 10.1 → | 10.6 * | 9.9 ↗ | 7.9 →  |


beste Teiler 209.7 (15.) 315.1 (18.) 648.1 (17.)  
 Trefferlage 2.73 mm links, 1.09 mm hoch  
 Streuwert 10.66, horizontal: 13.33, vertikal: 7.04



Serie 3:

|       |       |       |       |        |
|-------|-------|-------|-------|--------|
| 6.2 ← | 9.6 ↘ | 6.9 ↓ | 9.1 → | 10.5 * |
| 9.5 ↘ | 8.8 ↙ | 8.1 ↓ | 9.4 → | 7.7 ↙  |

beste Teiler 346.9 (25.) 1120.3 (22.) 1133.9 (26.)  
 Trefferlage 4.51 mm links, 10.98 mm tief  
 Streuwert 13.28, horizontal: 15.66, vertikal: 10.36



Serie 4:



|       |       |       |       |        |
|-------|-------|-------|-------|--------|
| 8.8 ↘ | 8.4 ↘ | 9.7 ↖ | 8.4 ↓ | 9.6 ↓  |
| 9.2 ↓ | 7.9 ↓ | 8.5 ↘ | 8.2 ↓ | 10.0 ← |

beste Teiler 721.5 (40.) 964.6 (33.) 1086.9 (35.)  
 Trefferlage 0.62 mm links, 12.27 mm tief  
 Streuwert 9.25, horizontal: 9.25, vertikal: 9.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **309** (324.9)  
 Serien: 74 81 83 71  
 Zähler: 4 9 10 10 5 1 0 1 0 0  
 Innenzehner: 3  
 weiteste: 5850 (9), 4590 (35), 3801 (14)  
 beste Teiler 274.5 (12.) 397.7 (30.) 412.1 (17.)  
 Trefferlage 6.81 mm links, 5.27 mm tief  
 Streuwert 17.13, horizontal: 15.31, vertikal: 18.78




Serie 1:  
 6.7 ↓                      9.2 ↓                      7.9 ↗                      9.0 ↙                      6.9 ↓  
 8.1 ↓                      9.8 ↖                      9.7 ↓                      3.6 ↙                      8.4 ↑  
 beste Teiler 913.7 (7.) 1027.0 (8.) 1405.9 (2.)  
 Trefferlage 3.51 mm links, 11.54 mm tief  
 Streuwert 18.77, horizontal: 13.95, vertikal: 22.59



Serie 2:  
 7.5 →                      10.6 \*                      7.3 ↖                      6.2 ↙                      7.2 ↑  
 8.2 ↗                      10.4 \*                      8.1 ↖                      8.1 ↓                      10.1 ←  
 beste Teiler 274.5 (12.) 412.1 (17.) 642.5 (20.)  
 Trefferlage 1.50 mm links, 1.98 mm hoch  
 Streuwert 17.48, horizontal: 17.05, vertikal: 17.90



Serie 3:  
 7.8 ↙                      9.3 ↓                      7.4 ↖                      9.3 ↖                      8.1 ←  
 7.2 ↙                      8.0 →                      9.8 ↑                      9.7 ↓                      10.5 \*  
 beste Teiler 397.7 (30.) 888.4 (28.) 1019.4 (29.)  
 Trefferlage 7.32 mm links, 2.61 mm tief  
 Streuwert 13.78, horizontal: 13.35, vertikal: 14.19





Serie 4:  
 7.0 ↓                      6.5 ↙                      7.7 ↙                      8.2 ↖                      5.2 ↙  
 7.5 ↖                      8.6 ↓                      9.1 ↓                      8.4 ↙                      6.6 ↑  
 beste Teiler 1512.9 (38.) 1845.5 (37.) 2018.0 (39.)  
 Trefferlage 14.90 mm links, 8.91 mm tief  
 Streuwert 17.43, horizontal: 15.37, vertikal: 19.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (347.1)  
 Serien: 78 87 80 85  
 Zähler: 9 8 11 8 4 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3608 (13), 3459 (21), 3390 (20)  
 beste Teiler 261.8 (18.) 294.1 (17.) 300.6 (32.)  
 Trefferlage 0.04 mm rechts, 1.11 mm tief  
 Streuwert 14.79, horizontal: 15.82, vertikal: 13.67




Serie 1:  
 7.6 ↙ 7.5 ↘ 8.5 ← 7.1 ← 8.3 ↘  
 8.4 ← 8.0 ↗ 7.3 → 10.3 → 8.8 ↘  
 beste Teiler 534.9 (9.) 1713.1 (10.) 1983.8 (3.)  
 Trefferlage 8.82 mm links, 1.27 mm tief  
 Streuwert 16.03, horizontal: 18.46, vertikal: 13.15



Serie 2:  
 10.1 ↗ 10.2 ↘ 6.4 ↗ 9.7 ↖ 9.6 ↙  
 7.9 ↘ 10.6 \* 10.6 \* 10.0 ↓ 6.7 ↙  
 beste Teiler 261.8 (18.) 294.1 (17.) 639.3 (12.)  
 Trefferlage 0.10 mm rechts, 1.27 mm tief  
 Streuwert 13.71, horizontal: 14.94, vertikal: 12.37



Serie 3:  
 6.6 → 8.4 ↖ 7.0 ↓ 8.5 ↙ 8.0 ↓  
 10.0 ↖ 9.5 ↘ 9.3 ↗ 8.2 ↘ 7.5 ↗  
 beste Teiler 727.3 (26.) 1160.5 (27.) 1340.4 (28.)  
 Trefferlage 5.88 mm rechts, 2.66 mm tief  
 Streuwert 16.34, horizontal: 13.83, vertikal: 18.51





Serie 4:  
 8.3 ↓ 10.6 \* 10.2 ← 9.7 ↖ 9.6 ↗  
 9.6 ← 6.9 → 9.2 ↓ 8.5 ↗ 7.9 ↗  
 beste Teiler 300.6 (32.) 640.2 (33.) 972.1 (34.)  
 Trefferlage 3.02 mm rechts, 0.77 mm hoch  
 Streuwert 12.83, horizontal: 13.94, vertikal: 11.62


Unterschrift des Schützen




Ergebnis: **327** (344.9)  
 Serien: 81 81 85 80  
 Zähler: 4 10 15 11 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3134 (30), 3091 (36), 2995 (5)  
 beste Teiler 301.6 (19.) 500.8 (24.) 551.6 (6.)  
 Trefferlage 6.81 mm rechts, 0.41 mm tief  
 Streuwert 13.62, horizontal: 10.76, vertikal: 15.96




Serie 1:  
 8.8 ↓                      8.4 ↓                      9.3 ↗                      7.5 ↓                      7.2 ↗  
 10.3 ↗                      9.3 ↘                      8.2 ↖                      8.9 ↘                      7.8 ↗  
 beste Teiler 551.6 (6.) 1348.6 (7.) 1349.9 (3.)  
 Trefferlage 3.52 mm rechts, 0.30 mm tief  
 Streuwert 14.94, horizontal: 9.26, vertikal: 19.00



Serie 2:  
 7.4 ↗                      10.0 ↗                      8.9 →                      8.4 ↑                      7.7 ↓  
 7.3 ↗                      7.3 ↓                      8.4 ←                      10.6 \*                      9.1 ↗  
 beste Teiler 301.6 (19.) 755.9 (12.) 1459.6 (20.)  
 Trefferlage 7.30 mm rechts, 3.40 mm hoch  
 Streuwert 14.78, horizontal: 12.58, vertikal: 16.69



Serie 3:  
 8.0 ↗                      8.8 ↗                      8.9 ↗                      10.3 ✓                      9.8 ✓  
 9.9 ↓                      9.2 →                      9.5 ↘                      8.4 ↑                      7.0 ↓  
 beste Teiler 500.8 (24.) 803.2 (26.) 951.8 (25.)  
 Trefferlage 5.29 mm rechts, 0.65 mm hoch  
 Streuwert 12.31, horizontal: 8.10, vertikal: 15.41





Serie 4:  
 9.7 →                      8.6 ↓                      7.6 ↘                      7.9 ↘                      8.1 ↗  
 7.1 ↓                      9.1 →                      8.0 →                      8.3 →                      9.9 ↓  
 beste Teiler 820.2 (40.) 969.9 (31.) 1517.6 (37.)  
 Trefferlage 11.12 mm rechts, 5.42 mm tief  
 Streuwert 13.02, horizontal: 12.52, vertikal: 13.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (365.9)  
 Serien: 86 88 82 90  
 Zähler: 8 19 6 5 2 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3426 (1), 3304 (24), 2898 (8)  
 beste Teiler 154.2 (36.) 217.0 (38.) 220.4 (26.)  
 Trefferlage 2.05 mm rechts, 1.62 mm tief  
 Streuwert 11.81, horizontal: 10.09, vertikal: 13.31




Serie 1:  
 6.7 ↓                      8.1 ↗                      9.2 ↓                      10.0 ↙                      10.6 \*  
 9.8 ↘                      9.1 ↓                      7.3 →                      9.3 ↖                      9.6 ↘  
 beste Teiler 302.5 (5.) 782.9 (4.) 927.1 (6.)  
 Trefferlage 3.66 mm rechts, 1.98 mm tief  
 Streuwert 13.34, horizontal: 10.14, vertikal: 15.91



Serie 2:  
 7.9 ↙                      9.9 →                      9.8 ↓                      8.2 ↙                      9.7 ↓  
 9.9 ↘                      9.0 ↗                      9.1 →                      10.5 \*                      9.6 →  
 beste Teiler 325.6 (19.) 849.6 (12.) 867.8 (16.)  
 Trefferlage 3.26 mm rechts, 3.67 mm tief  
 Streuwert 9.86, horizontal: 8.86, vertikal: 10.76



Serie 3:  
 8.3 ↙                      8.5 ↑                      7.8 ↘                      6.8 ↗                      9.1 ↙  
 10.7 \*                      7.6 ↗                      9.6 ←                      9.2 ↙                      9.3 →  
 beste Teiler 220.4 (26.) 1106.0 (28.) 1286.6 (30.)  
 Trefferlage 1.98 mm rechts, 3.40 mm hoch  
 Streuwert 14.63, horizontal: 14.36, vertikal: 14.90





Serie 4:  
 8.5 ↓                      10.6 \*                      8.8 ↑                      10.1 ↙                      9.3 ↖  
 10.8 \*                      9.3 ↘                      10.7 \*                      9.7 ↘                      7.9 ↓  
 beste Teiler 154.2 (36.) 217.0 (38.) 260.6 (32.)  
 Trefferlage 0.67 mm links, 4.24 mm tief  
 Streuwert 9.40, horizontal: 6.40, vertikal: 11.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (357.6)  
 Serien: 90 86 79 86  
 Zähler: 8 14 10 7 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3746 (20), 2844 (26), 2753 (21)  
 beste Teiler 277.8 (2.) 445.3 (7.) 609.6 (38.)  
 Trefferlage 4.03 mm links, 3.02 mm hoch  
 Streuwert 12.30, horizontal: 13.49, vertikal: 10.98




Serie 1:  
 8.6 ↗ 10.6 \* 8.4 ↖ 9.4 ↖ 10.0 ↑  
 7.8 ← 10.4 \* 9.9 ↙ 10.0 → 9.0 ↘  
 beste Teiler 277.8 (2.) 445.3 (7.) 767.0 (5.)  
 Trefferlage 4.94 mm links, 3.56 mm hoch  
 Streuwert 9.60, horizontal: 11.24, vertikal: 7.60



Serie 2:  
 9.1 ↗ 9.4 ↑ 9.6 ↙ 9.8 ↙ 8.6 ↓  
 8.2 → 8.7 → 10.1 ← 10.1 → 6.3 ←  
 beste Teiler 651.5 (18.) 681.3 (19.) 914.6 (14.)  
 Trefferlage 0.38 mm links, 1.36 mm tief  
 Streuwert 13.36, horizontal: 16.87, vertikal: 8.51



Serie 3:  
 7.5 ↘ 8.3 ↖ 8.7 ↖ 9.0 ↑ 9.0 ↗  
 7.4 ↙ 8.4 ↙ 7.8 → 7.6 ↑ 9.6 ↘  
 beste Teiler 1060.9 (30.) 1572.0 (24.) 1582.2 (25.)  
 Trefferlage 7.68 mm links, 4.33 mm hoch  
 Streuwert 14.81, horizontal: 14.45, vertikal: 15.17





Serie 4:  
 7.5 ↑ 9.4 ← 7.5 ↖ 8.8 ↗ 9.5 ↑  
 10.0 ↙ 9.1 ↑ 10.2 ↙ 9.4 ↓ 8.9 →  
 beste Teiler 609.6 (38.) 779.5 (36.) 1179.0 (35.)  
 Trefferlage 3.10 mm links, 5.57 mm hoch  
 Streuwert 11.58, horizontal: 11.69, vertikal: 11.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (351.8)  
 Serien: 86 77 84 88  
 Zähler: 5 17 11 5 0 1 1 0 0 0  
 Innenzehner: 2  
 weiteste: 5033 (28), 4273 (20), 3101 (40)  
 beste Teiler 323.0 (38.) 474.0 (27.) 571.7 (34.)  
 Trefferlage 4.89 mm links, 0.57 mm tief  
 Streuwert 13.75, horizontal: 14.22, vertikal: 13.27




Serie 1:  
 10.1 ↙                      8.6 ←                      7.3 ↘                      9.8 ↓                      9.6 →  
 9.2 →                      8.2 ↗                      9.7 ↑                      8.6 ↖                      9.3 ↑  
 beste Teiler 718.8 (1.) 922.4 (4.) 975.5 (8.)  
 Trefferlage 0.48 mm rechts, 0.04 mm hoch  
 Streuwert 12.41, horizontal: 12.33, vertikal: 12.49



Serie 2:  
 8.7 ↖                      9.4 ←                      7.6 ↖                      7.4 ←                      8.0 ↖  
 8.2 ↓                      9.6 ←                      9.6 ↖                      7.8 ←                      5.6 ↖  
 beste Teiler 1087.8 (18.) 1099.6 (17.) 1242.7 (12.)  
 Trefferlage 13.42 mm links, 1.51 mm tief  
 Streuwert 14.81, horizontal: 10.43, vertikal: 18.16



Serie 3:  
 9.6 ↖                      8.7 ←                      9.1 ←                      8.0 ↖                      9.7 ↘  
 10.1 ↙                      10.4 \*                      4.7 ←                      8.5 →                      9.7 ↑  
 beste Teiler 474.0 (27.) 674.3 (26.) 1016.3 (25.)  
 Trefferlage 7.03 mm links, 0.72 mm hoch  
 Streuwert 14.81, horizontal: 18.23, vertikal: 10.30





Serie 4:  
 9.3 ↓                      9.3 ↓                      8.2 ↖                      10.2 →                      9.7 →  
 9.1 ↑                      8.6 →                      10.5 \*                      9.0 ←                      7.1 ↖  
 beste Teiler 323.0 (38.) 571.7 (34.) 985.6 (35.)  
 Trefferlage 0.36 mm rechts, 1.56 mm tief  
 Streuwert 12.26, horizontal: 11.56, vertikal: 12.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **290** (309.0)  
 Serien: 80 68 70 72  
 Zähler: 4 6 10 7 7 5 0 0 0 0  
 Innenzehner: 3  
 weiteste: 8075 (20), 4605 (4), 4594 (31)  
 beste Teiler 142.8 (18.) 324.1 (3.) 406.5 (11.)  
 Trefferlage 2.53 mm links, 2.61 mm tief  
 Streuwert 21.19, horizontal: 23.97, vertikal: 17.97




Serie 1:  
 9.7 ↘                      8.8 ↗                      10.5 \*                      5.2 ←                      8.2 ↘  
 7.7 ↘                      5.4 ↙                      10.3 ↓                      9.3 ↘                      9.3 ←  
 beste Teiler 324.1 (3.) 550.0 (8.) 1032.4 (1.)  
 Trefferlage 6.82 mm links, 3.56 mm tief  
 Streuwert 17.31, horizontal: 18.59, vertikal: 15.92



Serie 2:  
 10.4 \*                      5.6 ↙                      6.3 →                      8.9 ↖                      9.3 →  
 6.3 ↖                      7.4 ↗                      10.8 \*                      7.9 ↗                      0.0 ←  
 beste Teiler 142.8 (18.) 406.5 (11.) 1310.6 (15.)  
 Trefferlage 3.94 mm links, 4.18 mm hoch  
 Streuwert 26.50, horizontal: 32.44, vertikal: 18.77



Serie 3:  
 6.5 ↓                      7.5 ↑                      6.6 ←                      7.4 ←                      6.1 →  
 9.8 ↗                      6.1 →                      7.6 ↘                      8.9 ↖                      8.6 ←  
 beste Teiler 884.7 (26.) 1660.7 (29.) 1889.8 (30.)  
 Trefferlage 0.08 mm rechts, 2.82 mm tief  
 Streuwert 21.68, horizontal: 24.85, vertikal: 17.97





Serie 4:  
 5.2 →                      8.4 ↘                      6.5 ↓                      8.0 ↘                      8.7 →  
 9.4 ←                      8.6 ↖                      7.9 ↖                      8.2 ↙                      5.7 ↙  
 beste Teiler 1241.3 (36.) 1801.7 (35.) 1860.6 (37.)  
 Trefferlage 0.53 mm rechts, 8.24 mm tief  
 Streuwert 20.22, horizontal: 20.84, vertikal: 19.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (341.8)  
 Serien: 81 85 80 79  
 Zähler: 4 13 11 8 4 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3939 (16), 3539 (25), 3466 (6)  
 beste Teiler 87.4 (11.) 722.9 (14.) 786.2 (34.)  
 Trefferlage 0.20 mm links, 0.89 mm hoch  
 Streuwert 15.09, horizontal: 15.34, vertikal: 14.83




Serie 1:  
 7.8 ↑                      9.4 ↗                      9.8 ↘                      8.2 ←                      8.2 ←  
 6.6 ↓                      9.7 ↖                      7.1 ↘                      9.6 →                      9.2 ↓  
 beste Teiler 897.0 (3.) 1035.6 (7.) 1044.1 (9.)  
 Trefferlage 4.92 mm links, 1.32 mm hoch  
 Streuwert 15.11, horizontal: 11.10, vertikal: 18.25



Serie 2:  
 10.8 \*                      8.7 ↘                      9.1 ↗                      10.0 ↑                      8.5 ↘  
 6.0 ↖                      9.1 ↗                      8.5 ↘                      9.4 ↗                      8.0 ↘  
 beste Teiler 87.4 (11.) 722.9 (14.) 1257.9 (19.)  
 Trefferlage 2.53 mm rechts, 2.13 mm tief  
 Streuwert 14.34, horizontal: 16.41, vertikal: 11.93



Serie 3:  
 7.6 ↑                      9.5 →                      10.0 ↘                      9.7 ←                      6.5 →  
 7.4 ↘                      8.2 ↗                      7.9 ←                      8.5 ←                      9.1 ↑  
 beste Teiler 792.9 (23.) 967.4 (24.) 1164.0 (22.)  
 Trefferlage 3.03 mm rechts, 2.74 mm hoch  
 Streuwert 15.87, horizontal: 17.62, vertikal: 13.90





Serie 4:  
 9.6 ←                      7.8 ↖                      8.4 ↑                      10.0 ↗                      7.4 →  
 6.7 ↓                      7.6 ↘                      9.3 ←                      8.8 ↑                      8.1 ↖  
 beste Teiler 786.2 (34.) 1110.6 (31.) 1337.8 (38.)  
 Trefferlage 1.45 mm links, 1.62 mm hoch  
 Streuwert 16.43, horizontal: 16.44, vertikal: 16.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (350.2)  
 Serien: 86 77 81 86  
 Zähler: 7 12 10 8 1 2 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4552 (11), 4023 (16), 3257 (19)  
 beste Teiler 247.3 (7.) 339.7 (10.) 369.8 (31.)  
 Trefferlage 6.72 mm links, 3.29 mm tief  
 Streuwert 13.32, horizontal: 14.64, vertikal: 11.85




Serie 1:  
 9.8 ↓                      8.1 ↑                      8.9 ↙                      8.7 ↑                      9.6 ↘  
 7.8 ↓                      10.6 \*                      7.4 ↗                      10.0 ↓                      10.5 \*  
 beste Teiler 247.3 (7.) 339.7 (10.) 755.5 (9.)  
 Trefferlage 2.10 mm rechts, 0.51 mm hoch  
 Streuwert 12.40, horizontal: 9.07, vertikal: 15.00



Serie 2:  
 5.3 ←                      9.0 ↙                      10.1 ↘                      9.9 ←                      9.7 ↗  
 5.9 ↙                      8.1 ↘                      7.9 ↓                      6.9 ←                      9.2 ↓  
 beste Teiler 670.0 (13.) 855.0 (14.) 1003.5 (15.)  
 Trefferlage 13.42 mm links, 6.38 mm tief  
 Streuwert 15.44, horizontal: 17.31, vertikal: 13.30



Serie 3:  
 7.9 ←                      7.6 ↘                      9.3 ↙                      8.0 ↘                      8.8 ↙  
 8.9 ←                      9.6 ↗                      7.8 ↙                      10.0 ↘                      8.8 ↓  
 beste Teiler 737.7 (29.) 1105.8 (27.) 1343.6 (23.)  
 Trefferlage 11.30 mm links, 2.94 mm tief  
 Streuwert 11.53, horizontal: 12.41, vertikal: 10.58





Serie 4:  
 10.5 \*                      10.2 ↙                      7.7 →                      9.9 ↑                      8.2 ←  
 8.6 ←                      9.1 ↙                      9.2 ↓                      7.5 ↙                      9.2 →  
 beste Teiler 369.8 (31.) 565.2 (32.) 866.0 (34.)  
 Trefferlage 4.25 mm links, 4.35 mm tief  
 Streuwert 12.10, horizontal: 15.04, vertikal: 8.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (348.2)  
 Serien: 82 87 76 87  
 Zähler: 8 11 13 5 1 1 0 1 0 0  
 Innenzehner: 2  
 weiteste: 5743 (25), 4051 (27), 3347 (1)  
 beste Teiler 122.0 (34.) 339.0 (7.) 508.3 (18.)  
 Trefferlage 4.96 mm links, 4.12 mm tief  
 Streuwert 14.31, horizontal: 16.49, vertikal: 11.73




Serie 1:  
 6.8 ←                      8.0 ←                      8.3 →                      9.0 ←                      9.7 ←  
 9.1 ↗                      10.5 \*                      8.1 ←                      7.5 ←                      8.3 ←  
 beste Teiler 339.0 (7.) 1009.5 (5.) 1517.6 (6.)  
 Trefferlage 11.69 mm links, 3.33 mm tief  
 Streuwert 12.86, horizontal: 16.37, vertikal: 7.92



Serie 2:  
 9.6 ↗                      9.4 ↘                      9.7 ↙                      8.1 ←                      7.8 ↗  
 9.5 ↗                      10.0 →                      10.3 ←                      8.0 ↗                      8.1 ↘  
 beste Teiler 508.3 (18.) 734.7 (17.) 1017.6 (13.)  
 Trefferlage 0.54 mm links, 3.17 mm hoch  
 Streuwert 12.23, horizontal: 10.33, vertikal: 13.87



Serie 3:  
 9.7 ↙                      9.6 ↙                      9.0 ←                      7.5 ↘                      3.8 ↙  
 8.6 ↓                      5.9 ←                      8.0 ←                      8.7 ↓                      10.0 ↓  
 beste Teiler 749.8 (30.) 1026.7 (21.) 1075.5 (22.)  
 Trefferlage 11.01 mm links, 12.42 mm tief  
 Streuwert 16.16, horizontal: 19.60, vertikal: 11.74





Serie 4:  
 7.3 ←                      8.3 ↘                      8.6 →                      10.8 \*                      10.2 ↘  
 10.1 →                      7.6 →                      10.3 ↘                      9.7 ↖                      8.7 ↓  
 beste Teiler 122.0 (34.) 523.7 (38.) 632.6 (35.)  
 Trefferlage 3.38 mm rechts, 3.91 mm tief  
 Streuwert 12.17, horizontal: 15.17, vertikal: 8.15

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **345** (366.3)  
 Serien: 88 83 92 82  
 Zähler: 5 21 10 3 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4003 (15), 3118 (31), 2660 (14)  
 beste Teiler 280.8 (2.) 470.6 (27.) 495.9 (13.)  
 Trefferlage 2.87 mm links, 3.73 mm tief  
 Streuwert 11.09, horizontal: 12.04, vertikal: 10.05




Serie 1:  
 8.7 ↙ 10.6 \* 9.7 ↘ 9.8 ↘ 8.6 ↓  
 9.4 ↘ 8.5 ↓ 9.9 ↖ 9.1 ↙ 9.6 ↘  
 beste Teiler 280.8 (2.) 873.5 (8.) 907.1 (4.)  
 Trefferlage 3.09 mm links, 4.46 mm tief  
 Streuwert 9.11, horizontal: 7.88, vertikal: 10.19



Serie 2:  
 9.7 ↓ 9.8 ↙ 10.3 ↙ 7.6 ← 5.9 →  
 9.5 ↙ 9.9 ← 9.7 ↓ 8.2 ↘ 8.3 ↗  
 beste Teiler 495.9 (13.) 821.9 (17.) 957.1 (12.)  
 Trefferlage 1.99 mm links, 1.08 mm tief  
 Streuwert 14.36, horizontal: 18.08, vertikal: 9.27



Serie 3:  
 9.9 ↘ 8.9 ↙ 10.0 ↖ 9.7 ↘ 9.7 ↙  
 9.1 ↓ 10.4 \* 9.5 ↓ 9.7 ↓ 10.3 ↙  
 beste Teiler 470.6 (27.) 526.3 (30.) 799.7 (23.)  
 Trefferlage 0.48 mm links, 6.80 mm tief  
 Streuwert 5.95, horizontal: 5.91, vertikal: 5.98





Serie 4:  
 7.1 ↘ 8.0 ↙ 7.8 ← 9.2 → 8.9 ↓  
 8.3 ↙ 8.9 ↖ 9.4 → 9.3 ↑ 9.4 ↙  
 beste Teiler 1212.0 (38.) 1224.5 (40.) 1303.8 (39.)  
 Trefferlage 5.92 mm links, 2.57 mm tief  
 Streuwert 13.76, horizontal: 13.68, vertikal: 13.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **301** (316.9)  
 Serien: 71 78 75 77  
 Zähler: 4 9 8 7 10 0 1 1 0 0  
 Innenzehner: 1  
 weiteste: 6044 (5), 5007 (10), 3892 (34)  
 beste Teiler 303.2 (33.) 564.7 (8.) 621.8 (28.)  
 Trefferlage 3.22 mm links, 4.03 mm hoch  
 Streuwert 19.12, horizontal: 19.12, vertikal: 19.13




Serie 1:  
 7.7 ↖ 9.2 ↗ 8.3 ↙ 9.3 ↓ 3.4 ↗  
 9.0 ↑ 6.3 ← 10.2 ↖ 6.5 ↘ 4.7 ↑  
 beste Teiler 564.7 (8.) 1339.0 (4.) 1365.2 (2.)  
 Trefferlage 12.53 mm links, 14.28 mm hoch  
 Streuwert 19.64, horizontal: 14.95, vertikal: 23.41



Serie 2:  
 8.6 ↙ 6.2 ↖ 7.3 ↙ 8.9 ↑ 6.9 ↙  
 9.2 ↑ 8.1 ↗ 9.4 ↘ 8.3 → 9.3 →  
 beste Teiler 1275.0 (18.) 1340.0 (20.) 1397.1 (16.)  
 Trefferlage 4.24 mm links, 0.35 mm tief  
 Streuwert 17.09, horizontal: 18.42, vertikal: 15.64



Serie 3:  
 9.5 ↑ 6.8 → 7.4 ↙ 6.4 → 7.8 ↖  
 8.6 ↑ 6.8 → 10.2 ↗ 7.1 ← 9.3 ↗  
 beste Teiler 621.8 (28.) 1197.8 (21.) 1331.7 (30.)  
 Trefferlage 1.57 mm rechts, 6.38 mm hoch  
 Streuwert 18.69, horizontal: 24.83, vertikal: 9.03





Serie 4:  
 10.1 ↘ 7.3 ↖ 10.6 \* 6.1 ↓ 6.7 →  
 8.5 ↘ 8.3 ↓ 7.3 ↗ 9.1 ↙ 6.2 ↓  
 beste Teiler 303.2 (33.) 641.5 (31.) 1501.3 (39.)  
 Trefferlage 2.28 mm rechts, 4.16 mm tief  
 Streuwert 19.22, horizontal: 15.71, vertikal: 22.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (355.3)  
 Serien: 82 85 85 85  
 Zähler: 6 15 13 2 4 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3882 (2), 3756 (33), 3516 (4)  
 beste Teiler 466.8 (3.) 500.6 (21.) 531.9 (8.)  
 Trefferlage 3.38 mm rechts, 10.01 mm hoch  
 Streuwert 11.21, horizontal: 9.65, vertikal: 12.57




Serie 1:  
 8.0 ↗ 6.1 ↗ 10.4 \* 6.6 ↗ 10.1 ↓  
 8.4 ↗ 8.8 ← 10.3 ↗ 8.7 ↗ 8.2 ↗  
 beste Teiler 466.8 (3.) 531.9 (8.) 712.4 (5.)  
 Trefferlage 5.67 mm rechts, 13.59 mm hoch  
 Streuwert 12.45, horizontal: 9.89, vertikal: 14.57



Serie 2:  
 8.2 ↗ 8.2 ↗ 9.3 → 6.8 ↗ 9.4 →  
 9.8 ↗ 8.9 ↘ 10.1 ↘ 9.3 ↘ 9.5 ↘  
 beste Teiler 715.3 (18.) 956.4 (16.) 1186.9 (20.)  
 Trefferlage 3.90 mm rechts, 11.71 mm hoch  
 Streuwert 9.64, horizontal: 9.70, vertikal: 9.59



Serie 3:  
 10.3 ↙ 9.1 ↖ 8.8 ↗ 7.9 → 9.7 ↘  
 9.5 ↗ 7.1 ↑ 8.8 ↘ 9.4 ↑ 9.5 →  
 beste Teiler 500.6 (21.) 974.4 (25.) 1154.6 (30.)  
 Trefferlage 4.45 mm rechts, 5.17 mm hoch  
 Streuwert 11.70, horizontal: 10.90, vertikal: 12.45





Serie 4:  
 9.4 ↖ 8.5 ↑ 6.3 ↑ 9.6 → 8.5 ↖  
 9.8 ↗ 9.9 ↓ 9.1 ↑ 8.9 ↑ 10.1 ↓  
 beste Teiler 702.3 (40.) 870.2 (37.) 950.8 (36.)  
 Trefferlage 0.51 mm links, 9.55 mm hoch  
 Streuwert 11.19, horizontal: 8.29, vertikal: 13.48

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **315** (329.5)  
 Serien: 76 81 78 80  
 Zähler: 4 11 9 10 4 2 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4548 (29), 4484 (33), 3997 (17)  
 beste Teiler 209.6 (13.) 500.7 (35.) 648.7 (26.)  
 Trefferlage 2.36 mm links, 0.55 mm tief  
 Streuwert 17.17, horizontal: 17.79, vertikal: 16.52




Serie 1:  
 7.6 ↘                      8.2 ↑                      8.5 ↙                      6.2 ↖                      9.6 ↓  
 9.1 ↑                      9.7 ↙                      6.8 ←                      7.6 ↖                      7.6 →

beste Teiler 1024.4 (7.) 1069.1 (5.) 1507.7 (6.)  
 Trefferlage 11.87 mm links, 4.93 mm hoch  
 Streuwert 15.65, horizontal: 17.68, vertikal: 13.31




Serie 2:  
 7.2 ↖                      8.3 ↘                      10.7 \*                      8.7 ↘                      9.0 ↖  
 10.1 ←                      6.0 ↙                      9.8 →                      8.5 ↓                      6.8 ←

beste Teiler 209.6 (13.) 715.2 (16.) 903.7 (18.)  
 Trefferlage 6.70 mm links, 5.90 mm tief  
 Streuwert 15.48, horizontal: 17.55, vertikal: 13.09



Serie 3:  
 7.0 ↘                      8.3 →                      8.4 ↑                      7.3 ↓                      7.3 ↓  
 10.1 ↗                      9.0 ↗                      9.2 ←                      5.3 ↗                      8.5 ↑

beste Teiler 648.7 (26.) 1368.2 (28.) 1583.8 (27.)  
 Trefferlage 7.66 mm rechts, 1.92 mm hoch  
 Streuwert 18.07, horizontal: 13.76, vertikal: 21.53





Serie 4:  
 7.6 →                      7.4 →                      5.3 ↖                      9.0 ↓                      10.3 ↙  
 9.2 ↙                      9.1 ↖                      8.4 ↓                      9.3 ↘                      7.5 ↓

beste Teiler 500.7 (35.) 1345.6 (39.) 1429.3 (36.)  
 Trefferlage 1.44 mm rechts, 3.17 mm tief  
 Streuwert 17.37, horizontal: 17.68, vertikal: 17.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (372.3)  
 Serien: 88 91 91 86  
 Zähler: 13 14 9 4 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3025 (7), 2678 (8), 2587 (36)  
 beste Teiler 334.6 (3.) 388.5 (15.) 416.7 (34.)  
 Trefferlage 0.98 mm rechts, 3.02 mm tief  
 Streuwert 10.44, horizontal: 10.79, vertikal: 10.09




Serie 1:  
 9.8 ↘                      8.7 ↘                      10.5 \*                      9.4 ↙                      9.7 →  
 9.1 ↙                      7.2 ←                      7.6 ↘                      10.1 ←                      10.1 →  
 beste Teiler 334.6 (3.) 647.2 (9.) 652.6 (10.)  
 Trefferlage 0.88 mm links, 7.66 mm tief  
 Streuwert 10.56, horizontal: 12.66, vertikal: 7.91



Serie 2:  
 10.4 \*                      10.3 ↘                      8.5 ↗                      9.6 ←                      10.5 \*  
 9.5 ↓                      8.4 ↗                      8.1 →                      9.2 ←                      10.0 ↗  
 beste Teiler 388.5 (15.) 450.0 (11.) 517.9 (12.)  
 Trefferlage 2.83 mm rechts, 1.81 mm hoch  
 Streuwert 9.99, horizontal: 11.68, vertikal: 7.93



Serie 3:  
 9.9 ↑                      9.0 →                      10.1 ←                      8.8 →                      8.7 ↘  
 10.3 ↘                      9.1 ↓                      9.4 ←                      10.3 →                      9.1 ↓  
 beste Teiler 539.1 (29.) 548.6 (26.) 643.7 (23.)  
 Trefferlage 0.70 mm rechts, 1.28 mm tief  
 Streuwert 9.49, horizontal: 9.73, vertikal: 9.24





Serie 4:  
 9.1 ↙                      10.0 →                      9.8 ↓                      10.4 \*                      8.5 ↓  
 7.7 ↘                      8.5 →                      8.9 ↓                      7.8 ↑                      10.2 →  
 beste Teiler 416.7 (34.) 586.3 (40.) 743.5 (32.)  
 Trefferlage 1.29 mm rechts, 4.95 mm tief  
 Streuwert 11.78, horizontal: 10.24, vertikal: 13.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (363.9)  
 Serien: 83 84 91 86  
 Zähler: 8 17 7 7 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3396 (6), 2798 (2), 2657 (36)  
 beste Teiler 95.4 (12.) 378.5 (28.) 531.2 (38.)  
 Trefferlage 2.76 mm rechts, 0.87 mm hoch  
 Streuwert 11.91, horizontal: 13.08, vertikal: 10.61




Serie 1:  
 9.7 ↖ 7.5 ← 8.8 ← 10.0 ↑ 8.4 ↑  
 6.7 ↙ 9.8 ↓ 9.4 ↘ 7.7 ↗ 10.2 ↓  
 beste Teiler 608.0 (10.) 750.8 (4.) 943.9 (7.)  
 Trefferlage 4.81 mm links, 4.33 mm hoch  
 Streuwert 13.65, horizontal: 16.16, vertikal: 10.56



Serie 2:  
 7.6 ↗ 10.8 \* 9.1 ↘ 9.8 ↗ 7.7 ←  
 9.3 ← 9.5 ↘ 8.9 ↙ 8.1 ↓ 8.7 ↗  
 beste Teiler 95.4 (12.) 891.8 (14.) 1148.3 (17.)  
 Trefferlage 2.31 mm rechts, 1.08 mm tief  
 Streuwert 12.98, horizontal: 13.88, vertikal: 12.02



Serie 3:  
 9.7 → 9.6 ↘ 9.7 → 10.1 ← 9.4 ↗  
 9.8 ↓ 9.4 ↑ 10.5 \* 9.6 ↘ 8.2 ↑  
 beste Teiler 378.5 (28.) 677.4 (24.) 949.9 (26.)  
 Trefferlage 2.67 mm rechts, 0.10 mm tief  
 Streuwert 8.46, horizontal: 7.38, vertikal: 9.41





Serie 4:  
 9.0 ↗ 8.0 ↗ 10.2 ↑ 7.7 ↘ 9.8 →  
 7.6 ↘ 7.7 → 10.3 ↙ 9.7 ↘ 10.2 ↗  
 beste Teiler 531.2 (38.) 583.1 (40.) 590.4 (33.)  
 Trefferlage 10.87 mm rechts, 0.34 mm hoch  
 Streuwert 10.50, horizontal: 9.78, vertikal: 11.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **324** (343.4)  
 Serien: 77 81 82 84  
 Zähler: 6 13 11 4 2 3 1 0 0 0  
 Innenzehner: 1  
 weiteste: 4872 (6), 4623 (12), 4379 (11)  
 beste Teiler 386.9 (36.) 505.0 (22.) 520.8 (17.)  
 Trefferlage 4.91 mm links, 1.56 mm tief  
 Streuwert 15.47, horizontal: 16.44, vertikal: 14.44




Serie 1:  
 6.9 →                      9.9 →                      8.0 ↖                      10.3 →                      8.4 ←  
 4.9 ←                      8.7 ↗                      8.9 →                      8.5 ↑                      8.9 ↙  
 beste Teiler 536.0 (4.) 810.8 (2.) 1635.4 (10.)  
 Trefferlage 3.02 mm links, 2.98 mm hoch  
 Streuwert 17.61, horizontal: 23.66, vertikal: 7.80



Serie 2:  
 5.5 ↙                      5.2 ↗                      9.7 ↓                      9.5 ←                      9.3 ↘  
 9.6 ↗                      10.3 ↙                      7.7 ←                      9.9 ↖                      9.0 ↓  
 beste Teiler 520.8 (17.) 827.2 (19.) 1034.5 (13.)  
 Trefferlage 6.40 mm links, 0.12 mm tief  
 Streuwert 17.04, horizontal: 17.21, vertikal: 16.87



Serie 3:  
 8.2 ↑                      10.3 ←                      9.0 ↓                      8.4 ↓                      5.9 ↘  
 9.3 ↑                      8.5 ↑                      7.7 ↙                      10.2 →                      8.6 ↖  
 beste Teiler 505.0 (22.) 601.1 (29.) 1341.1 (26.)  
 Trefferlage 3.47 mm links, 1.00 mm tief  
 Streuwert 15.45, horizontal: 11.79, vertikal: 18.40





Serie 4:  
 8.9 ↙                      9.1 →                      9.2 ↙                      10.1 ←                      6.2 ↓  
 10.5 \*                      9.4 →                      7.8 ←                      9.5 ↖                      7.5 ↙  
 beste Teiler 386.9 (36.) 714.0 (34.) 1167.4 (39.)  
 Trefferlage 6.75 mm links, 8.09 mm tief  
 Streuwert 12.44, horizontal: 12.77, vertikal: 12.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (353.3)  
 Serien: 85 84 82 83  
 Zähler: 5 14 14 4 3 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3752 (19), 3548 (34), 3369 (36)  
 beste Teiler 371.0 (20.) 533.4 (16.) 585.7 (7.)  
 Trefferlage 4.03 mm links, 2.18 mm hoch  
 Streuwert 13.10, horizontal: 12.96, vertikal: 13.24




Serie 1:  
 9.7 ↘                      8.7 ←                      8.4 ↖                      9.7 ✓                      9.7 ↙  
 8.5 ↑                      10.2 →                      7.9 →                      8.5 ↙                      9.2 ↑  
 beste Teiler 585.7 (7.) 980.6 (1.) 1010.7 (5.)  
 Trefferlage 2.13 mm links, 2.72 mm hoch  
 Streuwert 11.87, horizontal: 11.82, vertikal: 11.91



Serie 2:  
 8.8 ✓                      8.7 →                      8.6 →                      9.4 ←                      9.7 ←  
 10.3 →                      8.0 ↑                      8.4 ↘                      6.3 ↑                      10.5 \*  
 beste Teiler 371.0 (20.) 533.4 (16.) 984.0 (15.)  
 Trefferlage 1.37 mm links, 4.10 mm hoch  
 Streuwert 13.80, horizontal: 12.33, vertikal: 15.13



Serie 3:  
 7.8 →                      9.4 →                      7.3 ←                      8.5 ↑                      9.2 ↓  
 9.1 ←                      8.9 ←                      10.1 →                      8.3 ←                      7.0 ↘  
 beste Teiler 709.6 (28.) 1280.5 (22.) 1420.6 (25.)  
 Trefferlage 5.52 mm links, 2.86 mm hoch  
 Streuwert 14.56, horizontal: 17.05, vertikal: 11.54





Serie 4:  
 8.5 ↖                      9.7 ✓                      9.8 ↖                      6.5 ↑                      8.8 ←  
 6.7 ✓                      9.9 ↓                      10.0 →                      9.4 ↘                      9.2 ←  
 beste Teiler 747.4 (38.) 802.6 (37.) 882.9 (33.)  
 Trefferlage 7.09 mm links, 0.96 mm tief  
 Streuwert 13.42, horizontal: 10.95, vertikal: 15.49

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **347** (364.2)  
 Serien: 89 89 88 81  
 Zähler: 7 20 8 3 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3819 (38), 3221 (22), 2962 (1)  
 beste Teiler 202.4 (18.) 320.9 (2.) 468.2 (8.)  
 Trefferlage 0.08 mm rechts, 1.37 mm hoch  
 Streuwert 11.95, horizontal: 11.38, vertikal: 12.50




Serie 1:  
 7.2 ↙ 10.6 \* 9.0 ← 9.0 → 9.7 ↑  
 7.5 ↑ 9.7 ↙ 10.4 \* 9.1 ↑ 10.2 ←  
 beste Teiler 320.9 (2.) 468.2 (8.) 568.2 (10.)  
 Trefferlage 0.54 mm links, 1.09 mm hoch  
 Streuwert 12.00, horizontal: 9.83, vertikal: 13.83



Serie 2:  
 8.3 ↓ 9.7 ↙ 9.1 ← 9.8 ↘ 9.2 ↗  
 9.4 ↘ 9.7 ↘ 10.7 \* 9.4 ↓ 8.7 ←  
 beste Teiler 202.4 (18.) 939.8 (14.) 981.6 (17.)  
 Trefferlage 3.24 mm links, 2.21 mm tief  
 Streuwert 9.56, horizontal: 8.82, vertikal: 10.25



Serie 3:  
 10.1 → 6.9 → 9.5 ↑ 9.4 ← 10.0 ↓  
 9.3 ↓ 9.4 ← 8.4 ↘ 10.0 ↘ 8.6 ↘  
 beste Teiler 707.2 (21.) 789.4 (25.) 790.4 (29.)  
 Trefferlage 4.78 mm rechts, 1.88 mm tief  
 Streuwert 11.29, horizontal: 13.76, vertikal: 8.10





Serie 4:  
 9.9 ← 8.2 ← 9.8 ↑ 8.1 ↑ 9.6 ↘  
 8.8 ↘ 9.7 ↙ 6.2 ↑ 7.8 ↑ 8.1 →  
 beste Teiler 853.9 (31.) 885.0 (33.) 977.5 (37.)  
 Trefferlage 0.64 mm links, 8.48 mm hoch  
 Streuwert 14.00, horizontal: 12.61, vertikal: 15.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (352.6)  
 Serien: 80 83 85 88  
 Zähler: 4 16 15 2 3 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3727 (29), 3516 (7), 3255 (10)  
 beste Teiler 360.1 (33.) 522.3 (28.) 551.6 (40.)  
 Trefferlage 4.77 mm links, 0.67 mm hoch  
 Streuwert 13.08, horizontal: 12.04, vertikal: 14.05




Serie 1:  
 9.2 ←                      9.0 ↙                      9.9 →                      7.9 ↘                      9.2 ↘  
 8.5 ←                      6.6 ↙                      9.6 ↑                      8.0 ↖                      6.9 ↘  
 beste Teiler 804.9 (3.) 1067.6 (8.) 1395.3 (1.)  
 Trefferlage 8.08 mm links, 1.70 mm tief  
 Streuwert 14.79, horizontal: 12.35, vertikal: 16.88



Serie 2:  
 8.4 ←                      9.3 ↓                      8.9 ↘                      9.3 ↗                      8.1 ←  
 8.2 ↑                      8.0 ↗                      9.7 ↑                      8.0 ↖                      8.5 ↑  
 beste Teiler 1037.8 (18.) 1299.7 (12.) 1344.6 (14.)  
 Trefferlage 2.13 mm links, 6.82 mm hoch  
 Streuwert 13.23, horizontal: 12.15, vertikal: 14.22



Serie 3:  
 9.2 →                      9.5 ↘                      9.6 ←                      9.8 ↖                      9.7 ↑  
 8.5 →                      9.7 ↖                      10.3 ↘                      6.3 ←                      7.0 ↓  
 beste Teiler 522.3 (28.) 948.7 (24.) 971.0 (25.)  
 Trefferlage 2.34 mm links, 0.68 mm tief  
 Streuwert 13.93, horizontal: 15.47, vertikal: 12.20





Serie 4:  
 8.7 ↘                      9.4 ←                      10.5 \*                      9.1 ↘                      8.3 ↓  
 8.0 ↙                      8.9 ↓                      8.5 ↖                      10.1 →                      10.3 ↘  
 beste Teiler 360.1 (33.) 551.6 (40.) 702.1 (39.)  
 Trefferlage 6.54 mm links, 1.72 mm tief  
 Streuwert 10.51, horizontal: 7.62, vertikal: 12.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (356.3)  
 Serien: 89 82 80 88  
 Zähler: 7 13 15 3 1 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4467 (28), 3478 (29), 2629 (14)  
 beste Teiler 210.2 (33.) 280.9 (27.) 382.9 (15.)  
 Trefferlage 3.08 mm rechts, 2.33 mm tief  
 Streuwert 12.96, horizontal: 9.79, vertikal: 15.49




Serie 1:  
 8.9 ↘ 9.3 ↘ 10.2 ↙ 9.9 ↘ 9.1 ↗  
 8.9 ↓ 9.0 ↓ 8.7 → 10.2 ↙ 9.8 ↙  
 beste Teiler 569.1 (3.) 592.8 (9.) 872.2 (4.)  
 Trefferlage 0.72 mm rechts, 2.93 mm tief  
 Streuwert 9.58, horizontal: 9.53, vertikal: 9.64



Serie 2:  
 8.2 ↗ 7.7 ↘ 9.0 ↗ 7.7 ↑ 10.5 \*  
 7.8 ↑ 9.5 ↗ 8.5 ↓ 8.4 ↘ 9.5 ↓  
 beste Teiler 382.9 (15.) 1134.4 (20.) 1152.1 (17.)  
 Trefferlage 4.50 mm rechts, 5.46 mm hoch  
 Streuwert 13.60, horizontal: 8.94, vertikal: 17.04





Serie 3:  
 8.4 ↓ 8.7 ↗ 9.3 ↘ 9.0 ↗ 9.8 →  
 8.1 ↙ 10.6 \* 5.4 ↓ 6.6 ↑ 8.0 ↓  
 beste Teiler 280.9 (27.) 934.3 (25.) 1303.2 (23.)  
 Trefferlage 1.25 mm rechts, 3.86 mm tief  
 Streuwert 17.31, horizontal: 10.55, vertikal: 22.10




Serie 4:  
 8.8 ← 8.7 ↓ 10.7 \* 8.0 ↘ 10.3 ↘  
 9.2 ↘ 10.1 ↑ 8.7 ↘ 8.0 → 9.1 →  
 beste Teiler 210.2 (33.) 521.7 (35.) 686.0 (37.)  
 Trefferlage 5.86 mm rechts, 7.99 mm tief  
 Streuwert 9.36, horizontal: 10.62, vertikal: 7.91

Unterschrift des Schützen


Ergebnis: **373** (394.3)  
 Serien: 92 94 95 92  
 Zähler: 16 21 3 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1806 (2), 1674 (1), 1672 (33)  
 beste Teiler 76.1 (31.) 92.6 (37.) 233.3 (30.)  
 Trefferlage 1.79 mm links, 1.61 mm hoch  
 Streuwert 6.77, horizontal: 6.62, vertikal: 6.92




Serie 1:  
 8.9 ↑ 8.7 ↘ 9.7 ↗ 9.5 → 10.2 ↘  
 10.0 ↑ 9.6 → 10.3 ↑ 10.6 \* 9.8 ↙  
 beste Teiler 309.8 (9.) 507.7 (8.) 592.1 (5.)  
 Trefferlage 1.40 mm rechts, 4.11 mm hoch  
 Streuwert 7.40, horizontal: 7.94, vertikal: 6.82



Serie 2:  
 9.7 ↑ 9.6 ↘ 9.9 ↙ 9.6 ↗ 10.2 ←  
 10.6 \* 10.3 ↓ 10.3 ↙ 9.4 ↑ 9.8 ↘  
 beste Teiler 263.0 (16.) 534.5 (18.) 545.3 (17.)  
 Trefferlage 1.94 mm links, 2.55 mm hoch  
 Streuwert 5.89, horizontal: 4.89, vertikal: 6.74



Serie 3:  
 10.1 ↘ 10.3 ← 10.2 ↘ 9.3 ↑ 9.2 ↙  
 9.6 ↙ 10.5 \* 9.4 ← 9.7 → 10.7 \*  
 beste Teiler 233.3 (30.) 360.4 (27.) 532.0 (22.)  
 Trefferlage 2.37 mm links, 1.38 mm hoch  
 Streuwert 6.60, horizontal: 7.38, vertikal: 5.70





Serie 4:  
 10.9 \* 9.5 ← 8.9 ↘ 9.9 ↙ 10.4 \*  
 9.8 ↗ 10.8 \* 9.7 ↓ 9.4 ↙ 9.3 ↙  
 beste Teiler 76.1 (31.) 92.6 (37.) 455.5 (35.)  
 Trefferlage 4.27 mm links, 1.58 mm tief  
 Streuwert 6.84, horizontal: 5.47, vertikal: 7.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **287** (307.6)  
 Serien: 70 70 81 66  
 Zähler: 1 6 13 9 7 1 1 1 1 0  
 Innenzehner: 1  
 weiteste: 6937 (1), 6178 (31), 5063 (12)  
 beste Teiler 332.4 (30.) 803.7 (26.) 907.4 (28.)  
 Trefferlage 5.13 mm rechts, 0.03 mm hoch  
 Streuwert 20.79, horizontal: 24.02, vertikal: 16.96




Serie 1:  
 2.3 ←                      6.6 ↓                      9.7 ↓                      7.5 ↓                      6.6 →  
 9.3 ↓                      8.7 ←                      8.5 ↖                      7.0 ↗                      8.7 ←  
 beste Teiler 979.8 (3.) 1353.2 (6.) 1789.8 (7.)  
 Trefferlage 6.06 mm links, 9.94 mm tief  
 Streuwert 22.37, horizontal: 27.42, vertikal: 15.79



Serie 2:  
 7.3 ↗                      4.6 →                      8.7 ↘                      8.9 ↖                      8.3 ↗  
 8.6 ↗                      7.6 ↑                      8.1 →                      5.1 ←                      7.5 ↓  
 beste Teiler 1672.6 (14.) 1773.7 (13.) 1912.5 (16.)  
 Trefferlage 7.61 mm rechts, 6.93 mm hoch  
 Streuwert 20.99, horizontal: 24.72, vertikal: 16.43



Serie 3:  
 8.8 ↓                      9.0 ↗                      9.7 ←                      8.1 ↗                      6.3 →  
 9.9 ↘                      6.9 →                      9.8 ←                      7.7 ↘                      10.5 \*  
 beste Teiler 332.4 (30.) 803.7 (26.) 907.4 (28.)  
 Trefferlage 8.04 mm rechts, 1.41 mm hoch  
 Streuwert 14.40, horizontal: 16.71, vertikal: 11.63





Serie 4:  
 3.2 ↘                      8.6 ↘                      7.5 ↓                      8.7 ←                      6.6 ↗  
 6.5 →                      8.9 ↗                      7.8 ↗                      6.3 ↖                      7.2 ←  
 beste Teiler 1602.2 (37.) 1796.5 (34.) 1891.8 (32.)  
 Trefferlage 10.93 mm rechts, 1.74 mm hoch  
 Streuwert 23.32, horizontal: 25.78, vertikal: 20.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (353.8)  
 Serien: 84 82 83 83  
 Zähler: 7 13 11 4 4 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4376 (27), 3592 (14), 3280 (11)  
 beste Teiler 165.3 (19.) 258.2 (9.) 339.3 (40.)  
 Trefferlage 1.89 mm rechts, 2.69 mm tief  
 Streuwert 13.83, horizontal: 13.56, vertikal: 14.11




Serie 1:  
 8.9 ↗ 8.3 ↖ 6.9 ↘ 8.8 ↙ 9.4 ←  
 9.8 → 9.7 ↙ 8.8 ↗ 10.6 \* 9.4 ←  
 beste Teiler 258.2 (9.) 953.0 (6.) 961.0 (7.)  
 Trefferlage 7.86 mm links, 1.51 mm hoch  
 Streuwert 11.03, horizontal: 10.06, vertikal: 11.91



Serie 2:  
 6.9 → 9.8 ↘ 10.4 \* 6.5 ↓ 7.0 ↓  
 9.7 ↖ 10.5 \* 7.9 ↘ 10.7 \* 8.5 ↘  
 beste Teiler 165.3 (19.) 400.8 (17.) 447.6 (13.)  
 Trefferlage 4.93 mm rechts, 9.28 mm tief  
 Streuwert 13.93, horizontal: 13.97, vertikal: 13.90





Serie 3:  
 8.2 ↙ 9.3 ← 9.3 ↓ 9.0 ↙ 10.3 ←  
 8.6 ↓ 5.5 ↘ 8.0 ↑ 9.6 ↘ 8.1 →  
 beste Teiler 494.3 (25.) 1070.8 (29.) 1313.8 (22.)  
 Trefferlage 1.52 mm rechts, 7.60 mm tief  
 Streuwert 14.85, horizontal: 14.49, vertikal: 15.20




Serie 4:  
 6.9 ↗ 8.9 → 9.5 ↑ 10.3 ↘ 9.7 ←  
 8.4 → 7.9 ↘ 7.7 ↑ 9.6 → 10.5 \*  
 beste Teiler 339.3 (40.) 547.0 (34.) 1037.0 (35.)  
 Trefferlage 8.98 mm rechts, 4.56 mm hoch  
 Streuwert 11.42, horizontal: 10.85, vertikal: 11.96

Unterschrift des Schützen


Ergebnis: **361** (380.8)  
 Serien: 91 94 87 89  
 Zähler: 13 16 10 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2451 (22), 2280 (24), 2220 (35)  
 beste Teiler 199.2 (14.) 250.0 (33.) 296.2 (9.)  
 Trefferlage 2.33 mm links, 2.35 mm tief  
 Streuwert 8.98, horizontal: 9.64, vertikal: 8.26




Serie 1:  
 9.3 ↙                      9.2 ↑                      8.5 ↖                      9.6 ↗                      10.5 \*  
 9.8 ↓                      9.4 ↘                      10.5 \*                      10.6 \*                      8.9 ↘  
 beste Teiler 296.2 (9.) 321.1 (8.) 355.3 (5.)  
 Trefferlage 5.41 mm links, 0.21 mm tief  
 Streuwert 7.83, horizontal: 6.82, vertikal: 8.72



Serie 2:  
 8.8 ←                      10.3 ↘                      9.4 ↙                      10.7 \*                      9.4 ↗  
 10.0 ↓                      10.5 \*                      9.0 ↙                      9.8 ↙                      10.0 ↗  
 beste Teiler 199.2 (14.) 326.6 (17.) 500.6 (12.)  
 Trefferlage 2.20 mm links, 3.56 mm tief  
 Streuwert 7.21, horizontal: 9.22, vertikal: 4.36



Serie 3:  
 9.9 ↓                      7.9 →                      9.4 ↖                      8.1 ↓                      9.8 ↘  
 9.5 ↓                      10.0 ↖                      8.8 ↙                      10.1 →                      8.9 →  
 beste Teiler 679.1 (29.) 792.5 (27.) 846.4 (21.)  
 Trefferlage 1.00 mm rechts, 3.99 mm tief  
 Streuwert 10.74, horizontal: 11.45, vertikal: 9.98





Serie 4:  
 9.3 ↖                      8.9 ↙                      10.6 \*                      8.3 ↓                      8.2 ↗  
 9.3 →                      8.8 ↙                      10.5 \*                      9.9 ↖                      10.4 \*  
 beste Teiler 250.0 (33.) 347.5 (38.) 471.1 (40.)  
 Trefferlage 2.71 mm links, 1.64 mm tief  
 Streuwert 10.20, horizontal: 10.83, vertikal: 9.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (386.2)  
 Serien: 94 94 93 91  
 Zähler: 17 18 5 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2196 (26), 2169 (19), 1683 (22)  
 beste Teiler 204.4 (25.) 243.9 (18.) 254.0 (21.)  
 Trefferlage 1.57 mm links, 0.65 mm tief  
 Streuwert 8.19, horizontal: 6.87, vertikal: 9.32




Serie 1:  
 9.3 ↙ 9.2 ↘ 8.9 ↑ 10.4 \* 10.3 →  
 9.3 ↙ 10.3 ↘ 9.8 ↘ 10.0 ↗ 10.5 \*  
 beste Teiler 352.0 (10.) 442.9 (4.) 487.7 (5.)  
 Trefferlage 1.47 mm links, 2.93 mm hoch  
 Streuwert 7.20, horizontal: 5.94, vertikal: 8.28



Serie 2:  
 10.0 → 9.3 ↙ 9.2 ↑ 10.3 → 10.3 ↘  
 9.0 ↙ 9.4 → 10.6 \* 8.2 ↓ 10.1 ←  
 beste Teiler 243.9 (18.) 520.6 (15.) 530.4 (14.)  
 Trefferlage 0.88 mm links, 2.22 mm tief  
 Streuwert 8.63, horizontal: 7.62, vertikal: 9.54



Serie 3:  
 10.6 \* 8.8 ↓ 9.1 → 10.1 ↙ 10.7 \*  
 8.2 ↙ 9.8 ↓ 10.3 ↗ 10.1 ↓ 9.0 ←  
 beste Teiler 204.4 (25.) 254.0 (21.) 517.0 (28.)  
 Trefferlage 3.08 mm links, 4.70 mm tief  
 Streuwert 7.91, horizontal: 8.11, vertikal: 7.69





Serie 4:  
 9.0 ↘ 9.4 ↙ 9.7 ↗ 9.9 ↑ 8.9 ↙  
 9.4 ↘ 9.3 ↑ 10.1 ↓ 10.3 ↓ 9.1 ↑  
 beste Teiler 488.7 (39.) 677.2 (38.) 812.2 (34.)  
 Trefferlage 0.85 mm links, 1.38 mm hoch  
 Streuwert 8.94, horizontal: 6.47, vertikal: 10.86

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **322** (343.5)  
 Serien: 84 84 79 75  
 Zähler: 6 10 9 12 1 2 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4126 (40), 4068 (24), 3706 (36)  
 beste Teiler 255.9 (11.) 273.7 (37.) 287.5 (3.)  
 Trefferlage 1.03 mm links, 13.59 mm hoch  
 Streuwert 11.88, horizontal: 14.05, vertikal: 9.22




Serie 1:  
 8.9 ↘                      9.1 ↘                      10.6 \*                      8.4 ↘                      9.3 ↑  
 9.5 ↗                      8.8 ↘                      7.3 ↖                      9.5 ↑                      7.9 ↑  
 beste Teiler 287.5 (3.) 1160.4 (6.) 1194.7 (9.)  
 Trefferlage 7.93 mm links, 11.17 mm hoch  
 Streuwert 8.33, horizontal: 10.33, vertikal: 5.66



Serie 2:  
 10.6 \*                      9.9 ↑                      8.1 ↑                      8.4 ↘                      7.4 ←  
 7.7 ↘                      9.3 ↘                      9.9 ↖                      7.4 ↗                      10.3 ↘  
 beste Teiler 255.9 (11.) 497.6 (20.) 818.6 (12.)  
 Trefferlage 4.11 mm links, 10.32 mm hoch  
 Streuwert 11.32, horizontal: 13.20, vertikal: 9.06



Serie 3:  
 9.8 ↑                      7.5 ↘                      7.7 ↗                      5.9 ↗                      9.9 ↑  
 9.2 ↖                      8.2 ↗                      10.5 \*                      8.7 ↗                      7.8 ↑  
 beste Teiler 327.0 (28.) 812.7 (25.) 915.7 (21.)  
 Trefferlage 7.21 mm rechts, 12.57 mm hoch  
 Streuwert 12.50, horizontal: 15.57, vertikal: 8.36





Serie 4:  
 7.0 ↑                      8.4 ↑                      8.5 ↑                      7.9 ↘                      7.7 ↘  
 6.3 ↗                      10.6 \*                      10.0 ↑                      7.8 ↘                      5.8 ↑  
 beste Teiler 273.7 (37.) 781.7 (38.) 1993.7 (33.)  
 Trefferlage 0.69 mm rechts, 20.28 mm hoch  
 Streuwert 12.34, horizontal: 13.79, vertikal: 10.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (363.9)  
 Serien: 90 84 91 84  
 Zähler: 10 13 13 4 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3059 (35), 2810 (18), 2670 (33)  
 beste Teiler 192.5 (4.) 465.2 (39.) 481.9 (28.)  
 Trefferlage 1.16 mm links, 4.93 mm hoch  
 Streuwert 11.29, horizontal: 13.70, vertikal: 8.19




Serie 1:  
 9.3 ↘                      9.7 ↑                      8.2 ↖                      10.7 \*                      9.5 →  
 8.5 ↘                      8.5 ←                      10.1 ↗                      10.1 ↑                      9.6 ↑  
 beste Teiler 192.5 (4.) 684.8 (9.) 703.8 (8.)  
 Trefferlage 4.30 mm links, 6.24 mm hoch  
 Streuwert 8.49, horizontal: 10.69, vertikal: 5.47



Serie 2:  
 9.6 ↑                      8.6 ↗                      8.8 ↘                      8.0 ↖                      8.4 ↑  
 9.7 ←                      10.3 ↓                      7.4 →                      8.0 ↘                      9.6 ←  
 beste Teiler 551.2 (17.) 1023.6 (16.) 1071.6 (20.)  
 Trefferlage 1.08 mm rechts, 6.03 mm hoch  
 Streuwert 12.90, horizontal: 15.64, vertikal: 9.38





Serie 3:  
 9.4 ↗                      9.4 ↖                      9.5 ↘                      8.5 ↗                      8.0 ↘  
 10.0 ↘                      9.1 ↘                      10.3 ↗                      9.4 ↓                      10.2 ↑  
 beste Teiler 481.9 (28.) 596.3 (30.) 737.5 (26.)  
 Trefferlage 0.06 mm rechts, 4.87 mm hoch  
 Streuwert 9.54, horizontal: 9.42, vertikal: 9.66




Serie 4:  
 8.3 →                      8.8 →                      7.6 ↖                      8.0 →                      7.1 ↖  
 9.3 ↗                      10.0 ↘                      7.9 ↖                      10.4 \*                      10.1 →  
 beste Teiler 465.2 (39.) 650.0 (40.) 739.2 (37.)  
 Trefferlage 1.51 mm links, 2.60 mm hoch  
 Streuwert 14.44, horizontal: 18.63, vertikal: 8.38

Unterschrift des Schützen


Ergebnis: **338** (358.6)  
 Serien: 79 90 84 85  
 Zähler: 4 20 7 8 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3816 (8), 3162 (36), 3110 (28)  
 beste Teiler 151.5 (20.) 349.3 (11.) 630.2 (12.)  
 Trefferlage 1.08 mm links, 1.75 mm hoch  
 Streuwert 12.78, horizontal: 14.55, vertikal: 10.71




Serie 1:  
 8.6 ←                      8.6 ↙                      9.2 ↗                      7.2 ↑                      7.8 ↑  
 7.5 ↘                      9.8 ↘                      6.2 →                      9.8 ↘                      9.8 ←  
 beste Teiler 934.0 (7.) 949.1 (10.) 954.5 (9.)  
 Trefferlage 1.82 mm rechts, 2.93 mm hoch  
 Streuwert 16.29, horizontal: 17.39, vertikal: 15.11



Serie 2:  
 10.5 \*                      10.2 ↘                      7.8 ↙                      9.3 ←                      8.7 ↓  
 9.7 ↘                      9.8 →                      9.9 ↓                      9.4 ↘                      10.8 \*  
 beste Teiler 151.5 (20.) 349.3 (11.) 630.2 (12.)  
 Trefferlage 3.83 mm links, 3.11 mm tief  
 Streuwert 8.79, horizontal: 9.30, vertikal: 8.24



Serie 3:  
 9.7 ←                      8.7 →                      9.8 ↓                      9.0 →                      7.9 ↘  
 9.1 ↗                      7.9 ↘                      7.1 →                      9.1 ↑                      10.0 ←  
 beste Teiler 740.6 (30.) 912.1 (23.) 971.6 (21.)  
 Trefferlage 2.31 mm rechts, 4.88 mm hoch  
 Streuwert 13.19, horizontal: 16.46, vertikal: 8.77





Serie 4:  
 9.2 ↑                      8.1 ←                      9.5 ↙                      8.9 ↘                      8.7 ↗  
 7.0 ↙                      9.5 ←                      9.8 ↗                      9.5 →                      9.5 ↗  
 beste Teiler 941.8 (38.) 1155.9 (33.) 1163.0 (37.)  
 Trefferlage 4.63 mm links, 2.33 mm hoch  
 Streuwert 12.20, horizontal: 14.59, vertikal: 9.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (359.5)  
 Serien: 82 88 88 86  
 Zähler: 11 12 10 4 3 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3628 (19), 3550 (22), 3461 (34)  
 beste Teiler 222.8 (2.) 283.5 (37.) 325.7 (28.)  
 Trefferlage 4.21 mm links, 2.78 mm tief  
 Streuwert 12.63, horizontal: 13.17, vertikal: 12.05




Serie 1:  
 9.9 ↓                      10.7 \*                      8.7 →                      8.9 ↗                      9.4 ↘  
 7.6 ↓                      7.3 ↙                      8.0 ←                      8.1 ↘                      8.0 ↙  
 beste Teiler 222.8 (2.) 849.5 (1.) 1267.6 (5.)  
 Trefferlage 2.39 mm links, 6.83 mm tief  
 Streuwert 13.88, horizontal: 15.64, vertikal: 11.87



Serie 2:  
 10.1 ↖                      8.4 →                      10.0 ↓                      9.7 →                      8.5 ↘  
 9.6 ←                      10.2 ↑                      9.1 ←                      6.4 ↙                      9.3 ↑  
 beste Teiler 602.6 (17.) 654.6 (11.) 795.0 (13.)  
 Trefferlage 0.10 mm rechts, 4.56 mm tief  
 Streuwert 12.21, horizontal: 12.45, vertikal: 11.95



Serie 3:  
 7.7 ↘                      6.5 ↙                      10.1 ↓                      10.4 \*                      9.2 ↓  
 8.1 ↘                      10.3 ↘                      10.5 \*                      10.5 \*                      8.1 ↘  
 beste Teiler 325.7 (28.) 370.0 (29.) 448.0 (24.)  
 Trefferlage 9.06 mm links, 2.31 mm hoch  
 Streuwert 11.57, horizontal: 9.78, vertikal: 13.12





Serie 4:  
 9.6 ↙                      10.0 ↑                      9.6 ↓                      6.6 ↙                      8.2 ←  
 9.6 ↗                      10.6 \*                      9.6 ↙                      9.0 ↙                      7.4 ↗  
 beste Teiler 283.5 (37.) 787.1 (32.) 1049.4 (31.)  
 Trefferlage 5.48 mm links, 2.05 mm tief  
 Streuwert 12.78, horizontal: 14.30, vertikal: 11.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.5)  
 Serien: 90 95 96 98  
 Zähler: 21 17 2 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 1944 (9), 1779 (5), 1591 (10)  
 beste Teiler 203.4 (35.) 237.5 (20.) 332.8 (34.)  
 Trefferlage 1.08 mm links, 0.34 mm tief  
 Streuwert 6.54, horizontal: 7.16, vertikal: 5.86




Serie 1:  
 9.9 ←                      9.4 ←                      10.5 \*                      9.7 ←                      8.7 ↘  
 9.2 ↑                      9.4 →                      10.5 \*                      8.5 ←                      9.0 ↘  
 beste Teiler 349.4 (3.) 363.8 (8.) 853.0 (1.)  
 Trefferlage 1.37 mm links, 0.62 mm tief  
 Streuwert 9.53, horizontal: 11.73, vertikal: 6.64



Serie 2:  
 9.9 ↘                      10.3 →                      10.0 →                      10.1 ←                      9.3 ←  
 9.7 ↑                      9.0 ↙                      9.9 ↓                      10.4 \*                      10.7 \*  
 beste Teiler 237.5 (20.) 461.3 (19.) 493.8 (12.)  
 Trefferlage 3.02 mm links, 0.40 mm tief  
 Streuwert 6.34, horizontal: 6.35, vertikal: 6.33



Serie 3:  
 10.3 ↖                      9.7 ↑                      9.6 ↗                      10.5 \*                      10.5 \*  
 10.4 ↗                      9.8 ↘                      10.2 ↓                      9.5 ↑                      10.5 \*  
 beste Teiler 355.4 (24.) 356.6 (30.) 396.7 (25.)  
 Trefferlage 1.74 mm rechts, 2.17 mm hoch  
 Streuwert 5.11, horizontal: 4.44, vertikal: 5.71





Serie 4:  
 10.3 ←                      10.1 ↓                      10.1 ↓                      10.5 \*                      10.7 \*  
 10.4 \*                      10.1 ↓                      9.9 ↓                      9.8 ↙                      10.5 \*  
 beste Teiler 203.4 (35.) 332.8 (34.) 353.4 (40.)  
 Trefferlage 1.66 mm links, 2.52 mm tief  
 Streuwert 3.91, horizontal: 3.29, vertikal: 4.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **276** (296.2)  
 Serien: 71 70 69 66  
 Zähler: 1 4 11 9 8 4 2 1 0 0  
 Innenzehner: 0  
 weiteste: 5813 (37), 5568 (36), 4846 (13)  
 beste Teiler 583.6 (34.) 860.4 (22.) 1137.2 (11.)  
 Trefferlage 4.10 mm links, 1.69 mm tief  
 Streuwert 21.92, horizontal: 25.75, vertikal: 17.26




Serie 1:  
 6.5 ↗ 6.9 ↘ 8.7 ↘ 8.2 ← 7.9 ↘  
 7.9 ↘ 5.0 ← 8.2 → 8.7 ↗ 8.5 ↘  
 beste Teiler 1776.2 (3.) 1806.4 (9.) 1936.4 (10.)  
 Trefferlage 2.64 mm links, 0.12 mm hoch  
 Streuwert 20.61, horizontal: 22.57, vertikal: 18.43



Serie 2:  
 9.5 ↘ 8.5 ← 4.9 ↗ 7.9 ↑ 7.9 ←  
 6.1 ← 9.5 ← 8.4 ↘ 7.2 ← 5.3 ←  
 beste Teiler 1137.2 (11.) 1148.3 (17.) 1964.1 (12.)  
 Trefferlage 16.13 mm links, 9.27 mm tief  
 Streuwert 17.64, horizontal: 18.44, vertikal: 16.79





Serie 3:  
 8.4 ↗ 9.9 ← 8.2 → 6.7 ← 6.7 ↘  
 7.2 → 7.9 ↓ 6.9 → 7.3 ↑ 5.0 ←  
 beste Teiler 860.4 (22.) 2071.8 (21.) 2162.4 (23.)  
 Trefferlage 3.47 mm rechts, 0.79 mm hoch  
 Streuwert 22.15, horizontal: 27.39, vertikal: 15.19



Serie 4:  
 7.6 ↗ 5.7 → 8.7 ↓ 10.2 → 8.4 ↓  
 4.0 ← 3.7 → 9.1 → 6.9 ↘ 6.0 ↘  
 beste Teiler 583.6 (34.) 1506.2 (38.) 1820.5 (33.)  
 Trefferlage 1.09 mm links, 1.57 mm hoch  
 Streuwert 26.35, horizontal: 32.19, vertikal: 18.76


Unterschrift des Schützen

Ergebnis: **339** (359.1)  
 Serien: 87 82 87 83  
 Zähler: 9 12 10 7 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3671 (15), 3434 (5), 3172 (39)  
 beste Teiler 66.6 (31.) 161.4 (3.) 457.9 (25.)  
 Trefferlage 1.99 mm links, 0.29 mm tief  
 Streuwert 12.80, horizontal: 12.22, vertikal: 13.36




Serie 1:  
 9.5 ←                      9.3 ↙                      10.7 \*                      9.6 →                      6.7 ↑  
 9.6 →                      8.9 ↘                      10.0 ↘                      8.6 ↓                      9.7 →

beste Teiler 161.4 (3.) 793.6 (8.) 962.8 (10.)  
 Trefferlage 2.26 mm rechts, 1.04 mm tief  
 Streuwert 11.54, horizontal: 8.25, vertikal: 14.08




Serie 2:  
 8.4 ↗                      7.8 ↓                      9.3 ↓                      8.7 ↙                      6.4 ↙  
 9.8 ↑                      9.2 ↓                      8.3 ↑                      10.1 ↖                      8.9 ↑

beste Teiler 717.8 (19.) 920.1 (16.) 1286.1 (13.)  
 Trefferlage 3.39 mm links, 2.05 mm tief  
 Streuwert 14.47, horizontal: 13.01, vertikal: 15.80



Serie 3:  
 7.9 ↘                      9.4 →                      9.2 ↖                      8.7 ↘                      10.4 \*  
 7.9 ↗                      10.2 →                      10.2 ↓                      7.6 ↙                      10.4 →

beste Teiler 457.9 (25.) 479.4 (30.) 597.6 (28.)  
 Trefferlage 2.34 mm rechts, 1.38 mm tief  
 Streuwert 12.04, horizontal: 12.59, vertikal: 11.45





Serie 4:  
 10.9 \*                      9.1 ↙                      8.4 ↖                      8.4 ←                      9.8 ↙  
 7.7 ←                      7.5 ←                      10.0 ↑                      7.0 ↑                      8.9 ↖

beste Teiler 66.6 (31.) 743.4 (38.) 942.3 (35.)  
 Trefferlage 9.21 mm links, 3.28 mm hoch  
 Streuwert 12.75, horizontal: 12.24, vertikal: 13.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (356.9)  
 Serien: 84 84 86 84  
 Zähler: 6 16 10 7 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4039 (16), 3048 (7), 3026 (21)  
 beste Teiler 182.9 (11.) 289.2 (26.) 553.6 (4.)  
 Trefferlage 0.57 mm rechts, 5.02 mm hoch  
 Streuwert 12.54, horizontal: 14.45, vertikal: 10.28




Serie 1:  
 8.5 ↑                      9.0 ↑                      9.7 ↗                      10.3 ↘                      8.6 ↑  
 8.1 ↗                      7.1 →                      9.0 ↑                      8.8 ↓                      8.9 ↘  
 beste Teiler 553.6 (4.) 1037.3 (3.) 1547.7 (2.)  
 Trefferlage 5.45 mm rechts, 7.02 mm hoch  
 Streuwert 11.94, horizontal: 11.51, vertikal: 12.36



Serie 2:  
 10.7 \*                      8.3 ↗                      7.6 →                      9.2 ↑                      9.7 ←  
 5.9 ←                      9.5 ↘                      9.7 ↓                      9.6 ↑                      9.3 ↑  
 beste Teiler 182.9 (11.) 1024.0 (15.) 1040.3 (18.)  
 Trefferlage 0.99 mm rechts, 2.17 mm hoch  
 Streuwert 14.13, horizontal: 18.25, vertikal: 8.16



Serie 3:  
 7.2 ↗                      9.7 ↘                      9.7 ↙                      9.2 ←                      9.0 ↑  
 10.6 \*                      8.7 ↑                      7.8 ↘                      8.8 ↖                      10.2 →  
 beste Teiler 289.2 (26.) 579.1 (30.) 972.4 (23.)  
 Trefferlage 3.97 mm links, 6.76 mm hoch  
 Streuwert 11.06, horizontal: 12.69, vertikal: 9.14





Serie 4:  
 7.4 ↑                      9.5 ←                      7.6 →                      7.5 ↖                      8.7 ↑  
 9.2 ↙                      10.2 ↓                      9.9 ↑                      10.0 →                      8.5 ↘  
 beste Teiler 617.3 (37.) 757.0 (39.) 878.2 (38.)  
 Trefferlage 0.19 mm links, 4.12 mm hoch  
 Streuwert 13.52, horizontal: 15.10, vertikal: 11.74

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **347** (366.9)  
 Serien: 85 88 90 84  
 Zähler: 10 12 15 1 2 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3355 (33), 3203 (1), 2760 (11)  
 beste Teiler 235.6 (30.) 320.4 (16.) 345.4 (28.)  
 Trefferlage 0.41 mm links, 0.30 mm hoch  
 Streuwert 11.63, horizontal: 10.86, vertikal: 12.35




Serie 1:  
 6.9 ↘                      9.9 ←                      9.8 ↑                      10.0 ↓                      8.7 ←  
 8.1 →                      9.4 ←                      8.9 ↙                      8.9 ←                      10.1 ←  
 beste Teiler 683.9 (10.) 758.3 (4.) 831.4 (2.)  
 Trefferlage 6.17 mm links, 4.97 mm tief  
 Streuwert 11.06, horizontal: 11.71, vertikal: 10.37



Serie 2:  
 7.5 ↗                      9.5 ↑                      9.9 →                      9.7 ↗                      9.2 ↑  
 10.6 \*                      10.3 ↘                      8.5 ←                      8.7 ↓                      9.2 ↙  
 beste Teiler 320.4 (16.) 532.3 (17.) 835.8 (13.)  
 Trefferlage 2.32 mm rechts, 2.60 mm hoch  
 Streuwert 10.82, horizontal: 11.14, vertikal: 10.49



Serie 3:  
 10.3 ↖                      8.3 ↗                      8.6 ↓                      8.0 ←                      8.5 ↑  
 9.1 ↗                      10.5 \*                      10.5 \*                      9.4 →                      10.7 \*  
 beste Teiler 235.6 (30.) 345.4 (28.) 345.6 (27.)  
 Trefferlage 0.42 mm rechts, 4.24 mm hoch  
 Streuwert 10.61, horizontal: 10.24, vertikal: 10.97





Serie 4:  
 10.0 ↖                      8.2 ↗                      6.8 ↗                      10.4 \*                      9.9 →  
 8.5 ↓                      8.4 ↙                      8.8 ↙                      8.9 ↙                      9.3 →  
 beste Teiler 417.3 (34.) 800.0 (31.) 869.5 (35.)  
 Trefferlage 1.77 mm rechts, 0.65 mm tief  
 Streuwert 13.45, horizontal: 9.69, vertikal: 16.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (330.3)  
 Serien: 78 79 78 78  
 Zähler: 6 9 5 13 6 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4565 (25), 3920 (21), 3789 (36)  
 beste Teiler 226.4 (8.) 424.0 (11.) 430.4 (7.)  
 Trefferlage 6.96 mm links, 1.87 mm hoch  
 Streuwert 16.57, horizontal: 16.93, vertikal: 16.19




Serie 1:  
 6.9 ↗ 8.5 ← 6.8 ← 7.3 ← 9.6 ↑  
 7.1 ← 10.4 \* 10.7 \* 7.1 ↑ 8.3 ↑  
 beste Teiler 226.4 (8.) 430.4 (7.) 1050.2 (5.)  
 Trefferlage 9.37 mm links, 7.57 mm hoch  
 Streuwert 15.67, horizontal: 17.56, vertikal: 13.52



Serie 2:  
 10.4 \* 10.0 ← 7.2 ↘ 6.8 ← 9.5 ←  
 9.6 ↘ 7.3 ↘ 6.7 ← 7.1 ↑ 8.9 ↑  
 beste Teiler 424.0 (11.) 739.7 (12.) 1105.6 (16.)  
 Trefferlage 13.24 mm links, 3.00 mm hoch  
 Streuwert 14.42, horizontal: 14.10, vertikal: 14.74



Serie 3:  
 6.1 ← 7.6 ↘ 7.4 ← 7.9 ↘ 5.2 ↑  
 9.4 ↓ 8.5 ↑ 10.3 ← 10.4 \* 9.2 ↘  
 beste Teiler 447.2 (29.) 502.4 (28.) 1272.1 (26.)  
 Trefferlage 9.41 mm links, 1.00 mm tief  
 Streuwert 17.67, horizontal: 15.92, vertikal: 19.27





Serie 4:  
 7.9 ↗ 9.5 → 7.1 ↗ 9.8 ↑ 7.9 ↓  
 6.2 ↘ 7.5 ← 9.0 ↘ 9.0 ↘ 8.2 ↘  
 beste Teiler 948.4 (34.) 1176.5 (32.) 1558.6 (39.)  
 Trefferlage 4.15 mm rechts, 2.05 mm tief  
 Streuwert 17.15, horizontal: 16.94, vertikal: 17.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (384.7)  
 Serien: 90 87 94 95  
 Zähler: 12 22 6 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1973 (18), 1753 (40), 1730 (9)  
 beste Teiler 143.1 (39.) 175.8 (22.) 273.3 (24.)  
 Trefferlage 0.25 mm links, 1.70 mm tief  
 Streuwert 8.23, horizontal: 8.30, vertikal: 8.16




Serie 1:  
 10.3 ↗ 9.6 ↗ 9.5 ← 9.7 ↘ 9.2 ↖  
 9.3 ↗ 10.2 ↘ 9.8 ↘ 8.8 ↓ 8.9 ↘  
 beste Teiler 514.9 (1.) 607.9 (7.) 919.8 (8.)  
 Trefferlage 4.32 mm links, 0.70 mm tief  
 Streuwert 8.41, horizontal: 5.32, vertikal: 10.63



Serie 2:  
 9.6 ← 9.0 ↘ 9.6 ↘ 9.9 → 9.0 ↓  
 8.8 ← 9.5 → 8.5 → 9.9 ↘ 8.8 ↓  
 beste Teiler 809.1 (19.) 828.5 (14.) 1107.9 (11.)  
 Trefferlage 0.84 mm rechts, 3.80 mm tief  
 Streuwert 10.04, horizontal: 11.60, vertikal: 8.20



Serie 3:  
 9.1 ↖ 10.7 \* 9.7 ↘ 10.6 \* 9.7 →  
 9.3 ↓ 10.0 ↘ 9.4 ↓ 10.0 → 9.5 →  
 beste Teiler 175.8 (22.) 273.3 (24.) 731.5 (29.)  
 Trefferlage 0.39 mm rechts, 1.96 mm tief  
 Streuwert 7.38, horizontal: 7.49, vertikal: 7.26





Serie 4:  
 9.0 ↗ 10.2 ↘ 9.7 ↘ 10.1 ↗ 10.0 ↘  
 10.0 ← 10.4 \* 9.8 ↘ 10.8 \* 8.8 →  
 beste Teiler 143.1 (39.) 420.2 (37.) 612.6 (32.)  
 Trefferlage 2.07 mm rechts, 0.34 mm tief  
 Streuwert 7.10, horizontal: 7.31, vertikal: 6.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (331.3)  
 Serien: 78 83 75 77  
 Zähler: 4 10 15 4 5 0 1 0 0 1  
 Innenzehner: 2  
 weiteste: 7445 (23), 5251 (36), 3896 (10)  
 beste Teiler 338.4 (32.) 397.5 (15.) 596.1 (29.)  
 Trefferlage 1.88 mm rechts, 4.33 mm hoch  
 Streuwert 17.71, horizontal: 13.99, vertikal: 20.77




Serie 1:  
 10.2 ↓                      7.4 ↗                      7.6 ↗                      6.6 ↗                      8.5 ↘  
 8.6 ↑                      9.7 ↘                      8.7 ↓                      9.8 ←                      6.1 ↑  
 beste Teiler 631.2 (1.) 910.0 (9.) 1023.7 (7.)  
 Trefferlage 7.70 mm rechts, 9.20 mm hoch  
 Streuwert 15.08, horizontal: 9.46, vertikal: 19.12



Serie 2:  
 9.4 ↗                      8.4 ↓                      6.7 ↘                      8.4 ↓                      10.5 \*  
 9.5 ↑                      8.4 ↘                      9.6 ↘                      8.4 ↓                      8.0 ↙  
 beste Teiler 397.5 (15.) 1118.1 (18.) 1145.1 (16.)  
 Trefferlage 0.75 mm links, 2.06 mm tief  
 Streuwert 14.45, horizontal: 11.34, vertikal: 17.01



Serie 3:  
 8.4 ↙                      7.2 ←                      1.6 ↑                      9.0 ↓                      6.5 ↑  
 9.2 ↓                      8.4 ↘                      8.0 ↙                      10.2 ↗                      9.9 ↘  
 beste Teiler 596.1 (29.) 844.4 (30.) 1437.5 (26.)  
 Trefferlage 6.17 mm links, 5.52 mm hoch  
 Streuwert 22.29, horizontal: 12.48, vertikal: 28.94





Serie 4:  
 7.7 ↙                      10.5 \*                      8.2 →                      8.5 ↑                      8.8 →  
 4.4 ↗                      9.9 ↘                      9.1 ←                      6.7 →                      8.6 ↓  
 beste Teiler 338.4 (32.) 835.5 (37.) 1452.8 (38.)  
 Trefferlage 6.77 mm rechts, 4.67 mm hoch  
 Streuwert 17.81, horizontal: 18.19, vertikal: 17.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (375.0)  
 Serien: 89 84 90 94  
 Zähler: 12 17 9 0 2 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3372 (19), 3335 (20), 2376 (35)  
 beste Teiler 79.6 (2.) 211.2 (17.) 316.1 (5.)  
 Trefferlage 3.39 mm links, 2.59 mm hoch  
 Streuwert 10.10, horizontal: 9.37, vertikal: 10.77




Serie 1:  
 8.5 ↙ 10.9 \* 10.6 \* 8.2 ↘ 10.6 \*  
 9.3 ← 8.0 ↙ 8.6 ↘ 9.4 ↑ 9.4 ↙  
 beste Teiler 79.6 (2.) 316.1 (5.) 316.4 (3.)  
 Trefferlage 7.11 mm links, 3.55 mm tief  
 Streuwert 9.47, horizontal: 7.10, vertikal: 11.36



Serie 2:  
 8.9 ↗ 9.3 ← 9.7 ↘ 8.4 ↙ 9.7 ↓  
 9.0 ↘ 10.7 \* 10.5 \* 6.7 ↘ 6.8 ↙  
 beste Teiler 211.2 (17.) 362.6 (18.) 991.4 (15.)  
 Trefferlage 8.79 mm links, 2.59 mm hoch  
 Streuwert 12.32, horizontal: 11.11, vertikal: 13.42



Serie 3:  
 8.8 ↘ 9.0 ↗ 10.2 ↙ 9.2 → 9.8 ←  
 10.0 ← 8.6 ↘ 9.5 ↑ 9.3 ↘ 9.9 ↑  
 beste Teiler 595.8 (23.) 753.5 (26.) 863.6 (30.)  
 Trefferlage 0.46 mm rechts, 4.89 mm hoch  
 Streuwert 8.83, horizontal: 8.97, vertikal: 8.70





Serie 4:  
 10.3 ↑ 9.9 ↘ 10.0 → 10.5 \* 8.0 ↑  
 9.2 ↑ 10.0 → 9.8 ← 10.1 ↗ 9.7 ↗  
 beste Teiler 346.9 (34.) 546.9 (31.) 644.1 (39.)  
 Trefferlage 1.85 mm rechts, 6.45 mm hoch  
 Streuwert 6.54, horizontal: 5.63, vertikal: 7.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **318** (336.5)  
 Serien: 80 73 83 82  
 Zähler: 2 16 11 6 4 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 8720 (11), 3636 (8), 3317 (12)  
 beste Teiler 153.9 (33.) 359.7 (36.) 831.3 (17.)  
 Trefferlage 5.84 mm rechts, 1.60 mm hoch  
 Streuwert 16.98, horizontal: 18.68, vertikal: 15.10




Serie 1:  
 6.9 ↗ 8.4 ↖ 7.5 ↘ 9.1 ↙ 9.2 ↘  
 8.8 ↓ 9.1 ↘ 6.4 → 9.1 ↗ 9.3 →  
 beste Teiler 1281.8 (10.) 1422.4 (5.) 1471.6 (7.)  
 Trefferlage 6.78 mm rechts, 1.43 mm tief  
 Streuwert 15.69, horizontal: 16.34, vertikal: 15.00



Serie 2:  
 0.0 ↗ 6.8 → 8.4 ← 9.8 ← 9.7 ↖  
 7.0 ← 9.9 → 9.1 ↘ 9.6 ← 7.8 →  
 beste Teiler 831.3 (17.) 952.6 (14.) 997.3 (15.)  
 Trefferlage 6.69 mm rechts, 4.30 mm hoch  
 Streuwert 24.40, horizontal: 29.00, vertikal: 18.70





Serie 3:  
 9.6 ↖ 8.1 ↗ 8.1 ↘ 8.6 ↖ 8.5 ↘  
 8.6 ↘ 9.2 ↗ 9.8 ← 9.3 ↘ 7.2 ↗  
 beste Teiler 951.0 (28.) 1104.9 (21.) 1284.3 (29.)  
 Trefferlage 3.70 mm rechts, 0.54 mm tief  
 Streuwert 13.95, horizontal: 12.75, vertikal: 15.06




Serie 4:  
 8.6 ↗ 7.4 → 10.8 \* 9.4 → 7.4 ↗  
 10.5 \* 6.9 ↖ 9.8 → 8.3 → 8.5 ↖  
 beste Teiler 153.9 (33.) 359.7 (36.) 960.0 (38.)  
 Trefferlage 6.18 mm rechts, 4.09 mm hoch  
 Streuwert 13.95, horizontal: 15.29, vertikal: 12.47

Unterschrift des Schützen


Ergebnis: **326** (344.5)  
 Serien: 80 87 79 80  
 Zähler: 5 12 9 12 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3306 (40), 3211 (6), 3120 (38)  
 beste Teiler 316.9 (36.) 359.9 (5.) 491.4 (4.)  
 Trefferlage 2.34 mm rechts, 1.30 mm hoch  
 Streuwert 14.44, horizontal: 15.61, vertikal: 13.17




Serie 1:  
 7.2 ↘                      7.9 ↗                      9.0 →                      10.3 ↘                      10.5 \*  
 6.9 ←                      8.9 ↗                      7.9 ↑                      9.2 →                      7.6 ↑  
 beste Teiler 359.9 (5.) 491.4 (4.) 1363.2 (9.)  
 Trefferlage 1.04 mm rechts, 9.87 mm hoch  
 Streuwert 14.12, horizontal: 16.06, vertikal: 11.87



Serie 2:  
 7.8 ↑                      9.1 ↑                      9.3 ↑                      9.2 ↘                      9.1 ↘  
 8.9 ↘                      10.1 ↓                      9.2 ↓                      9.7 →                      8.2 ↙  
 beste Teiler 716.1 (17.) 975.2 (19.) 1287.0 (13.)  
 Trefferlage 2.42 mm rechts, 1.69 mm tief  
 Streuwert 11.67, horizontal: 7.67, vertikal: 14.62



Serie 3:  
 8.9 ↗                      9.0 →                      7.2 →                      10.1 ↑                      7.6 →  
 8.9 ↙                      7.4 ←                      8.9 ↘                      7.4 ↘                      8.4 →  
 beste Teiler 682.5 (24.) 1522.7 (22.) 1615.1 (21.)  
 Trefferlage 7.89 mm rechts, 1.06 mm hoch  
 Streuwert 15.06, horizontal: 18.32, vertikal: 10.87





Serie 4:  
 8.5 ↘                      9.2 →                      9.0 →                      8.5 ↘                      7.7 ↙  
 10.6 \*                      7.8 ←                      7.1 →                      9.5 ←                      6.8 ↙  
 beste Teiler 316.9 (36.) 1130.0 (39.) 1379.8 (32.)  
 Trefferlage 1.97 mm links, 4.02 mm tief  
 Streuwert 15.86, horizontal: 18.62, vertikal: 12.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.0)  
 Serien: 91 88 89 88  
 Zähler: 6 25 8 1 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2938 (10), 2328 (38), 2289 (12)  
 beste Teiler 353.5 (9.) 364.6 (22.) 533.1 (1.)  
 Trefferlage 2.29 mm rechts, 0.68 mm hoch  
 Streuwert 9.62, horizontal: 8.08, vertikal: 10.95




Serie 1:  
 10.3 ↑                      10.2 ↗                      9.3 ↗                      8.8 ↘                      9.7 ↓  
 9.3 ↓                      10.2 ↘                      9.5 ↘                      10.5 \*                      7.3 ↓  
 beste Teiler 353.5 (9.) 533.1 (1.) 571.1 (2.)  
 Trefferlage 5.92 mm rechts, 4.31 mm tief  
 Streuwert 8.58, horizontal: 5.12, vertikal: 11.01



Serie 2:  
 9.7 ↘                      8.1 ↑                      9.6 →                      9.4 ↖                      9.4 ←  
 9.6 ↖                      8.6 ↓                      9.6 →                      9.4 ↑                      9.5 ↗  
 beste Teiler 970.1 (11.) 1073.8 (18.) 1081.9 (16.)  
 Trefferlage 1.54 mm rechts, 4.54 mm hoch  
 Streuwert 9.74, horizontal: 8.82, vertikal: 10.58



Serie 3:  
 9.4 ↗                      10.5 \*                      8.9 ↙                      9.2 ↙                      8.7 ↗  
 9.4 ↗                      9.4 ↙                      9.5 ↘                      9.4 ↙                      9.8 ↓  
 beste Teiler 364.6 (22.) 955.2 (30.) 1122.2 (28.)  
 Trefferlage 0.13 mm rechts, 2.26 mm tief  
 Streuwert 9.38, horizontal: 9.10, vertikal: 9.64





Serie 4:  
 9.5 ↑                      8.9 ↑                      10.2 ↑                      9.9 ↖                      9.4 ←  
 8.8 ↘                      9.6 →                      8.0 ↑                      9.5 ↗                      9.0 ↓  
 beste Teiler 622.8 (33.) 871.1 (34.) 1108.2 (37.)  
 Trefferlage 1.57 mm rechts, 4.74 mm hoch  
 Streuwert 9.91, horizontal: 8.68, vertikal: 11.00

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **349** (365.2)  
 Serien: 84 90 88 87  
 Zähler: 8 20 7 3 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3737 (3), 3551 (7), 3085 (30)  
 beste Teiler 328.2 (29.) 465.4 (20.) 578.0 (17.)  
 Trefferlage 0.77 mm links, 2.80 mm hoch  
 Streuwert 11.73, horizontal: 11.22, vertikal: 12.23




Serie 1:  
 10.0 ↑                      9.6 ↘                      6.3 ↖                      9.0 →                      7.5 ↓  
 9.2 ↙                      6.5 ↘                      10.0 →                      9.9 ↑                      9.0 ↖  
 beste Teiler 749.1 (1.) 758.7 (8.) 828.6 (9.)  
 Trefferlage 3.34 mm links, 7.49 mm hoch  
 Streuwert 14.37, horizontal: 12.39, vertikal: 16.11



Serie 2:  
 8.6 ←                      9.1 ↓                      7.4 ↘                      9.7 ↓                      9.9 →  
 9.2 →                      10.2 ↓                      10.1 →                      9.8 ↑                      10.4 \*  
 beste Teiler 465.4 (20.) 578.0 (17.) 652.5 (18.)  
 Trefferlage 2.37 mm rechts, 2.86 mm tief  
 Streuwert 9.99, horizontal: 11.63, vertikal: 8.01





Serie 3:  
 9.2 ↙                      9.7 ↘                      10.2 ←                      8.4 ↖                      9.7 ←  
 9.6 ↑                      8.7 ↗                      9.5 ↘                      10.5 \*                      7.1 ↘  
 beste Teiler 328.2 (29.) 604.4 (23.) 961.5 (25.)  
 Trefferlage 4.03 mm links, 5.41 mm hoch  
 Streuwert 10.38, horizontal: 9.30, vertikal: 11.35




Serie 4:  
 9.1 ↗                      8.7 ↗                      8.6 ↗                      8.1 ↙                      9.4 ↓  
 8.9 →                      10.1 ↓                      9.4 ↗                      9.4 ↘                      9.5 ↓  
 beste Teiler 674.9 (37.) 1148.6 (40.) 1241.0 (35.)  
 Trefferlage 1.91 mm rechts, 1.16 mm hoch  
 Streuwert 11.33, horizontal: 11.47, vertikal: 11.18

Unterschrift des Schützen


Ergebnis: **350** (365.7)  
 Serien: 84 90 85 91  
 Zähler: 9 17 9 5 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 2778 (21), 2677 (22), 2643 (4)  
 beste Teiler 406.9 (36.) 532.5 (39.) 684.7 (15.)  
 Trefferlage 2.59 mm links, 1.18 mm tief  
 Streuwert 11.26, horizontal: 10.73, vertikal: 11.76




Serie 1:  
 9.0 →                      9.1 ↘                      9.8 ↙                      7.6 ↙                      7.7 ↙  
 8.3 ↙                      9.0 ↗                      9.8 ↖                      9.9 ↗                      8.9 ↘  
 beste Teiler 858.5 (9.) 905.0 (8.) 908.1 (3.)  
 Trefferlage 3.12 mm links, 3.25 mm tief  
 Streuwert 12.57, horizontal: 13.56, vertikal: 11.49



Serie 2:  
 7.9 ↓                      9.1 ←                      10.0 ↓                      10.0 →                      10.1 ↙  
 9.8 ↖                      9.5 ←                      10.0 ↑                      8.3 ↘                      8.7 ↙  
 beste Teiler 684.7 (15.) 722.0 (13.) 744.4 (14.)  
 Trefferlage 5.69 mm links, 2.42 mm tief  
 Streuwert 9.53, horizontal: 8.28, vertikal: 10.64



Serie 3:  
 7.5 ↑                      7.6 ↙                      8.0 ↘                      9.7 ↘                      9.8 ←  
 9.3 ↘                      9.7 ↑                      10.0 ←                      8.6 →                      9.5 ↙  
 beste Teiler 758.4 (28.) 952.1 (25.) 963.0 (27.)  
 Trefferlage 2.19 mm links, 0.38 mm tief  
 Streuwert 12.92, horizontal: 10.28, vertikal: 15.11





Serie 4:  
 9.1 ↑                      8.3 ↖                      10.1 ↖                      8.4 ↓                      9.0 ↙  
 10.4 \*                      8.3 ↗                      9.5 →                      10.3 →                      10.1 →  
 beste Teiler 406.9 (36.) 532.5 (39.) 694.3 (40.)  
 Trefferlage 0.63 mm rechts, 1.31 mm hoch  
 Streuwert 10.72, horizontal: 10.85, vertikal: 10.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **272** (289.0)  
 Serien: 70 79 59 64  
 Zähler: 2 6 12 9 3 1 2 1 2 1  
 Innenzehner: 2  
 weiteste: 9554 (36), 7288 (2), 6911 (28)  
 beste Teiler 254.3 (9.) 383.4 (16.) 1018.7 (19.)  
 Trefferlage 9.20 mm links, 1.00 mm tief  
 Streuwert 24.88, horizontal: 23.16, vertikal: 26.48




Serie 1:  
 9.4 ↙ 1.8 ↙ 7.4 ↙ 8.9 ↙ 7.3 ↘  
 7.0 ↘ 7.3 ← 6.8 ↑ 10.6 \* 8.0 ←  
 beste Teiler 254.3 (9.) 1263.9 (1.) 1672.1 (4.)  
 Trefferlage 18.04 mm links, 5.83 mm tief  
 Streuwert 20.13, horizontal: 14.47, vertikal: 24.51



Serie 2:  
 9.0 ↙ 6.6 ↘ 8.2 ↘ 9.3 ↓ 8.0 ↙  
 10.5 \* 5.6 ↓ 8.1 ← 9.7 ↘ 7.5 ↘  
 beste Teiler 383.4 (16.) 1018.7 (19.) 1307.5 (14.)  
 Trefferlage 7.28 mm links, 2.86 mm tief  
 Streuwert 17.13, horizontal: 11.30, vertikal: 21.43



Serie 3:  
 4.0 ← 9.4 → 7.3 ↘ 8.7 ↖ 8.3 ↘  
 9.3 ↓ 3.8 ← 2.3 ↗ 7.6 ↗ 2.4 ↙  
 beste Teiler 1236.4 (22.) 1354.6 (26.) 1809.8 (24.)  
 Trefferlage 8.48 mm links, 2.95 mm hoch  
 Streuwert 31.28, horizontal: 33.31, vertikal: 29.10





Serie 4:  
 8.6 → 6.4 ↙ 8.8 ↙ 8.5 ↗ 4.3 ↙  
 0.0 ↗ 8.7 ↙ 7.1 ↑ 7.6 ← 8.9 ←  
 beste Teiler 1618.7 (40.) 1699.8 (33.) 1769.9 (37.)  
 Trefferlage 2.98 mm links, 1.71 mm hoch  
 Streuwert 30.17, horizontal: 27.28, vertikal: 32.80

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **340** (360.2)  
 Serien: 89 82 84 85  
 Zähler: 7 15 13 3 0 2 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4045 (21), 4018 (13), 2680 (26)  
 beste Teiler 452.3 (25.) 467.4 (2.) 576.2 (11.)  
 Trefferlage 1.13 mm links, 1.62 mm hoch  
 Streuwert 12.50, horizontal: 12.52, vertikal: 12.47




Serie 1:  
 9.5 ←                      10.4 \*                      8.5 ↑                      9.9 ↘                      8.5 ↓  
 8.5 ←                      10.2 ↙                      8.2 ↖                      10.2 ↓                      9.6 →

beste Teiler 467.4 (2.) 625.5 (7.) 630.1 (9.)  
 Trefferlage 4.91 mm links, 1.17 mm tief  
 Streuwert 10.03, horizontal: 9.46, vertikal: 10.57




Serie 2:  
 10.2 ↙                      8.2 ↗                      5.9 ↓                      9.6 ↘                      8.4 ↘  
 9.0 ↘                      8.8 ↘                      8.8 ↑                      8.8 ←                      9.0 ↘

beste Teiler 576.2 (11.) 1115.6 (14.) 1590.8 (20.)  
 Trefferlage 3.07 mm links, 3.75 mm hoch  
 Streuwert 14.62, horizontal: 12.21, vertikal: 16.68



Serie 3:  
 5.9 ↘                      8.9 ↑                      9.0 ↑                      9.9 →                      10.4 \*  
 7.6 ←                      9.7 ↘                      8.8 ←                      9.5 ↓                      10.0 ↑

beste Teiler 452.3 (25.) 750.7 (30.) 846.0 (24.)  
 Trefferlage 1.54 mm rechts, 1.73 mm hoch  
 Streuwert 13.96, horizontal: 15.97, vertikal: 11.61





Serie 4:  
 8.9 ↘                      7.8 ↗                      9.4 ↓                      8.9 ↗                      9.1 ↓  
 9.2 ↑                      9.8 ↑                      7.9 ←                      10.1 →                      9.2 ←

beste Teiler 720.4 (39.) 943.6 (37.) 1261.2 (33.)  
 Trefferlage 1.92 mm rechts, 2.20 mm hoch  
 Streuwert 11.89, horizontal: 12.14, vertikal: 11.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (363.1)  
 Serien: 90 88 82 84  
 Zähler: 6 16 14 4 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3034 (20), 2921 (34), 2526 (27)  
 beste Teiler 207.5 (6.) 288.0 (17.) 370.7 (15.)  
 Trefferlage 2.03 mm rechts, 0.50 mm tief  
 Streuwert 11.63, horizontal: 10.95, vertikal: 12.27




Serie 1:  
 8.8 ↑                      9.6 ↑                      9.6 ↗                      9.0 ↙                      9.8 ↓  
 10.7 \*                      9.7 ↑                      9.1 ↑                      8.7 ↘                      10.3 →  
 beste Teiler 207.5 (6.) 500.8 (10.) 936.7 (5.)  
 Trefferlage 0.01 mm links, 3.07 mm hoch  
 Streuwert 8.96, horizontal: 5.90, vertikal: 11.22



Serie 2:  
 8.8 →                      8.6 ↖                      9.4 →                      9.0 ↙                      10.5 \*  
 9.2 →                      10.6 \*                      8.4 →                      10.1 ↗                      7.2 ↓  
 beste Teiler 288.0 (17.) 370.7 (15.) 676.9 (19.)  
 Trefferlage 3.04 mm rechts, 1.59 mm tief  
 Streuwert 11.89, horizontal: 12.62, vertikal: 11.10



Serie 3:  
 9.8 ↘                      8.9 ↓                      8.5 ←                      7.8 ↘                      9.5 ↓  
 9.6 ↖                      7.8 ↑                      8.7 ↙                      9.2 →                      8.1 →  
 beste Teiler 918.5 (21.) 1047.2 (26.) 1129.1 (25.)  
 Trefferlage 2.31 mm rechts, 3.47 mm tief  
 Streuwert 13.11, horizontal: 12.44, vertikal: 13.74





Serie 4:  
 8.7 ↗                      9.0 ↖                      9.4 ↓                      7.3 ↙                      8.7 →  
 8.0 ↓                      8.8 ↑                      8.8 →                      9.4 ↗                      10.0 ↘  
 beste Teiler 775.7 (40.) 1259.2 (39.) 1270.4 (33.)  
 Trefferlage 2.78 mm rechts, 0.04 mm tief  
 Streuwert 13.27, horizontal: 12.80, vertikal: 13.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (356.3)  
 Serien: 81 87 86 84  
 Zähler: 7 11 15 7 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3062 (29), 3016 (4), 2982 (33)  
 beste Teiler 124.6 (38.) 144.4 (34.) 479.8 (20.)  
 Trefferlage 3.17 mm rechts, 8.31 mm hoch  
 Streuwert 11.27, horizontal: 12.22, vertikal: 10.24




Serie 1:  
 8.3 ↑                      9.4 ↘                      8.2 ↑                      7.2 ↑                      9.4 ↑  
 8.6 ↖                      8.0 ↗                      8.8 ↑                      8.6 →                      8.8 ↗  
 beste Teiler 1218.2 (5.) 1273.1 (2.) 1699.7 (8.)  
 Trefferlage 1.93 mm rechts, 14.87 mm hoch  
 Streuwert 9.85, horizontal: 11.76, vertikal: 7.46



Serie 2:  
 10.1 ↘                      8.9 →                      9.4 ↗                      8.3 ↗                      7.3 ↘  
 9.2 ↗                      9.7 ←                      8.6 ↗                      9.2 ↗                      10.4 ↓  
 beste Teiler 479.8 (20.) 651.1 (11.) 964.1 (17.)  
 Trefferlage 3.30 mm rechts, 5.65 mm hoch  
 Streuwert 11.15, horizontal: 11.17, vertikal: 11.13





Serie 3:  
 10.0 ↘                      7.4 →                      7.7 ↘                      9.0 →                      8.9 ↗  
 9.4 ↗                      10.2 →                      10.2 ←                      7.1 ↗                      9.3 ↘  
 beste Teiler 564.8 (28.) 613.5 (27.) 799.8 (21.)  
 Trefferlage 7.42 mm rechts, 5.36 mm hoch  
 Streuwert 11.92, horizontal: 14.53, vertikal: 8.55




Serie 4:  
 8.9 ↘                      8.6 ↑                      7.2 ↘                      10.8 \*                      7.9 →  
 8.7 ↘                      9.4 ↗                      10.8 \*                      9.5 ↘                      8.9 ↑  
 beste Teiler 124.6 (38.) 144.4 (34.) 1154.3 (39.)  
 Trefferlage 0.02 mm rechts, 7.35 mm hoch  
 Streuwert 11.74, horizontal: 11.82, vertikal: 11.65

Unterschrift des Schützen


Ergebnis: **304** (321.9)  
 Serien: 68 80 80 76  
 Zähler: 3 9 10 9 7 1 0 1 0 0  
 Innenzehner: 1  
 weiteste: 5743 (8), 4268 (22), 3764 (2)  
 beste Teiler 418.1 (10.) 604.3 (18.) 697.3 (19.)  
 Trefferlage 5.68 mm links, 14.00 mm hoch  
 Streuwert 14.74, horizontal: 13.94, vertikal: 15.50




Serie 1:  
 7.8 ↘                      6.2 ↘                      7.8 ↑                      6.5 ↗                      8.3 ↖  
 6.9 ↘                      8.8 ↑                      3.8 ↘                      7.5 ↑                      10.4 \*  
 beste Teiler 418.1 (10.) 1708.1 (7.) 2152.9 (5.)  
 Trefferlage 7.43 mm links, 22.91 mm hoch  
 Streuwert 15.02, horizontal: 15.76, vertikal: 14.24



Serie 2:  
 6.9 ↘                      6.5 ↑                      7.7 ↗                      9.0 ↑                      7.5 ←  
 8.0 ←                      8.0 ←                      10.2 ↘                      10.1 ←                      9.0 ↘  
 beste Teiler 604.3 (18.) 697.3 (19.) 1572.6 (20.)  
 Trefferlage 9.31 mm links, 9.23 mm hoch  
 Streuwert 14.54, horizontal: 12.85, vertikal: 16.05





Serie 3:  
 8.7 ↘                      5.6 ↑                      8.9 ↑                      9.0 ↘                      9.2 ↘  
 8.8 ↘                      9.2 ↑                      9.1 ↙                      7.0 ↑                      8.5 ↗  
 beste Teiler 1424.9 (27.) 1430.8 (25.) 1453.6 (28.)  
 Trefferlage 4.17 mm links, 16.09 mm hoch  
 Streuwert 11.11, horizontal: 7.89, vertikal: 13.59




Serie 4:  
 9.2 →                      7.7 ↘                      9.2 ↘                      8.5 ↑                      9.2 ↗  
 8.2 ↘                      7.9 ←                      7.8 ↘                      6.9 ↙                      6.4 →  
 beste Teiler 1404.5 (35.) 1417.8 (31.) 1432.8 (33.)  
 Trefferlage 1.82 mm links, 7.77 mm hoch  
 Streuwert 16.79, horizontal: 18.16, vertikal: 15.31

Unterschrift des Schützen


Ergebnis: **349** (363.9)  
 Serien: 89 90 85 85  
 Zähler: 6 20 11 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3085 (24), 3032 (34), 2588 (27)  
 beste Teiler 367.1 (19.) 459.6 (2.) 469.5 (29.)  
 Trefferlage 2.45 mm rechts, 4.79 mm tief  
 Streuwert 10.98, horizontal: 12.30, vertikal: 9.48




Serie 1:  
 9.9 ↓                      10.4 \*                      9.1 ↘                      9.8 ↙                      8.6 →  
 10.0 ↖                      8.4 ↓                      8.5 →                      9.0 ↓                      9.7 →  
 beste Teiler 459.6 (2.) 745.1 (6.) 822.7 (1.)  
 Trefferlage 3.79 mm rechts, 6.77 mm tief  
 Streuwert 8.63, horizontal: 9.17, vertikal: 8.05



Serie 2:  
 9.8 →                      8.5 ↙                      9.2 ←                      9.1 ↘                      9.5 ↖  
 8.2 ↘                      8.1 →                      10.2 ↑                      10.5 \*                      10.2 →  
 beste Teiler 367.1 (19.) 610.4 (20.) 625.0 (18.)  
 Trefferlage 1.85 mm rechts, 3.22 mm tief  
 Streuwert 10.44, horizontal: 11.29, vertikal: 9.52



Serie 3:  
 8.3 ↘                      9.1 ↗                      9.0 ↘                      7.1 ↙                      9.3 ←  
 8.5 ↘                      7.7 →                      9.2 ↗                      10.4 \*                      9.1 ↙  
 beste Teiler 469.5 (29.) 1330.0 (25.) 1366.3 (28.)  
 Trefferlage 4.20 mm rechts, 5.18 mm tief  
 Streuwert 13.12, horizontal: 15.60, vertikal: 10.04





Serie 4:  
 9.4 ↖                      9.6 ↓                      8.9 ↘                      7.2 ↙                      8.5 →  
 9.0 ↘                      8.2 ↗                      9.3 ↙                      9.7 ↙                      9.7 ↖  
 beste Teiler 1016.2 (39.) 1022.1 (40.) 1084.7 (32.)  
 Trefferlage 0.04 mm links, 3.98 mm tief  
 Streuwert 12.51, horizontal: 13.71, vertikal: 11.18

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **323** (339.7)  
 Serien: 84 75 80 84  
 Zähler: 6 14 5 9 4 2 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4323 (20), 4185 (14), 3989 (8)  
 beste Teiler 386.0 (17.) 497.3 (33.) 503.9 (16.)  
 Trefferlage 2.23 mm links, 4.11 mm hoch  
 Streuwert 15.94, horizontal: 15.76, vertikal: 16.13




Serie 1:  
 9.6 →                      9.3 ↘                      8.6 ↑                      9.5 ↖                      10.2 ↗  
 8.9 ↙                      8.9 ↑                      6.0 ↑                      7.5 ↗                      10.2 ↓  
 beste Teiler 591.9 (10.) 630.2 (5.) 1072.8 (1.)  
 Trefferlage 1.89 mm rechts, 11.65 mm hoch  
 Streuwert 11.39, horizontal: 9.85, vertikal: 12.74



Serie 2:  
 7.2 ↗                      7.0 ↖                      9.6 ↓                      5.7 ↖                      7.9 ↑  
 10.3 ↖                      10.5 \*                      8.6 ↓                      7.0 ↑                      5.5 ↓  
 beste Teiler 386.0 (17.) 503.9 (16.) 1118.1 (13.)  
 Trefferlage 1.33 mm links, 3.48 mm hoch  
 Streuwert 20.43, horizontal: 17.65, vertikal: 22.87



Serie 3:  
 9.1 ↑                      9.4 ↖                      6.5 ↘                      7.8 ↗                      7.1 ←  
 7.7 ↑                      9.3 ↙                      9.0 ↗                      9.1 ←                      8.9 ↘  
 beste Teiler 1278.9 (22.) 1282.8 (27.) 1492.8 (21.)  
 Trefferlage 1.88 mm rechts, 1.08 mm hoch  
 Streuwert 16.34, horizontal: 17.43, vertikal: 15.17





Serie 4:  
 9.2 ↖                      6.6 ↙                      10.3 ↙                      7.1 ↖                      10.1 ↓  
 9.8 ↘                      9.8 ↘                      9.3 ←                      9.5 ↑                      6.1 ←  
 beste Teiler 497.3 (33.) 657.2 (35.) 898.0 (36.)  
 Trefferlage 11.38 mm links, 0.24 mm hoch  
 Streuwert 13.29, horizontal: 15.22, vertikal: 11.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (351.1)  
 Serien: 83 81 83 83  
 Zähler: 2 17 11 9 1 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3907 (24), 3126 (26), 2987 (15)  
 beste Teiler 481.5 (21.) 550.6 (32.) 852.0 (6.)  
 Trefferlage 0.98 mm links, 0.66 mm tief  
 Streuwert 13.66, horizontal: 15.38, vertikal: 11.70




Serie 1:  
 9.0 ↘                      8.3 ↖                      8.3 ↓                      8.8 ↓                      8.4 ↓  
 9.9 ↓                      9.4 ↗                      8.9 ↑                      9.8 ←                      7.4 →  
 beste Teiler 852.0 (6.) 889.2 (9.) 1206.4 (7.)  
 Trefferlage 3.25 mm rechts, 4.18 mm tief  
 Streuwert 12.76, horizontal: 12.97, vertikal: 12.54



Serie 2:  
 9.7 ↘                      9.8 ↙                      7.6 →                      9.7 ↑                      7.2 →  
 7.8 →                      9.6 ←                      9.8 ↘                      7.4 ←                      8.7 ↓  
 beste Teiler 897.5 (12.) 958.8 (18.) 994.8 (11.)  
 Trefferlage 4.43 mm rechts, 0.23 mm tief  
 Streuwert 14.26, horizontal: 18.26, vertikal: 8.57



Serie 3:  
 10.3 ↙                      8.8 ↘                      9.4 ↖                      6.1 ↓                      8.4 ↖  
 7.0 →                      8.9 ↖                      9.4 ↗                      9.3 ↓                      9.5 ↖  
 beste Teiler 481.5 (21.) 1132.8 (30.) 1245.0 (28.)  
 Trefferlage 2.48 mm links, 0.19 mm tief  
 Streuwert 15.01, horizontal: 14.55, vertikal: 15.45





Serie 4:  
 8.3 ←                      10.3 ↓                      8.3 ←                      9.9 ↓                      7.8 ↖  
 7.7 ↖                      7.6 ↖                      9.7 ↗                      9.8 →                      9.1 ↓  
 beste Teiler 550.6 (32.) 867.3 (34.) 903.2 (39.)  
 Trefferlage 9.15 mm links, 1.96 mm hoch  
 Streuwert 11.92, horizontal: 13.53, vertikal: 10.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297** (314.4)  
 Serien: 79 76 74 68  
 Zähler: 2 11 8 8 6 3 1 1 0 0  
 Innenzehner: 1  
 weiteste: 5667 (31), 4806 (34), 4746 (26)  
 beste Teiler 297.1 (33.) 619.5 (22.) 853.8 (17.)  
 Trefferlage 13.82 mm links, 4.07 mm hoch  
 Streuwert 17.24, horizontal: 17.11, vertikal: 17.37




Serie 1:  
 8.6 ←                      7.1 ↙                      9.5 ↘                      8.7 ←                      9.4 ←  
 6.2 ←                      9.7 ←                      7.1 ←                      9.6 →                      7.5 ←  
 beste Teiler 1023.7 (7.) 1044.7 (9.) 1154.0 (3.)  
 Trefferlage 16.11 mm links, 0.81 mm tief  
 Streuwert 12.03, horizontal: 13.03, vertikal: 10.94



Serie 2:  
 7.1 ↘                      6.2 ↖                      7.1 ↗                      9.2 ↗                      5.3 ←  
 6.0 ↗                      9.9 ↗                      9.2 ↑                      9.0 ↖                      9.7 ↑  
 beste Teiler 853.8 (17.) 1016.6 (20.) 1383.2 (14.)  
 Trefferlage 8.89 mm links, 9.97 mm hoch  
 Streuwert 18.25, horizontal: 19.43, vertikal: 16.99



Serie 3:  
 9.4 ↖                      10.2 ↓                      8.8 ↙                      6.3 ←                      7.8 ↖  
 5.0 ↓                      8.6 ←                      6.6 ↖                      7.7 ←                      8.9 ←  
 beste Teiler 619.5 (22.) 1279.5 (21.) 1662.1 (30.)  
 Trefferlage 14.46 mm links, 1.67 mm tief  
 Streuwert 16.93, horizontal: 13.51, vertikal: 19.76





Serie 4:  
 3.9 ↖                      8.7 ↙                      10.6 \*                      4.9 ↖                      8.3 ↖  
 6.0 ←                      7.8 ↘                      8.4 ↙                      9.1 ↑                      5.3 ↖  
 beste Teiler 297.1 (33.) 1487.9 (39.) 1761.1 (32.)  
 Trefferlage 15.82 mm links, 8.82 mm hoch  
 Streuwert 21.00, horizontal: 22.37, vertikal: 19.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **321** (342.4)  
 Serien: 80 82 80 79  
 Zähler: 3 11 13 11 1 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4350 (23), 3620 (19), 2838 (35)  
 beste Teiler 172.7 (21.) 490.7 (22.) 631.3 (11.)  
 Trefferlage 1.88 mm rechts, 4.51 mm tief  
 Streuwert 14.53, horizontal: 15.10, vertikal: 13.93




Serie 1:  
 7.6 → 7.9 ↘ 7.7 ↙ 9.8 ↓ 9.6 ↘  
 8.6 ↓ 8.5 ↙ 8.0 ↓ 9.6 ↓ 8.3 →  
 beste Teiler 941.0 (4.) 1058.5 (9.) 1061.2 (5.)  
 Trefferlage 2.64 mm rechts, 12.44 mm tief  
 Streuwert 11.72, horizontal: 15.61, vertikal: 5.57



Serie 2:  
 10.2 ↘ 8.7 ↗ 9.1 ← 9.5 → 9.5 ↑  
 7.8 ↑ 8.4 ↘ 9.1 ↗ 6.4 → 7.7 ↘  
 beste Teiler 631.3 (11.) 1141.4 (14.) 1160.9 (15.)  
 Trefferlage 8.01 mm rechts, 7.01 mm hoch  
 Streuwert 12.87, horizontal: 13.88, vertikal: 11.78



Serie 3:  
 10.7 \* 10.3 ↑ 5.5 ← 8.9 → 9.4 ↘  
 7.6 ↓ 8.3 ← 7.7 ↓ 8.9 ↓ 8.0 ←  
 beste Teiler 172.7 (21.) 490.7 (22.) 1214.6 (25.)  
 Trefferlage 6.95 mm links, 7.74 mm tief  
 Streuwert 14.84, horizontal: 17.91, vertikal: 10.93





Serie 4:  
 9.7 ↓ 9.2 ↗ 7.9 ↓ 8.2 ↑ 7.4 ↑  
 7.9 ↘ 8.8 ↓ 8.8 ↓ 7.9 ↓ 9.3 →  
 beste Teiler 1033.3 (31.) 1318.6 (40.) 1375.6 (32.)  
 Trefferlage 3.83 mm rechts, 4.87 mm tief  
 Streuwert 14.50, horizontal: 9.89, vertikal: 17.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **287** (303.7)  
 Serien: 70 68 78 71  
 Zähler: 0 12 10 7 5 1 2 1 2 0  
 Innenzehner: 0  
 weiteste: 6850 (39), 6694 (10), 5867 (36)  
 beste Teiler 842.3 (20.) 1245.3 (9.) 1260.2 (22.)  
 Trefferlage 2.85 mm rechts, 7.26 mm hoch  
 Streuwert 21.27, horizontal: 18.80, vertikal: 23.49




Serie 1:  
 6.2 ↗ 6.0 ↘ 8.2 ↙ 7.1 ↗ 9.2 ↑  
 9.3 ↙ 6.9 ↖ 8.2 ↗ 9.4 ↓ 2.6 ↖  
 beste Teiler 1245.3 (9.) 1284.3 (6.) 1381.0 (5.)  
 Trefferlage 2.84 mm rechts, 9.90 mm hoch  
 Streuwert 23.46, horizontal: 19.63, vertikal: 26.74



Serie 2:  
 5.9 ↘ 9.1 ↖ 4.4 ↑ 8.3 ↗ 6.8 →  
 9.2 ↓ 7.6 ↗ 4.9 ↖ 7.0 ↑ 9.9 ↑  
 beste Teiler 842.3 (20.) 1373.1 (16.) 1451.9 (12.)  
 Trefferlage 4.52 mm rechts, 13.10 mm hoch  
 Streuwert 21.85, horizontal: 24.10, vertikal: 19.36



Serie 3:  
 8.2 ↗ 9.4 ↖ 9.1 ↖ 7.5 ↖ 6.6 ↑  
 7.3 ↖ 8.7 ↓ 7.4 → 9.3 ↖ 8.4 →  
 beste Teiler 1260.2 (22.) 1299.4 (29.) 1466.0 (23.)  
 Trefferlage 1.30 mm rechts, 9.10 mm hoch  
 Streuwert 15.92, horizontal: 16.70, vertikal: 15.09





Serie 4:  
 9.3 ↙ 8.2 ↓ 8.3 ↓ 8.7 ↑ 7.8 ↗  
 3.6 ↓ 8.8 ↗ 9.3 ↓ 2.4 ↗ 9.2 ↓  
 beste Teiler 1313.4 (31.) 1337.2 (38.) 1383.9 (40.)  
 Trefferlage 2.74 mm rechts, 3.06 mm tief  
 Streuwert 24.36, horizontal: 16.76, vertikal: 30.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (329.5)  
 Serien: 74 74 78 87  
 Zähler: 6 9 8 8 7 2 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4724 (19), 4189 (16), 3748 (10)  
 beste Teiler 468.9 (36.) 473.6 (34.) 564.7 (28.)  
 Trefferlage 7.56 mm rechts, 1.26 mm hoch  
 Streuwert 16.62, horizontal: 15.82, vertikal: 17.37




Serie 1:  
 9.0 ↘                      7.4 →                      9.8 ↓                      8.1 ↘                      7.1 ↗  
 6.7 ↗                      6.8 →                      9.2 →                      7.0 ↘                      6.3 ↗  
 beste Teiler 952.5 (3.) 1423.2 (8.) 1548.6 (1.)  
 Trefferlage 16.84 mm rechts, 2.83 mm hoch  
 Streuwert 15.82, horizontal: 9.83, vertikal: 20.09



Serie 2:  
 8.6 ←                      8.7 →                      6.7 ↑                      10.0 ↘                      6.8 →  
 5.7 ↗                      10.1 ↙                      8.4 ↓                      5.0 →                      8.6 ↙  
 beste Teiler 685.9 (17.) 722.2 (14.) 1764.8 (12.)  
 Trefferlage 8.50 mm rechts, 0.30 mm hoch  
 Streuwert 19.76, horizontal: 21.99, vertikal: 17.25



Serie 3:  
 7.9 →                      9.5 ↖                      7.8 ↑                      6.4 ↗                      8.2 ↓  
 8.6 ↗                      9.2 ↖                      10.2 →                      8.7 ↙                      6.7 ↓  
 beste Teiler 564.7 (28.) 1194.9 (22.) 1439.3 (27.)  
 Trefferlage 3.41 mm rechts, 2.19 mm hoch  
 Streuwert 16.85, horizontal: 13.20, vertikal: 19.83





Serie 4:  
 7.4 →                      10.2 ↑                      7.0 ↓                      10.4 \*                      9.5 →  
 10.4 \*                      7.1 ↗                      9.3 ←                      9.3 ←                      9.7 ←  
 beste Teiler 468.9 (36.) 473.6 (34.) 629.9 (32.)  
 Trefferlage 1.48 mm rechts, 0.25 mm tief  
 Streuwert 13.78, horizontal: 13.16, vertikal: 14.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **308** (324.6)  
 Serien: 77 81 76 74  
 Zähler: 0 15 9 8 6 1 1 0 0 0  
 Innenzehner: 0  
 weiteste: 5491 (40), 4046 (34), 3940 (10)  
 beste Teiler 830.8 (26.) 937.3 (24.) 947.7 (29.)  
 Trefferlage 13.07 mm links, 4.95 mm tief  
 Streuwert 15.02, horizontal: 15.53, vertikal: 14.50




Serie 1:  
 8.5 ↘                      8.5 ↘                      7.3 ↙                      9.2 ↓                      9.5 ←  
 7.4 ←                      6.5 ↙                      9.7 ↓                      8.8 ↓                      6.0 ←  
 beste Teiler 966.4 (8.) 1155.4 (5.) 1397.8 (4.)  
 Trefferlage 12.98 mm links, 12.46 mm tief  
 Streuwert 12.35, horizontal: 15.01, vertikal: 8.92



Serie 2:  
 9.0 ←                      7.9 ↘                      7.2 ←                      8.7 ↙                      8.3 ↗  
 9.0 ↗                      7.6 ←                      8.3 ↙                      9.3 ↓                      9.6 ↗  
 beste Teiler 1082.7 (20.) 1324.6 (19.) 1553.0 (16.)  
 Trefferlage 8.40 mm links, 1.23 mm hoch  
 Streuwert 13.90, horizontal: 14.90, vertikal: 12.82



Serie 3:  
 7.0 ↙                      6.0 ←                      6.3 ←                      9.8 ↑                      9.6 ↘  
 9.9 ←                      8.2 ↙                      6.5 ↘                      9.8 ↘                      7.1 ←  
 beste Teiler 830.8 (26.) 937.3 (24.) 947.7 (29.)  
 Trefferlage 17.50 mm links, 0.57 mm tief  
 Streuwert 14.76, horizontal: 16.56, vertikal: 12.71





Serie 4:  
 8.0 ←                      7.6 ↘                      9.6 ←                      5.9 ↙                      9.5 ←  
 9.5 ←                      9.0 ↗                      6.5 ↓                      8.4 ↓                      4.1 ←  
 beste Teiler 1042.3 (33.) 1181.1 (35.) 1196.4 (36.)  
 Trefferlage 13.39 mm links, 8.00 mm tief  
 Streuwert 17.97, horizontal: 16.64, vertikal: 19.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **307** (320.9)  
 Serien: 68 83 81 75  
 Zähler: 5 10 8 8 5 1 3 0 0 0  
 Innenzehner: 2  
 weiteste: 5517 (6), 5418 (35), 4957 (1)  
 beste Teiler 200.9 (40.) 474.9 (31.) 549.5 (12.)  
 Trefferlage 3.37 mm links, 7.25 mm tief  
 Streuwert 18.49, horizontal: 17.66, vertikal: 19.29




Serie 1:  
 4.8 ↘                      5.5 ←                      7.9 ↖                      6.2 ↓                      10.0 ↓  
 4.1 ↓                      7.3 ↓                      8.2 ↘                      8.6 ↓                      9.3 ↓  
 beste Teiler 756.5 (5.) 1342.3 (10.) 1915.8 (9.)  
 Trefferlage 4.56 mm links, 20.54 mm tief  
 Streuwert 19.67, horizontal: 20.45, vertikal: 18.86



Serie 2:  
 8.1 ↓                      10.3 ↘                      9.7 →                      10.1 ↓                      6.1 ↖  
 9.2 ↓                      6.4 ↓                      9.1 →                      9.3 ↗                      7.7 ←  
 beste Teiler 549.5 (12.) 709.0 (14.) 997.5 (13.)  
 Trefferlage 1.01 mm links, 9.11 mm tief  
 Streuwert 14.82, horizontal: 15.82, vertikal: 13.75



Serie 3:  
 9.8 →                      8.4 ←                      7.0 ←                      8.4 ↓                      8.2 ↖  
 9.6 ↗                      9.2 ↑                      8.1 ←                      7.3 ↑                      8.6 ↗  
 beste Teiler 918.3 (21.) 1114.5 (26.) 1428.9 (27.)  
 Trefferlage 5.32 mm links, 5.03 mm hoch  
 Streuwert 14.72, horizontal: 15.43, vertikal: 13.98





Serie 4:  
 10.4 \*                      9.4 ↖                      6.1 ←                      7.3 ↖                      4.2 ↓  
 7.1 →                      9.0 →                      6.6 ↓                      7.6 ↗                      10.7 \*  
 beste Teiler 200.9 (40.) 474.9 (31.) 1278.8 (32.)  
 Trefferlage 2.60 mm links, 4.41 mm tief  
 Streuwert 21.52, horizontal: 20.77, vertikal: 22.25

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **389** (405.2)  
 Serien: 97 99 99 94  
 Zähler: 29 11 0 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 377 (39), 351 (12), 338 (38)  
 beste Teiler 72.1 (22.) 86.8 (6.) 91.7 (29.)  
 Trefferlage 0.24 mm rechts, 0.18 mm hoch  
 Streuwert 1.57, horizontal: 1.74, vertikal: 1.38




Serie 1:  
 10.1 ↖ 10.1 → 10.5 \* 9.7 → 10.5 \*  
 10.6 \* 10.1 ↗ 9.9 ↘ 10.2 \* 9.8 ↙  
 beste Teiler 86.8 (6.) 117.0 (5.) 124.3 (3.)  
 Trefferlage 0.63 mm rechts, 0.75 mm hoch  
 Streuwert 1.44, horizontal: 1.85, vertikal: 0.85



Serie 2:  
 10.4 \* 9.5 ↙ 10.3 \* 10.1 ↘ 10.0 →  
 10.0 ↙ 10.4 \* 10.4 \* 10.4 \* 10.3 \*  
 beste Teiler 130.4 (17.) 134.9 (18.) 144.1 (19.)  
 Trefferlage 0.40 mm links, 0.32 mm tief  
 Streuwert 1.44, horizontal: 1.54, vertikal: 1.33



Serie 3:  
 10.6 \* 10.7 \* 10.0 ↙ 10.3 \* 9.6 ↗  
 10.4 \* 10.4 \* 10.2 \* 10.6 \* 10.3 \*  
 beste Teiler 72.1 (22.) 91.7 (29.) 93.3 (21.)  
 Trefferlage 0.26 mm links, 0.27 mm tief  
 Streuwert 1.30, horizontal: 1.40, vertikal: 1.20





Serie 4:  
 10.4 \* 9.7 ↗ 10.1 ↗ 10.0 → 10.3 \*  
 9.7 → 9.9 ↗ 9.6 ↘ 9.4 → 9.7 ↓  
 beste Teiler 146.5 (31.) 157.6 (35.) 216.9 (33.)  
 Trefferlage 1.01 mm rechts, 0.59 mm hoch  
 Streuwert 1.87, horizontal: 1.94, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **305** (323.2)  
 Serien: 80 76 81 68  
 Zähler: 3 9 14 4 5 4 1 0 0 0  
 Innenzehner: 0  
 weiteste: 5134 (33), 4692 (12), 4392 (18)  
 beste Teiler 562.8 (5.) 716.9 (15.) 778.8 (26.)  
 Trefferlage 0.65 mm links, 1.83 mm tief  
 Streuwert 18.50, horizontal: 16.95, vertikal: 19.92




Serie 1:  
 6.1 ↓                      8.1 ↖                      8.3 ↗                      6.9 ←                      10.2 ↗  
 9.8 ↗                      9.3 ↘                      6.5 ↗                      9.6 ↖                      9.0 ↖  
 beste Teiler 562.8 (5.) 899.5 (6.) 1078.9 (9.)  
 Trefferlage 1.64 mm links, 3.94 mm hoch  
 Streuwert 17.09, horizontal: 16.39, vertikal: 17.77



Serie 2:  
 9.6 ↑                      5.1 ↓                      8.2 →                      8.8 ↓                      10.1 ↓  
 8.9 ↗                      7.6 ←                      5.5 ↓                      8.3 ↓                      8.1 ←  
 beste Teiler 716.9 (15.) 1087.6 (11.) 1659.7 (16.)  
 Trefferlage 2.07 mm links, 12.68 mm tief  
 Streuwert 17.34, horizontal: 16.63, vertikal: 18.02



Serie 3:  
 5.6 ↗                      8.9 ↙                      8.7 ↑                      9.9 ↘                      9.2 ↘  
 10.0 →                      7.8 ↙                      9.5 →                      8.6 ↙                      8.5 ←  
 beste Teiler 778.8 (26.) 811.5 (24.) 1175.0 (28.)  
 Trefferlage 1.10 mm rechts, 0.69 mm tief  
 Streuwert 15.35, horizontal: 15.85, vertikal: 14.82





Serie 4:  
 8.0 →                      6.3 ↖                      4.5 ↖                      8.3 ↗                      9.9 ↓  
 8.5 ↗                      6.7 ↓                      5.5 ↓                      7.7 ↗                      7.1 →  
 beste Teiler 853.0 (35.) 1929.8 (36.) 2109.8 (34.)  
 Trefferlage 0.01 mm links, 2.11 mm hoch  
 Streuwert 23.60, horizontal: 21.01, vertikal: 25.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (366.5)  
 Serien: 87 82 84 91  
 Zähler: 7 19 7 5 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3494 (2), 3224 (14), 2940 (34)  
 beste Teiler 252.8 (10.) 372.9 (37.) 394.9 (33.)  
 Trefferlage 1.35 mm rechts, 1.26 mm hoch  
 Streuwert 11.67, horizontal: 12.59, vertikal: 10.66




Serie 1:  
 8.8 →                      6.6 ←                      9.8 ↙                      9.7 →                      9.2 ↘  
 9.7 ↘                      8.8 ←                      9.1 ↑                      10.4 \*                      10.6 \*  
 beste Teiler 252.8 (10.) 465.8 (9.) 920.4 (3.)  
 Trefferlage 5.41 mm links, 0.46 mm hoch  
 Streuwert 11.19, horizontal: 13.91, vertikal: 7.54



Serie 2:  
 10.2 ↗                      7.9 →                      9.9 ↗                      6.9 ↑                      8.9 ↑  
 9.5 ↗                      7.5 →                      9.9 ↑                      8.9 →                      9.8 ←  
 beste Teiler 588.5 (11.) 811.4 (18.) 816.6 (13.)  
 Trefferlage 6.41 mm rechts, 7.50 mm hoch  
 Streuwert 11.49, horizontal: 12.09, vertikal: 10.86



Serie 3:  
 7.8 →                      9.6 ←                      9.7 ↙                      9.0 ↘                      9.2 ↓  
 8.7 ↗                      8.8 →                      7.5 ↗                      9.6 →                      9.6 ↘  
 beste Teiler 1040.0 (23.) 1062.1 (22.) 1065.0 (30.)  
 Trefferlage 6.46 mm rechts, 0.94 mm hoch  
 Streuwert 11.71, horizontal: 13.06, vertikal: 10.19





Serie 4:  
 10.2 ↙                      9.8 ↘                      10.5 \*                      7.3 ↓                      8.4 ↘  
 9.5 ↓                      10.5 \*                      10.1 ←                      9.1 →                      9.5 ↓  
 beste Teiler 372.9 (37.) 394.9 (33.) 639.5 (31.)  
 Trefferlage 2.03 mm links, 3.84 mm tief  
 Streuwert 9.92, horizontal: 7.47, vertikal: 11.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (353.0)  
 Serien: 91 87 82 76  
 Zähler: 10 12 8 5 4 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4549 (40), 3891 (32), 3798 (33)  
 beste Teiler 318.9 (10.) 356.4 (36.) 373.8 (3.)  
 Trefferlage 5.13 mm rechts, 2.04 mm tief  
 Streuwert 13.95, horizontal: 12.57, vertikal: 15.20




Serie 1:  
 8.9 ↙                      8.5 ↑                      10.5 \*                      10.4 \*                      8.4 →  
 9.7 ↗                      9.5 →                      9.7 →                      10.4 \*                      10.6 \*  
 beste Teiler 318.9 (10.) 373.8 (3.) 411.8 (9.)  
 Trefferlage 3.61 mm rechts, 1.26 mm hoch  
 Streuwert 8.60, horizontal: 9.05, vertikal: 8.13



Serie 2:  
 7.5 ↗                      10.2 ↓                      8.3 ↗                      7.3 ↗                      10.0 ←  
 10.1 ↘                      9.0 ↑                      8.9 ←                      9.4 ↗                      9.9 ↓  
 beste Teiler 603.3 (12.) 678.6 (16.) 733.5 (15.)  
 Trefferlage 4.37 mm rechts, 5.96 mm hoch  
 Streuwert 11.52, horizontal: 11.48, vertikal: 11.55



Serie 3:  
 7.4 ↓                      7.7 →                      6.5 ↘                      9.4 →                      8.1 ↓  
 9.4 →                      8.6 ↓                      10.2 ↓                      9.7 ↓                      9.8 →  
 beste Teiler 571.5 (28.) 920.4 (30.) 1002.6 (29.)  
 Trefferlage 9.03 mm rechts, 11.72 mm tief  
 Streuwert 10.48, horizontal: 9.98, vertikal: 10.95





Serie 4:  
 6.5 ↘                      6.1 ↓                      6.2 →                      9.2 ↓                      8.2 ↓  
 10.5 \*                      9.0 →                      7.9 ←                      10.1 ←                      5.3 ↑  
 beste Teiler 356.4 (36.) 680.8 (39.) 1421.0 (34.)  
 Trefferlage 3.49 mm rechts, 3.68 mm tief  
 Streuwert 20.50, horizontal: 18.67, vertikal: 22.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (350.0)  
 Serien: 87 79 80 87  
 Zähler: 8 14 8 5 3 2 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4576 (13), 4224 (26), 3884 (23)  
 beste Teiler 427.6 (10.) 428.5 (15.) 485.3 (38.)  
 Trefferlage 0.70 mm rechts, 1.55 mm hoch  
 Streuwert 14.78, horizontal: 16.33, vertikal: 13.05




Serie 1:  
 9.7 ↖                      7.9 ↘                      9.8 ↖                      9.1 →                      9.7 ↙  
 8.0 ↓                      8.8 ↖                      8.1 ↗                      10.2 ↙                      10.4 \*  
 beste Teiler 427.6 (10.) 586.2 (9.) 942.9 (3.)  
 Trefferlage 1.24 mm rechts, 0.70 mm hoch  
 Streuwert 11.84, horizontal: 10.82, vertikal: 12.78



Serie 2:  
 7.8 ↖                      8.8 ↖                      5.2 ↘                      7.0 ↑                      10.4 \*  
 9.0 ↓                      10.2 ↙                      8.4 ↘                      6.7 →                      9.2 ↑  
 beste Teiler 428.5 (15.) 602.8 (17.) 1406.9 (20.)  
 Trefferlage 2.51 mm links, 9.40 mm hoch  
 Streuwert 17.01, horizontal: 19.22, vertikal: 14.46



Serie 3:  
 9.7 ↓                      9.4 ↓                      6.1 ↘                      10.2 ↓                      6.3 ↘  
 5.7 ←                      9.6 ↗                      8.9 →                      9.4 ↙                      9.4 ↗  
 beste Teiler 596.5 (24.) 1038.8 (21.) 1106.8 (27.)  
 Trefferlage 5.64 mm rechts, 5.73 mm tief  
 Streuwert 16.68, horizontal: 21.31, vertikal: 10.10





Serie 4:  
 9.8 →                      10.3 ↓                      7.4 ↘                      8.7 ↑                      8.3 ←  
 10.0 ↗                      9.1 ↗                      10.3 ↘                      9.1 ↓                      7.9 ↓  
 beste Teiler 485.3 (38.) 521.2 (32.) 762.9 (36.)  
 Trefferlage 1.56 mm links, 1.83 mm hoch  
 Streuwert 12.34, horizontal: 13.03, vertikal: 11.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (365.4)  
 Serien: 81 90 86 90  
 Zähler: 11 14 9 4 1 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4559 (27), 3310 (25), 3011 (5)  
 beste Teiler 182.3 (22.) 198.8 (29.) 361.9 (23.)  
 Trefferlage 1.20 mm rechts, 3.11 mm hoch  
 Streuwert 12.06, horizontal: 12.95, vertikal: 11.09




Serie 1:  
 8.7 ↙                      8.6 ↘                      10.3 ↑                      7.8 ↗                      7.2 ↑  
 9.0 ↘                      9.6 ↘                      8.8 ↘                      8.3 →                      7.6 ←  
 beste Teiler 492.0 (3.) 1045.1 (7.) 1578.7 (6.)  
 Trefferlage 0.56 mm links, 3.98 mm hoch  
 Streuwert 14.67, horizontal: 15.26, vertikal: 14.05



Serie 2:  
 8.6 ↗                      9.6 ↗                      9.3 ↑                      9.5 ↘                      10.3 ↓  
 8.6 ←                      10.1 ←                      9.1 ↓                      8.4 ↑                      10.4 \*  
 beste Teiler 455.2 (20.) 559.4 (15.) 692.3 (17.)  
 Trefferlage 1.24 mm links, 2.54 mm hoch  
 Streuwert 9.99, horizontal: 7.98, vertikal: 11.66



Serie 3:  
 9.9 ↘                      10.7 \*                      10.5 \*                      10.3 ↘                      6.8 →  
 8.4 ↗                      5.3 ←                      9.8 ↘                      10.7 \*                      9.5 ↑  
 beste Teiler 182.3 (22.) 198.8 (29.) 361.9 (23.)  
 Trefferlage 1.31 mm rechts, 2.02 mm hoch  
 Streuwert 14.65, horizontal: 18.16, vertikal: 9.97





Serie 4:  
 10.0 ↙                      9.6 ↑                      7.8 ↗                      9.8 ↘                      8.7 →  
 9.1 ↗                      9.0 →                      10.3 ↓                      10.0 ↓                      9.4 ↗  
 beste Teiler 504.4 (38.) 769.7 (31.) 790.2 (39.)  
 Trefferlage 5.31 mm rechts, 3.92 mm hoch  
 Streuwert 9.19, horizontal: 8.46, vertikal: 9.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (365.9)  
 Serien: 80 94 87 87  
 Zähler: 7 23 4 5 0 0 1 0 0 0  
 Innenzehner: 3  
 weiteste: 5296 (1), 2893 (39), 2737 (29)  
 beste Teiler 186.7 (13.) 346.0 (38.) 380.3 (12.)  
 Trefferlage 0.65 mm rechts, 0.56 mm hoch  
 Streuwert 12.09, horizontal: 12.30, vertikal: 11.88




Serie 1:  
 4.3 ↗ 8.4 ↖ 7.8 ↖ 8.8 ↗ 9.0 ↘  
 9.3 ↓ 9.9 → 8.4 ↗ 9.4 ↖ 9.7 ↖  
 beste Teiler 810.7 (7.) 1030.1 (10.) 1238.4 (9.)  
 Trefferlage 0.16 mm links, 6.73 mm hoch  
 Streuwert 16.39, horizontal: 16.34, vertikal: 16.44



Serie 2:  
 9.4 ↘ 10.5 \* 10.7 \* 9.9 ↑ 10.1 ↓  
 10.3 ↖ 9.9 ↖ 9.3 ↘ 9.1 ↗ 9.1 →  
 beste Teiler 186.7 (13.) 380.3 (12.) 519.4 (16.)  
 Trefferlage 0.43 mm links, 2.60 mm tief  
 Streuwert 7.29, horizontal: 7.62, vertikal: 6.93



Serie 3:  
 9.6 ↓ 9.7 ↘ 7.9 ↙ 10.0 ↓ 9.5 ↘  
 8.4 ↖ 9.6 ↙ 10.0 ↓ 7.5 → 9.2 ↓  
 beste Teiler 731.8 (24.) 759.3 (28.) 964.7 (22.)  
 Trefferlage 0.77 mm links, 5.95 mm tief  
 Streuwert 10.95, horizontal: 13.11, vertikal: 8.24





Serie 4:  
 9.3 ↗ 9.3 ← 9.0 ↗ 9.4 ← 9.1 ↓  
 7.9 ↗ 9.5 ↑ 10.5 \* 7.3 ↗ 9.9 ↓  
 beste Teiler 346.0 (38.) 850.8 (40.) 1143.7 (37.)  
 Trefferlage 4.01 mm rechts, 4.06 mm hoch  
 Streuwert 11.24, horizontal: 11.90, vertikal: 10.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (345.1)  
 Serien: 78 82 82 84  
 Zähler: 6 11 10 11 1 0 1 0 0 0  
 Innenzehner: 2  
 weiteste: 5397 (15), 3925 (35), 2879 (3)  
 beste Teiler 284.0 (31.) 474.1 (20.) 510.8 (32.)  
 Trefferlage 7.15 mm rechts, 2.06 mm tief  
 Streuwert 14.25, horizontal: 13.03, vertikal: 15.37




Serie 1:  
 9.1 ↖                      8.7 ↗                      7.4 ↗                      8.2 ↑                      7.7 ↘  
 7.8 →                      7.8 ↓                      8.3 ↙                      9.6 →                      8.0 ↖  
 beste Teiler 1072.4 (9.) 1449.7 (1.) 1806.4 (2.)  
 Trefferlage 4.18 mm rechts, 1.16 mm hoch  
 Streuwert 16.27, horizontal: 15.45, vertikal: 17.06



Serie 2:  
 9.0 →                      10.1 →                      9.7 →                      8.9 ↘                      4.2 ↘  
 9.8 →                      7.5 →                      9.4 ↖                      7.6 ↓                      10.4 \*  
 beste Teiler 474.1 (20.) 672.6 (12.) 886.1 (16.)  
 Trefferlage 8.60 mm rechts, 6.75 mm tief  
 Streuwert 15.14, horizontal: 11.27, vertikal: 18.21



Serie 3:  
 8.0 →                      8.8 ↘                      9.9 →                      10.2 ↗                      7.5 →  
 8.3 ↙                      7.5 ↙                      8.7 →                      10.1 ↘                      7.9 ↘  
 beste Teiler 623.0 (24.) 697.6 (29.) 848.7 (23.)  
 Trefferlage 6.66 mm rechts, 4.76 mm tief  
 Streuwert 13.30, horizontal: 16.90, vertikal: 8.28





Serie 4:  
 10.6 \*                      10.3 ↘                      9.6 →                      9.9 ↘                      6.0 ↑  
 9.2 ↓                      7.7 →                      8.4 ↘                      7.4 →                      9.9 →  
 beste Teiler 284.0 (31.) 510.8 (32.) 802.7 (34.)  
 Trefferlage 9.15 mm rechts, 2.09 mm hoch  
 Streuwert 12.99, horizontal: 8.25, vertikal: 16.41

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **331** (350.1)  
 Serien: 81 85 81 84  
 Zähler: 4 15 13 5 2 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4224 (2), 3590 (22), 3236 (29)  
 beste Teiler 207.0 (19.) 541.3 (10.) 596.0 (24.)  
 Trefferlage 1.24 mm links, 4.46 mm hoch  
 Streuwert 13.64, horizontal: 13.02, vertikal: 14.23




Serie 1:  
 7.4 ↖                      5.7 ↗                      8.8 ↘                      9.0 ↙                      9.3 ↘  
 9.7 ←                      7.7 ↑                      8.9 ↑                      9.2 ←                      10.3 →  
 beste Teiler 541.3 (10.) 967.0 (6.) 1293.0 (5.)  
 Trefferlage 3.24 mm links, 8.46 mm hoch  
 Streuwert 14.40, horizontal: 10.30, vertikal: 17.56



Serie 2:  
 8.0 →                      7.2 ↗                      9.1 ↖                      8.6 ↗                      9.0 ↗  
 8.6 ↘                      7.8 ↓                      9.5 ↗                      10.7 \*                      10.2 ←  
 beste Teiler 207.0 (19.) 622.5 (20.) 1195.7 (18.)  
 Trefferlage 5.17 mm rechts, 2.57 mm hoch  
 Streuwert 13.18, horizontal: 12.45, vertikal: 13.87



Serie 3:  
 9.7 →                      6.5 ↗                      8.9 ←                      10.2 ↓                      8.1 ↖  
 8.1 ←                      9.4 ↘                      8.6 ↖                      6.9 ↑                      9.8 ↘  
 beste Teiler 596.0 (24.) 914.6 (30.) 1012.0 (21.)  
 Trefferlage 2.58 mm links, 6.03 mm hoch  
 Streuwert 14.81, horizontal: 16.32, vertikal: 13.14





Serie 4:  
 9.8 ←                      8.4 ↖                      7.8 ↘                      8.8 ↘                      9.8 →  
 8.0 ↑                      9.0 ←                      9.6 ←                      9.7 ↗                      8.3 ←  
 beste Teiler 928.2 (35.) 956.0 (31.) 961.9 (39.)  
 Trefferlage 4.33 mm links, 0.78 mm hoch  
 Streuwert 12.42, horizontal: 12.01, vertikal: 12.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (373.2)  
 Serien: 90 91 84 88  
 Zähler: 11 18 5 5 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3519 (35), 2940 (29), 2795 (40)  
 beste Teiler 151.2 (22.) 262.3 (32.) 290.8 (13.)  
 Trefferlage 3.97 mm links, 2.35 mm tief  
 Streuwert 10.41, horizontal: 8.66, vertikal: 11.90




Serie 1:  
 8.5 ↓                      9.9 ↓                      9.6 ↓                      8.8 ↙                      9.5 ↘  
 9.9 ↓                      9.1 ↙                      10.0 ↖                      9.0 ↑                      10.6 \*  
 beste Teiler 316.1 (10.) 739.3 (8.) 814.6 (2.)  
 Trefferlage 2.84 mm links, 6.39 mm tief  
 Streuwert 7.88, horizontal: 5.90, vertikal: 9.46



Serie 2:  
 8.7 ↖                      7.8 ←                      10.6 \*                      10.4 \*                      10.5 \*  
 9.3 ↙                      10.1 ↑                      9.4 ↗                      9.2 ↘                      9.2 ↘  
 beste Teiler 290.8 (13.) 372.5 (15.) 440.5 (14.)  
 Trefferlage 5.78 mm links, 2.04 mm hoch  
 Streuwert 8.73, horizontal: 10.58, vertikal: 6.38



Serie 3:  
 9.9 ↓                      10.8 \*                      7.8 ↓                      9.5 ↓                      9.3 ↓  
 9.1 ↗                      9.8 ↘                      7.7 ←                      7.3 ↙                      8.8 ↑  
 beste Teiler 151.2 (22.) 807.9 (21.) 956.4 (27.)  
 Trefferlage 3.78 mm links, 3.73 mm tief  
 Streuwert 12.69, horizontal: 11.15, vertikal: 14.06





Serie 4:  
 9.5 →                      10.6 \*                      10.5 \*                      8.8 ↙                      6.6 ↓  
 9.6 ←                      10.2 ←                      9.7 ↙                      10.1 ↑                      7.5 ↑  
 beste Teiler 262.3 (32.) 398.6 (33.) 632.4 (37.)  
 Trefferlage 3.47 mm links, 1.35 mm tief  
 Streuwert 12.07, horizontal: 6.96, vertikal: 15.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (363.4)  
 Serien: 89 83 83 91  
 Zähler: 7 15 15 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3068 (7), 2894 (12), 2764 (21)  
 beste Teiler 131.3 (34.) 343.7 (33.) 502.0 (10.)  
 Trefferlage 1.31 mm links, 4.00 mm hoch  
 Streuwert 11.28, horizontal: 13.40, vertikal: 8.64




Serie 1:  
 10.2 ↗ 9.4 → 10.0 ← 8.5 ↑ 9.7 ↖  
 9.2 ↘ 7.1 → 9.3 ↙ 8.0 ↘ 10.3 →  
 beste Teiler 502.0 (10.) 610.2 (1.) 763.8 (3.)  
 Trefferlage 0.18 mm links, 6.66 mm hoch  
 Streuwert 11.02, horizontal: 13.40, vertikal: 7.95



Serie 2:  
 8.4 ↗ 7.3 → 8.5 ↑ 8.4 ← 9.2 ↖  
 9.5 ↘ 8.4 ← 9.8 ↙ 8.9 ↑ 9.1 ←  
 beste Teiler 960.5 (18.) 1159.1 (16.) 1388.0 (15.)  
 Trefferlage 3.01 mm links, 3.64 mm hoch  
 Streuwert 13.14, horizontal: 15.51, vertikal: 10.24





Serie 3:  
 7.5 → 8.1 ← 9.3 ↘ 8.9 ↗ 9.3 ←  
 8.9 ↗ 10.2 ← 8.7 → 8.9 ← 8.8 ←  
 beste Teiler 588.9 (27.) 1333.0 (25.) 1349.7 (23.)  
 Trefferlage 0.33 mm links, 0.27 mm hoch  
 Streuwert 13.15, horizontal: 16.93, vertikal: 7.71




Serie 4:  
 9.5 ↘ 9.7 ↘ 10.5 \* 10.8 \* 9.1 ↗  
 9.5 ↑ 8.8 ↘ 9.4 ← 10.1 ← 8.2 ↑  
 beste Teiler 131.3 (34.) 343.7 (33.) 699.9 (39.)  
 Trefferlage 1.70 mm links, 5.44 mm hoch  
 Streuwert 8.25, horizontal: 8.12, vertikal: 8.37

Unterschrift des Schützen


Ergebnis: **330** (348.2)  
 Serien: 79 86 88 77  
 Zähler: 8 11 10 6 4 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4168 (9), 3947 (3), 3490 (10)  
 beste Teiler 298.2 (19.) 471.6 (8.) 564.0 (24.)  
 Trefferlage 4.99 mm rechts, 0.49 mm tief  
 Streuwert 14.31, horizontal: 11.00, vertikal: 16.98




Serie 1:  
 9.8 ↘                      8.7 →                      6.0 ↗                      8.0 ↑                      9.3 ↑  
 10.0 ↘                      8.7 ↘                      10.4 \*                      5.7 ↓                      6.6 ↑  
 beste Teiler 471.6 (8.) 793.2 (6.) 921.1 (1.)  
 Trefferlage 6.51 mm rechts, 2.05 mm hoch  
 Streuwert 17.61, horizontal: 11.98, vertikal: 21.84



Serie 2:  
 7.8 ↘                      9.3 →                      8.6 ↖                      10.1 ↘                      9.8 ↗  
 9.1 →                      9.7 ↑                      7.0 ↓                      10.6 \*                      8.4 ↘  
 beste Teiler 298.2 (19.) 677.9 (14.) 897.3 (15.)  
 Trefferlage 7.15 mm rechts, 4.16 mm tief  
 Streuwert 11.39, horizontal: 9.98, vertikal: 12.65



Serie 3:  
 8.7 →                      10.2 ↖                      7.5 ↗                      10.2 ←                      8.8 →  
 9.9 ←                      10.2 ↘                      9.9 ↓                      10.1 ↑                      7.2 ↗  
 beste Teiler 564.0 (24.) 568.5 (22.) 633.8 (27.)  
 Trefferlage 4.69 mm rechts, 4.25 mm hoch  
 Streuwert 11.13, horizontal: 12.19, vertikal: 9.94





Serie 4:  
 9.2 ↘                      6.9 ↗                      6.9 ↓                      9.2 ↑                      7.8 ↑  
 8.4 ↑                      7.9 ↗                      9.0 ↘                      8.0 ↓                      8.6 ↓  
 beste Teiler 1413.0 (34.) 1434.5 (31.) 1593.5 (38.)  
 Trefferlage 1.60 mm rechts, 4.14 mm tief  
 Streuwert 16.79, horizontal: 10.59, vertikal: 21.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (344.2)  
 Serien: 83 80 83 81  
 Zähler: 6 10 15 6 0 3 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4103 (10), 4053 (13), 4040 (29)  
 beste Teiler 352.4 (17.) 422.0 (39.) 425.6 (9.)  
 Trefferlage 2.76 mm links, 4.56 mm tief  
 Streuwert 14.66, horizontal: 15.04, vertikal: 14.27




Serie 1:  
 8.4 ←                      9.2 ↙                      8.6 ←                      8.6 ↓                      10.3 →  
 9.5 ↓                      8.9 ↙                      8.3 ↓                      10.4 \*                      5.8 ↙  
 beste Teiler 425.6 (9.) 532.3 (5.) 1171.2 (6.)  
 Trefferlage 8.44 mm links, 10.92 mm tief  
 Streuwert 10.53, horizontal: 11.78, vertikal: 9.12



Serie 2:  
 9.4 →                      8.5 ↑                      5.9 ←                      8.4 ↗                      9.5 ↘  
 8.0 ↗                      10.5 \*                      7.6 ↓                      7.1 ↓                      9.0 ↙  
 beste Teiler 352.4 (17.) 1190.7 (15.) 1219.7 (11.)  
 Trefferlage 0.67 mm rechts, 2.92 mm tief  
 Streuwert 16.89, horizontal: 17.38, vertikal: 16.38



Serie 3:  
 8.3 ↘                      9.5 ←                      9.8 ↓                      7.8 ↖                      8.4 ↖  
 10.3 →                      9.1 ↑                      8.7 ↓                      5.9 ↙                      10.3 →  
 beste Teiler 496.3 (26.) 550.6 (30.) 944.5 (23.)  
 Trefferlage 7.05 mm links, 1.15 mm tief  
 Streuwert 13.88, horizontal: 10.80, vertikal: 16.39





Serie 4:  
 8.3 →                      7.3 ↑                      8.7 ↙                      8.1 ↓                      9.2 →  
 7.2 →                      9.6 ↓                      7.3 ↙                      10.4 \*                      8.1 ↘  
 beste Teiler 422.0 (39.) 1120.9 (37.) 1367.9 (35.)  
 Trefferlage 3.75 mm rechts, 3.25 mm tief  
 Streuwert 15.91, horizontal: 17.52, vertikal: 14.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (366.9)  
 Serien: 86 92 84 89  
 Zähler: 8 21 9 0 1 0 1 0 0 0  
 Innenzehner: 3  
 weiteste: 4809 (6), 3215 (22), 2205 (38)  
 beste Teiler 256.6 (10.) 358.7 (33.) 457.6 (29.)  
 Trefferlage 5.19 mm links, 3.41 mm hoch  
 Streuwert 10.69, horizontal: 8.40, vertikal: 12.57




Serie 1:  
 9.2 ↗ 10.1 ↓ 9.4 ↘ 8.8 ← 8.7 ↘  
 4.9 ↙ 10.0 ↓ 9.4 ↘ 9.4 ↙ 10.6 \*  
 beste Teiler 256.6 (10.) 715.5 (2.) 742.8 (7.)  
 Trefferlage 5.24 mm links, 7.26 mm tief  
 Streuwert 12.74, horizontal: 10.12, vertikal: 14.91



Serie 2:  
 9.1 ↘ 10.2 ↗ 8.4 ↑ 9.0 ↘ 10.2 ↓  
 10.0 ↗ 9.0 ← 9.3 ↑ 9.0 ↘ 9.0 ↘  
 beste Teiler 587.3 (12.) 622.1 (15.) 736.3 (16.)  
 Trefferlage 6.17 mm links, 7.64 mm hoch  
 Streuwert 7.22, horizontal: 6.72, vertikal: 7.69



Serie 3:  
 8.6 ↙ 6.9 ↑ 8.5 ↑ 9.8 ↑ 9.4 ↘  
 8.8 ← 9.4 ↓ 8.9 ← 10.4 \* 9.5 ↘  
 beste Teiler 457.6 (29.) 896.2 (24.) 1126.4 (30.)  
 Trefferlage 8.13 mm links, 4.63 mm hoch  
 Streuwert 10.57, horizontal: 6.37, vertikal: 13.52





Serie 4:  
 9.6 ← 9.2 ↘ 10.5 \* 9.5 ↑ 9.2 ↑  
 8.9 ↗ 9.7 ↑ 8.2 ↘ 9.1 ↑ 9.1 →  
 beste Teiler 358.7 (33.) 1020.0 (37.) 1046.0 (31.)  
 Trefferlage 1.23 mm links, 8.65 mm hoch  
 Streuwert 8.09, horizontal: 9.47, vertikal: 6.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.7)  
 Serien: 88 88 93 87  
 Zähler: 11 18 7 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2630 (11), 2534 (9), 2474 (36)  
 beste Teiler 47.5 (15.) 225.0 (1.) 289.8 (23.)  
 Trefferlage 0.28 mm links, 0.30 mm tief  
 Streuwert 10.13, horizontal: 8.63, vertikal: 11.42




Serie 1:  
 10.7 \*                      8.5 ↓                      9.9 →                      10.4 \*                      10.2 ↘  
 9.7 ↘                      8.7 ↓                      8.0 ↘                      7.8 →                      9.4 ↓  
 beste Teiler 225.0 (1.) 426.2 (4.) 597.8 (5.)  
 Trefferlage 1.00 mm rechts, 1.36 mm tief  
 Streuwert 11.23, horizontal: 10.31, vertikal: 12.08



Serie 2:  
 7.7 ↓                      8.6 ↑                      8.8 ↘                      9.5 ↓                      10.9 \*  
 9.7 ↓                      8.6 ←                      9.9 ↑                      10.5 \*                      10.3 ←  
 beste Teiler 47.5 (15.) 328.8 (19.) 541.4 (20.)  
 Trefferlage 2.54 mm links, 0.52 mm hoch  
 Streuwert 10.39, horizontal: 7.49, vertikal: 12.64



Serie 3:  
 10.0 ↑                      10.1 ↓                      10.6 \*                      10.1 ↓                      9.4 →  
 8.8 ↘                      9.6 ←                      9.1 →                      9.7 ↗                      9.4 ↙  
 beste Teiler 289.8 (23.) 685.5 (24.) 713.5 (22.)  
 Trefferlage 2.84 mm rechts, 1.48 mm tief  
 Streuwert 7.81, horizontal: 9.39, vertikal: 5.80





Serie 4:  
 9.1 ↘                      7.9 ↑                      10.3 ↘                      9.4 ↓                      9.3 ↑  
 7.9 ↓                      9.1 ↘                      9.7 ↑                      9.2 ↘                      9.2 ↙  
 beste Teiler 525.7 (33.) 968.2 (38.) 1225.6 (34.)  
 Trefferlage 2.45 mm links, 1.11 mm hoch  
 Streuwert 11.61, horizontal: 7.00, vertikal: 14.85

Unterschrift des Schützen


Meyton Elektronik

|              |   |         |
|--------------|---|---------|
| Ergebnis:    | <b>355</b>                                | (372.4) |
| Serien:      | 89 89 89 88                               |         |
| Zähler:      | 12 16 8 3 1 0 0 0 0 0                     |         |
| Innenzehner: | 6   |         |
| weiteste:    | 3813 (32), 2822 (23), 2773 (11)           |         |
| beste Teiler | 43.2 (25.) 201.5 (38.) 216.0 (29.)        |         |
| Trefferlage  | 2.40 mm links, 2.19 mm hoch               |         |
| Streuwert    | 10.85, horizontal: 11.20, vertikal: 10.49 |         |




Serie 1:

|              |  |        |        |        |
|--------------|--|--------|--------|--------|
| 8.7 ↓        | 10.1 ↗                                   | 8.1 ↓  | 10.2 ↗ | 8.2 ↗  |
| 8.7 ↑        | 10.5 *                                   | 10.5 * | 7.9 ↙  | 10.0 ↘ |
| beste Teiler | 330.9 (7.) 363.9 (8.) 593.9 (4.)         |        |        |        |
| Trefferlage  | 0.16 mm rechts, 0.04 mm hoch             |        |        |        |
| Streuwert    | 11.60, horizontal: 7.55, vertikal: 14.57 |        |        |        |




Serie 2:

|              |   |       |       |       |
|--------------|---|-------|-------|-------|
| 7.5 ↖        | 9.0 ↓                                   | 9.4 ↗ | 9.2 ↖ | 9.5 ↗ |
| 10.2 ↗       | 10.2 ↖                                  | 9.0 ↑ | 8.7 ↖ | 9.3 ↖ |
| beste Teiler | 601.1 (17.) 608.9 (16.) 1140.1 (15.)    |       |       |       |
| Trefferlage  | 7.19 mm links, 1.87 mm hoch             |       |       |       |
| Streuwert    | 9.87, horizontal: 10.07, vertikal: 9.66 |       |       |       |



Serie 3:

|              |  |       |        |        |
|--------------|--|-------|--------|--------|
| 9.0 ←        | 8.3 ↖                                    | 7.4 ↙ | 9.7 ↗  | 10.9 * |
| 9.7 ↗        | 9.8 ↗                                    | 9.1 ↖ | 10.7 * | 9.4 ↙  |
| beste Teiler | 43.2 (25.) 216.0 (29.) 884.7 (27.)       |       |        |        |
| Trefferlage  | 5.38 mm links, 0.16 mm tief              |       |        |        |
| Streuwert    | 10.18, horizontal: 11.20, vertikal: 9.05 |       |        |        |



Serie 4:



|              |  |        |        |       |
|--------------|--|--------|--------|-------|
| 10.3 ←       | 6.2 →                                    | 9.0 ↑  | 9.9 ←  | 8.3 ↗ |
| 8.8 ↑        | 9.8 ↗                                    | 10.7 * | 10.7 * | 9.8 ← |
| beste Teiler | 201.5 (38.) 236.6 (39.) 543.8 (31.)      |        |        |       |
| Trefferlage  | 2.78 mm rechts, 7.02 mm hoch             |        |        |       |
| Streuwert    | 10.93, horizontal: 13.67, vertikal: 7.21 |        |        |       |

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **345** (364.0)  
 Serien: 87 87 82 89  
 Zähler: 9 14 11 5 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3360 (30), 3137 (34), 3020 (24)  
 beste Teiler 232.5 (21.) 286.2 (15.) 376.4 (35.)  
 Trefferlage 0.92 mm rechts, 2.65 mm tief  
 Streuwert 11.93, horizontal: 10.82, vertikal: 12.94




Serie 1:  
 9.5 ←                      9.1 ↘                      8.3 →                      10.0 ←                      8.3 ↑  
 9.0 ↙                      8.8 ↑                      8.6 ↘                      9.8 ↘                      9.7 ↙  
 beste Teiler 775.7 (4.) 902.7 (9.) 987.1 (10.)  
 Trefferlage 1.76 mm rechts, 1.80 mm tief  
 Streuwert 11.38, horizontal: 10.36, vertikal: 12.31



Serie 2:  
 10.3 ↘                      9.4 ←                      8.0 ↘                      8.9 →                      10.6 \*  
 7.8 ↓                      9.5 ↑                      8.8 ↑                      8.2 ↙                      10.0 ↓  
 beste Teiler 286.2 (15.) 560.1 (11.) 734.2 (20.)  
 Trefferlage 1.27 mm rechts, 3.44 mm tief  
 Streuwert 11.62, horizontal: 10.52, vertikal: 12.64



Serie 3:  
 10.7 \*                      10.3 ↘                      9.1 ↘                      7.2 ↗                      9.9 ↓  
 7.2 →                      8.6 ↙                      8.9 ↙                      8.7 ↓                      6.8 ↑  
 beste Teiler 232.5 (21.) 514.1 (22.) 865.7 (25.)  
 Trefferlage 4.12 mm rechts, 1.05 mm hoch  
 Streuwert 14.90, horizontal: 13.68, vertikal: 16.03





Serie 4:  
 9.2 ↓                      10.2 ↗                      10.4 \*                      7.0 ↙                      10.5 \*  
 7.9 ↙                      9.2 ↘                      9.8 ↓                      9.9 ↘                      9.9 ↓  
 beste Teiler 376.4 (35.) 475.0 (33.) 615.1 (32.)  
 Trefferlage 3.45 mm links, 6.41 mm tief  
 Streuwert 9.84, horizontal: 8.30, vertikal: 11.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (368.0)  
 Serien: 87 84 90 88  
 Zähler: 7 19 11 2 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3359 (30), 2949 (8), 2455 (13)  
 beste Teiler 96.7 (26.) 169.2 (34.) 282.6 (6.)  
 Trefferlage 1.07 mm rechts, 0.07 mm tief  
 Streuwert 11.30, horizontal: 10.38, vertikal: 12.14




Serie 1:  
 9.5 ↑                      9.4 ↑                      9.7 ↘                      8.0 ↘                      9.1 ↙  
 10.6 \*                      8.5 ↑                      7.3 ↗                      9.0 ↑                      9.1 ↘  
 beste Teiler 282.6 (6.) 1016.1 (3.) 1122.9 (1.)  
 Trefferlage 1.93 mm links, 0.08 mm hoch  
 Streuwert 12.57, horizontal: 9.75, vertikal: 14.86



Serie 2:  
 8.7 ↘                      9.6 →                      7.9 ↙                      8.7 →                      9.9 ↗  
 9.6 ←                      9.2 ↓                      8.3 ↘                      9.7 ↗                      8.4 ↘  
 beste Teiler 852.9 (15.) 1028.3 (19.) 1045.8 (16.)  
 Trefferlage 2.72 mm rechts, 1.69 mm tief  
 Streuwert 12.02, horizontal: 13.17, vertikal: 10.75



Serie 3:  
 9.9 ↘                      10.5 \*                      9.5 →                      8.1 ↙                      9.4 ↙  
 10.8 \*                      10.4 \*                      10.1 ↗                      9.9 ↑                      6.8 ↑  
 beste Teiler 96.7 (26.) 350.5 (22.) 410.0 (27.)  
 Trefferlage 0.08 mm links, 1.74 mm hoch  
 Streuwert 10.84, horizontal: 8.25, vertikal: 12.92





Serie 4:  
 9.1 ↙                      9.4 ↘                      9.6 ←                      10.7 \*                      8.1 →  
 8.9 ↘                      8.5 ↓                      8.6 ↑                      10.4 \*                      9.1 ↗  
 beste Teiler 169.2 (34.) 464.8 (39.) 1069.9 (33.)  
 Trefferlage 3.58 mm rechts, 0.43 mm tief  
 Streuwert 10.91, horizontal: 10.44, vertikal: 11.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288** (307.8)  
 Serien: 72 66 81 69  
 Zähler: 4 5 9 11 5 2 2 2 0 0  
 Innenzehner: 1  
 weiteste: 6283 (32), 5633 (13), 5508 (12)  
 beste Teiler 469.0 (27.) 534.6 (34.) 573.0 (8.)  
 Trefferlage 7.80 mm rechts, 10.52 mm hoch  
 Streuwert 19.06, horizontal: 17.02, vertikal: 20.91




Serie 1:  
 4.6 ↘                      7.6 ↗                      7.1 ↖                      6.8 ↑                      7.2 ↗  
 8.9 →                      7.2 ↓                      10.2 ←                      8.6 →                      8.8 ↑  
 beste Teiler 573.0 (8.) 1656.8 (6.) 1754.3 (10.)  
 Trefferlage 2.20 mm rechts, 12.62 mm hoch  
 Streuwert 18.88, horizontal: 18.79, vertikal: 18.96



Serie 2:  
 9.9 ↗                      4.1 ↑                      3.9 ↓                      6.4 ↗                      7.8 ↗  
 7.9 ↗                      9.8 ↗                      8.6 ↘                      7.7 ↗                      6.6 ↑  
 beste Teiler 856.8 (11.) 890.7 (17.) 1859.9 (18.)  
 Trefferlage 12.13 mm rechts, 11.55 mm hoch  
 Streuwert 21.53, horizontal: 14.61, vertikal: 26.71



Serie 3:  
 9.1 ↗                      8.8 ↘                      10.0 ←                      7.3 →                      8.8 ↗  
 8.4 →                      10.4 \*                      7.5 ↖                      8.1 ↑                      6.2 ↗  
 beste Teiler 469.0 (27.) 775.7 (23.) 1462.8 (21.)  
 Trefferlage 7.82 mm rechts, 8.92 mm hoch  
 Streuwert 13.93, horizontal: 15.36, vertikal: 12.34





Serie 4:  
 9.9 ←                      3.1 ↑                      5.6 ↗                      10.3 ↘                      8.3 ↗  
 6.9 →                      7.5 →                      9.1 ↓                      7.3 ↑                      5.5 ↙  
 beste Teiler 534.6 (34.) 811.4 (31.) 1489.5 (38.)  
 Trefferlage 9.07 mm rechts, 8.99 mm hoch  
 Streuwert 22.94, horizontal: 19.89, vertikal: 25.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **299** (319.9)  
 Serien: 75 78 72 74  
 Zähler: 1 12 11 8 4 2 0 0 1 1  
 Innenzehner: 1  
 weiteste: 7868 (9), 6787 (35), 4148 (25)  
 beste Teiler 335.0 (15.) 840.9 (37.) 852.5 (18.)  
 Trefferlage 5.56 mm rechts, 1.31 mm tief  
 Streuwert 19.54, horizontal: 21.85, vertikal: 16.91




Serie 1:  
 9.0 →                      8.9 ↘                      9.3 ↘                      6.2 ←                      9.3 ↗  
 9.5 ↖                      8.7 ↓                      8.4 ↖                      1.1 →                      8.9 ↘  
 beste Teiler 1154.6 (6.) 1291.1 (3.) 1349.4 (5.)  
 Trefferlage 6.54 mm rechts, 0.66 mm tief  
 Streuwert 22.64, horizontal: 29.95, vertikal: 11.32



Serie 2:  
 7.9 ↑                      6.2 ↑                      9.0 →                      7.3 →                      10.5 \*  
 7.6 ↗                      7.5 ↗                      9.9 ↑                      8.8 ↓                      8.6 ↗  
 beste Teiler 335.0 (15.) 852.5 (18.) 1597.6 (13.)  
 Trefferlage 11.40 mm rechts, 9.72 mm hoch  
 Streuwert 13.12, horizontal: 10.81, vertikal: 15.09



Serie 3:  
 5.9 →                      9.7 ↙                      8.8 ↓                      7.0 ↘                      5.8 ↙  
 9.5 ↙                      9.3 ↑                      6.7 ↙                      7.3 ↙                      7.4 ↙  
 beste Teiler 1000.3 (22.) 1200.8 (26.) 1342.9 (27.)  
 Trefferlage 3.86 mm links, 13.46 mm tief  
 Streuwert 18.10, horizontal: 20.85, vertikal: 14.85





Serie 4:  
 8.9 ↘                      6.7 →                      7.6 ↖                      8.7 ↓                      2.5 ↗  
 8.5 ↙                      9.9 →                      8.7 ←                      9.2 ↓                      9.2 →  
 beste Teiler 840.9 (37.) 1371.9 (39.) 1439.9 (40.)  
 Trefferlage 8.17 mm rechts, 0.85 mm tief  
 Streuwert 20.46, horizontal: 21.81, vertikal: 19.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (337.5)  
 Serien: 74 78 89 82  
 Zähler: 4 14 8 9 5 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3913 (10), 3589 (29), 3581 (4)  
 beste Teiler 192.3 (28.) 488.2 (27.) 643.1 (18.)  
 Trefferlage 1.86 mm links, 0.95 mm tief  
 Streuwert 15.85, horizontal: 16.16, vertikal: 15.53




Serie 1:  
 8.1 ↙ 8.2 ↗ 7.3 → 6.5 ← 6.7 ↑  
 8.4 ← 7.9 ← 9.3 ↘ 9.7 ↑ 6.1 ↑  
 beste Teiler 981.5 (9.) 1315.0 (8.) 2006.6 (6.)  
 Trefferlage 3.29 mm links, 6.15 mm hoch  
 Streuwert 19.08, horizontal: 20.72, vertikal: 17.29



Serie 2:  
 9.1 ↘ 6.8 → 8.1 ↙ 7.0 ↑ 8.9 →  
 7.8 ← 7.0 ↙ 10.1 ← 7.6 ↑ 9.2 ↓  
 beste Teiler 643.1 (18.) 1439.8 (20.) 1481.5 (11.)  
 Trefferlage 0.40 mm links, 3.74 mm tief  
 Streuwert 17.71, horizontal: 17.66, vertikal: 17.77



Serie 3:  
 9.5 ↙ 9.6 ↑ 9.0 ↓ 9.7 ← 9.2 ↓  
 8.4 ↘ 10.3 ↘ 10.7 \* 6.5 ← 10.0 ↘  
 beste Teiler 192.3 (28.) 488.2 (27.) 777.1 (30.)  
 Trefferlage 6.41 mm links, 1.16 mm tief  
 Streuwert 10.95, horizontal: 11.96, vertikal: 9.84





Serie 4:  
 7.7 ↓ 9.3 → 8.1 ← 7.2 ↓ 9.0 ↑  
 9.4 → 8.7 ↓ 9.3 ↓ 9.0 ↑ 7.1 →  
 beste Teiler 1205.6 (36.) 1302.0 (38.) 1356.5 (32.)  
 Trefferlage 2.67 mm rechts, 5.06 mm tief  
 Streuwert 14.94, horizontal: 14.02, vertikal: 15.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **292** (310.7)  
 Serien: 86 74 65 67  
 Zähler: 3 8 7 12 3 4 3 0 0 0  
 Innenzehner: 0  
 weiteste: 5378 (19), 5254 (28), 4889 (26)  
 beste Teiler 666.0 (12.) 779.2 (5.) 787.7 (10.)  
 Trefferlage 2.58 mm rechts, 1.70 mm hoch  
 Streuwert 20.37, horizontal: 22.99, vertikal: 17.36




Serie 1:  
 8.8 ↓                      9.5 ↗                      9.8 ↗                      9.7 ↘                      10.0 ←  
 7.0 ↓                      8.9 →                      9.2 ←                      7.1 ←                      10.0 →  
 beste Teiler 779.2 (5.) 787.7 (10.) 919.7 (3.)  
 Trefferlage 0.19 mm rechts, 3.96 mm tief  
 Streuwert 12.96, horizontal: 13.85, vertikal: 12.01



Serie 2:  
 8.4 ↑                      10.1 ↘                      6.3 →                      9.0 →                      7.8 ↖  
 9.9 ↘                      8.3 ↓                      5.5 ↓                      4.2 ↖                      8.4 →  
 beste Teiler 666.0 (12.) 844.9 (16.) 1591.1 (14.)  
 Trefferlage 3.45 mm rechts, 2.72 mm hoch  
 Streuwert 21.48, horizontal: 18.78, vertikal: 23.87



Serie 3:  
 7.3 ↖                      7.7 ←                      8.9 →                      9.5 ↗                      7.5 ↘  
 4.8 →                      7.7 ←                      4.4 ←                      5.9 ↓                      7.1 ↗  
 beste Teiler 1135.4 (24.) 1617.9 (23.) 2606.2 (27.)  
 Trefferlage 0.45 mm links, 0.90 mm hoch  
 Streuwert 24.88, horizontal: 29.94, vertikal: 18.50



Serie 4:  
 7.7 ↙                      9.6 ↗                      6.6 →                      7.5 ↗                      5.8 ←  
 7.9 ↖                      8.0 →                      7.1 →                      5.1 →                      6.7 ↖  
 beste Teiler 1100.2 (32.) 2360.6 (37.) 2469.8 (36.)  
 Trefferlage 7.14 mm rechts, 7.16 mm hoch  
 Streuwert 22.23, horizontal: 28.45, vertikal: 13.37

Unterschrift des Schützen

Meyton Elektronik